

AGRICULTURAL RESEARCH INSTITUTE
PUSA



HENRY CANTWELL WALLACE
MAY 11, 1866—OCTOBER 25, 1924

UNITED STATES DEPARTMENT OF AGRICULTURE

HOWARD M. GORE SECRETARY

AGRICULTURE YEARBOOK 1924



WASHINGTON
GOVERNMENT PRINTING OFFICE
1925

Organization of the U. S. Department of Agriculture Corrected to March 1, 1925

Secretary of Agriculture, Howard M. Gorla Assistant Secretary -----Director of Scientific Work, E. D. Ball. Director of Regulatory Work, Walter G. Campbell. Director of Extension Work, C. W. WARBURTON Solicitor, R. W. WILLIAMS, Weather Bureau, CHARLES F. MARVIN, Chief. Bureau of Agricultural Economics, Henry C. Taylor, Chief. Bureau of Animal Industry, John R. Mohier, Chief Bureau of Plant Industry, William A. Taylor, Chief. Forest Service, W. B. Greitey, Chief. Bureau of Chemistry, C. A. Browne, Chief. Bureau of Soils, Million Whitney, Chief. Bureau of Entomology, L. O. Howard, Chief Bureau of Biological Survey, E. W. Nitson, Chief. Bureau of Public Roads, Thomas H. MacDonald, Chief, Bureau of Home Economics, Louise Stanley Chief Bureau of Dairving, C. W. LARSON, Chief. Fixed Nitrogen Research Laboratory, F. G. Cottriat, Director. Office of Experiment Stations, E. W. ALLEN, Chief. Office of Cooperative Extension Work, C. B. SMITH, Chief Office of Publications, L. J. HAYNES, Director Labrary, Claribel R Barnett, Librarian Federal Horticultural Board, C. L. Mariani Chairman Insecticide and Fungicide Board, J. K. HAYWOOD, Chairman Packers and Stockyards Administration. | Chester Morrill, Assistant Grain Futures Administration to the Sceretarn. Administrative Assistant and Budget Officer, W. A. JUMP. Chief Clerk, R M REESE Press Service, F. M. RUSSELL, in Charge Office of Exhibits, J. W. Hiscox, Chief. Office of Motion Pictures, F. W. Perkins, Chief.

1921 Yearbook Committee

The Yearbook has been prepared under the general supervision of a committee consisting of C. V. Piper, H. S. Fairbank, A. J. Henry, N. A. Olsen, M. A. Jull, and W. F. Callander, in collaboration with other persons whose names appear in connection with the articles included in the book. F. M. Russell served as executive secretary, assisted by A. P. Chew of the Press Service.

Foreword

When the late Henry C. Wallace became Secretary of Agriculture in the spring of 1921 the depressed condition of American agriculture gave unusual importance to the economic problems of the farmer. It was desirable that the causes of the situation which was ruining many farmers and making practically all farming unprofitable should be investigated. Accordingly Mr. Wallace planned a series of Yearbooks in which detailed consideration would be given to the economic phases of farm production and marketing. volume is the fourth of the series.

In the preceding volumes studies of many leading farm crops The 1921 Yearbook contained articles on have been published. wheat, corn, beef, and cotton. Similar studies of conditions affecting hogs, dairy products, tobacco, small grains other than wheat, and forestry were given in the 1922 Yearbook. In the Yearbook for 1923 sugar, sheep, forage resources, land utilization, and land tenure were discussed from an economic standpoint. The present volume contains articles on highways and highway transportation; farm credit, farm insurance, and farm taxation; hay; the poultry industry; weather and agriculture; as well as the late Secretary's annual report to the President

In the entire series most of the major farm products and the economic forces influencing their production and sale are considered Important exceptions are horses and mules and fruits and vegetables. The series thus affords a fairly comprehensive economic survey of


American agriculture.

Farming in the United States is in much better condition now than it was when this series of Yearbooks was started livestock production has been largely readjusted in harmony with the changed market situation, and the average buying power of farm products has risen substantially from the low point of the depression period. Nevertheless, it should not be assumed that the readjustment process is over. The production and consumption of farm products throughout the world have not yet reached stability after the shakeup of the war and postwar period. It is therefore as important to-day as it was four years ago to have light on the economic problems of agriculture. It is hoped that the studies in this volume will help the farmer to deal intelligently with the readjustment problems still to be faced.

> Howard M. Gore, Secretary of Agriculture.

CONTENTS

The Year in AgricultureHENRY C. WALLACE
Highways and Highway Transportation
Farm Credit, Farm Insurance, and Farm Taxation
Hay
C. V. Piper, R. A. Oakley, H. N. Vinall, A. J. Pieters, and W. J. Morse, Bureau of Plant Industry; W. J. Spillman, O. C. Stine, J. S. Cotton, G. A. Collier, M. R. Cooper, and E. C. Parker, Bureau of Agricultural Economics; F. W. Sheets and A. T. Semple, Bureau of Animal Industry.
The Poultry Industry
M. A. JULL, A. R. LEE, and H. BUNYEA, Bureau of Animal Industry; R. R. SLOCUM, D. JACKSON, and S. W. MENDUM, Bureau of Agricultural Economics; C. F. LANGWORTHY, Bureau of Home Economics; and W. L. McAtee, Bureau of Biological Survey.
Weather and Agriculture
A. J. HENRY, J. B. KINCER, H. C. FRANKENFIELD, W. R. GREGG, Weather Bureau; B. B. Smith, Bureau of Agricultural Economics; and E. N. Munns, Forest Service.
Agricultural Statistics
Bread Grains
Grains Other than Bread Grains
Fruits and Vegetables
Crops Other than Grains, Fruits, and Vegetables
Farm Animals and Their Products. Part I. Cattle and Hogs
Farm Animals and Their Products. Part II. General, Horses, Sheep, and Poultry
Forestry and Forest Products
Exports and Imports of Agricultural Products
Miscellaneous Agricultural Statistics
Index



Washington, D. C., November 15, 1924

TO THE PRESIDENT:

It becomes my solean duty. Mr. President, to transmit the annual report prepared under the direction of the late Secretary of Agriculture, Henry C. Wallace. Although Secretary Wallace did not have an opportunity to consider the report in its final form, it has been carefully reviewed by representatives of the department who have been in close touch with him and who worked with him in its preparation, and is believed to represent his views regarding the state of agriculture and the work of the department during the period it covers.

It is regrettable that the lamentable death of Secretary Wallace leaves his annual report in the present status. The method pursued in submitting this report appears to be the only practicable one to meet the situation that presents itself.

Respectfully,

Howard M. Gore, Acting Scientific of Agriculture

The report as prepared under the direction of Secretary Wallace follows:

Prospects are that the gross income from agricultural production in the United States for the crop year 1924-25 may reach approximately \$12,000,000,000, compared with \$11,500,000,000 in 1923-24 and \$9,550,000,000 in 1921-22. While much further recovery is required to bring it back to its pre-war condition, American agriculture, on the whole, is in the best position it has held since 1920. Prices of many crops are at the highest point in four years, and costs of production have declined somewhat from the high point of the depression period.

A favorable readjustment has taken place in price ratios between agriculture and industry, due partly to an advance in prices of the things farmers have to sell and partly to a decline in the prices of the things they have to buy. While the purchasing power of farm products is 14 per cent below the pre-war level, it is 20 points, or 30

When first presented to the President this report gave the October 1 estimates of crop yields. The figures have since been revised to agree with the final estimates made in December.

per cent, above the index for May, 1921, when the depression was in its worst period. Farmers have made crop readjustments which helped to bring the various lines of production into better balance.

The Crops of the Year

This year's harvest was the finest in five years. Though not the greatest in volume of products, it was the best balanced and represented the best income. The total acreage in all crops in 1924 is estimated to have been about 370,000,000 acres. This was a decline of about 3,000,000 acres from the area planted in 1923, and a decline of 6,000,000 acres from the area planted in 1919, when the last census




Fig. 1.- - Value of the pris anal field crops in 1923 24

was taken. Indications on November 1 were that the final yield per acre of crops as a whole would be 1.9 per cent below the average

during the last 10 years.

Yet it would be a mistake to conclude that the American farmer is done with the troubles of the depression period. If the readjustment is left to blind economic forces it will be many years before that can be said. Although farm commodity price levels are headed toward a better position, they have still a large gain to make before agricultural products will be on a parity with other products. This means that agriculture is still laboring under a heavy disadvantage.

The improvement that has taken place has not yet lasted long enough to produce any marked betterment in the finances of the farmer. As a matter of fact, the suffering of many farmers is perhaps as intense to-day as it was in the first years of the depression period, because the effects of the depression are cumulative. Present favorable possibilities will have to be turned into realities before it can fairly be said that agriculture is again enjoying normal prosperity. Nevertheless, the showing of 1924 brings prosperity nearer. For wheat production the year was extraordinarily favorable.

For wheat production the year was extraordinarily favorable. Large yields of good quality grain have been harvested almost everywhere. The wheat crop is estimated at 872,673,000 bushels, compared

with 797,381,000 bushels last year, or an increase of 75,292,000 bushels. Average annual wheat production for the previous five

years (1918-1922) was 881,061,000 bushels.

Yields of wheat have been particularly satisfactory in the Great Plains area and in adjacent States from North Dakota to Texas. In the Pacific Coast States, however, severe drought curtailed production.

The spring wheat crop, including durum, has been extremely satisfactory. Yields in most sections have been so far above the average that in spite of a reduction of acreage estimated at 30 per cent since 1919 a crop of 282,636,000 bushels was produced, compared with 213,401,000 bushels last year and an average of 256,326,000 for the

previous five years.

The corn crop is estimated at 2,436,513,000 bushels, as compared with 3,053,557,000 bushels in 1923 and 2,906,000,000 bushels in 1922. An unfavorable season brought about a greater percentage of soft corn than for many years. Good corn prices had encouraged heavier planting, and in March farmers reported an intention to increase their corn acreage by 3 per cent, but a wet spring hampered planting and reduced the effective area to 105,012,000 acres. Growing conditions were particularly unfavorable in the Middle Atlantic States, in Ohio, Indiana, Michigan, and Wisconsin, and in the Gulf States.

Cotton production was estimated at 13,153,000 bales, compared with 10,140,000 bales a year ago and a five-year average of 10,851,000 The acreage harvested was about 8 per cent above that of 1923 and made a total of around 40,115,000 acres. Delayed planting, however, and replanting with inferior seed brought stands of cotton down below the average. On the other hand, boll-weevil and other pest damage was less than in the last three or four years, so that a fair crop was realized. Yields, moreover, were more evenly distributed than in 1923.

This is The potato crop is estimated at 454,784,000 bushels. slightly more than the crop of 1923 and considerably more than the five-year average of 390,616,000 bushels. Though the potato acreage was much less than in recent years, unusually favorable weather resulted in a larger crop. Sweet potatoes, however, are a very small crop this year, total production being estimated at 71,861,000 bushels. compared with 97,177,000 bushels last year and a five-year average of 99,405,000 bushels.

Indications are that tobacco production will be nearly 1,242,623,-000 pounds. This is about 272,487.000 pounds less than last year's crop and about 118,038,000 pounds below the five-year average. The tobacco area was 157,000 acres below that of 1923 and 16,000 acres below the five-year average. But the income return from this reduced crop may be as profitable to the producers as the return would have been from a larger crop at lower prices.

Beet-sugar production was estimated at 1,087,000 short tons, compared with 881,000 short tons last year. The sugar-cane crop in Louisiana was short. Because of light yields and the necessity for holding cane for seed it is estimated that somewhat less than 105,000 tons of cane sugar will be made in Louisiana this year, compared

with 162,000 tons last year and 295,000 tons in 1922.

The vegetable crop acreage increased in 1924, and about 2,200,000 acres were planted in 16 crops in truck-farming areas compared with 1,800,000 acres in these areas in 1918. In 1923 the farm value of 16 leading truck crops was estimated at more than \$300,000,000. It is believed the value of the 1924 vegetable crop will be equal to that of last year.

Feed crops other than corn gave bountiful yields. Preliminary forecasts are for an oat crop of 1,542,000,000 bushels, compared with the five-year average of 1,303,000,000. A barley crop of above average has been harvested, with an estimated production of 187,875,000 bushels, compared with a five-year average of 186,036,000 bushels. Production of tame hay was estimated at 97,970,000 tons, compared with a five-year average of 85,827,000 tons. Estimated production of wild hay is 14,480,000 tons.

Improvement Unequally Distributed

Though the crop story of 1924 spells improvement to agriculture as a whole, the improvement will not be shared equally by all sections of the farm population. Grain producers, who had a cash income from sales in 1923 of about \$920,000,000, may earn this year approximately \$1,210,000,000. Of this prospective increase of \$300,000,000 the wheat growers stand to gain by far the greatest share. Wheat growers in hard winter and spring wheat areas will gain more than other wheat growers.

Corn in October was bringing 30 to 35 cents a bushel more than in October, 1923, but corn growers will have less corn to sell this year owing to the reduction both in the yield and the quality of the corn crop. In some corn States, however, particularly Illinois and Indiana, the unfavorable corn prospects will be offset by gains in cash returns on oats. As a whole the Corn Belt must look for increased returns from higher hog prices. Based on data available for the first eight months of the prisent year it is estimated that total hog slaughter will probably amount to approximately 75,000,000 head compared with 81,000,000 in 1923, 67,000,000 in 1921.

Hogs at the farm are now selling at \$8.60 a hundred pounds. This is about \$2 over the price of a year ago. At this price level the cash income of hog producers during the 1924-25 hog marketing season should be equal to that of last year, notwithstanding a prospective reduction in marketing of not less than 20 per cent.

Cotton growers realized about \$1,470,000,000 from last year's crop of lint. An average price of approximately 22,2 cents a pound would be necessary to realize an equal income from this year's estimated yield of 13,153,000 bales. To date growers have received an average of 23.6 cents per pound for this year's crop. Although these prices are below those of last year, the large cotton crop should enable the South to hold its relatively satisfactory position.

Cash returns from dairy and poultry products do not promise to exceed last year's income from sales of \$1,980,000,000. Marketing of poultry products during the first nine months of 1924 was less than in the same period of 1923, and it is possible the peak of poultry production has been passed. In dairying production continues to increase, but heavier marketing may not result in a greater income.

There is no certain prospect of increased income from cattle and sheep production. Probably the returns will be about the same as those of last year.

Financial Condition Improved

In the main it may be said that the year will bring increased income to the surplus grain-producing regions, to the Corn Belt, and possibly to the Cotton States. The tobacco, fruit, vegetable, and dairy producing States probably will not contribute much to the estimated increase in the gross agricultural income of the year. I have already mentioned that the income from agricultural production in the United States for the crops of the year 1924 may be \$500,000,000 more than that of last year. Returns on the estimated present value of farm capital from this income, if operating costs were not greater than those of the crop year of 1923, would amount to 3.8 per cent. This return is much below the average return to other capital. Moreover, production costs for 1924 may turn out to be slightly greater than those for the preceding year. Nevertheless, the showing is gratifying when compared with that of the last few years.

Income from agriculture has not in any year since the price decline of 1920 sufficed to allow both a commercial return on capital and adequate rewards for the farmers' labor, risk, and management. Yet it has shown a gradual improvement in the last three years. In 1920, after deducting operating costs and a wage allowance for the farmers' labor, and before paying interest on debts, the net income on the current values of agricultural capital was only 0.6 per cent. It increased to 1.4 per cent in 1921. It made a further gain to 3.1 per cent in 1922 and 1923. The indicated further improvement to nearly 3.8 per cent for the present crop year thus represents a very substantial advance from the low point of the depression period. These returns, however, are made on a capital valuation that has been scaled down. Thus the real gain is not as large as the

apparent gain.

The drop in the gross income of agriculture from \$15,800,000,000 in 1919 to \$9,550,000,000 in 1920 roughly shows the extent of the disaster suffered by agriculture from the fall of prices. Similarly the improvement already cited in the gross income of the industry as a whole since 1920 measures the general betterment that has taken place. But perhaps the rewards to actual farm operators may come nearer to indicating the position of the average farmer. Actual farm operators, after paying interest on borrowed capital and rent on rented farms, may earn approximately 2 per cent on their own capital investment in the crop year 1924. This compares with a loss of 3.1 per cent on their capital investment in 1920, a loss of 1.4 per cent in 1921, and a profit of 1.5 per cent and 1.4 per cent in 1922 and 1923.

Farm purchasing power, as measured by the quantity of things for which a definite amount of agricultural commodities can be exchanged, has improved somewhat in the last 12 months. Although the index number of prices paid to producers of 30 farm products was about the same in November, 1924, as in November, 1923, the price level of nonagricultural goods had declined. There was con-

sequently an increase in purchasing power of farm products in terms of nonagricultural products. Thus in November, 1924, the ratio of farm prices to wholesale prices of nonagricultural goods was 86, compared with 83 in November of 1923. While the average level of rarm prices remained about the same, there were important changes in prices of some products. Farm purchasing power in some localities has been materially increased by large yields of crops that have brought good prices.

Improvement in Wheat Situation

Improvement in the wheat situation has been the outstanding event in the agricultural history of 1924. As the year began the world grain market situation was more favorable than at any time since the general price deflation of 1920-21. Apparent surpluses of




Fig. 2.— The great increase in wheat production 1924, as compared with the production in 1923, occurred in the central tier of wheat States. The larger crop was sold for a higher price, due to a shortage in the world crop. The farm price of wheat on December 15 was 141.1 cents a bushel as compared with 94.5 cents on December 15, 1923. However, much of the crop was marketed before the price made its greatest advance. As a result the average price received by farmers for all marketings from July 1 to December 31, during which period nearly three-fourths of the crop left the farms, was estimated to be only 124 cents a bushel.

bread grains had been much reduced and the world's crop promised to be between 300,000,000 and 350,000,000 bushels below that of last year. Exportable surpluses in the principal producing countries were reduced and requirements of the importing countries were increased. Indications were that wheat would continue throughout the crop year on a price level considerably higher than that of the crop year 1923. Total production of wheat in the Northern Hemisphere outside of Russia and China was estimated to be about 2,750,000,000 bushels, compared with 3,045,000,000 bushels last year. Russia seemed unlikely to export wheat, whereas last year she exported about 25,000,000 bushels. Wheat crops of the Southern Hemisphere were estimated not to be larger than those of last year. The

world rye crop, an important factor in the world wheat market, was approximately 100,000,000 bushels short of last year. It is figured that the total world's supply of bread grains for 1924–25 will be probably 10 per cent less than that of the preceding crop year.

The demand for wheat from the United States should be stronger than it was last year. Europe, outside of Russia, is short more than 100,000,000 bushels of wheat and approximately 100,000,000 bushels of rye. North Africa and Russia are out of the market. Canada, our most important competitor, will have at least 150,000,000 bushels less wheat than last year? High prices may result in lessened consumption of wheat in importing countries, but Europe and the Orient together will undoubtedly take all the wheat available for export from the United States at prices considerably above those of a year ago.

Nature has been good to most of the wheat farmers of the United States this year. She has given them large yields per acre and a total crop larger than that of last year on a reduced acreage. Reduced yields in foreign countries have brought about a market situation in which the American farmers are receiving higher prices for a larger crop. It seems reasonable to expect that the price farmers will receive for this year's crop will average about \$1.22 or better for the year. At this price the cash income from the wheat crop, as estimated October 1, would amount to about \$900,000,000, com-

pared with approximately \$570,000,000 last year.

Nevertheless, the rise in the price of wheat has not yet sufficed to give a bushel of wheat its pre-war average purchasing power. A suit of clothes which cost the farmer of North Dakota 21 bushels of wheat in July, 1913, would have cost him 24 bushels in August, 1924. An average farm price of wheat in the United States on August 15 of \$1.40 a bushel would have been necessary to give that grain its pre-war purchasing power. Moreover, not all the wheat farmers of the United States will share in the increase in income from wheat production. Although producers of hard red winter wheat in Kansas, Nebraska, and Oklahoma, and producers of spring wheat in the States east of the Rocky Mountains, may approximately double their 1923 cash income, the States west of the Rocky Mountains and the important wheat-growing regions east of the Mississippi will have lower incomes because of reduced production.

Probably the increased wheat production in the four spring wheat States east of the Rocky Mountains will nullify the effectiveness of the protective tariff on wheat. Most of the wheat produced in this region is purchased by American millers. Mills last year consumed 14,000,000 bushels of Canadian wheat, upon which duty was paid, in addition to 114,000,000 bushels of American spring wheat. The indicated supply of American spring wheat this year, however, considerably exceeds the probable domestic consumption. Spring wheat therefore rests on an export basis, with its prices determined in the world market. In the last few months prices at Minneapolis have been lower than at Winnipeg. Whether or not this relationship will continue throughout the year will depend largely on the movement

of the crop.

It is therefore evident that, while the wheat situation has greatly improved, it has not yet reached a point where farmers should think no further readjustments are necessary. It would be a mistake to

suppose that the wheat acreage may again be expanded with the expectation of high prices. Production costs and transportation rates are still high. Important competing countries will not have partial crop failures or low yields every year, and wheat production in Canada will probably continue to expand. Russia will not be permanently out of the wheat market. So long as the United States produces a surplus of wheat the price of the crop will be determined largely in the markets of the world and the American farmers will have to meet keen foreign competition, unless some means is provided for making the protective tariff effective.

Cotton Situation Steady

Although cotton prices are substantially lower now than they were at the beginning of the present year, the outlook is still promising to the cotton grower. When the cotton season of 1923 and 1924 closed on July 31 the world supply of American cotton was at the lowest ebb for 25 years, although the world consumption of American cotton during the season had been over a million bales less than that of the previous year. With a cotton crop estimated as of October 1 at 12,500,000 bales there will be with the world carry-over a supply of approximately 15,000,000 bales. This crop should contribute approximately a billion and a half dollars to the purchasing power of the cotton growers. A good feature of the cotton situation is the uniform distribution of the crop. Georgia, Mississippi, Arkansas, and Oklahoma, where yields last year were low, all have good crops this year.

Cotton recovered more quickly and definitely from its deflation in 1920 than any other important staple. It has been in a satisfactory position from the standpoint of prince since 1922. In some parts of the Cotton Belt, however, the recovery from the depression has been impeded by drought, the boll-weevil and leaf-worm damage. Increased boll-weevil destruction and unfavorable weather in the South Atlantic States so reduced yields in 1921 and 1922 as to offset the advantage of the advance in prices. In general, growers of long-staple cottons have not enjoyed a proportionate share of the prosperity which has come to the cotton growers as a group. This is due principally to the large supply of foreign-grown, long-staple cotton, and to reduced demand for all varieties of long-staple cotton.

Industrial prosperity in the United States in recent years has given rise to domestic demand for raw cotton running close to 6,000,000 bales a year. This is approximately 60 per cent over pre-war amounts. Exports, although below pre-war figures, have roughly equaled domestic consumption. Three abnormally small crops failed to meet the requirements of this market situation. It is estimated that from 1921 to 1924 production failed by more than 7,000,000 bales to restore withdrawals from the world supply.

To this situation the price level has had to adjust itself frequently. From the low point of the 1920 and 1921 decline, values doubled within three months. Thereafter, they continued generally upward, reaching their peak for the period at 37.15 cents on December 1, 1923. In this period experience confirmed the rule that shortened cotton crops are not generally unprofitable. Small crops may bring high prices and mean a proportionately larger available labor supply

for gathering. On the other hand, they tend to a reduction of the permanent local labor supply. There has been a drift of negro labor away from the South in the last few years which may impair our cotton-producing power. Yet cotton yields this year have, for a time at any rate, set at rest any fear that American cotton produc-

tion will not again be able to meet the world demand.

As a means toward the improvement of cotton-marketing methods the establishment by the department of uniform standards of quality must take a place in the front rank. Such standards were authorized and prescribed for the American cotton futures markets as early as 1914. It was not until 1923, however, that Congress in passing the United States cotton standards act directed the general adoption of these standards for the sale and purchase of spot cotton in interstate and foreign commerce. Most of the important cotton exchanges have now adopted the American cotton grades under the name of universal standards. Their general use has enabled growers for the first time to sell their product on the same system of classification as that on which the spinner buys. Benefits of this development are brought home to the grower through licensing of qualified classers as public cotton graders. The same end is promoted by the issuance of classification certificates by authorized employees of the department. General adoption of standardized grading of cotton and the establishment of universal standards have resulted in greatly increased demands for copies of those standards. In 1924 the output of such copies exceeded 10,000, or approximately five times that of 1921. Applications for copies of the standards have reached such a total that the resources of space and funds available for the work are inadequate.

Vegetable Acreage Increased

One of the most interesting recent developments in agriculture has been the increase in the acreage devoted to vegetable crops for shipment to outside markets. In 1924 there were about 2,200,000 acres planted in 16 crops in truck-farming areas, compared with 1,800,000 acres in 1918, an increase of about 22 per cent. The most notable increase occurred in the acreage of lettuce, of which about 63,000 acres were harvested in 1924, compared with about 16,800 acres in 1918. The increases occurred largely in the development of new territory in the West and on the Pacific slope. Colorado increased from 150 in 1918 to 5,600 acres in 1924; Idaho from none in 1918 to 3,150 acres in 1924; and California from 7,600 to 31,290 acres. There were notable increases in New York and in the South also. Acreage of peas for table consumption nearly doubled during the period; spinach more than doubled; while watermelons increased from 90,000 to 169,220 acres. The two staple crops, cabbages and onions, show no sustained increase during the period, nor is there any marked increase in the crops produced for canning as a whole.

Bad Year for Livestock

Although 1924 was not a year of good profits for cattle and hog producers, it is nevertheless true that the livestock industry of the country is now on a firmer foundation than at any time since the

price collapse of 1919 and 1920. Cattlemen have had a harder time than any other group of livestock producers. Slow but steady liquidation has been going on in the cattle industry for three years. To-day, however, many of the war-time loans, with their high interest rates, have been paid. Money is available on more favorable terms, conditions in the cattle country are improving, and the prospective reduction in hog raising should strengthen the market for beef.

Conditions, however, are not yet satisfactory in the cattle industry. In August, 1924, beef-steer prices at Chicago were lower than in the corresponding month of either 1922 or 1923. They were only \$2.60 a hundred pounds higher than the low point of 1921. When the collapse of markets came commercial banks and Government agencies joined in an effort to save the cattle industry from ruin. Loans were made and renewed, interest rates were reduced, and liquidation temporarily deferred in the hope that prices would again advance to a point at which the range cattleman could meet his obligations. This hope has not yet been realized.

The position of the beef-cattle producer has been hurt by expansion in the numbers of dairy cattle. All dairy cattle go to slaughter eventually, and the growth of the dairy industry makes a substantial addition to the meat supply. Heavy slaughter of hogs and the competition of cheap pork products have also been a handicap to the beef-cattle producer. With no export outlet for beef products, our present annual production of cattle seems to be larger than can be marketed at profitable prices. The best present policy for cattle

producers would seem to be to raise fewer and better cattle.

Swine producers have grounds for encouragement. Price deflation in 1921 carried hog prices down almost to the pre-war level. Ordinarily this would have meant reduced hog raising. But though hogs were low, corn was lower. Hence hogs offered the most profitable outlet for corn. Hog production in the Corn Belt accordingly increased around 30 per cent in 1922 and another 5 per cent in 1923. Inspected slaughter in 1923 was 53,300,000 head, or 10,000,000 more than in any previous year. Inspected slaughter to date in 1924 has been even larger. In such an overbalanced supply position prices have naturally been unprofitable.

The period of excess production is now apparently ended. A survey made in June, 1924, indicated a decrease, compared with the previous year, of 21 per cent in the number of sows that farrowed. There was a reduction of 20 per cent in the number of pigs saved last spring compared with the number saved in the spring of 1923. A reduction of 6 per cent in the number of sows bred or to be bred to farrow this fall and of 10 to 15 per cent in fall pigs was also indicated. With such a reduction in supplies, and with prospects of a continued broad foreign demand for pork and pork products, the swine producer should soon again be able to set his records down on the profit side of the ledger.

Sheepmen in Good Condition

Sheepmen are in a much more favorable position than cattle or hog producers. Prices of wool, sheep, and lambs made a quick recovery from the 1921 slump and have since maintained a level not only much above those of other agricultural commodities but above the price level of all commodities. This favorable situation has been largely due to the fact that breeding stock in the sheep industry was greatly reduced after the war, first by heavy marketing from the range country in 1919 on account of drought, then by heavy losses in the winter of 1919 and 1921, and afterwards by liquidation of breeding stock in the Eastern States on account of the depression

of prices in 1921.

To-day world stocks of both sheep and wool are below normal. Wool prices are advancing in world markets and there is an excellent demand for both fat and feeder sheep and lambs. The price situation is encouraging expansion in the production of wool and lambs. Lamb prices in August, 1924, were about 58 per cent higher than during the low time of 1921 and wool prices were about 104 per cent higher. Sheepmen are accordingly in good shape. But it is important to bear in mind that the sheep industry is subject to cycles of large production and low prices, and reduced production with high prices. In periods of high prices, therefore, producers should be cautious about stocking up too heavily with the expectation that prices will remain high.

Wool producers have enjoyed prosperity in 1924. Present prices for the bulk of the wool clip are almost 100 per cent above the prices paid in the second half of 1920 and nearly 200 per cent above the prices of 1913. While these percentages of increase are less than those of some lower-priced farm commodities, they probably represent a larger net gain to the producer than that accruing from

improved prices in most other agricultural activities.

Fine wool in October was worth \$1 per scoured pound more than in the corresponding month of 1913 and 75 cents more than in the corresponding month of 1920. Nevertheless, the domestic price was below the world importing level. This was due to a temporary

decline in the import demand for wool.

Normally the United States is a heavy importer of wool. When it is buying foreign wool in the usual quantity, the domestic price is naturally about equal to the foreign price plus the tariff. This condition did not exist in October, because in 1924 domestic consumption of wool materially declined. In the persistence of an import-price level above the domestic-price level American woolgrowers had a promise of still higher prices for their commodity as soon as the demand for it should once more compel the resumption of normal imports.

Consumption of wool in the United States in the first seven months of 1924 was 25 per cent less than in the corresponding period of 1923. Imports in the same period showed a decline of 47 per cent. Yet in spite of decreased mill consumption and slackened import, demand prices for wool advanced. With an increasing population in this country to be clothed and with world competition for the available supply of wool increasing, the American woolgrower has

a good prospect of continuing prosperity.

It is worth noting that while the American woolgrower has in the last few months not been getting the full benefit of the tariff, he has benefited substantially from it in the last few years. Under the tariff act of 1922 most of the wool imported into the United States pays a duty of 31 cents per pound clean content. In the last two

years the price of fine territory staple wool in Boston has at times been as much as 32½ cents above the price of a comparable grade of wool in London. This margin is substantially the amount of the tariff plus the cost of transportation. In 1923 the average excess of the Boston price over the London price was about 23 cents per pound. This year the spread, owing to decreased wool consumption in the United States, has been greatly diminished. Obviously, however, this is an effect of the abnormally low import demand, which should pass away as American wool consumption increases. It should be borne in mind, moreover, that were the duty not in existence, foreign supplies of wool would be more readily available to importers. This would tend to depress the home market.

Dairy Prices Unsettled

Conditions in the dairy markets were unsettled during the first nine months of 1924. Prices in the early part of the year followed an uncertain course. The low point of the usual spring decline of

PRODUCTION CONSUMPTION 250 Production Consumption 125 100 Price 50 25

PRODUCTION, CONSUMPTION, AND PRICE OF BUTTER, 1920-1924

Fig. 3.—A steady increase in the production and consumption of creamery butter in the United States took place from 1920 to 1924, as will be seen from the peaks of the seasonal fluctuations shown in the chart. The increase in production, except during 1920 and the early part of 1921, when all commodity markets were depressed, was not accompanied by a decline in the trend of butter prices. On the contrary the tendency was upward Indeed, butter prices moved upward faster than the price level of all commodities, although at the end of 1924 they were still below their pre-war parity

0

1922

0

1923

0

butter prices was reached in April, a month before flush production began. September opened with a quantity of butter in storage of 156,232,000 pounds, an increase over last year of 53,500,000 pounds. This heavy surplus was an occasion for concern, because up to October 1 prices remained below storing prices so that it was impossible to move storage holdings except at a loss.

An encouraging development toward the end of the year was the firm tone of foreign markets, which eliminated the possibility of large imports into the United States. In the early part of 1924 and during 1923 imported butter was a considerable factor in the market situation. Domestic production of butter, however, appears

to be running about 8 per cent heavier than a year ago. Thus, the heavy storage surplus, notwithstanding the prospect of diminished imports, means that consumption must be materially increased if the season ahead is to pass without a price decline. What has been said regarding butter pictures in a general way the trend of other dairy products. Dairymen, moreover, are beginning to feel the pressure of higher feed prices.

On the whole, however, dairying has been one of the bright spots of the agricultural situation since 1921. Though prices of dairy products slumped in that year they came to a stable basis on a higher level than that to which farm commodities generally sank. was partly due to the fact that dairy products, unlike wheat and livestock, usually find a broad market at home and are therefore

comparatively unaffected by conditions in other countries.

Progress continued in our dairy industry, with the result that the number of milk cows in the United States increased from 23,-594,000 on January 1, 1921, to 24,675,000 on January 1, 1924. production increased from nearly 90,000,000,000 pounds in 1920 to nearly 110,000,000,000 pounds in 1923. Total output of dairy products in the first eight months of 1924 showed an increase of between 7 and 8 per cent over the output of the price period of 1923.

The increased dairy production has been readily consumed, but at lower prices. Indeed, the United States last year, besides consuming practically all its domestic output of dairy products, imported the equivalent of 20,000,000 pounds of butter. In the first seven months of 1924 imports of butter were larger than in the same period Dairying conditions were specially favorable in 1923. Farm value of dairy production in that year exceeded \$2,500,000,000. or \$115,000,000 more than in 1921. Though in the first eight months of 1924 the prices of butter and cheese were somewhat lower than in the corresponding period of 1923, the decline was not sufficient materially to hurt the industry. In the main the outlook continues favorable, because the domestic market for dairy products is extend-

ing and improving.

Dairy farmers, however, should keep an eye on the foreign situation. For the last 10 or 15 years the market for dairy products in this country has been to a considerable extent independent of the dairy markets of other countries, since our production has very nearly equaled our consumption. With the rehabilitation of European agriculture, now well under way, this position may undergo a change. Dairy production has been expanding in Europe as well as in the United States. High prices prevailing for dairy products in this country offer an attractive market for foreign producers which they will naturally seek to exploit. There is consequently a possibility that foreign competition will be an influence in our dairy product markets in the comparatively near future. While this possibility does not alter the fact that the immediate outlook for the American dairyman is favorable, it indicates that he should not consider the opportunity for expansion in dairying unlimited.

Market reports issued by the department on dairy products in the last four years have had a stabilizing influence on prices. Information published regarding production, supply and movement, demand and prices, not only in the United States but in leading foreign dairy countries, has facilitated orderly marketing and helped farmers to plan their future production wisely. "Milk for health" campaigns carried on by the department have undoubtedly helped to increase the consumption of dairy products. The department has also assisted in the organization of cooperative associations for the distribution of dairy products. Near large cities, where the problem is primarily one of marketing milk through distributors and in some cases directly through producers' cooperative distributing plants, farmers have been aided in working out plans of organization, financing, and methods of operation. In butter and cheese producing territory the problem is frequently that of efficiently selling the output of cooperative creameries and cheese factories through associations or federations of similar organizations. The department has been able in many cases to assist in the federating process.

Foreign Market Situation

Nearly one-half of the export trade of the United States consists of agricultural products. This fact has sometimes led to the hasty assumption that the decline in prices of agricultural products in

TREND OF PRINCIPAL AGRICULTURAL EXPORTS




Fig. 4.—This chart shows the trend in the volume of the agricultural exports of the United States for the years ended June 30 in the period from 1866 to 1924. It is based on index numbers expressing the volume of the different farm products entering into our export trade. The primary line shows the trend of exports of all the principal agricultural products. The lower line shows the trend of cotton exports alone, which in many years constituted more than half of the total value of our agricultural exports. The upper line shows trend of exports of the important agricultural commodities, excluding cotton

1920-21 was due to the inability of Europe to buy its normal quota of our farm production. As a matter of fact, our agricultural exports, instead of declining, increased for a time after the war. Our exports of wheat, corn, and rye during the years of low prices not only averaged much greater than in the pre-war years but were even greater than during the war years. This was likewise true of pork and pork products which make up our largest meat exports. It was equally true of tobacco.


These figures dispose of the myth that the farm depression was due to loss of export markets. Europe bought our farm products all

the more freely because we were selling them at bottom prices. But we had more foodstuffs to sell than Europe could absorb at prices remunerative to our farmers. This overbalanced supply situation is now being corrected. The last two years have seen a decline in exports from the high levels of 1918 to 1922. In the year ended June 30, 1924, the volume of our agricultural exports was only 4 per cent above the average for the five pre-war years. Probably we must be prepared for a further decrease in our farm exports. European agriculture is getting back to its pre-war productiveness and the competition of other surplus food-producing nations whose land and labor are cheaper than ours is increasing in the European market.

How unlikely it is that an increase in the foreign demand for our farm products will by itself bring about better prices is apparent when we consider the competitive situation among food-exporting countries. Canada, which had an average crop of 197,000,000 bushels of wheat from 1909 to 1913, produced 301,000,000 bushels in 1921, 400,000,000 bushels in 1922, 470,000,000 bushels in 1923, and over 300,000,000 bushels this year. Argentina, whose average annual production from 1909 to 1913 was 147,000,000 bushels, has produced in the last four years an average of more than 200,000,000 bushels. The shortage of American cotton has led to systematic efforts in other producing countries to increase their output. There seems in short to be no basis for the hope that the economic rehabilitation of Europe will increase the market for our foodstuffs, because the tendency of this rehabilitation to increase the demand for American grain and meat and fibers is offset by the heightened competitive situation among the agricultural exporting nations.

Our two best foreign customers have been the United Kingdom and Germany. Probably the United Kingdom will continue to import from the United States cotton in decreased volume, tobacco in constant or perhaps increasing volume, pork products as long as the price remains low and in reduced quantities at higher prices, wheat

VALUE OF AGRICULTURAL EXPORTS AND IMPORTS AVERAGE, FISCAL YEARS ENDING JUNE 30,1922-1924



and flour in small quantities varying with the competition from Canada and Argentina, foodstuffs when crops are short in competing countries, fresh fruits in relatively small quantities, dried fruits in fair volume, glucose and perhaps other specialized grain products. A study of German conditions leads to the conclusion that we may hope for a market in Germany during the next few years for perhaps eight hundred to nine hundred thousand bales of cotton. Probably the German market will be good for pork products and fats as long as prices remain low. German purchases of grain from us will probably depend on what Russia has to offer. Our tobacco exports to Germany should continue. On the whole, however, our sales to Germany will probably be less than during the five pre-war years. 15 or 20 years we shall not have the same need for a foreign market. By that time our population should have grown large enough to consume most of what we produce. Meantime we must be careful not to build excessive hopes on the possibility of increased foreign sales.

Livestock Disease Outbreak

The outbreak of foot-and-mouth disease in California in February created the most urgent demand for the services of the department during the year. This outbreak was the most serious menace to American livestock in recent years. Fortunately the department was better prepared than ever before to deal with such an emergency. Plans had been worked out in advance and printed matter and other supplies provided. A picked force headed by trained and experienced veterinarians was placed at work in the affected territory. State and local authorities in California heartily cooperated with the Federal forces and supplied valuable assistance. On the few previous occasions when this highly contagious malady gained entrance into the United States it was brought under control and finally eradicated by methods of quarantine, disinfection, and slaugh-This policy was again followed. Strict quarantines were imposed, all affected and exposed animals were slaughtered and buried, and infected premises were disinfected. Indemnity based on appraised value was paid to owners of animals and property destroyed. By the end of June the outbreak had been brought under control. Only a few sporadic cases have since occurred.

In the fight against the disease up to June 30 there were slaughtered 49,781 cattle, 24,978 sheep, 20,996 swine, and 808 goats. Indemnity charges for animals and other property amounted to \$3,800,000, chargeable half to the Federal Government and half to the State of California. Suppression of the disease presented unusual difficulties, because the infection spread to horses and flocks on the open range and in the rugged mountain country. In the more rocky regions the problem of burying large herds was especially perplexing. In some instances cattle were driven into a rocky canyon and there killed and the side of the canyon blasted down with

dynamite to bury the carcasses.

Foot-and-mouth disease has ravaged the herds of Europe and other parts of the world for many years, causing tremendous losses. Where it has become firmly established its eradication has proved to be economically impossible. Scientific studies have so far failed to provide effective means of control. Hence the department has de-

clined to risk infection of the American livestock industry by permitting the harboring of the virus for purposes of experimentation and treatment. It has adhered rigorously to the effective policy of slaughter. The source of the latest outbreak in this country has not been discovered. The disease first appeared in hogs fed garbage shipped from the Mare Island Navy Yard in San Francisco Harbor. It therefore seems probable that the infection was carried by shipments from the Orient.

State of Agriculture During Past Four Years

In the administrative period now drawing to a close American agriculture has been faced with problems of unexampled seriousness and difficulty. It has suffered the shock of a major economic crisis, from which it sustained more damage than any other branch of production. This crisis was followed by an uneven price readjustment whereby the exchange of goods and services between town and country came to stand on a footing highly disadvantageous to the farmer. It now seems that the corner has been turned. Although the farmers as a class do not yet receive compensation for their services on a parity with that received by other economic groups, they are getting substantially more than when the present administration took office.

In these circumstances it seems advisable in this report to depart from the usual custom of reviewing only the agricultural history of the last 12 months and to glance instead at the entire period since the depression began in 1920, sketching briefly how the farmer has been affected and outlining the contributions of the department to

the solution of the farm problem.

It is worth noting that the depression struck American agriculture in a transition period. Within a decade it had increased its production 15 per cent, not by increasing the number of farm workers, but by increased efficiency. Rejuvenation of equipment was in full swing. Road horses were being exchanged for automobiles. Some regions were introducing tractor power. A great program of pure breeding and disease control was under way in the livestock industry. Farmers everywhere were pushing ahead to a better living standard.

All this development was checked by the postwar crisis. The increased productive efficiency which normally would have meant prosperity brought bitter fruit instead. Buying of new materials and replenishment of equipment stopped. Farmers ceased to buy tractors and depended on horsepower. Great herds of livestock were dispersed. The South was handicapped in its fight against the boll weevil. Standards of living were reduced. Farmers drew on their cash reserves and on the equity in their land, and debt accumulated. In short, the condition by the end of a decade of extraordinary progress in agricultural efficiency was the reverse of what might have been logically expected.

The depression which began in 1920 was not merely a stretch of lean years, such as farmers have had to go through before. It was a financial catastrophe, the full effect of which can not yet be measured. Though all parts of the country have not felt this depression equally, no region has escaped. Some regions may yet have to experience its

full force. A large proportion of the most efficient and energetic producers occupying the best lands of the country have been hard hit

through no fault of their own.

So extreme and one-sided was the drop in prices that the farmers were unable to believe it could last. This mistake, in which they were often confirmed by business men and bankers, aggravated the trouble. Farmers held on and in many cases borrowed money to pay interest and taxes and to meet current expenses. As the depression continued the load of debt increased. Many farmers became discouraged and turned over their property to creditors. From this situation the Nation suffered as well as the individual farmer. It is true that most farms whose ownership changed as a result of the depression continued to produce. Frequently, however, they were no longer cultivated by proprietors with a permanent interest in




Fig. 6.—Prices of farm products in the post-war boom period did not rise as far above the pre-war level as did the prices of other commodities, and they suffered a greater decline in the depression of 1921. Although the spread between farm product prices and the prices of other goods has narrowed in the last two years, it is still considerable

maintaining soil fertility, but by renters, since most of the farms that were foreclosed passed into the hands of nonfarmers. An especially burdensome feature of the depression period was the fact that farm costs of production advanced while farm prices were declining.

Readjustment of prices after the war was inevitable and was expected. An equal readjustment, affecting the prices of the things the farmers have to buy in the same degree as it affected the prices of the things they have to sell, would have enabled agriculture to get through the readjustment period very well. But the uneven price readjustment that actually occurred left the farmers helpless. They were injured as much by this characteristic of the depression as by the speed and extent of the drop of prices. Three years of big crops did little to pull them out of their troubles. In fact, efficiency in farm production seemed to make matters worse. In 1922 the spread between the prices of farm products and the prices of factory goods widened. While industry was booming, agriculture sank to lower and lower levels of depression.

Now that the situation is on the mend, it will be worth while to record some of the effects of the depression because these effects can not be wiped out overnight. Total farm mortgage indebtedness in the United States has greatly increased since 1920. Some of the increase in mortgage debt probably represents new investment in land and in improvements. Most of it, however, has unquestionably been assumed to refund short-time loans to pay interest, taxes, and

current expenses.

Tax definquency has increased. This is especially significant because farmers do not willingly delay their tax payments but when possible borrow money to meet them. In some western areas local taxes have been delinquent for several years. An increase in taxes coincided with a decline in the means of payment. Total farm taxes absorbed in 1923 almost 7 per cent of the gross value of farm products compared with 4.9 per cent in 1913. Reports from 16,182 farmers in 1923 showed that their taxes averaged 17.6 per cent of their net farm returns. In most of the important farming regions of the country taxes on farm lands have gone up two to six times as rapidly as the value of the land. Taxes in the last few years have consumed from 10 to 50 per cent of the net farm income in large sections of the country. Tax burdens have been particularly heavy in the North and the West.

The increase in taxes has been partly due to increases in the cost of conducting public business. Other causes have been a natural tendency for Government activities to expand with the growth of population, and a drift toward extravagance growing out of opti-

mism engendered by high commodity prices prior to 1920.

While a remedy is needed for this trouble, it is not clear that the best one is reduced public expenditures. In many cases taxes must be maintained at high levels to meet obligations already incurred. Nor should we profit in the long run by restricting the legitimate

functions of Government.

Farmers often find their taxes too heavy because of the way in which they are raised. Taxes collected from farmers are usually based on a general property levy. They are levied upon the selling value of the property but are normally paid out of income. Too often the amount of the tax has little or no relation to the amount of the farmer's income. Selling values of land which serve as the basis for taxation do not rest only on current earnings but also on anticipations of future earnings. This often means that taxes have to be paid on fictitious values. Perhaps the general property tax system should be modified.

Another defect in our tax system which tends to increase the burden on agriculture is the fact that a large amount of personal property in urban centers escapes the tax assessor. Some tax evasions are unlawful and others have the sanction of law. Among the latter are those made possible by the enormous volume of tax-exempt securities that has been issued. Farmers' wealth is mainly in the form of land and other forms of personal property which can readily be assessed. Farmers are consequently forced to pay a larger part of the total tax bill than their share of the national wealth warrants. To case the tax burden on agriculture new sources of revenue should be tapped. This means of relief, coupled with a wider diffusion of public burdens, should be sought at the earliest possible moment.

It is not necessary to cite all the evidence of damage done to agriculture by the economic depression. One measure of the trouble is the fact that in the last four years 16 per cent of all bankruptcy cases reported to the Department of Justice have been farm bankruptcies, whereas in the pre-war years only 5 per cent of all bankruptcy cases involved farmers.

The department estimates that the average value of plow lands in the United States as a whole declined 27 per cent between March, 1920, and March, 1924. This decline in land values is important in view of the ratio of debt to the approximate value of farm lands. This ratio for owner-operated farms, which in 1920 was 29 per cent,

had increased by 1924 to probably more than 40 per cent.

It may be well to point out that the farmers were not the cause but the victims of the land speculation which carried land values in some regions up to impossible heights in 1919 and 1920. The land boom was nourished mainly by business men and bankers in the country towns. When commodity prices dropped in 1920 many thousands of producers on farms were unable to meet their payments. Sellers usually extended the time for payment. They wanted the money, not the farms. But the shrewder buyers took the loss of payments already made and turned back the farms. Others who hung on for two or three years merely increased their losses. Many farmers who sold one farm and bought another expecting to pay for the second with the money received for the first were wiped out financially. Many renters were heavy losers as a result of the land boom. They lost their lifetime savings which they had put into first payments on farms.

Many farmers whose debts are very heavy are determined to save their homes and meet their obligations if given an opportunity. These men deserve encouragement. Considerations of good business, as well as fairness, should prompt creditors to make every reasonable concession which will permit them to hold their farms. If an extension of time for payment, a reduction in interest charges, or even a cancellation of part of his debt will enable the farmer to liquidate a major part of his obligation, which he would otherwise have to default, both farmer and creditor should profit. On the other hand, the practice of encouraging farmers to keep on in the face of impossible odds, so that they continue making payments for a time only to be forced out when mortgages can be profitably fore-

closed, must be disapproved.

The overproduction which brought about the collapse in farm prices resulted largely from the stimulus of advancing prices and from the response made by the farmer to patriotic appeals for increased production during the war. The stimulus to increase production did not cease when the armistice was signed. Some Government officials, economists, and commercial papers taught the doctrine of permanently high prices. Farmers were given every encouragement to maintain production at a high level. They were assured that a starving world overseas would take all they could produce at profitable prices. When this stimulus to production had resulted in a large accumulation of foodstuffs, the overbalanced supply position, aided by a campaign of price deflation, brought on a collapse of values.

In the slow and painful process of recovery from this situation perhaps the greatest single helpful influence has been the way farmers themselves have readjusted their production to correct the unbalanced position left by the expansion of the war period. There has been a decline in crop acreage marked by a tendency to return to the pre-war crop ratios. The acreage of wheat is gradually returning to the pre-war level. Since 1920 spring wheat acreage has been reduced about 20 per cent. Winter wheat acreage has been reduced about 8 per cent. In some parts of the Northwest flax has been substituted for wheat, and larger acreages of feed crops have been harvested generally. The area given over to wheat in the Corn Belt during

the war period has been put back into corn.

Although overexpansion in certain branches of farming did not end until after the crops of 1920 had been planted, the readjustment process is now nearing completion. In the South the ravages of the boll weevil have encouraged a material increase in the cotton area, partly at the expense of corn acreage in that region. The decline of corn acreage in the South has tended partly to offset increased corn acreage elsewhere. Changes in livestock enterprises have kept pace with crop changes. Favorable returns from dairy and poultry products have brought about a great swing toward these enterprises, particularly marked in the case of dairying in the North Central and Western States. Swine and beef-cattle production has been increased to keep pace with the greater production of feed crops. These changes, although they have much improved the situation, have not yet brought about a normally stable agriculture. But, in the main, the farmers have done a courageous, thorough, and efficient job in rectifying a bad situation. Readjustment with respect to the proportion of different things produced, however, was by no means the whole solution of the problem, because the general price level of farm products was down in relation to other things and this could not be remedied by changing from the production of one thing to another.

Department Work Reorganized

Naturally the work of the Department of Agriculture has been profoundly influenced by this situation. The department has made important changes in its organization. It has developed new services and new lines of research in an effort to hasten the return of

agricultural prosperity.

With a steady and rather rapid increase in the scope and importance of the work of the department to a point where it consisted of approximately 20,000 persons, it early appeared that a general reorganization should be brought about for the proper coordination of its main divisions and to promote efficiency and economy. Broadly speaking, the general organization as put into effect provided for the proper coordination and supervision of the three main classes of work, namely, research, extension, and regulatory work. Each division has been placed in charge of a directing head, responsible to the Secretary, who acts as a clearing house for department policies and projects.

The director of scientific work coordinates and supervises all department activities relating to the finding of new scientific facts.

The director of extension work has charge of branches active in sending out these new facts and other information to the public. This work is done largely through extension agents in cooperation with agricultural colleges and through separate offices handling motion pictures and exhibits. The director of regulatory work has charge of the administration of over 30 laws which have been placed in the department by Congress for administration. His work is very closely associated with scientific work, as research along scientific lines is necessary in the administration of many laws.

All forces of the department which are engaged in agricultural economic work were merged into the new Bureau of Agricultural Economics and greatly strengthened in order to better serve agriculture during the period of depression and readjustment. A full discussion of this phase of the reorganization scheme will be found

later in this report.

The new plan of organization as put into effect greatly increased efficiency and economy in general administration and made possible the needed regrouping of certain phases of work. It made unnecessary the States Relations Service as such, and the Office of Cooperative Extension Work was placed under the director of extension work. It did away with the office of director of information and the Division of Publications, as such, and editorial and distribution work was attached to the Secretary's office. The Office of Experiment Stations was attached to the office of the director of scientific work. Work in motion pictures and exhibits was placed in charge of the director of extension work.

Scientific work in home economics was greatly strengthened by creation of the new Bureau of Home Economics. The establishment of this new bureau with a tecnnically trained and experienced woman as chief will enable the department to extend its work in that field and render better service to the workers in the farm home and rural community.

Economic Work Merged


Agricultural problems in the readjustment period naturally centered more on prices and markets than on production. Accordingly, the department greatly expanded its economic work. A departmental reorganization effected in 1921 greatly increased the department's ability to provide information to the farmers as a guide in production and marketing. Under this reorganization plan three separate bureaus that formerly handled economic subjects independently were consolidated. These were the Bureau of Markets. the Bureau of Crop Estimates, and the Office of Farm Management and Farm Economics. Congress appropriated money for the creation of the Bureau of Agricultural Economics, and this organization came into existence in 1922 charged with the exercise of all the powers and the performance of all the duties formerly imposed by law on the three separate bureaus. As a result new studies were begun and new helpful services inaugurated. Investigations already under way were broadened and the efficiency of the department as a whole was increased through better coordination of work and closer cooperation of the pensonnel. Special attention was given

to economic research likely to afford a basis for practical recommendations in regard to land tenure, types of farming, and methods of distribution.

Some of the more outstanding consequences of this development, which will be discussed in greater detail later in this report, were improvements in farm products standardization and inspection, inauguration of a shipping point inspection service on fruits and vegetables, establishment of a radio news service, the upbuilding of a grain news service, and increased activities under the United States warehouse act. The crop reporting work of the department was revised and put on a more scientific basis. Machinery for issuing semiannual intention-to-plant reports based on information obtained from thousands of farmers in all parts of the country were set up and arrangements were made for the periodical publication of "outlook reports," the first of which was issued last spring.

Valuable assistance was given by the department to the Joint Congressional Commission of Agricultural Inquiry which in 1921

APPORTIONMENT
OF
APPROPRIATIONS
BUREAU OF
AGRICULTURAL
ECONOMICS
U S DEPARTMENT
OF AGRICULTURE
FISCAL YEAR, 1924



TOTAL APPROPRIATION, FISCAL YEAR, 1924 \$4,181,853

Fig. 7

made an exhaustive investigation into the state of agriculture and published a report in four volumes, and later to the National Agricultural Conference called by President Harding and held in Washington in January, 1922. Economists and statisticians in the department were called on for information and counsel by both these investigating bodies. Many of the recommendations of the agricultural conference have since been put in effect.

An outstanding recommendation was for better farm credit facilities. This recommendation has now been realized to a considerable extent through the agricultural credits act of 1923. Other recommendations of the conference that have since been carried out were the strengthening of the Federal warehouse act and the Federal farm loan act, the appointment of an agricultural representative on the Federal Reserve Board, the legalization of agricultural cooperation, provision for a five-year agricultural census, increased appro-

priations for the crop and market reporting services, and increased support for the International Institute of Agriculture at Rome.

Fair consideration of agriculture in the preparation of a permanent tariff bill was urged by the conference. The department assisted in working out the tariff act by supplying a large amount of data and furnishing experts to congressional committees working on The forecasting and outlook reports now made by tariff matters. the department were recommended at the agricultural conference.

Farmers were urged by the conference to reduce their costs of production and marketing as much as possible. Special departmental studies have since been started to indicate how this may be done. In the last few years the department has collected and published more comprehensive cost figures than have heretofore been available.

Another recommendation of the conference that has borne fruit in department activities was that better information should be made available as to foreign market conditions. In the last few years the foreign fact-finding service of the department has undergone the greatest expansion in its history. What is substantially a world-wide news service on agriculture has been developed. vestigators have studied conditions in all countries in Europe and in South America. They have made comprehensive inquiries into the trend of demand in foreign markets. Distribution of this information by telegraph and radio has greatly enhanced its value.

As a result of the investigations of the Joint Commission of Agricultural Inquiry and the National Agricultural Conference, agriculture came to be the most frequently considered subject in Congress. Reports and speeches made on the question fill hundreds of volumes. Never before had agriculture received so much attention. Out of the discussion there came a number of laws relating to agriculture. These laws, however, were in general a treatment of symptoms rather than an actual remedy for the disease from which agriculture was suffering. They did not recognize and attack the root cause of the trouble, namely, the fact that a surplus of agricultural products had been created by artificial stimulation of production, by high prices, and by unusually favorable crop seasons, and that this surplus could not be sold at remunerative prices, while other economic enterprises had so fortified themselves during the war years that they could resist price and wage reductions.

In other words, it was not seen that the need was for exceptional means of dealing with an exceptional situation. Nevertheless, substantial benefit has accrued to agriculture from legislative relief measures enacted by Congress. This is notably true of the tariff, which has been of manifest benefit to spring-wheat growers, wool producers, sugar producers, and to the dairying and livestock indus-Emergency credit measures passed in 1922 helped to relieve the stringent credit situation among the farmers. Appropriations for direct loans to farmers in areas where crops had failed gave needed relief. Congress extended certain debts owed by farmers to the Government and appropriated \$10,000,000 to buy food for Russia. This last action probably had some effect in raising the price of grains. Credit advanced by Government agencies in 1921 and 1922 eased an acute credit situation in the West, and for a time prevented

many banks from closing their doors.

Extensions of credit were not, however, in all cases a kindness to farmers and stockmen. Sometimes producers were encouraged to hold on for a year or two only to find they were engaged in a hopeless and losing struggle in which they were finally overcome. In the main, however, the emergency credit provided by the Government did good. It helped to hold down high interest rates and inspired confidence among bankers who were hard pressed and under severe strain.

In 1923 an agricultural credits act of a permanent character was passed, from which agriculture has already received important advantages and from which it may expect to benefit more and more as the full intent of the act is realized. This measure was designed to furnish intermediate credit. Intermediate credit is credit running for longer terms than ordinary bank loans but for shorter terms than mortgage loans. Lack of such credit had been a serious handicap on agriculture. There are many farm operations which need credit running from six months to three years. Such credit had formerly been supplied on the basis of short-term loans usually renewed but subject to withdrawal in any credit emergency. Under the agricultural credits act 12 intermediate-credit banks have been set up to provide financial accommodation for agriculture for terms corresponding to the farm turnover.

Loans by these banks up to October, 1924, totaled more than \$55,000,000. Of this total rediscounts amounted to \$20,000,000 and direct loans to \$35,000,000. In the main the law seems to be working well. It may have to be amended from time to time. Doubtless it will work better as farmers learn how to take advantage of its provisions. A good feature of the measure is the protection it gives farmers against exorbitant interest rates by means of a provision requiring that the rate charged the farmer shall not be more than 1½ per cent greater than the rate at which the farmer's note

is discounted.

Under the Capper-Volstead Act, enacted by Congress on the recommendation of the agricultural conference, legal obstacles to the free organization and proper functioning of farmers' cooperative associations were removed. There is no doubt that this act has assisted the development of agricultural cooperation in the last few years. The packers and stockyards act extended Government supervision over interstate meat packers, public stockyards, livestock commission merchants, and other market agencies. It put an end

to many improper practices in the marketing of livestock.

An opportunity was given the Government for the first time under the future trading act to supervise and study the operations of grain exchanges. Already this law has had a wholesome effect. In time systematic studies now being made should enable us to form a reliable opinion as to the value and function of grain exchanges. Heretofore these institutions have been regarded in some quarters as wholly good and in other quarters as wholly bad. These conflicting opinions were not based on adequate knowledge. No one had the necessary information to form a trustworthy opinion as to the merits and demerits of grain exchanges. It is now possible to learn what takes place on grain exchanges, to determine the volume of business done and the relation of that business to the physical volume of crops marketed, and to form an idea of the effect of grainexchange trading on prices. This study will be completed as soon

as possible.

An important phase of the department's economic work in the last few years has been its study of land resources and land-tenure policies. This study has shown the need for a classification of undeveloped and underdeveloped lands. Without such a classification it will be difficult to bring about the use of these lands for the purposes to which they are best adapted. It will also be hard to prevent losses to settlers and to the public through attempts to use them for purposes to which they are not adapted.

Much of our agricultural distress has come from misfit land policies and systems of farming. This is particularly true of our great semiarid region, where attempts to cultivate small farms on land adapted by climatic conditions to grazing have helped to destroy the range-stock industry and brought little but disaster to the settlers. In this region agriculture should be based primarily on grazing.

Our land laws should be revised to promote that end.

Much of our agricultural expansion in the future must take place on lands requiring reclamation either by drainage or irrigation. Department studies have shown that land reclamation projects heretofore undertaken have made much land available for cultivation before there was any need for it. Until there is a greater need for cultivated crops much of the land that it is proposed to reclaim should be left to produce pasture, timber, and game. Additional land reclamation at the present time will merely aggravate the adverse conditions under which our farmers are working. So far as reclamation is subsidized, it is subsidized in part at the farmer's own expense.

Useful studies of the relation between land income and land values have been made by the department. These studies have tended to make possible a more correct appraisal of land values. They help to furnish a basis for judgments as to land values for the purposes of purchase or sale and as a basis for loans or for taxation. Other studies by the department have dealt with the problem of tenancy. A considerable amount of tenancy is inevitable. It is therefore important that lease contracts should be fair to both owners and tenants. The department has made a study of prevailing types of tenant agreements and their operation with a view to promoting the use of the better types. Studies of the character of the farm labor supply, the conditions of labor agreements, and the progress of farm laborers have been made in typical districts for the double purpose of improving the farm labor supply and of helping farm laborers in their advancement toward farm ownership.

Statistical Work Strengthened

Readjustments in our agricultural program made necessary by postwar conditions have strongly emphasized the need for additional statistical and economic information. There has been a great increase in the demand for such information. To meet this demand the department has expanded its statistical and market news services.

Great improvement and advancement have been made in crop and livestock estimating and forecasting. Better statistical methods have been adopted and the number and scope of reports have been practically doubled. Special attention has been given to the gathering of information likely to aid producers in making plans for the future.

In an effort to bring about a more balanced program of planting, a system of reports on farmers' intentions to plant has been developed. "Intention to plant" information, collected in advance of planting and widely published, helps farmers to know whether there is a tendency to overplant or underplant various crops, and enables them to make a better adjustment of their own crops to probable market needs.

These "intention to plant" reports were begun in the spring of 1923. A report was issued on April 20 of that year covering springsown crops. Another was issued on August 15 covering wheat and rye. The third was given out in March of 1924, covering spring grains, and still another in August of this year covering the acreage intended to be sown to winter wheat and rye.

· From certain sources there has been criticism of these reports. In the case of cotton this criticism was strong enough to bring about legislative prohibition against them. Nevertheless, the "intention to plant" reports are appreciated and used by farmers and extension

workers everywhere.

In response to a general demand from all interests connected with the production and marketing of livestock products, the department about three years ago began to collect and publish more complete and timely information as to trends of production and market supplies. Previously the only estimates of livestock production made by the department were the January 1 estimate of animals on farms, the April 1 estimate of brood sows, and the September 1 estimate of stock hogs. No attempt was made to estimate the number of animals on feed or the seasonal movement of market supplies in important producing regions. Little information was available as to the States or regions of origin of livestock supplies. Few States had any dependable information as to seasonal or annual markets for the livestock produced. Information was lacking as to the volume of shipments from important feeding or breeding districts.

These wants have now been fairly well met. Extensive and valuable records have been compiled for the principal livestock States covering livestock movements by months and years since January, 1920. From this information, supplemented by more detailed statistics which will be obtained from the census soon to be taken, it will be possible to make a bookkeeping record of livestock production and marketing. A fairly complete program of reports dealing with various aspects of livestock production, seasonal market supplies,

and probable market movements has been inaugurated.

Among the most important of these reports are those giving the results of the semiannual pig surveys made on the basis of material collected in cooperation with the Post Office Department through rural mail carriers. Five such reports have now been issued. Information obtained from these surveys as to the trend of hog production and market supplies has been remarkably accurate as measured by subsequent records of marketing and slaughter. Since the

pig surveys cover not only current production but future breeding intentions, they furnish producers with a guide in determining production plans. The records collected by rural carriers have been enlarged to include information on both dairy cattle and poultry. It is expected this information will make it possible to forecast the number of cows on farms one or two years in advance.

Similar information about cattle and sheep in the 17 western breeding States is furnished in reports covering the calf and lamb crops, and the estimated numbers to be marketed over seasonal

PIG SURVEYS FORECAST SLAUGHTER ACCURATELY




Fig. 8—In 1922 the department started a system of pig surveys in cooperation with the Post Office Department through rural mail carriers. Among other data these surveys show the pig farrowings each spring and fall compared with the farrowings of the previous year. In the above graph are given the spring and fall farrowings of the Corn Belt as reported in the surveys. The slaughter figures are all inspected slaughter for the entire United States. However, between 95 and 90 per cent of the country's inspected hog slaughter represents hogs raised in the Corn Belt. It will be seen that the surveys yielded approximately accurate forecasts of slaughter. Pigs farrowed in the spring are practically all slaughtered from November to May, and fall pigs from June to November

periods. In gathering these data the voluntary reports from producers are supplemented with direct inquiries in the field by trained specialists.

Feeding cattle and feeding sheep for market are supplementary farming activities which involve peculiar risks. Accordingly special effort has been given to getting information as to cattle and sheep on feed. Regular estimates are made of the numbers on feed at different dates in the Corn Belt and in other important feeding areas.

Special reports are issued dealing with the movement of feeder cattle and sheep into important feeder States and with prevailing conditions affecting feeding activities. In the case of sheep these feeding estimates are followed by weekly reports on car loadings and by monthly estimates of the number still on feed. Crop and livestock reports issued by the department are available not only as a means of effecting a more orderly distribution of supplies, but are the basis of extended studies. Producers' organizations, stockyards companies, railroads, bankers, industrial information services, market reporters, agricultural research workers, and others are making more and more use of the department's information. The basic facts necessary to a better program of livestock production and to effective organized marketing are being accumulated. As this information becomes more complete and experience is gained in its interpretation, it ought to be possible to eliminate many of the ups and downs that heretofore have been the bane of the livestock industry.

In crop reporting, likewise, the department has made greater progress in the last four years than in any previous period. Accurate determination of acreage and of numbers of livestock on farms is essential to any satisfactory system of crop and livestock reporting. Up to four years ago little had been done toward gathering facts from farmers and others on which to base estimates of changes. Since then almost a revolution in statistical methods has taken place in the department's work. The department's statisticians now base their estimates not only on information furnished by thousands of individual farmers as to their own operations but also, in the case of acreage, on field counts and measurements. A crop meter has been invented which is attached to an automobile and records the number of lineal feet in each kind of crop over selected routes. The same routes are measured from year to year, and comparisons are made.

In September of this year nearly 800,000 schedules covering acreage information were sent out through rural-mail carriers to individual farmers. Results of this inquiry will be checked with the complete enumeration to be made in December and January, when



Fig. 9

the quinquennial census of agriculture is taken. It is proposed to make similar acreage surveys through the rural carriers each year. Closer annual figures on acreage ought to be obtainable by this method.

Research work is going on to develop better methods of forecasting yields. A revision of the estimates of acreage and production of crops and the annual reports of the numbers of livestock on farms is under way. After a careful analysis of all available information back to 1863, when the crop and livestock estimating work was started, the annual estimates will be revised. These revised statistics will be extremely useful.

Practically no crop reports are now issued by any State that do not form part of a unified State-Federal crop reporting system. Last year witnessed the signing up of cooperative crop reporting agreements with the Kansas Board of Agriculture and the Pennsylvania Department of Agriculture. Kansas and Pennsylvania were the only remaining States having a crop reporting system which had not entered into cooperation with this department. The joining of State crop reporting systems with that of the Federal Government has eliminated duplication of work and confusion due to conflicting reports. It has also made it possible to gather much more detailed information than formerly.

Warehouse System Expanded

One of the most important services of the department in the last four years has been its development and expansion of the Federal warehouse system. When the cotton exchanges closed in the summer of 1914, this country had fast maturing the largest cotton crop in its history. The New York Cotton Exchange closed on July 31, 1914. On that day the December option was quoted at 10.75. Prices declined rapidly thereafter until in October cotton was unofficially quoted at 7 cents. The decline of spot cotton had been still greater. These conditions suggested the need for a system of warehousing and a warehouse receipt which could be made the basis of sound financing of the cotton crop.

Accordingly, within two weeks after the closing of the New York Exchange, a bill authorizing the Secretary of Agriculture to license cotton warehouses was introduced in Congress. Similar bills were introduced shortly after. Finally, on August 11, 1916, the United States warehouse act, applying to cotton, grain, wool, and tobacco became law. By this time the crisis in cotton marketing had

practically disappeared.

Hence, little was accomplished under the warehouse law during the first four and a half years after its passage, but the need for it again became urgent with the agricultural depression of 1920–21. In that period of falling prices the department felt that the United States warehouse act ought to relieve the situation by giving farmers a warehouse receipt which bankers would recognize as the best form of warehouse collateral on the market. An investigation was made by the department to see why more warehouses were not Federally licensed. It was soon discovered that important bankers were not acquainted with the warehouse law. Efforts were at once made




Fig. 10. Grain elevator at Fort Worth, Tex., with a capacity of approximately 2,000,000 bushels. Registered under the United States warehouse act

to correct this situation, with the result that warehousemen in increasing numbers sought the advantage of Federal licensing.

The following table, contrasting licensed storage capacity available on April 1, 1921, with the amount available on October 1, 1924, shows the progress made:

	·				-
Date	Cotton	Grain	Wool	Tobacco	Peanuts
-					
Apr. 1, 1921	Bales 429, 975 2, 639, 996	Bushels 2, 108, 400 36, 432, 795	Pounds 24, 375 000 23, 226, 250	Pounds None. 551, 696, 000	Tons None. 4, 285

Cotton was the commodity in connection with which the need of improved warehouse collateral was first keenly recognized, and it was the commodity which offered the first demonstration of the value of the new system. During March, 1921, middling cotton on the New Orleans Exchange averaged 11.08 cents. At many interior points middling cotton was offered during the first six months of 1921 at 10 cents and less. Even at such prices it went without a buyer.

About this time cotton growers' cooperative marketing associations were coming into existence. In July, 1921, the Mississippi Staple Cotton Growers' Association asked the War Finance Corporation for a loan of \$7,000,000. As security it offered warehouse receipts issued under the United States warehouse act. After studying the provisions of the warehouse act and the department's regulations and methods of administration the corporation announced it would grant



Fig. 11 .- Loading cotton at Federally licensed public warehouses at New Orleans

the loan. Shortly afterwards it made other similar loans. This action not only helped to stabilize the cotton market but promoted an upward trend in cotton prices.

Middling cotton during September averaged 19.35 cents. Ever since that time cotton has been considerably above the low prices of the depression period. While, of course, the warehouse act and the financing done under it have not been the sole cause of this advance, they have favorably influenced the cotton market.

In the last two years 11 of the 13 cotton growers' cooperative associations operating on a State-wide basis have stored all their cotton in Federally licensed warehouses. Many leading cotton dealers and thousands of individual farmers who do not belong to growers' cooperative associations are also using the licensed warehouses. On other products also the act has had a marked influence. Millions of pounds of wool are shipped annually by farmers to large Federally licensed wool warehouses in San Francisco, Portland, Oreg., and Chicago. The tobacco produced by thousands of farmers in the



Fig. 12—Public cotton warehouses, operating under Federal license, at New Orleans, La. These warehouses have a capacity of approximately 300,000 bales. They are among the largest in the world

growers' cooperative associations of the Carolinas, Kentucky, and Wisconsin is stored in Federally licensed warehouses.

Warehouse receipts issued under the act are coming more and more to be recognized by bankers as the best form of security for loans on agricultural products. This is evidenced by the action of the St. Louis Federal Reserve Bank, which on July 16 last adopted a resolution declaring that the "bank and its branches will not accept as collateral warehouse receipts for agricultural products as covered under the United States warehouse act unless such receipts are issued by a warehouse duly licensed under that act."

The act has enabled farmers individually, as well as through cooperative associations, to get loans on their products in larger amounts and at lower rates of interest. Sections where the banks had no money to loan have been relieved by farmers presenting Federal warehouse receipts to local banks, who in turn could pass along the paper either to their correspondent banks in some large city or to Federal reserve banks. All the leading banks in New York recognize the value of Federal warehouse receipts. Many of them have loaned millions of dollars to producers on such receipts. The intermediate credit banks established under the agricultural credits act of 1923 have all indicated that they prefer Federal warehouse receipts. While it is not possible to give the exact amount that has been loaned on Federal warehouse receipts, the total certainly exceeds \$500,000,-000 since 1921. Recently large amounts have been loaned on this collateral at interest rates as low as 4% per cent.

Originally the law applied only to cotton, grain, wool, and tobacco. It was amended, at the request of the department, last February so as to give the Secretary of Agriculture authority to place under the law such products as he might consider properly storable. Since then peanuts, potatoes, broomcorn, and dry edible beans have been made eligible for storing under the warehouse law. In the near future the provisions of the law will be extended to dried fruits and nuts. With the principal financial institutions of the country recognizing the superiority of Federal warehouse receipts as collateral for loans, farmers, shippers, and dealers should no longer have any difficulty in obtaining the credit necessary for orderly marketing.

Market News Service

Growers of fruits and vegetables felt the agricultural depression less severely than grain and livestock farmers. Severe spring freezes greatly reduced the fruit crop of 1921 throughout most of the area east of the Rocky Mountains and north of the Gulf States. production of vegetables that year was not excessive so that relatively higher prices were realized for the perishables than for other crops. The potato crop is generally conceded to have given the farmers of the Central Northwest practically the only profits of the season.

These conditions tended to stimulate truck-crop production in the following year, while at the same time the fruit crop was generally good throughout the country. Beginning with that season the volume of production has been such that market prices have generally remained close to, and often below, the cost of production. This condition has been aggravated as to fruits by the coming into bearing of large orchards started during the era of high prices. Many of these were speculative plantings based upon the earlier success

of relatively small orchards or groves.

The steady pressure of supplies upon the consuming capacity of the country has emphasized anew problems which had been felt before the war. Accordingly Congress, in the midst of a retrenchment program, nearly doubled the appropriation for the collection and distribution of market news, enabling the department to reestablish its leased wire system to the Pacific coast and Florida, and to increase somewhat its number of permanent stations and its field force, which serves in turn the areas of heaviest production. Every agency has been utilized for the general distribution of this information, including not only the metropolitan and local press but to an increasing degree the radio, telegraph, and telephone. In addition some 65,000 to 70,000 individuals most vitally concerned in the shipment and handling of perishables receive daily direct communications from our numerous branch offices and field stations. before has statistical and market information on our perishable crops been so easily and constantly available to so large a proportion of those interested. As a result prices generally have risen and fallen in large and small markets alike throughout the greater portion of the country.

New Market Grades Announced

Increased production has brought with it other problems. Faced with a potential oversupply and the certainty in many cases that the movement of the entire crop would inevitably lead to disastrous results, the grower has been compelled to cater to the demand of the market as never before and to discriminate closely between grades which could be marketed at a profit and those which could not. This has emphasized the need of the systematic and uniform grading of the produce from different regions which compete in the consuming centers. In 1921 the department had recommended market grades and standards for 13 of the principal perishables.

During the last three years investigation in this field has been pressed to such a point that we now have well-recognized national grades for more than 30 of these products. The use of the grades is not compulsory, but they have so met the conditions of production, the needs of the trade, and the demands of the consumer that they have come into very rapid and general use. In many States they have been given official sanction, and in several States the force of law. Cooperative associations have made possible a large part of the progress of the standardization program. Through them has come a determined effort to sell more largely at shipping points and to reduce so far as possible the volume of consigned goods.

Inspection Service Popular

The need for a disinterested inspection service was increasingly felt as standardization programs progressed. The inspection service rendered by this department at terminal markets was useful in the settlement of disputes, but was not a preventive. Congress, in the spring of 1922, authorized the department to begin a system of inspection for grade and quality of fruits and vegetables which

should be available at the shipping points as well as in the markets, provided only that the volume of business be such that the fees voluntarily paid therefor should approximate the cost of the service. This has made possible a practical application in the field of a comprehensive standardization program. The demand for this service from the day of its inception has exceeded the resources of the department. The work has been carried on by cooperation with the States. Congressional appropriations have represented only the cost of supervision, which has been returned to the United States Treasury practically in full.

Tens of thousands of carloads of fruits and vegetables conforming to specific grades are now sold f. o. b. loading point to distant buyers at an agreed price, under Government inspection, and with a copy of the certificate mailed with the bill of lading when desired. Seventy-three thousand cars were thus inspected during the fiscal year 1923, 128,000 cars in 1924. A further increase is in prospect

for the current year.

A spectacular development following the introduction of this service was the organization of two marketing agencies known as f. o. b. auction companies, whose sales rooms in numerous cities are connected by leased telegraph lines. Here simultaneous auctions are conducted of carloads of fruits and vegetables loaded the day before and still often thousands of miles away. Competitive bids between cities are made over the wire and cars are auctioned at the rate of about one a minute. The business of a single company is sometimes over 200 cars per day. In these auctions buyers are guided entirely with respect to the kind and quality of the product by the summaries of the inspector's certificate which have been wired to the auction company and printed in the form of a catalogue of offerings. There are no samples shown at these auctions, the auctioneer and buyers being entirely dependent upon the ability and disinterestedness of our inspectors.

Fruit and vegetable shipments have largely increased in the last four years. Grape shipments have almost doubled, largely from California. Celery shipments have increased about 80 per cent, grapefruit 58 per cent, and many other products only slightly less. This has resulted in such a pressure upon the market that in spite of all aids in making f. o. b. sales a tremendous volume of perishables has moved to markets on open consignment for sale on commission. Returns have necessarily been disappointing in many cases and uniformly low throughout the greater part of the shipping season of most commodities. The grower realizes the disadvantage of his position in that he has no voice in the final sale of this produce, nor has he in most cases any assurance that his goods have been handled to the best advantage or that his returns are accurate and complete. The laws governing contracts and defining the duties of agents afford no adequate protection in transactions of this character.

Shipments can now be made under Government certification as to quality and condition, the grower thus surrendering the right to make representation as to the character of his goods. His agent, however, disposes of the goods in the markets at his own pleasure and none may know whether his returns represent the price actually received for the individual shipments, the average price of his sales for the day, or the price which conforms to the general market level

influenced largely by goods of inferior quality. Proposals looking toward the correction of these conditions have been approved by the

department and are now before both Houses of Congress.

À problem of first importance in the fruit and vegetable industry has arisen out of the practice of buyers who purchase their supplies at the point of production but who, upon the arrival of the shipments at destination, refuse to accept and pay for them at the agreed contract price. Shippers contend that the rejection of their shipments usually occurs during market slumps, and that the grounds for rejection in such periods are often highly technical. Receivers declare that their general practice is to accept shipments as long as they can do so without sustaining losses, but that in periods of market depression good judgment dictates the rejection of shipments which fail to comply with contract terms. A study of this problem was made by the department covering the distribution in 1922–23 of more than 10,000 carloads of boxed apples, or well over one-third of the crop of the State of Washington.

It seems that a remedy for excessive rejections must be sought by reforms at both ends of the line. One year's study brought out the astounding fact that although boxed apples are a highly standardized crop moving through well-established trade channels, one car in seven became the subject for adjustment. Though the produce trade has attempted to settle its own disputes by arbitration, there has been a practical breakdown of available arbitration machinery. Recourse to the courts has been impracticable because of the cost and delay of court proceedings. There is need for official agencies which can not only adjudicate disputes between buyers and sellers on the basis of established trading rules, but which can assure growers of prompt and accurate accounting for shipments forwarded to city

receivers on consignment.

Substantial service was given by the department to the Georgia peach growers in marketing their 1924 crop. This operation presented one of the most difficult problems ever faced by growers and shippers in this section. Early estimates indicated a possible movement of around 15,000 cars. The probability was that 10,000 cars would move within five weeks. The simultaneous movement of over 17,000 cars of California cantaloupes and 10,000 cars of southern watermelons complicated the task. It was evident that as many cars as possible would have to be shipped to small markets so as to avoid glutting large ones. A survey of available markets for carloads of peaches was made by the department. Information given by this survey, with daily telegraphic reports of shipments and market conditions, formed the basis of the daily distribution of unsold cars of peaches moving to market. This distribution was handled by the department's representatives and by representatives of the Georgia peach-growers' exchange and other shippers.

By this means smaller markets were utilized much more than in former years. Thus up to August 16 only 3,086 cars of peaches were unloaded in New York City compared with 3,233 unloaded there in 1921, when shipments were 3,000 cars lighter. New York received but 23 per cent of the carload shipments in 1924, compared with 30 per cent in 1921. Receipts in Philadelphia and Chicago were similarly reduced. In general, the movement to western markets was heavier and that to eastern markets lighter. Thirteen of the large

markets received only 56.2 per cent of the 1924 crop, compared with 64.3 per cent of the 1921 crop. It is certain that the efforts of the department to effect a wide distribution of the Georgia peach crop yielded substantial returns. While prices received by growers for a considerable portion of the season were not satisfactory, they would have been less satisfactory still had the crop been concentrated in a few large markets. A tremendous volume of peaches, approximately 13,500 cars, was shipped from Georgia this year. Approximately 75 per cent of the total moved to market in July. This is an unprecedented movement of a highly perishable crop in such a short time. It could not have been accomplished without much heavier losses had the distribution not been considerably broader than usual.

Egg Standards Favored

The department is undertaking a program of egg standardization. After a careful study of existing egg grades and of the various factors affecting egg quality, and with the cooperation of representatives of farmer organizations and others interested in the egg industry, two sets of uniform grades for eggs have been proposed. One is designed for use in wholesale channels of trade and is known as the United States wholesale grades. The other, a simpler set of grades, is known as the United States buying grades, and is designed for use in buying eggs from producers at country points. These grades offer a practical basis on which eggs can be purchased and sold and by means of which better prices can be paid to producers of the higher qualities.

To acquaint farmers with these grades the department has distributed thousands of circulars emphasizing the importance and advantages of their use. Extension services in more than 20 States are helping to bring the egg standardization program to the attention of farmers. Egg-inspection services have been established at New York and Chicago, where department egg inspectors are available to examine and report upon the condition and quality of egg

shipments.

Grain Grades Aid Farmers

Grain growers have benefited materially in the last few years from modifications, improvements, and extensions that have been made in the Federal grain-grading system. It is difficult to measure this benefit, but it is undoubtedly substantial. Federal grain standardization, by establishing a uniform basis for interstate trading, lessens the chances for misunderstandings and disputes, gives confidence to buyers and sellers, and facilitates business at every stage in the movement of grain from the farm to consuming centers. It thus tends to reduce distribution costs. Reduction of distribution costs is of practical value to the farmer at any time. It is especially useful to him in times of low prices, when inefficient distribution may saddle him with an intolerable burden of expense.

It may, therefore, be fairly claimed that the Federal grain-grading system, though in effect before the depression period started and thus not in any sense an emergency relief measure, has been a valuable help to the farmer in his effort to deal with the problems of the readjustment process. The inspection service, which serves to insure

uniform application of the Federal grades, does not, it is true, reach all country shipping points. Yet farmers delivering grain at country points are not on that account shut out from its benefits. The Federal grain-grading system enables business to be done on smaller margins than would be necessary were country buyers forced to take their chances in a market lacking definite universally recognized standards of quality. Under chaotic grading conditions the risks of the country grain buyer would be greater than they are to-day and

would naturally be reflected in the prices paid to producers.

It is generally conceded that the exportable surplus of grain in this country practically establishes the price paid for the entire crop. American grain during the first decade of this century fell into disrepute in Europe. This was not because the grain had deteriorated but was due to confusion created by the many systems of grading then existing in the United States. Prior to the passage of the United States grain standards act in 1916, grades in this country were established in the various States where State laws on the subject existed, and by commercial exchanges in States that had no grain grading laws.

In this situation dissatisfaction arose from an unavoidable lack of uniform application of grades. Federal grain grading, by removing this source of trouble, benefits the farmer, the country grain buyer, the elevator operator, the grain broker, the commission man, the shipper, the exporter, the foreign buyer—in short, everybody in-

terested in the grain trade.

In the last three years protein in wheat has played an increasingly important part in the merchandising of the commodity. Bakers have taken to demanding flour of certain definite protein content, in the belief that with flour of standard strength of protein content more uniform and satisfactory bread can be made. Millers therefore buy wheat largely on the basis of its protein content as well as on the basis of its commercial grade. To determine the protein content of wheat necessitates the use of a highly technical chemical method and much costly apparatus. Requests have been made to the department for the incorporation of protein as a factor in Federal wheat grades, but the department does not believe this should be done. Country buyers could not determine the amount of protein in wheat offered by individual farmers for sale, and consequently could not reflect terminal market prices to farmers on a protein basis.

Nevertheless, the department in establishing Federal wheat grades has not been unmindful of the importance of protein. It has divided the various classes of wheat into subclasses, and the subclasses are then divided into numerical grades. The division of the classes into subclasses is based on content of "hard, vitreous" kernels. Such kernels are higher in protein content than kernels which are soft and starchy. Wheat experts are able to judge the protein strength of wheat from the hardness and vitreosity of the kernels. That this index, which is incorporated in the Federal grades, furnishes in a general way a true measure of the protein content of wheat is borne out by the fact that wheat falling into the subclass "dark northern spring" brings several cents a bushel more on the market than does wheat falling into the subclass "northern spring."

Wheat arriving from country points at Minneapolis and Duluth shows upon inspection and grading thereof that an enormous quanwith the wheat. Millers can not grind such wheat into flour without first removing the foreign material. The cost of this cleaning operation is reflected back to the farmer through the price paid at terminals. Clean wheat will always bring more money than wheat which is not clean. The department has observed this situation in the central Northwest in connection with its supervisory activities over the inspection and grading of grain received at the northwest

terminal markets, Minneapolis and Duluth.

About 96 per cent of the spring-wheat farmers in 1922 sowed from one thousand to half a million weed seeds per acre with their Nearly 12,000,000 bushels of screenings (weed seeds and foreign material other than wheat, commonly known as dockage) were produced in 1923 by spring-wheat farmers in North Dakota, South Dakota, Minnesota, and Montana. Over \$675,000 was paid for threshing this "dockage." Over 13,890 extra freight cars were used to haul it to market. This made the car shortage more acute. Over \$800,000 freight was paid for transporting this dockage. More than 3.500,000 lambs could have been fed on these farms with the wheat screenings which the farmers of these four wheat States shipped with their wheat and for which they not only did not receive any pay but in the case of certain classes of dockage received a lower price for their wheat because of its presence. Screenings can be cleaned out of wheat and rve at the time of threshing or at the farm granaries at a cost of 2 or 3 cents per bushel.

Records of this department show that spring-wheat farmers who did clean their market wheat on the farm in 1923 gained over 5 cents per bushel as a result of the cleaning. As a result of the department's observations and studies a successful type of machine for cleaning grain at the threshing machine as a part of the threshing operation has been perfected. This is a portable cleaner especially designed for the cleaning of spring wheat and rye. It is mounted on a truck on which are also mounted a gas engine and two conveyors.

This cleaner has been tried out in connection with threshing machines operating at various points in South Dakota, North Dakota, and Minnesota. In operation the cleaner cleaned the grain as fast as it was threshed and delivered the clean grain into one wagon box, the wild oats into a second wagon box, and the fine seeds into sacks. Sixteen lots of grain containing from 3 to 24 per cent of dockage were cleaned to a dockage-free basis. In one lot of wheat containing as high as 15 per cent of dockage the dockage was reduced to 1 per cent. The results of such cleaning tests conducted by the department have been entirely successful. The type of cleaner referred to is being manufactured in a commercial way and put on the market.

Grain Market Service

Lack of comprehensive information as to the real factors which go into the grain market has seriously added to the difficulty of the farmers' marketing problem. Much information has long been available through trade channels to dealers in grain, but these data have not been available to farmers. Newspapers and farm periodicals have carried reports. Such reports, however, have not given the farmer the right basis for an intelligent study of the market.

About a year ago a new grain market news service was incorporated by the department to convey market information promptly to farmers. This service is now reaching approximately four and one-half million farmers through the daily papers, the weekly and monthly farm press. In the spring-wheat territory about 50 publications are using the market news service. In the winter-wheat territory more than 100 daily and farm papers are using it. It is hoped that before long at least one paper in each leading agricultural county in the United States will be publishing the department's weekly grain market releases.

These reviews are forwarded by leased wire to branch offices in Minneapolis, Chicago, and Kansas City. They are mailed out from those cities to local points. Foreign crop and market information, as well as domestic news, is included in the reviews. Contacts have been established with market agencies in the important grain markets east of the Rocky Mountains, and comprehensive reviews describing the local grain-market situation are obtained regularly from them each Friday by wire.

Feed Prices are Studied

Feedstuffs represent, next to labor, the largest item of expense in the farmer's budget. The national feed bill totals several hundred million dollars annually. More efficient purchasing of feed would put millions of dollars in the farmers' pockets. To assist farmers in making their feed purchases on the best possible terms, the department since 1920 has issued detailed reports covering the market situation of the more important feedstuffs. These reports, supplemented by price tables, appear weekly in a department publication known as "Crops and Markets." They unquestional, help to stabilize feed prices.

It was thought, however, that better results could be obtained by getting market information to farmers as soon as possible after the close of markets. Accordingly the department sought to interest State marketing departments in a plan whereby the Federal department furnishes all the necessary material for a comprehensive review of the feed situation, including delivery prices for feedstuffs for the most important points. Reports under this plan are transmitted over the private wire service of the Federal department. They are printed or mimeographed by the State organizations for distribution to interested persons. New Jersey was the first State to act on the cooperative arrangement. The report was an instant success. Originally published as a weekly, it is now issued triweekly. Soon afterwards the State marketing agencies in New York and Pennsylvania, and New England States made arrangements to issue a similar report covering the feedstuffs situation in their States.

A branch office was established to comply with an urgent demand for similar reports covering Wisconsin, Minnesota, Michigan, Iowa, and Nebraska. These States are served from Minneapolis. Consumers as well as producers can take advantage of the cooperative Federal-State market reporting service on feedstuffs. Formerly, it was not an uncommon occurrence for feed buyers to pay excessive prices. Publication of delivered prices, representing the basic cost of feedstuffs at mills, plus freight charges to destinations, makes it possible for them to determine at a glance whether the quotations

made to them are reasonable.

Though hay is usually the second agricultural crop of the United States in farm value, it has received less attention in regard to standardization and marketing methods than other major crops. Until recent years, no concerted efforts had been made by Federal and State organizations to improve hay-marketing methods. As a result the national trade in hay was in a chaotic condition.

An important step toward correcting this trouble was taken when the Department of Agriculture published and recommended United States grades for timothy and clover on February 1, 1924. This action followed public hearings held from time to time since 1922. At these hearings proposed grades for timothy and clover hay were submitted to representatives of producing and distributing interests. These grades were the outcome of investigations started in 1920, in the course of which thousands of samples of baled hay were assembled from many markets and shipping points. The investigations revealed simple grading factors by which it is possible to grade hay by approximately uniform methods.

Following the recommendation of timothy and clover grades, a demand arose in the Western, Northwestern, Southwestern, and Southern States for grades for alfalfa, wild hay, and Johnson grass hay. Studies are being made looking toward the establishment of

standards for these kinds of hay.

The department in 1922 organized a hay-inspection service. Inspectors were licensed under cooperative agreements with States, trade organizations, and shippers' associations. At present the inspection service has 10 market inspectors located at Boston, New York, Philadelphia, Washington, Richmond, Va., Norfolk, Va., Birmingham, Ala., Cleveland, Chicago, and Kansas City. There are 11 shipping-point inspectors with headquarters at Augusta, Mc., Auburn, N. Y., Trenton, N. J., College Park, Md., Richmond, Va., Raleigh, N. C., and Madison, Wis. When the new grades now under consideration are promulgated many hay markets in the East and South will undoubtedly desire inspection service.

Reports on Foreign Seed

Our farmers wish to buy dependable seeds as cheaply as possible and sell their surplus of other seeds to the best buyers. This means buying some seeds in Europe and selling other kinds to Europe. Accordingly the department has started services, in connection with reports issued covering conditions in the United States, that will keep the farmers informed as to seed production, seed movement, and seed prices in European countries. This information enhances the value of reports covering the domestic supply of and demand for seeds. The seed business is an international one. Information for the United States alone is therefore not a reliable index of market trends. Thus in 1923 the crop of red clover seed in the United States was only about half as much as in 1922. Yet prices for red clover in the spring of 1924 were only a little higher than during the preceding year. This was because Europe had produced a large crop in 1923. Information as to such facts obviously is of great value to the farmer.

Arrangements have been made by the department to get monthly reports from the correspondents of practically all the leading seed

markets of Europe. These reports will show where surpluses of seed exist, what districts produce the best seed, when seeds are ready to export to this country, and what countries are the chief competitors of the United States in the purchase or sale of seed. Since the war a number of countries have been exporting seed to the United States direct instead of through Germany. Seed movements to this country, however, are still more roundabout than they need be. Seed studies started by the department should help to shorten the movement.

Study of Cooperatives Made

Research and service activities relating to cooperative marketing have been maintained by the department since 1913. In the last four years this work has been greatly expanded. A period of rapid development in cooperation began about 1920, as a result of which the volume of business transacted by cooperative organizations approximately doubled. In an effort to help in placing this development on a sound basis the department decided to make a study of the conditions making for success or failure. As a first step, existing organizations were surveyed. Information has now been collected and tabulated regarding more than 10,500 farmers' cooperative organizations. This collection of information forms a source library on cooperation in the United States. It is a basis for detailed studies of particular organizations and for the investigation of operating problems. Economic analyses have been made of particular problems and of particular commodities.

Advantages of such studies are illustrated by the experience of the maple-sap producers of Vermont. Maple-sap products sank to low prices in 1921. Accordingly the producers sought relief through cooperation. An elaborate plan, involving large expenditure, was drawn up. Before adopting this plan the producers decided to ask the department for help in determining the basic facts affecting the marketing of their products. The department suggested a survey in which the department and the State college of agriculture cooperated. This survey showed that the demand for pure maple products was less active than had been supposed. Cane, corn, and blended sirups had preempted the retail market. A large part of the maple sirup and sugar produced was sold to tobacco manufacturers, through dealers possessing facilities to put the product in the form required for this purpose.

Conditions revealed by the survey, in short, indicated the necessity of caution. It was the object of the producers to reestablish the market for pure sirup and sugar. But the quantity of products an inexperienced organization could profitably market was limited. Accordingly the Vermont association handled only 15,000 gallons of sirup in 1922. It was able to handle this quantity at satisfactory prices. In the following year it succeeded in disposing of 25,000

gallons and this year 50,000 gallons.

This experience can be usefully contrasted with that of another maple-sap products cooperative organization, which was organized at the same time in another State. This concern went ahead without a preliminary analysis of its marketing problems. It received over 100,000 gallons in its first year. This quantity proved to be more

than the available machinery could handle. As a result, dissatisfaction arose from low prices and high costs of organization and operation, so that the receipts of the association declined to 50,000 gallons in 1923 and 20,000 gallons in 1924. These two cases show how important it is to have a careful preliminary analysis of condi-

tions before launching into a cooperative enterprise.

Cooperative marketing is a logical development in the rural economy of a nation. The pioneer farmer to a large extent is self-supporting. As markets become larger and farther removed from the producers, the farmer has to depend on middlemen to transfer his products to the consumer. Cooperative marketing may be described as an effort on the part of the producer to recapture the understanding and control of the marketing process which his forefathers possessed. Perhaps the best example of the part cooperation may play in the development of an agricultural industry is furnished by the cooperative marketing of citrus fruits in California.

When California citrus growers first organized in 1893 the industry was extremely depressed. Prices received during the previous three years had as a rule been less than production costs. Packing and marketing charges were high. Shipments often arrived in eastern markets badly damaged. In the season of 1892–93 the marketing agencies employed by the growers failed to find a profitable market for that season's crop, when the total shipments were

only 5,936 cars.

Cooperative marketing brought about an improved distribution of crops and better returns to the growers. Packing charges were reduced at least 10 cents a box. There was an equal reduction of marketing costs. Later there developed improved production, due largely to better control of insect and fungous pests. Through their marketing and affiliated organizations the growers undertook the cooperative purchase of supplies. Handling and grading of the fruit was improved. Modern packing and precooling plants were developed. Demand for citrus fruits was stimulated through advertising. So striking were the results obtained, that in 1922–23, out of approximately 60,000 cars of citrus fruits shipped from California, over 80 per cent was marketed cooperatively. The beneficent result of the better system of marketing is shown by the fact that a satisfactory market was found for the entire crop of 1922–23 when the total shipments were 59,707 carloads, which is ten times as large as the shipment of 20 years before.

Studies have been made by the department of the legal phases of cooperation and of its financial aspects. General problems involved in the cooperative marketing of fruits and vegetables have been investigated. Problems and experience of cooperative organizations in foreign countries have been studied and made the subject of department bulletins. Cooperative associations have been advised by representatives of the department in regard to details of organization, accounting, financing, and marketing. Officials of cooperative organizations have got into the way of discussing their

problems freely with department representatives.

Good, sound growth in the cooperative movement has been somewhat retarded in recent years by overenthusiastic persons who have held it up as a panacea for all the ills from which the farmers are

suffering. The mere organization of a cooperative association is not the end to be attained. It is only the beginning. Success in cooperation depends on finding men capable of running cooperative associations, on the loyal support of the membership, and on getting a sufficient volume of business. Some converts to the cooperative movement urge that the Government should proceed to organize the farmers in cooperative associations. But if the Government should ask farmers to join some particular cooperative association it would put itself in the position of guaranteeing an enterprise without having an authoritative voice in its management. There is confusion in the minds of promoters of cooperative enterprises as to what the Government may properly do.

Bills have been introduced in Congress in the last two years which would put the Government squarely into the business of promoting cooperative associations. These bills would set up a great Federal overhead agency and secondary boards of control and would have these bodies assume control of a number of highly important activities such as the dissemination of market news, a service which is already carried on efficiently by the Federal Department of Agriculture and which in the interest of the farmers should be kept in the control of a well-organized impartial permanent Government department devoted to the service of agriculture and free from

entangling business alliances.

The relationship of the Government to cooperation should be one of service. It should help the farmers market their crops just as it helps them to produce crops not by doing the work but by supplying information which the farmers can not get for themselves. To go further would be to injure rather than aid the cooperative movement. The need for strong cooperative marketing associations can not be overemphasized. They are absolutely necessary to bring about efficient and economical marketing and standardization of crops, but the movement should be truly cooperative. It should be controlled by its membership and kept free from domination of Government agencies or commercial interests.

Price Spread Investigated

Investigations have been made in the last few years by the department into the vitally important subject of the spread between the prices which the producer of agricultural products receives and the prices paid by the consumer. This subject has come into great prominence since the war largely because the spread between the producers' and consumers' prices has increased in the last decade. In the case of a number of important agricultural products the spread between the price received by the producer and the price paid by the consumer is roughly known. But the proportion of the spread absorbed by each step in the marketing process is little known. Hence much of the discussion which is taking place in the press on the subject has been founded on unreliable data.

Only fragmentary data regarding price spreads are available for periods even as recent as 1913-14. Studies on increases in the spread since that time, therefore, involve considerable difficulty. Results are necessarily only approximate and at the best can only measure a somewhat hypothetical case, in which some assumptions are made as

to the grade of the commodity and the marketing channel through which it has passed. Such studies as the department has made along this line indicate that the net profit taken by distributing agencies is insignificant when considered as part of the total spread. It rarely runs over 5 per cent of the consumer's price. Generally it is much less than 5 per cent. The cost of furnishing distributing services is the vital thing. This cost comes to about 95 per cent of

the spread.

Efforts have been made by the department to ascertain what portion of the retail price accrues to each agency in the marketing chain in the case of bread, milk, potatoes, and apples. An interesting revelation is the fact that flour as a part of the cost of making bread is becoming less important. It is being overshadowed by the cost of labor and of power for operating machinery, and to some extent by the cost of other ingredients in bread. Thus the cost of other ingredients has doubled since 1913 and bakery labor has increased 43 per cent since that time. Since these other costs are relatively larger than the cost of flour in commercial bread making, changes in the price of bread can hardly be expected exactly to fol-

low changes in the price of flour and wheat.

Service costs in the preparation and distribution of feed products, the department has found, have become such an important item that they outweigh commodity values. Consumers' prices are more affected by fluctuations in service costs than by fluctuations in the farm value of agricultural products. Service costs are therefore the important point of attack in any study of price spreads. These costs are affected by the efficiency of the methods used in handling commodities, by the business environment in which the particular distributing process is done and by the adequacy of the facilities used. It is figured, for example, that about 25 per cent of the trucking charge for handling fruits and vegetables in New York City is due to idle time occasioned by the use of out-of-date facilities. Again, in the retail meat business it seems to be true that a population of less than 1,000 persons for each store tends to a condition where store owners lose money.

Farm-management Studies of Value

Farm-management studies have been of particular value to agriculture in the last few years, because the most urgent agricultural problem was the readjustment of crops to meet the changed world market situation. Every effort has been exerted by the department to make its farm-management investigations practical. Thus it has analyzed conditions around growing cities to find out how far advantage is taken of local markets. It was discovered in the vicinity of Altoona, Pa., for example, that a good share of the potatoes shipped in from Boston points could be grown locally to advantage. Surveys on farms in the semiarid spring-wheat region have furnished a basis for recommending crop readjustments. Detailed studies of dairying methods have disclosed causes of high production costs, and pointed the way to more economical milk production.

Work done in a particular area will illustrate the character of the department's farm-management studies. In 1923 a survey was made of 400 farms in Chester County in southeastern Pennsylvania. In this area dairying is the keystone enterprise. Under the price conditions then prevailing, profitable farming was directly dependent on economical nrilk production. It was shown by the study that some men in the county were feeding two and even three times as much feed for each pound of milk produced as the most efficient

producers.

Ways by which farmers in the county could reduce their costs of milk production, as shown by an analysis of their own farm records, were pointed out in a special report. This report showed that much of the difference in efficiency was due to things wholly within the farmers' control, such as the quantity and quality of feed given and the grades of the cattle. County agents throughout the dairying regions of Pennsylvania used the report, which thus was of value throughout an area considerably wider than that covered by the study. Later investigations will show whether farm practices in Chester County have been modified usefully.

Foreign Service Work

The foreign service of the department is intimately bound up with its work as a whole. Successful farming means just as much successful marketing as successful production. Hence the farmer is vitally interested in everything influencing the foreign demand for his products. Since the principal outlet for the exportable surplus of our agricultural commodities is Europe, the department has built up a large organization to assemble information about the conditions our farmers have to meet in the European market. It also keeps in touch with agricultural production in the principal food-exporting countries.

The department has 154 employees in Alaska and our insular possessions and 82 in foreign countries outside American jurisdiction. Most of these representatives of the department study the physical and biological problems of agriculture. Experiment stations are maintained in Alaska, Hawaii, the Philippine Islands, the Virgin Islands, and Porto Rico, where scientists study problems of soil and climate and animal and plant diseases. Scientific workers search the world for new varieties of plants. They seek new methods of breeding and cultivation, and new methods of combating diseases and pests. They protect the interests of the American farmer in a great variety of ways. Investigations are now under way regarding potato varieties in Canada, plant diseases in Europe, rubber production in South America and tropical North America, forage grasses in Cuba, cotton and corn in Mexico, plant geography in Europe, cereal rust in India, Egypt, and the Orient, citrus-fruit culture in Japan, plant and seed introduction in Algeria, China, and Egypt, corn in Brazil and Argentina, forest pathology in Great Britain, and many other matters of concern to agriculture.

Another group of department workers in foreign countries has to do with the business operations of agriculture. These men investigate market conditions in countries that absorb our surplus cotton, wheat, and meat. They gather information regarding available supplies, crop acreage and production, demand and economic conditions generally in foreign countries. They also promote our foreign trade in agricultural products by the administration of




Fig. 13—Pots and stars show the centers from which representatives of the department in foreign countries worked in the last lead year Department of Agriculture maintains permanent offices in London, Berlin, Marselle, Vienna, Rome, and Mexico City, through which the work of the department in these countries is administered. During the fixeal year more than 75 specialists from the different bureaus were in scientific and economic investigations abroad. Of this number 30 worked in Europe; 6 in Asia; 3 in Africa; 1 in Australia; 8 in South A in scientific and economic investigations abroad Of this r and 27 in Canada, Mexico, and Central American countries.

grades and standards, by developing new standards, and by fostering better trade relationships between foreign consumers and American producers. The department's economic work in Europe is under the direction of an assistant chief of the Bureau of Agricultural Economics who is stationed at Berlin. General administration of the work is conducted from London and Berlin. From London an agricultural commissioner surveys the situation in Great Britain, France, and Spain. Another commissioner at Berlin looks after the work in Germany, Poland, Scandinavia, Holland, and Belgium. A former employee of the department is the permanent delegate at Rome of the International Institute of Agriculture. He cooperates with the department. Although technically an organ of the Department of State, the International Institute of Agriculture serves as an arm of the Department of Agriculture.

Offices also are maintained at Vienna, where economists and statisticians watch the development of agriculture in the Danube Basin and in southern Russia. Another office at Marseille, France, maintains a research laboratory for combating insect pests. Men handling economic work are also attached to the Marseille office. A commissioner of agriculture at Buenos Aires has charge of investigations into South American competition in cereals, animal products, and fruits. Many laws exist directing the department to investigate and expand foreign markets for American agricultural products. The first of these laws was passed in 1883. In 1914 Congress established in the department an office of markets to foster general marketing and distribution of farm products, and in 1921 the department was authorized and given funds "to collect and disseminate to American producers, importers, exporters, and other interested persons, information relative to the world supply of and need for Americans.

can agricultural products * * *."

In building up its foreign service to comply with this provision of Congress the department has cooperated with the Department of State. A center of the cooperative service is the International Institute of Agriculture at Rome. Through this institute information is collected by wire and mail from all the leading crop producing and consuming countries of the world. Nearly a third of the foreign information received by the department comes through the institute. Four hundred consuls of the State Department scattered over the world collect information not covered by the work of the International Institute. About 21 per cent of the department's foreign information originates with the consuls. Altogether, therefore, a full half of the foreign investigational and reporting work of the department is done through its affiliation with the Department of State. The department has also entered into reciprocal arrangements with foreign ministers of agriculture and with other organizations abroad for the exchange of economic information. About 10 per cent of its foreign data comes from these sources. Nearly an equal amount of valuable information concerning agriculture abroad comes from the commercial attachés of the Department of Commerce.

During the last four years an agricultural commissioner in London has reported on market conditions in the United Kingdom, the most important market for American farm products. A specialist in marketing meats was sent to the United Kingdom in February, 1922, to make a survey of conditions affecting the British demand

for our pork and lard. This survey was extended to methods of production and marketing in Denmark and Scandinavian countries, which compete with the United States in the British market. Later an agricultural commissioner was sent to Germany, the second most

important market for our farm products.

The opening of the British market to American fresh pork has been accomplished by the department. Before the spring of 1922 Great Britain excluded American fresh pork, but since that time has admitted it under certification by our Government that the pork has been handled in the manner prescribed by British authorities. Since this arrangement British imports of both fresh and frozen pork have largely increased. In 1922 Germany was persuaded to allow the importation of several additional American-cured pork cuts. The Netherlands also has been persuaded recently to accept fresh pork through the combined efforts of the Department of Agriculture and the Department of State.

To remove prejudice from the minds of European consumers, a moving-picture film entitled "The Honor of the Little Purple Stamp," showing methods of handling and inspecting meat, has been circulated among hygienic and meat-inspection societies of England, France, and Germany. Another film intended to remove prejudice against American pork has been produced by the department for exhibition in Austria, Czechoslovakia, and Germany.

Bureau of Home Economics

Recognizing the necessity for more inclusive scientific study of the problems of home economics, if this subject is to develop and to make the contribution to our national life which it should make, the department established a new Bureau of Home Economics on July 1, 1923. In general the organization of the bureau has fol-



Fig. 14 —Home demonstration agent and farm woman discussing better kitchens (Cumberland County, N. C.)

lowed the lines laid down by a committee of technical workers called together in June, 1923, to outline its work. This committee recommended six lines of work for the bureau: (1) Food and nutrition; (2) clothing and textiles; (3) economics (including household management); (4) housing and equipment; (5) home relations; (6) art in the home (including the physical and psychological laws of color, line, and form).

In order that this program might be adapted as closely as possible to the needs of the women in the home, the presidents of several women's organizations were asked to send representatives to a conference held in Washington on December 14, 1923. This group agreed that the proposed plan covered the material or mechanical side of home life, but considered it important that the less tangible side should also be emphasized. Many agencies are telling women how to do their household tasks. It is equally important for them to know why certain practices are recommended. Clear-cut standards of value are needed. Such standards must be based on facts.

Expansion in the work of the bureau has been slow, due partly to limitation of funds. A large proportion of the home-economics work previously under way was in food and nutrition. This work has been continued. Farm standards of living have been investigated. This work has been expanded and forms an important part of the present work of a new division in the bureau. Research studies on textiles and clothing have been started. This work was made necessary to answer the questions of the housewife and adequately assist her in selecting and caring for the textiles and clothing used in her household. This division was organized near the close of the last fiscal year.

A study of oil burners for heating has been conducted and arrangements tentatively made for the preparation of bulletins on different phases of housing and home equipment.

Bureau of Dairying Established

As authorized by Congress the dairy work formerly conducted in the Bureau of Animal Industry was concentrated in the new Bureau of Dairying on July 1, 1924, and plans were made to expand dairy research work to keep pace with development of the industry.

In dairying one of the greatest needs is to improve the efficiency of our dairy cows. Although marvelous producers of milk and butter-fat have been developed, many individual cows producing more than 30,000 pounds of milk and 1,000 pounds of butterfat a year, still the average production of all cows in the United States is only about 4,200 pounds of milk and 160 pounds of butterfat.

To improve this condition the department is making a comprehensive study of dairy-cattle breeding and has undertaken fundamental researches in nutrition of dairy animals. Over 1,500 dairy cattle are included in the breeding experiments. Of these, about 500 belong to the department, 500 are owned by State agricultural colleges and experiment stations cooperating in this project, for which the department supplies the sires, and about 500 are on 55 private dairy farms where department bulls are loaned for the purpose of proving their transmitting ability. The owners of these

private herds agree to keep all daughters of the bulls until they have completed one lactation period and to keep a record of the

production of both dams and daughters.

In these experiments the effects of various forms of mating are being compared, such as close breeding compared with the mating of unrelated animals. The purpose is to determine the method of breeding that will enable the dairyman to breed cattle that will be pure for the hereditary factors which govern high production. Such animals will be able to reproduce offspring of uniformly high producing ability.

Much may also be learned in regard to the most economical feeds used and just what system of feeding will produce the greatest amount of production at the least cost. Little is known of just how feeds consumed are converted into milk and of the relation of feeding methods to the health of herds. Extensive research is under way which should lead to the solution of these problems. Laboratory facilities have been enlarged by the erection of a special building for nutrition investigations at the department's dairy farm near Beltsville, Md.

Development of Extension Work

The most important recent developments in the cooperative extension work conducted by the department and the State colleges of agriculture are in the training and use of community leaders and the building up of State and regional agricultural programs. work of the county agents in agriculture and home economics has been greatly supplemented by enlisting the services of voluntary helpers and training these workers for effective community leadership. During the past year 182,380 such leaders assisted in presenting the extension programs. Greater progress has been made in the training and use of local leaders in the home economics and boys' and girls' club projects than in the agricultural projects for adults, although in some of the States local leadership is being developed among the men. Local leaders have been very effective in assisting paid extension workers in promoting such home-economics projects as home canning and preserving, gardening, and the home manufacture of clothing and millinery and in boys' and girls' club projects, such as poultry raising, feeding of calves and pigs, bread making, canning, and preserving.

In the earlier years of extension work much attention was given to community and county programs for agricultural and home economics extension. During the past two years these local programs for agriculture have been expanded to a State-wide basis in several States. The most successful development of State agricultural programs has been in those States where a thorough survey was made of all available facts on present and possible future production, marketing facilities, and other factors which influence the establishment and maintenance of successful agriculture. facts, when assembled, are presented to a conference composed not only of agricultural leaders and representative farmers, but of representatives of bankers' associations, railroads, business interests, livestock associations, and all other agencies in any way related to agriculture. Committees of the conference then work out programs for particular phases of agriculture such as horticulture or dairying,



Fig. 15. - County agent showing boys' corn club members how to select seed corn (Spartanburg County, S. C.)

and finally the several committee reports are united into a unified agricultural program for the State. This State program is then taken back to the counties and is adapted there to local needs. Western extension workers have good further than this and have outlined an extension program in dairying, human nutrition, and

range livestock production in the 11 Western States.

At the end of the year the total forces engaged in cooperative extension work in the States numbered 4,744 persons. Of these, 3,427 were located in the counties, 2,174 being engaged in county agricultural agent work, 851 in home demonstration work, 133 in boys' and girls' club activities, and 269 in extension work with negroes. In addition, 696 full-time and 174 part-time subject-matter specialists, with headquarters at the State agricultural colleges, supplemented the work of the county extension forces. Supervisors, assistant supervisors, and administrative officers numbered 447. The States, counties, and local agencies now contribute about \$1.70 to each dollar of Federal funds provided for extension work.

Radio Services Developed

Progress in the use of radio for the dissemination and receptior of agricultural information during the past four years has kept pace with the general development of this new American industry. It is conservatively estimated that there are now about 375,000 radiophone receiving sets on farms in the United States, which is an increase of over 165 per cent in one year. In a short time agricultural communities, however remote they may be from ordinary communication facilities, probably will be on equal terms

with populous centers in obtaining market reports, weather reports, and other information essential to their welfare.

Following an experiment which was conducted in 1920, the department entered upon a program for the distribution of reports by the use of the radiotelegraph which, if there had been no radiophone broadcasting, would have placed within the reach of the farmers over the country a radiotelegraphic service as extensive, perhaps, as that now enjoyed by those who have access to the telegraph facilities of the country.

The advent of radiotelephone broadcasting in 1921 placed in the hands of the department a means of giving to the farmers of the United States, directly by the voice, a variety of information essential to agriculture. The value of this means of distribution, and the




Fig. 16, - Market news and other reports of interest to farmers are distributed by 112 radio telephone broadcasting stations widely distributed throughout the United States. Their location is shown on the above map. This service is perhaps the most utilitarian purpose to which radio has been put. Thousands of letters have been received by the department showing that farmers appreciate the broadcasting service.

fact that it works as rapidly as the passage of light or electricity, compelled us to confine our broadcasting material to reports and statements which required such a rapid style of transmission.

Market reports were first broadcast by radiotelephone from the University of Minnesota in February of 1921. The first regular schedule of reports was begun by station KDKA at East Pittsburgh, Pa., in June of that year. At the beginning of 1922, nine broadcasting stations were duly authorized to disseminate market reports from branch offices. During 1922 more than 100 stations requested the privilege of conducting the market news service by radio for the benefit of farmers. Regular schedules were organized and set in operation in more than 80 stations in different parts of the country.

During the two years that have followed new stations have been added, and some of those which originally took up the work have discontinued service. Although there are not now many more stations than there were at the close of 1922, the service which the 85

stations now in operation are rendering is much improved and is of

real benefit to the people of the country.

Perhaps the most outstanding development in the broadcasting of market information in the last couple of years has been the appreciation on the part of those charged with the work of the need of suiting the type of material to the radio audience listening in. It has been found that much more general distribution and a wider reception of agricultural information can be developed by changing the style of broadcasting from that of detailed market quotations to a more generalized treatment of the information. Reports regarding the supply, demand, and prices of agricultural products can be made of interest to a larger number of people when the facts are presented



Fig. 17.—This is how radio in most cases reaches the farmer. Even the most humble farm homes find a use for the information and entertainment that radio brings

in an interesting way. This, however, does not discount the value of detailed quotations for those who have crops or livestock ready to

ship or on the market.

The potential value of meteorological service to agriculture has long been recognized. For many years it was difficult to reach farmers with weather forecasts and warnings in time to be helpful to them. For this reason the benefits to commerce and navigation far exceeded those to agriculture. The rural mail service has been of great assistance, but during recent years the most direct and successful means of furnishing timely weather information to farmers has been through rural telephone systems. Weather forecasts and warnings issued about 9.30 a. m. daily are now made promptly available to over 7,000,000 rural telephone subscribers in the United States.

Radio, however, has reached a stage of development in which it bids fair to outstrip all other means of communicating weather information to farmers. Since January, 1921, when the first regular radiophone broadcasts were begun from the station operated by the University of Wisconsin at Madison, every opportunity to use the radio for broadcasting weather news has been utilized. The department now cooperates with 120 broadcasting stations in sending out weather reports, and practically all parts of the United States are within their range. The daily weather forecasts are radiocast from each of these stations on announced schedules at least once daily, and several times a day in many cases. Warnings of cold waves, frosts, floods, heavy snows, and other unusual weather conditions are included whenever they are issued. The stations now broadcasting have been selected with a view to rendering country-wide service.



Fig. 18.—Farmers gather at the bank to get the latest market reports by radio. Many banks, like the First National Bank at Raymond, Ill., have installed radio receiving sets for the benefit of their patrons

In addition, the department is cooperating with a large number of stations in supplying digested agricultural news, special talks, and the preparation of material upon their direct request.

Federal Highway Construction

The Federal highway act, signed by the President on November 9, 1921, is one of the high-water marks of highway legislation in the United States. It is the logical outcome of the tendency toward scientific management and orderly procedure in the development of the roads of the country which began with the creation of the first State highway department in New Jersey in 1891 and which was

given renewed impetus by the Federal-aid road act of 1916. The effect of the earlier Federal legislation was to establish in every State an adequate highway department competent to deal with the difficult problems attending the upbuilding of the main roads of the country to make them fit for the use of the rapidly increasing number of motor vehicles.

The important provision of the Federal highway act is the establishment of a connected system of main interstate and intercounty highways, the improvement of which is to be accomplished with Federal aid. The law limits the extent of the system to 7 per cent of the existing mileage of record in the various State highway departments at the time the law became effective, and provides that the



Fig. 19.- The Federal-aid highway between Philadelphia and Easton, Pa., is typical of thousands of miles of modern pavements constructed cooperatively by the States and the Federal Government

roads to be included in it shall be designated by the several State highway departments subject to the approval of the Secretary of Agriculture.

Within two years of the signing of the act the important work of selecting the roads had been completed and a map of the approved system, including 168,881 miles, was published on November 1, 1923. Since that time there have been additions in several States which bring the total approved mileage up to 171,687 miles.

It is estimated that the construction of the roads of the system will require approximately 10 years. In that time every city or town of at least 5,000 population will be connected by a network of modern roadways built in accordance with scientific principles, and every link designed to carry with safety and economy the traffic to which it will be subjected.

All highways upon which Federal-aid funds have been expended since the approval of the act are parts of the system, and practically

all Federal-aid roads previously improved are also included. At the close of the fiscal year the completed Federal-aid roads amounted to 35,157 miles, with 15,350 miles additional under construction reported as averaging 56 per cent complete. With the exception of a very limited mileage, improved before the passage of the Federal highway act, all of these roads are included in the system. In addition it is probable that more than an equal mileage has already been improved by the States and counties without Federal aid.

Already three States have completed the system originally designated and additions have been approved as provided by the law. In the country as a whole it is probable that the mileage improved is

fully half the total mileage of the system.

No less important than the construction of roads under the Federal highway act are the fundamental scientific researches which have been conducted by the department during the past four years. It is impossible to overrate the importance of this work, the results of which constitute a large proportion of the considerable body of scientific knowledge that has been acquired in recent years. The researches of the Bureau of Public Roads cover the entire field of highway management, construction, maintenance, and finance.

Packers and Stockyards Administration

Through administration of the packers and stockyards act, passed on August 15, 1921, there has developed in the selling and handling of livestock a noticeably greater feeling of security and freedom of action against imposition and unfair practices, which alone has done much to accomplish the purposes of the law.

At the close of the fiscal year ended June 30, 1924, 77 public stockyards in 66 cities and 32 States had been found subject to the provisions of the act and posted accordingly. More than 4,000 dealers and 1,100 market agencies have registered, and approximately

500 packing concerns are subject to the act.

Stockyard companies, market agencies, and packers render periodical reports showing their income and expenses and financial condition. During this year audits have been made and statistical and financial reports obtained from 58 stockyard companies, and the work of valuing stockyard property in connection with determination of rates has been performed at several of the most important markets under the direction of competent valuation engineers and accountants. The accounts of 650 old-line commission firms and 25 cooperative organizations doing business at 51 markets have been audited. These markets handle approximately 98 per cent of the total livestock business at the markets subject to the packers and stockyards act. Financial statements were obtained for the year 1923 from packers subject to the act, the aggregate of whose slaughtering business represented approximately 98 per cent of all slaughtering done under Federal inspection during the year.

It should be noted that in all instances wherein the requirements of the act can be met informally the policy of the administration has been to proceed in this manner. This has resulted in the satisfactory disposition of many hundreds of matters without the delay and ex-

pense resulting when formal action is required. In numerous instances, however, the nature of the cases and the requirements of the act necessitated formal action, and 112 formal proceedings have been instituted by the administration, 65 of which have been dis-

posed of, leaving 47 still pending.

As examples of some of the matters that have been dealt with, brief mention will be made of a few of the most important. The use of short-weight butter cartons, which actually contained only 15 ounces, but which were designed to hold 1 pound, was discontinued in certain sections of the country. Through cooperation with the Bureau of Animal Industry beneficial adjustment has taken place in connection with prices of reactor cattle resulting in increased returns aggregating many thousands of dollars to owners of this class of animals.

Through the efforts of the administration all livestock consigned for sale on the public markets is now placed on the open market, which was not always the case at all markets previous to the passage of the packers and stockyards act. Such practices as weighing-up, string sales, boycotting, and rebating, as well as similar objection-

able practices, have been stopped in many instances.

Two of the members of the staff of this administration were agreed upon as arbitrators in connection with the determination of commission rates at four of the principal markets wherein complaints have been made by leading livestock organizations concerning these rates. This resulted in lower commission rates and direct annual savings to producers of approximately three-quarters of a million dollars.

All commission agencies are required to carry bonds to secure the faithful and prompt accounting for and remittance of the proceeds of sale of livestock consigned to them for sale. Shippers' proceeds accounts, which keep separate from funds used for other purposes all money received through the sale of consigned livestock, have been established by commission agencies at most markets, thereby doubly assuring payments to owners of livestock.

The way has been opened for farmers' cooperative selling agencies to operate in the terminal markets not by favoritism or partisanship but by enforcing the open-market principle. The number of cooperative commission companies has increased from 7 at the time the

act was passed to 25, or an increase of 18.

Cases with reference to rates and charges of stockyard companies which involve the fundamental principles of proper rates, including such matters as the valuation of properties and the determination of properties that should be included in rate-valuation work, have been handled. There have been several cases of this kind, including one at Peoria, Ill., in which a material reduction in rates was upheld by the Federal court.

Scales in the stockyards are being standardized according to the actual needs of the business, and periodical testing under approved conditions is being brought about rapidly. The mistreatment and bruising or injury of animals at public markets have been materially reduced, thus resulting in a material economic saving. Payments for dead and crippled animals have been placed on a more systematic basis.

The formal dockets of the administration cover practices considered to be in violation of the act, including rebating, rendering

false account sales to shippers, wrongfully withholding funds from shippers, discrimination through boycotting, usually practiced by so-called old-line commission firms against cooperative selling agencies and other nonmembers of exchanges, and the acquisition of the properties, business, and goodwill of Morris & Co. by Armour & Co., thus combining the second and third largest packers in the country into the largest concern. The investigation and hearings in this case have covered a period of more than one year, and several hundred witnesses have been examined. The final hearing will be held in the near future.

Grain Futures Administration

The grain futures markets of the United States have now been under the supervision of this department for somewhat more than one year as provided by the grain futures act. This act went into full legal effect on April 16, 1923, when its constitutionality was finally affirmed by the Supreme Court of the United States.

The experience that has been had under the act is still brief, but it has sufficed nevertheless to indicate some of the landmarks by which the grain futures administration must be guided in carrying

out the purposes of the act.

The oldest activity under the act has been carried on under section 8 which authorizes the Secretary of Agriculture to investigate grain marketing conditions, including the operations of boards of trade, and to publish the results, in statistical form or otherwise. This corresponds to one of two sections of the future trading act of 1921 which were not held unconstitutional. It was reenacted in the grain futures act of 1922, supported by provisions held constitutional in 1923 requiring members of boards of trade to keep certain records and to make certain reports. Experience is showing that this constitutes the central feature of the act.

The act itself is coming to be recognized as a milestone in the history of futures trading. This is growing because appreciation attaches to the declaration of Congress that trading in grain futures on boards of trade is affected with a national public interest and must be recognized and conducted accordingly. The primary responsibility for observance of the requirements of the act is imposed upon the boards of trade themselves in their organized capacity, subject to Government supervision. The boards of trade, in qualifying for designation as "contract markets," evidenced their acceptance of this responsibility by enacting rules in accordance with the act, providing, among other things, for the making of records and reports and forbidding their members to attempt to manipulate the market by the dissemination of misleading market information or in any other way. The result has been to put the whole business of trading in grain futures upon a new basis.

This new basis has been evidenced in judicial decision and in a more discriminating public opinion. Thus the supreme court of Kansas, building upon the case in which the Supreme Court of the United States upheld the constitutionality of the grain futures act, held on January 12, 1924, that a member of the Chicago and Kansas City Boards of Trade, both "contract markets," may not be prevented by State legislation from doing a grain futures

commission business according to the rules of those exchanges because Congress has undertaken the constitutional assumption of regulatory power. A discriminating public opinion is beginning to grow up on the basis of facts ascertained and published by the grain futures administration or known to be accessible to it now by reason of the act, the regulation adopted pursuant to the act, and the presence of Government supervisors at important "contract markets."

The intention of Congress as understood by this department has been to dispel the mystery which has always beset the public mind with reference to trading in grain futures. The dispassionate collection and analysis of exact and comprehensive information is accordingly being emphasized. Some of this information has been published, in forms suitable to serve the public interest but without violating those provisions of the act which forbid the separate disclosure of the transactions of individuals, trade secrets, or names

of customers.

Thus the volume of trading in grain futures on each of the principal boards of trade has been currently published ever since December, 1923. For the Chicago Board of Trade, which handled during the years 1921 to 1923 over 87 per cent of the trading in grain futures, the total volume of trading for each day, beginning January 2, 1924, has been published on the following day. recently the volume figures for Minneapolis and Duluth have been published daily. Information regarding aggregate commitments, as "long" or "short," and changes therein, hitherto unavailable, is also being published upon occasion, together with information concerning deliveries of grain on futures contracts. In short, the grain futures administration is laying before the public significant facts regarding the operation of the grain futures markets as rapidly as the administration can assemble such facts and determine their correctness.

The result of this policy is beginning to show itself in the tone of popular discussion. Guesswork and misrepresentation concerning the volume of trading in grain futures are beginning to give way to questions concerning the components of this volume, as pit trades, hedging trades, speculative trades, spreading operations, and the like, together with attempts to explain and interpret fluctuations in

the volume which take place from time to time.

Among the facts which the public is accordingly able to observe for itself is that preliminary studies of the grain futures administration based on data for three and one-half years indicate that there is a close correlation between the volume of trading on the one hand and the range and frequency of price fluctuations on the other. Days, weeks, and months during which the volume of trading is large are almost always those during which price fluctuations are wide and frequent; when the volume of trading is small price fluctuations are narrow and infrequent. For the year ended June 30, 1924, the first of these conditions held during about seven months and the second during about five months. During June, 1924, when prices were advancing rapidly, the markets were more active than they have been for a year, and during July, 1924, the total trading for all markets (2,172,574,000 bushels) was greater than it had been during the month of July in any of the preceding three years.

When the grain futures act went into effect in April, 1923, a generally downward movement had been under way for fully two years, both in the prices of wheat futures and in the volume of trading therein. The downward price movement halted in July, 1923, but the generally downward tendency of the volume continued through December. At the end of 1923, however, according to the best estimates, the wheat-futures markets were carrying more than twice as many "hedges" as at the end of 1922.

It is noteworthy that the general tendency of wheat prices has been upward during harvest time, a time especially interesting to farmers, for both the seasons during which the grain futures act has been in effect. The price of wheat in the United States during the year July 1, 1923, to June 30, 1924, furthermore, was generally above the level of wheat prices in competing countries, a fact reflected in smaller exports of American wheat. The strength of the wheat-futures market was very generally given credit at the time for sustaining American wheat prices, and subsequent developments, notably increased European consumption and a short crop in 1924, have shown that if American wheat prices had been even higher last year, resulting in a larger carryover of American wheat to sell at price levels now current, better returns might in the end have been obtained by sellers. These developments of course were not adequately foreseen, but the light which they and other facts throw upon the preceding years shows that close observation and study must be carried on currently in order to determine in what particular respects the grain-futures markets, judged from the standpoint of the national public interest as price-determining or priceregistering institutions, fall short of perfection and what remedies should be applied.

Progress in Forestry

A substantial advance in forestry has been made during the past four years. While many problems remain to be solved, large gains have been made in the public conception and appreciation of the necessity for forest conservation, the legislative groundwork for national and State forest policies, and the actual extension in the

woods of forest protection and better forest practice.

The outstanding facts of our present situation as to timber supply and the idleness of lands suitable for forests have become common Both the menace of far-reaching national losses and the lines of action that should be taken have been markedly clarified through comprehensive study and publications. The country has assimilated the facts and caught their significance. This in itself represents one of the large gains of recent years. The essential place of forestry in the land program of the United States is now widely recognized. Over 95 per cent of our total land area consists of farms, forests or potential forests, improved pasturage, and open ranges. Crop production, animal husbandry, and forestry are the three great uses which must be made of this vast soil resource to promote both individual and national prosperity. These three forms of land use are closely interrelated, and all are intimately related to the conservation and beneficial use of our water resources. About one-fourth of our total land area is forest or potential forest.

In addition to the vast areas of mountain and other nonagricultural lands which can be made of permanent utility only through the practice of forestry, timber culture is being more and more clearly recognized as an important factor in diversified agriculture.

The 470,000,000 acres of forest land in the United States can supply in perpetuity the timber products required to meet our economic



FOREST FIRE ON THE PLUMAS NATIONAL FOREST, CALIF.
Fig 20.—The 1924 forest fire season was marked by extreme conditions, especially in California where 500,000 acres of national forest land was swept by fiames. Human carelessness continues to be the chief cause of these devastating fires

needs. Right handling of our forests will also safeguard the water resources and provide for public recreation and other needs as concurrent uses of the land. Our forestry problem has resulted from the idleness or half use of enormous areas of forest-producing soil in the United States, and the fundamental solution is to bring about the full employment of all the land in the United States which better adapted to timber crops than to other forms of use. We are now so far from making full use of the growing power of our forest lands that they replace each year not more than one-fourth of the current drain upon their timber, and at the same time idle forest lands are imposing oppressive burdens upon other property and upon rural welfare.

To bring our consumption of wood and our production of wood into balance will necessarily be a long and difficult task. It can not be fully accomplished for several decades, and a shortage of timber must be faced in the meantime. That it has already begun is evi-

denced by the rise in lumber prices, by the heavy tolls imposed upon consumers for transporting lumber from great distances, by the decline in per capita use of lumber of nearly half within the last 20 years, and by the fact that for such an important forest product as paper the United States now depends upon foreign sources for more than half of its current consumption. With these salient facts the American public has now become generally conversant. The discriminating support of national, State, and local movements and developments toward forest conservation was never so widespread or effective as at present. A specific result of this growing national interest and concern was the enactment of the Clarke-McNary law on June 7, following several years of Nation-wide discussion and investigation.

Public Ownership and Management of Timber Lands

The policy of permanent Federal ownership of forest properties was begun about 33 years ago, with hesitation. At first there was much doubt of the wisdom of substituting for the traditional policy




Fig. 21.—The Roosevelt Dam, Tonto National Forest, Ariz. This wonder of the Southwest forms a lake 30 miles long. The waters which fill this yast reservoir come from the timbered slopes of the Tonto Forest

of disposing of the public lands a program that put the Government into the business of land management and the growing and marketing of timber on a huge scale. The general application of the new principle to the public lands suitable for timber production was sought by President Roosevelt but denied by Congress because of its conflict with the settled tradition of distributing public lands for private use and because of many questions raised as to the success of a public enterprise of this nature. The national forests had to justify themselves by their results.

The Clarke-McNary law has given added scope to this feature of our national-forest policy. Provision is made by its terms for ex-

tending the national forests over lands already in public ownership adapted to this form of administration, (1) through the classification of such portions of the remaining public domain as are adapted primarily to the production of timber or the protection of watersheds, and (2) through the creation of national forests covering such parts of military and other reservations as are also primarily adapted to this form of use. The same law authorizes an important expansion in the policy of purchasing forest lands under the Weeks law through the extension of such purchases, within the watersheds of navigable streams, to include areas needed primarily for the growing of timber as well as areas needed for protecting the watersheds of rivers. Other means are provided for the extension of national forests through the acceptance of gifts or bequests of lands adapted



Fig. 22.—Mon(peller-Afton road, Carlbou National Forest, Idaho. Road and trail development on the national forests facilitates protection and increases use of the resources. The standard of construction varies to fit the character of use and public need, but many of the projects are important links in the system of Federal-aid State and county roads.

to this public use, subject to reasonable and suitable reservations. By this act the policy of national ownership and administration of forest lands has not only received specific confirmation but has been afforded the basis for a material expansion in the future. The national-forest system now embraces about one-quarter of the timber-producing lands in the United States.

Forest ownership by other public agencies has always been sought by advocates of conservation, as there is every reason why States and municipalities should share this important function with the National Government. Significant and promising developments in this field have taken place within the past four years on the part of several States and also through the creation of a considerable number of town or county forests, particularly in New England. Both of these developments are indications of the extent to which the idea of better use of our forest land is extending among the American people. The State forests now exceed five and one-half million acres, with every prospect of being rapidly enlarged under the State programs now in effect or proposed.

Animal-disease Work Pushed

The scientific study of animal diseases and parasites has yielded information of practical value in combating these enemies of the livestock industry. A new and very effective immunizing agent against hemorrhagic septicemia has been developed. This in tious disease, which attacks especially cattle, sheep, and swine, is attended with a very high mortality. The protecting product is what is known as an agressin. In the experiments cattle which had been immunized with this agressin were given five hundred times the fatal dose of hemorrhagic septicemia virus with no ill effects, while all untreated cattle given the same dose of virus died within 48 hours. Field experiments in the control of hemorrhagic septicemia are being carried out at several stockyard centers.

Incomplete experiments in applying the anti-hog-cholera serum treatment to very young pigs indicate that this can be done safely at an early age and that under normal conditions the pigs will be pro-

tected against hog cholera until the usual market age.

In recent years an effective method of controlling stomach worms in sheep by means of repeated dosing at intervals has been worked out. Carbon tetrachloride, which was found by the department to be effective against hookworms of dogs, has since come into very extensive use in human medicine for the removal of hookworms and has been used with great success in hundreds of thousands of cases in various parts of the world.

War on Plant Diseases Goes Forward

During the past four years further stimulation has been given the campaigns being waged against the host of plant diseases which menace certain important crops and present a serious economic problem in American agriculture. A brief résumé of the work being done with a few major diseases will illustrate this phase of the department's activities.

Continued progress has been made in the control of the white pine blister rust. This destructive disease is established in the United States and its rapid spread threatens the destruction of five-needled pine forests containing over 78,000,000,000 board feet of timber, valued at approximately \$500,000,000. The harvesting and utilization of this timber sustains many industries and gives employment to thousands of wage earners. Therefore, continued production of this forest crop is of vital regional and national concern because of its present economic value and its relation to sustained forest productivity.

Local control measures consisting of systematic eradication of the alternate host plants (currants and gooseberries) within 900 feet of pine stands were developed early, and thorough test proved them adequate for use in northeastern United States. In cooperation with the States, the department in 1922 undertook an intensive campaign to control the rust by obtaining prompt application of control measures by pine owners. Agents stationed in the important pine-growing counties or districts of the infested States give landowners the expert advice, local leadership, and supervision needed to secure prompt and effective protection of the white pines. Currants and gooseberries have been destroyed on control areas aggregating approximately two and a half million acres. Local public interest is evidenced by the active participation of 3,325 individuals and 346 communities, who have expended \$194,000 of private funds in control work. Control measures have been applied on the White Mountain National Forest, where much of the white pine has already been protected from the blister rust by the eradication of currants and gooseberries.

An outbreak of blister rust was discovered in western Washington in 1921. The disease, which had become established in British



Fig. 23.—Army airplane on western fotest fire patrol (Official photograph, U. S. Army Air Service)

Columbia some 10 years previously, had spread rapidly, and in 1923 its eastward extension was within 35 miles of the inland empire pine region of Washington and Idaho. Cooperating with the States concerned, the department is vigorously prosecuting a 10-year program to check the further spread of the rust and develop practical measures for its control in localities where valuable timber is threatened. During the past three years the primary alternate host plant of this disease, the European black currant, has been largely eliminated in western and northeastern Washington, northern Idaho, western Montana, and western Oregon. Effective quarantines have been maintained and good progress has been made in devising cheap and practical means for the local protection of pines in infested areas.

The campaign for the eradication of the common barberry to prevent the spread of black stem rust of wheat was begun in a preliminary way in the spring of 1918 and has completed its sixth full

year.

The yearly appearance of severe local epidemics of stem rust, which were traced to barberry bushes remaining in certain counties previously surveyed and thought to be clean, made a second complete survey advisable in several counties during the past year.

The spread of escaped barberries to open woodlands, fence rows, rocky ledges, brushy pastures, and stream banks is the most serious problem of the campaign. Not all bushes among undergrowth and weeds are found on the original survey and some may be over-

looked on the first resurvey. Seedlings continue to appear each spring for a number of years after all fruiting bushes are destroyed. A total of 3,600,669 escaped bushes has been found on 4,717 properties to date. In addition, most of the 3,825,478 seedlings found on original survey and resurveys were in areas of escaped bushes.

The eradication of all bushes and seedlings from areas of escaped bushes is progressing as rapidly as possible. Many small areas appear to be cleaned. The complete clean-up of many larger areas is in sight because of the general use of crushed rock salt as a killing agent during the past season.

Experiments on chemical methods of eradication begun in September, 1921, have given excellent results. Two




FIG. 24.—Injury by the European corn borer (Pyrausta nubilalis) to ears of Longfellow flint corn

chemicals have given uniformly good results. These are crushed rock salt and a sodium-arsenite solution. The sodium-arsenite solution proved dangerous to livestock and poultry and its use has been discontinued. Crushed rock salt and flake or packers' salt have proved effective and may be applied at any time of year. One or the other usually is available or can be procured in a reasonable length of time. Experiments are still in progress with five other chemicals. Of these kerosene has proven effective but very slow in action.

A total of 3,074,587 bushes, seedlings, and sprouting bushes was treated. During the fiscal year 1924, an area equivalent to approximately 183 counties was covered in the original survey, 271 counties in the resurvey, and about 53 counties in the second survey. A grand total for the year of 4,041,575 bushes, seedlings, and sprouting bushes was found and 4,012,258 were eradicated.

The cooperative campaign for the eradication of citrus canker, conducted in cooperation with the Gulf States, is making satisfactory progress. In the eight years that the department and the Gulf States have been cooperating in the eradication of citrus canker Florida, Alabama, and Mississippi have been practically freed from this destructive disease, and the infections in Texas and Louisiana

are now much less serious than in earlier years.

The methods of eradication are more extreme than have been found necessary in fighting any other plant disease on account of the extreme infectiousness of citrus canker. All infected trees found by the inspectors are burned, and additional safeguards such as requiring the inspectors to wear outer suits, shoes, and hats that are thoroughly disinfected both upon entering and leaving citrus properties are employed. The success of this campaign may be said to have established a new era in preventive and control work in dealing with plant diseases.

Damaging Insects Held in Check

Equally important as plant diseases in their economic relation to agriculture in this country are insect pests. The warfare against these pests grows more tense and more scientific year by year. To prevent the entry of new plant pests of all kinds, some 22 quarantines, either prohibiting or restricting and safeguarding the entry of products known to be likely to carry such pests, are now being enforced. This enforcement involves the maintenance of a port inspection service at all important ocean and border ports of entry into this country. The important products thus brought under restrictions as to entry include cotton, various cereals, nursery and ornamental stock, and all fruits and vegetables. This service has been largely developed during the past four years and it is significant to note that since the plant quarantine law was passed not a single new major pest has entered this country.

The work of enforcing the Federal quarantine on account of the European corn borer, in cooperation with the several States, has been excellent and has prevented the spreading of the pest through commerce in affected products. More than a million individuals of a useful parasite have been brought from Europe and liberated in the infested regions. Other promising introduced parasites have been established in New England and have been liberated on the eastern edge of the Corn Belt in Ohio, where the corn borer has become

established comparatively recently.

By inspection of products likely to carry the gipsy moth, its spread has been checked and no new colonies have become established at long distances from the generally infested New England area. In New Jersey no injury to foliage has resulted since the first year, and the area has now been reduced more than one-half. The area in New

England infested by the brown-tail moth has decreased nearly 3,000

square miles during the past four years.

Experiments have resulted in the development of more efficient methods of control, and the introduction of many thousands of parasites and other natural enemies from Europe and Japan has aided in gradually reducing the increase of both gipsy moth and brown-tail moth in the sections of New England that have been

The longest infested. area defoliated year is much less than in previous years.

The department has been attempting to determine the principles in the cotton plant that cause the boll weevil to feed on this plant alone, but it is only recently that any great measure of success was gained. Large quantities of cotton plants were collected and either distilled or otherwise processed to obtain a complete understanding of the chemistry of the cotton plant. Some of the most promising of the substances isolated have been tested in the field during the past summer, and certain of them possess attractive qualifies apparently slightly superior to those of the cotton plant itself. Experiments are still going on, and definite conclusions may not be reached for another year, but the outlook is hopeful. Once in possession of such an



Fig. 25.—Gypsy moth caterpillars under sticky band on tree

attractant, a promising new line of remedial work at once becomes available.

The pink bollworm of cotton is generally recognized as one of the worst of all cotton pests. It originated in India and is now generally established in practically all the important cotton-producing countries of the world except in the United States. About 1915 it gained entrance from Mexico into Texas and later spread to portions of Louisiana. It also obtained some footbold in western Texas and

New Mexico directly from Mexico.

A hard fight to eradicate it has been in progress since its first liscovery in Texas in 1917. No new areas of infestation have been located during the last two years, and except in the western districts of Texas and in New Mexico no reinfestation has developed in any of the territory where the insect previously had been established. This means that the more important areas originally infested, in central and eastern Texas and in Louisiana, are apparently free from this pest and this freedom has now continued for three years.

In western Texas and in New Mexico no continued effort has been made to eradicate the pink bollworm, for the reason that the proximity to the Mexican border makes reinfestation almost certain.



Fig. 26.—Peach attacked by Japanese beetles

The danger of infestation spreading from the western areas eastward is, however, being controlled by quarantine, by the installation of seed-disinfection machines in all gins, and by the sepaaration of these areas from central and eastern Texas. It is not believed that the risk of spread from these areas of infestation is greater than that from the infested areas in Mexico.

To prevent the further entry of this pest from Mexico, all commercial and other border traffic into the United States is safeguarded by inspection and disinfection. This has involved the in-

spection, during the past year, of upward of 29,000 freight cars and the fumigation of nearly 17,000 of these. In addition, all vehicular and other movement out of Mexico is inspected and safeguarded. A fee covering actual cost of labor and chemicals is charged for the disinfection of such cars and vehicles, and the receipts are turned into the Treasury, amounting during the year to \$67,730.50.

Although the Japanese beetle has continued gradually to enlarge its territory by annual dispersal, the quarantine and other operations carried out in cooperation with the States of New Jersey and Pennsylvania have been instrumental in preventing the spread of the insect to other parts of the country. Search for the parasites of the

Japanese beetle was begun in 1920 in Japan, China, and Korea, and numerous large shipments of natural enemies have been introduced, some of which have become established.

More Profitable Use of Crops

The application of science to the improvement of manufacturing processes in those industries that use agricultural products as raw materials, and the development of new manufacturing uses for products and by-products of the farm, provide a more profitable outlet for farm crops. The chemists of the department have developed and patented processes for the manufacture from corn cobs of an adhesive and of furfural, which is a chemical that can be used extensively in the manufacture of many useful appliances. These processes may soon be in use on a commercial scale that will provide a market for many corn cobs that are now practically a waste by-product.

A process has been developed by the specialists of the department for the manufacture of a palatable beverage resembling tea from cassina, a plant that grows wild abundantly along the Atlantic and Gulf coasts from North Carolina to Texas. A flavoring extract for use in making carbonated beverages has also been made in the laboratory from cassina and may soon be manufactured commercially. The cured cassina leaves suitable for making beverages are now

manufactured commercially and are on the market.

A laboratory established at Los Angeles, Calif., has developed processes for making citric acid, citrate of lime, lemon and orange oils, marmalades, pectin, and other commercial products from cull and surplus lemons and oranges. These processes are now being used profitably by commercial concerns that purchase large quantities of

cull oranges and lemons which were formerly wasted.

An improved process for the manufacture of a cane sirup that will not readily crystallize or ferment has been developed by the chemists and is now in successful operation in a large number of sirup manufacturing plants. The market for cane sirup has heretofore been restricted by the tendency of the sirup either to crystallize or ferment before it reached consumers. By developing a method that removes this difficulty the specialists of the department have made it possible for the market for cane sirup to be greatly extended. Improvements have likewise been made in methods for the manufacture of sorgo and maple sirups. The department specialists are now engaged in studies looking to certain improvements in the manufacture of beet and of cane sugar which it is hoped will aid in the extension of the domestic sugar industry.

Improved processes for the dehydration of fruits and vegetables have been developed and are in successful commercial use. Dehydrated fruits and vegetables much superior in appearance and flavor to the products dried by the old methods are now on the market. The extension of this most economical method for preserving and

transporting fruits and vegetables is assured.

How to utilize profitably on the farm certain vegetables in the manufacture of pickles and of sauerkraut and certain fruits in the manufacture of vinegar has been worked out in the laboratory and the methods published.

A process for making a crystalline maltose sugar from cornstarch has been developed. The cost of producing maltose sugar from cornstarch is lower than the cost of producing cane sugar. The new process has yet to be industrialized, so that it is too early to realize its bearing on the utilization of corn. The investigational work is not entirely complete but has proceeded far enough to demonstrate that it is entirely practicable to make an excellent grade of crystalline maltose sugar from cornstarch or hominy.

The Hunt for New Plants

Continued success during the past few years in introducing plants from all corners of the earth goes to confirm the belief that numerous possibilities still exist in this field of research. Many alien plants have been introduced and developed to a point where they have found a profitable place in our agriculture. Curiously enough the faith prevails in every district, however poor the soil may be, that it needs only the finding of the proper plants to make the land greatly more productive. The success with new forage plants goes far to give validity to this belief. One has only to consider such plants as alfalfa, the sorghums, Sudan grass, sweet clover, lespedeza, and velvet beans, all of comparatively recent introduction and utilization, to realize what a profound effect they have had in this country.

The agricultural explorations carried on by the department during the past four years have been especially important. They have included extended travel in Africa, Asia, and South America and have resulted in the importation of many valuable new plants. Explorations in southern China, Burma, and Siam resulted in the collection of trees from which chaulmoogra oil, a successful specific for leprosy, is obtained, and the establishment of these trees in the American tropics. Seeds of the gorli shrub, from Sierra Leone, Africa, also contain chaulmoogric acid, and as this shrub is of quicker growth than the Asiatic tree from which the oil is obtained,

it has been introduced as another source of this material.

Numerous varieties of Chinese chestnuts have been imported for testing for blight resistance in the hope that they will replace the rapidly disappearing American species. Many native Chinese apples, pears, cherries, plums, and roses were also obtained which, because of their vigor and hardiness, will be of special interest to

plant breeders.

One of the department's explorers has recently returned from a trip to northern Africa, Abyssinia, and the Kashmir section of British India, where he went especially to obtain varieties of barley and wheat likely to prove of value at high altitudes, or for growing under dry-farming conditions in the Western States. Another explorer traversed Africa from south to north, obtaining many native plants of interest and value, some of which are likely to prove adapted to our Southern States. This explorer is an expert plant geographer and through his visits to Africa we have been able to obtain much valuable information about the agricultural possibilities of that continent.

During the past year the department sent its chief corn specialist to South America to obtain samples of corn from the Indian tribes in the high Andean country of Bolivia, Peru, Chile, and Argentina.

Cornell University cooperated in this exploration by sending a member of its faculty who is one of the best known plant breeders in the United States. Many samples of corn were obtained which should prove of value to corn breeders, especially those who are developing early strains for the Northern States, and drouth-resistant varieties for the Southwest.

Near La Paz, Bolivia, and in the vicinity of Cuzco, Calca, and Huancayo, Peru, varieties were obtained that have been grown there since long before the discovery of America by the white man. These varieties possess many characteristics which make them of interest and possible value as breeding stocks in the United States. Those districts are located near the Equator, or from 12° to 17° south latitude, and so have a long frost-free period except at the highest altitudes. For the same reason the length of the days and nights is more nearly equal than in our Corn Belt. Because of the altitude, however, the temperature is relatively low, particularly during the night. These conditions have resulted in varieties of corn differing markedly from those grown in the United States.

The most important feature of barley investigations has been an extensive exploration for breeding stocks in Africa and Asia. In addition to barleys a large number of samples of other grains, legumes, and the various cultivated and wild plants were obtained. The barleys of the western United States uncoubtedly were introduced into America from Mexico, where they had been grown by the Spaniards. These barleys are all of the types commonly grown throughout North Africa, especially in the region from Tunis west to the Atlantic. It is certain that many types common in North Africa were not introduced by the early settlers and have not yet found their way to this country. The selections made in Algeria and Tunis and later in northern Spain were barleys similar to the Coast variety of America.

In all there were 19 accessions of barley from Algeria and Tunis, 19 from Spain, 32 from Egypt, 30 from India, and 33 from Abyssinia. This does not in any way indicate the total number of barleys procured. Wherever the fields were in head all of the types from a single set of adjoining fields were selected, but placed under a single field accession number. The barleys from Algeria, Tunis, Egypt, and India were sown in November, 1923, at Sacaton, Ariz. In addition to the bulk samples there were over 700 rows grown from heads selected in fields of North Africa and India. Many of these gave very high yields. The selections from Egypt were particularly promising. There were some hundreds of selections of the two forms of Mariout, and it is hoped that some of these may be superior to the original introductions. The barleys from Kashmir gave surprisingly high yields. It is thought that the Kashmir type has not been previously tested at experiment stations in America.

Several new grasses from the Tropics give promise for southern conditions. These include molasses grass, which succeeds wonderfully on any of the well-drained soils, however sandy, of southern Florida; Bahia grass, the best grass yet found for permanent pastures in Florida and along the Gulf coast on the relatively dry lands; Guatemala grass, a tall, coarse grass with thick, juicy stems, very valuable for soiling; and Tracy grass, accidentally introduced

on the Gulf coast and making a very dense sward on both dry and wet soils. Tracy grass is extremely difficult to eradicate when once established, but where pasturage alone is considered it is a grass of great merit.

Rubber Investigations Pushed

Investigations begun last year to determine the possibilities of rubber production in the United States and in adjacent tropical regions are being pushed forward to the extent of the available funds. The need of additional sources of raw rubber is becoming even more apparent with the further rapid increase in the volume of the rubber industry in the United States, and with our great preponderance in the use of motor vehicles. It is reported that the rubber industry has increased 35 per cent in the last two years, and that 11 motor vehicles are owned in the United States to 2 in all other countries. Apart from the danger of being so completely dependent on the East Indies for an indispensable material, it is plain that a scarcity may result in a few years from a continued growth of the industrial demand, either in the United States or abroad.

Though only one rubber-producing species has been cultivated extensively as yet, there are many other plants of widely different habits that require investigation before we can be assured of the best possibilities of producing rubber in America. Dry-country rubber plants are being investigated in southern California, Arizona, and Nevada, while rubber-producing trees and vines of tropical countries are being studied in their native countries to determine their suitability for conditions to be found in southern Florida. Porto Rico, and the Canal Zone, or in the neighboring countries. Special opportunities for such investigations have been found in Haiti, where plantings of several of the more prominent rubber trees. including the Hevea or Para rubber tree of Brazil, were made about 20 years ago. Labor would be available in Haiti if it appeared that commercial rubber planting would be profitable. Cooperation is being extended by the President of Haiti, and a convenient location for experimental work near Port au Prince has been placed at our disposal.

From what has been learned in the Vest Indies, Central America, and Mexico there can be no doubt of the possibility of producing substantial quantities of rubber in tropical America if suitable cultural systems can be developed, not requiring oriental contract labor as in the East Indian rubber plantations. To use resident labor it is necessary to consider the production of rubber in connection with other crops, rather than the opening of special rubber districts where labor must be imported. The possibilities of utilizing waste lands for rubber production or for plantings that could supply emergency needs must be considered as alternatives to replacing other crops

with rubber.

Fiber Plant Investigations

There has been an increasing need in this country for hard fibers for use in cordage as well as in binder twines. Disturbed conditions in Yucatan have resulted in a falling off of supplies of henequen that has been the principal fiber used for binder twine, while the world

demands for cordage fibers have increased materially over the requirements previous to 1914. There are probably 40,000 or more acres of land suitable for henequen or sisal in Porto Rico and the Virgin Islands under our own flag, but not enough to make up for the reduced production in Yucatan. Greater emphasis has been placed, therefore, on the work in the Philippine Islands, where abaca, the only fiber suitable for high-grade ropes, is produced and where there are large areas with conditions of climate, soil, and labor favorable for the production of hard fibers.

Work in the Philippine Islands has been carried on along the

following lines:

1. Fiber cleaning machines have been introduced, their work demonstrated, and their use encouraged. As a result the production of machine-cleaned maguey and sisal has become an established industry, yielding better profits and also better fiber than the hand-cleaning methods.

2. Sisal plants have been introduced and their cultivation encouraged, because they yield fiber of better quality than manila maguey. The production of sisal during the first six months of 1924 was 4,288 bales, which was more than twice the production

during the same period in 1923.

3. The uses and methods of handling fibers in the cordage and twine mills have been studied and recommendations have been made to the producers, resulting in better methods of preparing and baling the fibers.

4. The inspection and grading of fibers by the Philippine Government, favored by all manufacturers, have been encouraged, im-

proved, and more firmly established.

5. A study has been made of the "perished" abaca fiber that has been the cause of numerous complaints, especially in the London market, and the troubles from this source have been materially reduced. This form of deterioration is the result of storing the fiber in air-tight warehouses, causing a fermentation due to fungi or bacteria or to both.

6. Attention has been given to the threatened injury to the abaca industry by two diseases that have destroyed abaca plantations in the Provinces of Laguna and Cavite on the Island of Luzon. Recommendations have been made and are being acted upon by the Philippine Government for holding the diseases in check, and efforts are being continued for more efficient measures to combat these diseases.

The production of manila maguey and sisal in the Philippine Islands now amounts to approximately one-third of the production of henequen in Yucatan. During the year ended June 30, 1924, more than 200,000 bales of abaca from the Philippines were used to eke out the decreasing supplies of henequen for the manufacture of binder twine in the United States.

New Studies of Plant Life

During the past four years it has been shown that in many plant species the relative length of day and night may be the controlling factor in flowering and fruiting and other features of development. Some plants are promptly forced into flowering and fruiting by exposure to relatively short days, and exposure of these plants to

long days will cause profuse and indefinite vegetative development without flowering. Other plants, however, tend to remain in the vegetative stage when exposed to short days and are quickly forced into flowering by the action of long days. Formation of tubers and bulbs, falling of the leaves, the condition of dormancy, development of branches, and extent of root growth also are subject to regulation by the prevailing length of day. Moreover, plants vary widely in their sensibility to this factor.

Through field and greenhouse studies it has been possible to establish the relationship of the length of day to early and late maturing varieties of crop plants, the comparative development of the vegetative and fruiting portions of the plant, the distribution of the growing and fruiting periods through the year, the everblooming or everbearing condition, the adaptability of different varieties and species of crop plants to different latitudes, and the natural distribu-

tion of plants.

In many species flowering and fruiting can be induced or suppressed at will by artificial control of the daily period of illumination. For this purpose the daily exposure to light during the long days of summer may be shortened by use of dark houses, and in winter artificial light may be used to lengthen the daily illumination period. It has been found, moreover, that plants can be readily grown to maturity with artificial light as the only source of illumination. Flowering and fruiting and other characteristic responses to differences in duration of the daily illumination period are brought about as easily with artificial light as with sunlight.

Wheat Breeding Tests

The varieties of wheat grown in the United States number more than 200, known by more than 800 different names. A concerted effort has been made toward the standardization of varieties by communities and a reduction in the number and acreage of the poorer varieties. Improved varieties are being developed. A recent production is Nodak, a high-yielding, rust-resistant durum variety of excellent quality, developed as a selection from Kubanka in cooperation with the North Dakota Agricultural Experiment Station, which is distributing the new variety.

Kubanka was introduced by the department from Russia and is now the best adapted variety for all of the varying conditions in the durum wheat sections. It is a high-yielding wheat, fairly resistant to rust, of good milling quality, and well liked for the manufacture of macaroni and other products. Nodak has outyielded Kubanka at the Dickinson substation, where it was selected, by 1.3 bushels per acre during the seven years from 1918 to 1924, inclusive.

Karmont is a new, high-yielding, hardy variety of hard red winter wheat, selected from Kharkof, which is being distributed by the Montana Agricultural Experiment Station, with which it was developed cooperatively. Kharkof, which also was introduced by the department from Russia, is the highest yielding and most widely grown variety of hard red winter wheat in Montana and Wyoming. At the Moccasin (Mont.) substation, where Karmont was selected, it has outyielded Kharkof by 1.6 bushels per acre during the six years from 1918 to 1923, inclusive.

The early efforts at wheat improvement by the department consisted largely of trials of introduced varieties. These were followed by improvement through selections of pure-line strains. As more difficult and specialized problems arose, the breeding of wheats by hybridization has been undertaken. This now offers the most scientific and reliable method for further improvement. trials with standard and new varieties are being continued at Federal and State agricultural experiment stations to determine their

agronomic value.

Kota is a bearded variety of hard red spring wheat which is resistant to black stem rust. It was introduced from Russia and developed concurrently by the department and the North Dakota Agricultural Experiment Station. The rust resistance of the variety was first determined in 1918. In 84 trials, during the five years from 1919 to 1923, Kota averaged 9.6 per cent of rust infection, while Marquis in the same trials rusted 47.9 per cent and Kubanka durum 23.9 per cent. The acre yields of Kota have averaged considerably higher in North Dakota and South Dakota than those of Marquis,

the standard variety of hard red spring wheat.

About 1,000 varieties and strains of wheat have been tested for bunt resistance cooperatively in California, Oregon, Washington, and Kansas. Of these a few have proved highly resistant. Hybrids of these resistant strains are proving very promising. Ridit, one of the most desirable of these, developed at the Washington Agri-Ridit, one cultural Experiment Station, has now been distributed to farmers. Two immune strains have been derived from the Hussar and Martin varieties, respectively. While these are not desirable strains for commercial growing, they have been crossed with good commercial varieties susceptible to bunt, and from these hybrids it is expected to develop commercially desirable bunt-free strains. Resistance also is being developed through pure-line selections of resistant plants from susceptible commercially desirable varieties. Several highly resistant strains of excellent quality have been obtained by this method.

New Corn Varieties Tested

In all commercial open-fertilized varieties of corn various deleterious characters are present which tend to reduce production. Among these injurious characters are barrenness, weak stalks, weak roots, twisted and crinkled leaves, deficient chlorophyl, poor silks or tassels, and susceptibility to different diseases, which reduce the stands and yields of open-fertilized corn. In corn-breeding investigations, self-pollinated strains free from these harmful factors have been isolated by continued selection. As a rule, however, strains inbred for several successive years are materially reduced in size and productivity. The recombination of these pure strains, after eliminating undesirable characters, is necessary in order to restore vigor and consequent high production. The hybrids from some of the recombinations of these strains, when grown in the field in comparison with the best commercial varieties, have already produced substantial increases in yield.

Numerous "selfed" strains of important commercial varieties of

corn have been subjected to artificial smut infections during the past four years. A few strains have proved very resistant to infection.

These strains, when grown in different localities, have shown the same comparative degrees of resistance. Hybrids from crosses of two resistant strains have shown consistently high resistance, while hybrids from crosses between a resistant and a susceptible strain and hybrids from crosses between two susceptible strains all are susceptible, showing that susceptibility is dominant.

Sugar-cane Investigations

The gradually diminishing yields of sugar cane in recent years due to the failure of native varieties to resist mosaic disease, root rots, storage rots, and other diseases, are being successfully met by

the introduction, selection, and breeding of new varieties.

About five years ago, when it became evident that the injurious mosaic disease was spreading at an alarming rate and would soon seriously affect our sugar industry as it had already affected that of several other countries, varieties known to be resistant to this disease were introduced. Ten varieties of cane were obtained from Argentina during 1919, but only two were found to be of any value. These were Kavangire (Uba), which is immune, and 234 P. O. J., which is tolerant to mosaic. At about the same time it was found that Cayana-10, a variety of cane previously imported from Brazil for sirup-production studies, was also immune from mosaic disease.

Steps were immediately taken to increase these three varieties and to test them throughout the sirup and sugar-producing sections. For sirup purposes, Cayana-10 has practically supplanted the old varieties in the heavily infected areas. P. O. J. 234 and several subsequent introductions promise to do the same thing in the sugar-producing sections. Although these varieties are of great importance for increasing the present yields of sugar cane, they are only distributed as a means of tiding over the industry until they can be replaced by still better varieties now under observation.

Foreign Clover Seed Studied

A study, commencing in 1915, but interrupted by the war, of the reasons for red-clover failures showed that one of the causes of failure was the use of nonadapted seed. A large part of the red-clover seed used was found to be imported, chiefly from Italy and France.

The studies of the department in cooperation with the various experiment stations show that red-clover seed grown in Italy produces a plant not winter-hardy enough to withstand our climate in the severe sections of the clover belt, as Iowa and Minnesota, and that this strain of red clover is also much more susceptible to the anthracnose disease so prevalent in the southern and southeastern portions of the clover belt. The weakness of this type of clover is so pronounced that the use of Italian clover seed is to be discouraged throughout the clover belt east of the Rocky Mountains.

Red-clover seed grown in other European countries and in Chile has not yet been so thoroughly tested, but it is already evident that red-clover seed produced anywhere in Europe west of Poland and south of the Baltic is not reliably hardy in those parts of our clover belt having very severe winters or where the snow cover is often scant. During less severe winters clover from seed produced in Bo-

hemia and in northern France has come through the winter without serious injury. In the Ohio Valley and the States immediately surrounding the Great Lakes, except perhaps in New York, European clover seed, with the exception of Italian, has, so far as tested, given reasonable satisfaction. In the southeastern and southern portions of the clover belt, all European seed so far tested has produced a rather indifferent second crop, this weakness appearing to be due to a greater susceptibility to anthracos.

Predatory Animal Control

Considerable progress has been made during the past four years in the control of predatory animals. During this period 2,542 wolves, 695 mountain lions, 11,625 bobcats and lynxes, 497 bears, and about 380,000 coyotes have been destroyed in these campaigns. This represents a direct gross saving to stock growers of not less than \$23,000,000, at a cost of \$1,101,820 to the department, and \$1,040,276 to cooperators. A few years ago when the department began its systematic campaign against predatory animals in the public-land States the estimated annual losses from these pests were placed at more than \$20,000,000.

To this direct saving of livestock should be added the benefits from the suppression of rabies and the prompt control of outbreaks of this disease among coyotes and other predatory wild animals. This work has been conducted with such effectiveness that from its general spread in six of the Western States rabies has been reduced to small sporadic outbreaks which are immediately suppressed by the concentration of trained men wherever the disease is reported. Without this prompt work in suppressing outbreaks it might spread rapidly over the entire Rocky Mountain region with appalling human suffering and loss of livestock.

General Administration

During the past four years the general administrative staff of the department has been materially strengthened. A budget officer has been appointed to supervise and coordinate the fiscal and business affairs of the department and to assist in the preparation and handling of the department budget as provided by the budget and accounting act. Participating in the fixed policy of the Government in this respect, notable advances have been made in improving the business administration of the department. A director of purchase and sales has been appointed to supervise and coordinate the procurement of supplies and services for the department and to supervise the disposition of surplus property in the several branches. A traffic manager has been appointed to function in a similar manner in connection with all transportation matters. Representatives of the department have been assigned to the various boards set up under the Bureau of the Budget, including the traffic board, the purchasing board, the real-estate board, the joint conference on printing, the board of contracts and adjustments, the specifications board, and other similar agencies. Radical departures in business procedure have been adopted, but these have involved nothing more than the correct application of modern business methods to the work of the

department, with the thought always in mind of getting full value received for the expenditure of every dollar of the taxpayers' money.

The highest commendation is due the personnel of the department for the spirit in which they have entered into the plan to conduct the business of the Government on the most economical and efficient basis possible. I have found on every hand a full appreciation of the fact that every dollar spent had to be earned by some one, and that its expenditure under our management must

always be with that fact clearly in mind.

Further progress needs to be made in the improvement of the general business administration. A review of the results accomplished during the past four years indicates conclusively that for every dollar additional expended in strengthening the general administration many dollars more are saved to the Government in increased efficiency and specific economies effected. In order to establish a sound basis for greater advance along this line, the United States Bureau of Efficiency recently, at the request of the department, assigned a trained investigator to make a study of the general business organization with a view to suggest such further changes as may appear beneficial.

Personnel of the Departn ent

The personnel of the department on June 30, 1924, numbered approximately 20,000, of whom 5,000 were located in Washington and 15,000 were engaged in work outside of Washington. The turnover in the personnel during the fiscal year 1924 was 13.81 per cent,

or 2.32 per cent less than for the preceding year.

The duty of coordinating and supervising the intricate work incident to the classification of the department personnel has continued to be discharged by the personnel classification officer specially appointed for this purpose a year ago. The salary classification act became effective July 1, 1924. By its terms it applies only to the personnel in the District of Columbia. As a result of the operations of this law 79 of the employees of the department in Washington on July 1, 1924, suffered reductions in compensation; in 1,436 cases the salaries remained unchanged, and the remainder received moderate salary increases. The average salary increase under the classification act for the total number of employees in Washington was 4.56 per cent. The classification of employees of the department as made effective July 1, 1924, has not eliminated all disparities in compensation. Under the provisions of the act, however, which make possible advancement in salary within the various grades on the basis of merit, it is hoped that within a reasonable time equitable and satisfactory adjustments may be made.

The employment situation in the department has been vastly improved by the adjustments under the classification act and by the better opportunities presented for advancement under the provisions of the act, assuming funds will be made available for this purpose from time to time. Certain details which have developed in connection with the administration of the act as applied to actual working problems present the need for changes which doubtless will be made as conditions permit. Provision should be made for the employment where needed of at least a limited number of experts in special

scientific and technical problems at salaries higher than now is

permitted for this purpose.

In addition to the benefits under the salary classification act the personnel situation has been improved by the application of the re-The status of the civil service in this department would be improved if the provisions of the retirement act were amended so as to assure the payment of a larger annuity to employees who become eligible for retirement from the higher grades. At present all employees have 21/2 per cent deducted from their salaries for the purpose of annuity, but the maximum annuity is \$720 per annum regardless of whether the deduction has been made from a salary of \$1,200 or from a salary of \$6,000 per annum. Retirement from the military branches of this Government and retirement from the civil branches of certain foreign governments is on a basis which takes into account the grade of the employee concerned, and in the present case it would seem altogether reasonable to apply the same principle, since the employees themselves contribute the funds from which the annuities are paid. Modification of the retirement act in this way would make the Federal service more attractive as a career for the outstanding men in scientific research.

Further improvement in the personnel situation has been effected by the establis' ment in the department under the director of scientific work of a graduate school for research workers and by the department making it possible for men engaged in scientifi work to take advanced work on the problems in which they are engaged at the various universities without separating themselves from the department service. The proper development of the personnel work of the department, especially in view of the present procedure involved under the salary classification act, in the matter of efficiency ratings, etc., represents one of the most important branches of our general administration, and it is contemplated that increased attention will need to be given to this work in the future, preferably under an officer of the department who will function as director of personnel.

Housing Situation Serious

In previous reports attention has been called to the deplorable housing situation of this department and the need for action as soon as feasible to improve it. Of the more than 40 buildings occupied in various parts of Washington, some of them at considerable distance from the department, to which reference was made in the annual reports for 1922 and 1923, none have been abandoned. On the contrary, two additional locations were necessary in order to handle the work.

In the study of administrative operations the department constantly finds that costs are excessive because of the number and scattered locations of the buildings occupied. Almost inestimable savings and increased efficiency could be effective if the department were housed in fewer buildings more closely related to the central administration, with consequent greater ease of intercommunication, closer supervision, and lessening of expense for guarding, cleaning, messenger service, and trucking service. Unquestionably this is the greatest need of the department at the present time. Conferences

recently have been held with the chairman of the Fine Arts Commission and the architects who planned the buildings of the department constructed in 1909, as a result of which revised sketches have been made and a rough estimate submitted covering the construction of a central unit to join the two wings already completed. Nothing will be more helpful to the department than the resumption of the building program, which I hope will be possible during the coming year.

Appropriations

As in past years, a summary of the department appropriations appears at the end of this report. An analysis of the regular appro-




Fig. 27.—Approximately one-half of the expenditures of the Department of Agriculture covers public service and regulatory work. Less than one-fourth is devoted to research

priations of the department for the fiscal year 1924 indicates that about one-half of the money was spent for regulatory and service work which is conducted not alone in the interest of the producers on the farm but for the benefit of all classes of our citizens. maintenance of the national forests and the Federal meat inspection are typical activities in this group. On the other hand, less than one-fourth of the funds available for the ordinary activities of the department, or approximately \$9,700,000, was available for scientific research. During the past four years the basic importance of agricultural research, upon the results of which the success of the department's other activities is dependent, has been particularly stressed in these reports. The funds annually provided for this purpose, however, have not increased materially during this period. A type of work which has yielded such vast additions to our national welfare is deserving of the most liberal financial support from the Govern-The money so used may be regarded as in the nature of an investment in the national interest, from which, in the light of past experience, continuous returns to the public in value greatly exceeding the outlay may be expected.

Adequate expansion of the department's activities has been effected by the policy of retrenchment in Government expenditures necessarily adopted at the close of the war. This is a service and creative department. It should keep pace with the country's agricultural and industrial development and with the changing needs of our complex population, constituting as it does an integral and inevitable part of this development. The amount involved for all the activities of the department, except Federal aid to the States in road construction, is much less than 2 per cent of the total expenditures of the Government, and adequate support of the basic scientific research work would not materially alter this ratio. As the fiscal situation of the Government permits growing, support should be given to these activities.

Review of Agricultural Production and Exports

	. 824	08. 012 854, 209 42, 452 452, 452 7, 086 4, 173 892 5, 085	662 938 376 60 110	28 2890 1 2890 1 280 240 260 260 260 260 260 260 260 260 260 26
		94, 658 59, 658 40, 968 7, 835 5, 171 5, 782 5, 782	816 903 320 62 106	28 2,014 1,657 1,877 75,424 37,123 380 890 536 536
		(02.846 (92.317 40, 790 7, 317 764 1, 056 5, 064		2278 170
		168, 746 68, 666 68, 666 7, 1414 7, 1414 888 889 880 881 881 881 881 881 881 881 881 881	3, 941 1, 066 777 577 100	25 108 815 401 401 509 518 518 518
	8 ,	22, 408 22, 408 22, 408 22, 23, 23, 23, 23, 23, 23, 23, 23, 23,	997 847 65 119	25 1.767 1.960 73,888 35,878 35,878 1,181 1,082 1,082
States ed]	1	97, 170 75, 694 40, 359 6, 720 6, 307 700 7, 063 5, 060	74;588	25 1, 503 1, 961 1, 961 74, 038 33, 565 1, 132 1, 132 942
Acreage of crops in the United States (Thousands of seres, 1 c, 000 omitted)	<u> -</u>	0.00 4 4.5 5.0 18 5.0 18 5.0 19 18 5.0 19 19 19 19 19 19 19 19 19 19 19 19 19	250 744 744 112	1, 910 1, 910 1, 64; 71, 120 36, 008 1, 86; 1, 86; 820
rops in the softweet	15, 730 15, 088 13, 563	15, 730 15, 089 18, 553 18, 553 17, 18, 317 18, 924 153	4, 384 919 1, 821 65 93	18 984 565 415 841 4415 825 825
creage of c		06, 22 316 41, 527 7 757 3, 213 828 3 944 3 944	3, 736 1. (07	1, 72, 34, 043 838
न ः		06, 197 60, 469 40, 996 7, 7, 148 7, 118 7, 129 803 4, 153		5 5 5 7 6 7 7 6 7 7 6 7 7 6 7 7 6 7 7 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
	Anni Beret 1910-	06, 240 48, 953 48, 953 7, 362 2, 305 7, 35 7, 35 7, 35 7, 35 7, 35		& &

Potato Sweet v.c. Beans (comm. cial Oniors (corr. reial Cabb 189 (cr. reial

ŏ¥ŏ¤#āïō

MISCE State

Total

ject

ital

g

Crop production in the United States

[Thousands, 1. e., 000 omitted]

1924 1	2, 436, 513 872, 673 1, 541, 900 187, 875 63, 446 15, 956 33, 956	5, 286, 550	454, 784 71, 861 13, 327 17, 627	51,679 17,961 179,443 523	30, 173 7, 478 1, 242, 623 112, 450 13, 163 27, 339 616, 200
1923	3, 063, 557 797, 381 1, 305, 883 197, 691 63, 077 13, 965 33, 717	5, 571, 106	416, 105 97, 177 16, 004 17, 306 17, 806	45, 382 17, 845 202, 842 652	17,060 1,515,110 106,611 10,140 32,001 647,762 1,228
2261	2, 906, 020 867, 598 1, 215, 803 182, 068 103, 362 14, 564 41, 405 90, 524	6, 421, 344	453, 396 109, 394 12, 793 18, 763 1, 089	75, 852 20, 705 202, 702 560	10, 375 1, 246, 837 11, 246, 837 112, 013 8, 762 36, 440 633, 114 1, 955
1921	3, 068, 569 814, 905 1, 078, 341 154, 946 61, 675 14, 207 37, 612	5, 344, 245	361, 659 98, 654 9, 150 14, 165 654	32, 602 11, 297 99, 002 384	8, 029 1, 069, 683 97, 770 7, 954 45, 566 829, 307 1, 538
1920	3, 206, 584 833, 027 1, 496, 381 183, 332 60, 490 13, 142 52, 066 137, 408	5, 990, 330	403, 296 103, 925 9, 185 21, 343 1, 062	45, 620 16, 805 223, 677 449	10, 752 8, 538 1, 582, 225 105, 315 13, 440 49, 505 841, 274 3, 944
1019	2, 811, 302 1, 967, 979 1, 184, 030 147, 608 75, 483 14, 399 41, 985 130, 734	5, 373, 520	322, 867 97, 126 13, 349 14, 548	53, 178 15, 006 142, 086 549	1, 465, 481 10, 465, 481 104, 760 11, 421 39, 413 783, 273 1, 484
1918	2, 502, 665 1, 528, 124 256, 225 91, 041 16, 905 73, 241	5, 438, 245	411,860 87,924 17,397 19,621	33, 084 13, 362 160, 625 352	13, 369 1, 439, 071 91, 139 12, 041 1, 240, 102 1, 240, 102 1, 240, 102 1, 197
1917	3, 065, 233 (356, 655 1, 592, 740 211, 759 62, 933 16, 022 34, 739	5, 681, 490	442, 108 83, 822 16, 045 12, 376 475	48, 765 13, 281 166, 749 249	9, 164 5, 289, 276 98, 439 11, 302 37, 472 1, 432, 581 1, 488
1916	2, 566, 927 636, 318 1, 251, 837 182, 309 48, 862 11, 662 40, 861 53, 858	4, 792, 634	286, 953 70, 955 10, 715 8, 562 255	37, 505 11, 874 193, 905 471	14, 296 1, 153, 278 11, 459 111, 450 11, 450 13, 668 919, 028 1, 706
1915	2, 994, 733 1, 025, 801 1, 549, 630 228, 851 54, 056 15, 056 28, 947 114, 460	6, 010, 988	359, 721 75, 639 10, 321 7, 664 671	64, 097 11, 216 230, 011 441	14, 030 6, 511 1, 062, 237 107, 263 11, 192 14, 823
Annual wreage 1910-1914	2, 732, 457 7.28, 225 1, 157, 961 186, 208 37, 568 17, 022 24, 378	4, 883, 819	340,772	45, 842 11, 184 197, 898	18, 353 5, 391 991, 958 81, 640 14, 259 14, 974
Crop	Corn	Total	Potatoes hushels. Sweet potatoes do do Beans (commercial) do do do Dolons (commercial) do Cabbage (commercial) do do	Peaches hushels. Pears do Apples do Cranberries (3 States) do	MESCELLANEOU'S Sugar beets tons Tobacco pounds All hay tons Cotton gallone, gallone, gallone, pounds Broamcorn tons Clover seed bushels.

1 Subject to revision in December.

Exports of domestic foodstuffs, cotton, and tobarco from the United States

Article exported	Luit	Average				!	Year ended June	June 30-				
		1910-1914	1915	1916	1917	1918	1919	1920	1821	1922	1923	1924
Wheat including flour	Rushel	Thousands	Thousands		Thousands	Thous	Thousands	Thousands	Thousands	Thousands	Thousands	Thousands
Corn, including meal	- Go	41,409	999	80,80	66,753	49,073	23,019	16, 729	. 98	179,490	96,596	23, 135 135
Barley, excluding flour	9-6-	 	. 85. 135.		16,38	j %:	20,458	183	20, 457	121	18.18	11,200
Rice, including flour, meal, and broken	00		13,02/		13, 703	, ,	36, 467	41, 531	£1, \$3/	\$, \$	51,968	19, 902
Rice Dairy products:	Pound	18, 480	75, 449	120, 695	181, 372	196, 363	193, 128	483, 385	440,855	741, 509	370, 670	227, 757
	do	4, 278	9,861 55,363	13, 487	26, 835 66, 050	17, 736	33, 740 18, 692	27, 156	7,829	7,512	9, 410 8, 446	, 3, 428 888
Milk, condensed, evaporated, and powdered	do	15, 774	37, 236	159, 578	259, 141	528, 759	728, 740	710, 533	266, 506	288, 629	159, 957	216, 319
Total dairy products	do	24, 967	102, 450	217, 459	352, 026	590, 798	781, 272	757, 067	86, 161	308, 612	177,812	225, 682
Meet and meat products. Prefied beef Fresh beef Canned beef	9000	32, 873 29, 452 9, 392	81, 875 170, 441 75, 243	38, 114 231, 214 50, 904	58, 054 197, 177 67, 536	54, 468 370, 083 97, 343	45, 065 332, 206 106, 400	32, 384 183, 561 31, 133	23, 313 21, 084 10, 763	26, 774 3, 983 3, 749	24, 185 4, 017 2, 312	21, 861 2, 817 1, 562
Total beef.	qo	71,717	277, 559	320, 132	322, 767	521, 844	385, 730	217, 078	65, 160	84, 516	30, 514	26, 260
Bacon Hams and shoulders Flekled pork Canned pork Fresh pork	000000	182, 474 196, 813 48, 275 4, 227 2, 024	346, 718 203, 701 45, 656 4, 645 3, 908	579, 809 282, 208 63, 461 63, 005	667, 152 286, 656 46, 993 5, 886 50, 436	815, 294 419, 572 83, 222 6, 195 21, 390	1, 238, 247 667, 240 31, 504 5, 273 19, 645	803, 667 275, 456 41, 643 3, 262 27, 225	489, 286 172,012 33, 286 1, 119 57, 075	350, 549 271, 642 33, 510 2, 263 25, 911	408, 334 319, 289 40, 834 2, 699 173	423, 550 381, 564 37, 469 49, 173
Total pork	op	403, 813	604, 628	998, 094	1,087,133	1, 294, 673	1, 961, 909	1, 161, 253	752, 790	683, 875	815, 008	894, 371
Mutton and lamb	qo	3, 539	3,877	5, 553	3, 196	2, 098	2, 174	3,958	7, 255	2, 502	1, 769	1, 633
Lard and neutral lard Oleo oil Tallow Other meat products	00 00 00 00 00 00 00 00 00 00 00 00 00	1 517, 927 116, 225 29, 009 115, 019	501, 553 80, 482 20, 240 125, 895	461, 438 102, 646 16, 289 104, 617	462, 346 67, 110 15, 209 98, 963	396, 765 56, 603 5, 015 69, 834	742, 167 59, 191 16, 172 190, 634	610, 427 74, 529 32, 987 134, 750	768, 702 106, 415 16, 844 107, 473	831, 962 117, 174 27, 658 102, 312	979, 136 104, 956 83, 665	1, 089, 137 92, 966 87, 372 64, 446
Total mest and meat products	op	1, 257, 249	1, 614, 234	2, 008, 771	2,006,724	2,346,834	3, 458, 078	2, 224, 932	1, 814, 638	1, 799, 989	2, 020, 637	2, 156, 184

94 1, 756 4, 008 18 5, 253 5, 899	39 454, 364 597, 630	1. 143, 642 1, 528, 491 1, 586, 227 2, 037, 172 2, 367, 647 3, 683, 183 4, 061, 660 2, 749, 518 2, 009, 981 1, 929, 150 2, 029, 686	1,088,041 1,475,839 1,518,071 1,908,233 2,280,466 3,579,918 3,801,511 2,607,642 1,915,866 1,709,166 1,864,897	137 112 104
2, 665 1, 094 5, 623 6, 718	506, 526 463, 389	9, 518 2, 009, 96	7, 642 1, 915, 80	127
7,067	648, 038	4, 061, 560 2, 74	3, 861, 511 2, 60	181
. 641 . 5,526	629, 288	3, 693, 193	3, 579, 918	145
4	289, 171	2, 367, 647	2, 280, 466	101
1, 740	411, 599	2, 037, 172	1, 968, 253	118
1, 466	443, 293	1, 586, 227	1, 518, 071	118
2, 352 8, 807	348, 346	1, 528, 491	1, 475, 939	138
1, 551 8, 840	392, 183	1, 143, 642	1, 038. 041	100
Barrel. 500-pound bale	Pound	Dollar	ф	Indev No.
Apples ? Cotton	Tobacco, leaf (including stems and trimmings)	Total agricultural evports, includ- ing forest products	Total agricultural exports, excluding forest productsdo	Index of volume of exports exclud- ing forest products.

Pive-year average for la-d and four-year average for neutral lard, neutral lard included with "oleo oil" in 1910.
 Includes neutral lard for 1910
 Includes boxed apples, boxes reduced to barrels on the basts of three boxes to the barrel.

Financial Statement

The net cost to the Federal Government of the regular activities of the department during the fiscal year 1924 was approximately \$36,900,000, as indicated by the following table:

Federal Funds for Regular Work of Department

	Appropriations available, fiscal year 1924	Expenditures, fiscal year 1924	Outstanding obligations, June 30, 1924	Unobligated balances
Agricultural appropriation act, 1924 (exclusive of appropriations made direct to States for research work under the Hatch and Adains Acts and for extension work under the Smith-Lever Act, and appropriations for the acquisition of lands by the National Forest Reservation ('ommission, for Federal highway and forest road and trail construction, for collection of seedgrain loans made to farmers in drought-				
striken areas, and for printing and bind- ing for congressional distribution pub-		-		
lications on diseases of the horse and diseases of cattle)	\$33, 826, 653 00	\$29, 308, 434 94	\$3, 640, 833. 50	\$877, 384, 50
and Apr. 26, 1924)	2, 675, 950 00	1, 251, 675 48	1, 417, 208. 98	7, 065. 5
compensation (act of Mar. 4, 1923)	3, 304, 800. 00	2, 911, 564-82	234, 454, 03	125, 781.4
Pc manent annual appropriation for meat inspection (act of June 30, 1906)	3, 000, 000 00	2, 669, 213 85		111, 264 30
Revolving fund for classification of cetton. Revolving fund for sale of cetton stanc and s. Allotment for fixed nitrogen research (un- expended balance of allotment previously transferred from appropriation placed at	145, 823 07 1, 326 40	80, 151 26 30 30		65, 671 81 1, 296. 10
disposal of the President by the national defense act of June 3, 1916). Eradication of foot-and-mouth and other contagious diseases of animals (reappro- priation of unexpended balance from	562, 927-29	194, 737 10	5, 587. 54	362, 602. 6
1923) Boll-weevil poisoning through use of air-	300, 532. 44	298, 725. 82	1,806 62	
planes (available balance of appropriation made for the fiscal years 1923 and 1924) in vestigating sources of crude rubber (avail- able balance of appropriation made for the		7, 640. 49	3, 150 17	1.80
fiscal years 1923 and 1924) ontrol of white-pine blister rust (ayallable balance of continuing appropriation made	95, 604. 43	61, 246 85	33, 944. 82	412. 70
in 1922)	4, 850. 40	830 06	36 55	3, 983 7
forests (available balance of continuing appropriation made in 1922) Other continuing appropriations for regular	69, 810 95	27, 59 6. 76	13, 255. 12	28, 959. 0
work	81, 937. 84	6, 366. 33	1, 154-38	74, 417. 1
Total		36, 851, 214. 00	5, 570, 953-56	1, 658, 840 7
Cypenditures, as shown above Dutstanding obligations, as shown above				\$36, \s51, 214 \ 0 \ 5, 570, 953. 5
Total expenditure for year when all o	bligations are pai	d		42, 422, 167. 5
Receipts, 1924, deposited in United cellaneous receipts fund (see bolow Reimbursement by dealers for cost	States Treasury w) of classifying cot	to credit of mis-	\$5, 426, 953 54 91, 572. 41	* *** *** -
				5, 518, 525 9

Of the total expenditure of \$42,400,000 for the regular work of the department, approximately \$9,700,000, or 22.9 per cent, was used for research; \$2,400,000, or 5.7 per cent, for extension; \$20,000,000, or 47.1 per cent, for service and regulatory activities; and \$10,300,000, or 24.3 per cent, for the direct eradication or control of various animal and plant diseases and pests.

Direct Income to Government in Connection with Work of Department of Agriculture, Fiscal Year 1924

Incident to the department's work during the fiscal year 1924, direct receipts aggregating \$10,065,160.28 were covered into the Treasury, and fines were imposed and judgments recovered by the courts amounting to \$157,536.60 in connection with the enforcement by the department of the regulatory acts which devolve upon it for administration and execution, as follows:

Receipts:

ceipts:		
Deposited to credit of miscellaneous re-		
ceipts fund—		in it
From business on the national forests.	\$4, 731, 163. 1	9
From other sources	695, 790. 3	15
		- \$5, 426, 9 5 3. 54
Deposited to credit of miscellaneous receipts		
fund but subsequently appropriated as		
special funds for use of Forest Service		
10 per cent of net receipts from busi-		
ness on the national forests, for forest	500 500 C	10
road and trail construction in 1925	520, 739. 9	02
Contributions from private sources, used		
mainly for the construction of forest	0 010 441 5	.0
roads and trails	2, 618, 441. 6	
Denovited to specify of appropriations for m	omulan monte	- 3, 139, 181. 51
Deposited to credit of appropriations for re	eguar work	494, 971. 24
department		191, 911. 24
istered by but not used in prosecuting		
regular work of department—		
Reimbursement for cost of distributing		
surplus war materials to States for		
use in road-construction work	781, 745. 6	an a
Repayments by farmers of seed grain	101, 110.	
loans	222, 308, 3	19
		1, 004, 053. 99
(T) (A-1)		
Total receipts		10, 065, 160. 28
Fines imposed and judgments recovered by th	e courts in coi	11- 4
nection with violations of statutes intrus	ted to Depar	157 598 60
ment of Agriculture for enforcement		
Total direct income to Government	resulting from	m
activities of Department of Agricult	ure	10, 222, 696. 88

Federal Funds Administered by Department but not Used for its Regular Work

In addition to the expenditures for conducting the investigative, regulatory, and other regular activities of the department, \$102,-051,027.36 was expended during the fiscal year 1924 from appropriations administered by the department other than those used for the prosecution of its regular work, as follows:

Extension work in agriculture and home economics:	Appropriation available, fiscal year 1924	Expenditure, fiscal year 1924	Unexpended balance, June 30, 1 924
Provided by Smith-Lever Act of May 8, 1914 Supplementary fund pro-	\$4, 580, 000. 00	•	-
vided by agricultural appropriation act for 1924	1, 300, 000. 00		
Balances from prior years_	175, 601. 05 6. 055, 601. 05	\$5, 820, 816, 89	\$234 , 784, 16

¹ Paid direct to States by Treasury Department.

• • • • • • • • • • • • • • • • • • • •	4	, ,	•
	Appropriation available, fiscal year 1924	Expenditure, fiscal year 1924	Unexpended balance, June 30, 1924
Research work of State agri- cultural experiment stations (provided by agricultural appropriation act for 1924).	, .)	
Balances from prior years	8. 49		
Federal-aid road construction (provided by acts of July 11, 1916; Feb. 28, 1919; Nov. 9, 1921; Jan. 22, 1923; and Feb. 26, 1923): Rural post roads—	1, 440, 008. 49	1 \$1, 440, 000. 4	1 \$8. 08
Appropriated for fiscal year 1924	29, 300, 000. 00	•	
Balances from prior years	132, 079, 279. 99	1	•
-	161, 379, 279. 99	80, 380, 925. 10	80, 998, 354. 89
Roads and trails within or adjacent to national forests—			
Appropriated for fiscal year 1924 Ten per cent of national forest receipts for 1923, available for road and trail building	4, 000, 000. 00)	
in 1924 Balances from prior	528, 569. 06	i	
years	11, 279, 523. 79	1	,
Payments to States from national forest receipts for benefit of county schools	15, 808, 092. 85	9, 252, 120. 99	6, 555, 971. 86
Refunds to users of national forest resources of moneys deposited by them in excess of amounts required to secure purchase price of tim-	1, 371, 550. 15	1 1, 371, 550. 15	
ber, use of lands, etc	115, 085. 38		
1924Balances from prior years_	450, 000. 00 1, 140, 063. 51		
Expenses of National Forest Reservation Commission (provided by act of Mar. 1, 1911):	1, 590, 063. 51	866, 819. 21	723, 244. 30
Appropriation for fiscal year 1924	25, 000. 00		
Balances from prior years.	49, 277. 36	•	
	74, 277. 36	321. 31	73, 956. 05

¹ Paid direct to States by Treasury Department.

	Appropriation available, fiscal year 1924	Expenditure, fiscal year 1924	Unexpended balance, June 30, 1924
Cooperative work, Forest Service, consisting principally of forest road and trail construction (paid from contri-	Jul 1021		
butions from private sources):	•		
Amount contributed dur-	80 010 441 50		
1924Balances from prior years_	\$2, 618, 441. 59 599, 180. 33		
		00 001 040 70	#00F #F0 #0
Loans to farmers in drought- stricken areas: Appropriation provided by joint resolution of Apr. 26, 1924, for seed	3, 217, 621. 92	\$2, 221, 962. 7 2	\$995, 659. 2 0
and feed loans to farm-			
ers in New Mexico Appropriations provided by agricultural act for 1924 and deficiency act	1, 000, 900. 00		
of Apr. 2, 1924, for collection of loans	33, 000. 00		
Loans to farmers in drought- stricken areas—Continued. Balance of appropriation provided by deficiency act of Mar. 4, 1923, for	·		
collection of loans Collections during 1924 of loans made in 1921 and	\$5, 773. 34		
1922	222, 308. 39		
Previously collected	2, 081, 368. 04		
Work done by Department of Agriculture for other depart- ments at their request, under authority of sec. 7, fortifica- tions act of May 21, 1920: Allotments from other de-	3, 342, 449. 77	\$410, 881. 56	\$2, 931, 568. 21
partments, fiscal year	72, 860. 00		
Balance of allotments	72, 500. 00		
made in prior years	1, 886. 73		
_	74, 746. 73	70, 543. 64	4, 203. 09
Printing and binding, for congressional distribution, publication on Diseases of the Horse and Diseases of Cattle (provided by the agricul-			
tural act for 1924)	200, 000. 00	100, 000. 00	100, 000. 00
Total Federal appropriations administered by department but not used for its regular work	194, 668, 777. 20	102, 051, 027. 36	92, 617, 749. 84

Summary of All Appropriations Available to Department During Fiscal Year 1924

	Appropriation available, fis- cal year 1924	Expenditure, fiscal year 1924	Unexpended balance, June 30, 1924
Federal funds 'or regular work of department during fiscal year 1924. Federal funds administered by department but not used for its regular work.	\$44, 081, 008 28 194, 668, 777 20	\$36, 851, 214 00 102, 051, 027 36	1 \$7, 229, 794 28 92, 617, 749 84
Total for work of fiscal year 1924 Federal funds remaining available for payment of outstanding obligations incurred in conducting regular work of department during fiscal years 1922 and 1923		138, 902, 241 36 4, 155, 706 19	99, 847, 544, 12 2, 846, 273, 90
Total	245, 751, 765 57	143, 057, 947, 55	102, 693, 818. 02

¹ Including \$5,570,953.56 for outstanding obligations, as of June 30, 1924

Statement of appropriations, expenditures, and balances for fiscal year 1924

Title of appropriation	Amount	Expenditures to June 30, 1924	Unexpended balance, June 30, 1924	Amount turned into surplus fund	Balance available for fiscal year 1025
Appropriations and funds for			! !		
fiscal year 1924 Agricultural appropriation	į	l			
act for fiscal year 1924 (ex-		1			
clusive of \$29,300,000 for		1		ļ	
rural post roads and \$3,-	ì	1)	
000,000 for forest roads,		1			
shown below)	\$37, 236, 653 00	\$32, 311, 707. 45	\$4 924, 945 55		\$4,924,94 5 5
Supplemental appropria- tions made in deficiency				1	
act of Apr. 2, 1924, and	1				
joint resolution of Apr. 26.	1	1			
1924~	1				
Eradication of foot-and-					
mouth disease	2, 500, 000 00	1, 172, 439, 51	1, 327, 560 49		1, 327, 560. 49
Farmers' seed and feed					
loans, New Mexico Preventing spread of	1, 000, 000. 00	378, 805. 17	621, 194-83		621, 104 83
moths.	70,000 00	1, 148 69	68 851 31		68, 851-31
Fighting forest fires	55, 000, 00	55, 000 00	00, 301 01		00, 001 01
Protection of lands in	1			1	
Oregon and California	l				
railroad forfeiture				1	
suits Enforcement of cotton	11, 900 00	2, 429 90	9, 470 10		9, 470. 10
standards act	25, 550, 00	17, 157 38	8 392 62		8, 392. 62
A dministration of ware-	1	11,157 00	5,002.02		0, 302. 02
house act	10,000 00		10,000 00		10,000 00
Experiment station, Is-					,
land of Guam	3, 500 00	3, 500. 00			
Collection of seed-grain	13,000 00	7, 628 51	5 271 40		5 051 40
Supplemental appropria-	15,100	1,020 01	5, 571 49		5, 371 49
tion for increase of com-	l				
pensation (act of Mar 4,	1				
1923)	3, 304, 800, 00	2, 944, 564, 82	360, 235-18		360, 235-18
Permanent specific appro-				1	
priations— Meat_inspection (act of					
June 30, 1906)	3, 000, 000, 00	2, 669, 213 79	330, 786 21		330, 786 21
Cooperative agricul-	,,	2,, 210 12	u., 100 21		100, 100 21
tural extension work	ĺ	ĺ		1	
(act of May 8, 1914)	4, 580, 000. 00	4, 520, 816 89	59, 183-11		59, 183, 11
Cooperative construc-	}		!	I	
tion of roads and trails, national forests]			Ì	
(act of July 11, 1916)			1, 000, 000 00		1,000,000 00
National Forest Reser-	-, 223, 223		_,, 110		., 000, 000 00
vation Commission				1	
(act of Mar. 1, 1911)	25, 000. 00	315. 27	24, 684, 73		24, 684, 73

Statement of appropriations, expenditures, and balances for fiscal year 1924—Continued

Title of appropriation	Amount appropriated	Expenditures to June 30, 1924	Unexpended balance, June 30, 1924	Amount turned into surplus fund	Balance available for fiscal year 1925
Appropriation and funds for fiscal year 1924—Continued. Continuing appropriations—					
('coperative construc-	l				
tion of rural post roads (agricultural	}		•		
act, fiscal year 1924)	\$29, 300, 000. 00		\$ 29, 300, 00 0. 00		\$29, 300, 000. 00
Forest highways (agri- cultural act, fiscal year	}		i	1	
1924)	1, 500, 000 00		1, 500, 000 00		1, 500, 000. 00
Forest road develop- ment (agricultural			}		
act, fiscal year 1924)	1, 500, 000. 00	\$625, 707. 8R	874, 292 12		874, 292. 12
Indefinite appropriations and funds—	1			Į	
Refunds to depositors,		İ		i	
national forests fund. Roads and trails for	115, 085. 38	115, 085, 38			
States, national for-	1		1		ł
ests fund	528, 569. 06	27, 424. 03	501, 145, 03		501, 145, 03
Territories, national			ļ		ľ
forests fund Payments to school	1, 321, 422 66	1, 321, 422. 66			
funds, Arizona and					
New Mexico, na- tional forests fund	50, 127, 49	50 197 40			
Cooperative work, For-	· ·	50, 127 49			
est Service Revolving fund for	2, 618, 441. 59	1, 622, 782. 39	995, 659. 20		995, 659. 20
classification of cotton.	91, 572 41	25, 900, 60	65, 671. 81		65, 671 81
Revolving fund for sales of cotton standards	1, 326 40	30 30	1, 296. 10		
Fund from seed-grain	1, 320 10	30 30	1, 280. 10	i	1, 296, 10
loans collected during	222, 308. 39	09.70	000 004 40	 # 110 000 90	110 000 01
Allotments from other de-	222, 000. 00	23 79	322, 201. (N)	\$110, 002, 39	112, 282, 21
partments—				1	
Collecting statistics, Bureau of Census	5, 000. 00	2, 829. 91	2, 170 00		2, 170, 09
Air Service, Army	10, 000. 00	9, 795 32	204 68		204 68
Breeding experimental animals, Army	850.00	727 20	122 80		122 80
Investigations for Fed- eral Power Commis-				1	
sion	1, 010. 00	1,000 04	9, 96		9 96
Aviation, Navy	55,000 00	53, 637 06	1, 362 94	/-	1, 362 94
Construction and re-	1, 000. 00	982 75	17 2 5		17 25
Total, current ap-					
propriations and funds (exclusive					
of balances from					
prior years)	90, 157, 116. 38	47, 942, 204. 18	42, 214, 912. 20	110,002 39	42, 104, 909. 81
	Amount	Trumon ditunu	al III	Amount	Balance
Title of appropriation	available fo fiscal year 1924	Expenditure during fiscal year 1924		turned into surplus fund	available for fiscal year 1925
Unexpended balances of appropriations and funds for prior fi	0-			-	-
priations and funds for prior fi cal years remaining available for	or i	1	1		
expenditure or other disposition	n	1	1		
during fiscal year 1924: Appropriations in agricultur	al la	1			
act for fiscal year 1922	\$1, 947, 055. 1	\$558, 907. 4	\$1, 388, 147. 71	\$1,388,147 71	<i>-</i>
Appropriations in agriculturate act for fiscal year 1923	5, 385, 836. (3, 980, 216. 6	1, 405, 619. 40		\$1, 405, 619. 40
Reappropriation of unex			1		
pended balance for eradic tion of foot-and-mouth di	g- 		1		
ease, etc	300, 532, 4	14 298, 725. 8	2 1, 806, 62	ll	1. 806. 62

Statement of appropriations, expenditures, and balances for fiscal year 1924—
Continued

Insect infestations national forests 20, 913. 66 105. 18 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 49 26, 808. 49 26, 808. 49 26, 808. 49 26, 808. 49 26, 808. 49 26, 808. 49 26, 808. 49 26, 808. 49 26, 808. 49 26, 808. 49 26, 808. 49 26, 808. 49 26, 808. 49 26, 808. 49 26, 808. 49 26, 808. 49 26, 808. 49 26, 808. 49 26, 8	Title of appropriation	A mount available for fiscal year 1924	Expenditures during fiscal year 1924	Unexpended balance, June 30, 1924	Amount turned into surplus fund	Balance available for fiscal year 1925
Supplemental appropriations Supplemental Supp	priations and funds for prior fis- cal years remaining available for expenditure or other disposition					
Consolidating sources of crude rubber Consolidating sources of contensation for increase of compensation for increase of compensation for fiscal years 1922 and 1923 Consolidating sources of compensation for fiscal years 1922 and 1924 Consolidating sources of contensation for fiscal years 1922 and 1924 Consolidating sources of contensation for fiscal years 1922 and 1924 Consolidating sources of contensation for fiscal years 1922 and 1924 Consolidating sources of contensation for fiscal years 1922 and 1924 Consolidation for fiscal years 1922 an	funds for road-materials investigations Supplemental appropriations for fiscal years 1922 and 1923:	\$22, 488-72	\$12, 455. 66	\$10, 033 06	\$10, 033 66	······································
Insect infestations national forests Enforcement of packers and stockyards act. 26, 913. 66 105. 18 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48 26, 808. 48		4, 850 40	830 05	1, 020. 34		\$4, 020, 34
and stockyards act. Enforcement of futuro trading act. Enforcement of futuro trading act. Enforcement of futuro trading act. Coperation of Center Market. Salaries and expenses, wool division, War Industries Board. Protection of lands in Oregon and Californa rail road forfeiture suits. Motor boat for Alaskan forests. Motor boat for Alaskan forests. Boil-weevil poisoning through use of airplanes. Preventing stread of Japanase beetle. Collection of seed-grain loans. Consolidating addressing and duplicating work. B low down of timber, Olympic National Forest Supplemental appropriations for fiscal year 1923. Unexpended balances of permanent specific appropriations for fiscal year 1923. Meat inspection. Cooperative construction of ords and trails, national forests. National Forest Reservation Cooperative construction of roads and trails, national forests. National Forest Reservation Cooperative construction of roads and trails, national forests. National Forest Reservation Cooperative construction of roads and trails, national forest Reservation Cooperative construction of ords and trails, national forest Reservation Cooperative construction of roads and trails, national forest Reservation Cooperative construction of roads and trails, national forest Reservation Cooperative construction of roads and trails, national forest Reservation Cooperative construction of roads and trails, national forest Reservation Cooperative construction of roads and trails, national forest Reservation Cooperative construction of roads and trails, national forest Reservation Cooperative construction of roads and trails, national forest Reservation Cooperative construction of roads and trails, national forest Reservation Cooperative construction of roads and trails, national forest Reservation Cooperative construction of roads and trails, national forest Reservation Cooperative Construction of Cooperative Construction Cooperative Construction Cooperative Construction Cooperative Construction Cooperative Construction Coope	Insect infestations, na-	60 810 05	97 506 76	42 214 10		
Enforcement of future trading act Operation of Center Market Operation of Center Market	Enforcement of packers					·
trading act Operation of Center Market. Salaries and expenses, wool division, War Industries Board. Protection of lands in Oregon and California rail road forfeiture suits. Motor boat for Alaskan forests. Investigating sources of crude rubber. Boll-weevil poisoning through use of airplanes. Preventing spread of Japhanes Preventing spread of Japhanese beetle. Collection of seed-grain loans. Consolidating addressing and duplicating work. B low do w nof timber, Olympic National Forest Supplemental appropriation for increase of compensation for increase of compensation for fiscal years 1922 and 1924. Meat inspection. Cooperative construction of roads and trails, national Forest Reservation Compensative Construction of rural post roads. National Forest Reservation of rural post roads. Version Compensative Construction of rural post roads. Forest highways. Forest road development. Acquisition of lands for protection of forseted watersheds of navigable streams. Enforcement of grain standards act. 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 311. 41 27, 312. 492. 39 31, 357 38 31, 357 38 31, 357 38 31, 357 38 39, 31, 357 39 30, 31, 351 31, 349 31, 357 31, 349 32, 32 32 32 32 33 34 33, 34 33, 34 33, 34 33, 34 33, 34 33, 34 33, 34 33, 34 33, 34 33, 34 33, 34 39, 34 30, 34 30, 34 30, 34 30, 34 31, 357 31, 349 31, 357 31, 349 32, 340 32, 340 33, 341 34, 342 35 38 39, 35 39, 30 39, 30 39, 30 39, 30 39, 30 39, 30 39, 30 39, 30 39, 30 39, 30 39, 30 39, 30 39, 30 39, 30 39, 30 39, 30 39, 30 39, 30 39, 30 39, 30 39, 30 39, 30 39, 30 39, 30 39, 30 39, 30 39, 3	and stockyards act Enforcement of future	26, 913. 66	105. 18	26, 808. 48	26, 808 48	
Salaries and expenses, wool division, War Industries Board Protection of lands in Oregon and California rail road forfeiture suits. Motor boat for Alaskan forests S. 500 00 S	trading act	27, 311. 41		27, 311. 41	27, 311 41	
Board	ket Salaries and expenses, wool	22, 332 66	205 43	22, 129 23	22, 129 23	-
2, 492 39 2, 492 39 2, 492 39 10	Board Protection of lands in Ore-	2, 500 00		2, 500 00	2, 500 00	
Second	road forfeiture suits	2, 492, 39		2, 492 39	2, 492 39	
Standards Stan	forests	8, 500 00	8, 500-00			
through use of airplanes Preventing spread of Japanese beetle. Collection of seed-grain loans. Consolidating addressing and duplicating work. B lowdown of timber. Olympic National Forest Supplemental appropriation for increase of compensation for fiscal year 1923. Unexpended balances of permanent specific appropriations for fiscal years 1922 and 1923- Meat inspection. Cooperative agricultural extension work. Cooperative construction of roads and trails, national forests. National Forest Reservation Commission. Unexpended balances of continuing appropriations for 1923, 1922, and prior fiscal years Cooperative construction of rural post roads Forest road development. Federal forest roads Acquisition of lands for protection of forested watersheds of navigable streams. Enforcement of grain standards act. 10, 792. 46 7, 640 49 3, 151 97 1, 349 29 293 23 1, 349 4, 424 09 1, 349 25 1, 349 25 1, 349 25 1, 349 25 297, 000 04 207, 314 21 89, 685 83 89, 685 89, 685 80, 90, 90, 90, 90, 90, 90, 90, 90, 90, 9	crude rubber	95, 604 43	61, 246 85	34, 357-58		34, 357 58
Preventing spread of Japanese beetle	through use of airplanes.	10, 792. 46	7, 640 49	3, 151 97		3, 151. 97
Collection of seed-grain loans	Preventing spread of Jap-	6 968 71	5 075 49	902 92		293 23
and duplicating work. B I low do w nof timber. Olympic National Forest Supplemental appropriation for increase of compensation for fiscal year 1923 Unexpended balances of permanent specific appropriations for fiscal years 1922 and 1923— Mest inspection Cooperative agricultural extension work Cooperative construction of roads and trails, national forests. National Forest Reservation Commission Unexpended balances of continuing appropriations for 1923, 1922, and prior fiscal years Cooperative construction of rural post roads Occupant of rural post roads Occupant of reservation Commission Unexpended balances of continuing appropriations for 1923, 1922, and prior fiscal years Cooperative construction of rural post roads Occupant of rural post roads Occupant of rural post roads Occupant of the prior fiscal years Cooperative construction of rural post roads Occupant of the prior fiscal years Occupant oc	Collection of seed-grain loans		,			1, 349. 25
Supplemental appropriation for increase of compensation for fiscal year 1923 297,000 04 207,314 21 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685 83 89,685	Censolidating addressing and duplicating work	33 94		33. 94	33 94	
Tor increase of compensation for fiscal year 1923	Olympic National Forest	8, 421 63				
Mest inspection	for increase of compensation for fiscal year 1923 Unexpended balances of per- manent specific appropria-	297, 000 04	207, 314-21	89, 685-83		89, 685. 83
175, 601 05 175, 601 05 106, 050 50 69, 550	1923	108 800 53	4 02	เกษ ยกก สก	100 000 00	
Cooperative construction of roads and trails, national forests. 1, 484, 820 31 1, 057, 671, 20 427, 149 11 427, 149 10 10 10 10 10 10 10 1	Cooperative agricultural		0. 93	·		
tional forests. National Forest Reservation Commission. Unexpended balances of continuing appropriations for 1923, 1922, and prior fiscal years. Cooperative construction of rural post roads. Forest highways. Forest road development. Federal forest road construction. Acquisition of lands for protection of forested watersheds of navigable streams. Enforcement of grain standards act. 1, 484, 820 31 1, 057, 671, 20 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 12 127, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 427, 149 11 42	Cooperative construction of roads and trails, na-	175, 601 05		175, 601 05	106, 050 50	69, 550. 55
tion Commission 49, 277 36 6. 04 49, 271 32 24, 774 05 24, 497 Unexpended balances of continuing appropriations for 1923, 1922, and prior fiscal years— Cooperative construction of rural post roads 132, 079, 279 99 80, 380, 925 10 51, 698, 354 89 51, 698, 354 Forest highways 6, 657, 495, 47 2, 140, 080, 78 Forest road development Federal forest road construction Acquisition of lands for protection of forested watersheds of navigable streams 275, 998 18 105, 568, 30 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 88 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 80 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 170, 429, 89 1	tional forests	1, 484, 820 31	1, 057, 671, 20	427, 149 11		427, 149 11
Years	tion Commission Unexpended balances of con- tinuing appropriations for	49, 277 36	6. 04	49, 271-32	24, 774 05	24, 497 27
Federal forest road construction. Federal forest road construction. Acquisition of lands for protection of forested watersheds of navigable streams. Enforcement of grain standards act. Logo Stream 271, 419, 60 204, 326, 58 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 204, 326 2	Cooperative construction of rural post roads	132, 079, 279 99	80, 380, 925 10	51, 698, 354-89		51, 698, 354. 89
Acquisition of lands for protection of forested watersheds of navigable streams	Forest road development Federal forest road con-	2, 140, 080. 78	2, 140, 080 78	2, 049, 059 02		2, 049, 059, 02
streams	Acquisition of lands for protection of forested	475, 746. 18	271, 419, 60	204, 326. 58		204, 326 58
Enforcement of grain standards act 1,063,59 160,89 902,70 902	streams	275, 998-18	105, 568. 30	170, 429. 88		170, 429. 88
A designation where the second	standards act	1, 063. 59	160. 89			902, 70
	Administration of ware-					216, 18

Statement of appropriations, expenditures, and balances for fiscal year 1924—Continued


Title of appropriation	Amount available for fiscal year 1924	Expenditures during fiscal year 1924	Unexpended balance, June 30, 1924	Amount turned into surplus fund	Balance available for fiscal year 1925
Unexpended balances of appro-				-	
priations and funds for prior fis-	}			1	
cal years remaining available for			1	l	
expenditure or other disposition during fiscal year 1924—Con.			1	1	
Unexpended balances of con-	1		l	i	
tinuing appropriations for			l	l	
1923. 1922. and prior fiscal			ł	l	1
1923, 1922, and prior fiscal years—Continued.				1	}
Determining cotton stand-			l	1	İ
ards and spot markets	\$234. 81	\$200 . 00	\$34. 81		\$34. 81
Sullys Hill National Park			J		
game preserve Wind Cave National Park	4, 494. 19	4, 494. 19			
game preserve	1, 241, 52	1, 201, 49	40.00		40.00
Laboratory building for	1, 221. 02	1, 201. 48	90.00		90. W
Laboratory building for Bureau of Public Roads,	l .		1		
Arlington farm	74, 377, 79		74, 377, 79		74, 377, 79
Unexpended balances of indefi-	1		1	ř	
nite appropriations and			1		ì
funds for 1923, 1922, and	1		i	1	
prior fiscal years: Roads and trails for States.			l .		
national forests fund	521, 381. 05	501 381 A5		i	
Cooperative work, Forest	021, 001. 00	,	1	1	1
Service	599, 180, 33	599, 180, 33		İ	
Revolving fund for assift-			1	1	1
cation of cotton	54, 250 66	54, 250 66			
Fund from seed-grain				1	
loans collected during	0.001.200.04		0.001.200.04	\$1,150,281.60	021 000 44
Unexpended balance of allot-	2,001,300.04		2, 081, 306. 01	\$1,100,201.00	931, 086. 44
ment for nitrate plants.	562, 927. 29	194, 737 10	368, 190, 19		368, 190, 19
Unexpended balances of allot-),	200,100.20	1		,
ments from other depart-	i .		1		
ments for 1922 and 1923-			1		
Air Service, Army	202 91	199 50	3. 41	1 3 41	
Breeding experimental ani- mals, Army	246, 43	47. 88	198. 55	1 100 55	
Manufacture of arms		41.00		132 37	
Investigations for Federal			02.0.	02 0.	
Power Commission	405 62	324. 58	81 04	1 81. 04	
Aviation, Navy	999 40	999 40			
Madal bulances of			-		
Total, balances of ap- propriations and funds			1	1	
for prior fiscal years.	155, 594, 649. 19	95 115 743 27	80 478 905 89	2 878 191 97	57, 600, 713 85
tor prior ilsom years.	100, 001, 010. 10	00, 110, 110.01	00, 310, 800 02	a, 0:0, 101. Di	01,000,110.00
			1	·	
	SU	MMARY			

Current appropriations and funds. Balances of appropriations and funds for prior fiscal years	. ,	,								•							•		
Total	245,	751,	765.	57	143,	057,	917.	55	102,	693,	818.	02	2, 988,	194	. 36	99,	705,	623.	66

¹ These balances, no longer available for expenditure, totaling \$315.37, were returned to departments from which allotments originated for transfer to surplus fund.

Publications Issued

		New	Re	printed	New and reprinted			
Series	Num- ber of titles	Number of copies	Num- ber of titles	Number of copies	Num- ber of titles	Number of copies		
Farmers' Bulletins Department Bulletins Department Circulais	77 74 42 16	3, 973, 643 380, 500 392, 500 1, 330, 500	318 45 15 5		395 119 57 21	10, 755, 017 496, 500 566, 500 1, 371, 000		
Secretary and Miscellaneous Circulars Statistical Bulletins Yearbook separates Soil Surveys Sorvice and Regulatory Announcements	3 14	13, 500 120, 500 34, 000 296, 500	7 6	11, 500	3 21 34 53	13, 500 132, 000 34, 000 398, 500		
Journal of Agricultural Research reprints Farmers' Bulletin lists Miscellaneous	136			10, 700, 000	92 3 163	134, 126 10, 700, 000 1, 057, 375		
Total	535	7, 659, 034		17, 909, 484	961	25, 568, 518		
Periodical publications Journal of Agricultural Research Experiment Station Record Weather, Crops and Markets Crops and Markets Public Roads Magazine	4	122, 850 3, 033, 000 1, 287, 000 12, 000			26 31 1	90, 000 122, 850 3, 033, 000 1, 287, 000 12, 000		
Official Record Clip Sheet Weather Review	51 51 13	816, 000 255, 000 20, 800			51 : 51 13 :	816, 000 255, 000 20, 800		
Total	239	5, 636, 650			239	5, 636, 650		
Grand total	771	13, 295, 684		17, 909, 484	1, 200	31 205, 168		



By T. Warren Allen, A. B. Fletcher, A. T. Goldbeck, E. W. James, J. Gordon McKay, H. R. Trumbower, and H. S. Fairbank, Bureau of Public Roads

T WAS just 33 years ago that New Jersey, the first State to depart I from the prevailing custom, passed a law providing for a certain measure of State participation in road building. Prior to that time full jurisdiction over the highways of all States had been lodged in the counties or equivalent units of government. Under the original New Jersey law, the State was not given entire control over any of the roads. The purpose of its framers was to establish a State department, employing skilled engineers, which would act in an advisory capacity to the county officials with a view to improving the character of the road-construction work of the State. The initiative in drawing the State into participation was carefully vested in the local authorities, who could request State aid or not, as they might see fit. If they invited the aid of the State, the highway department was to be prepared to develop plans and specifications and to inspect and supervise the construction of the roads, but contracts were to be let by the counties, and the roads, after construction, were to remain as county roads subject to maintenance by the county. More as an inducement for the county authorities to seek the aid of the State department than from any recognition of responsibility on the part of the State, funds were appropriated by the State legislature from which to pay one-third of the cost of the roads constructed.

This was the first establishment of the principle of State aid for highway construction. With minor modification it was subsequently adopted as the first step in State participation by every other State. The New England and Middle Atlantic States, with California, Delaware, Maryland, and North Carolina were quick to follow New Jersey's lead. Nearly all of these States had adopted the policy of State aid by the end of the first decade after its initial adoption. By 1910 it had been accepted in nearly a score of States in the West, Middle West, and South, and year by year it was adopted by others.

97

State	Year in which first State- aid law was passed	State	Year in which first State- aid law was passed	State	Year in which first State- aid law was passed	State	Year in which first State- aid law was passed
Alabama. Artzona. Artzona. Artzona. Artzona. Artzona. California. Colorado. Connecticut Delaware. Florich. Georgin. Idaho. Illinois. Incitana. Iowa	1895 1909 1895 1903 1915 1908	Kunsas Kuntucky Louisiaua Maine Maryland Massachusetts Michigan Minnesota Mississippi Missispip Missouri Montana Nebraska	1911 1912 1910 1901 1888 1892 1905 1905 1915 1907 1913 1911	Nevada New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Oklahoma Oregon Pennsylvania	1911 1903 1891 1909 1898 1901 1909 1904 1911 1913 1903	Rhode Island South Carolina South Dakota Tennessee Texas Utah Vermont Virginia Washington West Virginia Wisconsin W yoming	

Table 1.- Dates of passage of State-aid highway laws

State Participation in Road Building

The State-aid policy as adopted by the various States took a number of forms. In some States the aid offered consisted only of advice which might be accepted or rejected by the local authorities who retained absolute control over all the roads. In such States no financial aid was extended. In those States which provided for financial aid its acceptance generally implied an agreement on the part of the county to accept the supervision of the State authorities until the work of construction was completed, after which the road reverted to full county control. In other States the joint participation of the State and county in the construction of certain classes of roads, generally the most important ones, was made mandatory; and there were still other variations which differentiated the systems as adopted by the several States.

Many of the States still retain the State-aid policy for certain classes of roads in conjunction with the policy of complete State control of the principal State roads; in some States it remains as the

only form of State participation.

The experience of the States which have operated for the longest periods indicates that not many years elapse after the adoption of the State-aid principle before it begins to be realized that for the problem presented by a certain class of roads—the main roads—the only adequate solution is complete State control. Massachusetts was the first State to define this principle upon which the most successful continuous road building effort in the country has been based. As in the case of the State-aid policy the New England and Middle Atlantic States with Maryland and California were first to adopt it, the only except in this group being Vermont. They have since been followed by many others.

State Control Over State System the Most Satisfactory Policy

Not a single State that has adopted this principle has receded from it. The State-aid principle has not been entirely abandoned in these States. In practically every one it is retained and employed as a means of developing the more important lateral roads; but their

experience indicates that the only hope of developing a connected system of main State arteries is for the State to assume full control and financial responsibility for the construction and maintenance.

There are several compelling reasons for this, which will eventually lead all the States to adopt the plan. It has been definitely proved that complete connection of main arteries can not be made so long as there is any dependence upon county cooperation. The sections of the roads in the various counties are not invariably the roads in which the county has the greatest interest, and in such cases it is practically impossible to effect the appropriate improvement with county assistance.

By their very nature the roads of the State system are the most heavily traveled roads of the State; their traffic demands a higher type of improvement than is required for most other roads. In many instances the traffic which demands the improvement is largely extracounty traffic and the county is unwilling and often financially unable

to assume its share of the cost of improvement.

The heavy traffic on the main roads is frequently made up largely of vehicles passing from city to city; not infrequently the city origins and destinations are not included in the county through which a large portion of the route runs, and such a county almost invariably demurs to the proposal that it appropriate a goodly portion of its construction funds for the improvement of the road.

There is an insistent county demand for the distribution of the State-aid funds in proportion to the incidence of the taxes or the mileage of road or the area or on some such proportionate basis which will secure to each county its full proportion of the State aid. Seldom is a system of State roads so selected that the length of road in each county is proportioned on any such basis. The prime consideration in the location of State roads is to serve the State needs; county lines are ignored, or should be. Here then is another obstacle in the way of a proper development of State roads under the State-aid system.

Lack of Maintenance the Rock Upon Which State Aid Founders

Finally, and this perhaps is the most fatal defect of the State-aid system as a means of developing connected main roads, it has been found that the counties can not be depended upon to maintain the roads after completion. Even if the county which lies in the path of intercity traffic can be prevailed upon to appropriate its proportion of the cost of construction it soon wearies of the burden of

maintaining the road for the use of the extracounty traffic.

This, then, is the way we have come to the present situation. Beginning 33 years ago, from a condition of complete county control over all roads, there has been a development of some measure of State aid in every State. As a rule the policy, in its inception, has provided for little more than State advice; some few States have not progressed further than this stage; the majority have moved on to the requirement of compulsory State supervision over the construction of the aided roads and the appropriation of State revenues to pay a portion of the cost of construction. In all States the maintenance of the State-aid roads is a duty devolving upon the counties, and the performance of the duty generally falls short of com-

plete effectiveness. One State, Maryland, has seriously considered assuming the maintenance of the aided roads as a State charge, but

las not done so.

From this position 32 States have progressed to the point of providing full State control over the construction and maintenance of main State roads built entirely or largely at State expense. In several of these States the designated system is completed or nearly completed and is being maintained effectively by the State highway department. With one or two conspicuous exceptions no State operating under any other system has approached the goal of a completed system.

Federal Aid An Important Factor

The consummation that is the desire of everyone is a connected system of highways which will permit the free flow of travel from point to point without the annoyance of frequent interruptions by unimproved roads. We began moving toward that end in 1891, when New Jersey passed its State-aid law. The movement was accelerated and the ultimate attainment of the end was assured when, on July

11, 1916, the President signed the Federal-aid road act.

A hundred years before the Federal Government had been active in the construction of roads. Many of the principal roads of the West and Middle West were originally laid out and built as military roads connecting the forts which dotted what was then a wild and sparsely settled country. In 1811 it began the approximation of the great National Pike, which was to extend frof the Seberland, Md., to St. Louis, on the Mississippi, and serve as after whit principal arteries of communication for the settlement ofes the joint orthwest The improvement of this road wan of certain more or Territory. less actively until 1840, and the road was burmade mairfaced with stone throughout practically the entire distance from Cumberland to the western Indiana line, when it became apparent that the newly constructed railways would rapidly replace the highways as the ties which would unite the far-flung settlements that were springing up over a vast area. So strong was the conviction that the highway would be practically entirely displaced by the new kind of transportation that the National Pike for the rest of its length, from the Indiana line across Illinois to St. Louis, was not surfaced with stone, but was graded, in the belief that the grade would eventually serve a railroad. The last Federal appropriation for the National Pike or Cumberland Road, as it was called, was made in 1838. From that time until 1893 the National Government took no part whatever in the construction and maintenance of the roads.

In that year there was created in the Department of Agriculture a small office with an annual appropriation of \$10,000, which was assigned the task of studying the existing highway situation and reporting upon the best methods of road construction and maintenance. This Office of Road Inquiry, as it was called, was destined to continue its work of study and research from year to year, imparting to the local road builders the knowledge it gained by building as models short sections of road, known as object-lesson roads, in nu-

merous counties.

When, finally, in 1916 the passage of the Federal-aid road act provided for resumption of active Federal participation in road construction the former Office of Road Inquiry, then grown into the Bureau of Public Roads, was given the duty of supervising for the Government the construction of the Federal-aid roads, and its long study of road conditions throughout the country enabled it to per-

form that duty with intelligence and efficiency.

To the extent of the money it appropriated, the Federal-aid road act authorized the Secretary of Agriculture to participate in the improvement of post roads up to 50 per cent of the cost of the improvement, providing that the aid granted to any particular project did not exceed \$10,000 a mile, exclusive of the cost of bridges more than 20 feet long. But the most important and far-reaching provision of the law was its requirement that the States desiring to receive the Federal aid would first have to create a State highway department adequate in authority and equipment to cooperate with the Federal Government and assume the responsibility for the immediate supervision of the construction. Up to the year before its passage there were still six States which had no State highway department, and a number of the departments that had been created had been given only nominal authority. As the wisdom of the policy of State control had been thoroughly proved through a score of years, the Federal act made its adoption a condition of the receipt of the Federal aid and thus at one stroke brought about the creation of departments in the laggard States and made State control a real factor in highway construction in a number in which it had hitherto been only nominal. The first Federal act, therefore, had the effect of accelerating a tendency toward State control which had already been proved to be the wisest course by the experience of the leading States.

Upon the foundation thus laid down the Federal highway act, passed five years later, added two other requirements which are destined to have a profound effect upon the course of highway improvement. First, it authorized the Secretary of Agriculture, in cooperation with the State highway departments, to designate a system of main interstate and intercounty highways, limited in each State to 7 per cent of the total mileage existing at the time of its passage, and thus imposed upon the backward States another important principle which had previously been found successful in the experience of the leading States. The act of 1916 having brought about the universal adoption of the principle of State control of main roads. this new act led to the adoption of a definite program of improvement, extensive enough to serve the most imperative needs of all States and the Nation as a whole, but so limited that its completion can be expected in a few years. And to this requirement it added the further stipulation that the roads built must be maintained—by the State highway departments if, as is confidently expected, they will, but if not, then by the Federal Government.

The importance of the Federal legislation then is that it embodies and applies those principles which have been found to be most successful in the experience of the most advanced States, and it has caused the adoption of these principles by all States much sooner than they would have been adopted on the initiative of the States. Among these principles, the application of which is extended to all States by the Federal laws, are (1) the engineering control of main roads by State highway departments, (2) the designation of con-

nected systems of main roads to be constructed under State supervision with funds under State control, and (3) the continuous maintenance of such roads by the State highway departments.

Mileage and Classification of American Highways

There are 2,941,294 miles of roads in the United States according to the most reliable estimates, a mileage so great that if it measured a single continuous road, that road would encircle the earth more



A FEDERAL-AID HIGHWAY IN OHIO

Fig. 1.—The Federal-aid highway system designated under the terms of the Federal highway act includes 171,687 miles of main interstate and intercounty roads. Federalaid funds appropriated by the Government are expended only on this system

direct routes, and feed and are fed by the principal local roads which branch off from them. Finally there are roads of interstate importance relatively small in their total length, and in the main coinciding in each State with the main trunk lines of the State system. These are the through roads, the transcontinental trails, which run between the principal cities of the nation. Whether they are officially so recognized and classified or not, all roads by virtue of the traffic they carry belong to one of these classes, which may be called (1) interstate roads, (2) State roads, (3) county roads, and (4) local roads.

than 100 times. Not all of this mileage, however, is of equal importance from the standpoint of the transportation service it is called upon to render. Some of it consists of roads used by so few people that they hardly should be considered as public roads at all. Another portion of it consists of neighborhood roads, the cross roads which run between the more important local as and lead to a farms. vnt Still an-er portionin n consists the warrincipal local roads, which, branching off from the main arteries pass through a fairly large agricultural area and lead to the small towns. Next in order of importance are the main arteries of the States, the backbone of the whole system, which runs between the large cities by the most

The Federal-aid highway system.—In accordance with the Federal highway act, the Secretary of Agriculture, acting through the Bureau of Public Roads, and the officials of the several State highway departments, has recently designated the roads which constitute the Federal-aid highway system. These roads, which form a connected system covering the entire United States, have at present a total length of 171,687 miles. The greatest mileage which can be included in the system, under the terms of the act, is approximately 200,000 miles. The roads, thus officially designated, comprise, in the main, all roads referred to above as interstate roads. They reach directly nearly every city of 5,000 population or greater, and are so chosen that if a zone 10 miles wide was marked off on each side of them, these zones would include the homes of 90 per cent of the population.



THE NATIONAL FOREST ROAD THROUGH MONARCH PASS, COLO.

Fig. 2.—National forest roads are built by the Federal Government with and without local cooperation. They are needed for the better administration and protection of the forests and to make available the wealth of natural resources and beautiful scenery of these great Federal reservations

National forest roads.—In addition to the provision they make for the cooperative construction of Federal-aid roads the various Federal acts, previously referred to, also have made appropriations for the improvement of certain roads in the various national forests under the supervision of the Federal officials. Roads are needed in and across these vast areas not only to facilitate the work of administering the forests and make possible their protection from fire, but also to provide for transportation across them between the State lands separated by them. As the national parks and national monuments are in nearly every instance almost entirely surrounded by national forests access by highway to these reserved areas of scenic beauty is possible only by crossing the national forest.

To meet these various needs for roads in the forest areas the Federal Government has appropriated a total of \$47,000,000 for forest-road construction and a system of roads in those areas, including

13,622 miles and tying together closely with the Federal-aid highway system, has been designated jointly by the State highway departments and by the Forest Service and the Bureau of Public Roads. This system is now in course of improvement concurrently with the

Federal-aid highway system.

State road systems.—Systems which include practically all roads which may be classified as State roads have now been so designated in each of the States. In some States the selected roads have been specifically designated by name and description in the laws of the State, in others the designation of the system has been left to the State highway department, but in one way or another such systems have now been designated in each of the States. These systems which are known as State highway systems and which are made up of what the public knows as the State roads, include, in most States, all the roads of the Federal-aid highway system and a number of others, of important State significance; although in some States the Federal-aid system is larger than the designated State system.

County and local roads.—All roads other than those included in the Federal-aid highway system or one of the State highway systems are county or local roads. In some counties the more important roads below the importance of State roads have been classified as county systems, excluding a balance of mileage which is referred to as township, district, or local roads; but, in the main, the county and

local roads are not definitely subdivided.

The total mileage of roads in each of the States and the mileage included in the Federal-aid and State systems in each State are shown in Table 2, in which, it is repeated, the Federal-aid roads coincide generally with the State roads.

Table 2.—Total mileage of highways and mileage of Federal-aid and State highway systems in each State

State	Total highway milenge	Approxi- mate mileage of State highways	Approved mileage of Fed- eral-aid highway system	State	Total highway mileage	Approxi- mate mileage of State highways	Approved mileage of Fed- eral-aid highway system
Alabama Arizona Arkansas California (Colorado Connecticut Delaware Florida Georgia Idaho Illinois Indiana Iowa Kansas Kentucky Louisana Maine	21, 227 74, 866 75, 889 48, 143 11, 152 3, 933 27, 643 94, 912 31, 099 96, 326 76, 246 104, 082 128, 551 68, 704 39, 803 21, 483	3, 958 1, 725 6, 638 6, 393 8, 923 1, 569 355 3, 508 6, 119 4, 028 4, 800 3, 819 6, 647 7, 000 1, 417	3, 872 1, 498 4, 424 4, 468 3, 271 330 1, 883 5, 450 2, 779 4, 987 7, 185 6, 892 3, 255 2, 681 1, 393	Nevada New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Oklahoma Oregon Pennsylvania Rhode Island South Carolina South Carolina South Carolina Tennessee Texas Utah	14, 066 45, 549 81, 875, 549 81, 876, 523 84, 219 1 134, 263 45, 475 90, 991 2, 274 61, 850 115, 485 62, 546 167, 685 23, 047	434 1, 493 7, 12 7, 963 11, 260 6, 497 4, 860 10, 465 14, 688 4, 450 10, 783 762 4, 015 5, 542 4, 170 15, 610 3, 251	1, 422 988 1, 198 3, 134 4, 498 3, 770 4, 885 5, 458 5, 590 2, 814 3, 944 3, 047 5, 457 3, 050 10, 827 1, 588
Maryland Massachusetts Michigan Minnesota Mississippi Missouri Montana Nebraska	18, 868 77, 283 107, 103 53, 085 111, 520 64, 732	1, 950 1, 490 6, 567 6, 974 5, 400 7, 640 4, 694 5, 742	1, 427 1, 308 4, 582 6, 794 3, 357 7, 530 4, 366 5, 489	Vermont Virgina Washington West Virginia Wisconsin Wyoming Total	59, 080 45, 816 35, 173 78, 679	4, 270 4, 400 3, 123 1, 042 7, 524 3, 190 251, 056	1, 043 3, 023 2, 908 1, 919 3, 744 3, 013

¹ Includes about 26,000 miles of section lines declared public highways by law, but which are not open for general traffic.

Authorities in Control of Roads

The authorities in control of rural road work of the various classes are the Secretary of Agriculture, who acts through the United States Bureau of Public Roads; the State highway departments of the 48 States; and the governing bodies of the various counties, variously known as county commissioners, boards of supervisors, county judges, or police juries. In some States township or road district officials have control over the construction and repair of certain local roads.

Control of Federal-aid roads.—The nature and extent of the Federal-aid highway system and the manner of its designation have already been briefly described. All appropriations for Federal aid made since the designation of the system have been expendable only for the improvement of roads included in it; and while no such requirement was imposed by the original Federal-aid road act, the roads improved with funds appropriated by that act do, for the most

part, form parts of the designated system.

Federal-aid roads are constructed under the immediate supervision of the several State highway departments subject to the approval of the Secretary of Agriculture, who has delegated the details of administration to the Bureau of Public Roads. The bureau has established 12 districts, each in charge of a district engineer who cooperates directly with the State highway engineers of the States included in his district. The five western districts, comprising what is known as the western region, are under the general supervision of a deputy chief engineer, with headquarters at San Francisco, who is responsible to the chief engineer at Washington. All other districts are directly under the supervision of the chief engineer.

When a State highway department is prepared to undertake the improvement of a road included in the Federal-aid system and desires to receive Federal aid in financing the construction it notifies the district engineer who, if he has not already done so, immediately makes an examination of the road and the plans proposed for its improvement. If he approves the State's proposals he submits the project either to the deputy chief engineer at San Francisco or to the chief engineer at Washington with appropriate recommendations. But he may at once authorize the State highway department to proceed wih the construction subject to subsequent agreement in regard to any modifications in the plans which may be required by his superior authorities. Such modifications are now rarely required, because as the result of a number of years of cooperation the requirements of the Federal Government are now well understood and complied with by the States, so that when a project is submitted for approval by the district engineer such approval is practically assured. It is only necessary then to draw up a formal agreement between the State highway department and the Secretary of Agriculture detailing the character of the construction and the partition of the cost between the State and the Federal Government. done, the construction proceeds with the full authority of the Government under the immediate supervision of State highway engineers and subject to frequent inspection by Federal engineers.

As required by the law the Federal Government pays no more than 50 per cent of the cost of the labor and materials used in the construction, nor more than \$15,000 a mile, exclusive of the cost of bridges more than 20 feet long, except in the States in which more than 5 per cent of the land area is unappropriated public land. In these States the permissible percentage of the cost which may be paid by the Government is increased as shown in Table 3, and the maximum payment per mile is increased in proportion.

Table 3.—Maximum percentage of cost of Federal-aid roads which may be paid by Federal Government in public-land States

State	Percent- age of cost payable by Federal Govern- ment	State	Pércent- age of cost payable by Federal Govern- ment
Arizona (Palifornia Colorado. Idaho. Montana	59, 527361	Nevada	86, 900604
	59, 686222	New Mexico	60, 424515
	55, 709585	Oregon.	60, 842408
	59, 137183	Utah	76, 444287
	53, 605516	Wyoming	62, 517107

Payment of the Government's share of the cost is made upon completion of the whole or any part of a project to the satisfaction of the Secretary of Agriculture; and the money with which to pay the State's share may be drawn from the State treasury or may be obtained in whole or in part from county governments. But in the latter case the Federal Government requires that the money must be turned over to the State highway department to be expended solely under its control without local interference. Under the terms of its agreement with the Secretary of Agraculture the State binds itself to maintain the road when it is completed, and its performance of this part of its contract is insured by periodic inspections of the condition of the road by Federal engineers. If at any time it is found to be in need of repair, the Secretary of Agriculture notifies the State highway department which must within 90 days place the road in a proper condition of maintenance. If it fails to do so the Federal Secretary must proceed immediately to give the road the attention it requires and charge the cost against the Federal funds allotted to the State, and he must refuse to approve any further Federal-aid improvement in the State until the amount expended for the repair of the road in question is reimbursed by the State. When such reimbursement is made the amount is paid into the Federal highway funds for reapportionment among all States, so that the offending State loses all but its pro rata share.

The Federal-aid appropriations or authorizations made by the Government for each fiscal year from 1917 to the year ended June

30, 1925, are given in Table 4.1

¹Apportionment of the various appropriations and authorizations among the various States is given in the Agricultural Statistice, Table 765, p. 1184.

Table 4.—Funds appropriated or authorized for Federal aid in road building

Fiscal year ended June 30	Federal-aid appropria- tion or authoriza- tion	Fiscal year ended June 30	Federal-aid appropria- tion or authoriza- tion	Fiscal year ended June 30	Federal-aid appropria- tion or authoriza- tion
1917	\$5, 000, 000	1920	\$95, 000, 000	1923	\$50, 000, 000
	10, 000, 000	1921	100, 000, 000	1924	65, 000, 000
	65, 000, 000	1922	75, 000, 000	1925	75, 000, 000

These various appropriations and authorizations have been apportioned among the 48 States (and, recently, the Territory of Hawaii) in accordance with a formula prescribed by law, the effect of which is to divide each appropriation into three equal parts, the first of which is apportioned in proportion to the land area of the various States, the second in proportion to their population, and the third in the ratio that the total mileage of rural post roads and star routes in each State bears to the total mileage of such roads in the United States.

Control of State roads.—Control over the State roads is vested. in greater or less degree, in all States in the State highway department. In the more advanced States the State highway department determines the order in which the roads of the State system are to be improved, prepares the plans for the improvement, supervises the construction and pays for it with State funds entirely under its own control, and, after completion, maintains the roads also with State funds under its own control. In the less advanced States control is divided between the State highway department and the county governing bodies in various ways. In some States initiation of improvement rests with the counties; in some the money to pay for the improvement is raised by the counties; in some the actual construction work may be carried on by the counties subject to the approval of the State highway department; in some the maintenance of the roads is left to the county officials. In such ways the control over the State roads is variously partitioned between State and county authorities, grading down from practically complete State control in some States to a control which is not much more than nominal in a few. But all States are moving toward the ideal of complete State control which, by the experience of the leading States, has been demonstrated to be the most satisfactory and successful method. When the State and county share in the cost of construction the road is generally called a State-aid road.

Control of county and local roads.—County roads, in general, are built and maintained by county officials with funds raised, as a rule, by taxation of real and personal property within the county. The more advanced counties employ a county engineer or an engineering organization to supervise the technical details of construction, the county governing body acting only as an administrative body. A large number of counties, however, still attempt to build and maintain roads without skilled engineering supervision, generally with unsatisfactory results.

In some States the lesser roads in each county are administered, constructed, and maintained by a host of township and district

officials each of whom may have charge of only a few miles of road. In other States special road-improvement districts are created upon petition, by the State legislature, and the construction of the road or roads included in the district is supervised by special appointed commissions. In general the roads thus built revert to the county authorities for maintenance. When this method is adopted the entire cost of the construction is borne by the property owners of the district, generally in accordance with a sliding scale of property assessment, based upon the proximity of the property taxed to the road improved. Whenever an effort is made in this way to improve an important, heavily travelled thoroughfare, the result is invariably to place too great a financial burden upon those whose property lies along the road, who may benefit no more and possibly not as much by the improvement as other persons resident outside of the district who may, nevertheless, make greater use of the roads.

The Present State of Road Improvement

A survey of highway conditions made by the Office of Public Roads in 1904 showed that there were then in the United States 153,662 miles of improved roads. Examining the character of the improvement we find that 38,622 miles were classed as stone or macadam roads, 108,233 miles as gravel roads; and 6,807 miles were surfaced with other materials, principally sand-clay, oiled earth, or shell, and others which, in the light of modern traffic, are regarded as inadequate for road surfacing. Some 200 miles of brick pavement, mainly in the States of Ohio, West Virginia, and Iowa, and a few miles of bituminous macadam and concrete roads crudely built, were the straws which pointed the direction that was to be taken in the following years. With the exception of these few miles of more durable pavement, it is safe to say that by far the larger part of this early investment in improved roads was dissipated by a combination of the destructive action of the motor vehicle, for which these roads were totally inadequate, and the failure to recognize the importance of maintenance measures. So that it may almost be said that, so far as the needs of modern traffic are concerned, the development of road improvement in the United States began about 1904, and whatever progress has since been made is attributable entirely to the efforts that were made during the succeeding period of 20 years.

The exact state of improvement at the present time is not known. The latest complete survey of the situation was made by the Bureau of Public Roads in 1921. At that time there was a total surfaced mileage of 387,760 miles, of which 63,339 miles were classified as sand-clay; 199,899 miles as gravel, chert, or shale; 58,036 miles as water-bound macadam; 19,309 miles as surface-treated macadam; 10,264 miles as bituminous macadam; 1,601 miles as sheet asphalt; 4,978 miles as bituminous concrete; 15,611 miles as Portland cement concrete; 3,333 miles as brick, 27 miles as wood block; 60 miles as stone block; and 11,303 miles as miscellaneous types; the balance of the 2,941,294 miles of road then existing being unsurfaced earth roads either totally unimproved, or graded and drained.

'Table 5.—Mileage and type of roads in the United States, January 1, 1922, by geographic divisions 1

			Su	is		
Geographic division	Total all types	Sand- clay	Gravel, chert, and shale	Water- bound mac- adam	Surface- treated mac- adam	Bitumi- nous mac- adam
	Miles	Miles	Miles	M iles	Miles	M iles
New England	83, 295	89	11, 590	2, 100	959	1, 807
Middle Atlantic	186, 985	12	8, 039	7, 230	6, 924	4, 137
East North Central	412, 753	4, 523	78, 651	26, 509	4, 000	1, 910
West North Central	759, 820	6, 343	20, 791	1, 603	219	155
South Atlantic	365, 567	37, 892	11,611	2, 943	3, 352	992
East South Central	242, 745	6, 632	17, 115	15, 181	1, 966	131
West South Central	416, 617	4, 902	16, 599	666	457	254
Mountain	306, 382	2, 706	11,810	262	64	34
Pacific	167, 180	240	23, 693	1, 542	1, 368	844
Total all States	2, 941, 294	63, 339	199, 899	58, 036	19, 309	10, 264

Surfaced roads

Geographic division	Sheet asphalt	Bitumi- nous con- crete	Port- land cement, con- crete	Brick	Wood block	Stone block	Mis- cel- laneous	Earth roads
	Miles	Miles	Miles	Miles	Miles	Miles	Miles	Miles
New England	7	564	353	9	1	10	236	65, 570
Middle Atlantic	212	1. 366	2, 340	572	2	44	8, 068	147, 989
East North Central.	38	514	5, 633	1, 733	8	••	779	288, 455
West North Central	10	114	817	157	10		4	729, 597
South Atlantic.	600	435	1, 753	778			816	304, 389
East South Central	61	80	209	11	6		86	201, 267
West South Central.	55	324	314	22	•		393	392, 631
Mountain	13	114	520				16	290, 843
Pacific	605	1, 467	3, 672				905	132, 793
Total all States	1, 601	4. 978	15, 611			60	11, 303	2, 553, 534

¹ For classification of roads by States as of Jan 1, 1922, see Agricultural Statistics, Table 768, p 1188.

The indications are that approximately 40,000 miles of surfaced roads of various types have been constructed in the entire country during each of the three years since 1921, but there are no exact statistics to show how this mileage has been divided by types or States. Moreover, it may not be assumed that the net mileage of surfaced roads has been increased during the 3-year period by the total amount of the new construction, since a rather considerable part of it consists of the resurfacing of existing surfaced roads. All things considered, it is probably not far from the fact to say that the total mileage of surfaced roads at the end of 1924 was between 450,000 and 475,000 miles.

Erroneous Ideas of Road Improvement

Before entering into a discussion of the various types of improvement and their purposes, there are certain widely entertained erroneous ideas the falsity of which should be made apparent.

Improved roads not luxuries.—The first is the idea that an improved road is a luxury to be enjoyed if it can be afforded, but not essential to the economic health of the community. It is an idea

that had its origin in the early days of the automobile when the motor vehicle was thought to be merely a toy for the wealthy few, and road improvement was thought to be in the interest of only this special class. Although there are now almost enough motor vehicles in use to provide one for every family, this erroneous idea still persists, and one often hears, in objection to a particular proposal for road improvement, the statement that the cost is too great, or that to undertake it would increase taxes to the breaking point. Such statements are based upon the assumption that improved roads are in the nature of luxuries, desirable if they can be afforded but not to be considered unless there is available for their construction a surplus of income not required for more necessary things.

A brief examination of the purpose of roads and the effect of their improvement is sufficient to dispel this false idea. A road is merely



THE COST OF BAD ROADS

Fig. 3.—The numbers of vehicles using our main roads are now so great that the accumulated savings resulting from road improvement will more than pay the cost of the most expensive types of roads. The fact is that we pay for improved roads whether we have them or not, and we pay less if we have not

a route over which persons and things are moved from place to place, as in all civilized communities they must be moved. A man may walk along it carrying his load upon his back; he may pile a larger load upon a wagon and cause a team of horses or oxen to draw it for him with less expenditure of labor and time; or he may now load a motor truck with a still larger burden and move it still more rapidly. He may content himself with the wearying, time-consuming delays and obstructions of a rutted trail that runs up hill and down over bowlders and through creeks, twisting and turning around every natural obstacle, and thereby increasing the distance he must travel in going from point to point; or he may cut the hills and fill the valleys, and bridge the streams and straighten the course and thereby enable himself to move a larger load in less time with the same expenditure of effort; in other words, at the same cost. If he chooses the latter course, a certain amount

of effort is required to improve the road, and that effort entails a certain cost, but he recognizes that the cost of improving the road is less than the cost of toiling over it in its unimproved condition. For the movement of every vehicle over a road there is a certain cost, a cost which is less if the road be improved than if it be left in a state of nature. Multiply the reduction in the cost of operating one vehicle by the number of vehicles which use the road in a year and the result is the greatest annual sum it is proper to pay to improve the road and maintain it in its improved state. It thus appears that the only limit that may properly be placed upon the expenditure for highway improvement is the aggregate amount of the saving in vehicular operating costs resulting from the improvement, an amount which depends upon the number of vehicles using the Because of the great multiplication of motor vehicles it has now come about that the numbers of vehicles using our main roads are so great that the accumulated savings resulting from road improvement will more than pay the cost of the most expensive types of road. It must be clear, therefore, that improved roads are not a luxury to be enjoyed if we have the means and put aside if we have not. The fact is that we lose more by not improving them than it costs to improve them; so that we may say that we pay for improved roads whether we have them or not, and we pay less if we have them than if we have not.

All roads do not require a hard surface.—The second erroneous idea is that all roads should be "hard surfaced"; that no road improvement is worth while unless it results in a "hard surface." The so-called hard-surfaced roads are the concrete, brick, bituminous concrete, sheet asphalt, and various stone and wood-block pavements. All of them are expensive. To insist that all roads should be surfaced with one of these types of material would be luxurious road making indeed. The answer to those who propose such a plan has already been given. It has been shown that the maximum amount which it is proper to spend for the improvement of a given road is the sum of the individual savings accruing from the improvement to the owners of each of the vehicles driven over it. For, after all, those who use the roads are the citizens who pay for them by their taxes; and we can not properly require these citizens or road users to pay more for the building and maintenance of a road than they recover in the way of reduced costs of vehicular operation. Clearly what we spend for the improvement of any given road should always be less than the sum total of savings from the improvement. Otherwise the expenditure for the road is not a paying investment. Fortunately it is possible to make a material improvement in the condition of a road without hard-surfacing it, and these lesser improvements are quite effective in reducing the cost of travel.

To grade and drain an unimproved road costs much less than to hard-surface it, and it substantially reduces the cost of moving vehicles over the road. If the vehicles that use the road are comparatively few in number, an unsurfaced but graded and drained road can be maintained in satisfactory condition by dragging at very low cost. The cost is so small that the savings accruing from the operation of very few vehicles will more than pay it. If the number of vehicles using the road is great enough to make it impracticable to maintain an unsurfaced road in continuous good con-

dition, the road may be surfaced with sand-clay or gravel which, while it will entail an additional expenditure for improvement, will be more than compensated for by the greater multiplication of individual operating savings resulting from the greater traffic. In a similar manner, if the traffic is heavier than a gravel road will carry, a surface of bituminous macadam may be economically applied; and it is not until the traffic reaches a very considerable density that one of the hard-surfaced types is required or can be economically justi-When that point is reached a hard-surfaced road should be built.

To build and maintain a mile of any one of these types requires a certain annual expenditure of public funds, an expenditure which is greater for the higher than for the lower types; but for any type the required annual expenditure is well within the yearly savings in the cost of operating the number of vehicles which it will carry without From this course of reasoning it follows that all roads should be improved to the maximum degree the traffic will justify, but no road should be improved to an extent in excess of its earning capacity. The return to the public in the form of economic transportation is the sole measure of the worth of the improvement. Hard surfaces are required on our main, heavily traveled thoroughfares, but to say that all roads should be hard surfaced is merely

another way of urging expenditure in excess of income.

Permanent roads a delusion.—The third erroneous idea can be disposed of in less space than has been required for the first two. It is that there is such a thing as a permanent road. It is this delusion that has been responsible for the unhealthy disregard of the maintenance of our roads in the past. Following the will-o'-thewisp of the "permanent road" we have in the past allowed some of our new roads to go to pieces for lack of necessary repair. Fortunately there is none of the State highway departments which now suffers from this delusion. It is thoroughly understood by these public agencies which are in charge of the more important road work of the country that all roads, regardless of type, gradually depreciate and wear out under the wheels of vehicles and the action of the elements. They know that to keep a road in continuously good condition they must start maintaining it the day its construction is completed; they know, moreover, that no matter how well they repair it the time will come eventually when it will need an entirely new surface, and they set aside the required sum from their available revenues to pay for the maintenance and reconstruction of the roads as such maintenance and reconstruction are required. They consider this recurring expense as a part of the cost of the road to be thrown into the balance with the construction cost and weighed against the multiplied operating savings in determining the type of road to build for any given traffic condition.

The higher types of surface, such as brick, concrete, bituminous concrete, and the other hard-surface types, have a greater economic life than the lower types, such as sand-clay, top soil, and gravel. That is to say, the higher types will last longer without resurfacing than the lower types, assuming that both classes receive the same careful and continuous maintenance, and that both carry traffic of a density which is within their power of resistance. Any road will be quickly worn out by a traffic which is greater than that for which

it was designed, and the normal rate of wear will be greatly exceeded unless the necessary attention is given to maintenance.

Types and Costs of Roads

Common types.—The types of road commonly constructed are: Graded and drained earth, sand-clay, gravel, water-bound macadam, bituminous macadam, bituminous concrete, Portland cement concrete, and brick. As indicative of the relative use of each type, the




Fig. 4.—The above average costs per mile of Federal-aid roads reflect the influence of conditions prevailing in all parts of the United States from 1917 to 1924. They give an approximate indication of the relative expenditure required to build a mile of each type

mileage of each that has been constructed (up to November 30, 1924) with Federal aid is given in Table 6.

Table 6.—Mileage of improved highway constructed with Federal aid to November 30, 1924

Туре	Miles con- structed	туре	Miles con- structed
Graded and drained earth Sand-clay Gravel Water-bound macadam	7, 229 3, 922 14, 280 893	Bituminous macadam. Bituminous concrete Portland cement concrete Brick	

Cost of roads.—The cost of a mile of road of any type varies with a number of circumstances, among which are the amount of grading required, the width and thickness of the surface, the design of the road, the character of the base on which the surface course is laid, the wages of labor, the rental charges for teams and machinery, the cost of the materials of construction, the time of the year at which

ALL TYPES

the road is built, and a number of others. Because of the influence of these variable circumstances average costs should not be accepted as indicative of the cost of any particular road improvement. The cost should be estimated on the basis of the prevailing conditions.

The average costs given in Table 7 are presented only as an approximate indication of the relative expenditure required to build a mile of each type. They are based on the actual costs of Federal-aid roads and, therefore, reflect the influence of conditions prevailing in all parts of the United States from 1917 to 1924. In addition to the average cost per mile, the table shows the percentage of the cost required for grading, surfacing, shoulders, structures (including culverts under 20 feet in span, drains, retaining walls, revetments, etc.), and miscellaneous items. Properly constructed, the grading and

GRADED AND DRAINED SAND-CLAY ---- WATERBOUND MACADAM BITUMINOUS CONCRETE PORTLAND CEMENT CONCRETE PORTLAND AVERAGE FOR

PERCENTAGE OF COST INVOLVED IN SURFACING AND OTHER FEATURES

Fig. 5 - In the construction of a road the grading and structures may be considered as the relatively permanent parts of the road, and the expenditure therefor as a more or less permanent investment. The surfacing requires renewal at intervals, the length of which depends upon the type and the traffic

Surfacing

Subgrade, structures and miscellaneous

structures may be considered as the relatively permanent parts of the road. The surfacing requires renewal at intervals, the length of which depends upon the type and the traffic.

	Average	Perc	Percentage of average cost per mile for					
Туре	cost per mile	Grading	rading Surfacing Shoulders Struc- tures	Struc- tures	M iscel- laneous			
Graded and drained earth Sand-clay Gravel Water-bound macadam Bituminous macadam Bituminous concrete Portland cement concrete Brick	\$7, 800 7, 400 9, 900 17, 500 29, 100 33, 500 38, 300 44, 700	Per cent 68 41 31 17 13 9 13	Per cent 25 47 69 73 81 76 84	Per cent 2 1 1 1 1	Per cent 28 29 18 11 10 6 8 5	Per cent 4 5 4 4 3 2 2 3 2 1		
Average for all types	16, 900	23	58	1	15			

Table 7.—Average cost of Federal-aid roads per mile

The various types in relation to traffic service.—The several types may be divided into three classes and rated as high, intermediate, and low types. The high types are bituminous concrete, Portland cement concrete, and brick; the intermediate types are bituminous macadam, water-bound macadam, and gravel; the low types are sandclay, and graded and drained earth. Generally speaking, the roads classed together are suitable for the same ranges of traffic density, although there are rather decided differences between the bituminous and water-bound macadam and gravel of the intermediate group. Between the types classified as high the choice is largely a matter of availability of material and relative cost under particular circumstances. In the intermediate group the bituminous macadam type is suitable for motor-vehicle traffic of moderate density and weight; the water-bound type is preferable where the traffic is largely horsedrawn and steel-tired; and gravel is suitable for somewhat lighter traffic either on rubber or steel tires.

Even where climatic conditions are not favorable to earth roads—where the soil becomes muddy after frequent rains or during seasonal conditions prevailing in the spring—earth roads are sometimes built as a first stage to be surfaced some time later. This division of construction into stages is possible usually where present traffic is light, and where funds are available over a period of years but not at once.

Modern Methods and Standards of Road Construction

Grading and draining.—The purpose of grading is to prepare a bed for the road, and to substitute for the sharp ups and downs and generally sinuous course of the natural trail, a more gently rolling "grade" running between fixed termini by the most direct practicable course in a series of straight lines or tangents connected



GRADING A HIGHWAY WITH A STEAM SHOVEL

Fig. 6.—The purpose of grading is to prepare a bed for the road. In the process the tops of the hills are cut down and the earth removed is transferred to adjacent low places, so that the highway grade becomes a succession of "cuts" and "fills"

by circular curves. In the process of grading the tops of hills are cut down and the earth removed is transferred to adjacent low places, so that a highway grade becomes a succession of "cuts" and "fills" where the roadbed is cut below or built up above the surrounding land. In the interest of economy the grade is adjusted to the natural ground surface so that, as nearly as possible, the earth removed from the cuts can be used to form the fills without moving any material a great distance.

In making the cuts, the sides of the excavation are sloped downward and inward toward the roadbed generally at the rate of 1 foot horizontally to 1 foot vertically, but never at a greater rate than that which can be maintained in the particular soil under the prevailing weather conditions of the locality. The sides of fills are similarly sloped downward and outward from the roadbed, generally at the rate of 1½ feet horizontally to 1 foot vertically.

In modern practice the inclination or grade of the road is generally not permitted to exceed 6 per cent (6 feet rise in 100 feet of distance), although it is sometimes impracticable to adhere to so low a limit where the natural slopes are very steep. Where the grade changes the two grades are conected by means of vertical curves in the same manner that the straight courses of the road are

connected by horizontal curves.

Horizontal curves are made long and gradual enough to permit vehicles traveling at customary speeds to be guided around them without danger, and the sight distance ahead is made long enough to give drivers ample warning of other vehicles or obstacles ahead. Fulfillment of these conditions requires the use of circular curves of not less than 200-foot radius. For additional safety the roadbed and surface are superelevated or raised on the outside of the curve so as to overcome the centrifugal force of turning vehicles, and both are generally widened throughout the length of the curve.

To protect it from damage and to increase its ability to support the weight of vehicles the grade must be well drained, i. e., water must be prevented from standing on it or being absorbed into it, or from running over it for a long distance. Rain water which falls on the surface of the road is shed as rapidly as possible to the sides of the road by crowning the surface, that is by giving it a two-way slope from the center to the sides, known as a crown. The water thus shed to the side is, on the fills, discharged immediately upon the lower adjacent ground. In the cuts it is collected by side ditches which convey it through the cuts and discharge it upon the low ground at the beginning of the fill. In the interest of safety the crown must be reduced to a minimum, which, in the case of low-type roads may be as low as one-half inch to the foot, and, in the case of high-type roads no more than one-fourth inch to the foot.

Over low, flat, marshy land the grade is raised to a height sufficient to lift it above standing water; and openings, known as culverts, are provided in all fills to permit water flowing in natural courses over the low land to pass from one side of the road to the other. Culverts are made of terra cotta, metal, or concrete pipe, or, as small bridges, of concrete, steel, stone masonry, or wood.

As, in the cuts, the roadbed is sometimes lowered below or close to the level of ground water, known as the water table, it is necessary at such places frequently to install subdrainage, generally in the form of French drains. These consist of trenches excavated at one or both sides of the road surface, from 12 to 18 inches wide and 2½ to 3 feet deep, in the bottom of which open-joint drain tile is laid, filled about with gravel, crushed stone, or other porous material. The free water in the soil percolates into these trenches and falling through the porous filling enters the tile at the open joints and is conveyed to the nearest point at which it can be discharged upon the surface below the level of the grade.

French drains will remove free ground water, but they will not drain the water held in the soil by capillary attraction. Such moisture, when prevented from evaporating by the more or less air tight road surface may accumulate in the soil directly under the surface to such an extent as greatly to reduce the load-supporting ability of the soil. It can not be drained away; but its effect may be minimized by spreading over the grade immediately below the sur-





CONSTRUCTING A FRENCH DRAIN

Fig. 7.—Where the roadbed in cuts is lowered below the level of the ground water, known as the water table, French drains are frequently installed at one or both sides of the road to lower the water table and keep the roadbed dry

face a layer of gravel, sand, or other porous material of low powers of capillary attraction in order to arrest the rise of the capillary moisture before it reaches the surface.

The road surface.—The surface of the road is laid in the center of the grade. It is the armor which prevents the wheels of vehicles from sinking into the soil that composes the grade. Therefore its width must be sufficient to accommodate as many vehicles abreast as are likely at frequent intervals to occupy such a position. Under modern traffic conditions practically all roads must be wide enough to accommodate two vehicles moving in opposite directions with ample clearance between them. As the largest vehicles using the roads are motor trucks, the larger sizes of which require passing room of not less than 9 feet, two-way road surfaces should be not less than 18 feet wide if they will be used extensively by motor trucks, and 20 feet is safer. On local roads which are not likely to be traveled often by large motor trucks the surface width may be reduced to 16 feet.

The material of which the surface is formed and the depth of the surfacing material must be determined in the light of the number and weight of the vehicles that will use the road.

With the exception of the sand-clay type of surface and occasionally the gravel, all road surfaces are built in at least two courses, the lower of which is known as the base or foundation course and the

upper as the surface or wearing course.

The surface of the grade upon which the road surface is laid is known as the subgrade. At each side of the surface and between it and the side ditches or the edge of the fill there is a margin which may or may not be surfaced, but, if surfaced, the type used is generally lower than that of the main surface. This margin, known as the shoulder, is not intended to be regularly used for travel, although it can be used occasionally if necessary. Its purpose, however, is to prevent the undermining of the surface by water flowing in the ditches in cuts and by the sloughing away of the sides of the grade in fills. The top of the shoulder should be flush with the road surface and should continue the crown or lateral slope of the road surface to the ditches or fill's edge. Under modern traffic conditions it is imperative to keep the shoulder as nearly as possible in this condition by constant maintenance to prevent it from becoming a menace to fast-moving vehicles.

The Construction and Maintenance of Road Surfaces

Sand-clay surfaces.—The sand-clay surface is a mixture, either natural or artificial, of sand and clay. It is well known that clay roads are very satisfactory when they are dry, but are muddy and



STRIPPING TOP SOIL FOR A TOP-SOIL ROAD

Fig. 8.—Top-soil roads are sand-clay roads which are surfaced with soil which is a natural mixture of sand and clay. Suitable top soils are generally found in cultivated fields from which long-continued harrowing and the action of the elements have removed the excess of clay and silt

"heavy" when they become wet; sandy roads are excellent so long as they are wet, but very "heavy" when they are dry. The sandclay surface combines most of the advantages of the two materials



MIXING SURFACING MATERIAL FOR A SAND-CLAY ROAD

Fig. 9.—The sand and clay are mixed by plowing and harrowing. The proportions vary with the character and purity of each material. A good average is 7 parts of sand to 3 of clay. Sand clay roads are suitable for light horse-drawn or automobile traffic

in wet weather and dry and, if well built, has the extreme disad-

vantage of neither at any time.

When they are formed of naturally mixed materials taken from the surface of near-by fields, sand-clay roads are commonly called top-soil roads. If the natural mixture is used, the surface is constructed by simply spreading a course of the material over the prepared subgrade, and allowing it to become compact and solid under the wheels of traffic, keeping it from rutting seriously in the meantime by frequent dragging with a simple device of wood or metal known as a drag. If the two materials are to be artifically mixed, they are spread separately on the road in two courses, one above the other, or if one of the materials forms the grade it is only necessary to spread a course of the other above it. The two materials are then mixed by plowing and harrowing one into the other, and the completion of the road then follows the same course as when naturally mixed material is used. The proportions of sand and clay vary with the character and purity of each, a good average being 7 parts of sand to 3 of clay.

Sand-clay roads are suitable for light horse-drawn or automobile traffic. They will not withstand motor-truck traffic nor any traffic which exceeds more than approximately 500 vehicles a day. They are maintained by frequent use of the road drag and occasional use of a road grader, the object in the use of each being to smooth out the irregularities and fill the ruts in the surface which are formed by the wheels of vehicles. In the maintenance of sand-clay

roads, and of all other types as well, it is necessary, in addition to the care which is given to the surface, to keep the ditches and cul-

verts open for the free passage of water.

Gravel road surfaces.—Gravel roads are surfaced with natural materials consisting of mixtures of pebbles, sand, loam or clay, and sometimes other material generally found in banks or in the beds of streams. The natural mixtures contain pebbles of various sizes; in some the larger pebbles approach the size of cobblestones; in others the largest are but little larger than coarse sand. If materials of the latter character are used, there is little to distinguish the road from a sand-clay road. If materials of the former character are to be utilized, the large stones must be either removed or crushed. The desirable maximum size is from 1 to 1½ inches in diameter, and not



GRAVEL CRUSHING AND SCREENING PLANT

Fig. 10.—Gravel roads are surfaced with a natural mixture of pebbles, sand, loam, or clay, and sometimes other materials found generally in banks or the beds of streams. The desirable maximum size of the pebbles is from 1 to 1½ inches in diameter, and not less than from 25 to 45 per cent should be more than one-fourth inch in size. The portable plant shown is used to crush large pebbles and screen out excessive fine material

less than from 25 to 45 per cent should be more than one-quarter inch in size.

The surface may be constructed either by spreading the gravel over the prepared subgrade and allowing it to compact under the wheels of traffic, keeping the course in shape meanwhile, as in the construction of a sand-clay road, by dragging and smoothing with a grading machine; or it may be built in two or more courses, each uniformly spread and compacted with a road roller. The first method entails some delay in securing a compacted road, and in the interval traffic is somewhat inconvenienced; the second method produces a fairly compact surface immediately. Both processes eventually produce satisfactory surfaces which are suitable for traffic of moderate weight and density. They will not satisfactorily withstand heavy motor-truck traffic and are difficult to maintain when the

number of vehicles constituting the traffic exceeds from 450 to 600 a day. They deteriorate by rutting, and as the traffic approaches the limit for which they are suitable they develop corrugated surfaces

resembling the surface of a washboard.

Gravel roads, like sand-clay roads, are maintained by dragging as required in order to keep the surface properly shaped. If corrugations develop they can only be removed by scarifying or loosening the surface to a depth of 2 or 3 inches and recompacting. But the formation of corrugations may generally be taken as evidence that the gravel surface should be replaced by a surface of higher type.

Water-bound macadam surfaces.—Water-bound macadam surfaces are made of crushed rock, the particles of which are angular in form, differing in this regard from the stony material of gravel surfaces. They are generally built in two main courses, each of



FEDERAL-AID GRAVEL ROAD IN TEXAS

Fig. 11.—Gravel roads are suitable for traffic of moderate weight and density. They will not satisfactorily withstand heavy motor-truck traffic and are difficult to maintain when the traffic exceeds from 450 to 600 vehicles a day

which is compacted separately by rolling with a road roller. The product of the rock crusher is screened into three sizes, the coarsest of which passes through holes $2\frac{1}{2}$ or 3 inches in diameter, the intermediate size through holes $1\frac{1}{4}$ or $1\frac{1}{2}$ inches in diameter, and the smallest size through holes one-half or five-eighths inch in diameter. Formerly it was the invariable practice to use the coarse material for the lower or base course and the intermediate size for the surface or wearing course, filling the space between the particles composing each course with the fine material. Recent experiments indicate that the smaller stone may be used in the base course with profit. It appears that when it is thus used the smaller stone forms a blanket layer over the subgrade and tends to prevent the formation of what are known as "frost boils," formerly of common occurrence in the spring when the subgrade soil, becoming wet, forced its way into and through the stone layers and appeared on the surface.

The macadam road surface depends for its stability largely upon the wedging or interlocking of the angular stone fragments of which it is composed, but these are held together by the cementing properties of the stone dust in the fine material which is flushed into the compacted surface layer by sprinkling the surface of the road. The integrity of the road depends upon the maintenance of this stonedust bond and the interlocked condition of the stone particles. The life of the road depends upon the maintenance of this bond by the production of new dust to replace any that may be lost by wind action and the absorption of enough water to form the cement either from rainfall or air moisture.

Formerly, when traffic was largely horse-drawn, the horses' hoofs and the steel tires were off enough dust from the stone particles to keep the supply of binding material replenished, and the rolling of the steel wheels kept the surface compact and firm. But rubbertired motor vehicles have an entirely different effect. Being driven



FEDERAL-AID MACADAM ROAD IN VIRGINIA

Fig. 12 —Water-bound macadam roads are suitable for use where the traffic consists largely of seel-tired, horse-drawn vehicles, either light or heavy. They do not successfully stand automobile traffic

by their rear wheels these vehicles apply a force to the road surface which tends to dislodge the surface stone; the rapidity of the vehicular movement sets up air currents which draw the dust from the road surface and blow it away; and the rubber tires do not wear off enough dust to replenish the loss, with the result that the surface "ravels."

Water-bound macadam roads can not be maintained under automobile traffic. This fact accounts for the small use that is now made of this once universal type. They are suitable for use where the traffic consists largely of steel-tired, horse-drawn vehicles, either light or heavy. Under such conditions they depreciate mainly by "raveling" in long spells of dry weather and by the formation of "potholes" caused by the dislodging of surface stone and accentuated by the subsequent pounding and grinding of the steel-tired wheels. "Raveling" is repaired only by rebinding the surface course with the sprinkling cart and road roller after a new applica-

tion of dust. "Potholes" are repaired by cutting away the surface over a small area around the damaged portion and refilling with new

material, binding the patch as in original construction.

Surface-treated macadam roads.—Water-bound macadam roads can only be maintained under automobile traffic by protecting the surface with a carpet coat of bituminous material (tar or asphalt, hot or cold) spread at the rate of about one-half gallon per square yard and covered with coarse sand, fine gravel, or stone chips. When so maintained the water-bound macadam road is converted into what is known as a surface-treated macadam road. The surface application protects the underlying macadam, and by preventing the withdrawal of binding material keeps the road surface intact. The surface treatment requires renewal periodically, not more than once a year. Too frequent renewal is apt to build up a heavy bituminous mat on the surface, which lacking stability, tends to



SURFACE TREATING A MACADAM ROAD

Fig. 13.—Water-bound macadam roads are maintained under automobile traffic by protecting the surface with a carpet coat of tar or asphalt spread at the rate of about one-half gallon per square yard and covered with coarse sand, fine gravel, or stone chips

"bunch up" in waves similar to the corrugations which form in gravel roads. This condition, when it develops, can be temporarily remedied by planing off the tops of the waves, but for a lasting cure it is generally necessary to scarify and reshape the road. Surface treatments or carpet coats also deteriorate by the ripping off of small areas of the mat. The remedy in this case is patching with new bituminous material and sand, gravel, or chips.

Bituminous-macadam roads.—The method of constructing bituminous-macadam surfaces is the same as that employed in the construction of water-bound macadam up to the point of binding the surface course. The surface course being lightly rolled, bituminous material (tar or asphalt, generally hot) is applied to it at the rate of 1½ gallons to the square yard and, penetrating between the stones, more or less perfectly coats their surfaces. The wearing

course is then covered with a light layer of stone chips and rolled, after which another application of bituminous material is made at the rate of one-half gallon to the square yard to seal the surface voids, and after this application, which is closely followed by another coating of stone chips, the road is completed by thorough rolling. After the manner of applying the bituminous material, this type of road is often called penetration macadam. It is suitable for either horse-drawn or automobile traffic in fairly large volumes and for a limited number of light motor trucks. It does not successfully withstand heavy motor-truck traffic. It deteriorates by formation of "potholes" and by the wearing away or "bunching" of the seal coat, which is the name given to the surface application of bituminous material and chips. Potholes are repaired by cutting away the area around them and refilling with



CONSTRUCTING BITUMINOUS-CONCRETE SURFACE

Fig. 14 - Bituminous concrete consists of a carefully graded mixture of stone or sand particles, or both, and asphalt. The asphaltic cement is mixed, hot, with the graded "aggregate" at a mixing plant, and the mixture is then hauled to the road and applied while still hot to the prepared base in a compact course, generally 2 inches thick

clean stone, which is either mixed with bituminous material before placing in the cavity or bound with such material poured over it after placing. The patch is finished by surface application of chips and tamping or rolling. The seal coat is renewed and repaired in the same way as carpet coats on surface-treated roads.

Bituminous-concrete surfaces.—Bituminous concrete is the class name which applies to a number of surfaces resembling each other in the fact that they consist of mixtures of asphalt with crushed stone or sand graded to include a range of sizes from a specified minimum to a specified maximum, but differing in the sizes specified. Among the surfaces thus generally classed are: (1) Sheet asphalt, which consists of graded sand and asphalt; (2) Topeka mix, which consists of graded sand and stone particles having a

maximum size of one-half inch and asphalt; and (3) coarse bituminous concrete, in which the maximum size of stone is increased

to about 11/4 inches.

These surfaces differ from bituminous macadam in two respects: (1) The "aggregate," which is the name given to the stone or sand particles, is carefully graded in size to include various percentages of all sizes between the minimum and maximum specified, on the theory that such graded particles when compacted form a dense mass with a minimum of voids or spaces between them; (2) the asphaltic cement is mixed hot with the graded stone particles before they are spread on the road, thereby assuring a uniform and

thorough coating of all

particles.

These mixed materials when spread on the road and compacted (generally to a thickness of 2 inches for the surface layer) form a closely knit, weatherproof surface capable of supporting heavy loads, if it is itself adequately supported by a firm foundation.

As these surfaces are generally used only on roads which carry heavy traffic, they are usually supported by Portlandcement concrete bases, although sometimes they are supported by bases constructed according to the bituminous-concrete principle or even water - bound macadam bases. In any case the character and thickness of the base course is determined by the weight of the traffic that will use the road, and this is a determination that must be left to engineering judgment in the premises.



FEDERAL-AID BITUMINOUS-CONCRETE ROAD IN PENNSYLVANIA

Fig 15.—As bituminous-concrete surfaces are generally used only on roads which carry heavy traffic, they are usually supported by a concrete base. Laid on adequate bases, they are suitable for the heaviest traffic and are smooth and pleasant to ride over

Sheet-asphalt surfaces are not laid directly on the base course, but on an intermediate course, approximately 1½ inches thick, of coarse bituminous concrete. This course is known as the binder course.

Laid on adequate bases these surfaces are suitable for the heaviest traffic and are smooth and pleasant to ride over. If the aggregate

used is properly proportioned and the asphaltic cement of the right consistency, they remain smooth and firm for long periods, deteriorating only locally by formation of potholes, which generally occur at some point where the surface is defective. Such defects are repaired by patching with fresh bituminous concrete. If the aggregate has not been properly proportioned or if the asphalt with which it is mixed is not sufficiently stiff, the surface may develop waves similar to the corrugations which form in overloaded gravel roads. There is no permanent cure for this condition. The surface must be relaid with properly mixed material. If the traffic is too heavy for the base used, the whole road may break down locally at points where the base course fails. The development of this condition indicates that the road is overloaded. Repairs may be made by replacing the failing sections of base and resurfacing, but permanent relief may be obtained only by construction of a stronger base.



BUILDING A CONCRETE ROAD

Fig. 16—Concrete road surfaces are generally made of 1:1½:3, 1:2:3, or 1:2.4 concrete, the proportions representing cement, sand, and gravel or stone, respectively. The concrete is mixed in a power mixer which propels itself along the road leaving a ribbon of fresh concrete surface behind it.

Portland-cement concrete surfaces.—Portland-cement concrete, popularly known simply as concrete, in addition to being used as a base for bituminous concrete or brick pavements, is also used alone to form the surface of roads. As is quite generally known, concrete consists of an intimate mixture of crushed stone or gravel, sand, Portland cement, and water. Mixed wet, the cement undergoes a chemical change as the mixture dries, which causes the concrete to become hard and strong. For reasons similar to those mentioned in the discussion of bituminous-concrete surfaces, it is desirable that the stone or gravel and the sand be composed of particles, which in each ingredient are carefully graded from coarse to fine, that the proportions of stone and sand be so adjusted that the graded sand shall slightly more than fill the voids in the graded stone, and that the Portland cement be present in such quantity as to coat the sand

grains uniformly, thereby forming a mortar which in turn should coat the stone particles uniformly. For best results the whole mass, thus proportioned, must be compacted into as dense a body as possible.

Concrete-road surfaces are generally made of concrete in which the proportions of the three ingredients, expressed as parts of cement, sand, and stone, respectively, are either 1 to 1½ to 3, or 1 to 2 to 3, or 1 to 2 to 4. The concrete is mixed in a power mixer which propels itself along the prepared subgrade, converting the raw materials brought to it into concrete which it leaves behind it, as a ribbon of road surface, as it moves. After the concrete is deposited on the subgrade by the mixer it must be spread to uniform thickness over the whole width between the temporary side forms of wood or metal placed to hold it until it "sets," the mass must be compacted by tamping, and the surface must be smoothed to the



FEDERAL-AID CONCRETE ROAD IN PENNSYLVANIA
Fig. 17.—Concrete-road surfaces are smooth and hard and suitable for the heaviest

traffic

required shape. These processes are accomplished either by special hand tools or by patented mechanical concrete road finishers.

Properly built, concrete-road surfaces are smooth and hard and suitable for the heaviest traffic. They are worn down scarcely at all by rubber-tired vehicles. They deteriorate by cracking under the weight of vehicles or as the result of natural forces, and this cracking may proceed to such an extent that the road surface will be broken into small sections which become displaced. They must then be removed and replaced by fresh concrete; but the failure is an indication that the road is overloaded, and a lasting cure can only be effected by construction of a stronger surface. The cracking referred to above is not to be confused with the cracks which form transversely at intervals as a result of the contraction of the concrete when cold or with the longitudinal cracks that sometimes appear in the center of the road. These cracks, which may be practically prevented from forming by leaving joints in the surface when it is laid

(i. e., by separating the surface into slabs), are not seriously objectionable and do not endanger the integrity of the surface except as they may be the beginning from which surface defects may spread.

Steel rods or mesh, similar in appearance to heavy fence wire, are sometimes embedded in the concrete surface when it is constructed with the intention of supplementing the strength of the concrete. Such roads are known as reinforced concrete roads.

Brick road surfaces.—Brick road surfaces are built with vitrified paving brick which differ materially from building brick. Ordinary brick are not vitrified. They are simply burned until the plastic properties of the clay are destroyed and a hard material results. Paving brick must be made from refractory clays or shales—that is, from material that resists very high temperatures, but still can be partly fused or melted. Vitrification consists in heating the molded bricks until they have begun to melt. On cooling



BRICK-ROAD CONSTRUCTION

Fig. 18.—Properly laid on concrete bases, brick roads are suitable for the heaviest traffic. The brick are laid on a sand cushion, which is spread over the base. The long dimension of the brick is laid across the road and each alternate row is begun with a half brick so as to break the joints

they slowly become very tough and hard and sufficiently resistant to

abrasion to be used as the wearing surface of a road.

The brick used in road construction average about 4 by 4 by 8 inches in size. They are placed on the road in closely laid rows with the long dimensions runing across the road, and each alternate row is begun with a half brick so as to break the joints. In Florida, brick surfaces have been found to give fairly satisfactory service under traffic composed largely of automobiles, when laid directly on natural sand subgrades, providing the edges of the surface are retained by a curb. But normally it is necessary to lay the brick on a base of compacted broken stone, slag, or concrete. Concrete bases are always used when the traffic is heavy.

As brick, like mill lumber, are not all of exactly the same thickness, they are not laid directly upon the base but upon a cushion or bedding course of sand, or a mixture of sand and cement, which is spread over the base to a thickness of about 1 inch. On this bed the

brick are laid and rolled with a power roller of medium weight until they are firmly bedded in the cushion and the upper surfaces are brought into line. The joints between them are now generally filled with a special bituminous material, called joint filler, which serves to hold the brick in place and seal the entire surface against weather and water. Formerly a rich grout of sand and cement mixed with water to the consistency of heavy cream was used to fill the joints, but grout filler is now generally being discarded in favor of bituminous filler, which produces a less noisy pavement, easier to repair, and free from certain objectionable features which in grout-filled pavements result from the expansion of the brick caused by high temperatures.

Properly laid on concrete bases, brick roads are suitable for the heaviest traffic. They suffer practically no surface wear from rubber-tired traffic and deteriorate principally by failure of the base resulting from overloading and by unequal settlement of the brick on the bedding course. The latter defect is easily repaired in bituminous-filled pavements by removing the brick in the affected area, adding a sufficient amount of sand to raise the bedding course by the required amount, replacing the brick, and refilling the joints. Base failures are repaired by removing the broken base and reconstructing it, but, as in other types previously mentioned, failures of this kind are generally indicative of the need for a heavier and

stronger base.

Experiments and Tests

The several types of roads described are designed in different widths and thicknesses with different combinations of base and surface course. Just what design shall be used is often as important as the choice of type. The decision in any particular case depends upon a number of factors, among which are the weight of the traffic, climatic and soil conditions, relative cost and availability of different materials, and general economic considerations, the object being to select that particular type and design of surface which, laid on the particular soil, will carry the known traffic at the lowest cost, considering not only the cost of the road, but also the cost of operating vehicles over it. In making such decisions engineers have had to depend until recently largely upon judgment based on their observation of the behavior of existing roads. As all the factors involved are seldom duplicated in any two roads, there has always been a certain element of doubt in the decision. To remove this element of doubt or reduce it is the purpose of numerous experiments and tests which recently have been conducted by the Bureau of Public Roads and other agencies.


The usefulness of these tests in determining the design of pavements is well illustrated by the results of the experiments conducted on the Pittsburg test road at Pittsburg, Calif. This test was inaugurated by the Columbia Steel Co. in the spring of 1921. It soon became apparent that extremely important information could be obtained from it, and it was finally completed by the California

Highway Commission and the Bureau of Public Roads.

A road was built in the form of an elliptical track about 1,370 feet in circumference. It was surfaced with a number of different

designs of concrete pavement. Since the purpose of the test was to show the relative value of these different pavement designs, great care was observed in preparing the adobe subgrade so that it would be as nearly as possible exactly uniform under all sections. The pavement sections varied in thickness from 5 to 8 inches. Some of them were reinforced with steel, others were not. Some were built with inverted curbs or ribs projecting downward into the subgrade along the sides of the pavement to stiffen the edges. Some were built with joints in the center of the pavement; others without joints. One section which was 6 inches thick at the center of the pavement was thickened to 9 inches at the edge.

When the various sections were completed a number of motor trucks were operated over them running in two lines as on an actual road. At first the trucks were operated without load. As the test progressed the weight on the rear wheels of the trucks was gradu-



THE PITTSBURG TEST ROAD

Fig. 19—The Pittsburg test road was built by the Columbia Steel Co., and the tests were conducted by the company and later by the California Highway Commission and the United States Bureau of Public Roads. The road was surfaced with various designs of concrete, which were tested under a controlled truck traffic

ally increased by adding load. Throughout the test careful observations were made of the beginning and real ess of failure from tunnels built under the road. By all averager of 1922, 6,914,850 tons of traffic had gone overal on the road in an amount equivalent to perhaps 40 years of normacross the road well-traveled road, and a number of the sections had is to break reas others remained in perfect condition. One noteworkive fact was that although the traffic cracked and destroyed some of the sections by reason of its weight, it did not materially wear down the surface.

When finally the test was completed, the experimenters had before them a series of observations, all obtained in little more than a year, which were far more complete and exact than they could have obtained in 40 years of observation of actual roads under normal traffic. They proceeded to analyze these results and rate the various sections on the basis of their total cost, including the original cost of construction plus the cost of maintenance. As all sections were paved with concrete, the cost of operating vehicles over them was the same for each section, so that this cost could be neglected. Maintenance costs were estimated by considering that the expense of filling with bituminous material the cracks which had formed would be 1 cent per foot of crack. The cost of patching the totally failed areas was estimated at three times the original cost of the pavement per unit of area. In this way Table 8 was compiled, in which the various sections are arranged in the order of their total computed cost of construction and maintenance as given in the second column These costs represent approximately the total exfrom the right. pense of the various sections over a 40-year period of normal traffic.

The least expensive section was section J, which was the pavement that was built 6 inches thick at the center with the edges thickened to 9 inches. It will be noted that this section was not the section in which the least concrete was used, nor was it the section that was constructed at the lowest cost, nor was it the section which developed the smallest percentage of failure. But, considering the cost of construction and the cost of repairing the damage caused by the traffic, it has the best rating, indicating that in its design the materials used were employed to the best advantage. This is the test of scientific road construction.

Table 8.—Comparison of the behavior and cost of various sections of the Pittsburg (Calif.) test road

Section	Concrete per mile as actually laid	Steel per mile	Broken areas per square yard of pave- ment	Cracks per square yard of pave- ment	Computed original cost per mile of pavement only	Theoretical maintenance cost per mile	Percent- age of failure	Total computed cost of construction and maintenance per mile	Unit com- parison of total com- puted cost per mile
J D D D D D D D D D D D D D D D D D D D	1, 798 1, 722 2, 719 2, 574 2, 806 2, 127 1, 740 1, 590 1, 760	55 55 69 69 55 20 24 24 20	Sq.ft. 0 07 .36 .45 .53 .00 .22 .00 .56 1.56 2.99 3.09 3.12 4.08	Lin. ft 1 44 2. 01 2. 56 2. 66 1 11 . 70 . 60 2. 04 2. 29 3. 91 3. 91 3. 01 3. 74	Dollars 31, 439 33, 271 32, 549 32, 643 39, 426 37, 323 40, 687 37, 902 31, 659 26, 207 29, 176 32, 139 35, 427	Dollars 885 4, 205 5, 152 6, 049 117 2, 810 63 7, 291 18, 705 26, 534 30, 464 33, 743 48, 576	Per cent 2 8 12 6 15 8 18. 5 5 3 7. 5 2 19. 2 52. 8 100 0 100. 0 100 0	Dollars 32, 324 37, 476 37, 701 38, 692 39, 543 40, 750 45, 193 48, 364 52, 741 59, 640 65, 882 84, 003	000 1.59 1.66 1.97 223 242 261 3.98 4.96 632 845 2 038 2 599

All pavements 18 feet wide. Estimated cost:

Unit costs of plain concrete as follows-

Unit costs of plain concrete as follows—

From 1,001 cubic yards to 1,500 cubic yards per mile, \$15.75 per cubic yard
From 1,501 cubic yards to 2,500 cubic yards per mile, \$15.35 per cubic yard
From 2,001 cubic yards to 2,500 cubic yards per mile, \$14.90 per cubic yard
From 2,501 cubic yards to 3,000 cubic yards per mile, \$14.50 per cubic yard.
Cost of reinforcing steel, \$90 per ton in place.
Cost of rock ballast under section A, \$5,475 per mile.
Cost of maintenance of cracks assumed equal to 1 cent per lineal foot Unit maintenance costs of broken areas are assumed to be three times the original unit cost of the pavement only.


Percentage of failure determined from ratio of sum of maintenance costs to original cost. In cases where maintenance costs are added calculated as a failure is 100. maintenance cost exceeded original cost, percentage of failure is 100.

The ments

with various phases of the design of highway surfaces, subgrades, and other features of roads. The principal investigations have been

conducted by the Bureau of Public Roads, the Illinois Division of Highways, and the California Highway Commission, but a large number of auxiliary investigations have been conducted by other institutions alone or in cooperation with the Bureau of Public Roads for the purpose of establishing facts which will be dovetailed into the final analyses.

The problems relate principally to the design of roads for heavy motor trucks. The lighter, fast-moving automobiles present little



THE BATES TEST ROAD

Pic. 20.—The Bates road test was conducted by the Illinois Division of Highways. The road, 2 miles long, was surfaced with 65 sections, which differed in design and materials. The purpose of the test was to determine the best type and design of pavement to carry the kind of traffic allowed under the laws of the State

difficulty, because roads which are capable of carrying heavy vehicles will serve without difficulty the lighter traffic.

The Bates road test.— One notable investigation which has recently been completed is that known as the Bates road test conducted by the Illinois Division of Highways. The road in this case was constructed on a newly prepared subgrade of very uniform character. The primary purpose of the test was to determine the most suitable design of pavement for carrying the kind of traffic allowed by law in the State of Illinois. pavement was approximately 2 miles long and was composed originally of 65 sections which varied either in design or The materimaterials. als used included Portland cement concrete, both plain and reinforced, vitrified paving ing brick, and bituminous materials, the test differing in this respect

from the Pittsburg test, in which all sections were paved with concrete. The traffic consisted of 3-ton trucks run with the rear wheels along the outer edge of the pavement. The weight on the rear wheels was regulated so that it was 2,500 pounds at the beginning of the test, and after each 1,000 round trips the weight was increased until the legal limit of loading permitted by the State (8,000 pounds per wheel) was obtained. Careful observations of the condition of the various sections were made during the test, and in this manner the

maximum wheel load which the various designs were capable of

sustaining without failure was determined.

When the testing of the original sections was completed, other concrete sections were constructed in which the design was altered to include pavement with edges thicker than the center. As in the Pittsburg tests, the sections so designed were found to be more satisfactory than other designs, and the observations made possible the development of a mathematical formula by which the required thickness of edge can be determined from a knowledge of the maximum wheel load to which the road will be subjected and the tensile strength of the concrete as determined by laboratory tests on small specimens.

As a result of these tests the Illinois Division of Highways has found it possible to alter the standard design of the Illinois con-



EFFECT OF THE TRAFFIC ON A SECTION OF THE BATES ROAD


Fig. 21.—The traffic consisted of 3-ton trucks. The weight on the trucks was increased after each 1,000 round trips. Careful observations of the condition of the various sections were made during the test, and in this manner the maximum wheel load which the various designs were capable of sustaining without failure was determined

crete roads by decreasing the center thickness and increasing the edge thickness with a resulting saving of approximately \$1,000,000

worth of concrete per year.

It is the purpose of all the investigations to contribute in some way to the development of rational methods of road design similar to those employed for many years in the design of bridges. For any given maximum load a bridge can be designed with certainty that it will not fail unless the maximum load for which it is designed is exceeded. The problems of design presented by highway pavements and surfaces are far more complex than those involved in the design of bridges, and they have not heretofore been satisfactorily solved. Those who are conducting the investigations are therefore taking nothing for granted. They are seeking to isolate every variable and determine its contribution to the complex result

which is observed in the behavior of a road under traffic. Many of the experiments seem to those unacquainted with the many ramifications of the problem to have little immediate practical value. But



MOTOR TRUCK IMPACT IS A DESTRUCTIVE FORCE

Fig. 22.—Modern payements are never quite smooth. The slight inequalities in their surfaces when they are new are developed and accentuated by traffic. The rising and falling of truck wheels over these inequalities causes the impact or pounding with which everyone is familiar

to those who have in mind the various relations of one part of the problem to another it is these very isolations of detail which, by their gradual convergence upon the truth, offer the greatest hope of a

successful development of rational design methods.

Motor-truck impact tests.—Naturally one of the first facts the designer must have in his possession is the load to which the pavement is to be subjected. It is not sufficient that he know the dead weight of the heaviest vehicle by which the road will be used, because vehicles do not stand still. They move over the road and in moving they deliver to the road surface pounding blows or impacts which are quite different from their dead weight. Although modern pavements are quite smooth, they are never exactly so, and the slight inequalities of surface which they have when they are new are developed and accentuated by traffic. The rising and falling of truck wheels over these inequalities causes much of the pounding with which everyone is familiar. Such pounding or impact is destructive, and for this reason an extensive series of experiments comprising some 4,000 individual tests has been made by the Bureau of Public Roads to arrive at the relative impact of motor vehicles of various weights equipped with pneumatic, cushion, and solid tires. The effect of the condition of the tire has also been observed by testing with thin and battered tires as well as with new ones.

The facts established by these tests are important, since they show what conditions of motor vehicle and tire lead to rapid road destruction and furnish the basis for more adequate legislation for the control of motor vehicles with regard to weight, speed, and tire

equipment necessary for the wise conservation of the highway investment.

In the various experiments, trucks from 1 to 71/2 tons capacity have been operated at all speeds, both unloaded and loaded up to and beyond full-load capacity, and the impacts delivered to the road surface have been measured for various degrees of surface roughness artificially produced. The impact has been measured by means of a special device in which the essential feature is a small copper cylinder, especially prepared and annealed. The blow of the truck wheel is delivered to this cylinder. The heavier the blow the more the cylinder is flattened by it and the amount of flattening furnishes a means of determining the impact. In general, it has been found that the greatest impacts are delivered by trucks equipped with solid tires, which under severe conditions of great road roughness, thin tires, and high speed produce maximum impact equivalent to seven times the weight on the wheel striking the blow, and under average conditions four times. Trucks equipped with pneumatic tires, on the other hand, produce very little impact which increases very little with speed, and cushion tires, in general, have an intermediate effect.

Although they brought out many facts not hitherto known, these tests were not conclusive, since no means were at hand for demonstrating the extent to which road destruction accompanied the degrees of impact produced by the various weights of motor vehicles and various kinds of tires. At the present time a supplementary series of tests is being conducted in cooperation with the Rubber Association of America and the Society of Automotive Engineers, in which simultaneous observations are being made of the impact produced by the motor vehicle and the effect of the impact on the pavement. These tests, made with actual motor vehicles on actual



APPARATUS FOR MEASURING EFFECT OF IMPACT

Fig. 23.—The impact machine designed by the Bureau of Public Roads subjects sample stabs of pavement to impacts similar to those of motor trucks and enables the Federal investigators to measure the effect of the impact on road surfaces of various types

road surfaces, will supplement an earlier series made with a machine designed to simulate the impact of a truck wheel and a num-

ber of experimental pavement slabs of different design.

Tests of effect of impact on pavements.—The experimental slabs in these earlier tests were 7 feet square. They were built of different materials and thickness. Half of the total number were laid on a dry, well-drained subgrade, the other half on a subgrade which was purposely kept moist to imitate the conditions actually found under some roads.

The impact machine used was designed to give the same kind of impact as the rear wheel of a motor truck. It consists of a rubbertired motor-truck wheel mounted under a truck spring which supports a frame corresponding to the body of the truck. A series of gears and cams raises the wheel and allows it to fall from any desired height. With this machine the slabs were tested for their strength when subjected to impact delivered to different parts of their surface. Several hundred such slabs have been investigated and a very definite idea has been obtained in this way of the ability of the different designs of pavements to carry heavy loads when laid on the two types of subgrades used. The results of this series of tests are useful also in demonstrating the upper limit of load that may safely be carried on the various designs of pavement.

Tests of stability of bituminous pavements.—Another series of tests by the Bureau of Public Roads has for its purpose the determination of the cause of the waves which, as already noted, sometimes form in bituminous pavements. Motor trucks have been operated over an especially constructed circular track about 180 feet in diameter surfaced with 27 different mixtures of coarse-graded bituminous concrete, and measurements have been made of the move-

ment of the various surfaces resulting from the traffic.

In conjunction with these tests laboratory investigations are being made on mixtures similar to those used in the circular track, with the idea of developing a laboratory test for determining the stability of bituminous mixtures. The circular-track experiments on bituminous mixtures are primarily of value in furnishing a controlled means of correlation between service behavior and laboratory tests. Other tests looking into the laws controlling the stability of bitu-

minous mixtures are being made in the chemical laboratory.

Concrete wear tests.—Surrounding the bituminous track there is a track surfaced in its various sections with concrete made with different materials imported from various sections of the country. primary idea of this investigation was to determine what might be considered the absolute minimum requirement of hardness for the stone or coarse aggregates, and likewise to establish other facts of value to the engineer when writing specifications covering concrete road construction. After the concrete had been well cured it was subjected to rubber-tired traffic by means of a special machine designed for this purpose. The wheels were loaded to 600 pounds per inch width of tire and solid rubber tires were used. The machine was run at a speed of approximately 20 miles an hour. thousand trips were made, the wheels tracking over exactly the same path, and the wear under these conditions amounted to only several hundredths of an inch, thus confirming one of the results of the Pittsburg test. Tire chains were then placed on two of the four rubber-tired wheels which had been moved so as to run over a different path on the track. Only 13,000 trips of the wear machine thus equipped were required to produce deep ruts in many of the sections. The results are extremely valuable in their technical implications, but are difficult to make intelligible in an article of this kind.

Subgrade experiments.—Any load applied to the road surface or pavement must ultimately be carried or supported by the soil underlying the pavement, and common observation of existing pavements shows that the character of support plays a very important rôle in the structural behavior of the pavement under loads. The soils encountered in the construction of roads vary in different sections of the country from materials which have an exceedingly finely



MACHINE USED IN TESTING WEAR OF CONCRETE

Fig. 24.—Sixty thousand trips of this machine around a circular track surfaced with various kinds of concrete falled to produce noticeable wear of the surface. When the rubber-tired wheels were equipped with tire chains 13,000 additional trips produced deep ruts in some sections. The differences in the wearing properties of the various sections were thus measured by the investigators

divided texture, such as the gumbo soils of Texas and adobe of California, to the most compact gravel and even solid rock. intermediate types of soils are mixtures in various proportions of clay, silt, and sand or gravel, and from the highway builders' standpoint these materials exhibit a wide range of characteristics. It is found, for instance, that some of the very finely divided subgrade materials are capable of absorbing a large amount of moisture by capillarity and that when they are thus moistened they become very plastic and are incapable of supporting heavy loads. The coarsegrained soils, on the other hand, in general can not retain nor do they absorb much capillary moisture, and their bearing value is not so readily affected by moisture. It is also found that as a rule the more finely divided soils which retain large quantities of water sometimes swell in volume when they become wet and shrink correspondingly when they dry out. The volumetric change may be as high as 50 per cent of the dry volume.

29283°-- үвк 1924----10

A road laid on such soils is subjected to continuous vertical movement because of the vertical motion of the soils, and when drying out takes place nonuniformly across the road the sides of the road slab may be unsupported while the center portion of the road may be fully supported by the subgrade. This sort of behavior in soils and the resulting vertical motion of the road surface leads to the formation of cracks in concrete surfaces and possibly to unevenness and disintegration of other types. The difficulty of draining certain types of soils as compared with others is also a matter of the utmost interest to highway builders, for, especially under freezing conditions, high moisture content may be disastrous due to the unequal heaving of the pavement as the result of nonuniform frost formation in the subgrade.

Hitherto little has been known of the methods to be followed in analyzing subgrade materials, but recently an important series of investigations by the Bureau of Public Roads has led to the establishment of test methods whereby subgrade materials may be subjected to suitable laboratory tests, the results of which will enable the engineer to predict the probable structural behavior of road surfaces when laid on particular subgrades. Moreover, they will enable him to determine whether or not some special feature need be incorporated in the design of the road because of the subgrade con-

ditions.

Other tests have to do with the determination of the necessary corrective measures to be applied when the subgrade material is likely to cause trouble. It has been established that it is possible to improve greatly the character of dangerous soils by mixing with them granular materials such as sand or small quantities of Portland cement or hydrated lime. It is likewise established that a layer of fine granular material such as cinders or sand interposed between a poor subgrade and the road surface, specially a road surface of the nonrigid type, will serve to strengthen the pavement for carrying loads.

In addition to these major tests a number of auxiliary researches are being conducted dealing with various highway materials and structures. The results already obtained have led to changes in design which not only effect savings in cost but result in greater pavement life. The potential possibilities of further tremendous savings through better understanding of subgrade materials and increased knowledge of the combinations of surfacing materials needed to resist heavy loads are becoming increasingly apparent, and the structural design of highways is rapidly becoming an exact

science.

The Effect of Highway Improvement on Transportation Costs

It has already been shown that each type of highway surface is suitable for some particular traffic condition or range of conditions as to weight and number of vehicles. It has been shown, for example, that a gravel road is maintainable under traffic which does not exceed approximately 500 light or moderately heavy vehicles a day, but that it can not be preserved under traffic of numerous heavy trucks or under traffic of any kind which greatly exceeds in volume 500 vehicles a day. On the other hand, it has been shown that the various types of paved roads are maintainable under traffic of the

heaviest sort both as to volume and weight. It has been shown further that the original cost of the various types of surface increases generally with the volume and weight of traffic they are capable of sustaining. It is indicated, therefore, that when the traffic is of the sort that can be sustained by a gravel surface the construction of a paved road entails an unnecessary outlay of money, but that when the traffic is such as to require a paved surface the construction of a gravel road is a wasteful measure because it will be impossible to conserve the investment. The greater cost of the paved surface in this case is justified by the fact that the improvement yields to each of the greater number of vehicles a saving in the cost of operation and the greater multiplication of individual operating savings offsets the greater road cost.

Compared with a road in a state of nature, any sort of improved road produces these operating savings, the amount of the saving per vehicle depending upon the character of the improvement and the gross amount upon the number of vehicles affected. The saving is produced by changes in the contour, texture, and firmness of the road surface, which have the effect of reducing vehicular wear and tear and fuel consumption. Obviously, when a rough, stony road surface is made smooth, the wear of rubber tires is greatly reduced. When sharp gullies and depressions and abrupt bumps are eliminated the breakage of axles and other parts of vehicles is greatly reduced. When a soft surface into which the vehicles sink deeply is replaced by a firm, smooth surface, not only is the strain on all parts of the vehicles reduced but the amount of fuel required to drive them over the surface is also reduced.

It will be observed that a number of these savings, particularly those attributable to reduced wear and tear, are produced in almost the same degree by the construction and maintenance of any sort of smooth, unbroken surface, whether it be only a well-compacted earth surface or the highest type of pavement. And it is undoubtedly true that the total saving made in the operation of a single vehicle by the change from an unimproved road to a high-type pavement is not much greater than that which results from the construction of a well-compacted, smooth earth road. Compensation of the greater cost of the paved road results not so much from increase in the operating savings of individuals as from the great multiplication of the individual savings due to the increase in the number of vehicles.

There is, however, in the quantity of fuel consumed by vehicles a determinable difference, depending upon the type of highway surface, and investigations have been made by the Iowa Engineering Experiment Station, assisted by the Bureau of Public Roads, which show with reasonable accuracy what these differences amount to. Driven over any type of road surface, the quantity of fuel consumed by a motor vehicle in traveling a given distance has been found to be related to the rolling resistance of the surface, a retarding force which is usually expressed in pounds per ton weight of vehicle.

Rolling resistance apparently varies:

- With the roughness of the roadway surface.
 With the degree of rigidity of the surface.
- 3. With the type of tire (for solid rubber tires it is higher than for pneumatic tires).

- 4. With the temperature of the tire and with the temperature of the roadway surface if of a bituminous type.
 - 5. With the physical texture of the roadway surface.
 - 6. With the gross weight carried by the tires.

In the Iowa tests determinations of rolling resistance have been made for a number of combinations of these various conditions, and the approximate values in pounds per ton for various speeds and




Fig. 25.—Rolling resistance varies with the roughness, rigidity, and texture of the roadway surface, with the type and temperature of the tires, and with the speed of the vehicle

other conditions are shown in the chart on page 140. In this chart the resistance given is a combination of the true rolling resistance with the resistance of still air which it is impracticable to eliminate in making the tests.

Having determined the rolling resistance, the Iowa tests go further and show, within reasonable limits of accuracy, the relative quantity of gasoline consumed by certain particular motor vehicles in overcoming this resistance. Average values derived from the tests are presented in Table 9.

Table 9.—Average rolling resistance and relative fuel consumption in relation to surface condition

			g plus air inds per		1	Rela	tive fuel	tive fuel consumption		
Type and condition of roadway surface	Solid tires (10 m. p. h.)	Pneu- matic tires (15 m.p.h.)	Pneu- matic tires (25 m.p.h)	Pneu- matic tires (35 m p h)	Sol tires m. p	(10	Pneu- matie tires (15 m p h)	Pneu- matic tires (25 m.p.h)	Pneu- matic tires (35 m p.h.)	
Average for best paved surfaces—concrete, asphalt, brick and wood block Average for partly worn pavements—	30	22	27	37	1	00	0 89	0 96	1.09	
i. e , in fair average condition	35	30	35	42	1	07	1 00	1 07	1 16	
used on trunk line Yearly average for ordinary gravel	45	40	45	55	1	20	1 12	1 20	1 33	
found on secondary roads	55	50	55	65	1	33	1 27	1 33	1. 47	
Yearly average for second-class earth roads under good maintenance	65	60	63	75	1	47	1 40	1 44	1, 60	
Yearly average for best earth roads, compact and well maintained	55	50	53	65	1	33	1 27	1 31	1 47	

Because of the wide variation that exists in the mechanical efficiency of the various types and makes of motor vehicles determination of the average quantity of gasoline consumed per ton-mile by all the vehicles composing the traffic on our roads is an exceedingly complex problem which will require more time for solution. For purposes of illustration, however, the known facts with respect to the operation of a few test vehicles may be applied to definite traffic conditions to show how the saving in gasoline consumption compares with the cost of road improvement.

From the above table it will be noted that the fuel consumption for well-maintained earth roads varies from 122 to 127 per cent of the fuel consumption for pavements in fair condition. A number of the tests conducted in Iowa indicate that the gasoline cost for motor trucks operating on high-type pavements varies from 0.96 to 1.14 cents per ton-mile and that similar costs for passenger cars average 1.61 cents per car-mile, or approximately 1.28 cents per ton-mile. On the basis of these tests, therefore, it is conservative to estimate fuel costs at 1 cent per ton-mile on high-type pavements and 1.25 cents per ton-mile on earth roads.

Now apply these unit costs to traffic conditions existing in the State of Connecticut in which, on the basis of actual traffic counts made by the Bureau of Public Roads, 366 miles of the State highway system carried in one year (September, 1922, to September, 1923) 4,876,000 gross tons of motor-truck traffic and 5,698,000 gross tons of passenger-car traffic. As the average haul of the motor-truck tonnage is known to be approximately 31 miles and the average passenger-car trip approximately 47 miles, it will be seen that the

savings in fuel costs alone resulting from the transportation of these tonnages over paved roads instead of earth roads are approximately \$378,000 per year for truck traffic and \$670,000 per year for passenger-car traffic, a total of \$1,048,000.

As present costs of constructing 18-foot paved roads average approximately \$35,000 a mile exclusive of the cost of grading, the cost of building the 366 miles in Connecticut would be at present about \$12,810,000. Therefore, on the basis of present traffic and present construction price levels the saving in gasoline consumption alone, with interest at 5 per cent, would pay for these 366 miles of paved roads in less than 20 years.

Financing of Road Construction and Maintenance

Funds for road construction and maintenance are raised by the following methods: (1) Federal taxation; (2) real and personal




Fig. 26.—Nearly two-thirds of the total highway income in 1921 was under the control of county, township, and district authorities. Of the total of \$1,149-437,896, approximately 62 per cent was current revenue and 38 per cent was raised by the sale of bonds

property taxation by the States, counties, townships, and districts; (3) special assessments levied upon abutting and adjacent property owners; (4) motor-vehicle license fees, operators' licenses, and fines for infractions of the motor-vehicle laws; (5) taxes on gasoline and other fuels used by motor vehicles; (6) special taxes (these are relatively unimportant); and (7) the sale of bonds.

Federal appropriations. No Federal taxes are levied especially for roads. Federal-aid appropriations are made from funds available in the United States Treasury, which are derived mainly from duties on imports, internal revenue taxes, excise taxes, and income taxes. It is a fact, however, that the expenditures of the Government since 1916 both for Federal-aid roads and for roads constructed in the national forests at the close of the last fiscal year (June 30, 1924) amounted to only \$353,082,098, whereas the excise taxes on automobiles, motor trucks, and spare parts for motor vehicles collected since 1918 amounted at the same time to \$749,040,569. total amount appropriated or authorized by the Government for Federal-aid and national-forest roads during the above period was \$503,500,000,2 not all of which was expended as will be seen by comparison with the figure above. But even if the entire appropriation for this period had been expended, the expenditure would still be more than \$200,000,000 less than the income received by the Federal Government by taxation based on the sales price of motor vehicles. In effect, therefore, the Federal funds have, in the past, been more than supplied by road users.

State and local revenues.—No accurate determination of the total amount of money raised by the States, counties, and other local subdivisions from all sources has been made since 1921.

the funds raised from the various sources were as follows: 3

State and State-controlled funds, 1921:		
State bonds	\$113, 304, 202	
County bonds	2, 191, 542	
State property taxes.	45, 262, 186	
County property taxes	22, 785, 464	
Appropriations	21, 865, 102	
Motor-vehicle fees	101, 204, 479	
Gasoline taxes	3, 353, 988	
Federal-aid and forest-road funds	79, 031, 441	
Other sources	16, 644, 495	
-		\$405, 642, 899
County, township, and district funds, 1921:	•	, , ,
County bonds	322, 613, 529	
County property taxes	347, 633, 360	
Motor-vehicle fees	17, 738, 227	
Gasoline taxes	329, 472	
Forest-road funds	301, 785	
Other sources	55, 178, 624	•
-		743, 794, 997
	-	1, 149, 437, 896

Recapitulation-State, county, township and district funds, 1921:

	Amount	cent
Bonds	\$438, 109, 273	38. 1
Property taxes	415, 681, 010	36. 2
Motor-vehicle fees	118, 942, 706	10.3

² See Agricultural Statistics, Table 765, page 1184, for apportionment of Federal aid.
³ For distribution of revenue by States see Agricultural Statistics, Tables 769 and 770 pages 1190 and 1192.

Recapitulation, etc.—Continued.	Amount \$3, 683, 460	Per cent 0.3
Gasoline taxes Federal-aid and forest-road funds 4	79, 333, 226	6.9
Other sources	93, 688, 221	8. 2

1, 149, 437, 896 100.0

State and local expenditures.—In the same year (1921) the States, counties, townships, and districts made expenditures for highway construction and maintenance and related purposes as shown following:

Highway expenditures by or under supervision of the State highway departments, 1921:

Construction, roads and bridges	\$291, 973, 813
Maintenance, roads, and bridges	74, 526, 746
Engineering and administration	18, 881, 855
Other items	27, 859, 248

\$413, 241, 662

Local highway expenditures, without State supervision, 1921:

Construction, roads, and bridges	316, 225, 470
Unclassified construction (probably largely	
maintenance)	18, 766, 090
Maintenance, roads, and bridges	174, 066, 423
Engineering and administration	17, 149, 498
Other items	97, 138, 629

623, 346, 110

1, 036, 587, 772

Recapitulation—State and local expenditures, 1921:	Amount	Per cent
Construction, roads, and bridges	\$626, 965, 373	60. 5
Maintenance, roads, and bridges	248, 593, 169	24.0
Engineering and administration	36, 031, 353	3. 5
Principal and interest payments on highway bonds.	89, 280, 946	8.6
Purchase and repair of machinery, equipment, and general miscellaneous.	35, 716, 931	3. 4

1, 036, 587, 772 100, 0

Comparison of highway revenues and expenditures.—Referring to the following comparative tabulation of the total highway revenues and expenditures for the year 1921, it will be observed that the revenues in that year exceeded the expenditures by \$112,950,124, that the revenues derived by current taxation were \$711,328,623, and that these revenues fell short of the actual net cost of administering, constructing, and maintaining the roads during the year by \$200,261,272.

The assessed valuation of all property in the United States subject to general property taxation in 1922 was \$124,616,675,000. This was approximately 39 per cent of the estimated total wealth of the country exclusive of public property. The total of general and special property taxes levied on the basis of this valuation for all purposes was \$3,586,251,551, or 2.9 per cent of the total valuation. The general and special taxes devoted to highway construction and maintenance during 1921 amounted to \$415,681,010, which, therefore, was 11.6

⁴ Includes only Federal aid and national forest payments received by the States and counties and credited by them to their respective highway funds.

⁵ For distribution of expenditures by States see Agricultural Statistics, Table 772, page 1196,

per cent of the total tax bill for all purposes, or about one-third of a cent on each dollar of the total assessed valuation. As the assessed valuation was less than the actual value of taxable property, the ratio of the highway taxes to the true value of the property upon which they were levied was actually less than one-third of a cent per dollar. As shown by the table on page 143, such taxes raised 36.2 per cent of the total highway revenue in 1921.

Table 10.—Comparison of highway revenues and expenditures, 1921

-	Revenues			Expenditures	
From current taxation. Deferred payment.	Property taxes Motor vehicle fees. Gasoline taxes Federal-aid and forest road funds. Other sources Bonds	\$415, 681, 010 118, 942, 706 3, 683, 460 79, 333, 226 93, 688, 221 438, 109, 273 1, 149, 437, 896	Administration, construction, and maintenance of roads and bridges. Carrying charges, etc.	Engineering and administration Maintenance of roads and bridges Construction of roads and bridges, Principal and interest on highway bonds Purchase of machinery, etc. Unexpended balance of revenue.	\$36, 031, 35g 246, 593, 169 626, 965, 373 89, 280, 946 35, 716, 931 1, 036, 587, 772 112, 950, 124 1, 149, 437, 896

The Census Bureau in a recent publication reports that in 1922 the revenues of all States for all governmental purposes were \$4,224,541,865. This includes general property taxes, poll taxes, licenses, permits, and special assessments collected by the States and by all of their political subdivisions. It is not unfair to assume that the public revenues for 1921 were approximately the same as those reported for the subsequent year, and the following comparison is made on that basis. Deducting from the year's total of public revenues \$122,626,166 collected as motor vehicles license fees and gasoline taxes, there is left \$4,101,915,699 as the amount received from other sources, or a contribution for governmental purposes of \$38.80 per capita. Of this total amount, exclusive of motor-vehicle revenues, \$509,369,231 was collected from the public for highway purposes, or \$4.83 per capita. It follows, therefore, that of every dollar collected by the States, counties, townships, and other taxing districts only 12.4 cents was used for highway purposes.

The total outstanding public indebtedness for all purposes in 1922, other than that of the Federal Government, as estimated by the United States Department of Commerce, was \$8,696,939,000. This total was 2.7 per cent of the estimated total wealth of the country exclusive of public property. It was made up of \$935,543,000, the total indebtedness of the States; \$1,255,211,000, the total indebtedness of the counties; and \$6,506,185,000, the indebtedness of other subdivisions, principally cities. The total per capita indebtedness was \$79.77. On January 1, 1922, the outstanding indebtedness on account of rural highways—i. e., all public roads and bridges located outside the limits of incorporated towns—was \$1,222,312,300, which was made up of \$345,574,100, the highway indebtedness of the

States, and \$876,738,200, the highway indebtedness of the counties. The outstanding highway indebtedness of the States was, therefore, about 37 per cent of their total outstanding indebtedness, and that of the counties was about 29 per cent. The total outstanding highway indebtedness of the States and counties was about \$11.56 per capita, which was less than four-tenths cent for each dollar of the per capita wealth of \$2,918.

Of the total highway expenditure of \$1,036,587,772 approximately 40 per cent was made by or under the supervision of the State high-

Fig. 27.—The average per capita tax of the people of the United States for all purposes was \$38.80 in 1021. The average tax for highways was \$4.83 per capita. Per capita taxes for highways were highest in the Mountain States and lowest in the East South-Central States

Highway Taxes

7777 Other Taxes

way departments, the balance by the local governments without State supervision. Of the expenditures by or under the supervision of the State highway departments approximately 70 per cent was for construction, 18 per cent for maintenance, 4 per cent for engineering and administration, and 8 per cent for the financing of highway bond issues. Similarly, analysis of the county and local expenditures shows that 54 per cent was for construction, 28 per cent for maintenance, 3 per cent for engineering and administration, and 15 per cent for financing of bond issues.

Highway Income by Geographic Sections

On account of the wide variations which exist in different parts of the country as to density of population, road mileage, character of road construction, amount of highway traffic, etc., it is essential in order to make worth-while comparisons to make an examination of the incidence of these highway costs in the different groups of States.⁶ In the six States comprising the New England division the

⁶ The various groups of States referred to in the article are listed as follows: New England division: Maine, New Hampshire, Vermont, Massachusetts, Rhode Island, Connecticut.

Middle Atlantic division: New York, New Jersey, Pennsylvania.

East North Central division: Ohio, Indiana, Illinois, Michigan, Wisconsin.

West North Central division: Minnesota, Iowa, Missouri, North Dakota, South Dakota,

Nebraska, Kansas.

total highway income was \$46,455,284 in 1921, or \$6.25 per capita. Of this amount \$11,629,091, or 25.1 per cent, consisted of license fees contributed by the motor vehicle. The revenues derived from the sale of bonds were \$5,889,745, which constituted only 12.7 per cent of the total highway income and amounted to only 80 cents per

The amount received from the Federal Government as Federal aid was \$2,904,636, or 6.2 per cent of the total. The general property taxes and revenues derived from other sources were \$26.031.762:

HIGHWAY REVENUE FROM BONDS AND PROPERTY TAXES, 1921




Fig. 28.- In the Southern States the revenues raised by bond issues exceeded the total of general property taxes in 1921. In all other groups of States the property taxes exceeded the revenues raised by bond issues

this constituted 56 per cent of the total highway income and amounted to \$3.52 per capita. According to the report of the Census Bureau the States and their political subdivisions collected \$374,-743,288 in taxes, fees, licenses, etc. After deducting the motor-vehicle license fees there is left \$363,114,197 as the total public revenues derived from all other sources, or about \$49 per capita, of which amount \$3.52 was collected and used for rural highway purposes. This indicates that 7.2 cents of every dollar collected by State and local governments was devoted to highway purposes.

The total highway income of the three States comprising the Middle Atlantic division was \$168,305,433, or \$7.50 per capita. Of this amount \$22,340,418, or 13.3 per cent, was obtained from motor-Bond sales furnished the source of \$59,543,258 vehicle license fees. of the total, or 35.4 per cent; this was an obligation of \$2.68 per The Federal Government contributed \$7,441,515, capita for the year. or 4.4 per cent of the total amount. The general property taxes and the revenues derived from other sources were \$78,980,242, which was 46.9 per cent of the total highway income and constituted a

South Atlantic division: Delaware, Maryland, Virginia, West Virginia, North Carolina, South Carolina, Georgia, Florida.

East South Central division: Kentucky, Tennessee, Alabama, Mississippi.

West South Central division: Arkansas, Louisiana, Okluhoma, Texas.

Mountain division: Montana, 1daho, Wyoming, Colorado, New Mexico, Arizona, Utah, Nevada. Pacific division: Washington, Oregon, California.




Fig. 29—The per capita income for highway improvement in 1921 in the New England, Atlantic Coast, and Gulf States was less than the average for the United States: in all other States the per capita income was greater than the average. The greatest income per capita was received in the Mountain States

per capita burden of \$3.52. The total amount of public revenues collected in these States by the State and local governments was \$1,056,916,160, after making a deduction for the amount representing motor-vehicle license fees. The total per capita collections made for all purposes amounted to \$47.30. As already indicated, of this amount \$3.52 per capita was credited to highway funds, which means that out of every dollar collected from the public only 7.5 cents was used for highway purposes.

In the East North Central division the 1921 total highway income was \$281,139,024, representing a per capita contribution of \$13.10. The motor-vehicle fees amounted to \$27,432,261, or 9.8 per cent of the total. From the sales of bonds these States received \$101,550,318, which was 36.1 per cent of the total highway income and




Fig. 30.—The average per capita burden of property taxes in 1921 was less than \$5.

The greatest burden was carried by the States west of the Mississippi River

PROPERTY TAXES FOR HIGHWAYS IN RELATION TO TOTAL HIGHWAY REVENUE, 1921




Fig. 31.—The ratio of property taxes for highway improvement to the total highway revenues varied in 1921 from 27 per cent in the West South Central States to 56 per cent in the New England States

a per capita obligation of \$4.70. The Federal aid received by these States amounted to \$11,887,987, or 4.2 per cent of the total highway income. General property taxes destined for highway purposes and the revenues from other sources were \$140,268,558, or 49.9 per cent of the total highway income. They constituted a per capita burden of \$6.50. After making a deduction of the motor-vehicle fees, the total public revenues collected in these States amounted to \$972,279,786, or \$45.20 per capita. Out of this per capita tax collection, \$6.50 was credited to the highway account, which indicates that 14.4 cents out of every dollar of public revenues was used for highway purposes.

for highway purposes.

The total highway income of the West North Central division amounted to \$153,642,716 or \$12.25 per capita. The motor-vehicle

Fig. 32.—Revenues received by the States from the Federal Government in 1921 constituted a higher percentage of the total highway revenues in the Central and Southern and Mountain States than in the States of the coast sections

REVENUE FROM BONDS IN RELATION TO TOTAL HIGHWAY REVENUE. 1921




Fig. 33.—Revenues derived from bond issues in 1921 constituted only one-eighth of the total highway revenue in New England, as compared with nearly five-eighths in the West South Central States. The States which placed the greatest dependence on bond issues were the Southern and Pacific Coast States

fees constituted \$20,574,538 and represented 13.4 per cent of the total highway income. These States derived \$34,291,178, or 22.3 per cent, of the total from the sale of bonds, which represented a per capita obligation for the year of \$2.75. The revenues derived from Federal aid were \$14,636,169, or 9.5 per cent of the total. General property taxes and revenues from other sources for highway purposes constituted \$84,140,831, or 54.8 per cent of the total highway income, which resulted in a per capita burden of \$6.70. The total public revenues in this division of States were \$539,197,660 after subtracting the fees received from motor vehicles. These total collections from the public represented a per capita burden of \$43, \$6.70 of which

MOTOR VEHICLE REVENUE PER VEHICLE, 1921




Fig. 34.—Motor-vehicle revenue for road improvement in 1921 was highest in proportion to the number of vehicles registered in the New England States and lowest in the Pacific States. The average revenue per vehicle was less than \$12 per year

was collected for highway purposes, which means that out of every dollar collected 15.5 cents could be designated as highway income.

The 1921 highway income for the South Atlantic division was \$137,657,698, or \$9.85 per capita. The revenues derived from motorvehicle fees and gasoline taxes were \$11,860,998, or 8.6 per cent of the total. These States received 49 per cent of the total highway income, or \$67,406,730 from the sales of bonds, which amounted to a per capita obligation of \$4.80. Of the total highway income Federal aid constituted 8.2 per cent, or \$11,267,126. The general property taxes and receipts from other sources were \$47,122,844, which was 34.2 per cent of the total highway income, or a collection of \$3.40 per capita. After deducting the revenues derived from motor-vehicle fees and gasoline taxes these States collected from the public the sum of \$283,145,170 or \$20.10 per capita for all public purposes. Of this total income only \$3.40 was devoted to highway purposes, which

HIGHWAY EXPENDITURE PER PERSON PER MILE OF ROAD, 1921




Fig. 35.—The total expenditure per person for road construction and maintenance in 1921 amounted to only 1 cent for each 200 miles of the total mileage of the United States. The expenditure per person per mile of road in the Pacific States was nearly seven times as great as in the West North Central States

means, however, that 16.8 cents out of every dollar collected from

the public was credited to the highway account.

In the East South Central division the total highway income was \$60,280,684 in 1921, which amounted to \$6.80 per capita. The motorvehicle fees and gasoline taxes, \$5,108,387, represented 8.5 per cent of the total highway income. The revenues which accrued from the sales of bonds were \$25,551,347, or 42.5 per cent; this was a per capita obligation of \$2.90 for that year. The States in this division received \$5,281,475 as Federal aid, which constituted 8.7 per cent of the total. General property taxes and collections from other sources supplied \$24,339,475, 40.3 per cent of the total, or \$2.70 per capita. In this division the total public revenues, exclusive of motor-vehicle fees and gasoline taxes, were \$155,501,192, or \$17.55 per capita. This total per-capita tax collection included the \$2.70, which went for highway purposes, which means that 15.3 cents out of every dollar collected were turned over to the highway fund.

The total highway income in the West South Central division was \$138,504,160, which represented a per capita burden of \$13.50. The motor-vehicle fees and gasoline taxes amounted to \$7,496,965, and constituted 5.4 per cent of the total highway income. The receipts from the sale of bonds were \$82,127,751, or 59.3 per cent, an obligation of \$8 per capita. The aid derived from the Federal Government was \$10,929,721, or 7.9 per cent of the total highway income. The general property taxes and the revenues derived from other sources amounted to \$37,949,723, or 27.4 per cent of the total highway income, a per capita burden of \$3.70. After making an allowance for the revenues derived from motor-vehicle fees and the gasoline taxes these States collected \$235,959,540, or \$23 per capita. Of this amount \$3.70 was destined for highway purposes, or 16.1 cents of every dollar collected from the public.

The States of the Mountain division raised \$61,367,959 in 1921 for highway purposes, which represents a per capita burden of

MOTOR VEHICLE REVENUE FOR ROADS IN RELATION TO TOTAL HIGHWAY INCOME, 1921




Fig. 36.—Motor-vehicle revenues for road improvement in 1921 constituted 10.6 per cent of the total highway income of the United States. The percentage varied from 5 per cent in the West South Central States to 25 per cent in New England

\$18.40. Seven per cent of the highway income, \$4,305,524, was derived from motor-vehicle fees and gasoline taxes. The bond sales amounted to \$19,908,036, or 32.4 per cent of the total highway income, a per capita obligation of \$6. The Federal Government cortributed toward highway improvements \$9,731,542, which constituted 15.8 per cent of all highway income. General property taxes and revenues derived from other sources amounted to \$27,422,857, constituting 44.8 per cent of the total highway income, a per capita burden of \$8.20. Exclusive of motor-vehicle fees and gasoline taxes, these States received \$162,761,525 in taxes and payments of all kinds from the public, or \$48.90 per capita. Of this amount, \$8.20 was used for highway purposes. Of every dollar collected from the public 16.8 cents were credited to the highway funds.

The total highway income in the Pacific division was \$102,084,938 in 1921, amounting to \$18.30 per capita. The motor-vehicle license fees and gasoline taxes were \$11,877,984, or 11.6 per cent of the total. The revenues derived from bond sales were \$41,840,910, or 41 per cent of the total highway income, a per capita obligation of

\$7.50. The Federal-aid receipts were \$5,253,105, which constituted 5.1 per cent of the total highway income. The revenues derived from general property taxes and from other sources were \$43,112,939, or 42.3 per cent of the total highway income, amounting to \$7.75 per capita. In these States the total taxes, fees, etc., collected exclusive of motor-vehicle revenues were \$333,040,020, or \$59.20 per capita. Of this total amount collected from the public, \$7.75 was devoted to highways, and 13.1 cents out of every dollar collected were used for highway purposes.

Average Expenditure per Person 1 Cent for 200 Miles of Road

As already stated, the total highway expenditures for all rural highway purposes in 1921 were \$1,036,587,772. In Table 11 the resulting per capita expenditure in each of the sections is shown in relation to the total mileage of road in the corresponding sections with the purpose of bringing out the per capita expense per mile of road:

Table 11.—Per capita expenditure for highway construction in 1921

Division	Mileage of rural highway	Highway expendi- tures per capita	Highway expendi- tures per person per mile of road
New England Middle Atlantic East North Central West North Central South Atlantic East South Central West South Central West South Central West South Central Pacific	83, 296 186, 935 412, 753 759, 820 365, 567 242, 745 416, 617 306, 382 167, 180	Dollars 6 10 7, 20 12 40 11, 80 7, 70 5, 75 10 20 17, 15 16 90	Cents 0.0073 0039 0030 .0015 0022 .0024 .0024 .0056 .0101
Total or average	2, 941, 294	4 9. SO	a. 0054

a Average.

Although these highway expenditures per person per mile averaged 0.0054 cent, they ranged from 0.0015 cent in the West North Central States to 0.0101 cent per person per mile in the Pacific States. A more direct comparison can be made (Table 12) by arranging the several groups in order from the lowest to the highest.

Table 12.—Comparison of highway expenditures by geographic divisions, 1921

Division	Expendi- tures per person per mile	Percentage relation- ship	Division	Expendi- tures per person per mile	Percentage relation- ship
West North Central South Atlantic East South Central West South Central East North Central	0. 0015 0022 . 0024 . 0024 . 0030	100 147 160 169 200	Middle Atlantic Mountain New England Pacific	0 0039 . 0056 . 0073 . 0101	260 370 480 670

An examination of these expenditures per person per mile reveals the relative significance of expenditures for highway improvements. This is seen, for example, in comparing the West North Central group with the East North Central group. The per capita highway expenditures of the West North Central division were \$11.80 and for the East North Central group \$12.40. But when the comparison is based upon the expenditures per person per mile of road a wholly different result is obtained. On this basis the highway expenditures per person per mile in the East North Central States were 100 per cent above those of the West North Central States. The highest expenditure per person per mile of road was found in the Pacific States, where it amounted to 0.0101 cent, or 670 per cent of that in the West North Central States.

Changes in Highway Income Since 1921

No accurate determination of the amount of money raised by the States, counties, and other local subdivisions by real and personal




Fig. 37.—Since 1921 the principal increase in highway revenue has come from the motor vehicle. The increase in motor-vehicle income has been due in part to the adoption of higher license fees—in 1923, 17 States levied fees in excess of \$15 per vehicle

property taxation, special assessments, and other special taxes has been made since 1921. In that year, as has been shown, property taxes yielded a total of \$415,681,010, and \$93,688,221 was raised by miscellaneous special taxes. As rates of taxation and property assessments have not been altered materially in the meantime, it is probable that the amounts collected from these sources in 1924 were approximately the same as in 1921.

It is estimated that Federal-aid and forest-road payments, which in 1921 amounted to \$79,333,226, will reach a total of approximately

\$90,000,000 in 1924.

The greatest change to be expected is in the motor-vehicle revenues, including license fees and gasoline taxes. These revenues, on




Fig. 38.—Gasoline taxes also account for a part of the increase in motor-vehicle revenue since 1921. There are now 35 States which levy this form of tax. Approximately one-half of the total number of all registered motor vehicles in the United States in 1924 were registered in these States

account of increases in motor-vehicle registration, changes in the rates charged for license fees, and the adoption of the gasoline tax by one State after another, have changed materially from year to year. There is a marked tendency to collect a larger proportion of highway funds from motor-vehicle owners. A survey of highway revenues and expenditures made in 1914 showed that out of a total highway income of \$240,262,784 the collections from motor vehicles amounted to \$12,382,031, or 5.1 per cent. In 1921, seven years later, the motor-vehicle owners paid \$118,942,706 in motor-vehicle fees and \$3,685,460 in gasoline taxes, a total of \$122,626,166, or 10.6 per cent.




Fig. 39.—Between 1914 and 1923 the ratio of motor-vehicle revenue to total highway income was nearly quadrupled. The increase was due to increase in registration and to adoption of higher fees for licenses and taxes on gasoline

A similar compilation for 1923 shows a total contribution by motor-vehicle owners in the form of license fees of \$188,970,992, and in the form of gasoline taxes \$36,813,939, a total of \$225,784,931. As it is estimated that the highway income and expenditure for 1923 were substantially the same as for 1921, it follows that the 1923 motor-vehicle contribution was about 19.5 per cent of the total. Between 1921 and 1923 it will be observed that the ratio almost doubled, while the payment per motor vehicle rose from \$11.70 to \$15.

An important factor in this increase was the growth of gasoline taxes resulting from the adoption of this form of taxation by more States and from increases in the rates charged. The first States to adopt it were Oregon and Colorado, which passed laws in 1919. By 1921 these two leaders had been followed by six more States, which were Arkansas, Florida, Kentucky, New Mexico, North Carolina, and Washington, and these have now been followed by 27 other States and the District of Columbia, so that there are, in 1924, 35 States and the Federal District that are taxing motor fuel. Seveny-three per cent of the States, in other words, have in effect a gasoline tax. These States have a rural road mileage of 1,954,886 miles, comprising 66.5 per cent of the total rural highway mileage of the country; but their taxes apply to only about 50 per cent of the total number of motor vehicles.

The rates charged by these States range from 1 to 4 cents per gallon, as shown in figure 38.

Approximate Highway Revenues in 1924

On the basis of an anticipated registration in 1924 of 17,500,000 motor vehicles, the present rates of license fees and gasoline taxes are expected to yield, respectively, \$225,000,000 and \$75,000,000, a total of \$300,000,000, all but a small portion of which will be available for construction or maintenance of roads and bridges either with or without State supervision.

Adding all the various forms of highway income derived by taxation of one form or another, it is probable that the total amount for 1924 is approximately \$900,000,000, as shown by Table 13.

Table 13.—Approximate highway revenue, 1924, exclusive of bonds

Federal-aid and forest-road funds Property taxes	1 \$90, 000, 000 415, 000, 000 225, 000, 000 75, 000, 000 95, 000, 000
Approximate total revenue derived by taxation.	900, 000, 000

¹This is the approximate expenditure during the year. As there are no Federal taxes especially levied for road purposes, it is assumed that an amount of the total taxes equal to the road expenditure is raised for that purpose.

It thus appears that the revenues raised by taxation of one form or another in 1924 would probably be sufficient to pay the actual net cost of administering, constructing, and maintaining the roads on a scale commensurate with that of 1921 with small, if any, dependence upon borrowed money.

Fundamental Principles of Highway Finance

In order that such vast sums may be expended without waste, it is important that several fundamental principles be kept clearly in mind.

As to the rate of expenditure.—The first of these principles relates to the necessary rate of expenditure. It has already been shown that the return in the form of traffic economies from a properly managed investment in improved highways is greater than the expenditure required for the improvement. The saving in gasoline alone on the motor-truck traffic only over a whole system of roads has been found to be sufficient to pay the interest charges on the expenditure required to pave the entire system and to retire the indebtedness in less than 20 years. This being the case, it is clear that the more rapidly the principal roads of the country are improved the smaller will be their cost to the people, or, in other words, we pay for improved roads whether we have them or not, and we pay less if we have them than if we have not. It follows therefore that the roads should be improved as rapidly as the available supply of labor and materials will permit, entirely without regard to where the money comes from or how it is paid. Only by accepting this principle can the ultimate cost of the highways and their service be reduced to a minimum.

A single highway budget for the State.—This first principle being accepted, it may be asserted as a second that the total cash expenditures in each State for highway purposes, including the expenditures of the State, the counties, and the local governments, should be considered in a lump as the annual highway budget of the State. the money to pay for the roads, whether State, county, or local, is derived finally from the same people, and unless the financial needs of all classes of roads are considered in preparing the highway budget we are apt to pile tax upon tax to the point where the burden will become unbearable. To secure efficient administration, all expenditures on all systems should be correlated under engineering and economic supervision, and the order, character, and extent of the improvements made upon the several systems should be made to depend upon the relative future traffic requirements of each. The attainment of these objects implies the creation of a central budgetary authority to supervise all highway expenditures in each State, and such authority should, without doubt, be created.

Highways should not take money needed for other purposes.—
There is this fact also that must be borne in mind—that the expenditure for highways is only a part of the necessary public expenditure. We can not devote all the income from public revenues to the highways. There are educational institutions to be maintained and there are other public functions that require money, so that it may be taken as a third fundamental principle that the annual highway budget should be adjusted to the relative needs for other public purposes. The revenues derived from various sources must be sufficient to cover all those needs, and the portion allotted to highway improvement must not be out of proportion to the relative need for highways. But in this connection it should be added that all reve-

nue secured from motor-vehicle taxation should be set aside for

lighway purposes.

The proper uses of bonds.—As a further fundamental principle it follows, then, that if the highway program, planned and administered as described above, entails an expenditure greater than can be met with current funds without diverting money from other necessary purposes, the only recourse is to issue bonds and so defer a portion of the cost. For we are reminded again that to fail to prosecute the work of highway improvement as rapidly as physical limitations will permit is merely to shoulder the inescapable expense in the form of greater operating costs for vehicles, a form in which it will be greater than if it is assumed as a road-construction cost.

Exactly what part of the cost of the program can properly be deferred is perhaps a debatable question—that is to say, there is a debatable middle ground, where it is difficult to define the policy that may be pursued with propriety. There is no question that certain parts of the construction cost may be deferred without reasonable objection—for example, the costs of the grade and drainage structures, which are practically permanent improvements. Payment for these parts of the roads, which account for 40 per cent of the cost of the average highway program, might be spread over a number of generations without involving our successors in an indebtedness from which they would receive no benefits. On the other hand, there is no question that maintenance charges, as they are ordinarily defined, should not be met with borrowed money. in between these two fixed points of policy there is doubtful ground, wherein there is conflict of opinion as to the soundness of deferring payment. The principal doubt arises over the financing of the cost of the road surface, and here it would seem the solution rests entirely upon the character of the maintenance. It is the merest platitude to say that unless the roads are maintained year by year-it matters not how well they are built—the investment in them will gradually be dissipated and the roads themselves will never give the service they should be expected to give. Perfect maintenance, on the other hand, absolutely guarantees the integrity of the original investment, assures continuous service, and converts what would otherwise be a liability into an asset.

The distribution of the expense.—Having thus ascertained what part of the cost of conducting the highway-improvement program needs to be, and may properly be deferred by issuing bonds, the next question that arises is: How shall the burden of current expense be distributed among the various classes and groups of the popula-Here we must resort to the familiar principle of assessment according to benefits. Concisely stated in relation to expenditures for highway improvement, it is this: The cost of building and maintaining an adequate system of highways should be distributed in equitable relation to the benefits derived. What, then, are the benefits and to whom do they accrue? First, there are certain general benefits in which every man shares, whether he actually rides over the roads or not, such as their beneficial influence on education, health, the national defense, the postal service, and their effect in reducing living and distribution costs. Everyone remembers the indispensable part played by highways in the World War. It is evident that the efficiency of the rural free-delivery postal service

is dependent upon the condition of the roads. Whoever is in touch with developments in modern educational methods knows that the progress of rural education depends upon the displacement of the one-room schoolhouse by the centralized, graded school, and that this development is in turn dependent upon the improvement of the roads. The advantage of improved roads in making possible the rendering of prompt medical attention in case of illness is well understood; so also is the general influence of the roads upon living and distribution costs. It is only necessary to mention these benefits for everyone to realize how great an influence they have upon the lives of all of us.

In addition to these general benefits there are two principal classes of special benefits, the first being the benefit that is derived by persons whose land and property is made accessible by the roads improved, and thereby rendered more valuable, and the second, the benefit derived by persons who operate over the roads private vehicles, and who by virtue of the improvement are enabled to effect a saving in the cost of operating these vehicles which they do not share with others.

Formerly these two classes of special benefits were experienced by practically the same groups of people. Roads were strictly local facilities. They served the land to which they gave access. City people rarely used the roads at all and derived no benefits from their improvement, except the general benefits enjoyed in common by all citizens of the State. The farmers who traveled them rarely met a stranger. Under such conditions it was easy to see that whatever special benefit resulted from the improvement of a road was enjoyed largely by those living along or near it, who, practically alone, made direct use of it.

There still remain certain roads of this character of which it can still be said that they serve the land only. In general they are the roads that have previously been classified as county and local roads. These roads are rarely traveled, except by those whose homes are on them or near them.

There are other roads, however, which now are used far less by those who live on them than by others whose homes and property are remote from them and not directly affected by the improvement. They are used by city dwellers as much as, perhaps more than, by The farms lying along these roads are neither the origin nor the destination of the great and constantly increasing streams of traffic that flow back and forth over them. Because of the great volume of traffic which uses them, they require more expensive types of improvement than the local, land-serving roads, but these more expensive improvements do not, except in suburban areas, add proportionately to the value of the abutting land. They do serve the abutting land, it is true, just as the local roads do, but this service is far exceeded by the service they render to the multitude that uses them and has no interest in the land. Generally speaking, these roads serve the traffic and are distinguished by that fact from the other roads that serve the land. As a general rule, these roads are identical with the State and interstate roads previously defined.

In this analysis there would seem to be the basis for a fair distribution of the burden of highway expense, as follows: The county and local roads, being primarily of benefit to the land they serve

should be constructed and maintained with funds raised by county and local property taxes in the same manner that city streets are constructed and maintained by city property taxes. The main State and interstate roads, rendering general benefits to the whole State and to the whole Nation, and special benefits to the wide-ranging traffic that uses them, should be constructed and maintained in part by Federal appropriations in fair proportion to the general Federal benefits, in part by State property taxes levied in proportion to the general State benefits, and in part by special taxes levied upon vehicles in proportion to the special benefits derived by the traffic.

Highway Transportation

Modern developments in highway transportation.—Twenty years ago highway transportation was a relatively insignificant factor in the transportation field. The movement was predominantly local, the length of haul being the average distance from farm to market, and the vehicle was almost exclusively the relatively light, slow-moving, horse-drawn conveyance. During the past two decades a tremendous number of automobiles and motor trucks have been added to our highway transportation equipment. During the year 1923, 3,938,206 motor vehicles were produced in the United States, which was more than twice as many as were manufactured in 1921 and more than 1,000 times as many as were built in 1899. The production by years is shown in Table 14:

Table 14.—Production of motor vehicles in the United States, 1899 to 1923

Year	Number	Year	Number	Year	Number
1899 ¹	3, 874	1914	569, 054	1921	1, 661, 550
	21, 975	1919	1, 974, 016	1922	2, 659, 064
	130, 986	1920 ²	2, 205, 197	1923	4, 086, 997

Production figures 1899 to 1919, U. S. Census Report
 Production figures 1920 to 1923, National Automobile Chamber of Commerce.

From this table it will be noted that the production of motor vehicles from 1919 to 1923 has increased uniformly except for the year 1921.

The recent development of motorized highway transportation is also indicated by motor-vehicle registrations during the 10-year period from 1913 to 1923. Motor-vehicle registrations have increased from 1,258,000 in 1913 to 15,000,000 vehicles in 1923, the 1923 registration being over 1,200 per cent of the 1913 registration. The registration statistics for this period by years are shown in Table 15.

TABLE 15.--Motor vehicle registrations 1913 to 1923, inclusive

Year	Number	Year	Number	Year	Number	
1913 1914 1915 1916	1, 258, 062 1, 711, 339 2, 445, 666 3, 512, 996	1917	4, 983, 340 6, 146, 617 7, 565, 446 9, 231, 941	1921 1922 1923	10, 463, 295 12, 238, 375 15, 092, 177	

The major portion of this number of vehicles is made up of passenger cars. In 1923, 13,457,214, or approximately 90 per cent of the total registration, was a registration of passenger cars. This proportion has remained almost constant during the past four years, indicating that the growth of motor trucking has kept pace with the

growth in the use of passenger cars.

Due to the rapid development of motor transport the horse-drawn vehicle has dwindled into insignificance as a factor in highway transportation. The ratio of horse-drawn vehicles to motor vehicles has become very small on all important highways and is decreasing each year. Studies of traffic on the California State highway system in 1920 and 1922 indicate a decrease in horse-drawn vehicles from 2.3 per cent of all traffic in 1920 to 1.2 per cent in 1922.

An analysis of traffic records on two toll bridges in the State of Connecticut indicates a similar falling off in horse-drawn traffic. Of the total traffic over the two bridges, 1.95 per cent in 1920 and 1.06

per cent in 1922, was made up of horse-drawn vehicles.

In California from 1920 to 1922 highway traffic increased 47 per cent. During the same period traffic on the Connecticut toll bridges increased 48.8 per cent. The close similarity between the increase in traffic at these widely separated points is indicative of the uniformity of the rapid increase in highway traffic, although the increase in other sections of the country, due largely to local conditions, naturally varies by a considerable amount from these figures.

Another important development in highway transportation, is the rapid increase in the number of commercial motor-truck and bus lines. Until recently highway transportation was carried on very largely in privately owned vehicles. The last few years, however, have shown a remarkable development in highway transportation as a business. The development of motor-bus service is illustrated

by the map (fig. 54) of the bus lines in Maryland.

Due to the fact that governmental control and regulation of highway transportation is a new development in most States, and entirely absent in many, reliable statistics of the development of commercial motor-truck transportation are difficult to obtain. As indicative of the growth there were in 1922 in California, 719 motor-vehicle lines operated under permits issued by the railroad commission of the State. During the period from 1920 to 1922 the number of passenger motor-bus lines increased 146 per cent and the development of motor-truck lines has probably been equally rapid.

Commercial highway transportation is still in the early stages of development. Its coordination with other types of transportation in such manner as to provide the most economical transportation for all types of business is one of the important economic problems-connected with the development of an efficient transportation system

for the United States.

Density of Highway Traffic

The density of highway traffic varies widely, as between various roads, and sections of the country, between seasons of the year, days of the week, and hours of the day. Without regard to locality, how-

ever, it will be found that the roads which carry the heaviest traffic are those which run between large cities, and the traffic on these

roads averages 95 per cent city traffic.

The fact that one road carries a greater number of vehicles in a day or year than another, or that one carries heavier vehicles than another is at once the reason for and the justification of the use of different types of highway surfaces on various parts of a State road system, as has been previously explained. An excellent idea of the extent of this variation in a typical, completely surfaced State highway system is shown by the traffic map of the Maryland State highway system. (Fig. 40.) On this map the width of the roads, as measured by the accompanying scale, indicates the average daily number of vehicles using each section of the State system, as determined by actual monthly counts in 1922. It is at once apparent that the Maryland roads which carry the heaviest traffic are those between Baltimore and Wasnington, and Baltimore and Philadelphia. Be-




Fig. 40.—The density of traffic varies as between various roads and sections. Roads between large crities close together carry the heaviest traffic. The wide variation in density between different roads of the same State is at once the reason and the justification for the use of different types of highway surface

tween Baltimore and the lesser cities of Frederick, Hagerstown, and Cumberland the traffic is heavier than on other roads, except in the vicinity of Baltimore, but not so heavy as on the two main intercity thoroughfares. It will also be noted that between Baltimore and Washington, 40 miles apart, the traffic is heavier than between Baltimore and Philadelphia, 90 miles apart, and the effect of distance on the volume of intercity traffic is well illustrated by this example.

Study of this map reveals at once the fallacy of the widely held belief that all roads should be hard-surfaced. On the contrary, it is apparent that an economically balanced highway system for Maryland should include sections of highway surfaced with all the various types of materials in proper adjustment to the traffic; and the Maryland conditions here shown are similar to those of all other States.

An excellent example of a well-balanced highway system is shown by the map of the Connecticut highway system. (Fig. 41.) In this map the average daily traffic on the various parts of the system is represented by the width of the lines, and the character of the surface of each section is indicated by the various symbols employed. With few exceptions, it will be noted that the roads which carry the heaviest traffic are surfaced with pavements of concrete and bituminous concrete. Roads of the second order of traffic importance are surfaced with bituminous macadam and water-bound macadam, and the tertiary roads are surfaced with gravel.

Such maps as these, based as these are upon actual and careful observation of the traffic using various parts of the State highway system, when considered with the weight of the vehicles, constitute

AVERAGE DAILY TRAFFIC ON CONNECTICUT HIGHWAY SYSTEM PASSENGER CARS AND MOTOR TRUCKS




Fig. 41.—A well-balanced highway system is one in which the improvement of every section of the system is consistent with the density and weight of the traffic using the particular section. The Connecticut system is well balanced

the most reliable guide for the determination of the type of surface required for each section and the relative portion of the available highway revenues which can justifiably be spent for the construction and maintenance of each section. In the absence of such precise information the administration of a State highway system can not be efficiently conducted. It is in recognition of this fact that a number of State highway departments are now conducting traffic surveys similar to those upon which the maps of Maryland and Connecticut are based. In the more complete of these surveys the Bureau of Public Roads, by which the methods employed were originated, is cooperating.

Seasonal variation of passenger-car and motor-truck traffic.— Seasonal variations in highway traffic in the two States of Pennsylvania and Connecticut are shown in the chart. (Fig. 42.) The close similarity of the variation in the two States is to be expected in comparing two States of such closely similar climatic and industrial conditions, upon which the seasonal variation so largely depends. Similar charts based upon conditions in other States would show corresponding peaks and depressions, the time and magnitude of which, however, would be expected to differ. It will be noted that truck traffic in Connecticut during the months of November and December, 1922, and January, 1923, was considerably heavier with respect to the annual average than it was in Pennsylvania a year later. This difference was undoubtedly due to the strike of the




Fig. 42.—Highway traffic is generally heavy in the summer and early fall and a minimum during the winter months. The seasonal variation of passenger-car traffic is greater than the variation of motor-truck traffic

New York, New Haven & Hartford Railroad shopmen, which during these months, considerably increased the daily truck traffic on the Connecticut highway system. In both States it will be seen that passenger-car traffic variations are wider than the variations in motor-truck traffic, a fact which is typical of highway traffic practically everywhere.

In addition to the seasonal variation there is also a daily and hourly variation of traffic density, which follows the same general law practically everywhere. In most States it will be found that there are two daily peaks of traffic density, occurring between 8

and 10 a. m. and 3 and 5 p. m., and that the minimum density occurs at or about midnight. The exact determinations that have been made in Connecticut and Pennsylvania place the peak hour of truck traffic during the winter in the latter at 10 a. m., when 9 per cent of the total daily truck traffic has been observed. In summer the peak occurs at 8 a. m. In Connecticut the maximum hourly density of truck traffic occurs at 9 a. m., when 8 per cent of the daily traffic is recorded.

Passenger-car traffic in Connecticut⁷ and Pennsylvania reaches its highest density at 4 p. m., when 9 per cent of the total daily




Fig. 43.—Highway traffic is generally heaviest between 8 and 10 a.m. and 3 and 5 p.m. and lightest at or about midnight. Passenger-car traffic during the night in Connecticut is 25 per cent of the total daily movement; in Pennsylvania it is 19 per cent during the winter and 21 per cent during the summer

traffic has been observed to occur in Pennsylvania and 8 per cent in Connecticut. The day of maximum passenger-car traffic is Sunday, on which in Pennsylvania the traffic runs to 188 per cent and in Connecticut to 165 per cent of the traffic of the average day. Passenger-car traffic during the night (8 p. m. to 6 a. m.) in Con-

⁷ The frequent references to Pennsylvania, Connecticut, California, Maryland, and Cook County (Ill.) conditions are made by way of example. They illustrate general conditions which are believed to be practically universal in kind, differing only in degree. The precise data used are the findings of traffic surveys made by the Bureau of Public Roads in cooperation with State and county officials

necticut is 25 per cent of the total daily movement; in Pennsylvania it is 19 per cent during the winter and 21 per cent during the summer.

Motor-truck Capacities and Gross Loads

There is no better index of the type of surface required for a given highway than the relative distribution of the motor trucks it carries between the light, medium, and heavy capacity groupings. The capacity of a motor truck limits to a large extent its net tonnage and, consequently, its gross tonnage. A predominating percentage of trucks of light or heavy capacity on a highway will in the same way indicate the tonnage duty of the road and define it as a light, medium, or heavy traffic highway.

In different areas, however, the average tonnage per truck is modified by the predominating types of commodities and also by the practices in truck loading. So that although it is possible to determine generally the type of motor trucking on a highway by consideration of truck capacities, it is wise also to include an analysis of gross loads and give special consideration to extremely heavy

gross and wheel loads.

An analysis of motor-truck capacities and gross loads, supplemented by wheel-load evidence determines precisely the type of truck traffic on a highway and, supplemented by truck density, indicates the volume of traffic. By comparing the type and volume of traffic carried the relative importance of highways can be determined and the routes classified as industrial, high, medium, or low type. The type of highway construction, design, and width necessary to serve the traffic adequately can then be accurately determined.

Length of Passenger-Car Trin's and Character of Usage

The average passenger-car trip in Connecticut is 46.6 miles. The average trip of cars used for business purposes is 29.7 miles, and of cars used for nonbusiness purposes 55.5 miles. Approximately 35 per cent of the traffic is bent on business and 65 per cent is of a nonbusiness character. The average trip varies from 7 miles on a highway connecting two contiguous centers of population and off the through-traffic routes to 96 miles on a highway some distance from any center of population and on an important through-traffic and tourist route.

A tabulation of the proportion of business and nonbusiness usage of passenger cars on State highways in various parts of the country is given in Table 16.

TABLE 16.—Business and nonbusiness usage of passenger cars

State or region	Business usage	Non- business usage	
Connecticut		Per cent 6 68 67 78 64	

The above tabulation is based on summer traffic and indicates the similarity in extent of business and nonbusiness usage in these widely separated areas. The percentage of nonbusiness usage is highest in Maine, which is due to the larger proportion of tourist and summer-resort traffic. These percentages vary at different seasons of the year. The proportion of business usage increases during the winter months, especially in the Northern States.

Farm-owned passenger cars constitute a very small part of the traffic on primary highways. This fact, previously mentioned in connection with the discussion of the financing of highways, is exemplified by data secured in the Bureau of Public Roads traffic surveys in widely separated sections and presented in Table 17.

Table 17.—Ownership of passenger cars counted on primary highways

State or locality	City- owned	Farm- owned
Pennsylvania Cook County, III Maine Bankhead Highway at the Georgia-South Carolina line	Per cent 94. 6 90. 5 94 6 91. 1	Per cent 5 4 9 5 5 4 8.9

This tabulation also is based on summer traffic. The proportion of farm-owned to city-owned passenger cars for all highways in the country is higher than the above figures show, because all observations included in the tabulation are for State highways, upon which the local traffic, largely composed of farm-owned vehicles, is only a small part of the total traffic. Pennsylvania is primarily an industrial rather than an agricultural State, with 64.3 per cent of its population urban, according to the 1920 census. In Maine an important factor in the traffic is the tourist and summer-resort movement. Traffic in Cook County, Ill., is dominated by the city of Chicago, and the traffic on Bankhead Highway at the point observed is only to a small extent local.

Motor Truck Trip Length and Tonnage

Motor trucking is predominantly a short-haul movement. In Connecticut 39.2 per cent of the total net tonnage weighed was hauled less than 10 miles and 68.8 per cent less than 30 miles. The movement of 100 miles and over is largely a movement of furniture. (See fig. 44.) In California 25.9 per cent was hauled less than 10 miles and 58.1 per cent less than 30 miles. In both States a large part of the long-haul movement is made up of a few special commodities. The distribution of net tonnage by mileage zones in Connecticut and California is shown in Figure 44.

The total net tonnage transported over the Connecticut State highway system during a one-year period is approximately 3,000,000 tons. This is 1,650 tons for each mile of the State highway system. The actual net tonnage transported over each mile of highway is much larger than this, however, because each ton of highway freight is hauled an average of 31 miles. In the same one-year period the gross tonnage of motor-truck traffic carried by the system was approximately 10,600,000 tons and the gross tonnage of passenger-car traffic was approximately 15,400,000 tons. Of the truck tonnage 46

per cent was transported on 366 of the 1,780 miles, or slightly over 20 per cent of the total mileage; 37 per cent of the passenger-car tonnage was transported on 323 miles, or approximately 18 per cent of the total mileage. The heavy trucking routes are the same as the heavy passenger-traffic routes, with the addition of 43 miles on which passenger-car traffic is quite heavy but somewhat lighter than on the balance of the heavy trucking routes. These roads are the most heavily traveled in the State and constitute the backbone of the Connecticut highway system. With the exception of 40 miles they are all included in the Federal-aid system.

The motor-truck registration in Connecticut for the year 1923 was 29,140. The net tonnage of highway freight is then approximately 100 tons per registered truck per year. But not all registered trucks are engaged in hauling on the highway system. Two-thirds of the Connecticut truck registration is in cities of over 10,000 population, and a large number of these trucks are used almost exclusively for city hauling. Consequently the average annual tonnage for trucks




Fig. 44.—Motor-truck transportation is predominantly a short-haul movement. In Connecticut 39.2 per cent of the total net tonnage weighed was hauled less than 10 miles and 68.8 per cent less than 30 miles. In California 25.9 per cent was hauled less than 10 miles and 58.1 per cent less than 30 miles

actually engaged in the transportation of freight over the highway

system is considerably higher than 100 tons per year.

Much of the truck transportation over the Connecticut highway system is interstate in character. Less than 50 per cent of the total ton mileage of motor trucks on the system is by trucks operating wholly within the State. An important factor is the movement from Connecticut points to points in other States; and this movement is about equally divided between trucks of Connecticut registration and trucks registered in neighboring States. An outstanding feature of the truck transportation in this State is the extensive use of Connecticut highways for a "crossover" movement—i. e., a movement which neither originates nor terminates in the State. Of the total ton mileage, 18.8 per cent consists of movements originating outside the State and destined to points outside the State. About 90 per cent of this type of movement is by trucks of foreign registration.

The ton-mileage utilization of Connecticut highways is shown in Table 18.

Table 18.—Ton-mileage on Connecticut highways by Connecticut and foreign trucks

	Per cent of total ton- mileage
Trucks operating wholly within Connecticut (Connecticut registration). Trucks operating wholly within Connecticut (foreign registration). Trucks with either origin or destination outside Connecticut (Connecticut registration). Trucks with either origin or destination outside Connecticut (foreign registration). Trucks with both origin and destination outside Connecticut (Connecticut registration). Trucks with both origin and destination outside Connecticut (Greign registration).	14. 9 1. 7
Total	100. 0
Total Connecticut trucks	67. 2 32. 8
Total	100.0

Table 19.—Principal commodities transported over Connecticut highways in June, 1923

Per cent of total net ton- nage	Commodity	Per cent of total net ton- nage
4.8 4.7 4.1 4.1 4.0 3.9 3.2 3.0	Vegetables, mixed	1. 9 1. 8 1. 8 1. 0
2. 5 2. 2 2. 2	Miscellaneous commodities	50 8 49 8
	of total net ton- nage 4. 8 4. 7 4. 1 4. 1 4. 0 3. 9 3. 2 2. 3 2. 5 2. 2 2. 2	Of total net ton-nuge

¹ Movement of mixed commodities handled by commercial trucking companies.

Reference to Table 19 will indicate that two-fifths of the commodities listed separately are direct-consumption goods. It is prob-




Fig. 45.—Manufactured products predominate in the commodities transported by motor truck over the highways of California and Connecticut. Products of agriculture and mines constitute a much greater percentage of the whole movement in California than in Connecticut

29283°--- ҮВК 1924----- 12

able that an equal amount of the miscellaneous commodities are of the same type, so that it is conservative to estimate from 30 to 40 per cent of the total net tonnage as direct-consumption goods. The transportation of such goods by highways has had a marked effect upon the cost of distribution and is also an important factor in providing consumers, especially in smaller villages and rural districts, with a large number of perishable commodities which were seldom to be found on the market in rural communities prior to the development of motor transportation.

Origin and Destination of Highway Transportation


Motor trucks not only carry all types of commodities but engage in all kinds of hauling. The percentages of trucks moving to and from different types of origin and destination in Pennsylvania are shown in Table 20.

TABLE 20 .- Movement of trucks between various types of origin and destination, Pennsylvania, 1924

	Origin per- centage of all trucks	Desti- nation per- centage of all trucks		Origin per- centage of all trucks	Destination percentage of all trucks
Retail establishments. Wholesale establishments. Manufacturing plants. Consumers. Construction and repair jobs. Original sources 1 Farms. Storage warehouses.	22 0 16 6 13 9 13 7 12 5 8 8 5 9 1 9	20. 9 13. 6 12 3 14 2 13 1 7. 8 4 6 3 5	Steam rallroad terminals Motor trucking terminals Wharves and piers Electric railroad terminals Miscellaneous Storage garages 3	1 1 1 0 2 .2 .2 2 0 100 0	1 2 1, 5 1 .1 .3 6 8

¹ Includes mines, forests, quarries, oil wells, etc.
² Garages where motor trucks are stored for the nigh

The most important commodities have been found to vary to some extent with the season of the year, and to a great extent with PERCENTAGE OF TOTAL MILK SUPPLY DELIVERED BY MOTOR TRUCK TO VARIOUS CITIES



id. 46.—The daily transportation of milk into the largest cities is one of the outstanding services of the motor truck and the improved highway. In many cities practically the entire daily supply of milk is received by truck instead of by railroad, as formerly

the area in which the traffic is observed. Certain classes of commodities, however, have been found to be important in all cases, of which the following may be mentioned: Household goods; groceries; other perishables, such as meats, fruits, vegetables, milk, ice cream, bread, and bakery goods; gasoline; general express; and building materials such as lumber, stone, sand, brick, etc. In the transportation of these and similar commodities the motor truck has become an important factor, and the change in the method of transporting such goods has had far-reaching results.

Transportation of milk and livestock by highway.—Recent detailed studies by the Bureau of Public Roads show the extent to which this change has developed in the transportation of two important agricultural products—milk and livestock. The studies, which enter into a great variety of detail, are reported in Public Roads, the monthly journal of highway research published by the

GROWTH OF MILK TRANSPORTATION BY MOTOR TRUCK TO BALTIMORE MARKET PER CENT 40 50 100 1912 1913 1914 1915 1916 1917 1918 1919 1920 1921 1922 1923 Wagon Motor Truck

Fig. 47.—In 1914 no milk was transported to the Baltimore market by motor truck About 17 per cent of the total receipts were delivered by horse and wagon and the balance was shipped by rail. In 1923, 45 per cent of the milk received came in by motor truck

bureau, for July and August, 1924. The space available here will permit only a brief résumé of the principal conclusions to be given. The studies of milk transportation were made in the Baltimore, Cincinnati, Detroit, Indianapolis, Milwaukee, Philadelphia, and St. Paul and Minneapolis markets. In all these markets, with the exception of Philadelphia and Baltimore, the studies show that approximately 90 per cent or more of the milk now received is transported by motor truck via highway, instead of by railroad. Philadelphia, which is the largest city surveyed, receives only 20 per cent of its milk by highway; Baltimore 45 per cent, but the latter percentage represents merely the present stage in an increasing tendency which has been marked since 1912, when 20 per cent was delivered by highway. Whereas this 20 per cent was delivered by wagon, the 45 per cent is now delivered entirely by motor truck. The proportion of Philadelphia's total supply which is shipped in by motor truck has been increasing in recent years, but the percentage is low because the city, on account of its heavy demands, must draw its

supply from an area so large that the shipping distances become too

great for motor-truck hauling.

The distances from which milk is transported to the eight cities by highway and the percentages of the total number of trucks in each market hauling from various distances are shown in Figure 43. Only in the Philadelphia and Detroit markets is the longest haul greater than 60 miles. At Baltimore and Cincinnati it is between 50 and 60 miles; at Indianapolis it is between 40 and 50 miles; and at Milwaukee, and St. Paul, and Minneapolis it is between 30 and 39 miles.

The sizes of trucks used in the Baltimore market for hauling in the various mileage zones are shown in Figure 49, which indicates clearly that the smaller trucks are used for the shorter hauls, and the larger trucks for the longer hauls.

The rates charged for transporting milk by motor truck in the Baltimore market conform fairly closely to the rates charged by

ZONES FROM WHICH MILK IS HAULED BY MOTOR TRUCK TO VARIOUS CITIES




Fig. 48.—The distances from which the milk is hauled to the cities depends somewhat upon the size of the city and the character of the land immediately around the city, with respect to its ability to support a dairy industry. Milk is seldom hauled by highway further than 60 miles

the railroads. As a matter of fact the rail rates were the basis upon which the truck rates were fixed when the motor trucks first entered the business. No case was found where the truck rate was less than the railroad rate, and in some instances it was found that the truck rates exceeded the rail rates.

In comparing motor-truck rates with railroad rates, however, one must not lose sight of the fact that the motor-truck rates include pick-up service in many cases and in all cases delivery service at the city milk plant. When shipping by railroad, farmers have to haul their milk varying distances from the farm to the station, and the dairy or city milk dealer is obliged to haul the milk shipped by the railroad from the city terminal to his manufacturing or distributing plant. The dealers in Baltimore estimate that it costs them from 0.5 to 1 cent per gallon for this terminal hauling, which is entirely eliminated where the milk is brought directly to the plant from the points of production in the country. These costs naturally vary for

different dealers, depending largely upon the distances they are removed from the railroad terminals. In Baltimore not one of the dairies is located directly on a railroad sidetrack, so that in each case trucking, either by horses or by motor truck, is necessary to get the milk from the railroad car or platform to the plant.

The saving in time and expense to producers who ship by motor truck is shown by the following sample data which were secured from questionnaires filled out by milk producers shipping by truck and milk producers shipping by railroad. Forty-eight replies from each class of shippers were tabulated. Of the 48 shippers by truck, 23, or approximately 50 per cent, were located on truck routes and did not have to do any hauling. The remaining 25 hauled their milk to convenient points on truck routes, a total of 22.43 miles, or each one hauled his milk an average of 0.86 mile. If these same 48 shippers who shipped by motor truck had all taken their milk to the nearest railroad stations, they would have had to haul a total

SIZE OF TRUCKS USED IN VARIOUS ZONES FOR TRANSPORTATION OF MILK IN BALTIMORE AREA




Fig. 49. -As indicated by the practice in the Baltimore market, the smaller trucks are used for the shorter hauls in transporting milk and the larger trucks are kept for the longer hauls


distance of 117.25 miles. The actual saving to all of these shippers was 94.82 miles, or an average of 1.98 miles for each shipper.

The 48 shippers who shipped their milk by railroad hauled it a total distance of 61.45 miles, or an average of 1.28 miles each. The average hauling on the part of the 48 shippers who shipped by truck was 0.47 mile each. The average saving in hauling distance which the truck shippers enjoyed over the same number of railroad shippers was 0.81 mile each.

It should be noted that this analysis shows also that the milk producers who are most likely to ship by truck are those who are more distantly removed from their respective railroad stations. Shippers who made use of the motor truck were removed on the average 2.44 miles from the railroad, whereas those who shipped by railroad were on the average 1.28 miles distant. To those shippers who are the greatest distance from the railroads and who live on or near roads which are adapted to truck traffic the motor trucks bring the greatest

benefits. Through the use of motor trucks operating over improved highways the dairy industry is promoted and developed in regions which hitherto were too far removed from railroads to be developed practically as producing areas for fluid milk destined for the city market.

The records of the dairy plants in Baltimore show that the motor trucks engaged in this business of transporting milk from the country to the city operate with a great degree of regularity. Snow removal on the Maryland highways is well taken care of, so that the main highways are seldom if ever closed on account of snow. Records are not available for all of the motor trucks as to regularity of operation. It was found, however, that for 24 trucks not a single trip had been missed in the years 1922 and 1923. This does not mean that each one of these individual trucks was operated daily.



TANK TRUCK FOR MILK

Fig. 50.—These modern vehicles are used to collect milk from receiving depots maintained at convenient points in the territory around a large city. At the depots, to which farmers deliver their milk, the milk is cooled before being loaded into the tank truck for delivery to the city milk plant

Emergency trucks may have been used at times, but no trip was missed on account of unfavorable weather conditions, and continuous and regular service was afforded to the shippers and to the public.

Flexibility of operating schedules is an advantage which motortruck operators claim for their method of transportation. The time of departure in the morning is usually an hour later in the winter than in the summer months, which is a great convenience to the shippers. The earlier operation in the summer months makes it possible for the milk to be brought to the city before the heat of the day sets in.

Highway transportation of livestock.—The studies of the transportation of hogs into the Indianapolis livestock market show that nearly one-third of the receipts of hogs in 1923 were delivered by highway, contrasted with a highway delivery of less than 5 per cent

in 1913. Table 21 gives the official figures for receipts of hogs from 1913 to 1923 as reported by the auditor of the Belt Railroad & Stockyards Co.

Year	Total receipts	Truck receipts	Per cent of total	Year	Total receipts	Truck receipts	Per cent of total
1913	1, 994, 624 2, 099, 787 2, 435, 319 2, 576, 611 2, 350, 730 2, 794, 976	90, 821 96, 591 136, 447 173, 191 271, 994 462, 313	4 55 4.60 5.60 6.72 11 57 16 81	1919 1920. 1921 1922 1923.	2, 936, 493 2, 896, 894 2, 694, 705 2, 266, 551 2, 875, 648	711, 212 791, 988 808, 595 734, 280 934, 960	24 21 27 33 30 00 32 39 32 54

Table 21.—Receipts of hogs, Indianapolis stockyards, 1913_1923

The localities from which hogs are shipped by motor truck and distances from market vary somewhat according to road conditions




Fig. 51.—The heavy black lines represent regular motor-truck routes. Farmers living on these routes merely place their milk on platforms by the roadside, from which it is collected by the milk truck on its regular trip. Farmers living near the receiving stations deliver to them, and from them the milk is hauled in bulk to the city.

and seasons. The normal trucking range is within a 50-mile radius of Indianapolis. Ninety per cent of the hogs received from this area are delivered by motor truck. There are scattering shipments from the territory 75 to 100 miles away, but normally these shipments move by rail. The condition of the unimproved roads varies greatly with the season of the year. During the late winter and early spring months few haulers will accept shipments originating off the State or county roads, but during the summer and fall months livestock trucks go anywhere. With the number of miles of good roads constantly on the increase in the territory surrounding

Indianapolis, the trucking radius is being constantly pushed back

to the economic limit of truck haul on improved roads.

While the prevailing rates favor rail shipment for long distances, there is another reason why 50 miles is about the limit of livestock hauling—that is the competition of other stockyards. Stockyards of fairly large proportions are located at La Fayette, Terre Haute, and Muncie. These markets, as a rule, take up only local stock, most of which is trucked in.

		Truck	Rate per hundred pounds				
Shipping point	Distance		Steam railroad		Traction line		
			Single deck	Double deck	Single deck	Double deck	
The second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second secon	Miles	Cents	Cents	Cents	Cents	Cents	
Danville Franklin	20 21	20 20	14 14½	12 12!4	13 13½	11	
Lebanon		25 25	15	13	1416	12	
Thorntown		30	1614	1414	141/2	iž	
Martinsville		30	$16\frac{1}{2}$	1412	141/2	12	
Columbus.	41	40	18	16	17		
Crawfordsville	45	45	1814	16	17	14	
Greensburg.	48	50	181 2	16	18		

Table 22.—Truck and rail rates on hogs in Indianapolis

If every farmer had a full carload of hogs to ship at one time, railroad or traction lines offer, in practically all cases, cheaper rates than the truck haulers. However, there are relatively few farmers who have ready for market at one time a sufficient number of hogs to make up even a minimum carload. Thus the cost per head is often higher by rail, especially when one con iders the barnyard to stockyard service which the truck furnishes.

68

19

For example, the minimum rate on a single-deck car over the traction line from Lebanon to Indianapolis, a distance of 27.7 miles, is \$24.65 (17,000 pounds minimum weight at 14½ cents per hundred pounds). In addition it costs \$5 to \$8 to hire a truck to haul stock to the local shipping point. A truck which hauls 20 head of hogs weighing 300 pounds a head, charges 25 cents per hundred pounds,

or \$15 for the load.

La Fayette....

In cases of this kind the motor truck offers the cheaper transportation and would be chosen by the farmer even were no other advantage offered, as is often the case. In the above sample rates it is seen that the truck rates are approximately proportional to distance, while the steam railroad and traction line rates increase at a less rapid rate with added distance. When the cost of hauling a truck load of hogs approaches the rate for a minimum carload, there is an incentive to pool shipments and accept the trouble of obtaining cars, loading, marking hogs, or erecting partitions to distinguish ownership in order to obtain a cheaper transportation charge.

Before the advent of good roads and the motor truck many raisers who marketed but 20 or 30 head sold to a local buyer who assembled car lots and traded on a wide margin. The local buyer, not knowing when he would move his newly acquired stock, generally paid 75 cents to \$1.25 below the market price. The raiser had also to deliver

the stock to the point at which the local buyer planned to assemble the car. This system has entirely changed. The local buyer is eliminated within the trucking radius and the producer ships directly

to the yards, where his stock is sold at the market price.

A close study of market prices enables many farmers within trucking radius to take advantage of rises in prices. By means of a radio receiving set the farmer can catch the market openings and still have plenty of time to truck his stock to the yards before closing time. Many shippers have found it extremely difficult to get cars when the market offers the best opportunities.

The Value of Highway Service

It has already been shown that traffic on the 366 miles of most heavily traveled road in Connecticut is so heavy that the saving in gasoline alone resulting from the paving of these roads is sufficient in less than 20 years to pay the entire cost of the paving. This fact alone is evidence that the improvement of the roads is a paying investment, and, in a sense, indicates the value of the service rendered by the highways. Another method of estimating the value of this service is to estimate the cost of equivalent service rendered by the railroads. In such a comparison railroad rates are assumed to represent an accepted standard of value for transportation service. Employing this method we find tht the average railway receipts per ton-mile for the three-year period from 1920 to 1922 were 1.16 cents. The net volume of motor freight transported over the Connecticut State highway system during the year from September, 1922, to September, 1923, was approximately 88,000,000 ton-miles. On the basis of railroad receipts, therefore, the cost to the shipper of transporting this freight by rail would be \$1,020,800. Actually the cost would be greater, because the higher classes of freight are carried in larger proportion by highway than by railway. Similarly, the railroad receipts per passenger-mile during the above mentioned threeyear period were 2.94 cents, which, applied to the 1,439,000,000 passenger-miles carried by the State highway system, would give as the cost of equivalent railroad transportation, \$42,306,600. On the basis of these estimates the total cost, at railroad rates, of a transportation service equivalent to that rendered by the Connecticut State highway system in a year would be \$43,327,400. Accepting railroad rates as a standard of transportation value, this may be said to represent the annual value of the transportation over the Connecticut highway system.

Again, adopting railway practice as a standard, we find that during the 12-year period from 1911 to 1922, inclusive, railway charges for maintenance of way and structures were 13.3 per cent of total operating income. This proportion of their income, in other words, the railroads considered to be a fair charge for the maintenance of a good track, which means that they considered the earning value of the way or track to be at least equal to 13.3 per cent of their income. Applying this percentage to the above value of the transportation on the Connecticut system we find that the annual earning value of the roads would be considered by the railroads to be at least \$5,762,544. The present worth of the Connecticut State high-

way system (1923) has been estimated at \$30,000,000 exclusive of right of way. Therefore, the system may be said to earn an annual return of 19.2 per cent for highway service.

The Sphere of Usefulness of Highway Transportation

The sphere of usefulness of the highway and the highway vehicle has been greatly broadened by the automobile and motor truck. Just how these two new types of vehicles and the improved roads will ultimately affect the destiny of the Nation is difficult to foresee. Perhaps the best evidence that they satisfy a real want is the rapidity of their multiplication in numbers and the extensive use that is made of them by all classes of our people.

Improved roads and the automobile have drawn a shut-in city population out into the open air for needed recreation. Very largely



THE SCHOOL BUS


Fig. 52.—Progress in rural education results from the consolidation of the timehonored little red schoolhouses into larger centralized schools. Such consolidation is possible only as improved highways and busses are provided for the transportation of the children

they are the means which make possible the modern suburban home developments which encircle all our cities, and there is strong evidence that this tendency to move the homes outward from the centers of the city is but the first stage in a general movement toward decentralization of the whole city. Our cities have centered tightly about the "down-town" or business areas mainly because of the limits imposed on expansion by available means of transportation from home to office or factory. These limits have been greatly extended by the automobile, and the possible effects on the character of the cities are of the most fundamental character.

Mainly as the work of the automobile and improved roads, also, the one-time isolation of the farmer is known no more. How complete that isolation was during the long winters in some parts of our country only those who experienced it can know. Scarcely any-

where is there now even an approach to the condition which three decades ago was accepted as inevitable in a farmers' life. Neither in the dress of the people, nor in their manners, nor their education, nor their pleasures, their desires, nor in any outward aspect is there any longer apparent a rural as distinguished from an urban class. The farmer has come to share in the pleasures and opportunities for cultural improvement which formerly were out of his reach, just as his city-bred friends have come to enjoy and to profit in mental and bodily health by partaking of the priceless boons of fresh air, sunshine, and natural beauty which have been denied them in their city homes.

Progress in rural education is predicated upon the possibility of consolidation of the time-honored, little red schoolhouses into larger centralized schools in which grading of pupils and specialization in instruction may replace the congregate instruction of children of all ages and stages of advancement by a single, untrained teacher.



A MODERN INTERCITY BUS

Fig. 53.—Comfortable and commodious busses now ply regularly between cities and towns wherever roads are improved, providing a passenger-transportation service which for regularity is not excelled by the railroads

Such consolidation depends on road improvement and has become possible only as highways have been constructed and busses have been employed to move the children from their homes to their more distant schools.

Similar opportunities for more effective service are afforded by the better roads to the church.

And much as they have already erased the outward evidences which formerly distinguished the country and the city bred, so also the improved road and the automobile are striking a most effective blow at provincialism and sectional prejudice. Some one has said with truth that if the automobile had been invented 40 years earlier there would have been no Civil War. Wars, strife, all misunderstandings are bred of ignorance which is the offspring of isolation.

Thanks to the motor car and the good roads, there is now no community which is not visited yearly by dozens, scores, perhaps hundreds and thousands of travelers by highway, who bring with them and leave behind new ideas and knowledge in exchange for those they take away. The down-east farmer spends his winters in Florida. The southerner, born and bred, learns by the northern roadsides how superficial are the differences which distinguish North from South. The Easterner travels by automobile all over the West, and the wild West returns to seek its origins in the old Colonies.

In a year it is estimated that the millions of automobiles account for a passenger mileage which is at least 10 times the annual passenger mileage of the railroads, and do so without measurably reducing the total passenger service rendered by the railroads. Nor is there much likelihood that the transportation service rendered by the motor cars could otherwise have fallen to the railroads.





Fig. 54.—The service of the motor bus is mainly as a supplement to rail passenger service. The bus is, however, a serious competitor of the electric interurban railway, and in some instances it has successfully competed on an even footing with steam service

What is more likely is that the passenger movement by automobile is a movement which, in large measure, would not have taken place but for the development of the motor car. In certain instances the passenger bus has invaded the field formerly held exclusively by the railroads and the electric interurbans. In at least one instance the same sort of competition by the motor bus has caused the discontinuance of a line of boats. But it is not likely that the passenger automobile has seriously affected the passenger business of the railroads. The two facilities offer different classes of service, and therefore are supplementary in the main and not competitive.

The latter statement applies equally to the motor truck. This vehicle has amply demonstrated its value in our economic system. It has extended and increased the efficiency of farm operation; developed old markets and established new ones; speeded the conversion of raw materials into finished products; hastened and rendered more efficient the processes of marketing and distribution,

particularly in those stages at which the greatest waste and delay have occurred in the past. It has made it possible for the farmer to take advantage of variations in demand at various markets, and thus not only obtain a higher price for his produce and a market for a larger amount but also to provide the supply necessary to meet the consumer's demands and stabilize the cost of the produce to the consumer. It has quickened the distribution of commodities after they have reached the transportation terminals of the large cities and it has provided a service which involves a complete movement from shipping platform of shipper to receiving platform of consignee without transfer or reloading between points which are not too widely separated. But it has not, with few local exceptions, invaded the proper and profitable field of the railroads.



WEIGHING A MOTOR TRUCK IN THE CONNECTICUT TRANSPORTATION SURVEY

Fig. 55.—The motor truck provides a complete transportation service from the shipper directly to the door of the consignee without transfer or reloading between points that are not too widely separated

The major fields of motor-truck transportation.—As indicated by the transportation surveys conducted by the Bureau of Public Roads in Connecticut, Pennsylvania, California, Maine, and Cook County, Ill., the principal fields of operation of the motor truck in the transportation of freight are—

- 1. Organized truck transportation in congested, urban terminal areas.
- 2. Freight service supplementing existing rail and water transportation systems.
 - 3. Short-haul transportation of freight.
 - 4. Long-distance transportation of special commodities.

By the use of the motor truck the congestion of incoming and outbound freight in railroad terminals is relieved and the freight cars, which are unloaded more rapidly, are used more efficiently in the line haul of freight. The increased speed of movement of less-thancarload freight alone will justify this development. Used in this way, the truck obviously serves as a supplement to the railroad, and so it does also in the new fields of use for which it is now being adopted by some of our principal railroad systems. One of these is the transportation of freight and passengers in new areas which are inadequately served by rail or which lack altogether an organized transportation service. The other is the outright use of the motor truck as a coordinated agency for the transportation of less-than-carload freight. The Pennsylvania Railroad's offering of the latter form of service is one of the most recent developments. In performing this service the motor units are under the direction of railroad traffic officers who are able to direct each vehicle to the best advantage in conjunction with stops to be made and freight to be picked up or delivered. In general, there are two trucks at each installation (Pennsylvania motor truck division) which perform a pick-up and delivery service only between Pennsylvania Railroad stations.

MOTOR FREIGHT LINE OF PENNSYLVANIA RAILROAD PHILADELPHIA TO DOWNINGTOWN, PA. UNIT No.3

DEVON BRYN MAWR

LANCASTER PIKE MALVERN BRYN MAWR

DOWNINGTOWN SCALE IN MILES

Highway

Pennsylvania R.R.

Fig. 56.—The Pennsylvania Railrond operates motor trucks on the zone-station principle. Full cars of L. C. L. freight are shipped to zone stations, and the intermediate stations are served from these zone stations by motor truck

The Pennsylvania operates its trucks on the zone-station principle, as indicated on the map (fig. 56), showing the motor-truck division between Philadelphia and Downingtown, Pa. Ardmore, Wayne, Paoli, and Downingtown are westbound zone stations, and Downingtown, Malvern, Devon, and Bryn Mawr eastbound zone stations. Full cars of less-than-carload freight are shipped to zone stations, and the intermediate stations are served from these zone stations by motor truck. The motor-truck divisions installed in the eastern and central divisions of the Pennsylvania Railroad at the present time are shown in Figure 57. The basis of the Pennsylvania Railroad's motor-truck service is twofold: (1) Prompt and reliable service for less-than-carload freight and elimination of the package local freight train; (2) increased safety in train operation, which is accomplished by the fact that less-than-carload freight trains stop only at zone stations and do not cross against the stream of traffic. For example, westbound trains from Philadelphia to Downingtown stop at zone stations located on the westbound side, and a crossover is




Fig. 57.—Prompt, reliable L. C. L. freight service: the elimination of the local package freight train and increased safety in train operation are the reasons for the establishment of motor-truck service by the Pennsylvania Railroad

eliminated. Motor trucks operate on a fixed schedule, and freight is hauled by motor truck at the rail rate. Damage to goods in transit has been reduced approximately 75 per cent by motor-truck movement.

The past two years have seen a reduction in the volume of long-haul motor-truck transportation. The surveys conducted by the Bureau of Public Roads show that approximately two-thirds of the tonnage is transported in what is called the short-haul zone—that is, less than 30 miles. More real economy occurs in the use of a motor truck within this limit than in long-distance transportation, which is speculative and uncertain and makes return loads difficult to obtain.

For goods requiring rapid movement or delivery at a specified time motor-truck transportation is especially valuable. goods of this character may be listed perishable food products, such as fresh fruit and vegetables, meats, bread and other bakery goods; commodities of high value on which insurance and interest on capital invested during the period of the shipment is an important factor; and goods which must be delivered at a definite time. Shipment of such goods by motor truck has resulted in providing a continuous supply of perishable foods at markets of many of the smaller towns where such supplies could not be maintained previously, due to infrequent and irregular rail service. It has made possible the operation of mercantile and manufacturing establishments with smaller working capital, due to the ability to replenish stocks at frequent intervals, and has thus increased the rate of turnover of such capital and made possible successful operation at a smaller profit per unit of goods. It has also made possible the elimination of large storage warehouses at certain points. For example, a manufacturing plant located in Connecticut with its principal selling area in New York City can, by the use of motor trucks, supply goods to its New York sales agencies direct from the factory as needed and thus eliminate the expense of maintaining a warehouse in New York City and also eliminate the costs of carrying charges on a large stock of goods in such a warehouse.



FARM CREDIT FARM INSURANCE S AND S FARM TAXATION

NILS A. OLSEN, C. O. BRANNEN, G. F. CADISCH, and R. W. NEWTON, Burcass of Agricultural Economics

Farm Credit

THE problem of credit for agriculture has assumed growing importance since the early part of this century. This is due to the marked changes that have taken place in the farming industry. Free lands have all but disappeared, and increasing land values, together with more intensive methods of farming and the development of cooperative marketing, have made it necessary for the farmer

to acquire larger working capital.

While these demands for credit have been rapidly growing, credit facilities for the farmer until recently have lagged materially behind. Until within the last decade the farmer has had to look to commercial banks and other private agencies for his credit. Beginning with the first decade of this century, however, an organized effort has been made to improve the credit facilities of the farmer. In the report of the Country Life Commission in 1908 the need of more ample credit facilities as an aid to better farm conditions was strongly emphasized. A few years later two special commissions were sent to Europe to investigate the rural credit conditions there, with the purpose of formulating plans for a credit system that would better serve the American farmer. The reports of these commissions helped crystallize sentiment for the establishment of credit institutions that would serve the farmer as well as those serving industry and commerce. The result was the enactment of the Federal farm loan act in 1916.

The World War also had an important influence in shaping rural credit developments in this country. In order to meet the demands of the Allies for food and raw materials, the Nation made every effort to provide ample credit for the farmer. This, coupled with the inflation in prices, led to a marked expansion in agricultural activities and in some regions to overcapitalization of the industry. With the break in prices in 1920 and the depression which followed, difficulties loomed up for many farmers. Debts contracted at war prices could be paid from shrunken incomes only with difficulty. Thousands of farmers failed and banks toppled by the hundreds. Established credit agencies were put to a severe test and in some




Fig. 1.—Over one-third of the value of farm property and nearly two-fifths of the value of farm land in the United States is in the Corn Belt. The average value of farm land per acre Japuary 1, 1920, was \$148 in the Corn Belt, as compared with \$40 in the Cotton Belt, \$48 in the Hay and Pasture Region, and \$21 in the Great Plains Region. Only in the South Pacific Coast Region does the value of farm property per square mile and of farm land per acre (\$114) approach the values in the Corn Belt

regions were unable to cope with the situation, with the result that Government funds had to be provided to meet the emergency. Many of the farm mortgage credit agencies redoubled their efforts to meet the demand which arose for credit with which to refund farm debts on more reasonable terms and for longer periods. The inability, however, of commercial banks, particularly in some sections of the country, to carry farmers through these trying years, together with the pressure which was brought upon farmers in many instances to liquidate their loans when prices were at low ebb, strengthened the belief that commercial banks were not adapted to meet all the credit requirements of the farmer. This situation helped crystallize sentiment for a system which would better provide for the intermediate credit needs of the farmer. The result was the enactment of the agricultural credits act in the spring of 1923.

Farm Capital and Farm Credit

Agriculture is a heavily capitalized industry. If we use as a measure of agricultural capital the value of all farm property, including lands, buildings, machinery, and livestock, it appears that the capital employed in 1920 amounted to almost \$78,000,000,000. In fact, no other single industry has so large an amount of fixed capital invested in its plant. As we should expect, the amount of capital employed by farmers is not equally great in all parts of the country. (Fig. 1.) In some regions the average value of farms in 1920 was less than \$2,500 and in other regions well over \$50,000.

The capital requirements of agriculture have increased enormously since the middle of the last century. The value of all farm property has risen much more rapidly than the number of farms or the amount

VALUE OF FARM PROPERTY, 1850-1920 BILLIONS OF DOLLARS 50 30 40 60 20 10 1850 1860 Land and Buildings 1870 Implements and Machinery 1880 1890 1900 1910 1920

Fig. 2.—During the 70 years prior to 1920 the value of all farm property increased from less than \$4,000,000,000 to almost \$78,000,000,000. Land and buildings in 1920 represented 85.1 per cent of the value of airm property, implements and machinery 4.6 per cent, and livestock 10.3 per cent.

of land in farms. Between 1850 and 1900 the value of all farm property increased from less than \$4,000,000,000 to over \$20,000,000,000. During the 10 years between 1900 and 1910 these values doubled, and again between 1910 and 1920 they almost doubled. (Fig. 2.) Within these 70 years the average size of farms decreased by almost a fourth, yet the value of farm property rose from \$2,738 to \$12,084 per farm. During the 10 years preceding 1920 the number of farms increased only 1.4 per cent, the average size of farms increased 7.3 per cent, but the average value of property per farm increased 87.5 per cent. The output of the American farm has been greatly enlarged without a corresponding increase in man power, but this has necessitated the use of more capital.

As the capital requirements of farming have expanded, credit has become increasingly important in the operation of the farm. When land was free or cheap and farm equipment and supplies used to a much more limited extent, less capital was needed to acquire, equip, and operate a farm. Farmers then often were able to acquire sufficient capital of their own with which to finance their needs. Now that the capital requirements of farming are so great, farmers use credit facilities extensively, and interest payments bulk large in their costs. The interest due in 1920 on farm mortgage debt alone is estimated to have been around \$500,000,000. Some indication of the relation of payments on interest accounts to farm earnings is supplied in the following table:

Table 1.—Payments on interest account for representative owner-operated farms, 1923 1

	United States	North Atlantic	South Atlantic	East North Central	West North Central	South Central	Western
Number of farms A verage interest payment Percentage of net cash receipts used in	16, 183 \$230	1, 800 \$90	2, 131 \$100	3, 395 \$180	3, 817 \$380	3, 320 \$170	1, 720 \$390
payment of interest	25. 8	10. 1	16. 9	19. 8	38. 4	20.5	37. 5
out for interest	14. 6	4.8	8.3	12. 2	20.3	15. 5	17.6

¹ Crops and Markets, supplement, July, 1924.

The interest paid on debts in 1923 by these farmers ranged from \$90 in the North Atlantic States to \$390 in the Western States. A large percentage of the net cash farm receipts in all sections, ranging from 10.1 per cent in the North Atlantic to 38.4 per cent in the West North Central States, was used in the payment of interest.

Classes of Farm Credit

Farm credit may be considered under three main classes. Owing to the large amount of fixed capital invested and the low turnover in the farm business, the periods for which farmers need credit are longer usually than in most other kinds of business. Ordinarily the farm earnings of several years are required for the payment of the purchase price of land and of permanent improvements. Credit obtained for development and equipment purposes is needed for periods somewhat shorter than for the purchase of land. Then,

again. loans obtained for the production and marketing of crops are paid as a rule from the proceeds of those crops, but the period over which the production and marketing processes extend varies materially with the type of farming. When thus considered from the viewpoint of the period for which it is needed, farm credit is designated as (1) long-term credit covering periods ranging from 3 to 40 years, (2) intermediate credit covering periods of 6 months to 3 years, and (3) short-term credit covering periods of 6 months or less. When considered according to the purpose for which it is needed farm credit is classed as (1) land-purchase credit, (2) development and equipment credit, and (3) production and marketing There are a number of points of similarity between this classification and the preceding one. Land-purchase credit is ordinarily long-term credit; development and equipment credit may be either long-term or intermediate credit. Even short-term loans are sometimes used for development and equipment purposes. Usually, however, this class of credit falls in the intermediate term. short-term and intermediate credit may be used for production and marketing purposes. There is a third classification that is based on the security taken for the loans. Under this classification farm credit is designated as (1) farm mortgage credit and (2) personal and collateral credit. Here again we have some overlapping with other classifications. Farm mortgage credit usually corresponds to long-term as well as land-purchase credit. It is also used to a large extent for development and equipment purposes. Intermediate and short-term credit, on the other hand, are generally based on personal and collateral security. Intermediate credit is quite similar to short-term credit in the matter of security but differs from it both as to term and use.

Long-Term Credit

Long-term credit with which to purchase land or make permanent improvements is used more extensively in the farming industry than any other form of credit. The relative importance of this kind of credit varies widely between regions. A recent survey indicates that the mortgage encumbrance of owner-operator farmers in 1924 amounted to about two-thirds of their total debt. The mortgage debt of such farmers was relatively greater in the West and South than in the East. (Fig. 3.)

Such detailed information as we have in regard to farm mortgages is confined largely to owner-operated farms, which in 1920 included almost 61 per cent of all farms and over 66 per cent of all land in farms. The number of owner-operated farms mortgaged in 1920 was especially large in parts of the West. At that time, for example, only 14.2 per cent of the owner-operated farms in West Virginia were mortgaged as compared with 71.1 per cent in North Dakota. (Fig. 4.)

Farm mortgage debt has grown materially during the last several decades. Between 1890 and 1920 the percentage of owned farms mortgaged increased from 27.8 to 37.2 per cent. The growth in the volume of such debt has been even more marked. While the number of full-owner farms mortgaged increased 18.5 per cent between 1910 and 1920, the amount of mortgage debt on such farms increased from




Fig. 3.—According to returns from over 10,000 owner-operator farmers in July, 1924, farm mortgage debt amounted to about 66 per cent, short-term cash loans to about 28 per cent, credit accounts to almost 2 per cent, and all other debts around 4 per cent of their total debt. The low percentage of mortgage debt shown for Rhode Island is probably due in part to inadequate returns

\$1,726,172,851 to \$4,003,767,192, or 131.9 per cent. The mortgage debt data obtained by the Census Bureau applies only to full-owner farms. Estimates have been made, however, by the Bureau of the Census and the Bureau of Agricultural Economics which indicate that the total farm mortgage encumbrance for all classes of farms mounted from \$3,320,470,000 in 1910 to \$7,857,700,000 in 1920. The distribution of the estimated total mortgage debt in 1920 is shown in




Fig. 4.—In 1920, 37.2 per cent of the farms operated by all owners reporting were mortgaged. The largest percentage of mortgaged farms in 1920 was found in the more pecently settled regions and in sections where land values had increased rapidly

Figure 5. Mortgage encumbrance as appears in this map was relatively large in the Middle West, the State of Iowa alone having an estimated farm mortgage encumbrance of \$1,099,000,000. It should be observed, however, that the mortgage debt in 1920 was very unevenly distributed. Almost 53 per cent of the owner-operated farms was reported as entirely free from mortgage. On the other hand, the encumbrance on mortgaged farms was not equally large on all farms. The smaller farms appear to have carried a proportionally higher debt than the larger ones. Over 43 per cent of the mortgage encumbrance on owner-operated farms in 1920 was carried by farms valued on the average under \$15,000. The ratio of mortgage debt to the value of these farms averaged about 35 per cent as compared with an average of 29.1 per cent for all mortgaged owner farms.




Fig. 5.—The total estimated farm mortgage debt January 1, 1920, was \$7,857,-700,000. Almost 61 per cent of this debt was on farms in the East North Central and West North Central States. The encumbrance on farms operated by their owners amounted to over 67 per cent, on farms operated by tenants about 28 per cent, and on farms operated by managers about 5 per cent of the total mortgage debt

There is also reason to believe that farm mortgage encumbrance has grown still larger since 1920, although we have no accurate measurement of this fact. During the last several years practically all of the important farm mortgage credit agencies have materially increased their farm loans. While a substantial number of such loans merely represent a shifting of farm mortgages away from other agencies, yet it is apparent that the total mortgage debt has been considerably increased, in part through the funding of short-term debt.

In some measure this increase in mortgage encumbrance before 1920 reflects easy credit conditions as well as a tendency to expand farm operations. In part it is explained by the increase in purchase money mortgages resulting from the transfer of lands whether by purchase or by inheritance. But it is evident that rising land values were a primary cause of the growth in mortgage debt prior

to 1920. (Fig. 6.) For the country as a whole the average value of mortgaged farms increased 83.6 per cent between 1910 and 1920. During the same period the average mortgage debt increased 95.7 per cent and the ratio of debt to value of mortgaged farms increased from 27.3 per cent to 29.1 per cent. In general, land values and mortgage encumbrance tend to move along parallel lines. It will be observed, however, that the encumbrance increased materially faster than the value of farms, especially in the South and West.

Since 1920 land values have declined while mortgage debt has risen. It is estimated that the drop in the value of all plow lands between the spring of 1920 and the spring of 1925 amounted to about 30 per cent. During these five years land values rose in only two States. In all other States land values dropped from 3 to 47 per cent. This has resulted in a material decline in the equity held by farmers in their land. A recent survey indicates that the ratio of




Fig. 6 —Between 1910 and 1920 land values advanced in all parts of the country, more than doubling in many States of the South and the Middle West. During the same period farm mortgage encumbrance in most States increased even more than land values

encumbrance to value of owner-operated farms in the summer of 1924 had risen to about 40 per cent as compared with 29.1 per cent five years before.

Sources of Long-Term Credit

Savings and the accumulation of capital are the foundation of credit. Old and developed regions usually are better provided with capital and credit facilities than are newly settled or predominantly agricultural regions. To facilitate the flow of funds from regions of surplus capital to regions deficient in capital, several important credit institutions have been developed. In the matter of credit, as in most other directions, American farmers are individualists and have not, as in Europe, cooperated to provide special rural credit facilities. Commercial credit agencies, therefore, have dominated

the field of rural credit. At the present time the following are the most important sources of mortgage credit: Commercial banks, especially State banks, trust companies, and savings banks; life insurance companies; farm mortgage companies; owners of land and private investors; Federal and joint-stock land banks; and, finally, State funds and State credit agencies.

Commercial Banks

State and national banks are the basis of our entire credit system. They have been and still are one of the primary sources of both long and short term farm credit. A recent survey indicates that bank loans for agricultural purposes in the spring of 1924 amounted to about 14 per cent of the total loans and discounts of all banks. (Fig. 7.) While banks in all parts of the country give substantial




Fig. 7.—A department survey shows that bank loans for agricultural purposes in 1923 amounted to about 14 per cent of the total loans and discounts of all State and national banks. Farm mortgage loans amounted to 4.5 per cent and personal and collateral loans to 9.5 per cent of bank loans to farmers

aid to agriculture, a relatively larger part of the banking resources in the West and South are used for agricultural purposes than elsewhere. The agricultural loans of banks in the State of Massachusetts amounted in 1923 to less than 1 per cent of their total loans and discounts as compared with about 75 per cent in the State of South Dakota.

The resources of banks are the basis of their lending power. In the past these resources have been heavily concentrated in the industrial East and only gradually have they shifted westward with the development of the country. As late as 1900 most of the banking resources of the country were concentrated in a few States of the East and Middle West. Since then more capital has accumulated in the more western parts of the country and all regions are better provided with banking capital. (Figs. 8 and 9.) This lack of




Fig. 8.—The resources of State and national banks increased from \$10,780,000,000 in 1900 to \$50,854,000,000 in 1924, as reported by the Comptreller of the Currency. This comparison does not take into account changes in the value of the dellar. Almost 66 per cent of these banking resources in 1900 were in the East

adequate banking resources in the newer regions of the West has been one of the important factors underlying our rural credit problem.

As a source of farm mortgage credit commercial banks hold a leading place. The volume of bank farm mortgage loans is estimated to have increased from three-fourths of a billion dollars in 1914 to




Fig. 9.—Between 1900 and 1924 there was some shift from the East to the West and to the South in the relative amount of banking resources. The banking resources of the East declined from 68 per cent of total resources in 1900 to 54 per cent in 1924. On the other hand, banking resources in the South increased from less that 4 to over 8 per cent, those of the Middle West from almost 24 to over 28 per cent, and those of the Pacific Coast States from 4 to 7 per cent of all resources. In the Mountain States banking resources in 1924 held relatively the same position as in 1900

almost one and one-half billions in 1921. (Fig. 10.)¹ During the last two or three years there appears to have been some decline in the mortgage loans of banks, which in part is due to a probable shifting of such loans to other credit institutions. While State and national banks furnished in 1914 roughly 20 per cent of the total estimated capital invested in farm mortgages, their mortgage loans dropped to about 17 per cent of the total in 1921 and by 1923 had declined relatively still more.

Commercial banks in all parts of the country do a farm mortgage business, but the largest amount of such loans is made in the Middle West, the South, and in the State of California. In the Middle West

FARM MORTGAGE LOANS OF COMMERCIAL BANKS, LIFE INSURANCE COMPANIES, FEDERAL AND JOINT-STOCK LAND BANKS, DECEMBER 31, 1914-DECEMBER 31, 1923




Fig. 10.—Commercial banks, life insurance companies, and farm mortgage companies have for years supplied farmers a large part of their mortgage credit. They are still leading sources of such credit. Since the establishment of Federal and joint-stock land banks the amount of mortgage credit obtained through this source has rapidly increased. Figures for commercial banks are estimates. Life insurance loans are based on reports for companies having from 90 to 94 per cent of the total admitted assets of all American life insurance companies

the percentage of bank loans and discounts used in farm mortgage loans in 1923 ranged from 4.5 per cent in Missouri to 17 per cent in Iowa; in the South from 2.5 per cent in Florida to 22.4 per cent in Mississippi; in the far West from 3.4 per cent in Oregon to 16.8 per cent in Nevada. In some of the eastern States farm mortgage loans constitute but a small percentage of bank loans and discounts, in many instances being less than 1 per cent. It should be observed, however, that the States of Vermont and New Hampshire show a

¹ V. N. Valgren and Elmer E. Engelbert. Farm Mortgage Loans by Banks, Insurance Companies, and other Agencies. U. S. Department of Agriculture, Bulletin 1047.

very high percentage of farm mortgage loans. This is explained by the prevalence in those States of trust companies and savings banks that invest a large part of their funds in western mortgages. In the territory west of the Mississippi River banks also handle farm mortgages for other investors.

Commercial banks in general are not adapted to meet the farmmortgage credit needs of farmers. As a rule they are deposit banking institutions and must keep their funds in liquid form. This no doubt accounts for the relatively short term on which their mortgage loans are usually made and to some extent for the more recent tendency of commercial banks to reduce their farm mortgage loans.

Life Insurance Companies and Farm Mortgage Companies

For the past 50 years life insurance companies have been one of the greatest single factors in financing American agriculture. No




Fig. 11.— Life insurance companies make farm mortgage loans in the better farming sections of the country, especially in the Mississippi Valley. Over 79 per cent of their outstanding loans in 1923 were concentrated in 10 States. The farm mortgage loans reported are for 52 American life insurance companies with assets amounting to over 93 per cent of the total admitted assets of all American life insurance companies, as reported by the Association of Life Insurance Presidents

information in regard to the extent of their activities in this field prior to 1914 is available, but at the end of that year their outstanding farm mortgage loans amounted to \$647,000,000, or slightly over 19 per cent of the estimated total mortgage debt of the United States. With the exception of a slight decline in their business in 1919, farm mortgage loans of life insurance companies have continued to increase until they reached the sum of \$1,781,000,000 in September, 1924. (Fig. 10.) At the present time they are estimated to hold roughly around 20 per cent of all farm mortgages. The growth of the farm mortgage business of life insurance companies has been especially rapid in the last 10 years. During the war, as well as during the years of the depression, their farm mort-

gage loans mounted fast. Between 1914 and 1921 the farm mortgage investments of life insurance companies increased from 39 to 51 per cent of their total mortgage loans. During these seven years their loans more than doubled, and for the first time the amount of their farm loans exceeded that on city property. The last two years have witnessed a somewhat slower growth in their farm mortgage business.

Life insurance companies have been very responsive to the needs of agriculture during its recent critical periods. This appears in the recent marked extension in their loaning activities. During the five years 1914 to 1919 the average annual increase in life insurance loans amounted to \$42,000,000 as compared with an average of \$201,000,000 in the four years 1919 to 1923. Most of the life insurance loans are distributed in the Central West and South. (Fig. 11.) Approximately 60 per cent of their loans are in the six States of Iowa, Kansas, Missouri, Nebraska, Minnesota, and Illinois, and almost one-fourth have been placed in the State of Iowa alone.

Life insurance companies are effective agencies in mobilizing capital for distribution in all sections of the country. This is well illustrated in a survey that was made in 1920 of 15 companies that held in that year over 83 per cent of the total life insurance loans. Of these 15 companies 13 had their home offices on the Atlantic seaboard, and all were located east of the Mississippi and north of the Potomac and Ohio Rivers.

The larger life insurance companies, as a rule, maintain investment departments through which they receive and pass on applications for loans. They also employ special loan agents or correspondents, as well as salaried appraisers to handle their business. On the other hand, the smaller companies purchase most of their mortgages from banks and mortgage brokers. According to a recent department study, 69 per cent of life insurance loans made in 1923 were purchased from mortgage brokers and 31 per cent were made direct to farmers.

Farm mortgage companies have for some time past been active in the field of farm mortgage credit. While reliable data in regard to the volume of their business are not available, it is evident that they handle a large volume of farm mortgages. Companies of this kind are located chiefly in the larger cities of agricultural sections and place loans in the adjoining territory. Most of their loans are placed through local agents or correspondents, although many of the smaller companies make loans direct to farmers. Their business is essentially a brokerage business in which they serve as middlemen between farmers and those who have surplus funds to invest in mortgage loans. Many of these companies operate on a conservative basis and have a strong clientele; others have followed the practice of placing loans that command high interest rates as well as high commissions.

Former Land Owners and Private Investors

Former land owners and private investors are two of the most important sources of farm mortgage credit. Unfortunately detailed information in regard to their activities is not available. A recent survey of owner-operator debt, however, gives some indication as

to the importance of this source of mortgage credit. (Fig. 12.) This study showed that 21 per cent of the total debt of owner-operator farmers in 1924 was held by other farmers and individuals. Farmers in the East and in the Middle West appear to have drawn more extensively upon these sources than have farmers in other sections of the country. Much of this credit is advanced by sellers of land. In some sections of the country it is a common practice for the seller to take a mortgage for a substantial part of the sale price of the farm. Frequently a farmer will arrange for the purchase of a farm by obtaining a first-mortgage loan from some financial institution, the former owner accepting a second mortgage for a substantial part of the purchase price. A large number of second mortgages on farm land are therefore held by former owners of




Fig. 12.—According to a department survey, 21 per cent of the total debt of owner-operator farmers in July, 1924, was owed to farmers and other individuals. Of the total debt about 4 per cent was held by actual farmers, 7 per cent by retired farmers, and 10 per cent by other individuals

the land. The interest rate on such loans is usually quite favorable, but this advantage in some degree may be offset by the price paid for the land.

Federal Farm Loan System

The American farmer until recent years has lacked a farm mort-gage credit system through which he could obtain at reasonable cost long-time loans that could be paid off gradually from the earnings of his farm. Before the passage of the Federal farm loan act in 1916 commercial credit agencies rendered a valuable service, but they were not always able to supply credit in adequate amounts, and frequently loans were made at excessive costs and for too short periods. Under the conditions that obtained outside capital was brought in frequently through country banks or real estate firms, and the practice grew up of marketing farm mortgage notes in their original form. As a rule it was necessary to find a purchaser who wanted a mortgage of a given amount, for a given

period, and with given terms. Paper of this kind naturally will not sell as readily in the open market as well standardized securities. What the farmer needed was a system through which his mortgages would not be marketed direct but held as collateral against which bonds could be issued and placed on the market. In short, there was needed in the farm mortgage field an institution which would fix reliable and suitable standards for farm mortgages and market them in the form of bonds.

A farm mortgage credit system which would more adequately serve the needs of farmers was created by the Federal farm loan act in 1916. This measure provides for two classes of credit institutions—the Federal land banks, which operate under Government direction and supervision, and the joint-stock land banks, which are privately owned and managed institutions but operate under the supervision of the Federal Government. The general direction of the Federal farm loan system is in the hands of the Federal Farm Loan Board. This board is composed of seven members, six of whom are appointed by the President with the advice and consent of the Senate. The Secretary of the Treasury is chairman ex officio of the board. This board exercises careful supervision over the activities of both Federal and joint-stock land banks. It gives special attention to the adequacy of security taken for the funds advanced, as well as to the marketing of the bonds through which funds for making loans are obtained.

For the purpose of administering the Federal land banks the country has been divided into 12 districts, each of which is served by one bank. Each bank had originally a paid-up capital stock of \$750,000. The total original capital stock of the 12 banks was, therefore, \$9,000,000, of which \$8,892,130 was subscribed by the United States Treasury. The law provided that the capital stock subscribed by the Government should be gradually retired through repurchase by the local national farm loan associations. By December 31, 1924, seven of the banks had completely repaid their capital stock and the five remaining banks had outstanding the sum of

\$1,670,965 of the original stock subscribed by the Treasury.

The Federal land banks were in the beginning managed by five directors appointed by the Federal Farm Loan Board. At the time the original act was passed it was the intention that the control of each bank should pass to the borrowers as soon as the subscription to the stock amounted to \$100,000. Control should then be vested in nine directors, six of whom were to be chosen to represent the national farm loan associations and three appointed by the Federal Farm Loan Board to represent the public interest. From an early date, however, it was felt by the board that the control of the Federal land banks by borrowers would be unwise. The cooperative. features of the system did not develop as expected. Once their loans were obtained, borrowers often ceased to participate actively in the work of the local farm loan associations. It was also believed that farmer control of the banks would interfere with the sale of bonds in adequate volume. An amendment was accordingly passed in 1923 which gives the Federal Farm Loan Board at least as much control over the Federal land bank directors as that of the local associations. This amendment provides for seven directors. The Federal Farm

Loan Board appoints three district directors and the national farm loan associations elect three local directors. The seventh member, who is a director at large, is appointed by the board from the three persons obtaining the greatest number of votes for director at large from the associations. It is thus apparent that the original plan to make the Federal land banks strictly cooperative institutions has not been realized.

The Federal land banks operate locally through national farm loan associations, which were intended to be the active part of the system. These associations may be organized by 10 or more farmers desiring loans amounting to at least \$20,000 and are chartered by the Federal Farm Loan Board. At the present time over 4,600 national farm loan associations have been organized in all parts of the country. (Fig. 13.) Practically every county in the United States is now served by one or more of these associations. The




Fig. 13.—There are 4,650 national farm loan associations in the United States. While every county does not have its own association, almost every county is served by one or more associations. Based on data supplied by the Federal Farm Loan Board.

national farm loan association has a president, vice president, secretary-treasurer, and usually a board of five directors. It also has a loan committee of three, which passes on all applications for loans. The active officer of the association, however, is the secretary-treasurer, who represents the local association in its dealings with the Federal land bank. One of the greatest problems in the operation of the system has been to find men qualified to serve acceptably as secretary-treasurers. In many instances they have lacked business experience and frequently have received inadequate pay. Every borrowing farmer is a member of the local association and has 1 vote for each share up to 20 votes. The expenses of the association are met as a rule through the assessment of an initial charge not to exceed 1 per cent of the loan granted each borrower.

The Federal land banks make loans only to actual farmers or to those who intend to become farmers. With few exceptions these loans are made through the local national farm loan associations.

Every borrower is required to subscribe to the extent of 5 per cent of his loan in the stock of the local national farm loan association. The association in turn must subscribe to an equal amount in the stock of the Federal land bank. Every borrower is liable to twice the amount of his stock for losses that may be incurred by the association.

Originally the maximum loan that could be made by the Federal land banks was \$10,000. By an amendment passed in March, 1923, the maximum was raised to \$25,000. The average size of loans made since the organization of the system to date is \$3,065. The largest loans have been made in Iowa, where they average \$7,509, and the smallest in Arkansas, where they average \$1,706. (Fig. 14.) These loans can be made up to 50 per cent of the appraised value of the land plus 20 per cent of the appraised value of the insured




Fig. 14.—Federal land-bank loans from organization to December 31, 1924, averaged \$3,065 per loan. The bulk of these loans have been made to the smaller farmers

permanent improvements. In no case can the loan exceed \$100 per acre. The final appraisals on which these loans are based are made by special land-bank appraisers, appointed by the Federal Farm Loan Board. Under the act the land must be appraised on the basis of its value for agricultural purposes and its earning power. These appraisals in the past have been conservatively made, and this fact no doubt has contributed to the growing popularity of the Federal farm loan bonds. (Fig. 15.) The interest rate on Federal farm loans may not exceed 6 per cent and may be even lower, depending upon the rate paid on the bonds. Loans may be made for terms ranging from 5 to 40 years at the option of the borrower. Most of them, however, are made for terms ranging from 33 to 35 years. At the end of five years all or a part of the loan may be repaid. Payments are made on the amortization plan, whereby annual or semiannual installments are paid covering the interest and a part of the principal until the loan is liquidated.

The funds used in making these loans are obtained through the sale of tax-exempt bonds secured by farm mortgages taken for the These bonds are issued in denominations of \$40, \$100, \$500. and \$1,000 and even much larger denominations and are subject to retirement at the option of the bank 10 years after date of issue. Each bank may issue bonds up to twenty times the amount of its capital and surplus. Every bank is jointly liable for the bonds issued by the 12 banks. While not obligations of the Federal Government, the collateral securing these bonds has the close supervision of the Government. This fact, together with their tax-exempt feature, creates for these bonds a good market at low interest rates. In fact they have been selling at yields only slightly above those of some other Government securities, and a market has been found for them at rates uniformly lower than those paid on long-term corporation securities. (Fig. 16.) In short, it is apparent that the farmer is obtaining through the Federal farm loan system farm mortgage credit at rates that compare favorably with those paid by other industries. In order to build up a broad and dependable market for the bonds, the Federal land banks offer their bonds through bond houses that have connections in all parts of the country and likewise through local national farm loan associations. In order to better coordinate the bond-selling activities of all Federal land banks, a fiscal agent was appointed in the spring of 1923.

The Federal land banks began their operations in the fall of 1917. Their growth was fairly rapid until the summer of 1919, when court action was brought to test the constitutionality of the Federal farm loan act. In the spring of 1921 the act was declared constitutional, and from then on the system grew rapidly. (Fig.

THE RELATION OF FEDERAL LAND BANK LOANS TO THE APPRAISED VALUE AND SALE PRICE OF LAND





Fig. 15.—This chart well illustrates the conservative basis on which Federal farm loans are made. The Federal land banks since 1919 have recorded the sales of farms on which they had made loans. These records show that their loans averaged 40 per cent of the appraised value of the land and buildings and that the sale price of land ranged from 23 per cent above the appraised value in 1921 to 8 per cent below the appraised value in 1924





16—Federal land bank bonds have always been offered at a low-yield basis. The yields of Federal land bank bonds on dates when offered have been but little higher than the converted 4½ per cent bonds of the first Liberty loan. On the other hand, they have sold materially higher han the fully tax-exempt 3½ per cent bonds of the first Liberty loan. When compared with United States Steel Corporation bonds, they have nvariably sold at a lower-yield basis

17.) During the two years 1918–1919 an average of \$128,636,000 in loans were closed annually; in the two following years the annual average dropped to \$81,942,000. With the full resumption of their activities in 1921 a large demand for loans developed, and during the three years 1922–1924 an annual average of \$193,999,000 loans were closed. This record is splendid evidence of the manner in which the Federal land banks responded to the needs of the farmer during the years of depression. Since 1924 there has been a decline in the volume of loans made by the banks, which reflects a decreasing demand for farm mortgage credit. The Federal land banks in a very short time have become leading sources of farm mortgage credit. In January, 1920, it is estimated that their loans amounted to 3.7 per cent of the total farm mortgage debt, as

compared with over 9 per cent in January, 1924.

The loans of the Federal land banks are distributed quite uniformly over the entire country. (Fig. 18.) In fact, the Federal land banks have been especially helpful in accommodating farmers in regions where other agencies have supplied such credit in inadequate amounts and often at high costs. The Federal land banks thus have been one of the most important channels through which capital could flow freely into regions most in need of such credit. Such evidence as is available, however, indicates that the Federal land banks have not met the needs of the landless farmer. The amount of credit allowed on the valuation of land which is conservatively appraised is relatively small, and the prospective purchaser who does not have a reasonable amount of capital of his own must obtain additional credit through other sources. A survey of land purchases with Federal land bank loans in 1920 brought out the fact that two-thirds of the borrowers already had land and that only 15 per cent of the loans made had been used in the purchase of land. It appears, therefore, that 1. rm owners have made the greatest use of the Federal land banks and that the direct aid extended to landless farmers has been relatively small. In this connection, however, it should be noted that the long-time amortized plan on which the Federal farm loans are made has provided a better basis for the development of second-mortgage credit. Farmers who obtain their first-mortgage loans from Federal land banks should have less difficulty in obtaining additional credit on second-mortgage security.

While the Federal land banks perhaps have not materially aided the landless farmer, they have helped to reduce and equalize interest rates and have assisted farmers in refunding their debts on more favorable terms. It should no longer be necessary for the farmer to have his mortgage credit in the form of short-term loans, subject to frequent renewals. With the advent of long-time amortized loans such as are made by the Federal land banks, the danger of fore-closure in time of depression no doubt will be greatly reduced.

The Federal farm loan act also provided for land banks organized and owned by lenders. These banks are known as joint-stock land banks. While they are privately organized and managed institutions, they also operate under the supervision of the Federal Farm Loan Board. A joint-stock land bank may be organized by 10 or more persons with a minimum capital stock of \$250,000. The plan




Fig. 17.—Federal land 17.—Federal land bank loans have expanded at a relatively uniform rate in most of the districts. In districts 1, 2, not been as rapid as in the more predyminantly agricultural districts. The uniform distribution of the outstanding 1924, is well illustrated by the fact that of the 12 districts, the seventh, which had the largest amount of loans, of all outstanding mortgages. District 1, with 3 8 per cent, held the smallest amount held but and 11 the growth the growth has December 31, 12.1 per cent

under which they are operated is very similar to that of the Federal land banks. They have a number of special features, however, that merit consideration. A joint-stock land bank is permitted to operate in only two contiguous States. It may make loans to both farmers and other owners of land. These loans are made direct by the bank, usually through a local representative and not through the local national farm loan association. A loan to a single borrower may not exceed 15 per cent of the capital stock of the bank, nor may it in any case be in excess of \$50,000. Borrowers are not required to invest in the stock of the bank, nor does any liability attach to them on account of losses sustained by the bank. Their funds are obtained, as in the case of the Federal land banks, through their capital




Fig. 18.—Between the date of their organization and December 31, 1924, the Federal land banks have closed a total of 339,970 loans aggregating \$1,042,001,143. Although quite evenly distributed in volume over the entire country, more farmers have received loans in some sections than in others. For example, over 42 per cent of all loans closed representing 32 per cent of the total volume of loans have been made in 10 Cotton Belt States

stock and the sale of bonds. The outstanding bonds can not at any time exceed 15 times the amount of the capital and surplus of the bank. Each bank is liable only for its own bonds.

At the time the Federal farm loan act was passed it was thought the joint-stock land banks would play only a minor rôle in financing the mortgage credit needs of the farmer. As a matter of fact, the growth of such banks in the early years of the system was slow. By November 30, 1918, only nine joint-stock land banks had been organized, and further development was practically stopped when the constitutionality of the act was challenged. Since the constitutionality of the act was set at rest the development of joint-stock land banks has been very rapid. The loans closed annually by all joint-stock land banks during the two years 1918–1919 averaged slightly over \$30,000,000. This average during the two following years dropped to slightly under \$15,000,000. During the three years 1922–1924 the amount of loans closed annually averaged over \$134,000,000. The peak in the loaning activities of these institutions

was reached in 1923, when a total of nearly \$190,000,000 in loans was made. Since that time their loans have declined, reflecting no




Fig. 19.—Joint-stock land banks have confined their lending operations largely to the better class of farms in the more important agricultural regions. Their net farm mortgage loans outstanding on December 31, 1923, amounted to \$392,639,000. Of this sum \$69,648,000, or 17.7 per cent, was held on lown farms. The combined loans in 11 States in the Mississippi Valley amounted to \$300,775,000, or 76.6 per cent of all loans made

doubt the reduced demand of farmers for mortgage credit. While the loans of the joint-stock land banks are estimated to have been




Fig. 20.—The average joint-stock land-bank loan from organization to December 31, 1924, was \$7,714, as compared with an average of \$3,065 for the Federal land banks. The joint-stock land banks have made loans in all States except Delaware, Florida, New Mexico, and the New England States. It should be added that while relatively large loans are made in some States the number of such loans may be relatively small. Joint-stock land bank loans vary in number from 21 in Nevada to 6,466 in Iowa

about 0.7 per cent of the total mortgage debt outstanding in January, 1920, it appears that they amounted to about 4.5 per cent of the

total mortgage debt in January, 1924.

At the beginning of this year there were 64 joint-stock land banks operating in most sections of the country. The major portion of their loans, however, are being made in the better farming regions. (Fig. 19.) This is somewhat in contrast to the policy of the Federal land banks, the loans of which are more uniformly distributed over the entire country. It is also significant that the loans made by the joint-stock land banks are materially larger than those of the Federal land banks. Since their organization the loans of the joint-stock land banks have averaged \$7,714, compared with an average of \$3,065 for the Federal land banks. The joint-stock land banks, as previously stated, are permitted to make loans up to \$50,000, and this no doubt has been an advantage in their competition with the Federal land banks. (Fig. 20.)

State Funds and State Credit Agencies

In a number of States funds are made available for farm mortgage purposes through State funds or State credit agencies. In some States permanent school funds are used for this purpose, in others teachers' retirement funds, and in still others special funds are provided to assist ex-service men. Permanent school funds are loaned to farmers on mortgage security in a number of States. Estimates indicate that over \$40,000,000 has been loaned from these funds to perhaps 40,000 farmers in 10 of the Western States. As a rule the interest rate on these loans is relatively low, and frequently the term covers a reasonable period of years. Some States have been fairly successful in the use of such funds for farm mortgage loans; with others, however, the losses have been quite heavy.

Special rural credit laws have been passed in the States of North Dakota, South Dakota, Minnesota, and Oregon. Under these laws State systems of farm mortgage credit that resemble in many respects the Federal farm loan system have been organized. The funds from which loans are made are obtained through the sale of bonds. Loans varying in size from \$200 to \$15,000 are made to

actual farmers.

From available information it appears that State credit systems have not been entirely successful. Several factors seem to account for their difficulties. Perhaps the wisdom of establishing State credit systems that in a measure at least overlap the services performed by the Federal land bank system may be questioned.

Terms and Conditions of Farm Mortgage Loans

Various elements enter the cost of farm mortgage loans. While interest rates usually are taken as a measure of differences in cost, it is necessary to consider additional charges, such as commissions, discounts, and bonuses, as elements in the cost of mortgage credit. In the case of loans made by sellers of land a part of the interest cost may be included in the sale price of the land. In short, differences in interest rates may be offset in some measure by additional

charges of one kind or another. While interest rates are not a complete measure of differences in the costs of credit, yet the variations in such cost are in general reflected in the interest rates.

Interest rates on farm mortgage loans vary not only as between regions and institutions but also in the matter of time. The studies that have been made show that the interest charges of all credit agencies increased somewhat between 1914 and 1921. During the last few years general credit conditions have been easier and a decline in farm mortgage rates has resulted.

The interest rates of three important farm credit agencies during the year 1923 are shown in Figure 21. The rate of 5.5 per cent charged by the Federal land banks is uniform for the country as a whole. It should be added, however, that there are certain additional costs that tend to offset the low interest rate shown for the Federal land banks. The savings effected by these institutions are




Fig. 21.—The interest rate of 5.5 per cent on Federal land-bank loans in 1923 was uniform throughout the country. The rates on life insurance loans compared favorably with this rate in regions where they make the bulk of their loans; in fact, their rates in 14 States during 1923 were slightly lower. On the other hand, interest rates on bank farm mortgage loans were higher than those of both Federal land banks and life insurance companies in all States but three.

mainly in connection with the reduction of interest rates and the elimination of commission charges. Little, if any, reduction in the cost of appraising land has been effected by the Federal land banks. A survey made in 1920 of the cost of obtaining Federal farm loans shows that the initial cost averaged about 1.4 per cent of the amount of the loan. This cost was much larger in the case of loans of \$1,000 or less, amounting in such cases to 4.8 per cent of the loan, as compared with less than 1 per cent for loans ranging from \$7,500 to \$10,000. It should be remembered, however, that the initial costs of obtaining a Federal farm loan, when distributed over the entire term of the loan, represent a relatively small annual cost.

Borrowers from the Federal land banks have also suffered certain losses in connection with the dividends on their stock. While the

Federal land banks from the very beginning have paid substantial dividends to the national farm loan associations, these dividends have not in all cases been passed on to the borrowers but have been used in paying expenses, meeting delinquent payments on loans, and in building up required reserves. According to a survey made of a large number of the local associations, only about 46 per cent of the dividends dispersed by the Federal land banks from the date of their organization to November 1, 1922, had been distributed to the borrowers.

The loans of life insurance companies usually are made at relatively favorable rates. The loans of these companies are made under strict supervision and are carefully selected. The average rate on life insurance loans in 1923 was 5.36 per cent. In some States, the rate was as low as 5.09 per cent, while in other States the rate was as high as 8.48 per cent. In regions where life insurance companies do a large volume of business competition is keen and rates are correspondingly low. The rates of life insurance companies have naturally reflected conditions that have obtained in the money market. Between 1914 and 1921 the average rate on their outstanding loans increased from 5.55 per cent to 5.86 per cent. This increase was comparatively small, amounting to less than one-third of 1 per cent, notwithstanding the fact that rates in general advanced much more during this period. The average rate on their new loans in 1921 was 6.46 per cent, and between that date and 1923 it declined to 5.36 per cent, a drop of slightly more than 1 per cent. The rates on life insurance companies' loans are usually quite favorable, and their influence often leads to a lowering of rates charged by other private agencies.

The interest rates on first-mortgage loans of commercial banks in 1923 averaged 6.89 per cent. The variation in the rates on bank loans is much wider than that on life insurance loans, ranging from 5.3 per cent in New Hampshire to 9.6 per cent in New Mexico. Interest rates charged by commercial banks on their loans declined between 1921 and 1923 considerably less than the rates on life insurance loans. The failure of rates on bank mortgage loans to respond as fully to changes in general credit conditions may be explained in part by the fact that commercial banks use much of their funds for purposes other than mortgage loans and can shift their loans from farm mortgage to short-term loans. They are therefore not as responsive to the competition of other farm mortgage credit

agencies.

There are several factors that account for the wide variation in interest rates between various sections of the country. As shown in Figure 22, the interest rates on mortgage loans in the East and Central West are relatively low compared with the rates that obtain in the South and West. These variations are even more marked in the case of loans based on personal and collateral security. The rate, in the first place, will naturally vary with the demand for loanable funds. This demand fluctuates with the opportunities for profitable use of funds, with the seasonal need for funds, and with the interest rate charged. An equally important factor is the supply of loanable funds. In regions where local savings are large both individuals and banks are able and willing to make loans at




Fig. 22.—Based on average interest rates reported by the Bureau of the Census January 1, 1920, on mortguged farms operated by full owners

relatively favorable rates. On the other hand, regions that are deficient in savings and capital must bring in capital from outside sources, and naturally a higher interest rate must be charged in order to cover the additional cost of determining and supervising the security of loans, as well as any additional risk that may be taken

by the lender.

The availability of funds for farm mortgage purposes, both locally and from outside sources, will depend in no small measure upon the general condition of the money market and upon the competition for such funds for other purposes. In the past the distance of a region from financial centers apparently has exerted an influence on interest rates. With the establishment of the Federal farm loan system, as well as the Federal reserve system, channels have been provided through which funds can freely flow from financial centers




Fig. 23.—Between 1921 and 1923 interest rates on first-mortgage farm loans of life insurance companies declined considerably more than rates on first-mortgage loans of commercial banks. Rates on life insurance loans declined more than 1 per cent in 14 States. On the other hand, in only 3 States did rates on first-mortgage farm loans of banks drop as much as one-half per cent. Rates on life insurance loans have increased in only 4 States and on bank mortgage loans in only 5 States

to all parts of the country, and this probably has had a tendency to lessen the importance of the distant

The interest rate charged on loan int for the wide in the risk which the lender takes. The greate of the counterhigher the rate. Various factors enter the element of reached finatic conditions affect both the amount and the stability of the farm income, and, therefore, also the interest rates charged. The semiarid regions, where rainfall is low and uncertain, do not attract capital as freely as regions of ample rainfall. Insurance companies and savings banks, in fact, often refuse to make loans in regions where the rainfall is below a certain figure. The rapid rise in rates as one moves westward, in North Dakota, South Dakota, Nebraska, and Kansas, as shown in Figure 22, is an excellent illustration of this influence.

The influence on interest rates of the soil and topography of a region is also apparent. Capital, for example, does not flow as




Fig. 24.—Small banks with limited resources and clientele characterize the banking situation in parts of the West. While the number of persons per bank in the Middle Atlantic States averaged 7,517 in 1920, the average in the West North Central States was only 1,388. Since 1920 many banks in farming regions have failed and others have been consolidated. Probably some agricultural sections would be better served with fewer well-managed banks of larger resources.

freely to southern Illinois as to central and northern Illinois. The Red River valley of North Dakota is better supplied with capital than some parts of northern Minnesota. While natural conditions have an influence upon interest rates, it does not necessarily follow that differences in rates between regions must remain equally wide.




Fig. 25.—Bank failures during the four years between June 30, 1920, and June 30, 1924, totaled 1,960, as compared with 202 during the four years 1910—1913. Most of these failures were in the farming sections of the country. While the depression in agriculture was a large factor in these failures, inadequate resources, and inefficient banking methods were important contributing causes

Some importance also must be attached to the type of farming as an influence upon interest rates. In one-crop farming regions the chances of sustaining heavy losses are greater than in regions where the farm income is derived from several sources. A well-balanced system of farming not only tends to reduce the amount of credit needed by the farmer, but eliminates the danger of ruinous losses should one of his crops fail. The character and business ability of the farmer also affect the interest rate. The borrower must be both honest and efficient if he is to command the confidence of the lender. Good business methods in farming reduce losses, promote good credit, and help to create good relations between the farmer and the banker.

It has frequently been said that the usury laws of various States have had an important influence on interest rates. Recent studies tend to show that such laws can not be enforced and are usually evaded by means of additional charges if the supply and demand for funds warrant rates higher than those permitted under the laws. It appears, for example, that in five States that have no usury laws interest rates are not widely different from those that have such laws.²

It is also probable that heavy taxes which tend to reduce net farm incomes have some influence on interest rates. In States where both land and farm mortgages are taxed, investment in mortgages is discouraged and interest rates are apt to be high. It is perhaps also true that the laws governing foreclosure on mortgages have considerable influence on the inflow of capital, and thus on the interest rates.

While difficult to show, it is probable that the Federal and joint stock land banks have operated not only to reduce but to equalize interest rates throughout the country. Their loans are made according to strict standards and at a very nearly uniform rate in all States. Furthermore, the funds used in making their loans are obtained through the sale of tax-exempt bonds, which makes possible a lower interest charge. Various factors, no doubt, have contributed to reduce and equalize interest rates the country over. It is probable, however, that the influence of the Federal and joint-stock land banks is partly reflected in the greater reduction that took place between 1921 and 1923 in the interest rates of life insurance companies than those of commercial banks. (Fig. 23.)

Defects in the organization of the banking system without doubt have had an influence on credit costs in some parts of the country. In some regions many of the banks are small, have but limited capital, and too small a clientele. The population per bank in 1920 in North Dakota, for example, was 722, compared with 12,625 in

Rhode Island. (Fig. 24.)

This excessive number of small banks with small clientele results in an abnormally high overhead cost per unit of business, keen competition for deposits with high-interest rates on such deposits, greater risk on loans heavily concentrated in limited areas, and a lack of adequate reserves. Higher costs and greater risks are translated into higher interest rates. A banking situation of this kind carries with it disadvantages to both borrowers and lenders, and while the effects of the depression upon the agricultural industry

² F. W. Ryan, Usury and Usury Laws (1924).

TERM OF FARM MORTGAGE LOANS MADE BY LEADING CREDIT INSTITUTIONS, 1928




Fig. 26.—Most farm mortgage loans of life insurance and farm mortgage companies are made for periods of five years or less. The loans of commercial banks are even much shorter. This is in marked contrast to the long-term loans made by the Federal and Joint-stock land banks

undoubtedly contributed to the failure of many banks, yet these failures were in no small part the result of inefficient banking methods. (Fig. 25.)

For the purpose of buying land farmers need mortgage loans for relatively long periods. Practically all of the loans of the Federal and joint-stock land banks are made for periods averaging from 33 to 35 years. Life insurance and farm mortgage companies, according to a recent survey, make a large part of their loans for periods of 5 years, although from 15 to 20 per cent are made for periods of 10 years. (Fig. 26.) State and national banks, on the other hand, make mortgage loans for much shorter periods. A recent study shows that 52 per cent of their loans in 1923 were for periods of 1 year or less, 72 per cent were for periods under 5 years, and 26 per cent for periods of 5 years. The periods were shortest in the East and the South. (Fig. 27.) Farmers use a large amount of mortgage





Fig. 27.—Commercial banks operate under laws that require them to keep most of their assets in liquid form. In most parts of the country, therefore, banks make farm mortgage loans for relatively short periods, although in the Middle West five-year loans are fairly common

Significant changes have taken place within recent years in the purposes for which mortgage loans are made. From their organization to October 31, 1920, the Federal land banks made 18.3 per cent of their loans for the purchase of land, 65.3 per cent for the refunding of mortgages and other debts, and 7.1 per cent for buildings and improvements, as compared with 3.7 per cent, 85 per cent, and 4.5 per cent, respectively, during 1923. The commercial banks show an equally marked change in the purposes for which loans were made. During the year 1914, 19.6 per cent of the bank loans were made for the purchase of land, 20.4 per cent for refunding mortgages and other debts, and 34.6 per cent for buildings and other improvements, as compared with 18.2 per cent, 55.3 per cent, and 7.9 per cent, respectively, during 1923. In short, there has been increased activity in the refunding of mortgages and debts, particularly in regions that suffered most during the depression.

PURPOSE OF FARM MORTGAGE LOANS MADE BY LEADING CREDIT INSTITUTIONS, 1923



Pic. 29 -Most, farm mortgage loans of Federal and joint-stock land banks, as well as of life insurance and farm mortgage companies, were made in 1923 to replace other mortgages and fund other debt. Commercial banks, on the other hand, advanced more of their funds for the purchase of land, for funding other debts, and for general farm purposes

The loans of the Federal and joint stock land banks, as well as those of the life insurance companies, are all made on first mortgages. Most of the loans of the farm mortgage companies are also made on first mortgages, although some of the companies make a small number of second-mortgage loans. Commercial banks, on the other hand, particularly in some sections of the country, advance a good deal of credit on second-mortgage security. (Fig. 30.) During 1923 about 80 per cent of the bank mortgage loans were made on first-mortgage security. 19 per cent on second-mortgage, and 1 per cent on third-mortgage security. Most of the second-mortgage loans were made in the West North Central and West South Central States.

Second-mortgage credit has never been extensively advanced by mortgage credit institutions. However, a considerable volume of such credit is advanced by sellers of land, relatives, private individuals, and country banks. According to a survey made in 1920 of 1,000 Federal land-bank loans, over one-half of the borrowers had obtained second-mortgage loans with which to purchase their

lands. About 40 per cent of the second-mortgage credit used in the purchase of land was advanced by sellers of the land, who also were relatives, 37 per cent by other sellers of land, and about 23

per cent by parties who were not sellers of the land.8

Where second-mortgage credit is advanced by sellers of land, the interest rate is often no higher than that advanced on first-mortgage security. This may be explained by the fact that the seller is willing to give very favorable terms in order to effect a sale of his land. The rates charged by commercial banks on second mortgages in 1923 were somewhat higher than those on first mortgages, particularly in the West North Central States where a considerable volume of second-mortgage credit was advanced. (Fig. 31.)




Fig. 30. Bank farm mortgage loans are usually secured by first mortgages. During the depression, however, the use of second-mortgage security appears to have increased. About one-fifth of the loans made in 1923 were based on second mortgages. Many second mortgages were probably taken as additional security for existing debts

There is a growing need and demand for second-mortgage credit which has not as yet been adequately met. Farmers who do not have some capital of their own find it difficult to become land owners even though they may be successful in obtaining first-mortgage loans. The failure to develop adequate second-mortgage credit facilities is probably due to the prevailing methods used by first-mortgage credit agencies. Most of the first-mortgage loans until recently have been made for short periods, and the borrower is confronted with the possibility of foreclosure should he be unable to repay the loan at maturity. This fact has limited the ability of the borrower to take on additional debt in the form of second-mortgage loans. With the expansion of the Federal farm loan system the field for second-mortgage loans has been materially broadened. Loans made under this system are carefully placed, the appraisal of the land is conservatively made, loans are advanced for less than half of the value of the land, good land titles are assured, and provision is made

²L. C. Gray and Howard L. Turner. Buying Farms with Land Bank Loans. U. S. Department of Agricultum, Bulletin 968.




Fig. 31.—In most States the interest rate on second-mortgage farm loans made by banks in 1923 was higher than the interest rate on first mortgages. In the West North Central States, where second mortgages are quite common, the differences in interest rates between first and second farm mortgage loans are quite large

for an annual reduction in the principal of the loan. Under conditions such as these second-mortgage loans can be made more safely.

With the development of a more stable agriculture, the adoption of long-time amortized loans, and a more scientific appraisal of land, second mortgages will undoubtedly become more acceptable to lending agencies.

Short-Term Credit

In addition to farm mortgage credit, most commonly used in the purchase and improvement of land, farmers annually need large amounts of short-time credit for the production and marketing of their crops. The total amount of short-time credit outstanding has been variously estimated at from 30 to 35 per cent of the total credit used by farmers. Short-term credit is obtained by the farmer in a number of ways. While commercial banks are by far the most important source of such credit, large advances are made by local merchants, implement dealers, livestock and produce commission firms, canning factories, fertilizer companies, cotton factors, livestock loan companies, and private lenders.

Short-Time Bank Loans

Short-term cash loans constitute the largest part of the short-time credit used by farmers. In a survey made in the summer of 1924 it was found that short-time cash loans amounted to around 28 per cent of the total outstanding credit of owner-operator farmers.

Commercial banks are the chief source through which such loans are obtained. During the year 1923 it appears that about 9.5 per cent of the total loans and discounts of the banks of the country were used in making short-time loans to farmers...(See, Fig. 7.) A relatively small part of bank loans and discounts in many of the

eastern States were used for such purposes, in many cases amounting to less than 1 per cent of the total loans and discounts of the banks. On the other hand, the resources of banks in the South and West were more largely devoted to financing the needs of agriculture, the banks of some States using well over one-half of their resources in

making such loans.

The total amount of credit advanced to farmers by banks in the form of short-term loans is large. According to the best available estimates it appears that the total personal and collateral bank loans outstanding December 31, 1920, amounted to about \$3,870,000,000.4 During the three following years there appears to have been a substantial decline in the volume of such loans, but it is probable that short-time bank loans still amount to around \$3,000,000,000. Preliminary estimates indicate that the personal and collateral loans of banks to farmers in the early part of 1924 amounted to about 9.5 per cent of their total loans and discounts, compared with 13.3 per cent three years before. Short-time bank loans are made in considerable volume in all sections of the country, but the volume is especially large in the States of the Middle West, a number of the Southern States, and in California.




Fig. 32.—This map is based on 7,400 replies from State and national banks which made loans to tenants in 1923. The percentages in some States may be influenced by the relatively low returns received

While the largest percentage of these loans are made to farmers who own their lands, yet a very substantial amount of such credit is advanced to tenant farmers. During the year 1923 it is estimated that about 28 per cent of such loans were made to tenants. Naturally tenants in all parts of the country did not draw to an equal extent upon banks for assistance. In the New England States tenant loans amounted to about 11 per cent of short-time bank loans to farmers in contrast to about 45 per cent in the West South Central States. (Fig. 32.) In this connection it should be added that the

⁴V. N. Valgren and Elmer E. Engelbert. Bank Loans to Farmers on Personal and Collateral Security. U. S. Department of Agriculture, Bulletin 1048.

extent to which loans are made to tenants is probably a factor influencing the terms and conditions of such loans, particularly in some regions.

Terms and Conditions of Short-Term Bank Loans to Farmers

As in the case of farm mortgage loans, there are various items which enter into the cost of short-term bank loans to farmers. The interest rate, however, is the best measure of cost and will indicate sufficiently well differences in rates between sections of the country and in point of time.

The variations in interest rates on short-term bank loans are even more marked than in the case of farm mortgage loans. As shown in Figure 33, the rates are especially high in regions where the demand for capital exceeds the supply and where the element of risk is relatively high. Interest rates on short-time bank loans are usually higher than those on farm mortgage loans. This is no doubt due to the fact that the security for such loans is often less ample and the costs of making short-time loans are relatively higher.

Sometimes additional charges are made such as commissions, minimum balance requirements, and collection of interest in advance that materially influence the cost of credit. The practice of charging a commission on loans is more prevalent in some regions than in others. A good many institutions also require that the borrower maintain a minimum balance on deposit during the life of his loan. 1923 about 3 per cent of the banks of the country reported that they required such balances amounting to around 16 per cent of the loan. The practice of requiring minimum balances on deposit is most prevalent in the Southern States. In still other instances the cost of short-time credit is increased by the collection of interest at the time the loan is made. About 40 per cent of the banks reporting in 1923 indicated that this additional charge was made on roughly 66 per cent of their loans. The collection of interest in advance is practiced more extensively in the States of the Northeast and the South than in other parts of the country.

There has been a measurable decline in the cost of short-time bank loans during the last decade. The average rate of such loans in 1914 was 8.1 per cent. The rate declined somewhat during the war, rising to an average of 7.9 per cent in 1921, but thereupon declined again to 7.6 in 1923. What is even more encouraging is the fact that the decline has been most marked in regions where the level of rates has been abnormally high, particularly in the Southern and Mountain States. Between 1914 and 1923 the average rate on short-term bank loans declined as much as 2.6 per cent in Oklahoma, 1.6 per cent in Alabama, and 1 per cent in Wyoming. Even with this decline the interest rates on short-term loans in some sections of the country remained relatively high.

There appears also to have been a decline in the use of additional charges. The use of minimum balance requirements is reported by 3.3 per cent of the banks in 1923 as compared with 6 per cent of all banks in 1920, and 34 per cent of the banks indicated that they collected interest in advance in 1923 as compared with 40 per cent in 1921. This tendency toward more favorable costs of short-term bank loans is due probably in part to easier credit conditions that






Fig. 33.--Interest rates on short-term bank loans to farmers are usually highest in regions where loanable funds are inadequate or where risks are relatively great. In recent years rates have declined more in regions where the general level of interest rates has been high

have obtained and to the larger flow of funds seeking investment to all sections of the country.

Short-term bank loans are usually repaid from the proceeds of crops. These crops may be damaged or destroyed by drouth, frost, plant diseases, insect pests, or other causes, and the element of risk in making short-time loans to farmers is often greater than in the case of industry. While the banker may take various types of collateral, such as mortgage on livestock and machinery, crop liens, warehouse receipts, and the like, yet he counts largely on the honesty, integrity, and ability of the farmer as his principal security. Approximately two-thirds of the short-time banks loans to farmers are made on the basis of personal security. Loans secured in this manner are especially prevalent in the East and in the Middle West. (Fig. 34.) There is, however, a more marked tendency in the East to require that borrowers' notes be indorsed.

SECURITY OF PERSONAL AND COLLATERAL LOANS MADE BY BANKS TO FARMERS, 1923



TYPE
OF SECURITY

Note without Indersement

Note with One or More Indersements

Martgage on Livestock

Line on Crops

Other Ways

Total parathal and collateral (
loans to formers equal 100
per visional circle representation of each type
of security

Fig. 34.—For the country as a whole over two-thirds of the short-term bank loans to farmers in 1923 were made on personal security. One-half of these loans were made on unindorsed notes and the other half on indorsed notes. The balance of such loans were secured by various forms of collateral, of which livestock, crops, farm machinery, stocks, and bonds were the most important

About one-third of the total short-time bank loans to farmers are secured by collateral of one form or another. Mortgages on live-stock are the most important collateral, loans thus secured amounting in 1923 to over 15 per cent of the short-time bank loans to farmers. Security of this kind is required especially in the range and cattle feeding States, mounting as high as 55 per cent of all short-time bank loans to farmers in Wyoming. Crop liens are used as security for about 6 per cent of the loans. This security is used most extensively in the South and a few of the Northwestern States. In Alabama, for example, over 29 per cent of the short-time bank loans to farmers in 1923 were secured by crop liens, and in Idaho 22 per cent of such loans were secured in this manner. Chattel mortgages on farm machinery are taken by banks as security to a much smaller extent. The banks in 1923 reported that about 3.5 per cent of their loans were thus secured. It appears that the depression may have

increased the use of this form of collateral in States such as North Dakota and Montana, where farm machinery was reported as

security for over 14 per cent of the short-time bank loans.

Staple farm products adequately warehoused afford sound collateral, and warehouse receipts are used to an increasing extent as collateral for bank loans, particularly in some sections of the country. The lack of adequate supervision over stored products has been an obstacle in the past to the extensive use of warehouse receipts. order to improve this situation, the United States warehouse act was passed in 1916. The purpose of this measure was to create a uniform and sound system of warehousing farm products and to provide a warehouse receipt which would be generally acceptable to bankers as security for loans. This has been accomplished under the United States warehouse act through the enforcement of provisions requiring suitable storage, through frequent inspections of stored products. and through a careful control over the issuance and cancellation of warehouse receipts. The original act applied only to cotton, grain. wool, and tobacco. Under the amendment passed in the spring of 1923 the Secretary of Agriculture was authorized to extend the provisions of the act to such products as he might consider suitable for storage.

The United States warehouse act is a permissive measure, and during the first five years after its passage but few warehouses were licensed. Since 1921 activities under the act have expanded rapidly. At the beginning of 1925 the capacity of the cotton warehouses licensed under the act amounted to over 2,500,000 bales, that of grain to almost 29,000,000 bushels, and that of tobacco to 572,000,000 pounds. While thus considerable warehouse capacity for storage of farm products has been licensed under the Federal warehouse act. particularly in the cotton and tobacco States, it is probable that the provisions of the act during the next few years will be rapidly extended to other sections of the country. Warehouse receipts on farm products at the present time constitute but a small percentage of the collateral of bank loans to farmers. Through the influence of the United States warehouse act their use no doubt will widen. Warehouse receipts issued by federally licensed warehouses are accepted by both Government and private financial institutions as prime collateral, and without doubt have helped to broaden the sources of credit available to the farmer.

Stocks and bonds are offered by farmers as collateral for their short-time loans only to a very limited extent. During 1923 it is estimated that only 2.8 per cent of their short-time loans to farmers were secured in this manner. The largest use of such collateral was in the New England States, where almost 13 per cent of the loans

were secured in this way.

No complaint has been more frequently made against the short time credit advanced by banks to farmers than that the term of such credit is usually too short. During the year 1923 it is estimated that three-fourths of the short-time bank loans to farmers were made for periods of six months or less. Thirty-seven per cent of the banks reported that their loans averaged from three to six months, and 30 per cent reported that their loans averaged from one to three months. The length of short-time bank loans increases as one proceeds westward and south from the Atlantic seaboard.

The percentage of loans over six months ranged in the West from 13 per cent of all short-time bank loans in Nevada to 65 per cent in North Dakota and in the South from 5 per cent in West Virginia to 59 per cent in Arkansas, and yet in only six States (North Dakota, South Carolina, Alabama, Mississippi, Arkansas, and Louisiana) did loans for terms over six months exceed those for six months and under. (Fig. 35.)

The relatively short term for which banks make personal and collateral loans to farmers illustrates a weakness in the service rendered agriculture by commercial banks. Commercial banks do a deposit banking and must depend upon short-term loans to function safely. They are, therefore, not as well suited to the needs of agriculture as to industry. The periods for which farmers need credit with which to produce and market their crops are usually




Fig. 35—This map illustrates the relatively short term for which personal and collateral bank loans are made to farmers. Over a third of these loans are made for 90 days, or less. The shorter term loans are especially prevalent in the East. In the farming sections of the West and South banks advance production and marketing credit for somewhat longer periods

much longer than in industry. In the past farmers have depended largely upon obtaining renewals of their short-time bank loans. In periods of good yields and good prices the practice of renewing loans has not worked a hardship to either banker or farmer. It is a policy which has its advantages to the banker, since it enables him to evaluate from time to time the security for his loans. On the other hand, the dependence upon the renewal of bank loans has not always operated in the interest of the farmer. The short-time loan places the farmer at the mercy of the creditor, since payment can be demanded at maturity even though the purpose for which the loan was made has not been accomplished.

Federal Reserve System

The Federal reserve system controls a large reservoir of capital upon which banks can draw to provide funds for both agriculture




Fig. 36.-Bared on data in annual reports of the Federal Reserve Board

and industry. Banks in regions where local capital is inadequate or where there may be a large seasonal demand for credit can draw upon the Federal reserve banks to meet these needs. (Fig. 36.) Credit is not advanced direct to the farmer through the Federal reserve banks but through member banks which may rediscount through the Federal reserve banks notes, drafts, or bills of exchange acquired from customers.

Previous to the passage of the Federal reserve act in 1913 efforts to take care of the expanding short-term credit needs of agriculture through our banking system met serious obstacles. The Federal reserve act, however, recognized these needs in a number of provisions dealing wholly with agricultural credit. Since the passage of the act various amendments have further extended the credit

available to farmers through this source.

Federal reserve banks are now authorized to discount notes, drafts, and bills of exchange issued or drawn for an agricultural purpose. The term of such paper may be nine months in contrast to commercial paper which must have a maturity not exceeding 90 days. Agricultural paper has been liberally and broadly defined by the Federal Reserve Board. Notes, proceeds of which have been used in planting, cultivating, harvesting, or marketing crops, are acceptable for discount. The provisions for discounting paper of cooperative marketing associations have also been liberalized. Notes with maturities up to nine months are eligible for discount if the proceeds are advanced to association members for agricultural purposes or for use in financing the operations of the association.


Under the original act, sight and demand drafts were not eligible for discount because of their indefinite maturity. Federal reserve banks are now permitted to discount sight or demand drafts drawn to finance the domestic shipment of nonperishable, readily marketable staples, which are secured by bills of lading or shipping documents. This paper must be presented for payment with reasonable promptness, and in no event may a Federal reserve bank hold such

paper longer than 90 days.

The law also discriminates in favor of bankers' acceptances which have been drawn to finance agricultural operations. These acceptances are eligible for discount with maturities up to six months, provided they are secured by warehouse receipts conveying title to readily marketable staples. Bankers' acceptances drawn for other purposes may be discounted by Federal reserve banks with maturities up to 90 days only. As bankers' acceptances are normally the best type of credit instrument and carry the lowest rate of interest, this provision has been of material assistance in providing more adequate credit for cooperative marketing associations.

The Federal reserve system is thus an important channel through which banks may obtain additional funds with which to finance the short-time credit needs of farmers. National banks are required by law to be members of the system. On the other hand, membership in the system is optional with State banks. At the present time a large percentage of the State banks, particularly in the agricultural sections of the country, are not members of the system. (Fig. 37.) In order to induce more of the State banks to join the Federal reserve system an amendment to the act was passed in 1923 reducing the capital requirements for admission. With the passage of this

amendment about 4,000 banks became eligible as members, yet only five of these institutions have joined the system since then. So long as country banks serving agriculture have adequate funds with which to meet the credit demands of farmers, there is no reason why they should pass on their paper for discount. Many of the country banks, no doubt, have satisfactory discount arrangement with city correspondents. In order, however, to establish a well-coordinated banking system which is fully prepared even in times of depression to meet the credit needs of farmers, it would seem desirable that such measures be adopted as would tend to induce the State banks to join the Federal reserve system. This would have the effect of making available direct to the farmers of this country the vast banking resources controlled by the Federal reserve system.



Pic. 37 - Only member banks can obtain funds direct from Federal reserve banks. While efforts have been made to bring all elegible banks into the system, approximately 67 per cent of all the banks, representing about 30 per cent of the total banking resources of the country, were not members of the Federal reserve system in 1923

Other Sources of Short-Term Credit

While commercial banks are the chief sources through which farmers obtain short-term loans, large advances of short-term credit are also obtained from local merchants, implement dealers, com-

mission firms, private lenders, and other sources.

The amount of credit which country banks are permitted to advance to any one individual is fixed by the amount of their capital and surplus. Many farmers, therefore, are unable to obtain from banks all of the credit they need and must seek additional credit from the larger financial centers or from merchants and dealers of various kinds. Though more or less common in all parts of the country, merchant credit is most extensively used in the South. In a number of regions covered by special studies a very large percentage of the tenants and even a large number of the owner farmers used merchant credit. (Fig. 38.) In fact in these areas merchant credit is used more extensively than bank credit. Most of the mer-

chant credit in the South is obtained from stores, factories, and agents, and tenants often receive large credit accommodations from landlords. While a substantial amount of such credit is advanced on open account, especially to owners, much of it is secured by chattel mortgage or crop lien. In some parts of Tennessee, for example, 31 per cent of the merchant credit advanced to tenants in 1923 was

PERCENTAGE OF FARMERS USING SHORT-TERM CASH LOANS AND MERCHANT CREDIT IN SELECTED AREAS OF NORTH CAROLINA, GEORGIA, AND TENNESSEE




Fig. 38—This chart is based on recent credit surveys made in selected areas of North Carolina, Georgia, and Tennessee. Both owners and tenents in these areas of North Carolina and Georgia used merchant credit more extensively than cash loans. On the other hand, more farmers in the Tennessee areas used cash loans in place of merchant credit.

secured by crop liens, and in Georgia the percentage of credit so secured amounted to 60 per cent. The cost of merchant credit is relatively high. A fixed interest rate is not ordinarily charged the farmer for such advances, but the cost is usually covered in a higher price paid for supplies purchased on credit. During the year 1921 the average cost of merchant credit in selected areas of North Carolina was 22.3 per cent, as compared with 24.3 per cent in Georgia in 1923 and 116 per cent in Tennessee. (Fig. 39.)⁵

⁵ North Carolina Department of Agriculture, bulletin, May, 1923. Farm Credit in North Carolina. Also unpublished data of U. S. Department of Agriculture.

Merchant credit in general is both costly and unsatisfactory. The use of it frequently places the farmer in a position where he can not freely market his crops and receive the best prices for them. It has also been one of the difficulties with which cooperative marketing associations in the South have had to contend. In the absence of adequate facilities provided by local banks merchants have no doubt met an imperative credit need of the farmer. It is evident, however, that both farmers and merchants would be benefited if farmers could obtain most if not all of their credit from specialized credit institutions.

A substantial volume of credit is advanced to livestock farmers through livestock commission firms. A large part of such advances

AVERAGE INTEREST RATES FOR MERCHANT CREDIT TO FARMERS IN SELECTED AREAS OF NORTH CAROLINA, GEORGIA, AND TENNESSEE




FIG. 39.—While the cost of merchant credit advanced by various agencies in the South varies considerably, such credit is usually more expensive and less satisfactory than credit obtained from specialized credit agencies

has been made on feeder cattle. The firms making these loans not only purchase the cattle for the farmer, but require that the cattle be sold through them when marketed. In this manner the firm which advances the credit maintains a control over the marketing of the product. A situation more or less similar has obtained in the truck-crop and fruit-growing industry. In highly specialized truckcrop and fruit-producing centers the grower is frequently unable to obtain the necessary credit from local agencies, and therefore seeks assistance from fruit and vegetable commission dealers and brokers in northern and eastern cities. In obtaining such credit assistance the grower often relinquishes all control over the marketing of his crop and is compelled to rely on the dealer's judgment in securing for him an adequate return. The degree of control exercised by commission dealers by reason of these advances varies from almost no control in some districts to almost complete control in other sec-In many of these truck-crop and fruit districts local banking resources are not sufficient with which to finance the needs of the In other districts the hazards are so great that local credit

agencies do not care to assume the risks attaching to advances of credit. Usually, where much dependence is placed upon commission firms, the cost of credit is high and the control exercised over the marketing of the products is frequently unsatisfactory to the grower.

In some sections of the country credit unions or credit associations have been organized to assist members in obtaining loans to promote thrift and to encourage good business methods. In the United States the credit union is not essentially a rural institution, yet it is well adapted to rural needs. A total of 22 States have now passed credit union laws to stimulate the organization of such associations. While a number of States have organized credit unions under these laws, more progress has been made in North Carolina than in any other State. The success of the movement in North Carolina is no doubt due to the State supervision which has been provided. At the present time there are 35 credit unions in the State, with total resources of about \$100,000. Of these 35 credit unions, 3 are urban, 1 is semiurban and semirural, and the balance are rural.

Emergency Credit for Farmers

While commercial banks and other established credit agencies have in the past provided farmers with most of their short-term credit, the inability of these institutions to meet adequately the needs of farmers under all conditions was well illustrated during the recent depression. With the collapse in prices of farm products in 1920 and 1921 a credit emergency arose which has few parallels. Banks and other established credit agencies in many sections of the country were unable to cope with the situation and Federal, State, and local governments were called upon to provide emergency funds. In several Northwestern States where crop failures, high operating costs, and the drop in prices of farm products combined to create a serious situation Federal funds in the amount of \$3,500,000 were made available in 1921 and 1922 for the purchase of seed grain. Various county governments in these States also provided farmers with large sums for seed and feed purposes.


The situation in the fall of 1921 became so critical that Congress voted to broaden the powers of the War Finance Corporation to permit advances for agricultural purposes. The War Finance Corporation describes the situation which existed at that time in the following words:

When the agricultural credits act was passed (August 24, 1921), there was a state of demoralization everywhere among all classes of agricultural producers. Farmers and stockmen generally were in a desperate plight; breeding herds were being sacrificed on a wholesale scale; immature stock was being sent to the block; and cotton, corn, and other agricultural commodities commanded prices that were discouragingly low, in many cases materially below cost of production. Forced liquidation and hasty selling impaired the farmer's buying power, and this, in turn, brought about a reduced demand for the products of industry. Bank deposits were being withdrawn and reserves depleted, loans could not be collected, and the stability of our whole agricultural and banking structure was seriously threatened.

Under its broadened powers the corporation made between August 24, 1921, and November 30, 1924, advances totaling \$297,934,000. Of this amount 58 per cent was advanced to banking and financial institutions, 29 per cent to livestock loan companies, and 13 per cent

to cooperative marketing associations. (Fig. 40.) At the date of the last report only 15.3 per cent of these advances remained unpaid. The influence of the War Finance Corporation in stabilizing credit conditions, however, is not measured solely by the advances it actually made. During these three years it approved loans amounting to almost \$480,000,000. The willingness of the Federal Government to approve large advances for agricultural purposes at a time when the prices of farm products were demoralized helped to restore the confidence of both farmers and bankers and greatly relieved the financial stringency.

The life of the War Finance Corporation was extended to December 31, 1924. This extension was made for the purpose of relieving the acute credit situation that developed in the Northwest



6. 40 ~ The War Finance Corporation helped relieve the credit stringency in farming regions hards a hit during the depression. Over 94 per cent of its advances for all agric ditural purposes were made west of the Mississippi River and south of the Potemac

during the winter of 1923 and spring of 1924. In order to devise ways and means for meeting the situation, the President called in the spring of 1924 an agricultural conference, out of which grew the Agricultural Credit Corporation. This credit corporation was provided with a capital of \$10,000,000, privately subscribed, to assist in relieving the credit strain in the rural districts of the Northwest. It was understood that the corporation might rediscount some of its paper with the War Finance Corporation. The funds of the corporation derived from the sale of its capital stock were sufficient, however, to take care of its needs, and none of its paper was passed to the War Finance Corporation for rediscount.

The work of the War Finance Corporation has been completed and its business is being closed. Without doubt it has performed yeoman's service in relieving the credit stringency which accompanied

the collapse in prices of farm products.

Intermediate Credit

Short-term credit, strictly defined, has been supplied farmers fairly well by commercial banks and other credit agencies. Farmers,

however, frequently need loans for longer periods than commercial banks can safely make. For the production and marketing of livestock, for example, they may need loans ranging from one to three years. The gap between short-term loans ordinarily made by banks and the longer time credit needed by farmers in their operations has been bridged in the past by the renewal of short-term bank loans. This policy of renewing short-term bank loans serves perhaps well enough when conditions are normal. When, however, such loans are called during periods of credit stringency, considerable hardship

if not severe losses to farmers may result.


At least 75 per cent of the short-time loans made by banks to farmers are for periods of six months or under. In some sections of the country the percentage of such loans is even much higher. This weakness in short-time bank credit from the viewpoint of the farmer was recognized in the reports of the American and United States commissions in 1913 and has been a subject of more or less discussion ever since. The collapse in prices of farm products in 1920 and 1921 centered attention upon this problem as never before. The extension of the activities of the War Finance Corporation was made necessary by the inability of commercial banks to meet the credit stringency that developed. The Joint Commission of Agricultural Inquiry in its report urged upon Congress the need of providing better intermediate credit facilities for the farmer, and these findings were indorsed by the National Agricultural Conference that met in Washington to consider the state of agriculture in the

These and other influences led to the passage of the agricultural credits act in the spring of 1923. The principal object of this act was to establish a Federal credit system through which farmers could obtain production and marketing credit for periods longer than those ordinarily supplied by commercial banks. It was not the intention of Congress that the new system should supplant the commercial banks already serving farmers, but merely supplement these

institutions in financing the needs of agriculture.

The act provided for the establishment of 12 intermediate credit banks with districts corresponding to those of the Federal land banks. The Federal intermediate credit banks are Government owned and operated. The law provided for each bank a capital of \$5,000,000 subscribed by the Federal Treasury. By December 31, 1924, each bank had called \$2,000,000 of its capital. from which loans are made to farmers are obtained in part through the capital stock subscribed by the Treasury and also through the sale of short-time debentures that are secured by the agricultural paper accepted by the banks. The 12 banks are jointly liable for all of the debentures issued by any of the banks. The debentures of the intermediate credit bank are tax-exempt, and, while not Government securities, they are sold under close Government supervision. A ready market, therefore, has been found for their sale.

The intermediate credit banks do not make direct loans to farmers. Their advances are made either in the form of direct loans to farmers' cooperative marketing associations or in the discount of agricultural and livestock paper for banks, livestock loan companies, and other credit institutions. While the system has been in operation



Ē

but little more than a year and a half, its growth has been rapid. (Fig. 41.) The direct loans which it makes to cooperative marketing associations are secured by warehouse receipts or shipping documents on staple agricultural products. The following products have to date been declared eligible for loans: Corn, cotton, wool, tobacco, peanuts, broom corn, beans, rice, alfalfa and red-top clover seed, hay, nuts, dried prunes, dried raisins, and canned fruits and vegetables. The interest rate charged by the intermediate credit banks on direct loans to cooperative marketing associations may not be over 1 per cent above the interest rate at which the last issue of debentures was sold. During the past year a ready market for debentures has been found at relatively low rates, and the intermediate credit banks, therefore, have been able to make direct advances at rates ranging from $4\frac{1}{2}$ to $5\frac{1}{2}$ per cent.

The Federal intermediate credit banks may also discount for local banks, livestock loan companies, and other credit agencies agricultural paper with a maturity of six months to three years. The discount rate charged by the intermediate credit banks may not exceed by more than 1 per cent the rate paid on the last debentures sold. On the other hand, the rate which banks or other institutions using the Federal intermediate credit system may charge their borrowers may not exceed by more than 1.5 per cent the discount rate except

by special ruling of the Federal Farm Loan Board.

Provision also has been made for the organization of agricultural credit corporations in regions where established credit institutions do not provide farmers adequate credit accommodations. agricultural credit corporations may be organized by any group of They are organized under State law and must have a minimum paid-up capital stock of \$10,000. The law provides that these corporations may rediscount agricultural paper with an intermediate credit bank up to ten times their capital and surplus. In some instances they have been established as subsidiaries of banks in order to relieve bank portfolios of slow agricultural paper. In other sections they have been organized by farmers and local business men for the purpose of providing a more ample supply of production credit. In still other parts they have been set up as subsidiaries of cooperative marketing associations with the purpose of providing production credit for the members of the association. Many of the cooperative marketing associations have found their activities restricted by the credit arrangements of their members. Crops that are mortgaged to local lenders must frequently be sold when harvested in order to pay maturing notes. To meet this situation a number of state-wide agricultural credit corporations have been organized by the cotton and tobacco cooperatives. Some of these corporations have been formed to supply production credit and others to finance the delivery of mortgaged crops. They should all serve to reduce the dependence of the farmer upon local sources of credit and give him greater freedom to market his crop through the cooperative

During the relatively short period of their existence the intermediate credit banks have made substantial advances both in the form of direct loans and in discounts. Up to the present the larger part of their advances have been made in the form of direct loans to

DIRECT LOANS BY COMMODITIES AND REDISCOUNTS BY FINANCIAL INSTITUTIONS MADE BY THE FEDERAL INTERWEDIATE CREDIT BANKS, AUGUST, 1923, TO DECEMBER. 1924




Fig. 42.—The 12 banks of the Federal intermediate credit system had outstanding December 27, 1924, direct loans amounting to \$43,775,452. Over three-fourths of these loans were made on cotton and tobacco. The rediscounts of the 12 banks amounted to \$18,606,984, of which over 94 per cent were made for agricultural credit corporations and livestock loan companies. Since January, 1925, the rediscounts of the system have increased materially. Data supplied by Federal Farm Loan Boar.

cooperative marketing associations. At the close of the year just passed the total direct loans outstanding for all banks amounted to \$43,775,452. Most of these loans have been made to the tobacco, cotton, and raisin associations. (Fig. 42.) The enlargement of the credit facilities upon which cooperative marketing associations can now draw has contributed no doubt to the recent more rapid development of such associations. The advances of the War Finance Corporation during the years 1921 to 1924, followed by those of the intermediate credit banks, have been of vital importance to the cooperatives and have also served to encourage private banking institutions to extend credit accommodations more freely to cooperatives.

The rediscount facilities of the intermediate credit system have been used mostly by agricultural credit corporations and livestock loan companies. The total discounts outstanding December 31, 1924, amounted to \$18,606,984. While to date the largest volume of rediscounts have been made through agricultural credit corporations. the cattle loan companies have availed themselves of these facilities to an increasing degree. The disastrous experience of eastern and middle western bankers with cattle loan paper in 1920 and 1921 resulted in all but drying up these sources of credit with which to finance the needs of range cattle men. It is probable, therefore, that the intermediate credit banks will gradually assume the rôle held by the city bankers before the depression in the cattle industry. Some hesitancy has been shown on the part of cattle loan companies to rediscount all of their paper with the new banks, largely because of the limitation placed upon the interest rate they may charge borrowers. The recent ruling of the board permitting these companies to charge borrowers a maximum of 2.5 per cent over the discount rate should result in a still further use of the system by the cattle loan companies.

State and national banks have used the rediscount facilities of the Federal intermediate credit system to but a very small extent. This no doubt is in part due to the easy credit conditions that have obtained and the ready accommodations afforded by city correspondents. In rediscounting with the intermediate credit banks commercial banks also encounter a disadvantage in the provision which limits the amount they may rediscount with the intermediate credit banks to twice their paid-in and unimpaired capital and Furthermore, they are limited in the interest rate they surplus. may charge borrowers on rediscounted paper to 1.5 per cent over the discount rate of the Federal intermediate credit bank. regions, therefore, where interest rates are relatively high and local banks can readily obtain funds through city correspondents or through the Federal reserve banks, there is little to induce them toapply for the rediscount privilege of the intermediate credit bank except in case of urgent need.

National agricultural credit corporations are also authorized under the act. These corporations, which are chartered by and operated under the Comptroller of the Currency, are authorized to make direct loans to individuals and to rediscount agricultural paper. They may also issue debentures up to ten times their paidin capital and surplus. Under the act as originally passed they were not permitted to rediscount paper with the Federal intermediate credit banks, and this may explain why none of these cor-

porations have been organized. An amendment to the act was passed extending to such corporations the rediscount privilege of the intermediate credit banks. The extension of this privilege to national agricultural credit corporations may serve to accelerate

their development.

Through the establishment of the intermediate credit system a new channel has been opened through which intermediate credit for the production and marketing of crops may freely flow into all parts of the country. Loans are made to both owner and tenant farmers on terms and conditions that are liberal. Renewal privileges are freely granted and partial repayments at the option of the borrower are accepted. Through the sale of tax-exempt debentures the intermediate credit system should be able to provide adequate working capital for agriculture at reasonable cost and for suitable periods. The system has been in operation but a short time and it is too early to fairly appraise its work. While there remain many problems in the development and administration of the system, it is already apparent that the intermediate credit banks will admirably supplement the commercial credit institutions in providing for the credit needs of the farmer.

Wise Use of Credit

The credit problem of the farmer does not depend solely upon the availability of credit institutions that provide funds for farmers. Credit is based not only upon the security that is offered for loans, but quite as much upon the character and ability of the borrower. It is important, therefore, that farmers so conduct their business that they establish good credit standing. Prompt repayment of loans when due, the efficient organization and management of the farm, and reputation for honesty and integrity are all important factors

in giving farmers a good credit rating.

The use of credit creates obligations which ordinarily must be paid off when due. Loans may be obtained by farmers for both productive and nonproductive purposes. When obtained for productive purposes, they should be paid normally out of the farm earnings. When loans are obtained for nonproductive purposes, care should be used in providing for their payment. Frequently farmers can reduce the amount of credit needed through a well-balanced type of farming, through which an income is derived from several sources throughout the year. Since the earnings in farming are often low and uncertain, it is usually unwise to purchase and operate a farm solely on borrowed capital.

Credit requirements of farmers will vary between periods when conditions are normal or abnormal. When times are good and credit is easy, there is often a tendency to use credit more freely than is safe. On the other hand, when times are hard creditors are likely to press for settlement of their loans, with resulting hardship to borrowers. Many farmers during the past years of depression have found themselves in a difficult position because they borrowed too freely during the years of prosperity. It is important, therefore, that farmers follow a sound policy in their use of credit and that they provide in years of good returns a reserve of liquid assets upon which they can draw when times are bad.

Farm Insurance

The risks in farming are many and great. These risks may be reduced materially through the use of insurance. Insurance does not eliminate losses, but it distributes losses from the individual to

the group.

The insurance needs of the farmer are as numerous as those of the city dweller. His fire hazards are almost as great. His buildings are more exposed to the hazards of lightning and windstorm than buildings in the city. The lightning hazard, it is true, may be reduced materially by the rodding of buildings and the grounding of fences. But even with these precautions the losses of farmers from this cause are relatively heavy.

In order to be adequately protected, the farmer must also carry livestock and crop insurance. While facilities for obtaining protection against fire and windstorm are adequate, suitable livestock

and crop insurance are still in the process of development.

Fire Insurance

Protection against fire is one of the most important insurance needs of the farmer. It has been estimated that the value of farm property that is insurable against fire amounted in 1920 to approximately \$26,000,000,000. We do not know how much of this farm property was insured, nor do we have adequate data in regard to the fire losses sustained by farmers.

Fire insurance is made available to farmers through three types of insurance agencies—the old-line or joint-stock fire insurance companies, farmers' mutual insurance companies, and a class of larger mutual fire insurance companies. This last group of fire insurance companies resembles the old-line or joint-stock fire insurance companies in their mode of operation, and they are least important in

the field of farm fire insurance.

Farmers' mutual fire insurance companies are estimated to carry about one-half of the fire insurance now written on farm property. The total farm fire risk carried by old line insurance companies is probably considerably less than that carried by the mutuals. It is apparent, of course, that much farm property is uninsured, particularly in the South and in some sections of the West. (Fig. 43.)

Perhaps no form of farmers' cooperation has been more successful than that of the farmers' mutual fire insurance companies. The first farmers' mutuals were organized in the third decade of the nineteenth century, and about half a hundred of the companies now in existence were organized before 1850. The period of most rapid development of farmers' mutuals was the decade 1870 to 1880, when nearly 500 of the companies now in operation were organized. At the present time there are about 2,000 farmers' mutual fire insurance companies carrying risks amounting to over \$8,000,000,000. Most of these companies are located in the East and Middle West. (Fig.

¹ V. N. Valgren. Farmers' Mutual Fire Insurance in the United States (1924).

44) Much less progress in developing farmers' mutuals has been made in the South. This may be explained in part by the tenure and race conditions obtaining in that region, by the lack of adequate State laws governing the organization and regulation of such companies, and by unwise attempts in the South to organize state-wide farmers' mutual companies operating through county branches. Many of these state-wide associations fell into the hands of promoters whose interests were not primarily those of the farmer. The failure of many of these state-wide associations did much to retard the development of farmers' mutual associations in that section of the country.

Farmers' mutual fire insurance companies usually operate in a relatively small territory. A number confine their activities to




Fig. 43.—The value of insurable farm property in 1921 has been estimated at \$26,047,000,000 About 40 per cent of this property was insured in farmers' mutual fire insurance companies. No estimate is available of the fire insurance carried by farmers in other fire insurance companies

single townships. It is more common, however, for a company to operate in a group of townships or even in an entire county, and over one-half of the companies now in existence operate in areas of several townships or a county. In a few instances two or more contiguous counties are included in the territory of the company, and only rarely do farmers' mutual fire insurance companies operate in an area as large as a State.

The farmers' mutual insurance company is a business enterprise organized on the mutual plan without capital stock. Its management is vested in a board of directors, the number of which may vary from 5 to 15, although the most usual number is 9. These directors may serve from one to three years. A large number of the mutuals operate under the unlimited liability plan, whereby the insured obligates himself to pay his pro rata share of the losses and expenses of the company. A much smaller number of the companies limit the liability of the members to a fixed sum per annum.

The methods of operation are relatively simple. Applications for new members are taken by officers and directors. Some mutual companies put on active membership campaigns, while others favor a policy whereby farmers themselves seek admission to the company. The application fee is limited to a nominal sum ranging from \$1 to \$2, which has the advantage of reducing the temptation for solicitors to place more insurance than the value of the property warrants. Funds with which to pay expenses and losses of the company are obtained partly through premiums and partly through assessments. Only a few companies collect cash premiums in advance. The large majority of the mutuals work under the assessment plan, whereby losses and expenses are prorated as incurred. Initial premium charges with annual advance assessments, however, have been growing in favor. This policy is better than the more prevalent plan of




Fig. 44.—Fire insurance on farm property is written by about 2,000 farmers' mutual fire insurance companies. Over 65 per cent of these companies with risks in force amounting to almost 70 per cent of the total risks carried by such companies are located in the east North Central and west North Central States

borrowing to pay losses and then levying assessments to repay borrowed funds. It not only permits prompt payment of losses, but also eliminates any need of coercing members when losses are heavier than usual.

An increasing number of farmers' mutual fire insurance companies are adopting the policy of building up surpluses or reserves against which to draw when losses are unusually large. Such reserves afford protection and reduce the need of special assessments.

The adjustment of losses sustained by farmers' mutual fire insurance companies is made either by a single member, who acts as a general adjuster for the company, or by the directors of the company, each in his own district. While the adjustment of losses by directors of the company is perhaps the cheapest method of adjustment, it is probable that the adjustments by a single individual, who acts as a general adjuster, are somewhat more equitable.

In the field of reinsurance, farmers' mutuals have been lacking in adequate facilities. In some States local mutuals are now prepared to go beyond their legal territory and write joint or concurrent insurance with companies in whose territories such risks are located. In other States one company may grant reinsurance to another company. In order to meet this situation more effectively, farmers' mutual companies in Iowa, Indiana, and Minnesota, have organized special reinsurance organizations to serve farmers' mutuals. This policy, whereby farmers' mutuals reinsure a part of their risks, will no doubt strengthen and expand the work of the farmers' mutual fire insurance companies.

The mutual companies have been very successful in supplying farmers' insurance at a very reasonable cost. During the five-year period 1917 to 1921 the average annual cost per \$100 of insurance ranged between States from \$0.06 to \$0.51 and averaged \$0.26 for the

country as a whole.

The cost of such insurance is somewhat higher in the South than in the East and Middle West. (Fig. 45.) Individual companies can show records of unusually low insurance cost. One mutual which has a large amount of insurance in force has had an average annual insurance cost of \$0.075 per \$100 covering a period of over a half century. In comparison the rates of commercial insurance companies are materially higher. These rates vary from \$0.35 per \$100 for some of the Northern States to about \$1.50 per \$100 for some of the Southern States. Several factors account for the lower insurance costs of farmers' mutual insurance companies. The physical hazards are materially reduced through more careful inspection of risks and the insistence upon reasonable standards of safety. The moral hazard is lowered by avoiding overinsurance and by the development of a spirit of loyalty to the company. Equally important is the fact that the operating cost of these companies is relatively low. Much free service is performed by the officers, salaries are small, and such items of outlay as rents, traveling expenses, and attorney fees are either absent or relatively small. Farmers' mutuals have thus been able to effect economies that have contributed to their own success and made fire insurance available to farmers at very reasonable cost.

The history of farmers' mutual fire insurance companies to date would indicate a continued development of such companies in years to come. The States of the East and Middle West are now fairly well supplied with such companies. There is no doubt room, however, for further development in the South and in parts of the far West. The organization and operation of new companies in these regions should be built on the experience of successful companies in

other sections of the country.

In conclusion it should be added that farmers themselves can do much to reduce the fire hazard. A recent survey of causes of farm fires showed that practically one-third of the fires were preventable. In a recent survey of farm fires caused by lightning it was found that out of every 100 fires resulting from such cause about 95 occurred in connection with unrodded buildings. Insurance does not eliminate the loss; it merely distributes a part of it. It is therefore very important that farmers themselves use every care to reduce their losses from the fire hazard.

AVERAGE ANNUAL COST PER \$100 OF INSURANCE IN FARMERS' MUTUAL FIRE INSURANCE COMPANIES, AVERAGE, 1917-1921




Fig. 45.—The average annual cost of insurance written by farmers' mutuals during the five-year period 1917-1921 was 26 cents per \$100 for the country as a whole. Losses account for about 70 per cent and expenses for 30 per cent of the cost

Windstorm Insurance

Farmers annually sustain severe losses from windstorms. Recent studies show that during the eight years between 1916 and 1923 there were 752 tornadoes in this country, or an average of 94 annually. These tornadoes were most numerous in the Middle West. In only eight States of the country were there no tornadoes during this eight-year period. The aggregate loss of life from tornadoes during this period was 1,929, and the total damage to property is estimated to have exceeded \$62,000,000.² Data are not available showing the percentage of this loss that was sustained to farm property. It is well known, however, that farmers often suffer heavily from such storms, and farmers, therefore, should be adequately protected against this hazard.

Windstorm insurance on farm property is provided by both joint stock and mutual companies. Most of the windstorm insurance

United States Weather Bureau.

carried by joint stock companies applies to the risks insured by these

companies against fire.

Windstorm insurance is written by three classes of mutual companies. About one-sixth of the farmers' mutual fire insurance companies write policies covering both fire and wind. In several of the Middle Western States a number of specialized windstorm mutuals have been organized. The most recent development, however, is the organization of state-wide windstorm companies by State associations of fire insurance mutuals. In some instances State associations of fire insurance mutuals have merely given windstorm companies their indersement and support. State-wide windstorm companies of this kind have been organized in Iowa, Indiana, Missouri, Ohio, North Dakota, and South Dakota. Since they work in close cooperation with local fire insurance mutuals, they are able to provide protection at a minimum of cost. The applications are almost always taken by representatives of the fire insurance mutuals, and the risks are well scattered over the entire State.

The cost of wind insurance in the mutual companies varies much more than in the case of fire insurance. This is to be expected, since each group of buildings is a separate and distinct risk in the case of fire, whereas a windstorm may sweep clean the buildings of an entire area. Local mutual companies operating in a single county or limited area, therefore, should not write and carry insurance covering the wind hazard. An entire State, in fact, is not too large a territory for the windstorm insurance mutual.

Livestock Insurance

Farmers also have a large investment in Evestock, for which they need insurance protection. The losses from disease, for example, are at times quite large. During the last 35 years the estimated yearly losses of horses from disease have ranged from 14 to 22 head per thousand, of cattle from 12 to 24 head per thousand, and of hogs from 41 to 144 head per thousand.

Protection against disease or accident to livestock is written by 12 or more joint-stock insurance companies that operate in several States. Most of these joint-stock insurance companies write insurance on horses and cattle, but a few of them write insurance on hogs. The policies written by these companies are, as a rule, relatively small, and the risks are frequently reinsured with other companies.

A number of mutual companies have written livestock insurance for a number of years. Altogether there are about 30 local mutual insurance companies, nearly one-half of which are in Pennsylvania. These mutual livestock insurance companies operate on a plan very similar to that followed by the farmers' mutual fire insurance companies. The bulk of their insurance is written on horses. While these companies have been operating for a number of years, the writing of livestock insurance by mutual companies is still in the experimental stage.

In the past the demand for livestock insurance in the United States has been much smaller than in a number of European countries. This may be explained perhaps by the fact that livestock epidemics, with the exception of hog diseases, have been relatively

fewer in this country than abroad and by the fact that the American farmer usually possesses larger herds of livestock than the European farmer and feels the loss of an individual animal perhaps less severely. There has been, however, an increasing demand for insurance covering purebred livestock. With the introduction of better livestock throughout the country, together with the increasing attention to the elimination of risks in agriculture, the field for livestock insurance will undoubtedly grow.

Crop Insurance

In order to supply food and the raw materials of manufacture, the American farmer annually stakes his labor and, perhaps, even a good part of his past earnings. The values represented in crops

AVERAGE ANNUAL CROP DAMAGE FROM SPECIFIED CAUSES IN PERCENTAGE OF NORMAL YIELD, UNITED STATES, 1909-1923




Fig. 46.—Average annual crop damage in terms of normal yields during the period 1909-1923 ranged from 18.3 per cent for rice to 38.6 per cent for cotton. Deficient or excessive moisture, plant diseases and insect pests caused the major part of these losses

grown on American farms mount annually into the billions. Between 1919 and 1924 the estimated value of all crops ranged from \$7,500,000,000 to \$16,000,000,000.

The farmer assumes many hazards in the production of these crops. As a rule these hazards are beyond his control. Yields may be influenced by climatic conditions, plant diseases, and insect pests. As a result of these influences yields may vary between wide limits. During the 16-year period, 1908 to 1923, the average yield of wheat per acre in the United States ranged from 12 to 17 bushels. In individual wheat-growing States yields during the same period ranged from less than 3 to slightly more than 30 bushels per acre. These losses in yield result from a variety of causes that vary considerably in their importance. As appears from the accompanying chart (Fig. 46), moisture is the most important cause of crop damage. Other causes, however, such as hot winds, plant diseases, and insect

AVERAGE ANNUAL CROP DAMAGE IN PERCENTAGE OF NORMAL YIELD BY CROPS AND GEOGRAPHIC REGIONS, 1909-1918




Fig. 47.—The percentage of crop damage from various causes varies materially for different crops and regions. Crop damage to wheat, for example, ranged from 16.8 per cent in the North Atlantic States to 33 per cent in the West North Central States.

pests inflict heavy losses in the case of certain crops, such as wheat and cotton.8

Losses from these causes naturally are not equally heavy in all parts of the country. While in certain regions the average annual

²V. N. Valgren. ('rop Insurance: Risks, Losses, and Principles of Protection. Department of Agriculture, Bulletin 143.

crop damage in percentage of normal yields may be relatively high, yet the production of given crops in such regions may be comparatively small and the resulting loss therefore low. The percentage of loss from all causes to the major crops is shown for the various

geographic regions in Figure 47.

The fluctuation in prices of farm products is perhaps an equally important cause of financial loss in farming. Overproduction in relation to market demand frequently results in prices that fail to give the farmer an adequate return. The range in price fluctuations is frequently very wide. In the 16 years between 1908 and 1923 the December 1 farm price of wheat varied from \$0.76 to \$2.15 per bushel, and the price of corn during the same period ranged from about \$0.42 to \$1.36 per bushel.

The difficulty of controlling the supply of farm products so as to eliminate fluctuations in price is apparent. The industrial captain is able to reduce his output or even close his plant, but the farmer who has his entire capital invested in his farm finds it necessary to operate at full capacity. He may regulate his crop acreages, but he has only a limited control over yield. Although the farmer is confronted with these difficulties, yet the burden of adjusting production to demand must be carried largely by him, and he must expect to assume a substantial part of the risk resulting from fluctuations in price. It should be added that the risk of crop failure for the individual farmer may be high even though crops in general are good and prices satisfactory. In fact, crop failure may be much more disastrous to the individual farmer than a severe drop in price.

The losses resulting from crop damage may be reduced in a considerable measure by farmers themselves. The single-crop farmer risks the loss of his entire crop in one disastrous storm. On the other hand, the farmer who diversifies his crops scatters his risks. and all of his crops are not equally affected by unfavorable weather, plant diseases, or insect pests at any one time. The importance of scattering the risks of farming in this manner is recognized by bankers, who frequently exact of farmers an agreement to use safe cropping methods. There are also other ways in which losses to crops may be reduced. The selection of varieties that mature within the growing season, the use of tested seed, the treatment of the seed for smut before planting, and the eradication of the barberry bush all

contribute to reduce the losses in farming.

There is yet another form of self-insurance which should be em-The income from farming varies widely from year to year. In years of good income the farmer should lay by a reserve against which he can draw in years when incomes are low. This is a form of protection which should be universally adopted by farmers.

These means of self-insurance will not provide the farmer the full protection he needs for his crops. There are many unavoidable losses over which the farmer has no control and for which adequate

protection can be had only through contract insurance. Until recently the farmer has had but little opportunity to obtain insurance protection on his crops against weather and other hazards.

Hail Insurance

Hail insurance is practically the only form of crop insurance that has been generally available to the farmer. It appears to be about the only kind of crop insurance that has been placed on a fairly satisfactory basis. The hail hazard is relatively high in some sections of the country. While damage resulting from hail over large areas is not as great as that from other causes, the losses to those who suffer are often very severe. Since hail losses are concentrated on a relatively small number of farmers and may be singled out from losses from other causes, it has been practical to insure against the hail risk and keep expenses within a reasonable part of the premiums.

Hail insurance is written by mutual hail insurance companies, joint-stock fire insurance companies, and State hail insurance departments. The mutual hail insurance companies confine their business largely to the insuring of growing crops. They were the first to write this form of insurance. The first mutual hail insurance company was organized in 1880. By 1900 there were 37 companies in existence. Many of these early mutuals proved to be failures partly because they lacked adequate knowledge of the hail hazard and partly because they were the products of reckless promotion. Out of a total of 121 mutual hail insurance companies of which we

have record 41 are now in existence.4

The joint-stock fire insurance companies that write hail insurance do so more or less as a side line. The first hail risks written by joint-stock fire insurance companies date back to 1883. Until 1910 hail insurance written by joint-stock fire insurance companies was of slow growth. Between 1910 and 1915, however, there was marked expansion in this field. In these five years the number of joint-stock fire insurance companies writing hail insurance increased from 5 to 35, and their premiums increased from \$735,000 to \$6,400,000.

Beginning in 1911 a number of States entered the field of hail insurance. In that year North Dakota passed its State hail insurance law. By 1919 South Dakota, Montana, Nebraska, and Okla-

homa had established State hail insurance systems.

The peak in the volume of hail insurance business was reached in 1919. The total risks in force in that year are estimated at about \$560,000,000. Of these risks 43 joint-stock fire insurance companies carried about a half, 41 mutual hail insurance companies carried about a quarter, and 4 State hail insurance departments still another quarter. Since 1919 the amount of hail insurance written has declined. The premiums of all joint-stock and mutual companies, as well as State hail insurance departments, in 1923 amounted to \$18,000,000, as compared with \$28,000,000 in 1919. While a number of causes may have contributed to this decline, it is probable that smaller farm incomes during the past few years has been a major influence.

⁴V. N. Valgren. Hail Insurance on Farm Crops in the United States. U. S. Department of Agriculture, Bulletin 312.

Since 1919 the amount of hail insurance written by State hail insurance departments appears to have increased relative to that of the joint-stock and mutual companies. The joint-stock companies collected 69 per cent, State hail departments 21 per cent, and the mutuals 10 per cent of the premiums in 1919, compared with 61, 28, and 11 per cent, respectively, of such premiums in 1923. During the last few years the losses of both joint-stock and mutual insurance companies, as well as State hail insurance departments, have been relatively high as compared with their premiums, and a number of companies have discontinued writing this form of insurance. As a result of this experience greater care is now exercised in the placing of insurance. By adjusting their commissions and making various other economics the level of premiums has not been materially, if at all, increased.




Fig. 48.—This map is based on reports of the United States Weather Bureau Since halistorms are often of a local character their average frequency is not fully shown in the map.

Hail insurance is written in farming regions where the acreage in crops subject to damage is large and where the hail hazard is relatively severe. The hail hazard, as appears in Figure 48, is especially high in the West and North Central States. This map, however, merely shows the annual frequency of hailstorms and does not indicate the destructiveness of such storms. Most of the hail insurance is written in the States of Kansas, North Dakota, Iowa, Nebraska, South Dakota, and Minnesota. In 1919 more than one-half of the total hail risks in force in the United States were written in the States of Kansas, North Dakota, and Iowa. (Fig. 49.)

The cost of hail insurance varies widely. In the early days of hail insurance 5 per cent was a common rate. As companies became more experienced in the field, rates were gradually adjusted to reflect differences in the hail hazard. The rates in Minnesota, Iowa, Missouri, and States farther east and south were lowered until a rate of 3 per cent became general for the more common cereal crops.




Fig. 49.—It is estimated that the total hall risks in force in 1919 amounted to about \$560,000,009. Of this amount almost four-fifths were written in seven Middle Western States

On the other hand, the rates in more western States were gradually increased and in some regions reached as high as 16 per cent. Most of the mutual hail insurance companies operated on the assessment plan, and premium and assessment rates can not be given. A number of mutual companies, however, operated on the plan of predetermined rates, which were usually from a fourth to a third lower than the rates charged by the joint-stock companies. The variations in rates charged by joint-stock fire insurance companies in 1919 are shown in Figure 50. The rates shown in the map are for the common cereal crops, such as wheat, oats, corn, flax, and spelt. The rates on barley and rye, as well as tobacco and cotton, ranged

somewhat higher.

Fire insurance is invariably written for a specific period of time, but the term of hail insurance covers the period of crop development. The insurance may remain in force up to a specific date or until the crop is harvested. The policy usually covers a specific crop grown on a designated piece of land. It should be added, however, that a number of mutual hail insurance companies operating in the eastern part of the United States write a term policy for three or five years and cover a number of enumerated crops on a given farm. In the writing of hail insurance there has been a tendency in the past to overinsure. Farmers have found it possible to obtain concurrent insurance from a number of companies amounting at times to as much as \$30 or \$40 per acre. This may be designated as gambling in insurance. The more recent tendency to prescribe a limit per acre for concurrent insurance no doubt is a move in the right direction.

A number of special problems arise in the writing of hail insurance. The business is of a seasonal nature and competent solicitors and adjusters are difficult to employ for relatively short periods. This makes it necessary to offer special inducements, which increase

the cost of operation.

The hail hazard, also, is very erratic in its behavior. Losses vary widely from year to year, and the net profits in the hail insurance business vary accordingly. The ratio of losses paid to premiums received has materially risen during the last few years. Since 1919 the ratio of losses to premiums in the case of joint stock fire insurance companies has ranged from 41 to 94 per cent. The loss for these companies from 1890 to date averages 68 per cent. These fluctuations, as illustrated in Figure 51, show the need of long experience in determining probable loss from the hail hazard.

The losses from hail are also likely to be heaviest in one-crop regions. One or more severe hailstorms during the critical period of the main crop may cause ruinous losses. Uusually the main crop in suchregions is insured without including other field crops. In regions of diversified farming, on the other hand, there is not the same danger of ruinous damage from hail. All crops at a given time are not equally susceptible to damage from this cause. Furthermore, it is a more general practice in regions of diversified farming to insure

more than one crop.

One of the more difficult problems in hail insurance is the adjustment of losses. In the past it is probable that more losses have been overpaid than underpaid. In some instances unfair adjustments have been made to embarrass competing companies, and competition




Fig. 50.—In comparing this map with Figure 44 if will be observed that rates charged for hall insurance are highest in the Great Plains region, where the hall hazard is greatest

PREMIUMS RECEIVED AND LOSSES PAID ON HAIL INSURANCE WRITTEN BY JOINT STOCK FIRE INSURANCE COMPANIES, 1890-1924




Fig. 51.—Beginning with about 1914, the hall insurance business of joint-stock fire insurance companies expanded rapidly, as shown by their premiums. As a result largely of the depression their premiums dropped from \$19,459,000 in 1919 to \$9,720,000 in 1922. Between the same years the ratio of their losses to their premiums increased from 41 to 73 per cent

of this kind has not infrequently resulted in overpayment of losses. This, in the long run, is damaging to both insurer and insured, and there is need of working out a plan under which losses may be fairly adjusted. Perhaps this can be best effected through a joint adjustment bureau maintained by the several agencies writing hail insurance in a region.

It is of course important that the risks in hail insurance be distributed over a wide territory. The acreage accepted for insurance within a square mile, a township, and a county is usually limited by the better companies. It is equally important that hail insurance companies maintain adequate surpluses or reserve funds for protection in years when their losses are especially heavy. This applies equally to mutual and joint-stock hail insurance companies. Where mutual companies have found it necessary to prorate heavy losses in a single year, it has often resulted in a loss of membership.

Since the mutual hail insurance company must cover a wide territory, it is not possible to maintain the same democratic control as in the case of the mutual fire insurance company. The management must, therefore, be placed in the hands of a relatively small group of men, who should always be responsive to the interests of the members. During the last few years there has been some decline in the business of hail insurance, but it seems likely that in the future farmers will give increasing attention to protection against the hail hazard.

General Crop Insurance

Hail insurance protects against one of the severe crop hazards in certain sections of the country, but it does not adequately cover the needs of the farmer for crop insurance protection. This is equally true of other kinds of crop insurance written to cover separate risks. While hail insurance is the outstanding example of relatively successful crop insurance, some progress has been made in

writing insurance on other separate risks.

During the last few years some frost insurance has been placed with associations of fruit growers in Florida and California. The placing of such insurance through associations of growers has had the advantage of making the risks more uniform and in simplifying the writing of the business. Insurance written against frosts in these States has been distributed among a pool of companies, and fairly satisfactory results, apparently, have been obtained with this class of insurance. Some attempts also have been made to insure raisin makers in California against rain while the grapes are in the process of drying. The insurance experience in this field has been short, and it is not possible to appraise fairly the success of this type of insurance.

Insurance against separate risks of this kind is serving a useful purpose, but it is apparent that a form of blanket insurance should be developed which will protect the farmer against all hazards that are beyond his control. Some attempts have been made already to develop or produce a blanket crop insurance policy. The joint stock fire insurance companies have shown the greatest interest in this field. The earliest attempt at writing general crop insurance dates back to 1899. The company met with poor success, and no further effort appears to have been made to write this kind of insurance until 1917. All of these attempts at writing general crop insurance on cereal crops proved unsuccessful. These failures were primarily due to a lack of knowledge of the physical hazards, as well as a lack of adequate facilities to guard against certain forms of moral hazard. The selection of applicants for insurance was in some instances detrimental to the interests of the company. In other cases the amount of losses was exaggerated through concealment of the yield actually obtained. Furthermore, the companies did not adequately protect themselves against the assumption of risks after severe damage to crops had taken place. It is therefore quite apparent that the experience of these companies in writing general crop insurance does not adequately test the possibility of writing this form of insurance.

Within the last two or three years there have been renewed attempts by joint-stock fire insurance companies to write general crop insurance. A fair degree of success appears to have been attained in writing insurance on certain fruit crops against all major hazards, but, in the main, covering only the actual expenses of producing and marketing such crops. There has also been some credit insurance written to protect concerns making credit advances on crops.

General crop insurance is still in the experimental stage, and an entirely satisfactory blanket policy covering all hazards perhaps still remains to be drawn. There are certain principles that should underlie any sound plan of crop insurance. Insurance of this kind should protect against only such crop damage as will result in serious financial loss. The amount of insurance per acre must be reasonable and must not cover theoretical losses resulting from failure to reap expected profits. Insurance that is written to protect against

anticipated profits will not only be too costly, but it will tend to

discourage diligence and care on the part of the farmer.

The investment in the crop should probably serve as the basis for fixing the amount of insurance carried. The insurance should be sufficiently high to cover damage that is so severe as to bring the value of the crop materially below the investment which the farmer has in the crop. This loss may be caused not only from physical hazards to the crop but from declines in price. The average yield of crops over a reasonable period, together with the average price for such crops during the same period, will serve perhaps as the best guide in arriving at a reasonable amount of insurance per acre.

If crop insurance is to protect adequately it must cover all of the principal hazards over which the farmer has no control. The omission in the policy of one of the hazards may leave the farmer in worse financial condition than without the insurance. On the other hand, it is important that such insurance does not protect the farmer against losses resulting from his own negligence. hazard in general crop insurance is important, since insurance is written on crops that are still in the making. Negligence on the part of the farmer, therefore, may result in severe losses to such crops without the intervention of physical hazards. Crop insurance written to protect against the negligence of farmers is not only costly but operates to the detriment of the honest and efficient The development of some plan of cooperation among farmers for adjusting losses and for generally reducing the moral hazard would, no doubt, speed the day when general crop insurance will be more commonly written.

The cost of crop insurance must be reasonable if farmers are to find it practicable. Reasonable premiums can be charged, however, only if the physical hazards are adequately measured and the moral hazards are reduced to a minimum. The adjustment of losses must be fair to both the insured and to the insurer. There must also be the widest possible distribution of risks, and liberal reserves must be maintained, in order to meet the excessive losses of bad years.

It is only within the last few years that the subject of crop insurance has been given serious consideration. It is now a subject of national interest. In the spring of 1923 a special Senate committee was appointed to investigate the entire subject of crop insurance. This committee presented a valuable report in which it was brought out that to be successful crop insurance must be based upon a more detailed knowledge of the hazards of growing crops and must be nationwide in scope. It is probable that the present-widespread interest in this subject will result in the development of a form of crop insurance which will adequately protect farmers against the hazards of weather, plant diseases, and insect pests, and to some extent against fluctuations in price. Adequate insurance of this kind would help stabilize the farm income and place the business of farming on a more satisfactory basis.

Life Insurance

Life is longer and health is better for those who live in the country and smaller towns than for city dwellers. The country boy may

expect to live 734 years longer than the city boy, and the country

girl 6 years longer than the city girl.

While this is true, the need of life insurance by the farm population is as great as that for any other group. The primary object of life insurance is to provide protection for dependents. There are many uncertainties in farming, and the farmer has no assurance that at his death he will have adequately provided for the needs of his family. The mortgage encumbrance on farms is frequently very heavy, and many a farmer at death has left an indebtedness with which his dependents find it difficult to cope. Against such contingencies life insurance provides invaluable protection.

There is another phase of life insurance that merits careful consideration. Business men have found that life insurance materially enhances their credit standing. It should be no less valuable in bettering the credit standing of farmers. The mere possession of a life-insurance policy in itself is evidence of thrift and forethought.

Farm Taxation

Taxes on farm property in the United States increased approximately 140 per cent from 1914 to 1923. The value of farm products in 1923 was only 58 per cent more than in 1914, while net business receipts of farmers, according to the best available estimates, were little if any greater in 1923 than in 1914. Farm taxes have increased, but the fund from which the tax is paid has not increased in proportion. Although this change in the relation of taxes to income is not confined to agriculture, certain conditions of State and local revenue systems tend to intensify the problem of taxation for farmers more than for any other class of producers.

The greater part of the farmer's tax is levied on real estate, although in 1923 he paid 25 per cent in addition on personal property.






Fig. 52.—With few exceptions, the annual trend of the farm real-estate tax has been upward. The Kansas figures were taken from Bulletin 232 of the Kansas Agricultural Experiment Station

Since real estate and other forms of property are usually taxed at the same rate according to value, the increase in the farm real estate tax per acre is indicative of the trend of all taxes on farm property. The real estate tax, as shown in Figure 52, moved continually upward in Ohio, Indiana, Missouri, and Kansas from 1915 to 1922. A slight decline in tax per acre took place in 1923 in Ohio and Indiana, but available information indicates continued increases in Missouri and Kansas.

Although the rate of annual increase varied with the States, the net result was an increase of more than 100 per cent from 1916 to

¹ Agriculture Yearbook, 1923, p. 8. ² For 1914 estimate, see report of the Bureau of Economic Research, Vol. II, pp. 55-59; and for 1923 see report of the Department of Agriculture—August Supplement of Crops and Markets, 1924, p. 286.




Fig. 53.—Differences in average tax per acre be weeen the sections of a State correspond roughly with differences in land value levels. The average tax per acre in 1922, in each of the crop areas shown for Texas, was practically double the tax per acre in 1914. Taxes for 1923 averaged slightly higher than those for 1922, although an average reduction of 4 cents per acre is shown for the Texas Black Prairie region. The chart is based on data collected by the Texas Experiment Station cooperating with the Bureau of Agricultural Economics of the United States Department of Agriculture

1922 in all four States. The different levels in tax per acre within the State may be expected to follow somewhat roughly the differences in land values, as illustrated by Figures 53 and 54, although the ratio of tax to value may be higher or lower according to the demand for schools, roads, and other public activities. Since the rate of increase has been comparatively uniform regardless of the levels reached, it appears evident that the causes of the increases have been fairly general. This is especially true for recent years.

Price Levels a Factor in Farm-Tax Levels

A partial explanation of this occurrence is shown in Figure 55. During the years of the World War State and local public expenditures were held down rigidly, but in spite of this economy the increasing prices of supplies and increased living costs of public employees made necessary the levy of more taxes. Much of the savings which were made during these years took the form of postponement of improvements which had to be made sooner or later. Consequently when the war finally came to an end and the wave of prosperity was well under way the States greatly increased their budgets, particularly

in 1920. These taxes, falling due in 1921, found the country in the midst of a depression which had not been taken into account when the levies were made. It is doubtful whether such great increases would have been made had it been possible to foresee that the country would be in the grip of a business depression when the tax fell due. By that time prices were falling, so the tax increased more in purchasing power over 1920 than it did in dollars, and the difficulty of paying the charge increased proportionally.

While the high levels reached by taxes at that time were in large measure the result of unforeseen circumstances, their failure to come down in later years can not be attributed to similar causes. Whether measured in terms of dollars or purchasing power, farm taxes con-

tinued upward after 1921.

During the entire period from 1920 to 1923, in which farm taxes were at high levels, the farmer was in serious financial difficulties. Farm products were capable of purchasing a smaller amount of the




Fig. 54.—The average tax per acre on southern Minnesota farm land is decidedly higher than the tax on land in the timber and cut-over areas. Figures are from the Minnesota Tax Commission






Fig 55.— Farm taxes in the United States were higher in 1923 than in any previous year, being 146 per cent above the 1914 level. Their purchasing power, however, was only 57 per cent above that for 1914. High price levels from 1917 to 1920 kept the purchasing power of taxes below that of 1914, although the tax in dollars was increasing steadily. The total value of farm products was highest in 1918, whether measured in dollars or in terms of power to purchase commodities used by farmers. In 1923 the total volume of farm products sold for 57 per cent more than in 1914, but the total purchasing power of farm products was less than in 1914. Purchasing power of taxes was determined from the general commodity index of the United States Department of Labor, and that for farm products was determined from the index of prices of agricultural supplies prepared by the Division of Crop and Livestock Estimates, United States Department of Agriculture.

things which the farmer needs than they were in 1914. (Fig. 55.) The general picture is that of an industry trying to support a bigger and better governmental structure while experiencing the most acute difficulties in meeting private obligations.

The Farmer's Problem Under the General Property Tax

Inasmuch as the general property tax is the principal tax the farmer pays, the farm tax problem is concerned directly with the methods of general property taxation. Under this system the tax obligation is based on the ownership of property and is measured by the value of the property. In actual practice, however, not all property is subject to the tax, and many other considerations than true value have weight when tax liability is being determined.

A large volume of property escapes taxation because of legal exemption. Sweeping exemptions of tangible and intangible property of a public or semipublic nature make it impossible to tax uniformly. In addition, much property escapes because assessing officials are unable to discover it, thus precluding all possibility of appraisal for tax purposes. Only a small proportion of intangible personal property is assessed, and the property tax paid on this class amounts, as a rule, to little more than a voluntary contribution on the part of the owner, since he could avoid payment if he chose to do so. Even tangible personal property frequently escapes taxation in the cities. This is especially true of property held by persons who are not also the owners of real estate, as the names of such persons seldom appear on the tax rolls. Of recent years there has been a tendency to improve this side of the assessment problem through the use of automobile registrations in preparing tax rolls.

Nor is there any close approach to full value assessment and equality of taxation between the classes of property which are assessed. Personal property put to industrial uses is frequently favored in valuation in order to attract capital from competing

political units.

The class of property most subject of all to complete evaluation is real estate, yet even here great variations in assessments appear. While real estate is easy to discover, the individual character of each tract tends to establish for it a special value which may corre-

spond but roughly to the value of neighboring properties.

Real estate, like other property, is commonly assessable for taxes at its sale value, but the low annual turnover of this class of property leaves the valuation of most of it to be determined independently of an actual sale. In the absence of any generally accepted method of measuring sale value where an actual sale has not been made, the great bulk of real estate assessments in the United States are largely based upon the personal opinions of assessors or of reviewing bodies.

It is not surprising, therefore, that assessments in the different subdivisions of the States frequently show gross inequalities, some of which are attributable to errors in judgment and some to other causes. In the first class we may place the tendency to assess small properties at a higher percentage of full value than large properties. The second class of errors should probably include the differences in general assessment levels which are found between the different local districts of the same State.

While many factors contribute to bring about different assessment levels between local districts, there are believed to be two chief causes of inequalities. The wide use of the property tax base for State taxation promotes a competition between local districts for the lowest possible assessment of property consistent with local needs, since such assessments may lead to the avoidance of a portion of the State tax which otherwise would fall upon the local unit. The absence of adequate information upon which to base corrective equalizations in

turn renders reviewing officers loath to make equalizations except in cases where the local assessments are flagrantly out of line.

Great improvements have been made in the machinery of assessment under the property tax, but it is generally held that even with the best of systems the property tax has proved unsatisfactory in

gauging tax liability on the value of property owned. However, it is income and not capital value which should serve as the measure of the individual's financial obligation to the Government according to modern standards.

In the earlier period of our history, when practically all income was derived from land, the capital value of property was perhaps as good a measure as any of personal tax-paying ability, and the method certainly was easily applied. The demand for public expenditures at that time was comparatively moderate, and such inequalities as may have existed were probably insignificant. With the development of modern society this situation has changed. Instead of wealth consisting almost entirely of real estate or real estate equipment, as formerly, some now employ one class of property, while others employ an entirely different class in making a living or deriving income. Still others, notably the professional classes, require practically no property at all in the conduct of their business.

The outstanding feature of our present tax system is the failure of the general property tax to accommodate itself to the change that has taken place. The general property tax fails to reach the newer and diversified forms of wealth as efficiently as it reaches real estate, and, besides, it levies no tax at all on personal earnings. The result is that the property tax, once general in character, has come perilously close to degenerating into a tax solely on real or tangible property. The tax has, in fact, lost its character as an approximate measure of personal ability to pay.

The defects of the general property tax have long since been recognized. The justification for the tax appears to have shifted ground. No one any longer justifies the tax as a means of reaching tax-paying ability, but rather as a convenient nethod of taxing property as such. Meanwhile certain other sources of income remain untaxed, or, as in a few States, are reached in another way. Yet the general

GENERAL PROPERTY TAXES PERCENTAGE OF ALL TAX REVENUES, 1922




Fig. 56.—The general property tax is the leading source of State and local revenues in every State and is especially important as the source of State as well as local revenues in most agricultural States or in the States with the least industrial development

property tax still stands out as the leading source of tax revenue, as

is shown by Figure 56.

Even within the restricted limits wherein the tax now operates it falls with unequal weight upon incomes from the property it reaches. As long as practically all capital was used in agriculture the rate of returns realized by investors tended to be about the same on similar values. However, the wide range of returns now possible from equal investments in many of the newer classes of property destroys the reliability of a capital value tax as an equitable measure of taxes to be levied on property or on the owners of property.

Almost everywhere property used in agriculture stands out as the most ill-favored of all classes when the tax is considered in relation to earnings. The tax on farm real estate, together with taxes on farm machinery, livestock, and other property, all of which are easily reached by the property tax, has caused the agricultural industry to bear an undiminished tax burden despite the rise of more

productive industries.

Who Pays the Tax—Consumer or Farmer.

While most classes of business pay considerable taxes in one form or another, it happens in some cases that the tax is not borne finally by the taxpayer of the first instance. The ultimate burden of the tax, therefore, depends upon the extent to which the tax is shifted.

A tax on any class of property is nothing more than a fixed charge from the point of view of the owner. Industrial property must earn enough to pay the costs of producing and marketing its products, and in addition must satisfy all overhead charges not directly related to the quantity of output before a profit may be realized. Two of the chief forms of overhead are interest on mortgage debt and taxes. There are distinct differences between these two types of expense. An interest charge is usually voluntarily assumed and usually is in payment for the use of additional capital which in turn makes it possible to do business on a larger scale and therefore tends to increase the gross earnings from which the interest charge is deductible. Taxes, on the other hand, are levied by the whole social group without reference to individual desires in the matter or to the amount of benefits to be derived therefrom by the person or industry paying them.

industry paying them.

Taxes, however, are similar to other overhead charges in that they must be counted as one of the factors which help to determine at what price a product must be sold if the producer is to be remunerated for his time, labor, capital, management, and risk. It is evident, therefore, that the conditions which govern the possibility of shifting a tax originally laid on a producer to the consumer of the product are quite similar to the conditions which must prevail when other costs of production may be added to sale price. The degree to which price reflects costs of production depends upon supply and demand, in the main, and upon the relative production costs of one

producer as compared to others in the same field.

It is generally held that taxes on farm land are not shifted to any appreciable degree in the form of higher prices of goods sold. There are several reasons for this belief, but two stand out as especially significant. In the first place, farm products whether

marketed in this country or abroad necessarily come into competition with similar products raised in other quarters where a different tax rate obtains. Land taxes vary widely as between countries and within the same country. Farm real estate taxes ranged from 7 cents to \$2.22 per acre in the United States in 1922, according to estimates by the Department of Agriculture. If these taxes could be stated in terms of tax per bushel of corn or wheat, per bale of cotton, or per pound of tobacco, the range of variation would probably have been considerably reduced. Cheap lands in undeveloped communities where taxes are low produce less per acre than do high-value lands in older settled localities where taxes are higher. However, it doubtless is true that there would have been wide variation of taxes per unit of product as between States or localities.

Since the price at which the bulk of a given crop sells is fixed in the general market, the tendency for buyers to pay the least possible price causes producers who have experienced the higher taxes to assume at least a part of the burden of the tax in order to prevent other lower-taxed producers from underselling them. In this way a large part of the total tax on farm land is fastened finally upon

the farmer.

Secondly, it is not likely that even the part of the farm tax which is uniform in terms of the product is shifted to the purchaser of farm crops. Theoretically, the weight of this tax falls heaviest on the producer who just breaks even on the year's business and who would be forced out of business if he could not make all of his expenses, including taxes. The retirement of all persons from the field who can not make expenses would tend to reduce the available supply of farm crops and therefore to increase their value so that prices would stabilize at a point where the co.t of producing the last units of the quantity in demand would just equal the price which consumers would pay with such a supply available. If such a process led to an immediate abandonment of land this would permit the working out in actual practice of the theory of tax shifting. However, farmers are not prone to give up their occupation, even when operating at a loss. This fact has been noted frequently.

In addition to the universal resistance to change found among all classes, the farmer is particularly handicapped in entering new fields of endeavor. The nature of his occupation and training affords him little opportunity for familiarizing himself with other methods of making a living. On the other hand the prospect, even if remote, of bumper crops or high prices the next year causes him to hold on

year after year in spite of his losses.

While some farmers may sell their land and avoid the losses attendant upon its ownership in times of depression, the effect of such sales is merely to transfer the burden from one farmer to another. If land actually sold at a price which corresponded with fluctuations of land earnings, new purchasers would buy at a price which would free them from the inflated values that led to the low rate of returns experienced by their predecessors. However, land values in this country have responded more readily to upward price trends than to downward trends. This is partly to be attributed to reluctance of owners to sell, for reasons already discussed, and partly to the gen-

Babcock, F. M., The Appraisal of Real Estate. McMillan, 1924.

eral optimism which has always been in evidence as to the ability of land to recover its value after a time. While later events have finally demonstrated that this optimism was warranted in the past, it is yet true that the disproportionally high values of land have led to a continuance of high taxes based on sale value and of large interest payments resulting from increased farm mortgages during periods of depression. The farmer may have found it impossible to break even, perhaps for several years in succession, but yet has been impelled to continue producing in the hope of meeting some part of his expenses from the proceeds of the crop, even though he was foredoomed to stand some loss as the result of his year's effort. It follows, therefore, that farm crops have frequently sold on a market whose ruling price was determined not by costs of production but by the smaller sum which unsuccessful farmers were willing to accept rather than to suffer a total loss. Under a condition such as this it is impossible to shift to the consumer of agricultural produce even that part of the land tax which is uniform on all land.

Since farm products sell mainly on national or world markets, the likelihood of meeting this type of competition in sufficient volume to beat down the price is great. It therefore must be concluded that certainly a very large part of the farm tax is not shifted in the form of additions to the price of products sold, but remains as a deduction from the profits of farm operation and ownership. In fact, it is held by most economists that "under actual conditions the tax

on agricultural land is rarely shifted to the consumer."4

Has the Farmer Bought Himself Free of Taxation?

On the other hand, to what extent has the farmer bought himself free by capitalizing the tax? Capitalization is the process whereby the purchaser discounts the tax in the purchase price and by this means shifts the tax for all time on to the original owner. Because of the possibility of capitalization some are inclined, although recognizing the apparent heavy annual tax on farmers, to minimize the seriousness of the tax situation. Upon examination it will be found that this factor in affording relief to farmers is not so im-

portant as it may at first appear.

In the first place, for the tax to be avoided by this means the farm must change hands. Although statistics are not available to show the rate of land turnover, limited evidence indicates that by no means the majority of farms change hands even within a considerable period. In Iowa during the land "boom" period it is estimated that not more than 10 per cent of all farms were affected, although some farms were sold several times within a single year. In normal times the rate of turnover is much lower than 10 per cent per year. It was found also in Iowa that most of the farms were sold by farmers to farmers, and the same is believed to be true in the great majority of cases where farms change hands. A farmer in selling his farm turns about and buys another. Therefore, by the process of capitalization, the tax is avoided by one farmer and borne by another, and some farmer bears the tax after all.

⁴ Seligman, E. R. A., The Shifting and Incidence of Taxation, Columbia Univ. Pres 4th edition revised, p. 275.

In the second place, capitalization can affect only that part of a tax which can reasonably be expected in advance. Any tax in addition to that which was anticipated at the time of purchase could not have been discounted in the purchase price, and therefore is borne not by the original owner but by the present owner. Almost 40 per cent of the present annual farm tax has been added since 1920. Since comparatively few farms have sold since 1920, in the majority of cases this part of the present tax has not been borne by the original owner but by the present owner. For these two general reasons the great mass of farmers have not bought themselves free of the bulk of the present tax.

And, finally, is the tax on farm real estate always capitalized anyway? During a period of land speculation, such as was experienced in 1918-19 in many parts of the country, it is doubtful if the mere matter of a few cents per acre in taxes was even thought of when the purchaser expected to turn the land for several dollars per acre profit within a short time. To the extent that the tax is ignored owing to excitement or bad judgment the tax is borne by the present owner rather than the original owner. It appears, therefore, that the farmer not only pays an excessive annual tax but that the tax

which he pays in the first instance is fastened on him.

Farm Earnings in Relation to Farm Taxes

If farm taxes can neither be shifted, nor avoided through capitalization, it seems plain that the tax must remain as a charge upon the earnings of the agricultural industry. We have already seen that taxes rose rapidly during a period of falling prices. It is therefore obvious that the tax must have become a great and growing burden upon the earnings of the industry in recent years. This, in fact, was the case from 1919 to 1922, as farm tax studies have shown.

Even in 1919 a department survey shows the tax consumed from 5 to 65 per cent of the return from cash rented farms. These returns were net except for taxes. In the North Central States the tax, expressed in percentage of rent, varied from 11.7 to 38 per cent, while in Southern States it ranged from 5.6 to 29.2 per cent. In the more western States the highest percentage was 37.8 per cent and the lowest 9.8 per cent. The ratios of tax to rent as determined in this study are graphically illustrated by counties in Figure 57.

High as these figures seem in some instances, the rise in taxes and the fall in farm earnings since 1919 must certainly have produced a situation still less favorable to landowners. Other studies rein-

force this conclusion.

Rented farms in Indiana, Ohio, and Missouri, where ratios of tax to rem have been ascertained, show marked increases in the relative importance of the tax. The general property tax on 105 Indiana farms averaged 39.6 per cent of rents, net except for taxes, in 1923. In 1922, 100 farms in that State reported a tax averaging 47.1 per cent of rents, while averages for the preceding years were 41.5, 23.9, and 12.4 per cent for 1921, 1920, and 1919, respectively. The tax on farm real estate in Missouri, expressed in percentage of net rent, increased from 10 per cent in 1919 to 20 per cent in 1923. A study

FARM REAL ESTATE TAXES IN RELATION TO NET CASH RENT, 1919




Fig. 57.—The real estate tax absorbs a large percentage of the net cash rent of farms in most of the States. The low percentage shown for southern counties is due to comparatively low real estate taxes and to higher cash rentals, which include not only land earnings, but payment for supervision and risk from "Taxation of Rented Farms, 1919," preliminary report of the Department of Agriculture, March, 1925

of cash rented farms in Ohio revealed the steady climb of taxes in relation to rents from a percentage of 31.1 in 1919 to 41 per cent in 1922, as shown in Table 2.

Table 2.—Tax in relation to net rent for rented farms in Ohio, Indiana, and
Missouri

State	Indiana 1	Ohio 2 Missouri3
1919 1920 1921 1922 1922	Per cent 12 4 23 9 41 5 47 1 39 6	Per cent Per cent 10 0 31 1 12 7 37 8 22 0 41.0 18 2 20.1

⁾ From Taxation of Farm Real Fstate in Indiana, preliminary report, by the $\mathcal{C}(S)$ Department of Agricultine, March, 1925. 'Unpublished materials

Press release by the Department of Agriculture in cooperation with the University of Missouri, January, 1925

While the different levels reached in the three States show the extent to which the farm tax is a local State problem, the fact that notable increases took place in each of them is also significant. Low land earnings and high real estate taxes are known to have been the general experience of farm owners throughout the country.

The figures shown do not, of course, represent the whole picture of farm taxes. Land in neither the sole source of the farmer's income nor the only base upon which he pays taxes. However, land is the most necessary and largest of all capital investments connected with agriculture in most of its forms, and it is taxed separately and objectively by the States.

Table 3.—Relation of farm taxes to farm income¹ for selected farms in the United States, by geographic divisions, 1923

The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s					
Geographic division	Number of reports	Farm income (before deducting taxes)	Taxes	Relation of taxes to farm	
United States North Atlantic South Atlantic East North Central West North Central South Central Western	16, 183 1, 800 2, 131 3, 395 3, 817 3, 320 1, 720	\$1, 210 1, 230 850 1, 250 1, 350 1, 030 1, 580	\$190 160 110 220 240 140 270	15 7 13 0 12 9 17 6 17 8 13 6 17 1	

¹ As reported in the July, 1924. Supplement of Crops and Markets, p. 221 "Farm income" represents net busin as receipts, plus or minus change in inventories for the year. Farm income is not the same thing as reported under the provisions of the Federal income tax law.

It is possible to show, in addition, the effect of taxes upon the whole farm income. However, since that part of farm income which represents the labor and management of the operator is not subject to property taxation, such a figure must be interpreted broadly. These ratios are not comparable with taxes in relation to return from other industries because salaries and wages paid to persons employed are not always included in the net returns of other indus-

tries. Table 3 presents the relation of property taxes to net cash receipts before the deduction of taxes, plus or minus changes in inventories for the farms reporting. It appears that taxes were lower in 1923 than in 1922 when measured by this standard except in the West North Central States. The decrease for the whole country, however, was slight, being only from 15.9 per cent of net cash receipts to 15.7 per cent, because there was little change in the fax in the sections where agriculture is relatively important.

Taxes and Earnings in Other Industries

The farm tax is high in dollars, in terms of property earnings, and in terms of farm income. It is also high in comparison with taxes paid by other classes. Evidence of this fact may be gathered from a recent report of the Bureau of Internal Revenue. In 1922 corporations throughout the country which were engaged in agriculture and allied industries paid taxes other than Federal income and excess profits taxes to the extent of 65.3 per cent of their profits. This ratio was far higher than that for any other class of industry, as Figure 58 shows. The data for agricultural and allied corpora-

RELATION OF TAXES, OTHER THAN FEDERAL INCOME AND PROFITS TAXES, TO NET PROFITS OF CORPORATIONS, 1922




Fig. 58—Most of the taxes upon which this chart is based were State and local property taxes. Practically all of the tax paid by agricultural corporations is levied on property. The higher ratio of tax to profits in the case of farm corporations is due mainly to the relatively larger investments in real estate, which is especially subject to the property tax and which normally earns a lower rate of return than most other classes of property. Bureau of Internal Revenue

tions represent 9,092 organizations, of which 7.747 were farm corporations proper. It is unlikely that the ratio shown for the whole group conveys an overdrawn picture of conditions for farm corporations alone. In most instances the taxes shown for corporations were largely general property taxes. Practically all of the tax on those engaged directly in farming was of this nature.

Figures similar to those for corporations have been prepared for partnerships in the State of New York. The partnership data on which Figure 59 is based have been grouped as nearly as possible in the same way that the Bureau of Internal Revenue released the corporation statistics on which Figure 58 is based, with the exception that advantage has been taken of the opportunity to separate farming from other industries closely allied to it. As Figure 59 shows, agriculture stands second in the percentage of net profits consumed by taxes other than income taxes. It will be noted that mining and quarrying, which stand first, are also industries whose property is largely tangible and therefore easily taxed under the property tax. But it should be said that mining is frequently conducted under the corporate form of organization, so that the mining firms considered

RELATION OF TAXES TO NET PROFITS OF PARTNERSHIP FIRMS, STATE OF NEW YORK,




Fig. 59.—The high percentage of profits absorbed by taxes for partnership firms engaged in mining and quarrying is due, in part, to the relatively large investment in real estate, which these firms as well as those engaged in farming are forced to carry. Also the ratio for these firms was high because the small number of coal mines included had an exceptionally high ratio of tax to profits in 1922. With the exception of mining and quarrying, farming partnerships paid the highest tax in comparison with income.

Rearranged from the annual report of the New York State Tax Commission, 1992.

here may not necessarily be representative of the industry. Inspection of the figures on which the chart is based bears out this conclusion, as there were but nine mines included, with a combined gross return of less than \$1,000,000. Such mines could not be considered representative of the mining industry over the country generally, yet the extremely high taxes which they reported (31.4 per cent of net profits) were sufficient to raise the general level of the mining and quarrying class to a point above that of agriculture.

The wide difference in the ratios of taxes to earnings between corporations and partnerships engaged in the same industry, as shown in Figures 58 and 59, is believed due to the accounting practice of deducting salaries to officers of corporations as an expense, while

the drawing accounts of members of partnerships are treated as distributions of profits.

Neither of the above comparisons are entirely adequate to determine the exact comparative effects of taxes upon the profits from different industries. But it is significant that agriculture stands first in one case and second in the other. The presumption seems to be that the farm business is subject to far more burdensome taxation than any other line, with the possible exception of mining and quarrying. This would normally be expected when it is remembered that the property tax, under which agriculture makes most of its contributions to the Government, is a tax apportioned according to the value of property. The low earnings of farm property preclude any other consequence than a high tax in relation to returns.

Use of Earnings in Fixing Taxable Values

How are we to harmonize taxes under the general property tax system and the annual earnings of property? Steps taken to improve assessments of recent years have, with certain exceptions, disregarded earnings and have been confined to an attempt to develop more efficient measurements of sale value, the tax base used during the period in which these inequalities have come about. This situation has had three main causes.

First, as has already been shown, from the popular point of view, sale value is the accepted measure of tax liability, rather than evidence of earning power. The importance of the latter factor and the changes that have taken place in the relative earnings of property appear to have been lost from view.

Secondly, inequalities in taxation are always more apparent as between two properties of the same class than between properties of different classes. However, notwithstanding the greater possibility of error in the case of different classes of property, the alert taxpayer knows less of the extent of these inequalities than he does of the amount of misplaced assessment of property of the type which he himself owns. Like the assessor, the taxpayer is unable to ascertain the true value of classes of property with which he is not For this reason he usually contents himself with keeping a more or less close watch over the assessments of persons situated somewhat like himself. The result has been a growing demand for careful equalization as between properties of the same class, somewhat to the exclusion of properties of other classes. Moreover, in a period when real estate has come more and more to form the tax base for the property tax, more attention has been given by the public to the taxation of this class of property than of most others.

Side by side with the development of popular interest in the assessment of real estate, however, there has grown up an increasing interest on the part of public officials in the assessment of other classes of property. While many of these are by their nature difficult or impossible to discover and others are hard to evaluate, improvements in the machinery of sale value assessments are being made year by year, both between classes and within classes. To many of those whose interest has penetrated this far into the prob-

lers of taxation it has seemed that a full assessment on the basis of sale value would eliminate the most important evils of taxation, because of the close relationship between the value of property and its earnings. The prevalence of this idea constitutes the third reason why the direct consideration of income has been omitted in the course of tax reforms in many States.

But it is not necessarily true that more efficient assessment at sale value would lead to an equalization of taxes in relation to income or earning power. It was found by the Department of Agriculture that banks in Indiana counties where farm taxes were studied paid tores which were below those paid on farm lands when measured by incomes. In fact, when levies for similar purposes only were considered, banks paid a tax only half as heavy as that paid on rented farms. Yet, according to the study, the same banks were usually assessed at a decidedly higher percentage of full value than were the surveyed farms.

The situation in Indiana is believed to have its counterpart in every State when all classes of property are considered. The reason lies in the wide variation in rates of return which are earned on capital investments in different fields. Even where it does not occur that a given class of property is undertaxed on the basis of sale value and overtaxed in terms of income at one and the same time, it is almost always true that the degree of over or under assessment differs materially from the degree of over or under taxation when taxation is considered in terms of earnings.

Since property taxes, like all other contributions to the State, are paid from current income and are burdensome or light according to the degree to which they consume income, it would seem advisable to consider this side of the question when assigning the


amount of tax to be paid by owners of property.

Consideration of the earning power of property has been widely recommended in recent years. Both the special tax committee of Iowa and the committee on tax investigation of Oregon urged it in 1923. The 1921 enactment of the Indiana Legislature providing that in ascertaining the "true cash value" of personal property assessors may consider "the earning capacity of such property" further indicates the tendency to incorporate this principle into tax laws.

Effect of Financing State Activities by Local Taxation

The mere consideration of earnings in assessing property for taxation does not necessarily guarantee a material reduction of taxes on all farm lands. Such a change will have the effect of reducing assessed valuations and of shifting more of the total tax bill to other property. In sections where but little other property exists the farmer must continue to pay the bulk of the taxes regardless of assessment reforms. As it is at present one of two things must be Either the farmer has no claim to tax relief beyond that to be obtained from an equalization with more direct regard to farm earnings and from a reduction in expenditures or else there is a fundamental defect in some other feature of present State and local taxation methods.

DISTRIBUTION OF PROPERTY TAXES ACCORDING TO LEVYING JURISDICTION



1916, 60.—The proportions of property taxes levied by the State, by countles, and by townships and local districts vary widely with the States. The share of the total tax levied by the different political units depends upon the faxation policy in the State, that is, whether the major functions of government are financed largely by the State as a whole or by county and local governments acting separately
From "Taxation of Rented Farms, 1919," preliminary report of the Depart-

ment of Agriculture, March, 1925

The bulk of the farmer's tax, as shown in Figure 60, is levied by local taxing units. The percentage of local taxes of the total has been rapidly increasing in recent years, not because of decreasing State expenses, but because of additions to local levies. This fact has led to the belief that the farmer's tax problem is mainly local. An examination of the purposes for which taxes are levied will show that this belief is not altogether sound. The issue turns upon the propriety with which so large a proportion of the total tax is left to be raised by the local districts.

County and other local taxes in 14 counties representing an equal number of States (Fig. 61) were levied mainly for the support of schools and roads in 1919. While these functions of government do

DISTRIBUTION OF COUNTY AND LOCAL PROPERTY TAXES ACCORDING TO PURPOSE OF TAX LEVIES, 1919




Fig. 61.—The local school tax stands out as the principal tax levy in 7 of the 14 counties, while the road tax levy was the principal item in 2 of the counties

not play so large a part in State levies paid by the same counties, Figure 62 shows that both are found in the general property levies of five of these States, while schools alone appear in the State levies of three States and highways in two States. In two cases there were State property levies, but not for these purposes, while two other States levied no state-wide property taxes at all.

DISTRIBUTION OF STATE PROPERTY TAXES ACCORDING TO THE PURPOSE OF LEVY,





Fig. 62.—The use of State property tax levies for the support of pablic education and highways varies widely with the States. State-wide levies for schools were found in 8 of the 12 States represented in this chart, and state-wite levies for roads were found in 7 of the States. Two of the 14 States represented in the preceding figure, l'ennsylvania and California, levied no State property tax in 1919

A more recent and detailed picture of the same problem is presented in Figure 63, where the Indiana average farm tax dollar paid in 1923 is analyzed. Of every dollar paid in taxes by the farmers of that State in 1923, 76.1 cents went for the support of roads and schools. The road funds had to be divided between three jurisdictions, 1.7 cents going to the State, 22.2 cents to the counties, and 2.9 to townships. Educational levies were divided between the State and the townships, 8.1 cents going to the former and 41.2 to the latter. The Indiana situation has been changed somewhat since

INDIANA FARM TAX DOLLAR OF 1923 ANALYZED ACCORDING TO LEVYING JURISDICTIONS



ACCORDING TO PURPOSES OF LEVY




Fig. 63.—In Indiana 49.3 cents of the 1923 farm tax dollar went to the support of public education and 41.2 cents of this amount was levied by townships. Highway costs accounted for 26.8 cents of the farm tax dollar, and 22.2 cents of this was levied by counties. All other governmental expenses, including benevolent, administrative, and miscellaneous items, required 23.9 cents of the farm tax dollar

From "Taxation of Farm Real Estate in Indiana," preliminary report of the Department of Agriculture, March, 1925

1923 with the advent of a gasoline tax, but the figures presented are typical of the distribution of taxes in many general property tax States.

The question is at once raised as to whether the financing of schools and highways is properly to be regarded as a function of the State, of the local subdivisions, or of both. Figure 62 illustrates the diversity in State policies on this point. The reasons for the divisions of tax responsibilities now in force are mainly historical. Both schools and roads were originally financed by means of local tax levies. The importance of public education to society generally was not recognized for a long time, and before the advent of the motor vehicle, roads had almost entirely a local community function. In view of the less complex economic and social conditions and the limited social and political objective, local taxation and local control of the special functions of government was consistent with sound fiscal policy.

These conditions, however, have changed. Public education is now generally considered essential to the proper development of society as a whole and for this reason is held to be of primary concern to the State as well as to the separate localities. With the coming of greater unity in commercial and social intercourse, public highways no longer function merely for the benefit of the local community. Their service has been extended until they now serve the public generally. While this change has taken place gradually and is by no means complete, it has reached the point where it becomes an important consideration in the theory and practice of State

and local finance.

Theoretically the scope of the collective benefit determines the scope of taxation for a particular purpose. According to this principle, public functions of state-wide importance should be supported by the resources of the State as a unit rather than by a combination of independent taxing jurisdictions covering the State in the aggregate. The fiscal unit should be limited only by the extent of the common interest. Where the collective benefit is considered to be part general and part local, the financial obligation will be divided accordingly between the central and the local divisions of government.

A collection of independent taxing districts, although covering the State, is by no means the same as the State operating as a unit. If a tax for a common purpose is levied in different districts but at different rates, the tax may be equitable enough within each of these districts but inequitable as between districts. One district may be far more able to bear the tax, while the cost per unit of service may be greater in the less wealthy community. The burden of the tax, although for a common purpose, may be as between taxing districts inversely proportional to taxpaying ability.

inversely proportional to taxpaying ability.

For example, the cost of public education per pupil, assuming equal standards, is greater in rural communities than in the more populous districts, while the wealth and income per capita is less.

⁵ Bastable, C. F., Public Finance, Chap. VIII, 3d edition, revised. McMillan & Co., London, 1917.

The same type of inequality exists as between road districts or as between counties that attempt to provide continuous highways. The cost per mile of highway of uniform quality may be about the same in different taxing units, yet the wealth of one may be double

that of the other with which it is cooperating.

The primary difficulty of the scheme of local taxation for the support of both schools and roads arises from the division of the State into more or less arbitrary districts wholly unfitted for purposes of finance. In the developed sections of the country at the present time the separate taxing districts are not separate communities at all, but merely parts of the larger community concentrated about our towns and cities. While a degree of separation of interests may exist as regards minor matters, economically and socially speaking there is but one unit. The attempt to maintain entirely separate financial relations is contrary to the organization of society, either economic or social.

Besides, the local taxing districts acting separately are far less able than the State to reach taxable wealth or to maintain an equitable system of taxation. A function of government state-wide in importance requires that revenues be drawn from the State as a whole and that public revenues be distributed so as to maintain equivalent services and benefits throughout the State in so far as the State's interest is concerned. After this is done the lesser political units may supplement the State's effort according to local demand.

We may examine this problem a little more closely in typical general property tax States. In Indiana 83.5 per cent of the tax on farm real estate for school purposes was levied by townships in 1922. The remainder was levied by the State. The State government of Indiana has laid down fairly elaborate requirements for public education, fixing the minimum school term, minimum salaries for teachers, prescribing courses of study, and setting standards of training for teachers. However, the cost of maintaining these statemade standards is left largely to the local school districts. Thus, while the importance of public education to the State is recognized in these laws the State as such assumes comparatively little of the financial responsibility.

In Nebraska 85.6 per cent of taxes on rural real estate for school purposes was levied in 1921 by townships and local districts. The State government, as in Indiana, levies practically all of the remainder, as shown in Table 4. Inasmuch as general property taxes in 1922 represented over 93 per cent of all tax revenues in both States, it is evident that schools in these States are predominantly supported

by local property taxation.

In Texas, however, practically half of property taxes for schools was levied by the State and the other half by local districts. This higher percentage of the tax levied by the State makes possible a greater degree of equality of educational opportunity in that State.

Similar results have been achieved in other States where State funds derived from sources other than the property tax have been distributed among the local districts in sufficient amounts to bring about an approach to equality of opportunity. Some States, notably Massachusetts, Delaware, New York, New Jersey, and California, have gone even further and have taken the cost of education

into account in determining the apportionment of State funds among the various local school districts.

Table 4.—Percentage of taxes for school purposes levied on rural real estate by the State, by counties, and by townships and other local subdivisions. Indiana (1922), Nebraska (1921), and Texas (1923).

Stare	State tax	County tax	Township and other local subdi- visions	Total
Indiana Nebraska ¹ Texas ²	Per cent 16 5 14 1 49 5	Per cent	Per cent 83 5 85 6 50 5	Per cent 100, 0 100 0 100 0

¹ Statistics provided by the State College of Agriculture, University of Nebraska, in cooperation v th

the U.S. Department of Agriculture and Mechanical College of Texas in cooperation with the U.S. Department of Agricultural and Mechanical College of Texas in cooperation with the U.S. Department of Agriculture

Less than one-tenth of 1 per cent

As in the case of schools, so with highways, the problems of division of financial responsibility between central and local State agencies has been viewed in many different lights and disposed of in many different ways. Figure 64 presents comparisons of the 1921 road mileage locally controlled with that controlled wholly




Fig. 64.—The greater part of the highway mileage in the United States is subject to local control
Rearranged from Bulletin No. 1279, Table 11, of the Bureau of Public Roads,
United States Department of Agriculture

or in part by the States. With the exception of the State of Wisconsin, the state-controlled roads include State roads, State trunk lines, and State aid roads, as classified by the Bureau of Public Roads for 1921.6 In Wisconsin county roads are included with state-controlled highways.

⁶ Department of Agriculture Bulletin No. 1279.

It appears from this chart that roads of the better and more durable quality but classed as county and township roads far exceeded in mileage roads of similar quality classed as State roads in 1921. While it is evident that some of the mileage of both classes of roads served wholly or in part the purpose of local community traffic, it is equally evident that a large part of the mileage provided by counties and townships, particularly of the better quality roads, was used mainly for general rather than local traffic.

The effect of this arrangement on taxation may be seen from Figure 65, which shows the distribution of tax burdens for highway purposes as between the users of the roads, the States, and the local units. It is now generally agreed that the users of highways should make special contributions to their upkeep, and that the local




Fig. 65.—Of all highway taxes levied in 1921 in the United States, 19.7 per cent was levied on motor vehicles and gasoline. The great bulk of highway tax revenues was raised from general property taxes levied by counties or lesser civil divisions

Data supplied by the Bureau of Public Roads. United States Department of Agriculture

jurisdictions should provide some part of the cost of all roads, since all roads carry local traffic. In addition, the State as a whole should make some contributions from its general revenues toward the costs of such roads as are primarily intended to function as connecting links between the different localities, because the benefits from such roads are general and are enjoyed in a measure by the entire population.

It is evident from Figure 65, however, that in 1921 many of the States were not providing general revenues in proportion to the extent to which their roads were serving the State as a whole. Increased efforts on the part of State central governments have done

⁷ See "Problems of Highway Findnee," Report of Committee of the National Tax Association, 1924; also, "Principles Governing the Equitable Distribution of Highway Taxes," by C. O. Brannen, Bulletin of the National Tax Association, December, 1924.

much toward remedying this defect since 1921, but the problem is still an important one, as the continued rise of local road taxes testifies. But while State highway systems, financed directly by the State and Federal Governments, have in part supplanted or absorbed some of the highways originally projected by local governments, the change in this direction has not gone far enough as yet in most States to give substantial relief from the heavy burden of local taxation.

It appears that a large part of the road and school taxes now levied by the local districts, and therefore in large measure levied on farm real estate, go to support services used or required by the whole State. In the case of schools the States have evinced their interest by the passage of mandatory laws which have automatically pried up the level of local taxes. In the case of roads the similarity in type of roads now being built by the State and by the counties makes it clear that the States have failed to assume the full measure of their responsibility in this regard. It must be concluded, therefore, that a large part of the "local" farm tax should be supplanted by State taxes and the revenues distributed in such a way as to benefit the whole State. Professor Hobson, in dealing with this question in England, says:

It is equally clear that if, the State is to require conformity to a national standard of efficiency on the part of local administrators it must be prepared to assist in the finance.⁸

Other Taxes for the Support of State Functions of Government

The defects in State tax systems so far discussed include two main features. The first of these is the failure to give direct consideration to earning power in arriving at the taxable value of property under the general property tax. The second is the failure to recognize the growing responsibility of the State in the matter of financing the special functions of government. Correction of the latter fault would require an enlargement of State revenues. At the present time the degree of dependence upon the property tax for funds to support the general governments varies widely, as is shown in Figure 66. Were a redistribution of taxes attempted along the lines outlined, the resulting increase in state-wide taxes would be much greater in States where centralization of control has progressed rapidly than in those where the highway and school problems are still of local interest in the main. It is probable, however, that even those States which have attempted a minimum of centralization would find it necessary to make important increases in state-wide levies if they assumed even the relatively small part of financial responsibility for such functions as they now control in other respects.

If these increases were to be met out of a state-wide property tax alone, two undesirable results would probably come about. First, the total State levy would be so materially increased that it might

⁸ Hobson, John A., Taxation in the New State, p. 241.

^{29283°---} твк 1924-----19

overshadow all other levies in the public mind and lead to an unnecessary alarm over a fancied increase in expenditure. This, in turn, would have the tendency to bring about greater reductions in expenditures for such purposes than actual necessity would dictate. Second, the continuance of property tax support for these institutions would result in exchanging a local tax now levied chiefly on farm real estate in the country and a local tax largely on urban real estate in the city for a State tax chiefly on real estate of whatever type, wherever located. It is true that a certain amount of the tax falls on tangible personal property under either plan. However, as Professor Seligman has said, "Those who own no real estate are in most cases not taxed at all; those who possess realty bear the taxes




Fig. 66.—While two States have entirely abandoned the general property tax as a source of revenues for State purposes, 29 States still derive over 50 per cent of the revenues for their central governments from this source. The percentage shown for New York represents a so-called county school tax. This tax, however, is ordered by the State legislature and is levied at a uniform rate throughout the State. This and several other features render the tax so similar to State levies in other places that it has been necessary to show the New York tax as a State tax in this chart in order to permit proper comparisons between States

for both." While the state-wide property tax would bring some relief to the farm, it would be accomplished by removing a portion of the excess tax burden from one class of real estate and shifting it to another class, which, while better situated than the farm, is also overtaxed at present.

The property tax is almost unanimously condemned in theory by economists as a measure of personal tax-paying ability, and its use for the support of the general functions of government is quite generally deplored. However, at least two points may be raised in its defense. The property tax is of such a nature as to make possible the most accurate forecasts of its annual yield. It is also a tax which can be made to yield more or less with comparative ease.

⁹ Seligman, E. R. A, Essays in Taxation, 9th edition, p. 28.

This elasticity is a most essential feature in any workable tax system. It is not necessarily true, therefore, that other sources of revenue must be discovered for the support of the entire State government. While such a step would in most cases bring some relief to overtaxed real estate, practical consideration might not always make such a course advisable.

The adaptability of any plan which might be followed would, of course, vary with the degree of industrial development in any given State, as this development creates the large body of wealth and income now untouched by the property tax. For this reason it is not considered necessary or advisable to do more than enumerate the most outstanding available sources of State revenues which in some States might be tapped for the first time and which in others might be further expanded if they have not already been increased to the point of highest yield consistent with the progress of the State. Such sources include the income tax, consumption taxes on tobacco, gasoline, and the like, license and franchise taxes on individual and corporate enterprises, and inheritance taxes. Just which of the possible sources should be used in any given State must, of course, be decided according to the conditions which obtain there. Likewise the limits to which such taxes may be carried depends upon the locality. But to whatever extent these taxes are carried, additional relief will be given to real estate, the class now most seriously overtaxed, and more particularly to farm real estate.

It is true that a portion of the tax burden which might be placed upon other persons, services, and the like by the adoption of these newer tax bases might be shifted by the original payers and eventually rest upon the farmer. However, the proportion of the total State tax bill which the farmer would pay under a diversified system of taxation is certain to be less than if so large a part of it continues to be levied directly upon farm land, from which it can not be shifted.


As was the case in regard to a redistribution of the functions of local and State governments, the benefits to be derived from the use of new revenue sources are sure to be greatest in States where agriculture is of relatively little importance in proportion to other industries and least where agriculture is strongest. This may be expected for two reasons: First, the predominance of agriculture in many States leaves no adequate base onto which taxes now borne by the farm could be transferred. The agricultural industry must continue to bear the greater part of the tax burden in these States. no matter what form of taxation is adopted. Second, the States where industries are yet in their infancy may find it advisable to tax them more lightly than would be necessary if they were more firmly established. However, our whole history points to the future development of the other classes of industry, and the embodiment of some such taxes in the fiscal system, even if in a modified form, seems advisable not only for the sake of immediate justice but also for the purpose of preparing the way for future adjustments at the proper time.

Remedies for the three major defects in the present farm tax methods here discussed might well form integral parts of a unified

scheme of tax legislation. It is quite true that the benefits from any one of such remedies can not be realized in full except in conjunction with the others. However, each of them is useful when considered alone. It is highly improbable that all three steps could be taken at one time, and it is doubtful whether such a move would be advisable in any case, as the system of taxation of a State making such an attempt would run the risk of becoming temporarily disorganized. In addition, the likelihood of well-considered action in regard to any one of the proposals would be diminished. However, the early inauguration of a series of changes along the lines indicated would most certainly bring welcome relief to a tax-ridden agricultural industry.

The present scheme of real estate taxation, though frequently unduly heavy and unjust, has continued unmodified partly because of its simplicity and partly because of expediency. It is always advisable, of course, to lean to the side of simplicity in taxation, and expediency will play its part whether we will or not. But while justice in taxation is never likely to be the only consideration, an unjust tax or an unjust proportion of the tax on one class of taxpayers need not be continued indefinitely merely because the demands

of simplicity and expediency are satisfied.



By C. V. Piper, R. A. Oakley, H. N. Vinall, A. J. Pieters, and W. J. Morse, Bureau of Plant Industry; W. J. Spillman, O. C. Stine, J. S. Cotton, G. A. Collier, M. R. Cooper, and E. C. Parker, Bureau of Agricultural Economics; E. W. Sheets and A. T. Semple, Bureau of Animal Industry

AYMAKING is a very ancient agricultural practice. Its origin antedates history. Man doubtless developed it from very crude beginnings, but he can not claim to be the originator of it. The pika or cony (fig. 1) was a skilled haymaker before man had any need for hay. This little rodent cuts suitable fine-stemmed grasses, sedges, shrubs, and other plants and puts them in favorable places for curing. Usually his stacks are built among the rocks in protected and thoroughly drained situations. (Fig. 2.) He is so particular in the curing and storing of his forage that the color and fragrance of the material is well preserved. Man is usually less particular in his haymaking methods, since his product is for the sustenance of other animals.

The making of hay by man probably started with an attempt to provide forage for his herbivorous domestic animals when he took them on excursions into localities where grass or other forage was wanting. Probably he started with green material and by accident and observation learned that dried stems and leaves were eaten readily by the animals and that more forage could be transported

when the plants were dry than when they were green.

As man became more engaged in the care of herbivorous animals he doubtless became more discriminating in his choice of wild hay plants, giving most consideration always to those easily available in the quantity needed. As in the case of food plants, primitive man soon discerned the ones best suited to his purpose so that, when he reached the point in his development where he realized the advantage of cultivating plants for hay, he lost no time in choosing the good ones. Although history does not go far enough back to throw any light upon the early development of haymaking, it is very reasonable to conjecture that alfalfa was one of the first plants grown especially for that purpose. So it is apparent that primitive man recognized the same important qualities in a hay plant that are recognized to-day. In the progress of civilization man has im-

proved some of his original hay plants and has added others to the list, but the greatest advancement he has made in this branch of agriculture is in the development of haymaking machinery.

The Place of Hay in Farming

To have an adequate appreciation of hay and its place in American agriculture it is helpful to know something of its history, the requisites of the different hay plants, why hay is an important crop in some regions or sections and not in others, the factors that determine its place on the individual farm, and other broad economic and agronomic factors that are largely responsible for the position hay holds among our staple field crops. Consideration of these subjects in their logical order presents a "broad brush" picture which should make possible an appreciation of hay in its widest aspects. Nature



Fig. 4.-Pika or cony. This is the busy little animal whose haymaking activities antedated that of the earliest man. Photographed near Irwin, Colo.

has provided hay meadows of which man avails himself. Hay from these is called "native or wild hay," sometimes "prairie hay," and some of it "salt hay." Although the acreage of wild hay in the United States is very large, cultivated plants contribute by far the largest part of our total hay supply. Of these the perennials and certain biennials are of much the greatest importance both in acreage and production.

The discussion immediately following is from the standpoint of perennial, cultivated hay plants. Hays from wild plants and from annual cultivated plants are included only as the discussion may incidentally relate to them, since the former in a sense is taken as it is found, and the latter may be regarded to a considerable degree as an emergency crop.

That hay forms a distinct class of cured and harvested roughage is very generally understood; but, in order that there may be no misunderstanding, it should be stated that hay is the entire dry-

cured-above-ground parts—that is, the stems and leaves, and in some cases the seed, of relatively fine-stemmed plants harvested especially for feed. Thus hay is distinguished from such roughage as corn fodder or stover largely because of its fineness of stem, and from the fine-stemmed crops cut and fed green or as silage, because it is prepared by dry-curing. Hay should not be confused with straw, as the latter is a by-product of a crop harvested for another purpose. Hay is the most nutritious harvested roughage in common use. It supplies the need for a dried roughage that can be stored in a minimum of space and transported with the least effort and cost.

Characteristics of a Good Hay Plant

The requisites of cultivated hay plants may be regarded from two aspects—consumption and production. Obviously, the former aspect is the more important, since large tonnage and other agronomic



Fig. 2.—The pika builds his haystacks beneath projecting rocks to protect them from the weather. Photographed at Trappers Lake, Colo.

advantages are of little consequence if the cured herbage of the plant be refused by livestock. Therefore a plant from which it is possible to make good hay must be palatable to herbivorous domestic animals when it is properly cured. It must be nutritious; but, in the case of roughage such as hay and fodder, palatability is of even more importance than nutriment. Very frequently palatability and nutritive value are closely associated. It may be merely a fortunate coincidence, but most palatable hays are likewise nutritious, so that palatability is a fair measure of feeding value. A certain bulk is necessary in a ration for a domestic animal and, when feed is plentiful, palatability induces the animal to consume enough to permit the proper functioning of the digestive organs.

Few hays when fed to animals are entirely consumed by them. There are usually some of the coarser or more fibrous parts of the stems refused. A plant in which the proportion of waste is large is not a satisfactory hay plant. It is easy to understand why this is true

when the cost of growing and marketing is considered. Furthermore, where transportation is an important factor large waste can not be tolerated in a bulky product such as hay. In the very nature of things, therefore, hay plants are confined to fine-stemmed plants. One requisite of a hay plant is that it shall be of the kind that may be eaten freely by animals without danger of digestive or other physiological disorders. The feeder requires a hay that does not have to be doled out in rations, as is necessary in the case of grains and most other concentrates. The manger or the feed rack or the stack is often the measure, and time and the animal's appetite and capacity determine the size of the ration.

All of the factors that have been discussed from the consumption standpoint are fundamental in the creation of the market demand for hay. Although demands are, of course, more or less flexible, they are very rigid so far as the producer is concerned, and frequently they are the fixed points by which he must guide his produc-They limit him in the choice of hay plants. He must choose the plant or plants that will give him best returns when all the many and varied factors are taken into account.

Some of the important considerations from the production standpoint are: (1) The adaptation of the plant to soil and climatic conditions; (2) dependability and size of yield; (3) ease of getting a stand; (4) the proper relation in the matter of cultural requirements, including harvesting, to other important farm crops and to the labor supply of the farm; (5) facility of curing into marketable condition by simple and economic means; and (6) suitability for baling and storing.

Some of our best cultivated hay plants show a decided preference for certain soils; nevertheless, each is adapted to a rather wide range of soil conditions, which permits their use very generally in regions where the climate is suitable. Thus, timothy is found growing in practically all parts of the northern half of the United States, where

rainfall is sufficient, from the Atlantic to the Pacific.

The farmer, if he would grow hay, naturally must choose a plant that is adapted to his soil and climate; and, to be really suited, it must necessarily be one that can be counted upon with reasonable certainty to produce a good yield. With the farmer, yield is a highly important matter. In a bulky product such as hay, the market does not make fine distinctions in the various classes on the basis of nutritive value, so to a considerable degree the farmer is encouraged to produce bulk rather than quality. An increase in the yield of one-fourth ton to the acre frequently will more than balance the premium offered by the market for quality. To be popular a hay plant must be one of which good stands can be obtained with great certainty and with relative ease and economy. Doubtless alfalfa would be grown much more extensively east of the Mississippi River than it is at present were it as easy and cheap to obtain a stand as is the case with timothy.

Where hay is not primarily a cash crop, as are wheat, cotton, and corn, or where there is conflict of labor in the time of culture and harvesting, it is forced in most cases to a place of secondary con-Therefore the hay crop must fit in, as it were, with what are regarded as the more important farm crops and with the

labor supply of the farm or that available to the farmers. Haying must not conflict with wheat harvest or with the cultivation of corn.

A practical factor in hay production is the curing. Bright or at least dry weather is required in order that a good quality of hay may be made. In humid climates it is highly important then that hay plants be grown that will cure in as short a time as possible after cutting. Succulent plants and such as have large stems are slow to cure, and therefore fine-stemmed plants command preference. The market requirements are for bright, sweet hay and it is practically impossible to make hay meeting these requirements in a humid climate where the hay must lie for many days in the swath, windrow, and cock. Rain damage or bleaching, or both, are likely to take place.

Furthermore, experience indicates that fine-stemmed hay plants bear storage better than coarse-stemmed plants. Molds and other




Fig. 3.—Timothy meadows like this contribute materially to the beauty of the landscape and the prosperity of the farmers

deteriorating agencies are less likely to affect them. When the various features of curing, storing, transportation, and feeding are considered it will be seen that the characteristic of fineness of stem is a very important one. In view of the many requirements a cultivated hay plant has to meet, it is not surprising that there are relatively few plants that can qualify in the select class; and, as the requisites of consumption and production are understood, it is not difficult to see why it is that timothy is grown on upward of 20 million acres of land in the United States.

Factors Governing Hay Production

A study of the agricultural geography of the United States visualizes the fact that hay is relatively of much more importance in some sections or regions than in others. In most instances the rea-

sons for this are sound. In some cases, however, where hay is but little grown it would appear that it could be produced advan-

tageously on a much larger scale than at present.

The factors that determine the relative acreage of hay in the various regions or sections may be divided into two groups: (1) Natural, by which is meant climatic, biologic, edaphic, and physiographic; and (2) economic. These two groups of factors, of course, are interrelated. The second group particularly is dependent upon the first, but for the purpose of this discussion they may be considered more or less separately.

Of the natural factors, climate is the most important for the country as a whole. Rain favors grass production but handicaps hay curing. Perennial hay plants which make up a very large percentage of the hay of this country are of little importance where the precipitation falls below 25 inches annually, except where irrigation is practiced. In regions of dry farming, therefore, cultivated



Fig. 4. -Alsike clover and timothy grown together make an excellent mixture for hay, especially for wet lands

hay plants contribute almost negligibly to the agricultural resources. Although perennial hay plants need an abundance of moisture to make good yields, frequent rains and high humidity make curing exceedingly difficult and result in discouraging hay production. Therefore, moisture for the needs of the growing plant and periods of sunshine with freedom from showers for curing make the ideal climatic conditions for hay production.

In the United States, temperature plays an important part in the hay industry, in being a factor that apparently limits the southern range of timothy. No part of the United States proper is too cold for timothy, but from the northern part of the Cotton Belt southward the summer temperatures seem to be too great for its well-being. It so happens that in the part of the Southern States where timothy does not thrive there is no equally satisfactory perennial hay plant. If a hay plant could be found that would be as suitable

and as valuable for this region as timothy is for the Corn Belt, the crop-production map of the United States would doubtless be very materially modified. The same might be said of the drier parts of the Great Plains, but the cases are hardly analogous, since in the dry region the growth of all vegetation is limited by insufficient moisture. The lack of suitable hay plants for regions favorable for plant growth is a biological factor that limits hay production.

The influence of edaphic or soil factors is shown chiefly in sections of sandy soils. Clay soils may be poor and exceedingly hard to work, but if they are sufficiently drained they are fairly suitable for hay plants; whereas sandy soils, if very light and inclined to be dry, as is frequently the case, are not satisfactory for the growing of good

perennial hay plants or for the making of hay.

Rough topography in many sections is responsible for hay being relatively more important than are other cultivated crops. Steep




Fig. 5.—Timothy has long been the most important grass for hay production. Its culture is confined very largely to the northeastern quarter of the United States

hillsides wash badly when plowed annually and it is very unwise to raise tilled crops on them. The hay crop can be grown with a minimum of stirring of the soil and if necessary can be handled by very simple machinery. This is one reason for the relatively great importance of hay among the agricultural products in certain sections of New York, Pennsylvania, and the New England States.

Taken as a group, the natural factors play a very large part in the distribution of the hay crop of the United States. When the distribution of the cultivated hay acreage is studied from an economic standpoint, it becomes evident that competition with crops that come more nearly falling into the class of cash crops is the factor that determines its relative importance in most agricultural regions or sections. In the sections of the United States best suited to corn, the hay acreage declines. On the marginal areas of the Corn Belt, particularly northward and eastward, the competition is less severe and the hay acreage expands, except possibly where dairying is highly developed and silos are abundant. Winter and spring wheat culture even in the rain belt likewise tend to depress the hay acreage. In the sections of the Cotton Belt best suited to the growing of cot-

tca, that crop is supreme. The lack of suitable hay plants for much of the Cotton Belt, it is true, gives the cotton acreage an added advantage, as shown by the fact that in the black lands of Mississippi and Alabama, and elsewhere, alfalfa, when it could be grown successfully, provided a real competition with cotton in the matter of acreage. In recent years, for natural reasons not well known, its successful culture has declined. Tobacco and other less important cash crops have the same effect on the relative acreage as do corn, cotton, and wheat, but their effect, of course, is much more local.

In much of the irrigated West the relative hay acreage is very large. Irrigated lands are mainly in regions of dry climate where conditions are nearly ideal for the curing of hay. Alfalfa, one of the best hay plants grown by man, thrives abundantly on practically all of the irrigated soils of this region. It produces two to six crops annually with a correspondingly large tonnage. Corn is poorly adapted to most of the irrigated sections. Wheat and other small grains in general do well there; but these small grains for the most



Fig. 6 - In the wide expanse of western range lands farms like these in the valleys emphasize the advantage of irrigation in their abundant hay crops

part must be shipped to milling centers and, because of the distance of most irrigated lands from large markets, transportation charges are high. Alfalfa, in addition to producing a large tonnage of hay, can be fed to livestock where it is produced, and thus it finds a market at home. Where alfalfa seed can be raised successfully, it supplants the hay crop to some extent. Seed is a high-priced product and will bear heavy transportation charges. Alfalfa hay is shipped in quantity only when produced relatively close to large markets where transportation charges are not excessive. Cotton is competing with alfalfa on irrigated lands in parts of the Southwest. It is a cash crop that will bear transportation. Where a crop like sugar beets is introduced, alfalfa meets with competition. Beets produce a large tonnage and a near-by market is usually provided.

There are many other factors that determine the relative importance of the hay acreage in various parts of the United States. These are discussed elsewhere in this article. Hay is of value only as it is converted into animal labor or animal products. It is at a

disadvantage as compared with other crops, in that it has practically no market abroad and because of its bulk and other features it can not be stored economically either on the farm or in terminal markets for indefinite periods, as can cereals, cotton, or tobacco. The flexibility of its consumption is not great. Acreage bears a more definite relation to yield than in the case of most other field crops, and in all there is relatively little of the speculative feature in hay growing. When emergency situations arise, such as that caused by the World War, the hay acreage is reduced to provide increase for the acreage of food crops.

Factors Determining the Acreage on the Individual Farm

All the factors that influence the relative acreage of hay in regions or sections operate in determining its acreage on the individual



Fig. 7.—An alfalfa haying scene in central Kansas

farm; but, in addition, there are other factors which affect hay acreage but can scarcely be said to be regional factors. Viewed from the standpoint of the individual farmer one of the first, if not the very first consideration, is the availability of a suitable hay plant for his conditions. Every farmer would raise hay probably in excess of his bare needs if he could be sure of a fair yield for the benefit such a crop would be in maintaining the productivity of his soil. But, on the other hand, the great attraction of cash crops where such are practicable has a tendency to induce the farmer to seek other ways of maintaining a permanent system of agriculture than by the inclusion of "grass" in his cropping system. Granted that the farmer be located in a region where mixed grain and livestock farming is practiced, the distance of his farm from market and the general conditions of the road from his farm to town may influence him in either of two directions. He may conclude, because of a long hard haul to market, to raise mostly grain, which is more easily

transported than hay; or he may decide to lean to livestock and raise more hay and other forage, thus further simplifying his transporta-

tion problems.

Other factors being favorable, rough topography usually favors hay acreage on the individual farm, and smooth topography favors the acreage of crops that require more cultivation of the soil. Erosion is here the chief determining factor, but the difficulty of using machinery is also a consideration. Poorly drained lands can be devoted to such crops as timothy and redtop better than to corn or small grains. Alfalfa will not tolerate poor drainage. The farmer for reasons which he may regard as sufficient, may prefer to devote his poorly drained fields to grass rather than go to the trouble and expense of draining them for other crops. Unless the farmer's soil is very sandy it is not of great importance in determining his hav acreage, particularly where perennial grasses are the hay plants grown. Timothy especially is suited to a very wide range of soils. Different types of farming to some degree at least call for different cropping systems. For the average farmer diversified farming which includes a fair number of livestock is a conservative type, whereas cash-crop farming is more speculative in character. The almost innate belief that "grass" is essential to a good permanent agriculture and the need of hay for horse feed induces farmers to include hay in their farming systems regardless of the systems they follow, but naturally the former calls for the larger acreage. grain farmer makes hay a side line. The livestock farmer usually includes it as one of his principal crops. Either may grow a larger acreage than he would otherwise in order to enable him better to grow some other crop he considers more important. In many cases the livestock farmer raises hay for his own needs in preference to coarse roughage, because he has no silo and hay is more easily and conveniently stored than is fodder or stover. In the last analysis, the farmer either consciously or unconsciously reviews all the factors and then decides upon the extent to which he shall engage in hav raising at any particular time. He looks at the problem in the main from the standpoint of net profit, but his own idiosyncrasies enter into the equation to some extent. In other words, he consults his likes and dislikes, sometimes possibly his imagination. He may regard himself as a good corn or wheat farmer and a poor hay farmer, or the reverse. He may dislike haymaking because of extra labor or for other reasons, or he may regard his farm as poor grassland, especially since if he applies fertilizer he does so to his other crops and rarely to his hayfields. But idiosyncrasies rarely govern in the largest measure. The farmer's decision is usually sound. So very largely the question is reduced after all to the consideration of profit consistent with dependability of income and the maintenance of his soil. He realizes in most cases that grains have greater possibilities of profit, but the hay crop helps him to divide his crop risk and tends to make his income more secure. Where hay competes strongly with grain as a cash crop, he is influenced of course in its favor; but he realizes that the value of his hay crop may be very severely reduced by unfavorable weather during the few days that are necessary to cure it. Grains are less subject to such precarious conditions. After they have matured they will withstand bad weather and other damaging agencies to a much greater degree

than will hay. Of course the farmer knows that much of the damage done to hay by unfavorable conditions for curing does not unfit it for feeding on the farm, and he must have hay at least for his horses. If he is able to cure a part of his crop in bright sweet con-

dition, that part can be put on the market if he desires.

The farmer in the hay belt grows hay because he needs it for his horses, because he believes a "grass" crop is necessary to keep his soil in a good permanent state of productivity, and in other ways to improve his crop production. Besides, it gives him an additional chance against the weather and other growing and marketing factors in the gamble of farming; and in some, although a rather small percentage of cases, he grows it because for him it is a real cash crop.

History of the Development of Hay Production

Since the beginning of history hay has played a very important part in the development of civilization. This is especially true in central Europe, where the conversion of the natural marsh grasslands into well-drained meadows of cultivated hay plants was one of the main factors in social and economic progress. In the Roman Empire, before the beginning of the Christian era, the making and storing of hay was considered of such importance that it was regarded as lawful and proper to engage in this work on holidays and days of worship. There were few other activities so highly regarded.

Hay has played no small part in the development of the United States. To-day America's hay crop is among her most important staples. It is estimated that there are now upward of 98,000,000 tons of hay of all kinds produced annually. This is approximately 24 per cent of the total production of coarse forage, or enough for approximately 14,000,000 adult animals for one year. In other words, if our domestic herbivorous animals could subsist on hay alone, as in many cases they can, a year's production would feed 14,000,000, or 24 per cent of the total number. As an important constituent of animal rations, hay furnishes much of the energy for the work animals of the farm and contributes largely to the making

of animal products for human food and the industrial arts.

One of the first problems of the northern settler was to provide hay or other coarse forage for his livestock through the winter season. Previous to the Revolutionary War a large part of the hay gathered was produced on natural meadows or marshes. These marsh meadows were important economic assets, but their limited extent necessitated the establishment of artificial meadows before livestock could be greatly increased. Meadows usually were started, however, by clearing and setting aside for common use the low-lying lands which would produce natural pastures and meadows. Seed of various English grasses was occasionally sown, but its use was not general throughout the seventeenth or eighteenth centuries. As villages and cities grew and the number of horses necessary for transportation increased, the demand for good-quality hay became greater, and in suitable areas near the cities there developed some specialization in the production of hay for market.

The Northern States were fortunate in having a climate favorable to good hay grasses. To the south, in the Tidewater and Piedmont country from New York to Virginia, contemporary accounts

rs late as 1800 note the great scarcity of meadows. Farther south weeds and sedges afforded considerable pasturage, and mild winters

largely relieved the need of hay.

Our first important hay plant was timothy. Originally it came to notice in New England, where it was known as Herd's grass, supposedly named for the man who found it and sowed the seed. Locally in New England and New York it still is called by this name, which now is more generally applied to redtop. Before 1750 timothy was taken to the vicinity of Baltimore, according to traditional evidence, by Timothy Hanson, for whom it was named. From Baltimore it spread both in this country and to England. Its adaptation to heavy, moist soils and a cool climate retarded its utilization about Baltimore, and in 1800 its use seems to have become more general in England than in America. Yet, throughout the Northern States it was well known before the Revolution. With the extension of settlement and grain farming in the North, timothy went hand in hand, because, in general, it was suitable for all of the moister of the wheat In the South and on the unirrigated dry lands of the West. however, where the climatic conditions are not favorable, it is of comparatively little importance.

Red clover, as well as timothy, was widely dispersed in the Colonies before the Revolution, and its production was becoming general in some sections of the North. The war, by cutting off the English supply of seed, retarded the development of the crop in the Central States. Clover seed was brought to this country from England in the seventeenth century, but clover culture was purely local. After the Revolution and during the early years of the last century its production, particularly with the use of gypsum and marl attracted a great deal of attention in Delaware, Maryland, and southeastern Pennsylvania. Not only was it a source of hay but a means of increasing the productivity of land. (Fig. 8.) For the country as a whole north of the Cotton Belt, red clover probably can not claim

general adoption before 1850.

In addition to timothy and clover, many other hay plants were introduced into the Colonies, though they attracted little notice. Probably alfalfa was cultivated locally during the last years of the Colonies, and certainly before 1800. On the west coast of South America it has been grown for a century and a half or two centuries,

whence it was introduced into California about 1854.

The last years of the Colonies and the first years of the Union formed a period of establishment of meadows east of the Appalachians. Previously the wintering of livestock had been a somewhat trying task at best. After about 1820, however, hay became abundant in the North and trade developed between the North and South. Hay production became an important farm enterprise and in some areas held a definite place in the cropping system.

In 1839 New York was the great hay-producing State, with Pennsylvania and Ohio, respectively, second and third. New England at that time must be classed with New York, for hay production was about equally important in the two sections. In New England it was the most important crop grown. The quantity of hay available for winter use was the limiting factor in determining the number of livestock which could be kept through the year. The chief aim in cropping many farms was to produce as much hay as possible.

The best land—that is, the smoothest and richest—was given over to hay, and the hayfield generally was manured or otherwise fertilized. After from two to six crops of hay had been taken off, the field was broken up, cultivated one or two years, and reseeded to grass. A common rotation was corn, potatoes, oats, followed by grass from three to six years or in general as long as it continued to yield a ton of hay to the acre.

New York City furnished a market for a large quantity of hay, and Long Island Sound, the Connecticut River, and the Hudson River, with their connecting canals, permitted cheap transportation. Dairying was becoming a specialized industry, and winter dairying

likewise required large quantities of good hay.

Long distances to market made it essential to compress the loose hay into less bulk if the trade was to reach its greatest development, and as early as 1813 a patent was issued on a hay press. Two hay




Fig. 8.—High in feeding value, useful in the rotation, and relished by livestock of all kinds, clover is the most important leguminous crop grown in the north eastern United States

presses or "hay and cotton presses" were patented in 1826, and one in each of the years 1828, 1835, and 1839. Most of these early patents were issued to persons in the Northeast, where hay was grown for market. Hay baling on a commercial basis may be said to have started by 1835. As early as 1840 the New Orleans market received hay both from the upper reaches of the Ohio and from eastern New York.

At the same time hay production was rapidly moving westward with corn and wheat to the edge of the prairies. West of Ohio the small quantity of hay harvested was chiefly from wild grass. The prairies of Michigan, Illinois, and Iowa, and the prairies interspersed with marshlands of Wisconsin and Indiana, produced an abundance of hay. Wild hay always has been more plentiful on the prairies than on the cut-over lands to the eastward. (See Fig. 20.)

The estimates of the Department of Agriculture show a rapid increase of total hay in the prairie and great plains States until

shortly before 1900. In the earlier years, however, comparatively little of it was cultivated hay. The increase of land in farms and the consequent increase of natural grasses fenced in and cut for hay largely explains the apparently rapid growth of hay culture on the prairies.

Following 1839 settlement proceeded swiftly in the Ohio and upper Missouri Valleys, and the open prairies were rapidly fenced up. By 1850 the cultivated hay crop was beginning to be important in Indiana, Illinois, Michigan, and Wisconsin, and the growth of cities in the South was further developing the southern market.

Until 1840 practically the entire hay crop was cut with the scythe, (Fig. 9.) Mowing machines had been invented, but their work had not yet proved to be generally satisfactory, and only a few were in use. They were continuously improved, however, and from 1850 to 1860 there was a swift development in their use, encouraged by the rapid




Fig. 9.—The scythe and the hand rake were the principal implements of haymaking before the advent of the moving machine

settlement of the West. The prairies were smooth and hand labor was relatively scarce. The prairie farmer found it economical to use machinery in cutting over a large area rather than to hire laborers to mow with scythes a small area which had been prepared to produce a higher yield. By 1860 the use of the mowing machine had become general. An observer in 1858 makes the following comment contrasting the mower and the scythe:

In the first place in this section of country for several years past no good mowers could be had for less than \$1.50 per day and board. I never saw five mowers together that would average over 1 acre each daily and seldom that. * * * Now I could get any quantity I ever had, or ever will have to cut, done for 62½ cents per acre by horses, and they will cut 10 acres per day. The difference of board of 10 men in place of one man and one pair of horses is no small item.

Doubtless the development of the mower has been the greatest technical advance made in hay production. (Fig. 10.) With the expansion of hay acreage, however, attention likewise was given in Πay 299

the fifties and sixties to other having machinery. Before 1860 patents had been issued on 10 horse rakes, 5 "hay elevators," and 10 hay loaders. During the sixties they were issued on 27 horse rakes,

55 "hay elevators," 100 hay loaders, and 290 horse forks.

Probably it was during the early seventies that important quantities of hay first reached the seaboard from west of the mountains. During the Civil War the markets on the lower Mississippi had been cut off, while transportation to the east was improved and farm area had expanded. When the southern market later revived with new agricultural and economic development, a regular system of warehousing on a large scale was started about 1890, and the Lake and Prairie States marketed large quantities of hay in the South and the East. In the South hay was purchased both for city and for farm consumption, but Eastern farmers as a rule still supplied their own hay requirements.



Fig. 10 -- The mowing machine has been an important factor in the development of modern haymaking methods

While electric cars were displacing horses during the eighties and nineties the hay trade was concerned lest the eastern market entirely disappear. Probably not over one-half million horses were thus displaced, however, and during the same time truck horses and eastern dairy communities were consuming increasing quantities of western hay. (See hay production maps, Figures 11 to 19.)

Other forage crops in the South and the semiarid West have come to supplement in an important way our hay production. From 1899 to 1919 wild hay increased from 15,000,000 to only 17,000,000 acres for the country as a whole. Increase in tame hay was principally accounted for by the increase in alfalfa from 2,000,000 to 8,500,000 acres. Grains and annual legumes cut for hay about doubled, reaching 7,500,000 acres in 1919. Coarse forage crops expanded tenfold, from 3,000,000 to 30,000,000 acres. By this growth coarse forage crops had come in 1919 to represent approximately one-third of our "hay and forage" acreage. Coarse forage had a rapid

growth in the North Central and West South Central States, where there were 2,500,000 acres in 1899, 3,000,000 in 1909, and 7,000,000 in 1919. Small grains and annual legumes cut for hay showed a rapid growth in all sections except the Pacific, where as early as 1899 nearly 2,000,000 acres were cut.

The distribution of total hay acreage in 1919 was for New England 3,400,000; Middle Atlantic, 8,200,000; East North Central, 14,200,000; West North Central, 26,600,000; South Atlantic, 6,500,000; East




Fig. 11—Hay production first became an important agricultural activity in New York and the New England States. Timot'vy and red clover, our principal market hays, are well adapted to the climate of this region, and these States have therefore continued to grow large quantities of hay




Fig. 12.—By 1849 hay was becoming important in Indiana, northern Illinois, and the southern parts of Michigan and Wisconsin; much of this, however, was wild hay. Then, as now, the Southeastern States showed but little tendency to grow hay either for home consumption or the markets

South Central, 5,000,000; West South Central, 5,600,000; Mountain, 7,400,000; and Pacific, 4.200,000. The distribution is important as indicating the supply of hay. Owing to the difference in area of the geographical divisions, however, the concentration of hay acreage is better shown by percentage of improved farm land in hay. These percentages in 1919 for the divisions in the order named above were 20, 20, 12, 10, 7, 6, 3, 7, and 8, showing hay acreage to vary from one-




Fig. 13.—With the advance of population westward hay became an important crop in lowe and northern Missouri. The discovery of gold in California had also started a new center of hay production on the west coast around San Francisco and Sacramento




Fig. 14.—In the decade 1859 to 1869 there was little change in the hay area. Although the total production of hay increased 8,000,000 tons, the producing region was about the same except for a slight westward movement

fifth of all farm land in the Northeast, where markets are good and the land difficult to till, to one-thirtieth in the Southwest, where on the unirrigated lands much coarse forage is grown.

The volume of the hay trade can not be ascertained accurately, but receipts at the principal markets indicate that a larger part than formerly is being fed to livestock on farms. City work animals decreased from 1910 to 1920 by about two-fifths. Feeding of hay to




Fig. 15. By 1879 Kansas, a State which had settled up rapidly after the Civil War, was producing over 1.500,000 tons of hay. The States south of the Ohio River continued to grow cotton, tobacco, and corn almost to the exclusion of feed crops




Fig. 16.—In the decade 1879 to 1889 an enormous agricultural development took place in the prairie States, and Iowa superseded New York as the leading hay State. Kansas ranked fourth on the list, and the total production of hay nearly doubled. This was due in large measure to the wider use of haying machinery on the level lands of the Central West and the more extended utilization of the native grasses in Minnesota, Nebraska, and the Dakotas

work stock on farms probably has ceased to increase, or perhaps has decreased, owing to greater use of mechanical power, leaving a greater part of farm-fed hay for meat and dairy animals.

The lessened demand in cities is a disadvantage to those farmers who raise hay for market but is, of course, distinctly advantageous to the dairyman or the southern farmer who regularly buys a part of his supply. The demand on the industry by the city market probably will continue to decrease for some time, and the increase




Fig. 17.—From 1889 to 1899 the advance in total production was not so rapid as in the preceding decade, but more hay was being produced in the Rocky Mountain States and on the Pacific coast.

Realization of the value of alfalfa in this region accounted for much of this




Fig. 18.—By 1909 the Dakotas were important as hay producing States and more hay was being grown in the Cotton Belt

in legumes and other forage crops is holding hay prices lower than they would be otherwise. Furthermore, without reduction in freight rates on hay as compared with other commodities, hay production for market will continue to concentrate about the markets of New England and the Middle Atlantic States.

Hay Production and Feeding Values

The percentage of cropped land devoted to hay production in the different agricultural regions varies greatly. The region of greatest hay production is located in the northeastern quarter of the United States (Fig. 19), one of the reasons being the adaptation of timothy to the climatic conditions of that region. Red and alsike clovers are also better adapted to this region than to the southeastern or western parts of the country. In the western half of the United States there




Fig. 19.—It is important to note that hay production in 1919 was more general over the United States than in earlier periods. The northeastern quarter of the United States and the irrigated sections of the West continued, however, to produce the larger part of our hay crop. New York again became the leading State in quantity of hay produced

are districts of very intensive hay production, mostly alfalfa, but a great proportion of the land is either too dry or too mountainous for success with tame hay. The alfalfa-producing sections are largely confined to irrigated valleys, the scattered dots on the map indicating mostly wild hay. The areas of heavy production in eastern Kansas, Nebraska, South Dakota, North Dakota, and Minnesota are also made up to an appreciable extent of wild hay, especially in the Dakotas and western Minnesota. In Nebraska and Kansas alfalfa is important and perhaps the predominating element in the total hay crop.

Yield per Acre

Among the roughage-producing crops hay is not so productive in tons per acre as are fodder and silage. The average yield per acre of hay in the United States in 1919 was 1.23 tons; fodder, 1.73 tons; and silage, 7.42 tons. If however, these yields are reduced to a drymatter basis, they are respectively, 0.96, 1.01, and 1.95 for hay,

fodder, and silage. Approximately 79 per cent of the hay, 58 per cent of the fodder, and only 26 per cent of the silage is dry matter. Feeding value is dependent on the dry matter in the forage and the

quantity wasted must be considered.

In determining the final value of hay in comparison with other forages, pasturage must also be taken into account. It has been estimated that $2\frac{1}{2}$ acres of tame pastures in the northeastern United States will provide sustenance for one mature animal for six months. This would be equivalent to 5 acres per animal unit ¹ for 12 months. The quantity of grass hay necessary to support one animal unit for 12 months is estimated at 8 tons and of legume hay 5 tons. It is apparent, therefore, that timothy meadows would have to yield approximately 1.6 tons of hay per acre in order to be equivalent to the carrying capacity of good tame pastures of the humid Northeastern States. For alfalfa and other legumes a yield of only 1 ton per acre would equal the supportage of such pastures.

If we compare the hay yields of timothy, native grasses, alfalfa, and clover with the carrying capacity estimates of humid grasslands given in the article, "Our Forage Resources" in the 1923 Yearbook (see pp. 337 and 369) we find that it requires an average of 7.35 acres of timothy or native hay grass and only 3.01 acres of alfalfa or clover to support an animal unit one year, whereas the pastures in humid areas require 8.67 acres to support an animal unit for the same length of time. So far as the grasses are concerned, pasturing is no doubt the more economical method of utilization, because of the greater amount of labor required to harvest and feed the product as hay. With legumes there would appear to be an advantage in favor of the hay crop, since little more than one-third as much land is needed.

needed.

Factors affecting yield.—One of the chief factors governing the yield of hay is the adaptation of each grass or legume to the climatic and soil conditions of the locality where it is grown. Timothy in the semiarid Great Plains or in the warm, humid southeastern States makes very low yields. Red clover also is poorly adapted to the dry regions and to the low altitudes of the southeastern States. To obtain maximum yields it is necessary, therefore, to choose a hay plant which is suited to the climate and soil where it is being grown.

Seasonal climatic conditions also affect very markedly hay yields. A cool wet spring is conducive to high yields of most northern hay plants. The exceptions are confined largely to hay crops southward, such as Bermuda grass and Japan clover, which thrive best

during periods of high temperature.

Fertilizers, although not applied very generally to meadows, are effective in increasing yields. It has been found that the yields of timothy may be increased from 90 to 150 per cent by applications of 6 to 10 tons per acre of barnyard manure; from 15 to 45 per cent by applications of 150 to 160 pounds of nitrate of soda; and to a considerably less extent by applications of acid phosphate and muriate of potash. A combination of the three essentials of a complete fertilizer—nitrogen, phosphorus, and potassium—is usually more effective than any one element alone; and, where the quantity

¹ For the purpose of estimating feed requirements, an animal unit is considered equal to 1 adult cow, steer, horse, or mule, 5 hogs, 7 sheep or goats, or 100 poultry.

of each is sufficiently large, the effect on the yield is about the same as that of barnyard manure. These conclusions are based on experiments carried out at the New York, Massachusetts, and Delaware State Experiment Stations. New York investigations have seemed to demonstrate, however, that the application of fertilizer to a hav meadow is not profitable unless the hay sells at a high price. Application of fertilizers when prices for hay were low resulted in a loss even where the increase in yield was as large as that reported for barnyard manure. Fertilizing meadows, however, increases the yields of succeeding crops by the residual effect, especially of barnvard manure, and because the increased growth of the grasses adds to the soil larger quantities of vegetable matter both in the roots and tops.

Alfalfa and clove: respond promptly and effectively to applications of fertilizer. This is particularly true on poor soils. Legumes in general, however, do not respond so much to additions of nitrogen

as do the grasses, such as timothy and redtop.

A tabulation of the results of 1,263 tests of fertilizers on hay meadows is given in Bureau of Soils Bulletin 67. This bulletin² published in 1910, covers the period from 1868 to 1907. With hav valued at \$9 a ton and the fertilizer ingredients at their average market value, most of the applications resulted in a loss, or at best in a very slight profit. The price attributed to the hay is rather low, but perhaps is fairly representative of the average farm price of hay during the period mentioned.

In 469 tests of mineral fertilizers applied singly there was an average loss of \$1.90 per acre. These tests included many minerals not commonly used. In 67 experiments with nitrate of soda the average profit was \$1.70; nitrate of petash, 8 experiments, average profit \$1.57; acid phosphate, 82 experiments, average profit \$0.24; rock phosphate, 27 experiments, average profit \$0.51; muriate of potash, 38 experiments, average loss \$3.82; basic slag, 12 experiments, average loss \$0.52; lime, 102 experiments, average loss \$6.80

Mixtures of two minerals gave about the same results as using them singly. The average loss as indicated by 136 experiments was \$1.40 per acre. Nitrate of soda and acid phosphate combined in 11 experiments showed an average profit of only 3 cents; nitrate of soda and muriate of potash, 9 experiments, average profit, \$1.14; acid phosphate and muriate of potash, 82 experiments, average loss \$0.61; nitrate of soda and lime, 2 experiments, average loss \$3.53; acid phosphate and lime, 2 experiments, average loss \$7.53; and muriate of potash and lime, 2 experiments, average loss \$7.26 per

Where mixtures of three or more minerals were applied there was an average loss of \$7.83 per acre in 192 experiments. Nitrate of soda, acid phosphate, and muriate of potash applied in mixture in 96 experiments resulted in an average loss of \$6.53; and sulfate of ammonia, acid phosphate, and muriate of potash, in 75 experiments, an average loss of \$9.88 per acre. The nearest approach to a profit resulted from the application of nitrate of soda, basic slag,

² Whitney, Milton. Fertilizers on soils used for oats, hay, and miscellaneous crops. U. S. Dept. Agr. Bur. of Soils Bul. 67, pp. 18-27. 1910.

and muriate of potash, when the average loss in two experiments

was only \$0.28 per acre.

In 95 experiments barnyard manure applied at the rate of 12 tons per acre showed an average profit of \$0.37, but in 23 experiments an application of 25 tons of manure with 1½ tons of lime resulted in an average loss of \$16.55 per acre.

In all these experiments nitrate of soda and barnyard manure gave the largest increase in yield of hay. Phosphate fertilizers ranked third, lime fourth, and potash fertilizers fifth in effectiveness. This compilation of results, although not conclusive, shows that even with large increases in yields the application of fertilizers to hay meadows is not usually profitable except in periods of high prices.

Advantages of Hay over Other Types of Roughage

Among the advantages which are at once apparent is the greater ease of making hay as compared with fodder or silage. Practically all of the operations of harvesting a hay crop may be accomplished with machinery, whereas fodder and silage both require considerable hand labor.

In feeding, also, hay is much easier to handle than fodder and is less objectionable to the farm laborer than is silage. After hay is baled it can be shipped very readily; fodder and silage must be

fed on the farm where they are produced.

In storage, hay has a great advantage over fodder and to some extent over silage. For the storing of silage an expensive container must be provided; hay may be stacked in the field or baled and placed under a cheap shed or other protection, such as a covering of slough grass or canvas.

There is much less waste in feeding hay than there is in feeding fodder. The advantage in respect to waste, however, is in favor of silage. Very little of the silage is refused by livestock, and the amount of waste in feeding good silage is perhaps the minimum for

all classes of rough forage.

Kinds of Hay

Among the very numerous plants which might be used to produce hay only a relatively few are cultivated for that purpose. It may be of interest to consider the factors which have determined their

desirability for cultivation.

To become much used as a hay crop a plant must be (1) well adapted to the conditions where grown; (2) of a texture fine enough so that it will cure readily; (3) relatively high in yield; (4) capable of being harvested readily; (5) palatable and of high nutritive value; (6) moderate in cost of establishing, especially as regards the cost of seed; (7) not difficult to eradicate or troublesome as a weed.

If grown for sale, the most important consideration is that the hay must meet the desires or prejudices of the market in which it is to be

sold.

According to the census of 1919, the production of the more important kinds of hay stood in the following order: Timothy, alfalfa, clover, wild hay.

Timothy is the leading hay grass in the United States. It is very satisfactory to mix with clover, which mixture makes up the larger part of the hay crop in the Northeastern States. In 1919 there were 25,470,000 tons of timothy and 16,818,000 tons of clover hay produced in the United States. Alfalfa gave a production of 18,853,000 tons; native or prairie hay 15,631,000 tons. The hay from miscellaneous tame grasses, such as Johnson grass, millet, redtop, orchard grass, Bermuda grass, Kentucky bluegrass, crab grass, and Sudan grass amounted to 6,404,000 tons. After these principal hay crops the grain hays were most important. The small grains, however, usually contribute a very minor portion of the total hay crop of the United States.

Timothy.—Timothy is the leading market hay of the United States. It lends itself to baling and shipping better than almost any other. It is the standard hay for horses, resulting in a demand for




Fig. 20.—In the States north of the Cotton Belt and east of the Great Plains timothy alone contributes nearly half the hay and, mixed with clover, nearly a quarter more. In the Southeastern States, Johnson grass, Bermuda grass, and the annual legumes are the most important hay crops. In the Western States, alfalfa ranks first, the wild or native grauses second, and the small grains third as hay producers

it in cities and towns. Timothy is a leafy, fine-stemmed grass which cures easily, keeps well in storage, is palatable, causes no digestive derangements, and can be fed with little waste. The leaves do not break up like the leaves of legumes, such as alfalfa and sweetclover, and are therefore retained on the stem. Timothy hay is not ordinarily dusty unless it was cut at the time when the plants were in full bloom and laden with pollen. Feeding dusty hay to horses aggravates cases of heaves and other disorders of the digestive and respiratory systems. Another advantage of timothy lies in its ability to remain in condition for cutting through a considerable period. It is desirable and necessary in order to produce a high market grade of hay that timothy be cut at the proper time, but its feeding value is not greatly impaired if it has passed the most desirable stage of development before cutting.

Timothy is well suited to the climatic conditions of northeastern United States, and is the leading hay grass in the hay and dairying region, the Corn Belt, and the corn and winter wheat belts which

occupy the northeastern quarter of the United States. (Figs. 5 and 20.) Timothy is not especially exacting in respect to soil types, as it grows on a wide variety of soils, but the highest yields are obtained on the rich loam soils of the Corn Belt and on the limited areas in the valleys of the Northwestern States, where it is grown under irrigation. On the Pacific slope, where rainfall is abundant, and in the irrigated valleys of Washington and Oregon timothy produces well and is rapidly becoming the leading hay grass.

If we consider that one-half of the hay in the timothy and clover mixed hay consists of timothy, the production of timothy hay in the United States in 1923 amounted to 22,934,000 tons and the average yield per acre was 1.21 tons. This amount is about 2,500,000 tons less than was produced in 1919, indicating a decline in timothy culture.

It is generally very poor practice to feed timothy hay to sheep or cattle, especially to dairy cows and fattening calves, since legume hays give much better results, and timothy is usually worth much more to feed to horses and other work animals. As timothy lacks laxative properties, it is better to feed alfalfa or some other legume hay with it.

Timothy has has a feeding value about equal to the average of grass hays, all of which are rather low in protein but high in carbohydrate units. The chemical composition of timothy is shown in

Table 1, together with those of other important hays.

Prairie hay.—Wild or native hay is produced very largely in the northern half of the Great Plains and the territory immediately adjacent on the east in Oklahoma, Kansas, Nebraska, Minnesota, North Dakota, and South Dakota. The feeding value of prairie hay is much more variable than that of timothy, owing to the different kinds of grasses which go to make up the crop. In the eastern part of the prairie-hay region the grasses are mostly bluejoint and big blue stem, with lesser amounts of the little blue stem, Indian grass, and switch grass. In the western part these grasses give way to western wheat grass, slender wheat grass, and side-oats grama, with other species of grama entering into the production in favorable seasons. In the high valleys and parks of the Rocky Mountains bunch wheat grass and Nevada bluegrass are the most important, while in California the introduced wild out perhaps makes up the principal part of the wild hay. Although there is a certain similarity in the feeding value of all these grasses, the palatability and resultant waste in feeding differ markedly. In some of the finer-stemmed native hays, such as western wheat grass and grama grass, there is very little waste; in others, such as switch grass and little blue stem, which are rather stemmy, the waste in feeding is considerable.

The native have are obtained under a great variety of climatic conditions and embrace numerous different grasses according to the region where harvested. Some of them are well adapted to humid conditions, and others, such as the western wheat grass and grama grasses, to semiarid climates. In soil requirement also the variation is just as extreme. Certain grasses, like the bluejoint, are abundant in wet mucky soils, and others, like Indian grass and switch grass, are found on loose sandy soils. The native hay grasses produced in 1923, 17,528,000 tons, or 1.11 tons per acre of hay; in 1919 the production was 15,631,000 tons.

The feeding values of the native hays are for the most part very similar to timothy hay. The chemical composition of a number of these native hays is shown in Table 1. The native hays can as a rule be baled readily and in moderate quantities find steady markets in Kansas City, Minneapolis, St. Paul, Chicago, and points on the Pacific coast at prices somewhat less than those paid for timothy. Native hay is usually free from dust, and some kinds of it are especially good for horses. There is, moreover, a greater percentage of native hay fed to cattle, sheep, and goats than is the case with timothy hay, owing largely to the fact that the former is produced in a livestock area where other forage is sometimes scarce. It is not a good practice, however, to use prairie hay for dairy cattle or young growing animals, as it is low in protein and probably also low in lime.




Fig. 21—Wild or native hay is most important in the Dakotas, Minnesota, Nebraska, Kansas, and northeastern Oklahoma, with scattered areas in Wisconsin and the Rocky Mountain States. In 1919 the acreage was almost twice that of alfalfa, but the production was less by over 3,000,000 tons

Cattle and horses find prairie hay palatable, and if cut at the proper stage of development the color and aroma are usually good. The native hay grasses form an important part of the forage available for the support of the livestock industry in the northern Great Plains. Comparatively little prairie hay finds its way to the markets. Much of it is stacked in the field where it is cut, and fed by the owner or neighbors in his immediate locality. Cattle which are fed a liberal ration of prairie hay during the winter usually make some gains.

Miscellaneous tame grasses.—The hay from redtop, orchard grass, millet, Kentucky bluegrass, Sudan grass, crab grass, Bermuda grass, Johnson grass, and other less well-known grasses makes in the aggregate an important item in the support of livestock on the farms. (See 1923 Yearbook, Table 18, p. 357.) Such hays do not enter the markets to any great extent as do timothy hay and prairie hay. In 1923 the total contribution of this group of grasses was 9,475,000 tons of hay, an average yield of approximately 1.32 tons per acre. In 1919 the total production was 6,404,000, having been heaviest in the New England States, Tennessee, Alabama, Missis-

sippi, western Kentucky, and southern Illinois and Indiana. Very little was produced in the Corn Belt, where timothy and clover are abundant, or in the Western States, where alfalfa and prairie hay occupy most of the hay lands. In the New England and Middle Atlantic States the hay is mostly redtop, orchard grass, and the bent grasses; in southern Indiana and Illinois it is largely redtop; in the South Atlantic and Gulf States, including Texas, it is Johnson grass, crab grass, and Bermuda grass, while in the Great Plains and Prairie States the acreage is largely millet and Sudan grass. Bluegrass and orchard grass are most important in Kentucky, Tennessee, Virginia, and West Virginia.

The quality of the hay from these grasses of course varies widely with the nature of the grass and must be discussed individually.

Johnson grass is widely distributed over the Cotton Belt and is almost the only one of the miscellaneous grass hays produced there




Fig. 22.- The acreage of miscellaneous tame grasses is widely scattered over the United States on account of the numerous kinds of grasses included in this group. The area of heaviest production is in the New England States and eastern New York

which has attained any importance as a market hay. In the principal cities of the Cotton Belt it is sold in considerable quantity at prices below those paid for timothy. Johnson-grass hay, although somewhat coarse as a rule, is palatable and fully equal to timothy hay in feeding value. It is accepted readily by liverymen in the South for feeding horses, and cattle do well on it. In order to prevent dissemination of the seeds, Johnson grass should be cut for hay before the seeds have become sufficiently mature to be viable, otherwise through the use of the manure as fertilizer the grass may be introduced into fields formerly free from it.

Johnson grass thrives on the better soils in the southern twofifths of the United States, where it is never cold enough to kill the roots during the winter. The principal disadvantage in the production of Johnson-grass hay is due to the underground stems or rootstocks, which make it difficult to eradicate from fields after it has once become established. Very few farmers in the South care to introduce Johnson grass on their farms, because it usually results in much additional labor in the cultivation of other crops. Several States have laws prohibiting the seeding of Johnson grass or the sale of seed in the State. It is looked upon as a weed by most cotton growers, and more attention and study have been given to its eradication than to its utilization.

It has been estimated that there were at least 500,000 tons of Johnson-grass hay produced in 1919, and the acreage is probably increasing each year as the possibilities of the grass are better realized.

Bermuda grass is another introduced grass which has become established in our Southern States, where it is often called wire grass because of its tough trailing stems. It is well suited to climatic conditions in the Cotton Belt and contributes much to the forage resources of that region, being more important, however, as a pasture than as a hay grass. Unlike Johnson grass, Bermuda grass thrives on nearly all kinds of soil and is found growing on clay hillsides and poor sandy soils as well as on good river-bottom loams.

Bermuda grass is strictly a summer grass and turns brown with the first frost in the fall. No other grass introduced into our southern agriculture grows so well during the hot, dry, summer months, but other forage plants must be depended upon for pasture and hay during the cooler parts of the year. It is a turf-forming grass, spreading by prostrate or trailing stems which root at the nodes or joints. It produces seed in commercial quantities only in southwestern United States and certain foreign countries, especially Australia. Bermuda seed is usually of low germination, and this grass is therefore very often propagated vegetatively. New fields of it are established by scattering pieces of the sod or chopped runners over the prepared seed bed and covering them lightly with a disk or harrow. When once established Bermuda grass is difficult to eradicate from cultivated fields, though not so bad in this respect as Johnson grass. This persistence as a weed in cultivated fields, together with its failure to produce good, viable, cheap seed, tends to restrict the acreage of Bermuda grass cut for hay. There was an estimated production of 400,000 tons of Bermuda-grass hay in 1919.

Bermuda-grass hay has about the same feeding value for horses and mules as timothy. In Oklahoma it was found to be more palatable and nutritious than the native prairie hay, and in Mississippi it has given better results than timothy when fed to dairy cows. Overripe Bermuda grass makes an inferior hay, as the stems are tough and wiry. Very little Bermuda-grass hay is found on the city markets, most of it being consumed in the locality where it is

produced.

Crab grass is an annual which appears spontaneously in fields and lawns far northward but is utilized as a hay grass only in the Cotton Belt. It seeds abundantly and volunteers in cultivated fields from year to year, so that artificial propagation or seeding is unnecessary. This method of hay production appeals to careless, improvident farmers because it requires very little effort or foresight. The estimated production of crab-grass hay in 1919 was 500,000 tons, much of which was mixed with weeds and other grasses. Much of the estimated half million tons of crab-grass hay is obtained on fields from which another crop, such as cowpeas, oats, corn, or sweet potatoes, had been harvested, or a field that has been cropped in previous years but which was uncropped that season.

Crab grass is rather hard to cure but makes a palatable hay of good quality where it exists in pure stands. It should be cut before the seeds mature in order to avoid scattering them. Crab-grass hay appears to be better suited to cattle and horses than it is to sheep and goats.

Like Bermuda grass, crab grass makes its growth entirely in the hot summer months and thrives on a wide variety of soils. It is so

omnipresent that people usually think of it as a weed.

Sudan grass is one of the newer grasses, not introduced in the United States until 1909. The hay from Sudan grass is rather coarse, but it is very palatable, free from dust, and is valuable for feeding horses as well as other kinds of livestock. Work animals do well on it, and recent experiments carried out by the Kansas Experiment Station rank it very close to alfalfa hay as a roughage for dairy cows. The Kansas station also found Sudan-grass hay alone was much better than kafir stover and almost as good as alfalfa for wintering horses and cattle.

It has been found that the best time to cut Sudan grass for hay is just as the plants begin to head, if yield and palatability as well as composition are considered. Sudan-grass hay produced on the semi-arid lands of the West has an appreciably higher protein content than hay of the same grass produced in the more humid Eastern States.

When it was first grown in the United States, Sudan grass was thought to be suited only to the drier sections, but it is now being grown as an emergency hay crop and to supply summer pasturage in nearly every part of the country. Because of its higher yields and the better quality of the hay, especially for feeding horses, it is

replacing the millets to a great extent as a catch crop.

Sudan-grass seed is of high germination and easy to obtain. The crop is ready to cut for hay in 60 to 75 days from date of seeding, and in localities which have a long frost-free period two and sometimes three cuttings may be obtained. There was an estimated production of 1,050,000 tons of Sudan-grass hay from 600,000 acres in 1919, a larger yield per acre than that of any other hay grass. The grass is rather hard to cure, however, on account of the large and somewhat juicy stems. Care must be observed in curing, therefore, or the hay will spoil in the stack, bale, or mow. Not much Sudan-grass hay reaches the city market as yet, most of it being consumed on the farms where it is grown.

Millets are a group of plants which were relatively more important in the nineties than now. The Italian or foxtail millets have always been the leading hay varieties. This group includes the common, German, Hungarian, and Siberian millets. Proso or broomcorn millet is grown more for grain than for hay, and the barnyard or Japanese millet and Penicillaria or pearl millet are

relatively unimportant.

Millet hay is rarely seen on the city markets, being used almost entirely as an emergency hay crop to supply actual deficiencies of roughage on the farms where it is grown. Good millet hay is relished by nearly all farm animals and can be fed without limit to cattle and sheep. It is not safe to use as the sole roughage for horses, especially if it is cut after seed has formed. Millet cut after it has begun to ripen, if fed to horses, causes excessive kidney stimulation,

lameness, swollen joints, and deterioration of the bones. If cut at the proper time, it is safe to use as half the roughage ration of horses. Many dairymen prize it highly as a hay for milk cows, and,

unlike most grass hays, millet hay is slightly laxative.

Millet requires a short growing season and can be grown in any part of the United States, so far as the temperature factor is concerned. It will grow on almost any type of soil except extremely sandy ones, but large yields are obtained only on rich loams. The seed is abundant and cheap and usually germinates well. The production of millet hay in 1919 was estimated at 1,000,000 tons, the yield being next to that of Sudan grass.

Kentucky bluegrass and Canada bluegrass are much more important as pasture than as hay grasses. They are turf-forming grasses, and except under very favorable soil and climatic conditions the growth is not sufficiently large to justify cutting it for hay. Bluegrass often encroaches on other grasses in meadows which are allowed to remain in grass too long, and in such cases enters into the composition of the mixed hay produced therefrom. When this condition exists, it usually reduces the yield, but does not affect the quality of the hay unfavorably.

It was estimated that there were 400,000 tons of Kentucky bluegrass hay produced in 1919. This hay is of high feeding value and very palatable unless it has been cut too late or imperfectly cured. Very little of it appears on the city markets except in mixture with

timothy, redtop, orchard grass, or the clovers.

Kentucky bluegrass is notably partial to rich soils and temperate climates. It is most abundant in Kentucky, northern Missouri, southern Iowa, and in Tennessee and the mountainous portions of Virginia and West Virginia. It is found growing, however, on lawns and in pastures in nearly every part of the United States where rainfall conditions are favorable to it, except in the Gulf States.

Orchard grass is a perennial that has a very wide distribution in the United States and enters into the composition of many mixed hays. It is grown by itself, however, only in a very few localities, such as central Virginia, where it is valued very highly and used in preference to timothy as a part of the regular crop rotations. Orchard grass grows in bunches or tussocks, and the hay is rather coarse.

The production of orchard-grass hay has been estimated at 800,-000 tons and the yield at approximately 1 ton per acre. Orchard grass will grow on almost any type of soil and is not exacting as to climate. It is found in pastures and meadows from central Arkansas to northern Minnesota, and from the Atlantic to the Pacific coasts wherever there is sufficient rainfall. It is much more abundant, however, in the eastern half than in the western half of the United States. The strongest features of orchard grass are its ability to make fair crops of hay or pasture on poor rocky hillsides and its permanence. It will continue to grow vigorously for a long period of years after it is once established.

Redtop is the largest of the bent grasses, which include such well-known turf grasses as the Rhode Island bent and creeping bent, none of which, except redtop, are important as hay producers. Redtop is most important in the New England States, but it is peculiarly

suited to wet soils and for such is generally used. It makes a fine leafy hay, but it should be cut in early bloom. When mixed with timothy it is usually cut loo late, thus depreciating the value of the hay. Redtop hay is readily eaten by sheep and goats.

It is estimated that there were 800,000 tons of redtop hay produced in 1919, the yield being only 0.8 tons per acre. The exact quantity is difficult to determine, because it appears mostly in mix-

tures with other grasses and clovers, particularly alsike.

Among the hay grasses which contribute to the total hay crop of the United States are many of less importance than those just named. Bromegrass hay is produced principally in North Dakota and South Dakota. It is practically equal to timothy in feeding value. Meadow fescue is grown commercially only in northeastern Kansas and northwestern Missouri. It has a feeding value about like that of timothy, with, however, slight laxative properties. Natal grass is grown more largely in Florida than elsewhere. leaves and stems are palatable, tender, and eaten with little waste. It is easily cured and makes an excellent hay, containing more protein than timothy. It sells for as much or even more than timothy in parts of Florida, and cattle and horses prefer it to most other havs. Rhodes grass is another hay plant important chiefly along the Gulf coast and especially from Texas to southern California. It has slender stems and many leaves, producing an excellent hay, except when grown on alkaline soils, which seem to render it unpalatable. Para grass, probably a native of South America, has been introduced into the United States and is now common in Florida and to a considerable extent west along the Gulf coast, especially in southern Texas. It is a rank-growing perennial, but will not withstand heavy frosts. Para grass makes heavy yields of sweet, tender, nutritious but rather coarse hay. Florida and Texas growers make three or four cuttings annually, and the hay finds a ready market at a good price. Besides the above there are tall oat grass, quack grass, Colorado grass or Texas millet, Dallis grass, Vasey grass, and maiden cane, or "pifine," of Louisiana, none of which makes a large contribution to our hay crop, but all of which help to make up a total of something like 954,000 tons of hay produced by these grasses of minor importance.

Small grains cut for hay.—Wheat, oats, rye, and barley are to some extent cut for hay in grain-producing sections of the United States. In the Pacific States the total production of grain hay is considerable; but in the Corn Belt, where good hay plants like timothy and red clover thrive, very little of the small grains is cut for hay. The grain-hay acreage for the United States in 1923 was less than that in 1919; but the yield—1.36 tons per acre—was better, and the aggregate production—5,953,000 tons—was nearly equal to the 1919 total. It is estimated that about 42 per cent of the grain hay is oat, 31 per cent wheat, 24 per cent barley, and 3 per cent rye.

Grain hays are usually produced on the better soils of the farm, and this, in part at least, accounts for the high yields. Much of this hay is obtained by trimming up a grain field or cutting part of such a field for hay before it has ripened. The grain hays are fed mostly to horses and other work animals. These hays when cured properly are clean, free from dust, and palatable. There are no objectionable features to the grain hays, except in the case of

bearded wheats and barleys. The heavily bearded grains should be

cut early before the beards become hard.

Grain hay has a high feeding value because of the grain it contains. The small grains are usually cut for hay when the grain is in the early dough stage, and the concentrate or grain ration given the animals with such hay should be limited to two-thirds of that fed with hays like timothy. There is somewhat more waste in feeding the grain hays than there is in feeding timothy and clover hay, but the actual feeding value is probably higher.

A large quantity of grain hay finds its way to the city markets in California, where it sells usually for a little less than timothy hay. In other States, however, the grain hays are very largely used on the farms where they are produced. The aftermath of rice fields makes a good hay, but only a very limited quantity of it is cut for this

purpose, much of it being pastured.

Sorgo or sweet sorghum.—Several of the coarse-stemmed fodder plants are utilized for hay by sowing the seed thickly with a grain drill or broadcast by hand. In thick stands the plants are suffi-




Fig. 23.—Small grains are cut for hay in considerable quantity and as a regular farm practice ordinarily only in the Pacific Const States; in 1919, however, there was a large acreage of small grains cut for hay in the northern Great Plains on account of the fallure of these crops to produce a profitable grain yield

ciently slender so that they can be cut readily with a mower. Sorgo, often called "cane," is of most importance for producing fodder and sirup, but throughout the Southern States especially it is sown extensively to provide hay for the farm animals. Very little of such hay reaches the city markets. The yields are large, and the hay, though laxative, is nutritious and is relished by all kinds of livestock. In the region south of 37° north latitude, approximately the southern boundary of Kansas, sorgo hay often becomes sour after midwinter and is no longer very palatable. Most of it produced in this region is therefore fed during the summer or fall. Horses and cattle given 12 to 15 pounds daily can be kept in good condition with little or no additional feed. With the addition of a protein supplement, sorgo hay is well adapted to fattening sheep.

There is no way of estimating the quantity of this hay produced, but it is common practice in the South and West to have a small

field of "cane" for hay. It is the best insurance against failure from drought. The yield of sorgo hay is heavy whenever rainfall conditions are at all favorable for growth. The average yield is about 2 tons per acre, and this is made under conditions where timothy and other perennial grasses would yield only one-half to three-fourths of a ton per acre. Sorgo is often sown in mixture with cowpeas and soybeans for hay production, and such mixtures have a very high feeding value, particularly for dairy cattle.

Alfalfa.—Alfalfa is the leading hay legume of the United States. It is a leafy, long-lived perennial which, under favorable soil and climatic conditions, will continue productive for 15 or 20 years after seeding. From two to six cuttings of hay are obtained each year, depending on the length of the growing season. The average yield of hay for the five-year period, 1919 to 1923, inclusive, was nearly

twice that of timothy and clover mixed.

Estimates by the Department of Agriculture place the production of alfalfa hay in 1923 at 26,013.000 tons and of timothy 22,934,000




Fig. 24.—Large fields of alfalfa like these are common in Nebraska and Kansas, where it is the leading cultivated hay plant

tons. In 1919 the respective figures were 18,853,000 tons and 25,470,000 tons. Alfalfa has therefore become in the last few years the leading hay plant of the United States. Alfalfa hay in the central and western markets is quoted usually at prices above those demanded for timothy. In the eastern cities timothy hay may sell for a higher price than does alfalfa, but the reverse is not infre-

quently the case.

Alfalfa thrives best in a dry atmosphere as indicated by the distribution of the acreage in 1919, only 13½ per cent of which was east of the ninety-fifth meridian. In a humid climate alfalfa has less vigor, and is apt to become weakened by diseases, so that weeds obtain a foothold in the field, or grasses gradually replace the alfalfa. This results in decreased yields and inferior hay. Alfalfa can be grown successfully from the Canadian border on the north to the Mexican line on the south and is growing on nearly every type of soil except those which are poorly drained or underlaid with hardpan.

In feeding value, alfalfa hay is almost unsurpassed on account of its high palatability and digestibility. It is rich in protein and minerals, especially lime, making it very valuable for all classes of growing and milking animals. It can be ground or chopped into meal and is thus used in many mixed feeds. Lack of bulkiness facilitates a heavy consumption of grain and hay at the same time. Alfalfa is generally considered the best hay for dairy cattle. Dairy cows will eat from 20 to 30 pounds daily of alfalfa hay, if other feeds are omitted or given in small quantities only. Because of its laxative effects, it has a beneficial effect on their health. In Nebraska, fattening cattle on a full feed of corn and hay produced 60 per cent-greater gains on alfalfa than on prairie hay. Steers are sometimes fattened satisfactorily on alfalfa hay alone. They eat about 30 pounds per head a day and make a daily gain of approximately 1.25 pounds.

Alfalfa hav is well suited to sheep and is often their sole winter feed in the West. Near lambing time it is better to add a little grain to the ration, but sheep have been fattened successfully in New




Fig. 25.—Alfalfa production, unlike that of timothy, is heaviest in the Western States. Only 13½ per cent of the acreage was located east of the Ninety-fifth meridian in 1919, but the acreage is increasing in the Northeastern States and has decreased somewhat in Kansas and Nebraska

Mexico on alfalfa alone. In some parts of the West alfalfa hay has been used as the sole roughage of work horses for years with good results, although many people prefer to feed grass hay with it. Eating alfalfa hay exclusively causes an increase in the consumption of water and the production of urine, but it is not injurious to the kidneys as generally believed. One pound of alfalfa hay for each 100 pounds live weight of the horse is a safe allowance. Most of the difficulty experienced in feeding alfalfa to horses is due to overfeeding, although moldy hay may cause trouble.

Alfalfa hay is used to a limited extent in feeding hogs and is an excellent poultry feed when ground and mixed with mash. Poultrymen who do not grow alfalfa often purchase it in the form of alfalfa meal. There is very little waste in feeding alfalfa hay and it is usually free from objectionable dust.

Clover.—When clover hay is referred to in the hay trade, it is generally understood to mean red or alsike clover. The hay made

from crimson, bur, Japan clover, and sweetclover is very limited in each case. Sweetclover or *Melilotus* hav is becoming more abundant in some sections, but is still of small importance as compared with red-clover hay. Of the clover hay produced in the main clover region it is estimated that 65 per cent is red, 30 per cent alsike, and

the remaining 5 per cent crimson clover and sweetclover.

Clover hay is produced mostly in the same region as timothy; in fact, much of the red and alsike clover is seeded in mixture with timothy. If we consider that half of the timothy and clover mixed hay produced in 1923 was clover, then the total clover hay produced that year was 20,970,500 tons, or about 2,000,000 tons less than the timothy and 5,000,000 tons less than alfalfa hay. In 1919 the cloverhay production was 16,818,000 tons.

When properly cured, red or alsike clover hay is almost as good as alfalfa. Clover hay is more likely to be dusty or moldy than alfalfa hay and when moldy it may cause acute indigestion and even death. Dustiness in clover may be overcome by dampening the hay




Fig. 26.—Clover production is heaviest in the same part of the United States as timothy and will probably continue so on account of the climatic relations of this crop

just before feeding it. Red-clover hay is the standard hay for fattening steers in the Corn Belt, and it is considered just as good as alfalfa hay if the animals are on a full grain feed. It ranks next to alfalfa for dairy cattle and may be used as the sole feed of ewes until near lambing time. Poultry may be fed on clover hay in the same way as on alfalfa hay, but hogs do not like clover as well as they do alfalfa.

Alsike clover makes a cleaner, better hay than red clover because the leaves are smooth, the stems finer, and it stands rain during curing very much better. (See fig. 4.) Alsike-clover hay is very popular with dairymen in northeastern United States, but the feeding value is greatly reduced if it gets too dry in curing and loses the

heads and leaves.

Crimson-clover hay is valued highly by dairymen, and it is also used satisfactorily in feeding horses, mules, sheep, and beef cattle. It is essential, however, to cut it before it matures, otherwise the ripened hairs on the heads and stems form compact, feltlike balls

in the alimentary tract which may cause the death of horses and mules. This danger may be reduced by feeding it with other hays

and by dampening it 12 hours before feeding.

Sweetclover hay is palatable and very nutritious for all classes of livestock when cut at the right time and properly cured. Fine-stemmed and leafy sweetclover hay resembles and is about equal in nutritive value to alfalfa hay. Sweetclover is a biennial, however, and if cut the second year the hay is often stemmy and unpalatable. A coarse, heavy growth of sweetclover is very hard to cure in a manner to prevent the loss by shattering of a large proportion of the leaves. Such hay is much inferior to the hay made from red clover or alfalfa. The best hay from sweetclover is obtained by cutting the first year's growth late in the fall. In some sections considerable trouble has been experienced in feeding moldy sweetclover hay. Deaths of animals fed on such hay have been reported and care must therefore be observed to cure the hay so




Fig. 27.—The annual legumes, including cowpeas, soybeans, field peas, pea nuts, and vetches, are most important in the Southeastern States. That portion of the crop cut for hay represents only a small part of the total agreage of these legumes

that it will be bright and free from molds. Good results have been obtained in feeding sweetclover hay to lambs and steers in the West, and it produces about the same quantity and quality of milk as do other legume hays.

Bur clover is a winter annual usually found growing in mixture with grasses. It reseeds itself each year and is more important for pasturage than as a hay crop. The best hay is made by cutting

when the pods are green.

Japan clover, more properly known as lespedeza, grows luxuriantly on rich soils in certain sections of the Southern States and makes good yields of palatable, nutritious hay. Much of the bulk of lespedeza hay is leaves, and the stems are very fine. It is practically equal to alfalfa or red-clover hay in feeding value and there is little danger in overfeeding properly cured lespedeza hay. Cattle, horses, sheep, and goats all do well on it. On poorer soils lespedeza is valuable primarily for pasturing.

Cowpeas.—This crop is important only in the eastern half of the United States south of latitude 40° (the latitude of Philadelphia and the northern boundary of Kansas) and east of the one hundredth meridian (central Texas). The cowpea acreage has remained stationary for a long time and in recent years has apparently decreased, owing to the increased use of soybeans on the northern and of velvet beans on the southern margins of the cowpea territory. The total estimated acreage of cowpeas in 1923 was 4,359,000. About half of this, 2,065,000 acres, was used primarily tor hay, producing 2,114,000 tons.

Cowpeas require rather high temperatures during the growing season and do best on sandy loam soils. There are many varieties of cowpeas, some of which are much better for hay than others. The semiprostrate or trailing habit of growth characteristic of many of the best cowpea varieties makes it somewhat difficult to mow the crop



Fig. 28.—The southern farmer has in the cowpea a most nutritious hay plant, and farm animals eat it eagerly it is rarely used as a market hay

unless the mower is equipped with special guards on the sickle bar to raise the vines. It is also rather difficult to cure cowpea hay without the loss of a good many of the leaves and the hay is much coarser than that of most other legumes.

Well-cured cowpea hay with the leaves still on the stems is practically equal to red-clover or alfalfa hay in feeding value, except for dairy cows. Cowpeas should be cut for hay as soon as the first pods become yellow. It is a common practice to mix the cowpeas with millet, Sudan grass, or sorgo when they are sown for hay production.

Cowpea hay alone provides a maintenance ration for all kinds of livestock including hogs. In the Southern States it is prized as a roughage for work animals, some claiming that horses stand the heat better when fed cowpea hay than when fed grass hay. For horses and cattle cowpea hay may be used as a source of protein in place of bran or cottonseed meal; 1½ pounds of the hay for 1 pound

of bran or one-half pound of cottonseed meal. It ranks fourth among the principal legume hays for dairy cattle. In wintering steers in Missouri cowpea hay and corn produced twice as much gain as timothy hay and corn and it has given very good results when fed to lambs in Oklahoma and West Virginia. Cowpea hay is distinctly a home feed, very little of it reaching the city markets.

Soybeans.—Like cowpeas, the production of soybeans is confined principally to the Eastern States. (See fig. 27.) The acreage, however, extends northward farther and is not so extensive along the Gulf coast. Unlike the cowpea, the soybean acreage has increased rapidly in recent years principally in the Corn Belt and adjoining States. The estimated acreage of soybeans in 1923 was 2,037,000. There were 794,000 acres of this total cut for hay, producing 1,155,000 tons. A large acreage of soybeans is interplanted with corn and pastured off when the crops have matured.



Fig. 29 — The popularity of soybeans in the United States, especially in the Corn Belt, has increased rapidly in the past few years, and the hay is valuable, especially as a feed for dairy cattle

Soybeans are not so sensitive to cool weather as are cowpeas and they succeed better on heavy clay soils. There are a great many varieties and those should be chosen which have been found best adapted to the region where they are to be grown. The plants are upright and easier to harvest for hay than are cowpeas. (Fig. 29.) The hay, although coarse, is relished by all kinds of livestock.

Soybeans should be cut for hay as soon as the pods are formed. Not more than half the roughage given to horses should be soybean hay, and in fattening steers the quantity should be limited on account of its laxativeness. The extent of this laxative effect depends largely upon the quantity of beans which the hay contains. It is a valuable hay for all growing stock and for dairy cattle it ranks just below alfalfa and red clover. It is considered second only to alfalfa as a roughage for sheep and goats. For hogs the value depends largely upon the content of beans. Soybean hay cut early and cured properly may be fed to poultry with good results.

Peanut.—It is estimated that about 307,000 acres of peanuts were cut for hay in 1919 in addition to a large acreage which was pulled and both the vines and nuts fed to livestock. The hay production that year was estimated at 230,000 tons, practically all of it in the Southeastern States. (See fig. 27.) Peanut vines, if cut at the proper time and well cured, make a hay almost equal to clover in feeding value. The whole plant with the nuts attached is used in some localities as the sole feed of work animals and it makes a good balanced ration for dairy cows.

Field pca.—The so-called Canada field pea is a cool-weather crop and can be grown successfully only in our Northern States, in the high altitudes of the western Mountain States, and as a winter crop in the Southern States. In the latter region, however, but little hay is produced, the peas being grown mostly as a green-manure crop. It is estimated that about 60,000 acres of field peas were cut for hay in 1919, producing about 70,000 tons. Most of the acreage cut



Fig. 30.—The production of peanut hay in the South is increasing. Like cowpea and soybean hay, peanut hay is mostly consumed on or near the farm where it is produced

for hay was seeded in mixture with some small grain, usually oats, in order to hold the pea vines erect and make them easier to mow. Field peas are usually cut for hay when the first pods are beginning to mature, and the hay has a very high feeding value. It is usually considered about equal to alfalfa, but not more than half the roughage of horses should consist of field-pea hay.

Vetch.—There are several kinds of vetch, all of which are more important as green-manure and cover crops than they are for hay. The most important are the common or spring vetch and the hairy vetch. Like field peas, vetch is nearly always seeded in mixture with some small grain. It is estimated that 30,000 acres were cut for hay in 1919, producing 45,000 tons. Vetch hay has a high protein content; and, if the grain has not become too ripe before the mixture is cut, the hay is very palatable and can be used to advantage in feeding either horses or cattle.

Substitute hay crops.—In scattered localities over the United States different plants are used for hay in the absence of the better

grasses and legumes.

Beggarweed is a legume utilized as hay in Florida and southern Georgia. It is an annual, making a volunteer growth each year, usually in mixtures with crab grass and Mexican clover. The hay is palatable and nutritious when cut before the stems become woody, and it makes a worth-while addition to the supply of roughage in this section.

Alfilaria is of importance only in the semidesert sections of our Southwestern States. It is of more importance for pasturage than for hay, but under the more favorable conditions it is often cut for hay. It makes a good hay for stock cattle when cut in the rosette stage, but is better for fattening if allowed to become more

nearly mature.

Horsetail or scouring-rush is a species of *Equisctum* used for hay in some of the western valleys of Idaho and Washington. It grows in nearly pure stands on the overflowed lands of the Kootenai River. The hay yields average about 1 ton per acre, and the cuttings are made as the water recedes. It is claimed that the hay is laxative and not good for horses, but increases the milk flow when fed to dairy cows.

Baltic rush is a native plant occurring in nearly pure stands in many places in the mountains of the West, especially in Colorado. Much of it is cut for hay, which bears a high reputation in the local markets.

Black grass is a rush which occurs on large areas of the coastal marshes of New England. In colonial times it was an important source of hay, and much of it is still thus utilized.

Nutritive Value of Hays

When hay is stored in the barn it generally contains 15 to 25 per cent of moisture. This is reduced in a few months to about 12 per cent or less. The development of bacteria and molds and the action of enzymes gradually reduce the protein, crude fiber, and other constituents of the hay. Nearly all immature hay tends to be laxative and may pass through the digestive tract before its nutrients are thoroughly assimilated. Care should be exercised, especially in feeding any hay which has not gone through the sweat.

Palatability is a very important consideration in the feeding value of hay. Timothy is one of the most palatable hays. The time of cutting and method of curing have much to do with its palatability. Some hays which are not relished by animals when first given to them are eaten readily after the animals become used to the flavor.

Digestibility is also affected by the time of cutting and method of curing and handling. Both the loss of leaves and the leaching of the hay lower the digestibility. Although the advantages of grinding, chopping, or otherwise changing the physical character of hay have been given wide publicity, such practices do not increase its digestibility, and hence there is little justification for the expense of grinding. Sometimes animals will consume more of a ground roughage, especially when mixed with other feed. Hence, grinding is sometimes resorted to in order to dispose of inferior grades of hay by making easy their mixture with more palatable feeds. Aroma is important because it favorably affects digestibility.

 Πay 325

One should hold all moldy hays under suspicion, as a few of the many molds produce poisonous substances which may be fatal to livestock. It is possible to detect dangerous molds only by careful scientific examination. The best policy is to avoid having moldy hay, since such hay, unless destroyed, is often fed to the producer's own animals.

The different kinds of hay vary much less significantly in nutritive value than do other classes of feed. In the case of mature animals, therefore, which are working or being fattened or maintained through the winter, the quality of the hay is perhaps as important as its kind. But in the case of growing and milking animals on winter feed the inclusion of the right quantity and kind of hay in the ration is a matter of the very first importance. As far as is known, it is difficult to get the best results from dairy cows on winter feed unless large quantities of legume are included in their rations. Legume hays have two great points of superiority over grass hays for growing and milking animals; they contain more protein and more lime. The high protein is very important if the hay is being



Fig. 31.—Haymaking 1. Cutting the crop. The use of a gang of mowers permits large areas of meadow to be cut quickly

fed alone or with a low-protein concentrate such as corn or oats. But the high lime is even more important, because there are no concentrates which contain large amounts of lime, and, therefore, if a heavy-producing dairy cow on winter feed does not get considerable quantities of legume hay in her ration, she does not get enough lime to meet her requirements. As far as is known there is no way to satisfy the lime requirements of very productive cows on winter feed except to give them large quantities of well-cured legume hay.

Table 1 shows the variations of the different hays in composition and digestible nutrients, and especially the difference between legumes and grasses. Legume hay contains over twice as much digestible protein as grass hay. The digestible carbohydrate equivalent includes the digestible crude fiber and nitrogen-free extract plus two and one-fourth times the digestible fat. Although composition and digestible nutrients are not satisfactory standards of comparison, they are widely used and valuable to correlate with practical experience in feeding. Relatively little work has been done to compare directly the feeding values of the various hays.

Table 1 .- Grass and legume hays, their composition and digestible nutrients

				Carbohydrates				stible rients	
Нау	Water Ash		Crude protein	Crude fiber	Nitro- gen-free extract	Fat	Pro- tein	Carbo- hydrate equiva- lent	
GRASSES Barley Italian rye Johnson, Millet Talloat! Orchard Black grama Mived pranie Western wheat Redtop Rye Sorgo Sudan Swamp Tunothy	10 6 8 5 9 0 10 3 11 0 9 9 5 5 6 4 8 9 6 4 8 9 5 3	Per cent 5 3 6 9 7 0 7 9 6 8 6 0 7 0 7.7 7 3 5 2 4 7 9 5 8 1 6 7 5 4	Per cent 9 3 7 5 8 2 8 8 8 7 9 8 1 1 3 6 1 7 1 7 9 9 5 9 7 7 2 6 8		Per cent 48. 7 44. 9 43. 4 43. 3 41. 9 41. 0 50. 5 44. 0 42. 8 47. 5 43. 6 46. 5 47. 3 45. 9 44. 3	Per cent 2 5 1 7 2 7 2 7 2 8 2 6 1 3 2 2 2 4 1 9 2 0 1 9 1 7 2 0 2 7	Per cent 6 0 0 3 3 6 5 1 4 2 4 9 1 2 2 3 4 0 1 8 3 1 3 5 4 8 3 0 3 3	Per cent 47 6 47 7 48 3 41 7 45 5 38 2 42 6 52 2 49 1 45 4 44 2 43 4 44 7	
	88	6.8	7 6 =- =	29 6	45 0	2 2	3 8	45 7	
Alfalfa. Alsake clover Cowpea. Crimson clover Field pea Lespedcza Mammoth red clover Peanut. Red clover Sweetclover Soybean Vetch	8 3 10 5 9 7 9 6 10 6 7 9 12 2 7. 6 12 9 8 1 8 4 11 3	88 9 6 8 2 5 9 9 5 9 8 6 7 6 6 7 8 7 9	16 0 14 4 17 5 15 2 16 1 11, 9 12 8 11 4 13 6 16 2 15 8 17, 0	27 1 24 7 20 5 27 2 24 8 28 5 27 1 23 4 24 2 25 9 24 3 25. 4	37 1 39 1 36 6 36 6 37 5 42 7 37 1 43 3 39 5 36 8 36 1	2 6 5 8 2 2 8 7 2 8 3 7 4 4 2 3 8 2 3	11. 5 9 5 11 9 10 5 12 6 7 9 7 8 7 9 8 3 12 1 11 2 11. 6	42 0 40 3 37 7 45 3 44 8 43 2 57 8 43 0 2 30 2 44 0 43 4	
A verage	9 7	8 3	1.8	25 2	38 ti	3. 4	10 2	43 2	

Haymaking

Haymaking is more than merely the drying of green grass. Such material dried rapidly in an oven lacks the aroma characteristic of good hay. In the gradual drying which takes place in the air and sunshine a slow fermentation due to substances called enzymes takes place, the result of which is evidenced by the aroma of the cured product. A bright-green color is also desirable in hay curing, and therefore means are taken to reduce exposure to bright sunshine as much as practicable.

The processes of making hay in the days when the work was all done by hand were (1) mowing with the scythe, (2) raking with a hand rake, (3) turning over or stirring with a pitchfork, (4) cocking with the same implement (Fig. 9), and (5) putting the cured or nearly cured product in large ricks or stacks or hauling to the barn and putting in the mow. Later the horse mower replaced the scythe, the horse rake, the hand rake, and the tedder and the loader were used instead of the pitchfork. The processes of having by the use of machines then became (1) mowing, (2) raking, (3) tedding, (4) loading, and (5) stacking. In very favorable hay regions the methods are even more simplified by baling the hay directly from the windrows, thus eliminating loading and stacking.




Fig. 32.—Haymaking II Gathering the hay into windrows with a side-delivery rake

However, the principles of haymaking remain the same. The secrets of good haymaking lie in controlling these natural processes so that the dry-cured product shall be bright in color, retain all the nutritive properties of the fresh plants, and possess the characteristic sweet aroma.

Curing hay in good weather is a rather simple matter; in bad weather the difficulties may be insuperable. Persistent wet weather is the greatest handicap to the haymaker. When the grass is first cut and in the swath, dew or even a shower will do little injury; but where showers fall frequently, so that the cut plants are partially dried between showers, it is next to impossible to make good hay.

During such weather there is considerable loss in weight aside from any loss of quality that may result. It has been shown that



Fig. 33,-Haymaking III. Transporting the hay to the stacker with a sweep rake




Fig. 34.—Haymaking IV. The stacker lifting a load from the sweep rake to the top of the stack

salts and proteins are leached out of cut plants. Molds develop and the plants become darkened, leaves are lost, and the resultant product has a lessened palatability and often a disagreeable odor.

Time to Cut

The best time to cut a field of grasses or clovers for hay, provided the weather conditions are favorable, is when the greatest amount of digestible nutrients will be obtained. Other factors, however, besides weather probabilities have an influence. When other



Fig. 35,--Haymaking V. Baling the hay. The press is mounted on a truck, so that it can be moved about the field and the hay brought to it by sweep rakes

farm work is pressing, mowing is likely to be postponed. If several cuttings are to be secured, as in the case of alfalfa, the effect of the first cutting on the subsequent ones needs to be considered.

Grasses and legumes are most palatable when young, and the protein content is generally greater when the plant is in bloom or just before bloom than at a later stage of development. The yields, however, are commonly greater where the plants approach maturity, and in practice cutting is often done at a time when the largest quantity of good hay can be made per acre, even though such hay is not equal in quality to that made from younger plants.

Studies at various experiment stations have shown that the total yield of timothy increases up to the time when the seed is nearly ripe. Table 2, compiled from Illinois Bulletin 5, shows that for timothy, Kentucky bluegrass, and red clover the protein content decreases and the crude fiber content increases with the age of the plants, and that this change is more pronounced in red clover than it is in grasses.

Table 2.—Composition of grasses and clover at different stages of growth
[Hinos Experiment Station]

	immois	rxperm	ent state	toni				
		Water-free substance					Nitrogen	
	Water	Crude ash	Crude fat	Crude protein	Crude fiber	Nitro- gen-free extract	Total	Albu- minoid
TIMOTHY Full bloom Half the anthers shed Seed in dough Seeds in half to two thirds of heads ripe KENTUCKY BLUEGRASS	26 53	Per cent 6 81 6 65 6 73 5.90	Per cent 5 00 4 46 3 81 3.38	Per cent 7 33 6 56 6 12 6 23	Per cent 32 11 33 74 34 45 33 82	Per cent 48-75 48-59 48-89 50-67	Per cent 1 17 1 05 0 98 1 00	Per cent 0 96 1 02 0 95 0 91
Panicle just visible Panicle shredding Full bloom In seed MEDIUM RED CLOVER	6 65 7 15 6 98 7 55	8.07 5 57 8 30 6 38	4.88 4 07 3 90 4 25	19 88 16 21 12 61 12 49	18 43 22 83 23 76 24 34	48 74 51 32 51 43 52 54	3 18 2 68 2 01 2 00	2 70 2 38 1 99 1 63
Heads forming	9 73	8 42 7 73 7 07 6 60 6 19	4 52 3 58 3 16 3 08 2 78	23. 31 18 36 14 66 13 69 12 52	17 53 23 37 28 06 36 40 37 50	46 22 46 96 47 05 40 23 41 01	3 73 2 94 2 35 2 19 2 00	
MAMMOTH RED CLOVER First cutting, June 30 Second cutting, July 11 Third cutting, July 23	26 31 25 79 19 53	7 89 6 57 6 44	6, 65 5 82 5 11	13 84 12 83 11 37	30 32 34 75 32. 92	41 30 40 03 44 16	2 21 2 05 1 82	1 87 1.82 1.75

The Kansas Experiment Station found that alfalfa cut when one-tenth in bloom contained 18.5 per cent protein; when half in bloom, 17.2 per cent; when in full bloom, 14.4 per cent. However, other characteristics may be equal in importance to the chemical composition. The Wisconsin and Kansas Experiment Stations have recently shown that frequent cutting of alfalfa, when the plants are cut in early bloom, results in lessening the life period of the plants.

Grain hay should commonly be cut when the seeds are in the dough stage. Wild hay can be cut over a much longer period than most tame hays. In the relatively dry climate of the Dakotas and neighboring States, where the most of the wild hay in the United States is cut, the native grasses retain their nutritive properties for

a considerable period.

when cut later.

It is better to cut timothy just after the blooming stage, as then the hay is less dusty from the pollen and consequently better for the use of horses. Timothy also cures more quickly after blooming or when the seed is in the dough stage than before bloom; also the yields are higher. Waters found in Missouri that the yield of a timothy crop coming into bloom was 3,411 pounds of dry matter to the acre; the yield at full bloom was 3,964 pounds; the yield when the seed was formed was 4,089 pounds; the yield when seed was in the dough was 4,038 pounds; and when the seed was ripe the yield was 3,747 pounds per acre. The loss in the last cutting is thought to be due to leaching while the crop was still standing.

Clover makes better hay when cut in early bloom than when most of the flowers are brown, but it is harder to cure at the earlier stage, since the plants are more sappy. Then, too, the weather in early or middle June is likely to be less well suited to haymaking than later. As the plants become older the leaves are more likely to drop off in handling, and this may cause serious loss both in quantity and quality. On the other hand, if a clover-seed crop is wanted, it is better to harvest the first cutting as early as possible. By this means considerable damage from the clover-flower midge may be avoided and the plants make a stronger second growth than

When lespedeza is cut for hay, the ripe seed is often saved; and for this a special seed-saving pan, attached to the mower, is used.

Soybeans may be cut for hay at any time from the setting of the seed until the lower leaves of the plant begin to turn yellow. It is most suitable for hay, however, when the seeds are well formed and before the lower leaves turn yellow, for at this stage of growth the largest yield, together with the best quality of hay, will be obtained. If the crop is cut earlier, the percentage of protein will be higher, but the total yield will not be so large and the difficulty of curing much greater. If the cutting is delayed, however, the stems become more fibrous and decline in feeding value, and if left too long much loss in leaves will occur.

Cowpea hay of the best quality is produced if the plants are cut when most of the pods are full grown and a considerable number of them are mature. At that stage of growth none of the best hay varieties will have dropped their leaves and the plants will have attained practically their full growth. If cut before this stage, the vines are watery and difficult to cure; but if left too late before cutting there will be an unnecessary loss of leaves in handling and the stems will be tough and woody.

Some grasses, such as orchard grass, become hard and very fibrous soon after blooming, and with such grasses it is important that cutting be done at the right time. Timothy is peculiar in that it will stand over a longer period than most grasses without serious deterioration. Mixed meadows, as timothy and clover, are cut pref-

erably when the most important constituent is in the best condition for making good hay. During the first harvest year, when clover is the most important plant in this mixture, cutting when the clover is in full bloom and a few of the heads have turned brown is most advantageous. The next year, when the timothy is the more important constituent cutting may preferably await the proper stage of growth of the timothy and the clover will become too old for the best hay. If alsike clover is used instead of red, the clover in the late-cut mixture will be of better quality.

In general, the time of cutting will vary with the locality and with farm labor conditions—that is, the pressure of other farm operations will exert a marked influence. In the Northern States, where alfalfa is subject to serious winter injury, it will pay to let the plants become rather overripe before cutting, as this will help to maintain the stand. In the Southwest, where winter injury is not a factor, earlier cutting, which will make better hay, is advisable. In cutting, as in the subsequent processes, the effect on the market quality should always be kept in mind. This applies especially to alfalfa and timothy, as these are the two chief hays on the market. Timothy that is overmature and mixed with overripe clover is less salable than that cut at a younger stage. The same is true of alfalfa.

Curing

Two important processes take part in the curing of hay—loss of water and fermentation. These two are essential to the making of



Fig. 36.--Sunshine is one of the most important factors in curing hay. Exposure of hay in the swath to sunshine for a long time, however, results in bleaching. A better quality of hay is obtained if the cut grass is raked into windrows and then put into cocks to protect it from the rain

good hay. A third process—bleaching—is to be avoided. Bleaching takes place only when the cut grass or legume, especially the latter, is exposed too long in swath or windrow to the action of strong sunlight. Fresh plants contain from 60 to 85 per cent of water. Loss of water begins as soon as the plants are cut, the water being given off most rapidly from the leaves. There is serious doubt as to the accuracy of the theory that the leaves of the cut plants act as

pumps. Nevertheless the secret of making good, bright-green hay is to reduce the water in the plants from an average of about 70 per cent to about 15 per cent and to do this fairly rapidly and without allowing any of the leaves to become brittle-dry. The methods adopted should meet this requirement. Hay cures better in the cock than in swath or windrow, because in the cock a smaller proportion of the plants is exposed to sunlight, and danger of too rapid drying is avoided.

Grasses have hollow stems and firmly attached leaves which dry more easily than those of legumes. The broad leaves of legumes are likely to dry more quickly than the stems and to become brittle, especially if the cut plants lie too long in the swath under a hot sun. In cloudy weather the plants may safely remain in the swath longer than in sunny weather.

Tedding

Tedding is a process mostly used in humid regions. When the cut crop or math is heavy it may be necessary to turn the cut plants over



Fig. 37.—A tedder "doing its bit" in the haymaking scheme, stirring up the cut grass in order to facilitate drying

before windrowing. This process hastens drying, as it allows the air to reach the plants that were next the ground. When the meadow is small, turning or stirring may still be done with a hand fork, but this is a laborious operation. For larger fields a tedder is essential. This machine turns over the cut plants by a kicking motion. If tedding is to be done in the swath, as is sometimes necessary when the crop is heavy, this should be done soon after the plants have wilted, and especially with legumes, before the upper part of the swath has become so dry that the leaves are brittle. If clover and alfalfa are tedded when the surface is very dry, many leaves will be lost, with consequent deterioration of the hay. Tedding the win-

drows is a common practice, but when the crop is heavy it is better to turn over the swaths.

Cocking

Clover or alfalfa should be put into cocks only when free from external moisture. Such moisture encourages the development of molds and bacteria, with subsequent heating and spoilage. Cocks should be small and carefully made so as to shed rain as much as possible. Except in wet weather, three to four days in the cock will complete the curing of clover and alfalfa. Less time is required for timothy and most other grasses. In regions where rain may be expected, the cocks are sometimes covered with caps made of heavy cloth, a stone or other weight tied to each corner. The expense attached to this method, however, prevents its being used much.

Where the weather is likely to be bad for haymaking, as in most of the Southern States, various devices have been used to help in



Fig. 38 -- The protection of cocked hav by the use of canvas covers is expensive and usually is not economical

the curing process. The simplest of these is the "perch," a single pole driven into the ground and having a cross arm 2 or 3 feet long nailed to it. The partly cured material is arranged about this pole so that a tall cock is built up with the pole in the center. Another device is the "pyramid," in which three poles are united at the top. Sometimes the third pole of the pyramid is very long so as to make a long, low, oval stack, thus reducing labor. Grooved poles have been used to place in the center of the cock, and holes have been made in the caps to allow the poles to pass through. This leaves an air space and assures circulation, thus assisting in the drying. An efficient but much more expensive method is by use of the curing truck. The green material, after allowing it to wilt and lose a considerable proportion of its moisture, is placed on trucks large enough to hold a ton of cured hay. The truck is then covered with tarpaulins, and is allowed to stand in the field until the hay is sufficiently dry to stack. This method is too expensive to be practicable except perhaps in regions where hay is high priced and



Fig. 39.—In a humid climate such as that along the Atlantic coast special frames are sometimes used to aid in curing the hay; the pyramidal form is, perhaps, the most efficient one. These frames are used most in curing cowpea and soybean hays

where it is difficult to cure hay because of excessive moisture. Clover hay is said to have cured perfectly on these trucks in Louisiana even though the weather was adverse.

Sweating

During the later stages of curing, which take place somewhat in the cock but more in the stack or barn, fermentation becomes more active accompanied by further loss of moisture. When well-cured hay is stacked or mowed, this fermentation, which is thought to impart an aroma to the hay soon ce. ses. Imperfectly cured hay, especially that which is wet outside from dew or rain, may ferment excessively, with considerable rise of temperature, resulting in some



Fig. 40.—Mechanical hay loaders save hand labor and may be found economical where it is customary to store the hay in barns or to haul it out of the fields to a stack yard

cases in spontaneous combustion. The fermentation is started by bacteria and raises the temperature. Later, a process of chemical oxidation is thought to take place, resulting finally in temperature high enough to char, and, when air is present, to ignite the hay.

Loading and Hauling

On small farms loading is still done by hand, as was formerly the universal custom. This is laborious and, with the increasing cost of labor, very expensive. Modern loading machinery saves much work and time and is now commonly used on all large farms, except where the hay is brought to the stack or hay press by sweeps. The sweep



Fig. 41 In the East the hay is often stored in barns rather than in stacks, and in this case a large hay fork is used to lift the load of hay into the mow

is used mostly in the West, where open-air stacking is the rule. In the timothy-clover region hay is usually put in the barn and hay loaders are much used.

Stacking

Hay may be stacked from the windrow or from the cock, the important point being to have the hay at the proper stage of curing before stacking, due consideration being given to the weather conditions of the locality. Ordinarily hay is in the best condition for stacking when it is still tough and not dry and brittle. Such hay will not break readily if tightly twisted and it will feel cool if held to the cheek.

The two most important points in stacking are: (1) The stack should be relatively large, holding from at least 10 to 15 tons of hay, because small stacks holding only 2 to 4 tons will suffer relatively large losses from weathering on the outside; (2) in the stack the hay towards the center should be well compacted. Sometimes trampling

is necessary, but, if the hay is dropped from the loader on to the stack in large masses, as is commonly the practice in the West, good compaction is secured. The important principles involved are (1) that in a well-compacted stack there is much less penetration of moisture and (2) that in a large stack there is a much smaller proportion of weather damage to hay on the outside than is the case with small stacks.

The form of stack varies greatly in different localities, in some regions being mostly small and conical or pyramidal in shape. In the West the large stacks are more commonly quadrangular in shape. Often they are so built that the sides of the stack bulge outward. This is desirable, because it lessens the amount of weather injury on the sides.

In regions where rain damage is to be expected it is well to protect the top of the stack by covering with a layer of green grass of almost any kind. This green grass compacts much more closely than will cured hay. Rarely tarpulins are used for this purpose, but the expense is almost prohibitive. In Great Britain the stack is sometimes protected by covering with a carefully woven mat of straw or hay.

Artificial Drying of Hay

Numerous attempts have been made by hay growers in sections of heavy rainfall to devise means of drying hay artificially. The problem has not yet been solved and the difficulties under present economic conditions seem insuperable. A number of installations built for this purpose have produced hay of very high quality, at moderate expense, so far as fuel and labor are concerned. A portable hay-drying plant with sufficient capacity to dry 10 to 15 tons per day might solve the problem. Hay having approximately the color of the grass growing in the field can be produced artificially.

In chemical composition the artificially cured hay approaches very closely that of green grass, as is seen in Table 3.

Table 3.—Chemical composition of green alfalfa, of alfalfa hay cured in the field, and of that cured artificially

`		Chemical composition, water-free basis				
	Moisture	Ether extract	Ash	Crude fiber	Albumi- noids (NX6.25)	Nitrogen- free extract
Green alfalfa Artificially dried Field cured	Per cent 73, 620 4, 930 16, 955	Per cent 2, 890 2, 465 2, 120	Per cent 9. 095 9. 125 6. 870	Per cent 27, 655 27, 390 28 145	Per cent 19. 165 18 690 13. 715	Per cent 40 92 41. 46 49. 26

The figures in the table are averages of duplicate analyses. They indicate that, so far as chemical composition is concerned, the quality of the artificially dried product is superior to that of field-cured hay.

In a few experiments conducted by the department farm animals distinctly preferred the artificially dried hay to the field cured, even when the hay was cured by hot gases carrying considerable smoke.

In making hay from plants like alfalfa, from which the leaves drop readily when they are dry, another important advantage in drying the product artificially is the saving of the leaves. Definite data are not available as to the usual losses from this cause in ordinary field curing, but it is known that they are considerable. Taking into account the quality of the artificially dried product, and the saving of the leaves of leguminous hays, it is probably not extravagant to claim that in humid sections the value of the product would be on the average 30 per cent greater when the curing is done by artificial drying as compared with ordinary field curing.

United States Department of Agriculture Bulletin 353 gives the results of extended studies of the percentage of moisture in grass freshly cut for haymaking purposes. The average moisture content of 44 samples of green alfalfa, as reported in this bulletin, was 76.1 per cent; for 25 samples of tall out grass and orchard grass, the



Fig. 42.-- Extensive studies have been made upon the moisture content of hay; samples are collected in the field and dried in an oven or inside of a shelter of some kind

average was 71.8 per cent. The average for 24 samples of timothy was 58 per cent and for 19 samples of Red Amber sorghum 71.2 per cent.

The average water content of the air-dried material's from the samples just enumerated was as follows: Alfalfa, 10 per cent; tall out grass and orchard grass, 17.6 per cent; timothy, 15.2; sorghum, 37 per cent.

It is estimated by competent engineers that under ideal conditions a ton of ordinary bituminous coal will evaporate about 8 tons of water. Under the experimental conditions in the investigations conducted by the department it was possible to evaporate from hay a little more than 4 tons of water to each ton of bituminous coal, and on this basis the data in Table 4 have been calculated. In the experimental work it was possible to accomplish the drying with slightly less fuel than is shown in the last column of the table.

The moisture content of ordinary field-cured hay usually averages about 16 per cent when the hay is ready to stack. In the rapid drying which takes place when hay is artificially cured, however, it has seemed impossible to accomplish uniform reduction of the moisture content without first chopping or cutting the green plants into small pieces. If unchopped green or partially cured material is used bunches of hay emerge from the drier still quite moist, and spoilage results unless the surrounding hay is so dry that it will take up this excess moisture. For this reason the problem becomes one of reducing the average moisture content of green grass from 60 or 75 per cent to about 5 per cent.

Table 4.—Coal required to make a ton of hay from green grasses of different moisture percentages

Moisture in the green grass	Green material required for a ton of hay 1	Water to be evapo- rated	Coal required 2	Moisture in the green grass	Green material required for a ton of hay 1	Water to be evapo- rated	Coal required 2
Per cent 90	Tons 9, 5000 6, 3333 4, 7500 3, 8000 3, 1667 2, 7143	Tons 9 4500 6 2835 4 7000 3 7500 3 1167 2 6643	Tons 2 3625 1 5708 1 1750 . 9375 . 7792 . 6661	Per cent 60	Tons 2 3750 2 1111 1 9000 1 7273 1 5833	Tons 2 3250 2 0611 1 8500 1 6773 1 5333	Tons 0 5812 5153 4625 4193 , 3833

¹ Containing 5 per cent moisture

So far as the quantity of fuel required is concerned, therefore, the

artificial drying of hay appears to be entirely feasible.

The labor cost of drying hay artificially, as indicated in preliminary experimental work, should be no greater than the cost of making hay by ordinary methods. The main difficulty, as already stated, is in the construction of a plant having sufficient daily capacity to be practical. The construction of such a plant appears to be the

outstanding problem yet to be solved.

Neilson method.—An account of a method of artificial drying of hay devised by an English farmer named Neilson is given in the Braunschweigische Landwirtschaftliche Journal of August 10, 1894, pages 137-8. The method consists of placing the green material in moderate-sized round stacks having a cylindrical open space at the center, extending from the bottom of the stack nearly to the top. A pipe extends under the stack, or under a row of stacks, with a perforated extension upward into the cavity in the stack, there being an arrangement by which the latter may be closed at its base. Other perforated pipes are laid in the stack as it is built. These extend from the outer surface of the stack to within about a foot of the central cavity. Their purpose is to permit the measurement of the temperature of the material in the stack from time to time as the drying proceeds.

The pipe under the stack connects with a powerful fan, which sucks the air out of the central cavity, thus causing the outside air

Assuming 1 ton of coal for each 4 tons of water evaporated

to penetrate the stack. In this manner the moisture in the material is gradually withdrawn. The fan operates on each stack from 15 minutes to an hour each day for one to three weeks after the stacks are built.

This method attracted considerable attention in England and on the Continent of Europe during the latter part of the last century, but the details of operation do not appear to have been fully worked out. It may be worth further study. The cost (fuel, machinery, and labor for operating the system) of curing hay by the Nielson method is reported to be less than 50 cents per ton of cured hay under European conditions late in the last century.

Measuring Hay in the Stack

In localities where much hay is produced for the market it is customary to estimate the tonnage of hay in a stack or rick and to buy it on this basis. In doing this, two problems are involved: (1) λ method of determining the volume of the stack accurately; (2) determination of the number of cubic feet of hay required to weight a ton. The first of these problems has been investigated and an approximate solution for it has been found; the second has had very little investigation, and data concerning the volume of a ton of hay under different conditions are very meager.

Number of Cubic Feet in a Ton of Stacked Hay

Conditions which affect the density of hay, and hence the number of cubic feet required to weigh a ton, are (1) length of time the hay has remained in the stack or mow, (2) depth of the hay, (3) kind of plants from which the hay is made, (4) stage of development of the plants when cut, and (5) percentage of moisture in the hay when it was placed in storage.

The decrease in volume of hay after it is stacked is discussed in United States Department of Agriculture, Office of the Secretary, Circular 67. The height of the rick was measured after it had been standing 3 days; 35 days later it was only 89 per cent; 69 days, 86 per cent; and 146 days, 83 per cent of the original height.

The volume of hay in 92 stacks was measured and the hay subsequently weighed to determine the average number of cubic feet per ton. The results are given in Table 5.

Table 5.—Cubic feet of hay in a ton in stacks allowed different periods of time to settle

Age of stack in days	Number of stacks	A verage cubic feet per ton
Under 30.	55	589. 6
30 to 60.	30	581. 5
74 to 155.	7	514. 9

¹ McClure, H. B., and W. J. Spillman, Measuring hay in ricks or stacks. U. S. Dept. Agr., Off. of the Sec. Cir. No. 67, 10 pp. Dec. 9, 1916.

The results presented in Table 5 were obtained in Virginia and New York with timothy hay or hay made from a timothy and clover mixture in which timothy predominated.

Rules for Calculating the Volume of Hay in Mows, in Rounded Stacks, and in Ricks

The problem of calculating the volume of hay in a mow is very simple. The volume in cubic feet is the product of the length,

width, and depth of hay each expressed in feet.

In rounded stacks it is necessary to divide the stack into two portions and to calculate the volume of each portion separately. The division should be made at the shoulder of the stack; that is, the level where the stack slopes definitely. In some stacks the lower portion may be cylindrical toward the top or it may be less in circumference at the ground than it is at the shoulder. For a cylin-




Fig. 43.—Diagram showing various shapes of round haystacks: 1, 2, and 3, upper part of stacks; 4 and 5, lower part of stacks. The different values of the factor V are indicated in each case

drical stack bottom the formula is V= 0.08 H C², in which H is the height of the stack to the shoulder and C is the circumference at the shoulder.

If the stack is smaller at the ground than at the shoulder its volume may be calculated from the formula V=0.08 H

Cc, in which H is the height of the stack to the shoulder, C the circumference at the shoulder, and c is the circumference at the ground.

The volume of the upper portion of the stack is given approximately by the formula V=0.04 H C, in which H is the height of the stack above the shoulder and C is the circumference at the shoulder.

In determining the volume of a rick of hay, the principal problem is to find the area of a vertical cross section of the rick, or, if the end of the rick be vertical, to find the area of the end of the rick. This area multiplied by the length gives the volume. A number of formulas are in use for determining the volume of a rick, but the most reliable are those known as the Quartermaster's rule and the Fowl rule.

Quartermaster's rule.—Add together the width of the stack and its "over," that is, the distance from the ground on one side of the rick over the top to the ground on the other side; divide the sum by 4; and multiply this result by itself. The final result multiplied by the length of the stack gives its volume in cubic feet. This is one of the most satisfactory rules in common use.

Fowl rule.—This rule was devised by representatives of the United States Department of Agriculture and is usually expressed as V=FOWL. Multiply "over" (O) by width (W) and by length (L), and this product by a factor (F) which varies with differently

shaped stacks from 0.25 to 0.37, according to the height and fullness of the cross section of the rick.

The various values of F for ricks of different shapes are as follows:

For ricks three-fourths as tall as they are wide:

- 1. Narrow (cross section nearly triangular), F=0.25.
- Moderately full, F=0.28.
 Very full-sided, F=0.31.

For ricks as tall as wide:

- 4. Very narrow (cross section nearly triangular), F=0.28.
- 5. Moderately full, F=0.31.6. Very full-sided, F=0.34.
- For ricks one and one-fourth times as tall as wide:
 - 7. Very narrow, F=0.31.
 - 8. Moderately full, F= 0.34.
 - 9 Very full, F=0.37.

Frye-Bruhn rule.—This rule is used chiefly in the Pacific Northwest. Substract the width of the stack from the "over" and mul-

tiply the remainder by one-half the width and this product by the length of the rick. This rule approximates accuracy for ricks in which the height is about equal to the width, but for lower stacks it is very faulty, the result being far too small.

Outlaw rule.—This rule is used to a considerable extent in the Middle West. It is very simple but grossly inaccurate. Multiply "over" by the width, take one-fourth of the product, and multiply this by the length of the rick. For a rick three-fourths as tall as




Fig. 44—Cross sections of haystacks of different shapes. The different values of the factor F are indicated in each case

wide and approximately triangular in cross section, this formula is reliable, but for any other form of rick it is very inaccurate, the error in the case of tall full stacks amounting to nearly one-third of the total volume.

A comparison of the four formulas or rules when they are applied to stacks of different shapes is given in Table 6. In Figure 44 are shown diagrams of the vertical cross sections of 9 types of hay ricks, and the corresponding value of the factor (F) for each of these shapes is indicated in the outlines. The height of ricks 1, 4, and 7 (upper row) is three-fourths the width; in ricks 2, 5, and 8 (middle row) it is equal to the width; and in ricks 3, 6, and 9 (lower row) the height is one and one-fourth times the width. Ricks 1, 2, and 3 (left column) are narrow or nearly triangular in outline; 4, 5, and 6 (middle column) are medium full: 7, 8, and 9 (right column) are full and rounded.

Table 6.—Area, in square feet, of cross section of nine different ricks as calculated by different rules. O is the "over," and W the width of the rick. In all cases W—9.6875 feet.

Rick number) ver (())	Frye- Bruhn rule (O-W)W 2 Quarter master rule (O+W)	s rule	Fowl rule FOW	Actual area of cross section of rick
	Feet 17 1 23 0 26 5 18 1 23 75 27 0 19 6 25 0 28 0	Sq. feet Sq. feet Sq. feet 35 9 61 5 66 81 4 81 4 81 69 1 69 83 9 84. 48. 0 53 74 2 75 88 7 88.	8 41 4 8 55 7 8 64 2 3 43 8 57 5 1 65 4 47. 5 60 5	Sq feet 41 4 62 4 79. 6 50 8 71 3 88 9 58 9 82 3 100 4	Sq. feet 41. 1 61. 0 78 1 50 9 71 1 87 8 57. 8 80 0 99. 4

PERCENTAGE OF ERROR IN THE ABOVE RESULTS

2	-12 4 5 7	9 0 9 5		0 7
4	-2000	$\begin{bmatrix} 4 & 7 \\ -5 & 1 \end{bmatrix}$		1 9 - 2
<u>6</u>	-4 2 -4 4	$\begin{bmatrix} -1 & 7 \\ -4 & 2 \end{bmatrix}$	-25 6	1 3
N	-17 0 -7 2 -10 9	-7 2 -6 0 -10 8	-17 8 -24 4 -31 8	1 9
v	- 10 8	10 8	-31 8	1 0

This table shows that the Fowl rule is more nearly accurate than any of the others, but the necessity of estimating the value of the factor F in using this rule is a marked disadvantage. The Quartermaster's rule is fairly reliable for ricks of all shapes, and it is easily and directly applied

and directly applied.

Although some of the rules discussed above appear to be fairly satisfactory for commercial use, data are almost wholly wanting as to the volume of a ton of hay under different conditions. This greatly limits the value of the rules for determining the content in cubic feet of a rick of hay, since no matter how accurately the volume may be known the tonnage of hay in the rick can not be determined with accuracy until the number of cubic feet required to make a ton is known.

Economics of Hay Production

The term "hay" in the statistical treatment that immediately follows includes not only ordinary grass and legume hays, but also the coarser forage plants when cut and handled after the manner of a hay crop except, where otherwise stated. It does not include corn stover or corn cut for fodder. The coarser hays are only 10 per cent of the total hay crop.

Distribution of the Crop


Figure 19 shows the distribution and density of the hay crop in the United States for the census year 1919. It shows that the great


hay and forage producing region lies in the north central and northeastern sections of the country and in certain restricted areas in the mountain and Pacific coast States. This map, however, while it shows the actual acreage of the crop, or the group of crops, included under the designation "hay," does not show the relative importance of hay in the agriculture of the various sections of the United States. This is much better indicated in Figure 45, which shows the percentage of crop area devoted to hay in each of the States of the Union at the last two censuses. Two regions are prominent in which hay is the dominant crop so far as acreage is concerned; the one is New York and New England and the other the western mountain States, including all the Pacific States except Washington and California.

In the belt of States extending from New Jersey to Minnesota and lying along the northern edge, or just to the north of the central Corn Belt, hay is likewise prominent. In the central Corn Belt and the group of States here designated the south central Corn Belt hay occupies a moderate acreage, as it does also in most of the Plains region. In the last three groups of States mentioned the production

of hay is largely a matter of supplying local needs.

One of the most striking features of the illustration is the extremely small percentage which hay acreage makes up of all crop land in the Cotton States. The reasons for this distribution of the crop will be given later. The map (fig. 45) shows in much greater detail the facts brought out in a general way in the graph at the In that portion of the United States lying east of the Rocky Mountains, four great areas differing as regards relative importance of the hay crop are easily discernible: (1) The great area extending from northern Pennsylvania northeast to Maine and recurring in Michigan, Wisconsin, and northeastern Minnesota, in which the hay crop occupies a very large proportion of the crop area, larger than in any other section of country east of the Rocky Mountains; (2) A vast area extending from central Ohio westward through Indiana, Illinois, central Missouri, then northwestward through North Dakota into northeastern Montana, where, in general, the hay crop occupies from 7 to 25 per cent of the crop area. In the eastern portion of this area the dominant crop is corn, and in the northwestern extension it is wheat. In a considerable area in central and eastern Illinois and northwestern Indiana, where corn is distinctly the dominant crop, hap occupies less than 7 per cent of the crop area; (3) There is an extensive area in the Cotton Belt in which hav occupies less than 7 per cent, and another area, nearly or quite as extensive, in which it occupies from 7 to 15 per cent of the crop area. is the area in which cotton is the dominant cash crop and corn the principal supply crop; (4) A considerable area covering eastern Tennessee, with extensions northeastward along the Appalachian range and northward and westward through Kentucky into southern Indiana, southern Illinois, southeastern Missouri, and northern Arkansas, then reappearing in east central Kansas, where there is no dominant outstanding cash crop like cotton, corn, or wheat, and where the land for the most part is rough and much of it not in cultivation. The large proportion of land in this region best suited to grazing makes possible a considerable livestock industry. The





pasturage consists in part of native grasses and in part of more valuable introduced grasses. The presence of the animals leads to

a considerable percentage of hay acreage.

Farming in the Western Mountain and Pacific Coast States is in large part devoted to hay growing. In only a few localities does the percentage of hay acreage to total crop land fall below 25 percent. The most important area of the latter kind is the great wheat-growing region of southeastern Washington and adjacent parts of Idaho and Oregon.

Importance of the Hay Crop as a Farming Enterprise

The bulky character of hay and its relative cheapness make it largely a crop for local consumption. It can be shipped to distant markets only when those markets can pay high prices for it. Because of this fact, hay is produced in sufficient quantity to meet local requirements in nearly all sections of the country where such production is feasible. In a few localities, like the one already mentioned in central and eastern Illinois and western Indiana, the soil is so eminently suitable for profitable cash crops that hay production is neglected but not because of difficulty in producing hay. Besides, there are large quantities of corn stover and cereal straw available. In this particular locality the character of the farming is such as to include very little livestock except work animals, and the amount of land devoted to hay required to supply the needs of these animals is small.

A careful examination of Figure 45 will show that the percentage of hay acreage does not rise above 25 or 30 per cent except in regions which, because of climatic, economic, or other conditions, are not well suited to the production of cotton, corn, wheat, or other important cash crops. The hay crop rises to 40 per cent or more of the crop acreage only in regions where the other major crops of the county are strictly limited because of climatic or economic conditions.

In the great hay-producing region covering northern Pennsylvania, New York, and nearly all of New England and the central and northern portions of Michigan, Wisconsin; and Minnesota climatic conditions prohibit cotton culture and either prevent or greatly restrict corn culture. Wheat is also greatly limited here, either because of climatic conditions or on account of competition with other regions better suited to its production, and in restricted localities of New York and New England, because of competition with more profitable crops, particularly truck and fruit crops. Thus all the other major crops are eliminated or greatly restricted, leaving the major acreage to hay.

There are two other reasons why so large a percentage of crop land is devoted to hav in New York and New England. The most important is the fact that this region has a virtual monopoly on the production of market milk for the great cities within its boundary. The cows required to produce this milk can consume enormous quantities of hay. The second reason, less important now than

formerly, is the fact that these same cities require considerable quantities of hay, which in former times could not all be produced locally. A part of the supply had to be shipped from Ohio and Michigan. This made hay high priced, and its production for market in New York and New England was a profitable business. But there has recently been a change in this situation, the reason for which will be discussed later.

In the belt of States extending from northern New Jersey through Pennsylvania, northeastern Ohio, Michigan, Wisconsin, and Minnesota the dominant position of the hay crop is to be explained as follows: This region lies along the northern edge or to the north of the Corn Belt. The corn crop is therefore rather restricted. Considerable wheat is grown in this area, but competition is severe with regions which can produce wheat more cheaply, and this fact limits the crop appreciably. Part of the region also lies along the line of division between spring and winter wheat, not being eminently suitable for either. It is a good oat country, and large quantities of this crop are grown. The crop adaptability as well as climatic conditions in this region, are eminently suitable to the dairy industry, and it is here and in the region previously discussed that commercial dairying has had its greatest development in this country. The presence of large numbers of dairy cows has called for a relatively large hay acreage.

In the central Corn Belt, extending from Ohio to Iowa and Missouri and including portions of eastern Kansas, eastern Nebraska, and southeastern South Dakota, corn is the dominant crop, and hogs and beef cattle are the dominant livestock enterprises. These require relatively little hay. The enormous acreage of crop land in this region is not devoted largely to hay, because local needs are relatively small and the quantity of hay that could be produced is far greater than could find a market in distant regions. However, considerable hay from this region is shipped southward. The percentage of hay land in this group of States runs ordinarily from 15 to 20 per cent of the crop area, which suffices to feed the animals on

the farm and to supply such local markets as exist.

In the group of States extending from Delaware to Tennessee, designated the south central Corn Belt in Figure 45, the situation is very similar to that in the central Corn Belt, except that in the south central Corn Belt the oat crop almost disappears, although it is an important crop in the central Corn Belt. The percentage of hay acreage in the south-central Corn Belt is about the same as it is in

the central Corn Belt and for similar reasons.

The position of the hay crop in the Cotton Belt is to be accounted for not by the inability of cotton farmers to grow crops suitable for hay, nor by their disinclination to produce sufficient hay to supply local needs. It is partly due to the relatively small place occupied by livestock in the region, but the fact that less hay is grown than is needed locally in most cotton-growing localities is to be attributed primarily to the difficulty of curing hay where the rain fall is, in general, 50 to 60 inches per annum, much of it falling during the time of hay curing. In some years hay can be cured in excellent condition in this region, but frequently there are seasons

when the proper curing of hay is a task too difficult for the man of ordinary ability and initiative. In this region one finds numerous schemes for curing hay in wet weather. Some of the hay is cured on frames (fig. 39). Another practice which has been adopted to a small extent is the curing of hay on trucks under tarpaulins.

The States of the Plains region may be considered in two groups. One consists of Kansas and North Dakota, in which States wheat growing extends more or less generally to the western boundaries. Hay production in these two States is largely a matter of supplying farm needs. The other group consists of Nebraska and South Dakota, in the western part of which States there is much range land, and farming is largely limited to the production of forage to be used as winter feed for range livestock. This accounts for the greater percentage of hay acreage in these two States as compared

with the other two States in this group.

The large percentage of hay acreage in the western Mountain and Pacific Coast States appears to be due to the following causes: (1) Except in a few very restricted localities in this entire area climatic conditions prohibit cotton entirely and limit the acreage of corn greatly; (2) although the region is eminently suitable for oats the product is too cheap to stand cost of transportation to distant markets, and the production of oats in this region is limited mostly to supplying local needs; (3) wheat is eminently adapted to much of the cultivated area, but is little grown on the irrigated lands. Not withstanding occasional periods of low prices for wheat, it is unlikely that the acreage of this crop will decrease very much except as the lands less favorable on account of insufficient rainfall are abandoned. If the acreage is decreased on good wheat lands it is probable that some of this will be used for hav.

This accounts for all the major crops except hay. The presence of millions of range animals requiring winter feed makes desirable a relatively large acreage of hay in this region and accounts for the dominance of the hay crop in the western Mountain and Pacific Coast States. Also, there are some regions, such as western Washington and the coast country of Oregon, Washington, and northwestern California, where the marked development of the dairy industry makes necessary large hay production. The same may be said of restricted localities, especially in the vicinity of the larger

cities and towns of the region.

Trend of Hay Production

During the last census period there was a decrease of 46.4 per cent in the number of horses in cities in the United States owing to the general extension of the use of automobiles. This has bad a marked effect upon the market for hay, particularly timothy hay, and has resulted in some reduction in hay acreage, especially of timothy, in many sections of the country. In 1910 about 13.8 per cent of the horses were in the cities; in 1920 only 8 per cent.

The enormous extension of wheat acreage which occurred during the war also affected very materially the percentage of land devoted to hav and pasture in many States. This is particularly true of the western Plains and Mountain States and also some of the Pacific Coast States. The same influence was marked in some of the States of the Mississippi Valley, particularly Missouri, Iowa, Indiana, and Ohio. In Illinois there was a similar increase in oat acreage at the expense of the hay crop. This, however, was a temporary phenomenon. Since the war the acreage of wheat has been greatly reduced and the acreage of hay is regaining its former position, but still shows the effect of the reduction in the demand for hay in cities.

The crop data of the department supplemented by correspondence with the agricultural authorities at the various State experiment stations discloses important facts concerning trends in hay production, especially since the last census. In New England there has been in general a reduction in hay acreage largely owing to the decrease in the city demand for hay. This has affected particularly the poorer hay lands, and in many cases meadows formerly



Fig. 46. --Getting hay from the field to the barn or stack with an ox team, as did the early farmers in New Jersey, was a slow process

maintained for the production of market hav have been converted into pasture, and hill pastures have been allowed to grow up into brush. In this region, however, there has been a marked increase in interest in leguminous hay, particularly clover and alfalfa. Because of the prevailing high wages there has also been an increase in the use of labor-saving machinery in handling the hay crop, particularly the side-delivery rake and the hay loader. In Connecticut there has been a marked increase in alfalfa acreage and a corresponding decrease in the acreage of timothy and redtop. In the northern dairy belt, extending from New Jersey to Minnesota, there has been a marked increase of interest in alfalfa. In Michigan the acreage of this crop has risen from 74,000 at the last census to nearly a half million acres in 1924. In Michigan and Minnesota there has been a very marked increase in the area of sweetclover. In New Jersey, Pennsylvania, and West Virginia soybeans are growing in importance as a forage crop. In general, there has been a decrease in production of timothy hay and wild hay in this region. New Jersey and Michigan report that the high freight rates on western alfalfa have markedly stimulated the production of that crop locally.

In the central Corn Belt the most marked change is the great increase in the acreage of soybeans in Ohio, Indiana, and Illinois. Sudan grass is also gaining a foothold in this group of States. The

alfalfa acreage in Illinois and Iowa is increasing.

Virginia and Tennessee, in the south central Corn Belt, report a very large increase in the acreage of soybeans. In Maryland and Delaware timothy hay is decreasing in importance, while leguminous hay is increasing in acreage. The growth of the dairy industry in these two States is at present tending to increase the production of hay. Maryland reports a very general increase in the use of timothy, clover, and alfalfa as a meadow mixture. In the Cotton Belt States there has been a slight but very general increase in hay acreage. South Carolina and Georgia report a heavy increase in soybeans. In the melon-growing section of Georgia special attention is being given to cowpea hay as a market crop, with encouraging results. Oklahoma, in this group of States, reports a noticeable increase in the acreage of sweetclover. In Alabama and Mississippi alfalfa culture seems to be decreasing and more Johnson-grass hay is being produced.

In the two Dakotas there has been a very marked increase in the area of sweetclover and a considerable increase in alfalfa acreage. North Dakota also reports a growing interest in the soybean crop for forage. Field peas are being largely grown. In both these States wild hay is gradually being displaced by tame hay, and legumes are receiving preference over the true grasses. No very great changes appear to be going on in the western Mountain and Pacific Coast States. In some localities the recent low price of cattle has led to a reduction in the demand for hay, and this has resulted in temporary local overproduction. Several of these States mention the fact that recent increase in transportation costs have lessened or destroyed the business of exporting hay to distant markets. other hand, the cost of rail transportation has worked to the advantage of hay growers in California, who ship considerable quantities of hay through the Panama Canal to southern and eastern seaboard States.

Summary of Factors Influencing the Hay Enterprise

The great number of different plants that may be utilized for the production of hay and forage makes it possible to produce hay wherever crop production is possible at all; hence hay production is limited little, or not at all, by lack of suitable haymaking crops.

On the other hand, rainfall has a very important effect on the distribution of the hay crop. Where the rainfall is 50 inches or more, the curing of hay becomes very difficult, and in such regions it often occurs that the supply of hay produced locally is inadequate to meet local needs. This situation prevails in much of the cotton country; also in the narrow strip of country on the northwestern Pacific coast. Thus the great cheese-making region of the western coast of Oregon, with its very high rainfall, imports a large proportion of its hay from the upper Columbia River basin. Much of the hay produced on the Oregon coast and in western Washington is of low quality, because of the prevailing rains and heavy dews, and sells on the same market for much less than similar hay produced east of the Cascade Mountains.

The economic factor of greatest importance in determining the distribution of the hay crop is cost of transportation. The bulky nature of hay and the low price at which it ordinarily sells largely prevent its transportation to distant markets and thus strongly tend to effect of this factor is seen in the striking development of the hay crop in New York and New England and in the range country of the West, where the presence of large numbers of range animals make a market for enormous quantities of the product.

Labor Requirements of Hay Crops

The labor required in hay production, particularly in the case of perennial hay crops like timothy and clover, which ordinarily furnish a single cutting a year, is smaller than for a similar acreage of any other class of crops. It is usually estimated that the production of an acre of hay of this character, aside from the seeding, requires on the average about one day of man labor and two days of horse labor annually.

Alfalfa and other crops that furnish more than one cutting in a

season require correspondingly more labor per acre.

Hay harvest for a single cutting is an operation strictly limited in season and in most localities may extend over a period ordinarily not exceeding 10 or 12 days for each cutting. The date of hay harvest varies relatively less with latitude than does that of wheat. Thus, timothy and clover hay in southern Missouri are harvested around the first of July, and in North Dakota the same crop is harvested only two or three weeks later. In southern Missouri hay harvest thus follows wheat harvest at a convenient interval. In northern Missouri and southern Iowa the harvesting of these two crops comes at about the same season, so that there is a severe labor conflict. Farther north, particularly in the spring wheat area, the hay crop is harvested and out of the way long before time for wheat harvest. Similar relations prevail in the eastern parts of the country and on the Pacific coast.

One of the reasons why alfalfa has had difficulty in invading the Corn Belt is the fact that the first cutting comes just at the time of the first cultivation of the corn acreage, making a very marked labor conflict between these two crops. The second cutting of alfalfa comes at the same time as wheat and oat harvest, and either wheat or oats, or both, are important in most of the Corn Belt. The third cutting of alfalfa in the Corn Belt comes at a slack period when

there is no labor conflict.

Marketing Hay

On many farms the hay crop receives less thought and attention than such field crops as corn, wheat, oats, and potatoes. The other crops are attended to first and hay receives attention only during the slack periods of work. When farm labor is scarce, when corn or wheat is the chief farm enterprise and hay is a crop of secondary importance in the farm income, it is only natural that hay should be the crop to suffer most from inattention. But if hay is to be relied upon as a chief source of farm income or produced for market as a cash crop, it must be managed with the same degree of forethought and attention as other valuable farm crops.

No producer who plans to ship hay to the market should expect to have high grades and to receive top prices unless he plans to have clean meadows, to cut his hay in proper season, to cure and store the crop properly, and to bale and load the hay according to the demands of the markets. Many of the ultimate consumers of hay are dairymen, cattle feeders, cotton planters, and other farmers who represent the real buying demand in the markets, and they want palatable and nutritious hay that gives value in accord with the prices they pay. Hay that is unsound, overripe, full of weeds, badly stained, or otherwise of low quality is a drug on the market. Lowgrade hay should not be baled and shipped to market, but should be consumed on the farm. The greatest part of the troubles and dissensions in hay marketing arises over low-grade hay. In these times of high freight rates it does not pay ordinarily to ship a low-grade product.

Good policy in the production of hay for market as well as good crop-rotation practice requires the occasional breaking up of old meadows. The yield per acre is low on old meadows, and the percentage of weeds and fine grass is usually high. Weeds lower the grade of hay, and there are prejudices against grass mixed hay in many markets. Hay inspectors and buyers in all markets usually discriminate against dirty hay. Under the United States grades inspectors are authorized to grade hay downward if it contains amounts of small-grain stubble, cornstalks, old rotten hay of the previous year's cutting, or weeds in excess of specified amounts.

Baling Practice

When considering the purchase of a hay press it is wise to select that type of press that will put out bales of the size and weight most desired in the terminal markets where the hay is to be sold. A particular hay market may favor one style and size of bale and be prejudiced against other types. The shipper and producer will always benefit by catering to the preference of his market. He can not afford to ignore the established market demands.

Neatness and tight tying of the bales is another important feature of hay marketing. Ragged looking bales loosely and unevenly tied are sometimes discriminated against in price because of their unattractive appearance in the car and because of the risk of breaking bales while handling them. It pays to give thought and care to the feeding of the press, to its tension, and to the tying. Press feeders should be instructed to throw out the occasional bunches of coarse weeds, and spoiled hay that are often found mixed with good hay.

When hay is baled from the stack the utmost care should be taken to remove the weathered top and sides of the stack prior to baling. Moldy or stack-burned slugs of hay occasionally found in the center of the stack and the bottom layer of hay that has been next to the ground should not be fed to the press. A relatively small percentage of such stack-damaged hay will spoil the general appearance of a

baled lot of really good stack hay.

Snow and light rains cause many losses in baling hay from the stack or in hauling barn-baled hay. It takes but a relatively small

amount of snow or rain on baled hay to raise the moisture content to a point where it will heat in the cars during transit or in the warehouses. Every shipper of hay, therefore, should exercise care to bale and load during days of bright weather and to protect bales of hay in the field from snow or rain.

Baling hay in the field from the windrow or cock is a practice that causes much trouble and dissension in hay marketing unless the curing and drying conditions are very favorable at the time of baling. Every year when the early field-baled shipments of hay move to market, many cars of hot, sour, or moldy hay are discovered. It is difficult to bale hay direct from the windrow or cock and produce sound hay of good quality that will stand shipment and storage in warehouses, because the hay is likely to be baled when partially cured and prior to having gone through the sweat. Under such conditions of baling the sweating takes place in the bales during



Fig. 47.- One of the latest devices for saving man labor in handling hay. The baler takes the hay direct from the loader and delivers the baled hay onto a wagon as the whole outfit travels through the field

transit or in the warehouse, and the tightly packed bales are likely to heat, to ferment and turn sour, or possibly to mold. If the hay is overdried in the swath to prevent bale heating, there is a loss of

color and leafiness that is detrimental to quality.

As a general rule the stacking or mow storage of hay, so as to have it go through the sweat prior to baling, is a safer and more profitable practice to follow than to bale it from the windrow. Occasionally field baling is justifiable and profitable, especially when a shortage of hay exists in the markets during the summer months and prices are abnormally high. Under such conditions rushing hay to market will make extra profits, provided a hay press and efficient labor are immediately available and care is exercised to cure the hay properly prior to baling. The saving of labor and occasional profits that may result from the practice of field baling under favorable circumstances are usually more than offset during a term of years by losses in quality that arise from failure to store promptly or by the losses from the deterioration due to the shipment of partially cured hay.

Loading Hay in Cars

Piles of baled hay in the field or in the barn provide an excellent opportunity to sort and grade the hay prior to shipment. At this time all widely differing classes and grades should be separated prior to loading. Any bales of distinctly low quality containing bunches of weeds or spoiled hay should not be shipped. Different classes of hay, such as timothy, medium clover, mixed or light grass mixed, should be separated as far as possible, because it is not good policy to load a number of classes of hay in the same car. Similarly if a portion of the hay is No. 1 grade, cured without rain damage, and another portion is No. 2 grade, because of excessive sun bleach or moderate rain damage, it is best to separate the two grades prior to loading.

If different grades are loaded in the same car, it is very difficult for an inspector to place a proper grade on the entire carload and the presence of several grades raises doubt in the buyer's mind as to what percentage of the entire lot is No. 1 and what percentage is No. 2 or lower. As a result the hay may not sell to the best advantage. The best policy is to load each car with hay of one grade.

In the loading of cars it sometimes happens that the shipper does not have enough hay of uniform grade to fill one car or to fill out the last car in the shipment. Under such circumstances it is best to separate the classes or grades by placing each in different parts of the car. The total number of bales in each car, together with the number of bales of each class or grade, should then be stated plainly on the shipper's invoice. This policy of describing fully the hay shipment on the invoice is appreciated by consignees and inspectors and aids in marketing the hay advantageously. Such a policy, consistently followed, builds up a reputation for the shipper that enlarges the demand for his product and adds to his profits.

The Distribution of Hay

Hay occupies a position of great importance in the agriculture of the United States and is a staple product of relatively high position in national commerce. Approximately 16,000,000 tons, having a farm value of about \$200,000,000, are handled in the commerce of the United States each year. Railroad statistics from Class I railways show that in 1923 about 6,628,472 tons of hay originated on these transportation lines for shipment to the various markets. This portion of the 1923 hay crop had a destination value of between \$125,000,000 to \$150,000,000.

In earlier times the marketing of hay was rather a simple matter. The farmer sold his surplus hay to his neighbor or to the consumer in the near-by village. As production increased, however, and villages grew into cities, marketing of the hay crop became a large undertaking and a rather complex system has been developed.

The production of hay in the United States has increased steadily. In 1870 about 24,525,000 tons of tame hay were produced; in 1880, about 31,925,000 tons; in 1890, 49,057,000 tons; in 1900, 53,231,000 tons; in 1910, about 69,378,000 tons; in 1920, 87,855,000 tons; and in 1924, 97,970,000 tons.

Although large quantities of hay are still sold by farmers direct to consumers, the tonnage passing through commercial channels has

grown to large proportions.

In addition to hay shipped to the terminal markets, large quantities of hay are sold by various commercial agencies direct from producing areas, and much of this hay does not pass through the terminal markets.

Various services, such as weighing and inspection, are rendered at the terminal or distributing markets, where the key is sold to the commer either by the wholesale buyer or by the commission merchant representing the shipper or to jobbers who resell or distribute

it to consuming areas.

No exact data are available as to the percentages of the hay handled by the various marketing agencies, but the information available indicates that the markets are utilized largely as outlets for surpluses that can not be disposed of direct to consumers or interior dealers either because of an insufficient demand or because of inferior quality of the hay. By providing storage facilities and broader distributing agencies the markets are able to handle the surplus, but frequently only at prices that are not profitable to the shipper.

Direction of Movement Changing

When receipts of the principal markets are compared for a number of years, it is noted that there has been a material change in the direction of the movement. The introduction of the motor truck has increased the area from which hay can be drawn to large cities located in producing territories, but the increased use of motor transportation has greatly reduced the consumption of hay in the cities, so that it has become necessary to find other markets. In 1910 the number of licensed motor vehicles in the United States was approximately 500,000, and 10 years later the number had increased to almost 10,000,000.

The decrease in the use of hay in the cities is shown by the decreased receipts in the larger markets, particularly in the East. Table 7 illustrates this change.

TABLE 7.—Hay receipts at five important hay markets in 1913-14 and in 1923-24

City	1913–14	1923-24	Docrease
Boston New York Chicago St. Louis. Kansas City.	Tons 117, 740 317, 543 369, 032 261, 155 285, 288	Tons 42, 910 84, 682 149, 623 136, 414 257, 774	Tons 74, 830 232, 861 219, 409 124, 741 27, 514

The decrease in the number of horses in the cities and the increase in the number of cattle on farms during the last decade are important causes for the changes in the direction of hay movement. The falling off in the demand for hay in the large cities has affected particularly the demand and movement of timothy hay, but has not been reflected to any serious extent in the demand for alfalfa, prairie, and other hays which are used primarily for dairy and other farm-feeding purposes.

The growth of dairies around towns and cities has increased the demand for clover and alfalfa hay, and such hays have increased in demand at the markets during the past few years. Whereas these dairies formerly were located on farms where considerable forage could be produced, they are now in many instances located on areas so small that they provide only sufficient space to shelter and feed the herds.




Fig. 48.—The alfalfa weevil was reported near Salt Lake City, Utah, some time previous to 1907, and has become a serious pest in that section. The fact that it is much more destructive in the United States than in the Old World is probably due to its escape from the natural and cultural influences which control it there

The production and use of alfalfa hay have continued to increase and it has become one of the important farm crops in large areas in the central West and in the irrigated portions of the Southwest and far Western States. Further development of the alfalfa area in Idaho, Utah, Nevada, and Colorado has, to some extent, been retarded by the spread of the alfalfa weevil. Other alfalfa-producing States have

established strict quarantine regulations against the shipment of alfalfa from the weevil-infested area and this has tended to restrict the production of alfalfa in the infested territory to the quantity that can be used locally for feeding purposes. Large quantities are raised, but it is mostly fed where raised, cattlemen and sheepmen bringing their animals into the territory from whence it was formerly shipped.

Another factor which has had an important bearing on the movement of hay during the past few years has been the increase in freight rates. This increase has had the effect not only of shortening the distance to which hay can be profitably shipped, but it has greatly increased the use of motor trucks for hay delivery. A large percentage of the hay received at several of the large markets situated within trucking distance of producing areas is now delivered to

market by motor trucks.

The movement of alfalfa and other hay from sections west of the Mississippi River to eastern markets has been greatly reduced because freight rates are so high that the hay can not be marketed profitably after the charges are paid. The demand for alfalfa hay in the eastern markets has recently been supplied by Pacific coast shippers via the Panama Canal. The water rate from San Francisco to Atlantic coast markets is only \$12 per ton, compared with \$30 per ton by the railroad. In 1911 railroads hauled approximately 75 per cent of the hay sold from the farms; in 1920, little over 50 per cent; and in 1923, about 40 per cent of the quantity of the hay reported sold from farms. The increased use of motor transportation, together with the higher freight rates, is largely responsible for this decrease in the railroad haulings.

Table 8.—Quantity and percentage of the total hay crop that was shipped on railroads each year from 1911 to 1923, inclusive

•	Production	Quantity sold from farms ¹	Shipments of hay originating on Class I railroads	Percentage of total hay marketed that is shipped on railroads
1911 1912 1913 1914 1915 1916 1917 1918 1919 1920 1920 1921	79, 179, 000 88, 686, 000 107, 263, 000 110, 992, 000 98, 439, 000 91, 139, 000 104, 760, 000 105, 315, 000	Tons 8, 182, 662 11, 341, 750 10, 293, 270 11, 529, 180 14, 480, 592 13, 781, 460 12, 759, 460 15, 190, 200 15, 270, 670 14, 036, 290 16, 354, 690 15, 460, 770	70ns 6, 306, 745 6, 828, 297 7, 144, 455 7, 318, 573 7, 649, 093 7, 563, 948 28, 730, 229 28, 653, 185 27, 857, 168 28, 355, 231 25, 420, 791 26, 008, 160 26, 263, 906	Per cent 77 60 69 63 52 50 63 67 51 54 38 36 40

Estimated from census percentage figures.
 5 per cent tonnage of Class I roads added as estimated amount hauled by Class II roads.

Advance in Hay Prices

Although hay prices are now considerably higher than 10 years ago, they have fluctuated with changing market conditions during that period. Some of the factors which have had important influ-

ence on hay prices have been variations in production, in demand,

and in the marketing and transportation costs.

During the period between 1870 and 1900 farm prices appeared to decline in about the same ratio as production increased. During the following 10 years production increased about as rapidly as for the preceding decade, but prices held at about the same level with only small yearly fluctuations. From 1910 to 1913 production and prices were both practically stationary, but from 1915 to 1920 owing to war conditions production was increased rapidly and farm prices also advanced to the record price of \$20.13 a ton in 1918.

Market prices during the war period advanced more rapidly than farm prices because of greater marketing costs and advances in freight rates. In 1923, farm prices declined to \$11.17 per ton for tame hay and to \$7.68 per ton for wild hay. Market prices also declined, but in 1924 were still relatively higher than prewar prices because marketing costs had been reduced but little and freight rates were still far above prewar rates.

Table. 9.—Number of certain kinds of animals on farms and in cities, 1910 and 1920

^	Fa	rms	Not on farms		
	1910 192		1910	1920	
Horses and mules Darry cows Other cattle	24, 043, 000 20, 625, 000 41, 178, 000	25, 199, 000 19, 675, 000 46, 977, 000	3, 453, 000 1, 170, 000 709, 000	2, 084, 000 1, 221, 000 891, 000	
Total	85, 846, 000	91, 851, 000	5, 332, 000	4, 196, 000	

Hay Grades and Marketing Methods

Notwithstanding its ranking position, hay has received less attention with respect to standardization of the product and marketing methods than have other crops of major importance, such as corn, cotton, and wheat.

By comparison with the standardized trade and commerce in other major agricultural products, the national commerce in hay is almost chaotic. Uniform standards of quality or grades for timothy, clover, alfalfa, and other important hay crops have not been in common use throughout the hay markets of the United States. Under such conditions contracts have been difficult to enforce and the marketing of hay, often a risky business. In other instances grades which had some merit have been devised and in local use, but have had little recognition in other communities. Whenever such local grades have been formulated and applied by hay-receiving organizations, the final outcome frequently has been a complaint from producers and shippers that such grades favor the buyer and discriminate against the shipper.

The Problem of Determining Hay Quality

Problems in hay standardization are by no means simple or easy of solution. Hay as a commodity can not be tested and graded in a rapid manner by any mechanical method such as is available for

grading grain. Foreign material and damaged pertions can not be reparated readily, nor can moisture and accurate nutritive-value tests be applied quickly. Hay is bulky, its component parts are not capable of being quickly separated, and its quality and relative feed value can be measured only by characters and factors which are visible and correlated with intrinsic value.

Until recent years no serious attempt has been made to study hay for the purpose of determining and defining the visible physical characters which would measure approximately its real value as a

merchantable commodity.

United States Grade Specifications

The need for hay standards has long been recognized, but only recently have such standards been devised, based on extensive studies of the hays which occur in the trade.

The revised United States grades provide simple yet definite terms for designating the numerical grades for timothy and clover hay,



Fig. 49.--In the determination of hay standards by the United States Department of Agriculture, a detailed examination of many hay samples obtained from different markets was made

when these grades have been determined by a study of the appearance and physical condition of the product. The percentage of mixtures, which is the basis for the "class" of the hay, and the percentage of color and foreign material, which is the basis for "grades" within each class, have been determined from careful analyses and studies of hundreds of baled-hay samples from many markets. The grades give proper recognition to farm conditions and production, as well as to established requirements and practices which represent market demand.

The department has made a special effort in its work on timothy and clover-hay standardization to devise grades that are simple, practical, and workable, yet definite and precise. In recommending these revised grades for timothy and clover to the hay interests of

the United States it is the belief of the Department of Agriculture that the grade definitions are so simple in language and in method of application as to be readily understood by all producers, shippers, brokers, and consumers of timothy and clover who have had practical experience with hay. Those experienced in the production or marketing of hay can apply the United States grades almost

as accurately as does the trained hay inspector.

Explanation of United States grades and terms.—In the United States grades for timothy, clover, clover-mixed, and grass-mixed hay, the term "class" is used to describe the kind or type of hay, as timothy, light clover mixed, heavy clover mixed, or light grass mixed. The kinds of hay, such as clover and each of the various grasses, are computed in percentage of mixture with timothy to determine the class. For example, the class of hay entitled "Light clover mixed" may contain from 11 to 30 per cent of clover and not over 10 per cent of other grasses, the remainder of the hay to be timothy. The term "class," therefore, refers to the kind or type of hay and has no reference to quality or condition.

The term "grade," on the other hand, is used to describe the quality of the hay. Quality varies in all classes of hay according to the conditions under which the hay was produced or harvested. Each class of hay is divided into three grades: No. 1, No. 2, and No. 3, each grade having different quality requirements. In all classes there is a "sample grade" for inferior hay not good enough

for other grades.

The general term "United States grades" is used comprehensively to include all of the hay classes and the grades within each class.

Classes of hay and class requirements.—The classification of hay into a number of definite groups or classes is necessary, because production conditions are such in the United States that pure hays are uncommon except perhaps in the case of alfalfa hay. Some pure timothy hay is produced, but more commonly it is mixed with varying percentages of other grasses and clover.

The various classes of hay in the United States grades are based, therefore, on production conditions as they exist in the several producing areas and on the market demands for mixed hay as well as for pure hay. The classes are described in terms commonly used in

hay markets.

Each class of hay is given certain minimum and maximum percentages for kinds of hay permitted in the mixture. (See Table 10.)

Quality in hay varies with the maturity or time of cutting, with the methods of curing and storage, and with the character and extent of the weather damage. Thus the description of a grade is in effect, a brief summarized statement regarding the maturity of the hay plants at the time of cutting and the damage, if any, suffered by the crop during the harvesting, stacking, baling, and shipping periods.

In the United States grades for timothy and clover hay two factors are employed, namely, color and the percentage of foreign material. The color requirements for the various grades of other grasses, such as Kentucky bluegrass, Canada bluegrass, and redtop, are identical

with those for timothy.

TABLE 10.-Class and grade requirements for timothy, clover, clover mixed, and grass mixed hays

[Tabulated and abridged]

	Class requirements		Grade requirements	ements	
			Color	lor	Foreign material
Class	Percentages in mixtures with timothy	U.S. grade	Timothy and other grasses	Clovers	maxi- mum per cent
	Not over 5 per cent clover, and not over 5 per cent other grasses.	U. S. choice	<u> </u>		
	Not over 10 per cent clover, and not over 10 per cent other grasses.	U.S. No. 3	30 per cent green. Less than 30 per cent green.	Gassa to manufacture	
ght clover mixed	Light clover mixed Not over 30 per cent clover, and not over 10 per cent other grasses.	U.S. No. 3	30 per cent green 30 per cent green Less than 30 per cent green	Green to greensh brown. Greenish brown to brown.	
Medium clover mixed	Not over 50 per cent clover, and not over 10 per cent other grasses.	0.8.00 0.8.00 0.8.00 0.8.00	30 per cent green 30 per cent green Less than 30 per cent green		
Heavy clover mixed	Not over 80 per cent clover (including foreign material), and not over 10 per cent other grasses.	ZZZZ Dogod	30 per cent green 30 per cent green Less than 30 per cent green		
Jover	Over 80 per cent clover (including foreign material), and not over 10 per cent other grasses.	00.8.No.2		Greenish brown to brown Dark brown	
Light mixed grass	Not over 30 per cent other grasses, and not over 10 per cent clover.	U.S. No. 3	30 per cent green 30 per cent green Less than 30 per cent green		
Heavy grass mixed	Not over 60 per cent other grasses, and not over 10 per cent clover.	U.S. No. 3	30 per cent green 30 per cent green Less than 30 per cent green		
Mixed grass	Over 60 per cent other grasses, and not over 10 per cent clover.	U.S. No. 3	30 per cent green 30 per cent green Less than 30 per cent green	<u>' ' ' '</u>	
Clover grass mixed	Over 10 per cent clover, and over 10 per cent other grasses.	C. S. No. 2	30 per cent green 30 per cent green Less than 30 per cent green	Green to greenish brown to brown Dark brown	
A.II classes		U. S. sample grade.	Hay which has been threshed, headed, or contains more than 20 per cent foreign material, or contains any injurious foreign material, or has any objectionable odor, or is heating, hot, wet, moldy, musty, caked, or is characterized.	sy which has been threshed, headed, or contains more than 20 per cent foreign material, or contains any injurious foreign material, or has any objectionable odor, or is besting, hot, wet, moldy, musty, caked, or is otherwise.	8 2 2

Color Requirements for Timothy and Other Grass Hays

Timothy cut at full bloom not only has more feed value per ton than timothy cut later either in the dough stage or when fully ripe, but, if cured properly, it has a higher percentage of green color and therefore sells to greater advantage. When timothy is allowed to

stand in the field after full bloom, the leaves and stems gradually turn brown and the feed value diminishes.

Weather damage has a direct bearing the grade quality. Hay cut at the proper stage of maturity may deteriorate markedly exposed to severe rains and sun bleaching. Weather damage affects the appearance of hav and raises doubts in the buyer's mind as to its soundness, especially if it has been severely stained, bleached, or browned. Exposure to rain leaches out certain important nutrients, such as protein, and lessens aroma and palatability. Weather damage may slight, moderately severe, or very severe, and the extent




Fig. 50.—A timothy plant in bloom. Timothy should be cut not later than full bloom to meet the requirements of U. S. No. 1 grade. Late cutting of timothy produces a woody, brown, low-grade hay

of the damage will therefore cause various degrees of quality or grade. With weather damage as with maturity, the presence of natural green color in hay indicates good curing with resultant sweet odor, palatability, and maximum feed value.

Timothy hay divides naturally into three general quality groups according to the conditions and methods under which it was produced. Every bale or lot presents some evidence regarding the methods of curing and the maturity of the hay which is indicative of quality. A brief sketch of the three quality groups for timothy hay is given herewith:

Group I (U. S. grade 1, including the supergrade "Choice").—Hay cut not later than full bloom and cured with very little, if any, damage from rain or

sun breaching. Slight damage from dews, fogs, light showers, or sun bleaching not sufficient usually to reduce the natural green color below 50 per cent

of the total area of the leaves, stems, and heads.
Group II (U. S. grade 2) —Hay cut not later than full bloom which received more than slight damage but not severe damage from light showers, numerous heavy dews, or excessive sun bleaching. Also hay cut after full bloom with seeds formed or seeds partly ripe, which was cured with little, if any, damage from the elements. In either case the damage sufficient to reduce the natural green color below 50 per cent of the total area of the leaves, stems,

Group III (U. S. grade 3).—Hay cut not later than full bloom or at time of seed forming, which received severe damage in the swath, windrow, or cock from heavy rain or from numerous showers followed by excessive sun bleaching. Also hay cut so late that seeds are ripe, leaves brown, and stems woody from maturity and natural curing prior to cutting. In either case the injury is sufficient to reduce the natural green color below 30 per cent of the total area of the leaves, stems, and heads.

Formulating grades for hay is largely a problem of employing simple yet definite methods for determining and definitions for expressing the condition of the hay which will represent its quality. The specifications employed in the United States grades for timothy and clover hay express in concise terms the variations in quality arising from stages of maturity, improper curing, and weather damage.

Color Requirements for Clover Hay

The time to cut clover for hav most commonly advocated in the clover regions of the United States is when the clover has reached full bloom. Some authorities state that the desirable period for cutting may extend from full bloom to not later than when half of the clover heads have begun to turn brown. When clover is allowed to stand in the field too long after full bloom many leaves turn brown or fall off and the stems gradually become woody. In such cases the hay is likely to appear "stemmy" and dull colored in the bale and thus lose its attractive appearance, if it does not actually lose a grade.

The natural colors of clover hay vary so greatly between medium red clover, alsike clover, and mammoth clover, or as between clovers produced in different regions, that it has been found impracticable thus far to formulate rules for defining color requirements in percentage terms.

The color requirements for the three grades of clover have therefore been expressed as follows: U. S. No. 1 grade, green to greenish brown; U. S. No. 2 grade, greenish brown to brown; and U. S. No. 3 grade, dark brown. These are interpreted and applied as

follows:

U. S. No. 1 grade.—Green to greenish brown is the natural color of various types of clover hay cut not later than full bloom, cured under favorable conditions, and free from weather damage. Brown colors in the heads and some of the leaves are natural to the clovers and are not evidence of damage. A distinct amount of natural green must be present in the stems and leaves, however, for the sample to grade No. 1.

U. S. No. 2 grade.—Greenish brown to brown color in clover hay is the blended or intermediate color between natural green and dark brown. Clover stems and leaves to come under this definition must have light tinges of green. They must not be completely brown or completely faded in appearance. This color in clover is commonly found when the hay has been slightly damaged by heavy dews or light showers followed by sun bleaching, or when the clover has matured too long in the field prior to cutting.

U. S. No. 3 grade.—Dark thown in clover is that color wherein no tinge of green is visible, but where all the stems and leaves are dark brown and completely faded. This color in clover hay results from severe damage from heavy rains or from numerous light rains and sun bleaching through a period of several days while the hay is in process of curing. This grade of hay may be caused also by the clover becoming excessively overripe prior to cutting.

Color Dequirements for Mind Timothy and Glover Hay

In lots of mixed timothy and clover hay the grade is established by a combination of the color requirements for timothy and clover. Conflicts of color specifications in mixtures of timothy and clover are not common, because clover ripens earlier than timothy, and thus, if the hay is cut when the clover is in full bloom, the timothy will be cut early, and will, if well cured, carry a high percentage of green color. Sometimes, however, late cutting of the clover or weather damage will cause a conflict of colors in mixed timothy and clover hays.

Mixtures of timothy to meet the requirements of United States No. 1 grades for clover-mixed hay should be cut at the time the clover is in full bloom. As a general rule, red clover reaches the blooming stage 10 days to 2 weeks earlier than timothy. The effect of cutting timothy 10 days or 2 weeks ahead of full bloom is to decrease its yield slightly but to raise its percentage of green color and its consequent attractiveness. The slight loss in timothy yield is im-

material when the clover predominates in the mixture.

Mixtures of timothy and alsike clover are best cut when the alsike is in full bloom. Alsike has a tendency to bloom a little later than does red clover, especially on moist soils, and it will hold its leaves and green color longer after bloom than does red clover. For these reasons the best cutting time for timothy and alsike are nearer together than are timothy and red clover.

Foreign Material a Secondary Grading Factor

Foreign material in hay refers to weeds and such sedges, rushes, and other plants as are coarse and not suitable for feeding purposes, and to cornstalks, stubble, chaff, and other objectionable matter

which occur naturally in hay.

Foreign material is pure waste or dockage. It is usually rejected by livestock and remains uneaten in the mangers. When hay is purchased by the feeder of livestock the buyer does not get full value for his money if the hay contains much foreign material. Foreign material is detrimental in hay and if present in any considerable quantity it is just and proper that the grade, and thus indirectly the price, be lowered according to the percentage of weeds or other foreign material.

In the United States grades a maximum of 10 per cent foreign material is allowed in No. 1 grade before the grade can be lowered on account of foreign material. This applies to all classes of timothy and its mixtures, except in the supergrade choice timothy, where the amount of foreign material can not exceed 5 per cent. In all classes No. 2 grade permits a maximum of 15 per cent or less of foreign material, and No. 3 grade permits 20 per cent. When the percentage of foreign material exceeds the amount prescribed for any particular grade the hay which is otherwise of good quality is lowered in grade

on account of the foreign material. In all cases where the foreign material is over 20 per cent, the hay must be graded "sample grade," even though the hay is sound and has sufficient color for the higher

grades.

Some foreign material, very injurious to livestock, is sometimes found in hay. This injurious material is defined in the United States grades as including sand burs, poisonous plants, wild barley or squirrel-tail grass (known as foxtail in some regions), and other similar matter which is injurious when fed to livestock. Wild barley or squirrel-tail grass is probably the most widespread weed of injurious character. It often causes severe irritation of the gums, tongues, and lips of animals, resulting in loss of weight and growth in many instances, and occasionally death.

The presence of an appreciable amount of injurious foreign material places the hay at once in sample grade irrespective of color or

other desirable qualities.

The Use of Sample Grade

All hay to enter No. 1, No. 2, or No. 3 grades must be sound and free from mold or other unsoundness. In the United States grades a place is provided in sample grade for all hay that is unsound, that contains more than 20 per cent foreign material, or that is of otherwise distinctly low quality. The term "no grade" is not used in the United States grades. Hays made from grass headed in the field prior to cutting, threshed hay, and excessively overripe hay are included in sample grade.

The Federal Hay Inspection Service

To assist in making Federal grades thus the established effective, a Federal hay-inspection service has been established. As soon as Federal grades for timothy and clover hay had been announced,



Fig. 51.—The method of plug inspection which prevails in certain markets makes it possible for the inspector to examine a representative sample of the hay



Fig. 52—Car-door inspection of hay does not require unloading any hay. It is more rapid and less expensive, but not so rehable as plug inspection. Reinspection may be obtained if desired, however, when the car is unloaded

training schools for inspectors were held at Washington, and several States and associations of hay dealers sent men to take the training to become Federal hay inspectors.

At the close of the fiscal year 1924 a number of Federal hay inspectors had been trained and were at work in terminal markets and

interior shipping territory.4

How to obtain Federal inspection.—Wherever Federal hay inspectors are available anyone interested in a shipment of hay may obtain Federal inspection upon request either in person, by telephone, telegraph, or in writing to the inspector at the market where the hay is located or to the nearest inspector, if no inspector is available at the market. Upon inspection the inspector will issue a certificate of grade for the hay. A copy of the certificate will be delivered or mailed at once to the applicant or the person designated by him, one copy to the chief of the Bureau of Agricultural Economics, and one to the shipper, if he is known and is not the applicant.

The Federal inspection service is of great value to shippers and buyers of hay, as it provides an impartial and efficient service in the

marketing of hay.

The total number of inspections made during the fiscal year 1924 was 9,233 for the inspectors at work during the year. When the alfalfa, Johnson-grass, and wild-hay grades are completed, it is expected that the inspection service will be greatly extended and possibly 75 to 100 new inspectors will be trained and placed in the terminal markets and at shipping points in the Central and far Western States. With this distribution of inspectors the inspection service will be readily available to shippers and buyers of hay over a wide territory.

⁴ A list of the names and locations of Federal inspectors can be obtained by writing to the Hay Inspection Service, Bureau of Agricultural Economics, U. S. Department of Agriculture.

Cost of Producing Hay

Hay crops are grown under many different conditions. Nearly all farmers keep some livestock, and the need for roughage and the general use of grasses and legumes in crop rotations cause some form of hay plant to be grown on most farms in all parts of the country. Therefore, any cost of production figure of significance must be for

a specified kind of hav plant grown under local conditions.

Extensive studies have not yet been made on the cost of producing hay per acre and per ton, similar to those made for such crops as sugar beets, wheat, and cotton. Particularly is this true for recent years. Considerable information is available on the quantity cost factors used in the production of some of the more important bays and on the time required to harvest hay by various methods and with different-sized machines. These data are less changeable than costs expressed in money units and form the principal basis of this discussion of hay production costs.

Elements of Cost

Items of cost in the production of hay are: Man labor, horse labor, seed, manure and commercial fertilizer, machinery, land rent, and overhead.

Man and horse labor.—Most of the tame grasses used for hay are sown with small grain crops. Under this condition the labor for preparing the seed bed and in most instances the labor for sowing the seed is charged against the grain crop. Variations from this general practice will be found in some localities where the crop is sown independently of the grain crop, eithe, with or without extra work for land preparation. In general, little or no work is done on the meadow after sowing until harvest time, although in some localities the practice of rolling the land in the spring is rather general. Sometimes the meadows are gone over with a disk harrow or similar implement, and in irrigated districts additional labor is required for watering the crop. Aside from irrigating, these practices are not general, and influence to a very slight extent the cost figures which are presented in this discussion.

The average hours of man and horse labor used in harvesting such crops as mixed grasses, clover, timothy, and alfalfa are given in Table 11 for farms located in a number of different States. Harvesting includes mowing, raking, hauling, and storing. In the areas shown, an average of 7.5 to 9.1 man hours were used to harvest an acre of mixed grasses or of timothy. The average number of horse hours per acre varied in the different areas from 7.7 to 10.2 for mixed grasses and from 8.8 to 11.4 for timothy. These figures are for one cutting with average yields in the different areas of about 1.5 tons per acre of mixed hay and from 1.3 tons to 1.8 tons per acre of

timothy hay.

The periods of labor for harvesting an acre of clover were 8.9 man hours and 9.9 horse hours on the New York farms and 8.7 man hours and 10 horse hours on the Illinois farms for one cutting. The yield per acre was 0.7 of a ton greater on the New York farms, averaging 2 tons per acre, as against 1.3 tons on the Illinois farms. On the Wisconsin and Minnesota farms the clover was cut for hay

the second time on one-third and one-half of the respective acreage of meadow. On the Wisconsin farms the total labor of harvesting per acre of meadow averaged 14.2 man hours and 15.5 horse hours for a yield of 2.2 tons per acre; and, on the Minnesota farms, 8.6 man hours and 12.4 horse hours per acre of meadow, for an average yield of 1.5 tons per acre.

In the Central and Eastern States an average of 14 to 21.8 man hours and 16 to 24.1 horse hours per acre of alfalfa meadow were used in harvesting. The record was assuably cut swire, and about two-thirds of the acreage was cut the third time. The quantity of hay harvested varied from an average of 1.9 to 2.5 tons per acre of meadow in the various States.

On the irrigated farms in Colorado 17.1 man hours and 24.3 horse hours were used to harvest an acre of alfalfa, including the labor for all cuttings. The yield was 3.3 tons per acre, and the usual




Fig. 53.-Variations in cost factors of producing hay. Per cent of total cost

practice was to cut the crop three times during the season, a very few men making only two cuttings.

In the various States an average of 5 to 6.5 man hours and 5.2 to 7.3 horse hours were required to harvest a ton of mixed grasses. The Iowa farmers used less labor in harvesting a ton of timothy than did the Wisconsin and Minnesota farmers, and the New York farmers less labor in harvesting a ton of clover than did the farmers in the other States shown.

The lowest labor requirements in harvesting a ton of alfalfa were reported by the Colorado farmers (5.2 man and 7.4 horse hours), and the highest by the Illinois farmers (10.1 man and 12.5 horse hours).

TABLE 11.—Average hours of labor used in harvesting hay and quantity of seed used in establishing a meadow 1

Kind of crop and State	Quan- tity cut per acre of	Labor per acre of meadow (mowing, rak- ing, hauling, and storing)		Labor per ton of hay cut (mowing, rak- ing, hauling, and storing)		Seed used per acre			Part of acreag cut more than once	
	mead-	Man	Horse	Man	Horse	Timo- thy	Clover	Alfalfa	Two times	Three times
New York	Tons 1.4 1.5 1.4 1.5	Hours 7. 9 7. 5 9. 1 7. 8	Hours 7. 7 7. 8 10. 2 10. 1	Hours 5. 6 5 0 6 5 5. 2	Hours 5. 5 5. 2 7. 3 6. 7	Pounds 9. 2 9. 1 4. 6 4. 6	Pounds 4. 9 10. 5 3. 8 4. 0			Per cent
Wisconsin Minnesota Iowa	1.4 1.3 1.8	9. 1 8. 0 7. 5	11. 0 11. 4 8. 8	6. 5 6. 2 4. 2	7. 9 8. 8 4. 9	5. 5 5. 4 4. 0				
New York	2. 0 2. 2 1. 5 1. 3	8. 9 14. 2 8. 6 8. 7	9. 9 15. 5 12. 4 10. 0	4. 4 6. 5 5. 7 6. 7	5. 0 7. 0 8. 3 7. 7		10. 1 7. 2 10. 7 7. 2		(*) 38 50 (*)	
ALFALFA New York Wisconsin Minnesota Illinois Iowa Colorado	2. 2 2. 4 2. 5 1. 9 2. 0 3. 3	14. 4 21. 8 20. 2 19. 2 14. 0 17. 1	16. 0 21. 2 24. 1 23. 7 22 4 24. 3	6. 5 9. 1 8. 1 10. 1 7. 0 5. 2	7. 3 8. 8 9. 6 12. 5 11. 2 7. 4			15. 3 18. 0 11. 7 13. 7 15. 0 12 5	91 93 80 (4) 100 100	64 59 60 (1) 72 (2)

¹The data are not averages for States, but are the results from re, 'onal studies within the States. The data for Colorado apply to irrigated land. They were obtained at different times during the period 1902 to 1917.

Not known.

Cost figures from some of these areas indicate that man and horse labor made up about one-third of the total cost of production. (Fig. 53.) Although the labor cost of producing an acre of hay varies because of differences in yield, number of cuttings, lay of the land, etc., there are wide variations in the time required to harvest a ton of hay with different-sized machines and crews and by different harvesting methods, as will be shown later.

Seed.—Where grass is sown with a grain crop, often the only cost of getting a stand is for the seed. The average quantities of seed used per acre for different classes of hay in a number of different

areas are given in Table 11.

The seed for these crops is not sown annually on the same fields and the cost is prorated over several years. The annual cost of seed depends very largely on seed prices and the number of years the

meadow is used before it is plowed up.

On the Ohio, Wisconsin, and Missouri farms the average annual cost of seed varied from 7.1 to 9 per cent of the total cost of producing mixed and clover hays. On the New York farms the cost of seed was 17.9 per cent of the total and in the irrigated regions of Idaho and Colorado the cost of alfalfa seed was 1.5 and 1.7 per cent, respectively, of the total production costs of an acre of alfalfa. (Fig. 53.)

Mostly clover and timothy.
Second crop used for seed or pasture

³ Exact percentage not known, but a very small percentage of the farmers varied from the usual practice of making three cuttings during the season.

Manure and commercial fertilizer.—The use of commercial fertilizers on grasslands is not generally practiced. There are parts of the country, and more particularly individual farms, where fertilizers are used rather extensively on hayfields. In some areas the use of barnyard manure in the crop rotation is such that a part of the charge is carried by the hay crop. On the New York farms this item amounted to 11.5 per cent of the total cost of producing an acre of mixed hay. On the Wisconsin farms this charge was 4.9 per cent of the total production cost for mixed hay and 8.7 per cent for clover hay. On the Ohio, Missouri, and Idaho farms no charge for manure and fertilizer was made against the hay crops, and on the Colorado farms this expense was only 0.3 per cent of the total production cost. (Fig. 53.)

Haying muchinery.—Cost data from farms in New York, Ohio, Wisconsin, Missouri, Colorado, and Idaho show that the average annual cost of using machinery varies from 2.2 to 15.1 per cent of the total cost of producing hay. (Fig. 53.) A large part of this expense is a direct cash outlay for the machines, which is prorated and a part charged annually as depreciation, and for repairs. addition to the prices paid for machinery and the annual maintenance cost of each improvement, two factors have an outstanding influence on the machinery cost per ton of hay or acre of hayfield: (1) The amount and kind of having equipment, and (2) the acres cut each year. The use of loader, tedder, sweep rake (buck rake), and larger-sized mowers and rakes adds to the machinery cost of producing a given quantity of hay, but the labor cost will be considerably reduced. Some of the smaller farmers can not afford to use such machines, while the larger producers of hay not only find them economical but decidedly necessary if the crop is to be harvested expeditiously.

Machines are utilized to best advantage on the larger fields. In a study of the machinery cost of farm operations in western New York the author reaches the following conclusions:

The more days' work done annually by an implement, the greater is its total of days and acres of work done before wearing out.

The more days of actual use obtained annually from an implement, the less the interest charge per acre and per day actually used.

The replacement cost per acre or per bushel or ton is from two to seven or eight times as great for small acreages as for large acreages.

The relation of work done annually to cost per acre is shown in Figure 54. Farm machinery is utilized to the best advantage when it is used in profitable work continuously until it is worn out, and within certain limits the greater the acreage covered annually the less the cost per acre of work.

Land rent.—Compared with crops like potatoes, sugar beets, and corn, production costs of hay per acre are relatively low. Less labor and cash expenses are required for the hay, but the rental charge, computed at a certain per cent of the investment in land, is the same for all crops grown on land of equal value, and the rental charge for use of land is relatively a greater part of the whole cost of production for hay than for the other crops mentioned above. For the farms shown in Figure 53 "land rent" is considerably

⁴ U. S. Dept. Bul. No. 388, 1916.

greater than any other single item of expense and amounted to from

29.2 to 52.2 per cent of the total production cost.

After land rent, man labor and horse labor were next in importance, the two together making up nearly one-third of the total production cost. In most of the areas the cost of seed was of relatively small importance and the cost of manure and commercial fertilizer amounted to very little, with the exception of the New York area, where this item amounted to about 12 per cent of the total. In general, the cost of using machinery was from 5 to 10 per cent of the total cost of production. The relatively high labor costs in Colorado and Idaho were partly due to the time spent in irrigating the alfalfa crop. Likewise, the relatively high overhead charges were due to the water rent which has been included under this heading.

Overhead.—The relative importance of "overhead" in the different areas depends partly on what is included under this heading. For the areas shown in Figure 53 this item amounted to from 0.3 per




Fig. 54. Relation of the size of the meadow to the cost per acre of using machinery in New York about 1914

cent of the total production cost in Ohio to 17.7 per cent in Idaho. Under this heading are usually included such expenses as maintenance of buildings and fences, taxes and insurance, miscellaneous labor, cleaning up fence rows and, in Colorado and Idaho, water used in irrigating alfalfa.

Saving in Man Labor Through the Development of Haying Machinery

The development of the mower, rake, tedder, hay loader, and the various unloading devices has caused a great change in the hours of labor required to harvest an acre of hay. According to the Thirteenth Annual Report of the Commissioner of Labor, Volume II, 1898, the period of time required to harvest an acre of timothy yielding 1 ton of hay in 1850 was about 21 hours when all of the work was done by hand, whereas in 1895 only about 4 hours was required when the work was done with up-to-date machinery and a minimum num-

ber of operations performed. The total of 4 hours given for harvesting hay with machinery is considerably lower than is found in actual practice on the majorities of farms to-day. Most farmers rake their hay; often some time is spent in hunching, and the most menal practice is to load by hand, whereas the machinery operations in the commissioner's report include only mowing, tedding, loading with a hay loader, hauling to the barn, and unloading with a hay fork, and storing in a mow. Probably a better comparison of the time required by hand, in 1850, with the time required with machinery in 1895, is shown by the amount of labor required to perform the different operations. Moving by hand required about six and one-half times as much man labor as cutting with a mowing machine. Tedding by hand required six and two-thirds times as much labor as tedding with machinery. Both loading and hauling to the barn and unloading required nearly twice as much time when performed by hand as when loaded with the hay loader and unloaded with a hay fork. The time required to put the hay in the mow was twice as great when unloaded by hand as when the hay fork was used. (Fig. 55.)




Fig. 55.—Man labor required for harvesting 1 acre of timothy for hay (1 ton by hand in 1850 and by machinery in 1895)

With Machinery

By Hand

Where up-to-date machinery is used and only a minimum number of operations are performed, the amount of man labor required to harvest an acre has been reduced to one-fifth of that required when all of the work was done by hand.

Present Day Labor Standards in Harvesting One Cutting of Timothy and Clover, Alfalfa, and Wild Grass in Representative Districts

The hours of labor required in harvesting an acre of hay varies partly with the kind of plant, considerably with the yield, largely with the character of ground on which the crop is grown, and to some degree with the method of storing. Recent studies of the hours of labor involved in cutting and putting timothy and clover in the barn in New York and Pennsylvania with those for putting alfalfa in the stack in Kansas and Nebraska and stacking wild hay in

western Minnesota, the Dakotas, Montana, and Wyoming show that more labor is used under eastern conditions. The total hours of man and horse labor required to harvest an acre of timothy and clover in New York and Pennsylvania averaged 8.4 and 8.9 hours, respectively. In Kansas and Nebraska the total hours of labor for putting alfalfa in the stack, where the hay was hand pitched and hauled to the stack in racks, was 5.4 man hours and 7.3 horse hours as against 4.6 man hours and 7.2 horse hours where sweep rakes (buck rakes) and stackers were used.

The yields of prairie hay were generally lighter, averaging 1 ton to the acre as against 1½ tons of alfalfa and 1½ tons for mixed timothy and clover, and the labor for harvesting was somewhat less, averaging 4.7 man hours and 7.4 horse hours per acre where racks were used and 3.8 man hours and 6.3 horse hours where sweep rakes and stackers were used.




Fig. 56.—A standard day's work for machines of different sizes, central Illinois, 1918

The increased hours of labor required where racks were used may be attributed largely to longer hauls due to lower yields and more hand work in loading and unloading.


An analysis of the various operations in harvesting hay shows that the time required for mowing is greatest in the Eastern States, where much of the land is rough and where many of the fields are small. On annumber of farms in this region some of the mowing was done by hand. The time required for cutting an acre of alfalfa in the Central West was practically the same as that for cutting wild grass.

It also took longer to rake the partly cured crop into windrows in the East than in the Central West. This is partly owing to rougher fields and also to the use of smaller rakes, there being a number of 1-horse rakes used in New York and Pennsylvania. In the eastern district a number of farmers used tedders, this operation averaging for all farms one-tenth of an hour man labor and two-tenths horse labor.

The time required to store hay in the barn is naturally much greater than when stacked in the open, the hours of labor used for bunching, hauling, and putting the hay in the mow amounting to 5.8 man hours and 4.5 horse hours per acre for mixed timothy and clover. The time required for bunching, hauling, and stacking hay where racks were used averaged 3.8 man hours and 3.9 horse hours for alfalfa as against 3 man hours and 3.9 horse hours for wild hay. On these farms where the hay was hauled by sweeps and stacked with mechanical stackers the time was cut down to 3 man and 3.8 horse hours for alfalfa and 2.1 man and 2.8 horse hours for wild hay.

Duty of Haying Machines

Moving, raking and tedding.—The hay crop is usually harvested during a rush season, and the use of improved methods and improved



1710. 57 A fair day's work in hauling and storing hay in a barn by hand and with hay fock or sling, western New York about 1914

machinery is of considerable advantage in getting the harvesting completed, including storage, in a short time to avoid damage by rains.

According to figures obtained in central Illinois, the 6-foot mowing machine increased the efficiency of man and horse labor by about 15 per cent over their efficiency when using a 5-foot mower. The use of 7 and 8-foot mowers would result in correspondingly greater increases, but on many of the smaller farms the mowing machine is not used enough to warrant the greater investment in the larger machines. Likewise, on some of the rougher lands and on some of the heavier yielding meadows the use of the larger mowers is not practicable.

About one-third of the farmers reporting on the cost of producing hay in central Illinois used the tedder. The size of those reported ranged from 5 to 12 feet in width, and two horses were used on nearly all of them. The most common sizes were the 8 and 10-

foot machines. The 10-foot tedder covered about 4 acres more per

day than did the 8-foot machine.

The use of the larger mowers, tedders, and rakes results in the performance of more work in a given time. (Fig. 56.) The 6-foot mower will cut 1½ acres more per day than the 5-foot mower, the 10-foot tedder will ted about 4 acres per day more than the 8-foot tedder, and the 12-foot rake will rake about 2½ acres more in a day than the 10-foot rake. This saving often is worth while on large level hay farms, but many of the men on smaller farms evidently consider the investment in the larger and more expensive machines inadvisable.

Hauling and storing in the barn.—In some sections of the country the greater part of the hay crop is put into the barn by hand. In western New York an investigation of haying methods showed that when the hay was unloaded with a hay sling or hay fork this comparatively inexpensive device increased the crew's efficiency per day by about 45 per cent over that when the hay was unloaded by




Fig. 58.--Standard day's work in loading by hand and with hay loader, central Illinois, 1918

hand. Such a saving is well worth while not only in the increase in quantity of hay that can be put up in a given time but in the doing away with much heavy labor. In this area a number of different-sized crews are used where unloading is done by hand as well as where the hay is unloaded with the sling or fork. In general, enlarging the crew did not result in increasing the amount of work done in the same proportion, although an increase in size of crew enabled the farmer to complete his haying in less time. It is believed that the principal reason why the amount of work performed did not increase proportionately with size of crew was that the larger crews were used by the farmer with the larger hay acreages at larger barns, necessitating longer hauls from the fields and sometimes a greater number of men for putting the hay in the mow. (Fig. 57.)

Loading hay.—Although it is not advisable to use hay loaders on all farms because of the lay of the land or the small quantity of hay to be made each season the use of a hay loader is often a great saver of time. A study of a day's work in central Illinois indicates that

three men with a loader—two besides the driver of the team—put on a load of hay in about 25 per cent less time than do three men by hand. Where loaded from the swath, bunching and raking are entirley done away with when the loader is used. There is the added advantage that someone who is not capable of doing a full man's work with the pitchfork can be utilized to drive the team on the loader. (See fig. 58.) With a crown of three is a load of hay is put on the wagen in about 25 per cent less time by using a loader than when loaded by hand.

Harvesting alfalfa hay by different methods.—A study of the haying operations on 235 Corn Belt farms showed that four fairly distinct methods are in common use in handling alfalfa throughout this region. From the standpoint of time consumed and the amount of labor used, these methods, which are based on the first cutting

and a yield of 11/2 tons per acre, vary greatly.




Fig. 59.—Time and labor required in harvesting alfalfa hay by different methods

From method 1 to method 4, as shown in Figure 59, there is a gradual decrease in the amount of labor used, the average amount per acre by method 4 being only a little more than half that required by method 1. In method 5 the hay was baled in the field. This practice is not comparable with the other methods, but is worth consideration, since the combined operations required only about one hour more of man labor per acre than method 1.

The first method was found to be most common and, because of the great amount of hand labor used in cocking and in pitching the hay onto the wagons, required more time and labor than did methods 2, 3, and 4. It is true, however, that many of the farms in this region did not have large enough hay acreages to justify them in buying the more expensive labor-saving equipment, while others with large acreages were of the opinion that handling hay by first cocking and then pitching onto the wagon was necessary.


Method 2 is practically the same as method 1, with cocking omitted, and the decrease in hours of labor over method 1 is prac-

tically due to the omission of this operation. The saving in time by methods 3 and 4 is owing largely to the better use of having machinery and to the fact that cocking and pitching by hand are eliminated.

The use of the side-delivery rake and hay loader, as indicated by method 3, reduces the time and much of the hard labor in handling

hav over the practices followed in methods 1 and 2.

The method of curing and handling the hay preparatory to the use of a buck rake or sweep rake varies greatly. In most cases the crop is cured and raked into windrows with the ordinary dump rake. The hay may then be taken directly from the windrow or put into bunches before using the buck rake. This method, which is No. 4 in figure 59, requires less labor than any of the first three. The principal difference in labor required per acre with this method and method 3, is owing to the difference in time required to load, haul, and unload the hay.



By M. A. Jull, A. R. Lee, and H. Bunyea, Burcau of Animal Industry; R. R. Slouth, D. Jackson, and S. W. Mendum. Bureau of Agricultural Economics; C. F. Langworthy, Bureau of Home Economics; and W. L. McAtee, Burcau of Biological Survey

THE IMPORTANCE of an industry must be judged from the standpoint of both production and consumption of the products. Poultry raising is a business engaging the attention of farmers, laborers, business men, professionals, and other classes of people. In fact, the claim may be made that more individuals are directly interested in keeping and breeding fowls than in the production of any other class of animals or any class of plants. Many kinds of poultry, which include chickens, turkeys, guinea fowls, pheasants, peafowls, ostriches, ducks, geese, and swans, are raised in practically all parts of the United States and under a great variety of conditions. Pigeons are not classed as poultry, but because of their economic importance they are given some consideration in various sections of this article. In respect to consumption, there are few other commodities so widely used as poultry meat and eggs. Taking the dietary and general requirements of life of the consuming classes as they exist to-day, there is ample justification for treating the economic importance of poultry production in the United States as a measure of the stability of the industry. The progressive development of the poultry industry seems assured in view of the relative value of poultry products as a source of an important part of the Nation's food supply.

The Uses of Poultry Products

Poultry products include primarily eggs and poultry meat, which are eaten by practically all classes of people and which also have various industrial uses.

The Uses of Eggs

Eggs of all domesticated poultry are edible products, but probably 99 per cent of the total produced in the United States, and as large a proportion of the imports, are eggs produced by chickens. Pro-




Fig. 1.—The number of poultry is larger in the United States than in any other country of the world. China ranks second

duction and trade in eggs of turkeys, guinea fowls, ducks, and geese

are of only negligible importance.

Eggs enter consuming channels chiefly in the shell form and as such are consumed primarily in households, although bakers and confectioners also use considerable quantities in the shell. Very few eggs other than those in the shell pass through the familiar culinary outlets. Egg products are consumed mainly by wholesale bakers and by confectioners. Of these, the frozen products serve largely as an ingredient of cakes, and dried eggs find their outlet chiefly in the

baking of pies, sweet specialties, and confections.

Considerable dried albumen and some dried yolk and mixed egg are also used in the arts. Liquid egg, yolk or albumen, treated with chemical preservatives, mainly boracic acid, is used some. This industrial outlet is of value in the disposal of eggs which have become unfit for food. Some liquid yolk and mixed eggs, as well as some dried egg or yolk, are consumed in tanning. Egg-yolk oil is used in dressing glove leather and in bookbinding. Dried albumen is used for finishing glazed leather, in chrome tanning of skins, and as a mechanical fixing agent in textile dyeing, particularly in printing delicate tints for which blood albumen is not suitable. Other uses are as a fixing agent for pigment colors, as an adhesive, as a sizing for paper, by bookbinders in gilding books, in making printers' ink, for thickening inks, and in clarifying wines.

Eggs in the Diet

Because of their nutritive value and the ease with which they may be prepared in a variety of appetizing ways, eggs have a distinct place in the diet. Like meat, their protein content is high; like milk, they contain most of the essentials for growth and repair of

body tissues.

The white of the egg is a solution of albumen, a typical adequate protein, mixed with very small proportions of other substances. The yolk is rich in a phosphorus-containing fat in emulsified form which is easily digested and readily absorbed, and it also contains a protein with a high phosphorus content like the casein of milk. The other mineral elements that need particular attention in estimating the nutritive value of a food—calcium and iron—are present in the yolk in notable quantities, and it is also rich in the antirachitic vitamin and in vitamins A and B. In fact, egg yolks are so valuable as a source of iron that they are often included in diets for that special reason (fig. 2).

Whether eaten raw or cooked, eggs seem to be almost completely digested, with the advantage on the side of the slightly cooked egg. The ease of digestion varies with the method of preparation and the effect of this on flavor and the surface exposed to digestive

juices.

Eggs are frequently prescribed for children because of the presence of the antirachitic vitamin, for patients with gout because eggs are low in purin-forming components, or for undernourished persons because of the readily available form of the tissue-building and energy-producing nutrients. The quantity used by people in general seems to be controlled somewhat by the price and varies with the season.

The ways of using eggs in the diet are almost limitless. They may form the main dish at breakfast or luncheon or enter as an ingredient into almost any complex dish at dinner from the soup to the dessert course.

The temperature of cooking affects markedly the consistency of eggs. Lower temperatures coagulate the white into a tender jelly-like mass and allow the yolk to remain soft. Eggs so cooked are considered to be more easily digested than those toughened and hardened at higher temperatures, and for this reason coddling rather than boiling is recommended as a way of cooking eggs for children and persons of delicate digestion. Different methods of handling can also greatly change the consistency and appearance of egg dishes: Stirring while cooking, for example, makes scrambled eggs, and beating air in before cooking, the fluffy omelet. In souffles, cakes,




Fig. 2 —Chemical composition and food value of chicken and duck flesh and eggs

and other baked products eggs act as binders and serve as a means of incorporating air for leavening. In sauces, cream fillings, custards, candies, and icings, eggs thicken the mixture and give smoothness of texture. In salad dressings, they are the common emulsifying agent. Their adaptability to a wide variety of uses, therefore, as well as their high nutritive value, makes eggs one of the most popular foods the world over.

The Uses of Poultry Products

Among the animal products used for human food few have been longer or more widely known than poultry. The kinds of poultry contributing chiefly as sources of the poultry-meat supply of the Nation include chickens, turkeys, guinea fowls, ducks, and geese. Because of the relatively greater number of chickens raised annually in the United States, by far the largest share of poultry meat concumed is provided by chickens. Turkeys, geese, ducks, guinea fowls, and pigeons follow in the order named. Practically all of these kinds of poultry meat and pigeon meat are used in the same way as articles of food.

The percentage of edible meat in the different classes of poultry varies somewhat. The percentage also varies in any one class, depending upon the kind, whether broilers or roasters for instance, and it varies in any one kind, depending largely upon the condition of fleshing. In Table 1 is shown a comparison of the approximate dressed and edible percentages of various classes and kinds of poultry. The term "dressed" refers to the bleeding of poultry and removal of the feathers; the term "edible" includes the heart, liver, gizzard, and the flesh, after the bones have been withdrawn.

Table 1.—Comparison of the approximate dressed and edible percentages in various classes and kinds of poultry and pigeons ¹

Class and kind	Per cent dressed of live weight	Per cent edible of dressed weight	Per cent edible of live weight	Class and kind	Per cent dressed of live weight	Per cent edible of dressed weight	Per cent edible of live weight
Unfattened broilers. Fattened broilers. Unfattened roasters Fattened roasters Fattened capons Fattened fowl	88. 00 91 00 89 00 92. 00 92. 00 92. 00	54. 00 61. 00 57. 00 63. 00 67. 00 64. 00	48, 00 55, 00 50, 50 58, 00 62, 00 59 00	Squab guineas Squab pigeons Young turkeys. Young geese Young ducks.		60 00 74 00 66 50 65 00 60 00	50 00 60. 50

 $^{^{-1}}$ Determination of the dressed, drawn, and edible percentage of various kinds of birds. M. A. Jull and W. A. Maw. In Sci. Agr., June, 1923.

Poultry Meat in the Diet

From the standpoint of composition and nutritive value poultry meat, white or dark, differs very little from other lean meats. It may be called an efficient protein food, since the proteins like those from other meats contain all the amino acids needed for the building of body tissues. These proteins are also well assimilated by the human body. Like other meats, poultry is to be depended on for iron and phosphorus, but is low in calcium. The vitamin content probably varies markedly with the feed of the poultry. (See fig. 2.)

Animal-feeding experiments indicate that glandular organs are higher in vitamins than are other parts of our meat animals. Instead of having merely gastronomic reason behind it, a regard for chicken livers as delicious tidbits is founded on good nutrition.

The main difference in the composition of the edible portions of poultry and other meats lies in the fat content, its amount and distribution. The average fat of a very lean cut of beef is close to that of the meat of an average chicken. Like other food animals, the younger birds are ordinarily less fat than the older ones; but the amount of fat, like the flavor and other qualities of the flesh, varies largely with the feed and exercise.

The tender meat of chicken or thoroughly-cooked fowl is considered especially good for invalids and children, because, containing little fat and its fibers being rather loosely held together with con-

nective tissue, it is easily digested.

The method of cooking poultry usually depends on the age and quality of the birds. Older ones need long slow cooking with water to make them tender. Younger birds may be roasted without preliminary cooking. This develops the desirable flavor due to brown-

ing, but does not soften the fibers so much as stewing. Very young birds may be quickly cooked by broiling directly over the fire or in

a pan or by frying.

Perhaps because the lean meat of poultry is rather dry and lacking in fat, other fat is often added in cooking and serving. For example, slices of bacon are laid over fowl to be roasted, and broilers are usually covered with butter or other fat before they are cooked. The popular dish known as "Maryland fried chicken" includes slices of crisp bacon, corn fritters, and a cream gravy, all of them rich in fat. Cold chicken is often used in salad with a rich dressing, or warmed up in a rich cream sauce.

The delicate flavor of chicken combines well with many others. For example, savory herbs, oysters, or chestnuts are used in stuffing and sweet peppers or mushrooms in sauces. By skillful blending of such flavors, poultry can be made the basis of a great variety of

good dishes.

The cost of poultry varies considerably with supply and demand. In general the older fowls are cheapest, and by proper preparation can be made to approximate the younger varieties in flavor, though they are never quite so good. The percentage of edible flesh is greatest in these. Capons are always more expensive, on account of the more delicate flavor. Broilers and fryers are expensive if considered in relation to the amount of edible meat, especially in the early spring, but nothing quite takes their place on the bill of fare. The price of turkey is stimulated by holiday demands, and it can be purchased for less after the season is over. Squabs are usually bought as luxuries. Ducks, geese, and guineas are not so generally available and the prices are subject to greater fluctuation. Storage fowls in large centers are cheaper than freshly-kill d stock because of greater convenience in handling.

In selecting, the consumer should be sure of getting the grade he pays for. By watching the market certain varieties may be purchased cheaper because of a temporary surplus. All forms of live poultry are cheaper in the fall than in the spring because of the cost of feeding through the winter. The younger fowls are characterized by smaller size, less fat, and the flexibility of bones, especially the

breast bones.

Historical Development of the Poultry Industry

Although our common fowl was introduced into Great Britain many hundreds of years ago and brought to America by the first settlers, the poultry industry in its modern sense began its development within the last century. Fowls were bred in England during the Roman occupation for the sport of cock fighting. Use of their flesh as food was forbidden, however, by Druidical law. The Druids gave way to Christianity before the tenth century after Christ, but poultry was of comparatively little importance for several more centuries. As late as 1850 fowls were used in England in pagan rites.

By the time of the first settlements in America edible birds, domestic and wild, were largely classed together as "fowl." Barnyard fowls were considered an inferior sort of game to which little importance was attached. The plentifulness of wild fowl in the colonies undoubtedly detracted still further from the importance of do-

mestic birds. Poultry was freely eaten in time of want, as were all other animals. Of Jamestown in 1609, Captain Smith wrote:

As for our hogs, hens, goats, sheep, horses, or what lived, our commanders, officers, and salvages (savages) daily consumed them, some small portion sometimes we tasted, till all was devoured.

Eggs were appreciated, but were almost entirely a warm-weather product. During Colonial days poultry keeping was common among the Indians, who by purchase or theft supplied themselves with stock. The Iroquois of central New York were found to keep chickens in 1687.

There was slight commercial aspect to poultry keeping previous to 1825. Most frequent mention of poultry products in the newspapers before that time was of feathers for beds and pillows. Between then and 1860 cheap grain in the inland districts and improv-




Fig. 3.—Egg prices increased materially during the Civil War, but fell back to a moderate level at which they remained comparatively constant to 1900. Prices increased steadily from 1900 to 1915, after which they doubled in price, reaching their highest point in 1920. Quotations for the same grade of eggs are not available for this entire period

ing transportation encouraged egg production in the Ohio Valley. In 1839 there were 16 States with poultry valued at over \$250,000 each. New York, Virginia, and Pennsylvania had the largest numbers, New York was \$1,153,413 in value. Ohio, Tennessee, and Kentucky, however, were only slightly lower in poultry value than Pennsylvania. Wisconsin and Iowa, the westernmost States listed had \$16,000 worth each.

By 1860 poultry production for meat was becoming important near the cities. At the time of the Civil War the basis was already laid for separation of egg and meat production. Points close by the cities, as Perth Amboy, N. J., were marketing quantities of live and dressed fowls. In 1855 Perth Amboy shipped 50,000 fowls and in 1856 320,000 fowls and 1,800,000 pounds of dressed poultry. Western centers, typified by Cincinnati, were shipping thousands of barrels of eggs packed in cut straw. These shipments of eggs shut off by the war from their former market at New Orleans turned to the eastern seaboard.

As the commercial aspect became dominant, poultry keepers saw the importance of increasing production per hen and in developing cheap methods of raising chickens. In 1847 two patents were issued on "methods of incubation," though it was 40 years later that the first practicable incubator was invented. By 1840 or 1845 increasing attention was given to breeding, to feeding, and management for profit and to the introduction of new breeds. Asiatic fowls were first imported in important quantities shortly before 1850. Their popularity led to the first "hen fever" in the fifties, after which a rapid succession of breeds claimed attention. In 1840 the principal improved breeds were Dorking, Poland, Java, Game, Bantam, and Bucks County or Chittagong. By 1849, when the New England poultry breeders and fanciers held their first poultry show, Cochin-Chinas, Shanghais, and Plymouth Rocks had become well known.




Fig. 4.—The farm prices of eggs, chickens, and corn remained practically constant from 1909 to 1916, at which time corn prices increased much more rapidly than the prices of poultry products. Corn prices fell much lower than egg prices following 1920, but by 1923 were approaching the same level

Interest in the breeding of the various classes of poultry for exhibition purposes increased rapidly, until by 1873 there took place the first organized effort to place the breeding industry upon a stable basis. In that year there was organized the American Poultry Association, which had for its object the formulation and adoption of a standard of excellence to be used exclusively by poultry associations in awarding prizes on exhibition poultry. A complete standard was adopted for all the then-recognized varieties of domestic and ornamental classes of poultry, and in 1874 the first "Standard of Perfection" was printed. Since that time, the "Standard," revised periodically, has served as the basis of guidance in breeding operations in developing many breeds and varieties. In many respects, therefore, the standard-bred poultry industry served as a foundation for the subsequent development of the industry. Poultry exhibitions (fig. 5) have exercised a remarkable influence in maintaining high standards of excellence and in fostering the interests of the industry. The number of standard breeds and varieties recognized by the American Poultry Association is as follows: Chickens, 42 breeds and 74 varieties; turkeys, 6 varieties; geese, 6 breeds, including 1 breed with 2 varieties; ducks 11 breeds, including 3 with 7 varieties.

During recent years the development of the poultry industry has been augmented greatly by the steady growth of the hatchery business. The number of hatcheries using mammoth incubators has increased very materially, and the parcel-post service in the transportation of chicks has enabled them to be distributed to all parts of the country. The International Baby Chick Association was organized in 1916, and largely through its instrumentality the quality of chicks distributed from the hatcheries has been improved from year to year.



Fig. 5—Interior view of a poultry exhibition. Several hundred of these poultry shows are held annually in the United States and have served to build up a high standard of excellence in breeding stock

In the early history of the poultry industry the egg market offered the main stimulus to improvement. Not only were eggs more of a luxury than poultry in a land of abundant meat, but they withstood holding and transportation as meat and fowls could not. Consequently many eggs were produced and prices ranged comparatively high. In 1863 egg shipments were reaching New Yok City from Ohio, Indiana, Illinois, and Minnesota. During 1866 the city received 150,000 barrels of eggs, averaging over 70 dozen to the barrel.

By 1874 eggs were being marketed in New York "from the second tier of States west of the Mississippi, from Tennessee, Georgia, Canada, and Mexico." Receipts in 1871 were 414,00 barrels; in 1874, 485,000; in 1875, 448,000; and in 1876, 527,000. Not only were receipts becoming greater and sources more distant, but distribution throughout the year had improved. From 1866 to 1876 the percentage of receipts arriving in January increased from a quarter of 1 per cent

to 5 per cent, and in May decreased from 18 to 14 per cent. December receipts improved but slightly with an increase from 2 up to 2.5 per cent. Seasonal variations in prices also were decreasing. The census of 1880, the first to enumerate poultry, showed the Middle Western States to be the largest producers of poultry and eggs. The westward movement has continued until within a decade the Pacific coast has joined the area shipping surplus eggs eastward.

Until the development of cold storage, marketing was limited by lack of means for preservation. Eggs were often preserved by immersion in lime water or oil to seal the porous shell, and by 1870 were sometimes stored in fruit houses or ice houses. The last method displaced the others in the eighties and gradually changed to mod-



Fig. 6—Millions of chicks are hatched annually in commercial hatcheries, which draw on the surrounding sections for eggs. Many of these hatcheries are accredited by the State organization

ern cold storage, which accelerated the increase in poultry during the eighties and nineties and has continued to lessen the seasonal variation in poultry and egg prices. It is doubtful, however, if refrigeration has greatly influenced the fluctuation in the growth of the industry during the past three decades. In connection with the more costly storage and transportation coming into use, the displacement of the barrel by the 30-dozen egg case about 1880 was a considerable economy.

Production of dressed poultry as well as of eggs was greatly stimulated by the demonstrated practicability of refrigeration for both transportation and storage. From 1880 to 1890 fancy poultry products had their greatest development. Attention to broilers, squabs, capons, and young ducks increased rapidly. The crest was soon reached, however, and by 1900 turkeys, ducks, and geese were decreasing in numbers.

COMPARATIVE GROWTH OF POULTRY, OTHER KINDS OF LIVESTOCK, AND HUMAN POPULATION, 1880-1920




FIG. 7.—The number of poultry in this country increased much more rapidly than population from 1880 to 1900, whereas the increase was relatively about the same from 1900 to 1920. The rate of increase in poultry was greater than for any other kind of hivestock, but was most nearly approached by milk cows. The number of poultry on hand used in this graph for the years 1890 and 1920 are corrected figures on poultry and not those reported by the Census Bureau. Corrections have been made to allow for difference in the time of taking the census

Turkeys decreased from 11,000,000 in 1890 to 6,500,000 in 1900, and to 3,700,000 in 1910. They still remain practically at the last figure. Decrease of geese slackened considerably from 1900 to 1910, but fell 5,500,000 or 65 per cent, during the three decades. With ducks, as with turkeys, the decrease was nearly one-half from 1890 to 1910 and have fallen slowly since then. Pigeons first enumerated in 1910 decreased 46 per cent by 1920. Increase at present is restricted to chickens, which are raised in nearly every county in the United States.

Comparison with egg production indicates a substantial increase in chickens during each decade for which figures are available. Increases in egg production by decades was 80 per cent from 1880 to 1890, 50 per cent from 1890 to 1900, 25 per cent from 1900 to 1910, and 5 per cent from 1910 to 1920. Egg production in dozens per capita was 9.11 in 1880; 13.09 in 1890; 16.96 in 1900; 17.30 in 1910, and 15.65 in 1920. These figures are approximately correct regardless of changes in inventories of poultry.

Figure 7 shows the relative rate of increase of poultry and human populations from 1880 to 1920. The rate of increase in poultry population began to drop about 1900, giving nearly equal percentage increase for poultry and population from 1900 to 1920. Decrease in number has occurred in the case of turkeys, ducks, and geese

since 1890.

The Value of the Poultry Industry

The value of the poultry industry may be considered from two aspects: (1) The place of poultry raising in American agriculture,

and (2) the monetary value of the poultry industry itself.

Poultry raising occupies an important place in a well-balanced agriculture. According to the census of 1920, poultry was raised on 90.8 per cent of the farms in the United States, and on many farms poultry products were reported to be one of the best paying crops. In 1920 there were 75.2 per cent of the farms of the country keeping hogs, 70.8 per cent keeping dairy cattle, 28.6 per cent keeping beef cattle, and 8.4 per cent keeping sheep. Poultry utilize enormous quantities of waste products, including grains and meat food, the value of which could hardly be utilized in as efficient a manner as in the production of eggs and poultry meat. Poultry are foragers and secure a part of their living from grass and other green food and insects. The raising of poultry utilizes labor and is a source of cash returns for practically every month of the year. Furthermore, eggs and poultry meat contribute an essential variety to the diet of the farm home table and, in addition, dispense with providing for the table of much meat food that would otherwise have to be purchased.

From the monetary standpoint, the poultry industry compares favorably with many other important crops, as shown by their estimated value for 1920, when the last census was taken. The estimated values for some of the leading agricultural crops are given

below. (See fig. 8.)

Poultry products	¹ \$1, 047, 000, 000
All cattle raised	924, 000, 000
Wheat	726, 000, 000
All fruits and fruit products	681, 000, 000
()ats	
Potatoes	340, 000, 000
Tobacco	

The estimated value of poultry products was exceeded by the estimated value of only five other products: Dairy, corn, cotton, hay and forage, and swine.

ESTIMATED VALUE OF PRINCIPAL FARM PRODUCTS, 1923




Fig. 8—Only four farm products exceeded the value of poultry and eggs in 1923, dairy products heading the list. Poultry products were valued at over 1 billion dollars, exceeding wheat by 321 million.

The value of eggs represents 57.4 per cent and the value of poultry meat 42.6 per cent of the total value of all poultry products. Chickens contribute 93.6 per cent of the value of all poultry and are the only class of poultry raised extensively for the production of eggs, all other classes being raised primarily for the production of meat.

Geographic Distribution of Poultry Production

The more important egg and poultry meat producing territories of the United States can be divided according to their geographical location and the character of the industry into three fairly distinct sections:

The first section comprises principally the States lying in the Mississippi Valley, including Minnesota, Wisconsin, Illinois, Michigan, Ohio, Indiana, Iowa, Nebraska, Kansas, Missouri, Oklahoma, Kentucky, Tennessee, and Texas. This extensive section produces an enormous quantity of eggs and poultry meat, the great bulk of which is produced on grain and stock farms. There are compara-

¹This estimated value includes only the value of poultry products of farms and does not include the value of poultry products of the hundreds of thousands of small flocks.




Fig. 9—The first census including the number of poultry was that of 1880, and showed that poultry was almost entirely confined to the eastern half of the United States, and was kept in greatest numbers in the Middle Western States

tively few specialized or commercial poultry farms; but the total of poultry production is far in excess of the requirements for home consumption, so that a large proportion is marketed in the eastern consuming centers.

The second section comprises the Northeastern States, including New England, New York, Pennsylvania, New Jersey, Mayland, and Delaware. In this section the poultry inquistry is one of major importance in agriculture, and many large and specialized poultry farms have been developed. At the same time, because of the very




Fig. 10.—The total number of poultry doubled from 1880 to 1900, but showed much the same relative distribution

high proportion of the consuming population living in this section, the supply of poultry products from within the section is wholly inadequate to meet the demand, and large quantities of eggs and poultry meat are shipped in from other more extensive producing sections.

The third section comprises the Pacific Coast States. In this section commercial poultry farming has been developed very extensively, and considerable quantities of eggs are shipped to the East annually.

Two other sections of the country might be mentioned from the standpoint of poultry production. In the group of States lying between the first and third sections mentioned the poultry industry is confined largely to farm flocks of relatively limited size, except in respect to turkeys. Distance from the larger consuming centers




Fig. 11.—The rate of increase of poultry from 1900 to 1920 was less than 50 per cent as compared with 100 per cent from 1880 to 1900. The Middle Western States still held first place, but poultry production increased materially west of the Mississippi River. The growth of commercial poultry farms in New Jersey and California is very apparent

and relative handicaps in respect to transportation facilities, and in several of these States a limited production of grain, have been the principal factors retarding development as compared with other sections. The southeastern group of States comprises another section where the poultry industry is relatively undeveloped. There is very little specialization and the farm flocks are small in size, so that production in several of these States frequently does not meet the demand. The tardy development of agriculture as a whole and the general reliance upon cotton and tobacco as sources of farm income have been the major factors which have prevented the normal development of the poultry industry. These conditions are being remedied very rapidly, however, and it is expected that poultry production will soon be greatly increased.

Table 2 gives the value of the poultry industry by States for the year 1919, the latest figures available. Table 3 gives the value of

poultry on farms in the United States as of January 1, 1920. Table 4 gives the number chickens on farms in the United States as of January 1, 1920.

Table 2.—Value of eggs produced and chickens raised in the United States in 1919

	1			lı .	
Iowa	67, 690, 085 66, 271, 029 64, 109, 133 53, 709, 243 52, 765, 970 44, 199, 844 43, 303, 622 42, 841, 499 40, 341, 744 34, 960, 771 33, 438, 496 30, 288, 326	Virginia North Carolina Georgia Arkansas South Dakota Mississippi Alabama Washington West Virginia South Carolina New Jersey Maryland North Dakota Oregon Massachusetts Louisiana Colorado	20, 406, 603 19, 218, 622 16, 245, 102 16, 050, 023 15, 132, 499 14, 779, 501 13, 779, 958 13, 042, 688 12, 204, 752 12, 200, 716 11, 737, 629 10, 486, 386 9, 018, 144 9, 004, 607 8, 835, 402	Maine	\$7, 815, 871 6, 883, 213 5, 876, 684 5, 662, 276 4, 953, 258 4, 341, 810 4, 038, 495 3, 210, 157 2, 102, 831 2, 021, 979 1, 699, 064 1, 526, 891 585, 698 37, 684




Fig. 12—The average number of poultry per farm varies very materially, from 22 in South Carolina to 133 in Iowa. These figures are based on all farms in each State. Of the farms in the United States 96 8 per cent keep poultry—The smaller number of poultry per farm is found in the southern part of the country and the greater numbers in the Central West, in California, and in New Jersey

Table 3.--Value of poultry on farms in the United States, January 1, 1920

-		- I			
Iowa		Virginia	\$8, 909, 808	Maine	\$2, 219, 332
Missouri	25, 470, 023	North Carolina	7, 324, 880	Montana	1, 994, 289
Illinois	25, 234, 061	Georgia	6, 879, 535	Connecticut	1, 979, 099
Ohio	20, 693, 940	Mississippi.		Florida	1, 769, 265
Pennsylvania	18, 639, 535	Arkansas	6, 143, 635	Idaho	1, 489, 053
Indiana.	1 6, 7 57, 365	South Dakota	6, 126, 335	New Hampshire	1, 334, 836
Texas	16, 674, 947	Alabama	5, 098, 288	Delaware	1, 215, 586
Kansas	15, 453, 540	Washington	4, 389, 759	Vermont.	1, 167, 717
New York	15, 348, 600	New Jersey	4, 324, 584	Utah.	814, 566
California		South Carolina	4, 263, 068	New Mexico	752, 235
Michigan	11, 587, 814	West Virginia	4, 230, 975	Arizona	640, 595
Minnesota	11, 405, 427	Maryland	4, 216, 105	Wyoming	634, 793
Oklahoma	10, 836, 525	Louisiana	3, 738, 883	Rhode Island	498, 257
Wisconsin	10, 726, 721	North Dakota	3, 667, 531	Nevada	183, 411
Tennessee	10, 591, 690	Oregon	3, 058, 515	District of Columbia	16, 013
Nebraska	10, 222, 546	Massachusetts	2, 951, 001	i i i i i i i i i i i i i i i i i i i	10,000
Kentucky	9, 256, 715	Colorado	2, 924, 006		
· · · · · · · · · · · · · · · · · · ·				1 1	

TABLE 4.—Number of chickens on farms in the United States, January 1, 1920

		1			
Iowa	27, 746, 510	Virginia	7, 860, 488	Idaho	1, 654, 771
Illinois	25, 120, 643	North Carolina	7, 393, 161	Florida	1, 554, 896
Missouri	24, 883, 985	Georgia	7, 221, 788	Massachusetts	1, 455, 193
Ohio	20, 232, 637	Arkansas	6, 955, 132	Maine	
Texas	18, 062, 744	South Dakota	6, 641, 572	Connecticut	1, 120, 393
Kansas	16, 919, 248	Mississippi	6, 342, 204	Utah	954, 695
Indiana	16, 754, 293	Alabama	5, 918, 429	Delaware	948, 656
Pennsylvania	14, 503, 468	North Dakota	4, 328, 567	Vermont	
Minnesota	13, 212, 619	West Virginia	4, 027, 510	New Hampshire	771, 233
Nebraska	11, 615, 257	South Carolina	3, 954, 365	New Mexico	713, 937
Wisconsin	11, 495, 057	Louisiana	3, 763, 910	Wyoming	620, 734
Tennessee	11, 353, 647	Washington	3, 547, 604	Arizona.	
Oklahoma	11, 137, 259	Maryland	3, 436, 376	Rhode Island	253, 697
Michigan	10, 913, 645	Colorado	2, 874, 721	Nevada	155, 197
Kentucky	10, 477, 598	New Jersey	2, 534, 371	District of Columbia.	10, 370
California	10, 426, 648	Oregon	2, 500, 123		
New York	10, 414, 600	Montana	2, 055, 120		
_ 1		1	i	ii	




Fig. 13 —The farmers of the Middle West produce both market poultry and eggs in considerable excess of local requirements

Poultry Production by Kinds

Of the various kinds of poultry on farms in the United States as of January 1, 1920, the latest census figures available, chickens constituted 96.43 per cent of the total numbers and contributed 93.60 per cent of the total value. The relative standing of the other classes of poultry is shown in Table 5.

Table 5.—Numbers and value of various kinds of poultry and pigeons on farms in the United States, 1920

Class	Number	Per cent	Value	Per cent
Chickens Turkeys Geese Ducks Gunes fowls. Pigeons Ostriches.	359, 537, 127 3, 627, 028 2, 939, 203 2, 817, 624 2, 410, 421 1, 493, 630 231	96. 43 . 97 . 78 . 75 . 65 . 40	\$349, 508, 867 12, 904, 989 5, 428, 806 3, 373, 906 1, 582, 313 537, 576 57, 540	93. 60 3. 46 1. 45 . 90 . 42 . 14
Total	372, 825, 264		373, 394, 057	

The Chicken Industry

The chicken industry of the United States comprises several million flocks of varying sizes, including farm flocks, commercial flocks, and back-yard flocks. The size of each of these three kinds of flocks varies considerably, and there are many farm flocks that contain more chickens than many commercial flocks. The important point of distinction in connection with the three kinds of flocks is somewhat as follows: A farm flock is regarded as such when the labor income from the farm is derived not only from chickens but also from hay, grain, other classes of livestock, dairy products, fruits, vegetables, or other products; the relative amount of labor income derived from the chickens may be of minor or of major importance. A commercial flock is regarded as such when the labor




Fig. 14.—Egg: produced on farms show a slightly greater concentration than poultry in the Middle Western and Pacific Coast States

income is derived almost entirely from the chickens. A back-yard flock is regarded as such when usually only a few chickens are kept on a city, town, or village lot either for the primary purpose of breeding standard-bred chickens for exhibition or breeding purposes, or primarily for the purpose of providing eggs and poultry meat for the home table. Back-yard flocks are kept for the most part by women and business and professional men. The number of chickens kept in back-yard flocks, however, and the value of their product is not taken into consideration in this article, because the census returns do not include the enumeration of such flocks, which is unfortunate, inasmuch as back-yard flocks would add several million dollars to the estimated value of the poultry industry.

The fundamental factors affecting the net revenue obtained from chickens vary somewhat in the case of farm, commercial, and backyard flocks. On the grain and stock farm the relative cost of raising the young stock and of producing eggs and poultry meat is less than in the case of commercial and back-yard flocks. On the

other hand, commercial poultry men usually have the advantage over farmers of securing greater average egg production per bird and higher prices for their products. Commercial poultry farms are located for the most part in the northeastern section of the country and on the Pacific coast. In other sections of the country commercial farms are located in the vicinity of the larger cities. Nearness to market, good shipping facilities, and volume of production are three valuable assets that usually enable the commercial producer to obtain a relatively larger net revenue per bird than the farmer.

The Feed Cost of Raising Chickens

Feed, labor, and fuel, are the more important items concerned in the cost of raising chicks. In connection with labor, however, prac-




Fig. 15—A large proportion of eggs are not consumed where they are produced but have to be shipped to market. The Middle West is the greatest area of surplus egg production, but a large number of eggs are also shipped from the Pacific coast and from other sections

tically no figures are available from any part of the country which would show the amount of labor involved in raising a given number of chickens. It is readily understood how difficult it would be to keep records of the time employed in raising chickens on the farm, but it is unfortunate that the majority of commercial poultry men have not made a practice of recording the amount of labor involved in raising chicks to maturity in contrast with the amount of labor involved in caring for the laying stock. As a matter of fact, the commercial poultry man would not find it easy to keep a separate item of the labor required in rearing his chickens, because this rearing is done simultaneously with other work. Fuel is another item in the cost of rearing concerning which practically no figures are available as to the quantity required during the brooding period. There are a few figures available, however, which may be taken as showing approximately the quantity of feed required to raise chickens to maturity.

The Indiana Experiment Station has reported the results of determinations made concerning the quantity of grain feed required to raise White Plymouth Rock chicks to maturity. It was found that it took approximately 30 pounds of grain feed per bird to raise pullets up to and including 28 weeks of age and approximately 33 pounds of grain feed to raise cockerels up to and including 28 weeks of age.

The Connecticut Experiment Station has determined the quantity of feed consumed per chick weekly for 24 consecutive weeks in White Leghorns and Rhode Island Reds. The results are shown in Table 6.

Table 6.—The average weight per chick per week and the average quantity of grain feed consumed per chick per week in White Leghorns and Rhode Island Reds

	White I	Leghorns	Rhode Island Reds		
Week	A verage weight per chick	Average quantity of grain feed con- sumed per chick	A verage weight per chick	A verage quantity of grain feed con- sumed per chick	
	Pounds	Pounds	Pounds	Pounds	
0	0.08	0.00	0.08	0.00	
1	. 11	. 07	11	. 08	
2	. 18	. 15	16	16	
3	26	. 25	26	. 24	
4	38	. 32	36	33	
b	50	. 41	54	44	
6	69	. 51	74	60	
7	. 90	. 66	96	69	
8	1. 09	. 74	1 23	88	
9	1 22	. 84	1 52	94	
0	1.41	. 93	1 80	1. 01	
1	1 1 56	. 98	2.01	1 07	
2	1. 80	1.00	2.30	1 19	
3	1. 93	1. 07	2 39	1 16	
4	2.06	1 04	2 51	1 15	
5	2 21	1, 12	2.76	1 23	
6	2. 36	1 12	2 91	1 39	
7	2 49	1. 33	3 14	1 54	
8	2 63	1. 30	3 22	1 60	
9	2 72	1 37	3 44	1 52	
20	2.90	1 43	3 68	1 69	
21	3. 05	1. 39	3 85	1 70	
22	3. 12	1. 36	4 03	1 73	
3	3. 23	1 33	4. 16	1 67	
M	3. 28	1.41	4 30	1 76	
M	0.23	1.41	4 30	1 10	

Judging from the Indiana and Connecticut results, it may be safely assumed that the quantity of grain feed required to raise White Leghorns to maturity is about 20 to 25 pounds, and to raise White Plymouth Rocks, Rhode Island Reds, and chickens of other general-purpose breeds to maturity is about 25 to 35 pounds.

The Feed Cost of Egg Production

The cost of producing eggs is affected by many factors which vary in different sections and which change from year to year, the three most important being labor, feed, and the average number of eggs laid per bird. Feed is the most important item, since it normally represents from one-half to two-thirds of the total cost of production.




Fig. 16 -- The sections producing surplus chickens are, in general, the same as those producing surplus eggs, as shown in Figure 15

In the case of farm flocks the amount of labor spent in caring for the chickens varies from season to season and is practically an undetermined quantity. In the case of commercial flocks, however, the net income may be regarded as the labor income, since practically all of the labor is devoted to the chickens.

Data concerning the quantity of feed consumed by laying hens have been obtained by a few of the State experiment stations. The quantity of feed consumed by laying hens is affected by a variety of factors, chief of which include the kind of food supplied, the size of




Fig. 17—The distribution of receipts from the sale of chickens and eggs follows closely the number of poultry and eggs sold but is considerably affected by the price received for farm products

the hens, and, to a certain extent, the number of eggs laid. A ration consisting of a variety of grains usually induces greater consumption than where one grain is fed. Leghorns and similar breeds, which are smaller than the general-purpose breeds—Plymouth Rocks, Rhode Island Reds, Wyandottes, and Orpingtons—consume less feed a year than birds of the larger breeds. Usually birds bred for high egg production consume slightly more feed than less well-bred birds of the same size. From data submitted by a number of experiment stations it is found that Leghorns laying an average of approximately 150 eggs per birds consume about 70 to 85 pounds of grain food per year and that general-purpose breeds with the same production consume about 80 to 95 pounds per year.




Fig. 18—The farm price of eggs is affected by the supply and demand and by the distance from market. The highest prices are received in the New England States and the lowest prices in the Middle West and South

The quantity of feed required to produce 1 dozen eggs per bird is directly affected by the number of eggs laid. Egg production per bird is governed by a variety of factors, including the breeding of the layers, their age, and their care and management. At the Storrs egg-laying contest, conducted by the Connecticut Experiment Station, it was determined, based on a three-year average for pullets only, that the average feed consumption to produce 1 dozen eggs was 6.75 pounds. In this case approximately 60 per cent of the pullets were general-purpose breeds, principally Plymouth Rocks, Rhode Island Reds, and Wyandottes, and 40 per cent were Leghorns. At the Vineland egg-laying contest, conducted by the New Jersey Experiment Station, it was found, also with pullets, that an average of 5.89 pounds of feed were required to produce 1 dozen eggs. In this case 60 per cent of the pullets were Leghorns and 40 per cent were general-purpose breeds. The New Jersey station made a survey of a number of commercial poultry farms in New Jersey on which Leghorn pullets and yearling hens were kept and found an average feed consumption of 7.8 pounds of feed to produce 1 dozen eggs. The

average quantity of feed consumed by general-purpose breeds and Leghorns at the United States Experiment Farm at Beltsville, Md., is shown in Table 7. Here is it shown that Leghorn pullets required an average of 5.2 pounds of feed to produce 1 dozen eggs, Leghorn yearlings 5.5 pounds, general-purpose pullets 6.8 pounds, and general-purpose yearlings 9.8 pounds.

Table 7 —Monthly record of total feed consumed per dozen eggs and egg yield per hen, U. S. Experiment Farm

Month		General-purpose pullets			General-purpose yearlings			n pullets	Leghorn yearlings		
		Feed per dozen eggs	Eggs per hen	Feed per doz eggs		Eggs per hen	Feed per dozen eggs	Eggs per hen	Feed per dozen eggs	ŀgg.	
		Pounds	Namber	Povu		Number	Paunda	Number	1		
November	,	16.0		1 oun		An miner	Tounus	6.6	44.0	1.3	
December		12 3	7 0			2 3	99	5 7	17 8	4 0	
		11 7	4 9			2 8	7.8		181	8 1	
January	i		1 1								
February		8.8	8 6		3	5.0	6.6	9 1	5.6	10 3	
March			16 3)	11.8	4 2	17 4	3 9	17 1	
April		4 8	16-8		5	13 4	3 5	20 0	3 4	19 5	
May		4 0	16 0			19	3 6	19-6		19 2	
Tune	1	5 4	13 1		()	9.8	3 8	17 0	4 1	15-1	
July	j	6.0	12.5	. 7	4	9 2	4 3	14.8	4.5	12	
August .	1	6.6	11.7	×	f,	7 9	5 6	10 9	6.8	. 5	
September		8.3	9.4	11	7	6 2	9.0	6.1	1	3 6	
October		11.7	6.8	23	4	3 4	21 4	2 9		1 9	
Average or total	ì	6 8	129-8	9	8	85 9	5 2	140 0			

Data concerning economic returns in egg production are compiled each year in different sections of the country, and although the basis of compilation frequently differs in various sections the results all go to show that the production of eggs is usually sufficiently profitable to regard poultry raising as a stable agricultural enterprise.




Fig. 19.—The farm prices of poultry are affected by the same factors as the farm prices of eggs. The relative farm prices of eggs and poultry are the same for different sections, although a comparison of individual States shows some variations.

Tabulated records are given below for two sections of the country, California and Missouri, each of the records representing two phases of production, production on commercial poultry farms and production on farms where grain and classes of livestock other than poultry are regarded as the major sources of farm income—that is, the records show what it costs to produce a dozen eggs with commercial

and farm flocks, respectively.

The Poultry Extension Serv

The Poultry Extension Service of the California College of Agriculture has submitted the following table (Table 8) showing the cost of egg production on 29 commercial farms in different parts of California. The records cover operations for the year 1922, the latest year for which figures are available; and, although they were obtained from flocks with an average of 540 layers it is believed that the records are applicable to flocks comprising from 1,000 to 2,000 layers, a number which is common to many commercial poultry farms.

Table 8.—The average cost of egg production on 29 commercial poultry farms in California, 1922

1	Stock on hand, January, 1923	\$948.32
2.		202, 42
	Value manure	72, 90
₹.	Value eggs produced	26 07
3 .	Miscenaneous	20 01
	Total credits	9 070 77
	Total credits	3, 019. 11
•	Ot . J J	676, 96
ც.	Stock on hand, January, 1922	070.00
	Value all feed	1, 129 16
	Value all labor	464. 91
	Taxes, water, and insurance	41.77
10.	Deprectation	83.67
11.	Interest on investment	93 14
12.	Miscellaneous	25.75
	Total expenses	2, 511. 36
	-	,
	Profit	568. 41
	SUMMARY	
-	Investment:	
1.		. \$900 00
	Land	
	Improvements	
	Equipment	
	Supplies	
	Stock	753, 10
		2, 892. 76
2.	Average size of flockhens_	. 540
3.	Average number eggs produceddozen_	. 5, 857
4.	Number eggs per hen	130
5.	Gross income per hen	\$3, 94
6.	Net income per hen	
7	Gross income per dozen	\$0.36
Š.	Cost of production per dozen	\$0. 26
0.	Profit per dozen	\$0. 10
10.	Rate of interest earnedper cent_	. 19
_		

The Poultry Extension Service of the Missouri College of Agriculture has submitted figures covering the feed cost of producing

eggs in Missouri. The data submitted in Table 9 cover a survey of approximately 400 farms with an average of 160 chickens each and is for the year 1923.

Table 9.—The feed cost of egg production on approximately 400 farms in Missouri, with an average of 160 chickens per farm, 1923

Month	Egg produc- tion per bird	Value of eggs sold per farm	Value of chickens sold per farm	Total value per farm	Cost of feed per bird	Cost of feed per dozen eggs	Profit over feed costs per bird
	Number				Cents	Cents	Cents
November	4 1	\$26. 27	\$11.95	\$38 22	10 6	30 9	11.5
December	48	30 67	9 91	40, 58	10 1	25 0	12. 2
January	8 2	40, 07	10.64	50 71	10 7	15 6	16 9
February	9. 1	39 52	10 20	49, 72	10 8	14 1	17. 1
March	16 1	55 75	7. 97	63, 72	13. 1	97	25. 1
April.	15, 3	55. 63	8 38	64. 01	12 4	9. 6	24 6
May	16 7	52.06	18.40	70 46	15. 1	10 8	266
June	13 1	34 57	23 65	58. 22	15 4	14 1	19.4
July	11.5	28 80	18 67	47 47	14.4	14 9	16. 5
August	10 1	26 70	17 23	43 93	14.8	17 4	18, 8
September	94	29 74	25. 11	54 85	17 3	22 0	29 5
October		29 14	22 99	52 13	18 2	29 2	23 5
Total	125 8	118 92	185, 10	634 02	\$1.63	17 77	\$2 42

It will be observed that the average egg production per bird on the California commercial poultry farms was 130 and on the Missouri general farms 125.8. The value of produce per farm in California, minus the value of the manure and miscellaneous products, was \$2,032.48, and in Missouri the value of eggs and chickens sold per farm was \$634.02. In California eggs contributed 89.05 per cent and in Missouri they contributed 70.80 per cent of the total receipts from eggs and chickens. This difference is to be expected, since poultry meat in the Middle West usually has a higher value than on the Pacific coast; also in the Middle West the general-purpose breeds such as Orpingtons, Plymouth Rocks, Rhode Island Reds, and Wyandottes are the predominating breeds kept, whereas on the Pacific coast the White Leghorn is kept almost exclusively on the commercial poultry farms.

The cost of feed per bird in California was \$2.09, and in Missouri it was \$1.63, the difference being a reasonable expectation in view of the amount of waste grain and other feed obtained by fowls on general farms, and also in view of the relatively lower cost of grains fed on general farms as compared with commercial poultry farms.

In California the cost of producing a dozen eggs was 26 cents, and in Missouri it was practically 18 cents. It must be remembered that in the case of Missouri labor and overhead expenses have not been taken into consideration, whereas in California the costs of all operations have been considered. It should also be borne in mind that the data considered are for two different years. In both cases, however, the figures are sufficiently low to justify the statement that management of the flocks was very efficient.

It is obvious, of course, that the greater the egg production per bird, the less the production cost per dozen eggs and the greater the profits per bird. An average production per bird of 125.8 and 130 eggs for Missouri and California, respectively, has been shown to

have given good returns. These averages are much higher than the average production per bird for the various States, as shown in

Figure 20.

Other records of production are interesting in demonstrating what can be achieved with well-bred stock and under the most efficient systems of management. The poultry extension service of the Connecticut Agricultural College has reported records of production for 1924 for back-yard, farm, and commercial flocks in




Fig. 20—The average egg production per hen is lowest in the Southern States, varying from 38.5 eggs in Georgia to 85.3 eggs per hen in Maine. This is the total number of chicken eggs produced for the year 1919 divided by the total chickens on hand January, 1920. No correction is made for males. The highest egg production is found in the northeastern part of the country and Pacific coast, where are also the States which pay the highest prices for eggs and poultry

Connecticut in which records from 350 flocks with a total of 88,297 birds showed an average production of 142.58 eggs per bird. Based on the average size of the flock, the records show some very interesting results, as given in Table 10.

Table 10.—Egg production per bird for flocks of different sizes in Connecticut, 1924

The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s			
	Back- yard flocks	Farm flocks	Com- mercial flocks
Number of flocks A verage number of birds per flock A verage number of eggs per bird	44 23 151. 30	236 162 143 30	70 700 141 65

In order to illustrate clearly the importance of the quality of the laying stock and systems of flock management, the records of production of the 10 best and 10 poorest flocks for the back-yard, farm, and commercial flocks as reported by Connecticut are given in Table 11.

Table 11.—The average egg production per bird in the 10 best and 10 poorest back-yard, farm, and commercial flocks, respectively, in Connecticut, 1924

	Back-yard flocks			Farm flocks				\ \cdot \ \ \cdot \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \				
Flock number	10 best	flocks	10 po flo	orest cks	10 best	flocks	10 po		10 best	flocks		orest cks
riock number	Birds	A ver- age pro- duc- tion	Birds	A ver- age pro- duc- tion	Bir ls	A ver- age	Birds	A ver- age pro- duc- tion	Birds	Average pro duction	Buds	A ver- age pro- duc- tion
	No 11 42 9	Eggs 246 220 219 213 192 192 189 184 182 179	No 23 13 25 28 22	Eggs 136 135 131 128 118 117 116 115 113 101	%o 351 196 70 109 163 323 290 239 213 50	Eqqs 231 216 210 207 204 192 190 189 187	Vo 56 216 247 57 46 78 372 380 66 170	Eggs 99 98 98 98 - 86 82 70	Vo 782 509 961 893 444 384 730 538 552 788	Eqqs 182 178 177 175 175 175 175 176 168 166	No 1, 616 437 117 380 360 517 517 338 390 1, 247	F gas 121 115 114 111 110 109 103 101 91 80

The economic importance of high over low average egg production may be illustrated by reference to the results obtained in commercial flocks in New Jersey in 1923. The flocks were divided into two groups, those which laid under and those which laid over 160 eggs as the flock average. In the first group the average production per flock was 146.3 eggs and the cash value in eggs produced was \$3.47 per bird. In the second group the average production per flock was 178.4 eggs and the cash value in eggs produced was \$4.59 per bird. The second group showed an excess return of \$1.12 per bird over the first group.

SEASONAL VARIATION IN RECEIPTS OF EGGS AT FIVE MARKETS, 1921-1923




Fig. 21—The seasonal variation in receipts o eggs on the five markets reflects accurately the seasonal variation in production. They are heaviest during the spring months, gradually decline during the summer and fall, and reach their lowest point in November or December. From this point they increase again rapidly until they reach their highest point in April or May

WHOLESALE PRICES OF WHITE AND BROWN EGGS AT NEW YORK AND BOSTON, 1928




Fig. 22—The New York market shows a price preference which is nearly uniform throughout the year for white eggs as compared with brown, whereas the reverse is true in Boston. The shell color of eggs, although having no effect on their food value or quality, is therefore a factor to be considered in selecting the market to which shipment should be made

It has been established for some time that pullets lay better than yearling and older hens, and corroborative evidence concerning this point is obtained by referring again to results secured in New Jersey in 1923. In 26 commercial flocks the pullets laid 153.6 eggs and the yearling hens laid 127.3 eggs per bird, and in 23 farm flocks the pullets laid 147.8 eggs and the yearling hens 128.7 eggs per bird.

In actual practice there are four primary factors which affect economic returns in relation to the cost of feed consumed and the value of eggs produced. These four factors are: (1) The quantity of feed consumed, (2) the price of feed from time to time, (3) the number of eggs produced, (4) the prevailing price of eggs at the time of production. The poultry man has little or no control over the price of feed or the price of eggs. Under ordinary conditions of practice the average quantity of feed consumed per bird, as discussed previously, from month to month is fairly stable. The poultry man can control the rate of egg production at different times of the year, and it is this particular aspect that deserves special There is some variation in feed prices from season to season throughout the year but not nearly to the same extent as per-The monthly trend in egg prices is shown tains to egg prices. in Figure 22, from which it will be seen that relatively high prices prevail during the fall and winter months as compared with spring and summer prices.

The significance of the value of monthly egg production in relation to the monthly price of eggs is clearly shown in Figures 21 and 22 and in the data given in Table 12. In this table a comparison is shown between the percentage of monthly production and the percentage of monthly "returns." In the case of 36 New Jersey commercial flocks the "returns" are in terms of the average cash receipts per flock, and in the case of 400 Missouri farm flocks the "returns" are in terms of profits over feed per bird.

Table 12.—The relation of percentage of monthly egg production to percentage of monthly receipts per flock in 36 New Jersey commercial flocks, 1916, and the relation of percentage of monthly production per bird to percentage of monthly profits over feed per bird in 400 Missouri farm flocks, 1923

	1		Miss	ourı
Month	Produc- tion per flock	Receipts per flock	Produc- tion per bird	Profit over feed per bird
November December January February March April May June June July August	Per cent 3 20 4 30 6 50 8 50 12 80 14 10 13 70 11 30 9 70 9 10	Per cent 5 50 7.10 7 70 7 80 10 00 10 40 10,30 9 40 9 70 60	3 26 3 82	Per cent 4 7 5 04 6 98 7 07 10 37 10 16 10 99 8 02 6 82 7 77
September	4 90 3 10	6 90 5. 40 (7 48 5 89	12 19 9 71

It will be seen that in the months of September, October, November, December, and January, in the case of both New Jersey and Missouri, the percentage of "returns" are greater than the percentage of production, which is not true of the other months of the year. This simply means that eggs are worth more relatively during the five months mentioned, and consequently production during this period has a relatively higher value than at other times of the year.

The Feed Cost of Fattening Chickens

With the gradual development of the poultry industry there has resulted an increasing need for more knowledge concerning efficient methods of preparing poultry flesh for human consumption. tening is a finishing process designed to prepare chickens for human consumption in the most economical way. The main object in fattening is to improve the quality of the lean meat, the accumulation of fatty tissue as such being of secondary importance. When a chicken has been properly fattened much of the water in the flesh is replaced by oil, so that when the chicken is cooked the flesh becomes tender and juicy. Improvement in the quality of market chickens leads to increased consumption, which in turn leads to increased demands for prime fattened stock, thus creating a tendency for the greater improvement of the poultry industry. During recent years, however, so much attention has been given to the question of breeding for egg production that it is possible that the best interests of the fattening industry have been sacrificed to some extent at least. However important may be the matter of developing heavy-laying strains, there will always be a high proportion of chickens other than those used for breeding purposes and for which it is necessary to develop the most efficient means in preparing for market.

The cost of fattening chickens is influenced primarily by the quality of the stock, the amount of labor required, the quantity of feed consumed, and the price of the labor and feed at the time of fattening.

The great majority of chickens raised on farms annually are fattened in commercial fattening stations located at the more important shipping centers. The chickens are received at the fattening stations usually in an unfattened condition, and vary a great deal in respect to quality. About 50 per cent of them represent general-purpose breeds, about 25 per cent represent Leghorn and similar breeds, and the balance are birds of mixed breeding. The results of experiments conducted at a number of the fattening stations show that chickens of the general-purpose breeds usually fatten better than those of Leghorn and similar breeds and those of mixed breeding.

The amount of labor required at fattening stations is a variable factor, since it is sometimes impossible to keep the fattening bat-




Fig. 23. - Feeding or fattening stations of large capacity are common in modern poultry packing establishments

teries sufficiently full to occupy the labor in the most efficient manner. The price of the labor is a fairly stable factor; and neither the amount nor price of labor is considered in this article, since costs in fattening are treated entirely in terms of the quantity of grain

required to produce 1 pound gain in flesh production.

The quantity of feed required to fatten chickens is given in tables 13 and 14 and is seen to be influenced by the average size of the chickens and the length of time they are fattened. The price of the feed is not taken into consideration because when considered from year to year it is such a fluctuating factor. On the other hand, the results of extensive series of experiments have established fairly definitely the approximate quantities of feed required to produce 1 pound of gain in flesh production, and by applying the prevailing prices of grains at the time of fattening the monetary cost of fattening at any time can be determined. Records showing the quantity of feed used in fattening chickens in a number of fattening stations

in the Middle West were secured by the United States Department of Agriculture and are given in the following tables. The records show that it required an average of 3.26 pounds of grain plus 4.90 pounds of buttermilk to produce 1 pound of gain.

Table 13.—The average quantity of grain used per pound of gain in flesh production in chickens of different average weight and fed different lengths of feeding periods. Fattening station results

Lot number	Number of chickens	Average weight per bird	Days fed	Average quantity of grain per pound of guin 1
1 2 3 4 5 5 6 6 7 7 8 8 9 10 11 12 12 13 14 15 5 15 15 15 15 15 15 15 15 15 15 15 1	3, 907 1, 085 15, 731 14, 841 11, 878 12, 199 10, 360 7, 368 2, 068 7, 836 614 1, 657 8, 464 6, 720 892	Pounds 2 18 3 08 2 39 2 59 2 55 2 81 2 40 3 18 2 51 3 24 3 98 3 22 2 54 2 18	6 6 7 7 8 8 9 9 10 10 11 12 13 14	Pounds 3 66 2 96 2 96 3 37 3 16 4 04 3 66 4 04 3 71 5 07 4 26 3 16 2 90 2 58

¹ The number of pounds of grain given in the table were obtained with fattening rations consisting of approximately 40 per cent grain and 60 per cent buttermilk

Experiments have also been conducted in determining the quantity of feed required to produce 1 pound of gain in flesh production in fattening chickens in small numbers, as under farm conditions. The results are shown in Table 14.

Table 14.—The arcrage quantity of grain used per pound of gain in flesh production for chickens of different average weight and fed different lengths of feeding periods. Farm practice results.\(^1\)

Lot number	Number of chickens	Average weight per bird	Days fed	A verage quantity of grain per pound of gain ¹
		Pounds		Pounds
1	102	2, 76	: 10	3 33
2	84	4 43	10	2 96
	241	2 95	14	3 20
4	225	4 14	' 14	3 48
5	68	4 99	' 14	7. 12
	148	3 14	21	3. 99
7	105	4 33	21	4. 62
8	68	4 99	21	7. 51

^{1&}quot;Experimental results in fattening chickens" by M. A. Jull, and W. A. Maw, In Poultry Science, vol. V, no. 4, 1923.

In connection with the results shown in Table 14 it will be noted that lots 5 and 8 required a much higher average quantity of grain per pound of gain than all other lots. The fattening rations for lots 5 and 8 were moistened with water, whereas the rations for the other lots were moistened with skim milk.

The Problem of Feeding

Although general methods of feeding have been giving fairly good results, when the really fundamental problems of feeding are considered very vague ideas prevail. It may be that much more efficient methods of feeding would result from more refined methods

of investigational work.

The raw products consumed by fowls are used in repairing waste and in providing raw materials for growth and reproduction, and this process gives rise to the production of the two fine foods—eggs and poultry meat. The raw products must contain, then, the materials out of which the body and eggs are made. The body consists of water, salts, proteins, carbohydrates, fats, and various other organic substances which are formed from the latter. The egg consists of the albumen, a secretion of the glands of the oviduct, and the yolk, which is a real cell. The albumen contains over 87 per cent water and nearly 11 per cent protein. The other constituents of the albumen, or white of the egg, are of less importance. The yolk is much more complex than the albumen and contains about 50 per cent water and 50 per cent solids: Oil, 23 per cent; protein, 16 per cent; lecithin, 11 per cent; salts, 3 per cent; and cholesterol, 1.5 per cent.

The complex character of the body and the egg suggests the nature of raw products needed by the fowl. In the production of eggs and in the development of body tissue the relative value of the raw products depends upon their composition and digestibility. the standpoint of composition alone there are essential differences among the raw products used as pultry feeds. All the staple grains—corn, wheat, oats, rye, barley, and buckwheat—contain from about 10 to 12 per cent protein, whereas they are all low in ash constituents. The percentage of nitrogen-free extract, about 70, is practically the same in corn, wheat, barley, and rye, whereas it is about 60 in oats and buckwheat. The so-called concentrated feeds are naturally relatively rich in protein, the percentage being about 82 in dried blood, 50 in meat scraps, 35 in gluten meal, 25 in ground bone, and 20 in fresh green bone, while they are relatively poor in nitrogen-free extract, containing only about 2 to 5 per cent with the exception of gluten meal, which contains about 47 per cent.

Not only must the composition of the raw product be known, but also the percentage of each constituent that is digestible. It is extremely unfortunate, therefore, that relatively few experiments have been conducted in determining the digestion coefficients of poultry feeds. Enough work has been done, however, to warrant a few statements of a general character: Corn is the most thoroughly digestible of all grains, and this is true not only of the total organic matter but also of protein, nitrogen-free extract, and fat. The protein and nitrogen-free extract in wheat are more thoroughly digested than in barley, buckwheat, and oats, and the fat in these three grains is more readily digested than that in wheat. Among the staple grains rye is the least digestible. The digestibility of both protein and fat in meat scraps is very high, making this co-called concentrated food

relatively important in feeding practice.

Nearly all the fundamental facts of nutrition still remain to be determined, for it is known now that the character of the fat, car-

bohydrate, and protein is of as great importance as the quantity. Although some of the simpler substances, such as water and inorganic salts, used in the development of tissue or in the formation of eggs, are in a condition to be utilized directly, practically all other substances must be reduced to simpler compounds. Fats must be reduced to fatty acid; and the nature of the fatty acid is important, because the character of the fat laid down in the tissue is somewhat dependent upon the character of the fat consumed. In regard to protein consumption, it is important to know what amino acids are present in the proteins, because the various amino acids now known have specific functions which can not be replaced by other amino acids.

Very probably one of the most important problems awaiting solution in the field of poultry nutrition is to determine the optimum amounts of protein to maintain nitrogenous equilibrium in growing chicks as well as for laying hens. The reason for this is that nitrogen is the most difficult element to supply to the body of the bird, and that nitrogen can be furnished in one form only, the proteins, which are expensive from the economic standpoint as well as the physiological, because an excretion of excessive nitrogenous material places special birdens on the excretory system. It is possible that many laving rations as prepared at present contain too much protein, but

future investigational work must solve this problem.

In addition to the composition, digestibility, and other important qualities of the raw products, evidence is accumulating that they must contain other bodies neither protein nor carbohydrate nor fat nor mineral, but of an organic nature without which the fowl can Apparently these elements are required in very small quantities, but they are of vital importance. They are called vitamins, and in general it may be said that sufficient investigational work has already demonstrated the vital necessity of the antirachitic vitamin to prevent the development of rickets in chicks reared in confinement.

Mineral metabolism seems to be closely associated with the functions of the vitamins. Also the question of the essential mineral requirements is bound up with protein supply, since vegetable proteins contain only small quantities of the most essential minerals, calcium, and phosphorus, while the proteins of animal origin contain these elements in greater quantity but probably not enough to satisfy requirements. This is especially true in respect to calcium and probably true also of phosphorus, at least in the feeding of hens for

egg production.

In the growth of the chick there is a gradual increase in the requirement of calcium, magnesium, phosphorus, and sulfur. Milk contains a relatively large quantity of calcium, phosphorus, sodium, and potassium; hence when chicks are supplied with all the sour skim milk they want much is supplied in the way of mineral require-The growing chick, on the other hand, has small need for calcium carbonate in comparison with the laying hen. The growing chick needs calcium phosphate for bone formation, whereas the laying hen needs calcium carbonate for the formation of eggshells. Bone ash and rock phosphate are better than oyster shells as supplements to the ordinary grain rations for growing chicks. In the case of the laying hen, calcium in rock phosphate can be utilized in the development of bone, but not in the formation of eggshell. A deficiency of calcium carbonate (oyster shells, clam shells, and limestone) leads to a decrease in egg production, but does not produce soft-shelled eggs. Bone ash and calcium carbonate, when fed with certain feeds, increase their capacity to cause gain in live weight. Therefore, investigational work has already demonstrated that an adequate supply of mineral nutrients in poultry rations is of great practical importance.

The Problem of Breeding

The quality of chickens kept in all parts of the country has been improved considerably through the replacement of mongrel stock with standard-bred poultry and through the use of standard-bred males with grade or mongrel females. During recent years, particularly, there has been a great improvement in the laying quality of chickens in back-yard, farm, and commercial flocks. This improvement is largely the result of a realization on the part of poultry producers of the economic importance of good egg production. Officially conducted egg-laying contests have been in operation for a number of years, and these have demonstrated the possibilities of improving egg production through proper systems of breeding combined with intelligent selection.

The inheritance of factors involved in annual egg production has been a subject of careful inquiry by a number of State experiment stations. Although the problem is an extremely complicated one, certain facts have become well established, and these, along with a few other more outstanding results in inheritance studies, are con-

sidered very briefly in subsequent remarks.

One of the most important factors from the standpoint of the economics of egg production is the development of early-maturing strains of layers. It is not only important to avoid hatching late in the season but also to develop by selection and consistent breeding methods strains that mature early enough to commence laying in October or early November. Pullets which commence laying in from 150 to 200 days after being hatched, as compared with pullets which commence laying in from 250 to 300 days, not only produce more eggs during the most profitable season of production but also usually tend to lay more eggs per year. Earliness of maturity is inherited and can be developed in a strain of fowls by proper methods of selection.

A case of sex-linked inheritance in the factor for winter egg production has been reported, though to date it has not been substantiated. If true, however, it should prove of considerable economic importance in the development of heavy-laying strains. On the other hand, there are two cases—one in Rhode Island Reds and one in White Leghorns—which seem to show that the factor for heavy laying is not transmitted as a sex-linked factor but is inherited in the ordinary Mendelian manner. In other words, these investigations go to show that the selection of female breeders may be as significant from the genetic standpoint as the selection of male breeders.

Evidence has been accumulating that the factor for small-egg size dominates the factor for large-egg size. To whatever extent this is

true it becomes a very important matter, because if the factor for small-egg size becomes well fixed in the flock it would prove difficult

to eliminate it completely.

Considerable progress has been made in the study of the inheritance of broodiness, the evidence to date going to show that its presence depends upon two factors. By suitable breeding methods it has been possible to develop quickly a strain of low broodiness from a strain with a very high degree of broodiness. This is a problem of considerable economic importance, since broodiness in a flock means decreased egg production and its elimination means

greater profits.

The hatchability of eggs gives evidence of being transmitted from mother to daughter and from sire to daughter, although it has not been demonstrated that it is transmitted from sire to son. However, this latter point may be demonstrated within a few years, and the fact that this very important problem is only now in the process of being solved is indicative of the difficulties involved in a study of many of the problems of inheritance. One authority has gone so far as to say that in his opinion hatchability is primarily a matter of breeding. At any rate, it is now very certain that strains of fowls with high hatchability can be developed by proper methods of selection.

Another eminently practical problem affecting hatchability has been receiving the attention of the geneticists. It has been ascertained that there is no necessary correlation between the number of embryos which die during the period of incubation and the number of chicks that die within three weeks after being hatched. This means that there are specific factors that cause the death of embryos. It is well known that far too high a proportion of embryos die at hatching time, and certain lethal characters have been isolated which cause the death of embryos possessing them. These lethal characters appear to be inherited in the same simple Mendelian manner as many other characters, and thus it is possible to eliminate through selection the factors giving rise to the characters.

The important matter of the possible inheritance of resistance to various poultry diseases is receiving consideration. Resistance to bacillary diphtheria of poultry is believed to be due to the presence of a unique qualitative Mendelian factor. It is therefore anticipated that strains of poultry resistant to the infection may be developed. So with fowl cholera. Two workers are already making a study of the possibility of developing, through selective breeding, strains of poultry immune to the ravages of fowl cholera. In time these and other lines of work of a similar character should produce results of great value in the control and eradication of various poultry

diseases.

Problems of Management

Considerable progress has been made during recent years in respect to problems of management, with the result that systems of rearing and production are being conducted more efficiently than ever. Many phases of poultry management might be discussed, but only three of the more important will be mentioned here—the artificial lighting of laying houses, the culling of the laying flocks, and the accreditation of hatcheries.

The artificial lighting of laying houses.—The use of artificial lights in laying houses during the winter months has become a common practice on many poultry farms, especially on the commercial farms in the northeastern section of the country and on the Pacific coast. The use of artificial lights does not increase the annual production of eggs as much as it increases the proportion of eggs laid during the fall and winter months, when egg prices are relatively the highest. The lights are used from about the first of November to the latter part of March.

In an experiment conducted by the United States Department of Agriculture, in which one 75-watt light was used in each of two pens of 50 White Leghorn pullets, it was found that 50.2 and 60.6 dozen eggs more were produced respectively than in two check pens



Fig. 24.—A group of small farms in California where every farm is entirely devoted to commercial poultry farming

of the same number of White Leghorn pullets, which were not lighted, the experiment running from November 1 to March 20.

The lights were turned on at 4.30 a.m. and were kept on until daylight, being turned off by the poultry man when he fed the fowls in the morning. Some poultry men use lights in the morning and evening, usually having the lights on approximately one hour at each time. Whether lights are used in the morning only or during the morning and evening, they should not be kept on for a longer time than will give the laying stock from about 12 to 13 hours of working time. An excessive use of artificial lights is harmful, particularly in the case of breeding stock. Again, if lights are used in the evening a special dimming device is necessary so that when the bright lights are turned off enough light may still be left to allow the hens to see the roosts. Another method used by many poultry men is to use the lights for one hour during the night, frequently from 8 to 9 o'clock or from 9 to 10 o'clock. The birds

are fed at this time and thus get an extra feed every day. With this

method a dimming system must also be used.

The outstanding advantage in the use of artificial lights in the laying houses is to increase feed consumption, which in turn gives rise to increased egg production. As stated previously, an excessive use of lights is to be avoided, but where they are used judiciously the layers can be kept in better physical condition than when lights are not used and egg production is increased at the time of year when it is of the greatest economic value.

The culling of laying flocks.—A study of the physiological changes incident to continuous egg production and the correlation of body characters with the ability to lay well has led to the system of culling laying hens. This practice has had a remarkable influence in the more successful management of thousands of flocks. Poultry men have unconsciously learned to study their birds individually, and the importance of selecting for any purpose whatever is more thoroughly appreciated.



Fig. 25—Egg-laying contests at one of the State experiment stations. The egg records obtained at these contests have greatly stimulated interest in the culling of flocks

Another great service that culling has rendered the poultry industry of the country has been to impress upon the minds of those concerned that selection means greater efficiency in production, and that even without the introduction of new blood the quality of the stock can be greatly improved. Moreover, the practice of culling yearling hens on the basis of past production will finally lead to the more efficient culling of pullets for future production. This will mean that unprofitable producers can be eliminated from the flocks

at the commencement of the laying season.

The accreditation of hatcheries.—The business of hatching and selling baby chicks by commercial hatcheries operated for this purpose exclusively has become of very great importance in the development of the American poultry industry. Large numbers of hatcheries are now operating in all parts of the country, and several million chicks are sold annually by these hatcheries alone. For the most part they are located in what may be called community poultry centers—that is, where there is a sufficient number of flocks to supply eggs enough to keep the hatchery in operation for about four or five months of the year. Some of the hatcheries secure their hatching eggs from flocks of all kinds, whereas others secure their from

selected flocks over which the hatchery operators exercise some control in respect to maintenance of breeding stock of certain quality

only.

During recent years there has been widespread interest among hatchery operators and buyers of baby chicks in the adoption of a scheme to insure the production of chicks of the highest possible quality. From this there has grown a demand for official inspection and regulation of hatcheries and of flocks supplying eggs for their use. The system of official control in some States has developed through cooperation between hatchery operators and the State department of agriculture or poultry department or the poultry extension service of the State agricultural college or the State farm bureau, or all four of these organizations working together.

The fundamental features of the accredited hatchery system in the different States are essentially the same, only the more important of which need be mentioned. The flocks supplying eggs for the hatcheries must contain nothing but purebred birds, and the birds used as breeders must also be inspected by an authorized in-




Fig. 26.—Typical commercial poultry farm in the Northeastern States. This type of farm usually contains about 5 acres, which is entirely devoted to maintaining about 1,500 White Leghorn hens. The main product is market eggs

spector. Each bird must conform, in a reasonable degree, to the standard for the breed and variety set forth in the American Standard of Perfection. In addition to this every bird must be healthy and vigorous, and the female must conform, in a reasonable degree, to the best known standards for egg production. The hatcheries shall not use any eggs for hatching except those coming from inspected flocks. The incubators used by the hatcheries must be thoroughly disinfected after each hatch and every effort must be exerted by the hatchery operator to produce chicks of only the highest quality. The containers used for shipping chicks must be approved by an authorized inspector. Also, the hatchery operator is usually required to keep a specified set of records concerning the number and kind of eggs incubated as well as the number of chicks hatched, and other information concerning the sale and shipment of chicks. The chicks are usually sold under a State trademark which serves as a guarantee of the superior quality of the chicks. For the most part, the State-accredited hatchery schemes are self-supporting, fees and expenses being supported in part by the hatchery operators themselves. The adoption of the hatchery system has meant a very great deal in respect to the improvement of the quality of chicks hatched sold during the past few years. The extent to which the accredited hatchery system becomes nation-wide in its scope, the greater will be the benefits to the baby-chick industry, which has already assumed enormous proportions to the poultry industry as a whole.

The Turkey Industry

Turkey raising in the United States has long been an important enterprise because of the large quantities of turkey meat consumed annually. Since there is always likely to be a keen demand for such a popular article of diet, it is desirable to encourage the raising of turkeys to meet this demand.

Turkey raising is a very adaptable enterprise, since these fowls are being raised in practically all parts of the United States. The



F.G. 27 -Number of turkeys, ducks, and goese on farms as shown by the census of 1920

census of 1920, the latest figure available, shows the six leading States in production of turkeys to be Texas, Missouri, Oklahoma, California, Kentucky, and Virginia. An enormous number of small flocks are raised annually on grain farms, and there are also many large commercial flocks. Formerly large numbers were raised in New England, but in recent years there has been a decided decrease. There have been decreases in other parts of the country as well, and this has resulted in a marked decrease in the number raised in the country as a whole. According to the census of 1900, there were on farms in the United States 6.594.695 turkeys; in 1910 there were 3,688,708; and in 1920 there were 3,627,028. Although the census enumerations were taken at different times of the year, the totals are fairly representatives of the trend in numbers.

Several causes have been assigned for the decrease in the number raised. The rearing of the young stock, in some respects at least,

requires more detailed attention than is the case with most other classes of poultry. The prevalence of blackhead has been a dominant factor. The birds range widely and frequently trespass upon the property of neighbors, the vexation tending to discourage turkey raising. Finally, little attention has been given the more important problems of the industry by investigators and others interested.

On the other hand, there is opportunity for further development. Turkey raising is profitable, particularly where conditions are suitable and proper methods of management are followed. Turkeys can be raised successfully with very little equipment, so that the capital outlay in the enterprise is small. Except during the growing season, the management of the flock is a fairly simple matter. Of course, considerable care must be exercised in maintaining constitutional vigor in the breeding stock; the flock must be kept rela-




Fig. 28.—Turkeys are driven to market in some of the Southern States. This flock has been gathered from a large number of farms where turkeys are kept in small flocks

tively free from disease; and the soil, especially where the poults are fed, must be kept sanitary. But these factors can be dealt with when proper care is exercised. Moreover, turkeys are inclined to range freely, and in so doing they destroy many injurious insects and pick up much waste grain. This reduces the costs of raising and increases the profits. Prices for live and dressed turkeys have always been considerably higher than those for other classes of poultry.

The Goose Industry

Geese are raised successfully in all parts of the United States, but are most abundant in the Middle West and South. According to the census of 1920, there were reported 2,939,203 geese in the United States, a decrease from 4.431,980 reported in 1910. Illinois, with 195,769 geese, contained the greatest number, but Missouri.

Arkansas, and Iowa each nearly equaled this production. Following these States, but with a considerably smaller number of geese, came Kentucky, Tennessee, Minnesota, North Carolina, and Texas. The ascendency in the number of geese kept on farms has passed very largely from the South Central to the North Central States during the last 10 years. About one-tenth of the farms in the United States reported geese. Geese could be raised profitably on many more farms, because they are hardy, are the closest grazers known, and will get almost their entire living from a good pasture.



Fig. 29.—Flock of geese being fattened for the holiday market. These geese were collected from a wide area from general farms where the raising of geese is a side issue.

The Duck Industry

According to the census of 1920 there were 2,817,624 ducks in the United States on January 1 of that year, valued at \$3,373,966. This shows a slight decrease in numbers from the census of 1910, indicating that the production of ducks in the country as a whole is hardly holding its own. The decrease occurred in the Southern States, but several of the States in which ducks are raised on special duck farms showed an increase in the number of ducks kept. Massachusetts, California, and Colorado showed an increase of about 5 per cent. New York, which contains by far the greatest number of duck farms, located for the most part on Long Island, showed no change in the number of ducks, but as the number raised on commercial farms has undoubtedly increased materially in the last 10 years a decrease in the number of ducks on general farms must have occurred to offset this increase on duck farms. Ducks are most numerous in the following States, arranged according to their production: Iowa, Illinois, Pennsylvania, New York, Missouri, Minne-

sota, Tennessee, Ohio, South Dakota, Indiana, and Nebraska, the number ranging from about 235,000 head in Iowa to 100,000 in Nebraska.



Fig. 30.—Duck farming on Long Island is one of the most highly specialized phases of the poultry industry. Many of these farms market from 50,000 to 100,000 ducks during the first six months of each year

The Guinea-Fow Industry

The value of the guinea fowl as a substitute for game birds, such as grouse, partridge, quail, and pheasant, is becoming more and more recognized by those who are fond of this class of meat, and the demand for these fowls is increasing steadily. Many hotels and restaurants in the larger cities serve prime young guineas at banquets and club dinners as a special delicacy. When well cooked, guineas are attractive in appearance, although darker than common fowls, and the flesh of young birds is tender and of especially fine flavor, resembling that of wild game. Like all other fowl, old guineas are very likely to be tough and rather dry.

A few of the larger poultry raisers, particularly those who are within easy reach of the large eastern markets, make a practice of raising a hundred or so guineas each year; but the great majority of guineas are raised in small flocks of from 10 to 25 upon farms in the Middle West and in the South. Many farmers keep a pair or a trio of guineas more as a novelty than for profit, and from these

a small flock is raised.

The total number of guinea fowl in this country is comparatively small, the number on farms in 1920, according to the census figures being 2,410,421. This number is slightly less than the number of either ducks or geese, about two-thirds the number of turkeys, and a very small percentage of the number of chickens. The census figureshow an increase of 36 per cent in the number of guinea fowl on

farms in 1920 over the number in 1910. Texas showed the largest number, followed by Pennsylvania, Georgia, Alabama, South Carolina, Illinois, Oklahoma, and Missouri.

The Pigeon Industry

Pigeons are kept in all parts of the United States, but most of the large squab-producing plants are found near the large cities in the Northeastern and Middle Western States and on the Pacific coast. Many pigeons are kept as a side issue on general farms in the Middle West and South, but their value is much less than those specially bred and fed for large squabs. Prolific pigeons that produce large squabs are confined in pens on most squab-producing plants; common pigeons, which are less prolific and produce smaller squabs of a poorer quality, are kept on the general farms and are usually allowed their freedom.

The demand for squabs, especially in large cities, is increasing. Squabs are often used to replace dressed game, which is decreasing in this country. The prices received for squabs are high enough to make squab raising return a fair profit wherever there is a good market. Most of the large successful pigeon farms make a business of selling breeding stock and are not devoted primarily to the production of squabs for meat.

The Game-Poultry Industry

In the United States the game-bird market has undergone a complete change within a generation. Formerly this market was as well supplied both in quantity and variety as any in the world, the game consisting entirely of wild birds. Now, after almost complete elimination for a period of years through legal restrictions, the game-bird market, although enormously decreased, is gradually growing. The birds marketed, however, except for certain imported species, are for the most part propagated in captivity.

Between 1870 and 1880 the passenger pigeon was shipped literally by the carload, and a single consignment of prairie chickens to a New York dealer weighed 20 tons. Wild ducks by the tens of thousands were poured into the game markets from all the important hunting grounds of the country. It gradually became evident that an increasing demand, easily catered to because of improved facilities for shipping and marketing, was rapidly depleting the wild stock. Conservation laws multiplied, sale was prohibited, and through a final enactment, the Federal migratory bird treaty act of 1918, the market for wild game birds in the United States was practically closed.

However, this law and also those of numerous States have provisions designed to permit and encourage artificial propagation of game birds and their marketing under restrictions intended to prevent drafts on the wild stock, such as our former experience proved to be incompatible with its maintenance. This legislation has developed unevenly, as is usually the case where the 48 States act independently on a given subject. No fewer than 28 States have fair to good laws on the subject, and at least 12 others have made a beginning. The problem is a difficult one, and game breeders

should realize that there is no disposition to hamper them; rather the almost universal desire is to encourage them so far as can be done without endangering our present standard of protection of wild

game.

The propagation and sale of migratory waterfowl (that is wild ducks, geese, and swans) is legal under regulations issued by the Secretary of Agriculture; in 1922, 4,291 individuals obtained permits to possess, propagate, and sell birds of this class. These game breeders reared approximately 42,800 birds, of which about 12,200 were sold for propagating purposes (including those used for decoys), 10,100 for food, and 8,000 were eaten at home.

The breeding of nonmigratory game birds, such as pheasants and quail, is under State regulation, but statistics as to the extent of the industry are very unsatisfactory. State game departments in a number of instances rear and distribute many pheasants, but this activity can not be reckoned in estimating the commercial importance of the propagation of these birds. Definite totals can hardly be attempted with present knowledge of the subject, but the statement may be ventured that the 13,100 pheasants, exclusive of importations reported, sold for food in New York and New Jersey in 1922 exceeded those sold for such use in other States. The number sold for propagating and stocking purposes doubtless is far larger, but definite figures have been unobtainable. So far as individual propagators are concerned the data available would indicate that, while fewer are engaged in the culture of upland than of aquatic game birds, the numbers of these birds sold for propagation and for food are somewhat larger.

Under present conditions the market for artificially propagated game birds is mainly with others desiring to engage in rearing the birds and to sportsmen for decoys and for restocking shooting coverts. Prices realized from these sources are so high that only a limited demand exists for the birds for table use, mainly by the most luxurious hotels and clubs. So long as the demand for decoy, stocking, and propagating birds absorbs most of the output at fancy prices, it is not likely that production of birds for food will become much more important than it is at present. However, should the rearing of game birds continue to increase, prices would decrease and

a more general market for the birds could be established.

By-Products and Their Uses

Feathers and manure are by-products of the poultry, pigeon, and game-poultry industries and have a commercial value of considerable importance.

Feathers

Feathers are a by-product of the poultry industry, except in the ostrich industry, which, however, is now limited to very few localities and is not extensive anywhere in the United States. Although feathers are a by-product, they are of considerable value and have extensive uses, especially in the manufacture of millinery specialties and in the making of pillows, cushions, mattresses, dusters, artificial flowers, and for other purposes. The value of feathers is affected by the class of birds producing them and by the color. Goose and duck

feathers are usually more valuable than chicken and turkey feathers, and white feathers always command a higher price than colored ones.

Manure

Poultry manure is a valuable by-product of the poultry industry. On many farms and on some commercial poultry plants the manure is returned directly to the land. In other cases it may be collected and sold either as a fertilizer or for tanning purposes. The use of chemicals for tanning, however, has greatly decreased the demand for poultry manure for this purpose. As a fertilizer poultry manure is especially valuable, as is indicated by its chemical composition—1.44 per cent nitrogen, 0.39 per cent potash, and 0.99 per cent phosphoric acid.

Poultry Diseases and Sanitation

Chickens, turkeys, ducks, geese, and pigeons are susceptible to many diseases, some of which are highly infectious and cause a high mortality. They may also harbor various kinds of parasites, some living on the surface of the body and others in the trachea, crop, stomach, intestine, or air sacs.

The contagious diseases which are caused by microorganisms and the weakness and loss of flesh and egg production caused by the larger parasites are the most important conditions which the poultryman has to consider in the endeavor to keep his birds healthy.

The course, lesions, and results of disease in birds naturally correspond with those observed in other animals, but present some variations. Birds as a rule do not show any marked resistance to the more infectious diseases to which they are susceptible, as a large percentage or practically the entire flock may become infected upon exposure. Their ability to recover from a virulent disease is also limited, and the mortality is usually high.

It is unfortunate that there is no satisfactory way of estimating the economic loss from disease in poultry. Were it possible to show by figures the annual cost to the poultry industry of losses through death, impaired vitality, decrease in egg production and in egg fertility as a result of disease, the total would undoubtedly be surprisingly large. Since there are no available statistics on poultry losses due to disease in general, or to any one specific disease, statements as to the economic phase of the subject can only be made in the most general way.

Those who are engaged in poultry-disease investigations, and no doubt those who are engaged with other poultry problems over a large field, realize that diseases of various kinds are extremely common in domesticated birds and that the losses sustained are very great. Although the value of an individual fowl is comparatively small, the tendency of infectious diseases to destroy a large portion of the flock, or cause a marked decrease in egg production, makes the total monetary loss a considerable item and often means failure to the man who is making poultry raising a business.

Among the most important infectious poultry diseases in the United States are bacillary white diarrhea of baby chicks, Bacterium pullorum infection of the egg organs in hens, coccidiosis of all the

domesticated birds and particularly of growing chickens and pigeons, tuberculosis, roup, chicken pox, fowl typhoid, cholera-like diseases, and blackhead of turkeys. All of these diseases occur annually throughout the country, are highly fatal, and are of the greatest economic importance both as a result of the high mortality in infected flocks and the decrease in egg production which they cause.

There are numerous minor infectious and noninfectious diseases of poultry, the aggregate annual loss from which is undoubtedly large, but these luckily do not involve so high a percentage of individuals in the flocks attacked or prove so fatal as the group previously mentioned.

The control of disease in poultry presents problems of a character somewhat different from the control of disease in other domesticated animals, owing to several causes: (1) Because of the close association of fowls in flocks, an infectious disease which gains entrance to the premises is likely to spread rapidly and affect many birds by the time symptoms become apparent to the owner; (2) fowls seem to show less resistance to their natural diseases than do other animals to theirs, and the percentage of affected ones which recover in severe outbreaks is less than is the case in outbreak of disease among larger animals; (3) the same care or nursing can not well be given to fowls that is part of the routine procedure in dealing with other animals; (4) the value of the average fowl does not warrant the time consumed and the cost of treating each one separately, hence individual treatment is not practicable in cases where a large number of birds are affected and measures must be adopted which will do the greatest good through treating the lock as a whole.

The control of poultry diseases must be governed to a large extent by the specific nature of each disease and its avenue of entrance to the flock. Measures which look toward prevention of disease are of the first importance, and if these were generally adopted and conscientiously followed by poultry raisers several of the more important diseases could be checked materially or practically controlled. For instance, bacillary white diarrhea of baby chicks, which results primarily from ovarian infection in hens, could be eradicated if flocks which harbor the causative germ were not used for breeding purposes. Other diseases could be prevented by safe-

guarding against their entrance to the flock.

Sanitation plays an important part in the control and prevention of infectious poultry diseases. Some of the most serious diseases are not influenced by any known method of treatment, and the only hope of stopping an outbreak of disease or lessening the number of its victims is by instituting sanitary measures including frequent cleaning and disinfection of the chicken houses, isolation of the sick, and sterilization of the drinking water by means of an appropriate antiseptic.

Parasites

Most fowls harbor parasites, and no doubt are affected to a greater or less extent by them, depending upon the degree of infestation. Economically, however, the parasitic troubles are relatively of minor importance, as compared with the infectious diseases. At least seven

different species of lice occur on chickens, and still other forms occur on other poultry. Of the many kinds of mites affecting poultry the three most important are the red mites which feed on the birds at night, the depluming-scabies mite, and the scaly-leg mite. Ticks do considerable damage to chickens in the Southwestern States. It is possible and practicable to keep a flock of poultry free from all external parasites, and this should be the aim of every one who is

endeavoring to establish a successful poultry industry.

The principal internal parasites are the gapeworm which attaches itself to the internal surface of the windipe of the young chicken and at times is responsible for heavy losses, the roundworms of the intestine, and the tapeworm. Most chickens are infested with one or more species of parasitic worms. These worms may be present in small numbers and may do no apparent damage. If, however, the birds are kept under conditions favoring the spread and multiplication of the parasites (for example, overcrowding in small pens), the fowls may become heavily infested, and in consequence they may be weak, unthrifty, emaciated, and unproductive. In connection with the use of treatments, preventive measures along the lines of cleanliness and sanitation should be used to keep internal parasites under control.

Marketing Poultry Products

The marketing of poultry products is a highly specialized business which has become of great commercial magnitude. During 1923, more than 16½ million cases of 30 dozen eggs each were required to supply New York, Chicago, Philadelphia, Boston, and San Francisco alone. During this same period there were shipped to these cities over 340,000,000 pounds of dressed poultry. The average

RECEIPTS AND NET COLD-STORAGE MOVEMENT OF EGGS IN FIVE MARKETS. 1923




Fig. 31 -- The line labeled "Net storage movement" shows the net quantity of eggs placed in cold storage or taken out of storage in the five markets each month. When it is above the zero line, it indicates the quantity placed in storage; when it is below the zero line, it indicates the quantity taken out of storage for trade use. The shaded area between the two lines therefore shows the quantity of eggs absorbed by current consumptive demand




Fig. 32.—Cold-storage holdings of eggs in the shell are practically at zero point March 1 of each year and reach their peak about August 1, from which they decline until they reach their low point again on March 1

daily requirements of the district served from New York City were over half a million dozen eggs, about 450,000 pounds of dressed poultry, and nearly 35 carloads of live poultry. These products must be gathered from the farms where they are produced, concentrated for shipment, graded, packed, transported, perhaps placed in cold storage and distributed through the jobbing trade to the retailers before they finally get into the hands of the consumers. Each step in the marketing process requires labor, money investment, skill, specialized knowledge, and risk. All these costs and processes, coupled with the great distances which most poultry prodnets must travel when marketed in commercial quantities, necessitates the saving of time in handling and the prevention of waste and loss in so far as possible. In consequence the various marketing functions have been divided to a large extent and are performed by different groups, and specialization in each of them naturally has taken place to a marked degree.

The production of poultry and eggs is not uniform but fluctuates greatly with the season. Spring is the natural season of reproduction for all poultry and in spite of changes and improvements in management designed to shift a part of the production to other seasons, the spring and early summer will continue to be the seasons of greatest egg production. (See fig. 21.) They are also the seasons during which the great bulk of chickens must be hatched and reared, with the result that most of them will continue to go forward to market during the fall and winter seasons. The present marketing practices which have been developed to cope with this seasonal production will therefore continue to be needed and to add complexity to the problem of successful marketing.

Both eggs and dressed poultry are highly perishable products. Unless they are marketed promptly after they are produced or are handled under conditions which are suitable for preserving their

quality, they will deteriorate very rapidly and eventually spoil. Since spoilage means loss and deterioration means a lessened value, methods of handling, processing, grading, and transporting have been devised to prevent this, and this again has increased the tendency toward specialization and complication of the marketing process.

There is a wide variation in the quality of poultry products as they enter the channels of trade. A part of this is due to natural differences in the original product. A part is caused by deterioration that has occurred after production and which may be due either to poor handling or to delay in marketing. With this variation in quality existing, it is usual to examine these products at one or more points during the journey to market and to sort or grade them according to quality if they are to be placed in the consumptive channels best suited to them and if the best prices are to be realized for them. Such sorting or grading, although necessary, introduces additional processes in the system of marketing.

Methods of Handling Eggs from the Farm to the Consumer

The channels of trade through which eggs reach the terminal markets are too numerous and too varied to attempt to describe them all in detail. In a broad way these channels may be divided into those in which the eggs are shipped by the producer direct to the terminal market and those in which the eggs pass through a concentration point after they leave the hands of the producer, there to be combined with other similar lots for shipment to the terminal market.

COLD-STORAGE HOLDINGS OF EGGS, UNITED STATES AND FIVE MARKETS, THREE-YEAR AVERAGE, 1921-1923




Fig. 33—On April 1 the holdings of storage eggs in the five markets constitute about 44 per cent of the holdings of the entire United States. The proportion in the five markets increased slightly until it was over 46 per cent on August 1, the time at which the holdings were greatest. As the eggs were drawn out of storage the proportion gradually increased still further, owing to the more rapid rate of withdrawal from storages outside of the five markets, until it amounted to more than 66 per cent or February 1

Among the channels followed by shipments made direct from producers to terminal markets may be mentioned producer to consumer, producer to retailer, restaurant, etc., and producer to city jobber or wholesale receiver.

Producer to consumer.—This channel is utilized principally by those producers who live in fairly close proximity to the terminal market or who are within easy shipping distance. The establishment of a city route by the producer which he serves regularly on certain days is one means of securing the necessary contact with the consumer. This form of producer-to-consumer selling is, of course, limited by the necessity of a suitable location but is one which is undergoing development in favorable localities at the present time. This method of marketing requires more time and effort but should result in better prices than can be secured through most other methods.

Another means of establishing direct trade between the producer and consumer is a modification of the above where the producer on

POUNDS MILLIONS 40 35 30 1921 25 20 923 15 1922 10 5 FEB: MAR. APR. MAY JUNE JULY AUG. SEPT. OCT. JAN. NOV.

COLD-STORAGE HOLDINGS OF FROZEN EGGS, UNITED STATES, 1921-1923

Fig. 34.—The cold-storage holdings of frozen eggs show a general tendency to increase after the flush egg-producing months of spring, reaching their highest point about September, after which there is a gradual decrease until the following spring. The quantity of frozen eggs in storage is much smaller and varies within narrower limits than the holdings of shell eggs. The movement of frozen eggs out of storage differs from that of shell eggs in not being reduced to the zero point and then built up again with entirely new supplies. Frozen eggs can be held over from one season to another, whereas it is not feasible to do so with shell eggs.

certain days takes his eggs to the city and disposes of them at the public market. In this manner it is possible to establish a regular clientele which seeks out the producer at the market instead of the producer going to the consumer's door.

Parcel post is another channel through which a direct trade between producer and consumer is carried on. Because the postal charges increase with distance, most parcel-post trading is limited between points within the second zone. Shipments are usually made

at regular prearranged intervals and several dozen sent at a time

to reduce the shipping cost per dozen.

Where producers live on well-traveled automobile roads, a considerable quantity of eggs is sold at the farmers' doors. Many city dwellers who own automobiles form the habit of motoring to the farm of some producer for their eggs either because they can secure a product of superior quality or because they can often purchase more cheaply there, quality considered, than they can in the city.

In any system of direct dealing in poultry products between the producer and the consumer it is essential that the quality of the product be given careful consideration. Consumers buy from producers partly because they expect to get a fresher, better product. If their trade is to be held, it is of the utmost importance that their confidence and expectations are not disappointed.

Producer to retailer.—A fairly common outlet for eggs is the shipment by the producer to a retailer, hotel, restaurant, soda fountain, or hospital in the city. Often this furnishes a most advantage of the city.




Fig. 35—The prices of Pacific Coast White Extras and nearby Hennery White Extras show a very close agreement because of their high quality and the demand which exists for the product of such quality. The slightly higher price of the Pacific coast eggs in 1921 was doubtless due to the closer grading and greater uniformity of the eggs and the better packing. Since a quotation has been established on the New York market for New Jersey eggs as packed by the Producers' Cooperative Association of that State, the price of this grade has averaged higher than the Pacific coast eggs. Fresh Gathered Firsts, which are mainly eggs from the Middle West, exhibit the same general price tendency but range considerably lower, the difference in price being greater during the summer and fall than during the spring. The greater price spread during the former season is due to the greater difference in quality during the beated season and also to the fact that the users of this grade turn to storage eggs to a considerable extent when prices become high, which lessens the demand and tends to hold the prices lower. Storage Packed Firsts run several cents higher than Fresh Gathered Firsts, owing to the more careful grading and better packing which are essential in eggs to be placed in storage. Refrigerator Firsts, which are the Storage Packed Firsts as they come out of storage, show a price level several cents higher than the latter, an increase which normally represents carrying charges and profit. The tendency is for the price of Refrigerator Firsts to rise during the fall and winter with that of Fresh Gathered Firsts, but not to the same extent

tageous market, the price frequently being agreed upon in advance either at a flat rate throughout the year or at a stated advance above the wholesale market price of eggs of a certain grade. One of the difficulties in the way of this system of marketing is that production must ordinarily be sufficient in amount to allow fairly frequent shipments in case lots and also that this class of trade frequently insists upon a specified quantity delivery each week throughout the year. To furnish this quantity at the season of low production requires a flock of such size that there will be a considerable surplus during the rest of the year which must be disposed of in some other way. In this outlet quality is again a question of paramount importance if the customers are to remain satisfied.

Producer to city jobber or wholesaler.—Undoubtedly most eggs shipped by producers to the terminal market are sent to jobbers or wholesale receivers. Eggs handled in this way are shipped largely by express from all sections within a reasonable distance of the market. It is this outlet which is used by producers who desire to make their own shipments to market but who do not wish to give the time and necessary effort to take advantage of any of the other channels to terminal market outlets previously described. Among the agencies handling eggs which reach their market through a concentration point may be mentioned the country store, the huckster, the local buyer, the poultry and egg-packing house, the cream-

ery, and the cooperative association.

The country store.—In general farming sections at a considerable distance from the large consuming markets it has long been the custom for country stores to handle the eggs of their farmer customers. This has been done largely as a convenience to the store's patrons and because it attracted trade, rather than through a desire on the part of the storekeeper to engage in the egg business. The eggs are taken in either for cash or in trade, usually the latter. They are commonly purchased on a case-count basis—that is, a flat price per dozen without regard to the quality of the eggs or even whether they are good or bad. Such a system means, of course, that an average price is paid for all qualities and that the price of good eggs is enough lower than it should be to cover the loss on the poor eggs. Under such a system, where quality receives no recognition, there is no incentive to produce a good article. The country store has undoubtedly been one of the greatest factors in encouraging careless and dilatory handling of eggs and is responsible for a great deal of the deterioration and loss which occurs. Because the store usually has no facilities for holding the eggs, further deterioration in their quality is likely to occur before they are shipped. When the storekeeper gets a sufficient number of eggs on hand to make it worth while, or when he finds it convenient to do so, he ships them to an egg packer or

The huckster.—The huckster makes a business of going through the country with a wagon or automobile truck buying eggs at the farms or from storekeepers. He may be working independently, or he may be an agent of the egg packer. In former years hucksters used wagons altogether and frequently made trips of several days or a week's duration. Under these conditions the eggs suffered severe deterioration in quality. At present most hucksters use automobile trucks and bring in each night the eggs which they have gathered during the day. With proper protection of the eggs from the sun and rain and from jolting or rough handling and with routes established which are covered regularly and frequently, eggs

of very good quality are secured by this system.

The local buyer.—In many small towns egg buyers are located. These men may be in business for themselves or may be buying for an egg packer. Their egg business, unlike that of many country stores, is on a cash basis, and they are more likely to buy on a loss-off basis—that is, to throw out and refuse to buy any bad eggs or to offer the seller his choice of a case-count or loss-off basis with a higher price named if he agrees to the latter. In some localities or States these buyers operate on a quality basis—that is, they divide the marketable eggs into two or more grades and graduate the rate of payment according to the quality of the eggs. Too often these buyers are inadequately equipped with proper facilities for handling the eggs without deterioration, but since they follow this as a business they are more likely to ship promptly and therefore avoid much of the loss and deterioration which the storekeeper incurs.

The poultry and egg packer.—The poultry and egg packer constitutes the principal concentrating agency of the great poultry




Fig. 36.—By proper handling and careful grading the cooperative marketing associations composed of Pacific coast producers have been able to standardize the quality of their eggs and to establish an outlet for them on the New York market, where the high-grade demand is for eggs of the kind produced on the Pacific coast. The prices obtained are sufficiently above the San Francisco market to pay the cost of shipment across the country and still yield a profit

and egg producing section of the Middle West. Receiving shipments from producers, storekeepers, hucksters, and local buyers, the packer grades and combines these lots and ships them forward to the final market in large lots, usually straight car lots of eggs or dressed poultry or car lots of eggs and dressed poultry mixed. The up-to-date packer has an establishment equipped with chill rooms for holding eggs under proper temperature conditions, and appre-

JAN.

FEB.

MAR

APR.

MAY

ciates the necessity for chilling and handling the eggs promptly. In consequence deterioration is largely checked or much slowed down after the eggs reach the packer's hands. Shipments of eggs by the packer generally go to the city wholesale dealer or to the cold-storage warehouse.

The creamery.—In some sections of the country creameries make a busines of handling the eggs brought in by their patrons. This is more especially true of cooperative creameries. Because the creamery often has chill-room facilities which it can utilize for the eggs, because the patrons are more likely to deliver their eggs frequently and therefore in a fresh condition, since they must deliver their milk or cream at regular and frequent intervals, and because

SEASONAL VARIATION IN FARM AND MARKET PRICES OF EQGS, FIVE-YEAR AVERAGE, 1910–1914; THREE-YEAR, AVERAGE, 1921–1923 CENTS PER DOZ 60 Market Price 1910–1914 10 Farm Price 1921–1923

Fig. 37.—The farm price of eggs shown is an average of the prices received by producers in the States of Ohio, Indiana, Michigan, Illinois, Wisconsin, Minnesota, Iowa, Missouri, Kansas, and Nebraska. The New York price is the wholesale price of Fresh Gathered Firsts, a large part of which comes from the States named. The farm and market prices are very close together during the late winter and early spring, and gradually separate during the summer and fall until November, when they are farthest apart. This increase spread is doubtless due to the greater deterioration which occurs during the heated portion of the year and to the tendency of producers to hold eggs in the fall on a rising market. As a consequence, the quality of the farm eggs approximates less closely the quality purchased on the terminal market, so that the losses in candling and grading are greater and must be covered by the difference in the buying and wholesale prices

JUNE JULY

AUG

SEPT

NOV.

DEC.

the outlets for butter and eggs are generally closely related, the creamery is a logical agency for handling the eggs of a community. Shipments of the eggs received, like those of the butter made, usually go to a city wholesale receiver.

The cooperative association.—In some sections, particularly where egg farming is highly developed, egg producers have banded themselves together into cooperative associations which act as the marketing agencies for their members. In some cases these associations undertake only the concentration, grading, and shipping of the eggs, placing the terminal market distribution in the hands of private agencies already established; in other cases the distributing

functions of the terminal market wholesale dealer and, to a less extent, those of the jobber are assumed by the association. Interest in the development of cooperative egg-marketing associations is widespread at the present time, and they are becoming an increasingly important factor in the marketing of eggs.

Methods of Handling Poultry from Farm to Consumer

Live poultry.—A very large part of the poultry marketed leaves the hands of the producers alive, largely because producers have not the proper facilities for dressing and they are not skilled in the




Fig. 38.—The excess of receipts during the season of flush production depresses pines until they reach a point where it pays to place eggs in cold storage and hold them for the period of scarcity, when prices are higher. Consequently storage holdings accumulate during the season of flush receipts and low prices and are drawn upon for use during the season of light receipts and higher prices. If production and receipts were uniform throughout the year, the price also would remain more nearly uniform and there would be little need to hold eggs in cold storage.

operation. It usually pays them best, therefore, to sell alive and to allow other agencies to dress such of the poultry as conditions require.

The producer usually ships live poultry to the city wholsale receiver or sells to a local buyer or to a poultry packer. His location with respect to market influences his choice of an outlet. If within easy shipping distance of a good market, he usually ships there. If more remote from market, he sells to the local buyer or ships to the poultry packer or car-lot shipper. The car-lot shipper of live poultry concentrates the small shipments from producers and local buyers and forwards them to market in car lots. The poultry packer also often ships car lots of live birds when market conditions are more suitable for shipment alive than dressed or when the volume of receipts is greater than he can fatten and dress out. The demand for live fowl at the time of the Jewish holidays of the spring and fall is an important factor in drawing heavy shipments at that time.

Shipments of small lots of live poultry are made either by express. freight, or automobile truck in coops covered with wooden slats, rods, or wire netting. Shipments in car lots by freight may be made in ordinary stock cars by piling the coops along each side of the car. Special cars for shipment of live poultry are in common use. These have 128 compartments, 64 on each side of the car, built in tiers extending from the floor to the roof. The outside of the car is covered with wire netting to provide good ventilation. A small space at the center of the car accomodates a supply of feed and the attendant who must accompany the shipment to feed and water the birds while en route. Such a car has a capacity of about 4,600 chickens, from 2,000 to 2,400 geese and from 1,200 to 1,500 turkeys.

Dressed poultry.—As previously stated, most poultry is marketed alive by the producers. Some is dressed and shipped to market when the distance is not too great, but there is always the risk of spoilage in addition to the added trouble of dressing. Certain specialized types of poultry farms, such as the duck farms of Long Island, make a practice of dressing most of their output and shipping it iced in barrels. But the greater part of the dressed poultry received at the large eastern markets comes from the Middle West and is dressed and shipped by the large number of poultry-packing establishments located there.

The poultry packing house's supply of live poultry reaches it by wagon or automobile truck, by express, or by freight either direct from the producer or from the local poultry buyer. Many of these establishments have a feeding station in connection with them where much of the young stock which is received in a rather thin condition is fattened for a period of 10 days to two weeks and where many of the hens are also fed for a few days to improve their condition and color. Other establishments dress out the poultry received without preliminary feeding. Most of the poultry is dressed during

the late summer, fall, and early winter months.

When ready for dressing, a bird is taken in hand by an expert killer and picker, bled by cutting the veins in the throat, struck to loosen the feathers by running the point of the knife into the brain, and is then rough picked, that is, the bulk of the feathers removed rapidly. The bird is next turned over to a pinner, often a woman, who finishes the plucking by removing all the pinfeathers and any other feathers left on the carcass by the rougher. The head is then wrapped in paper and the carcass is hung or laid on a cooling rack. As soon as a rack is filled, it is run into a chill room which is maintained at a temperature of 30° to 32° F. and left there for about 24 hours. At the end of this time the body heat will have been entirely removed from the carcasses, a step essential to good keeping quality, and they will be ready for grading and packing. The method of picking described is called "dry picking," and birds so picked are preferred in most markets because of their better appearance. Dry-picked birds also keep better in cold storage than scalded birds. Some poultry is scalded, but this is mostly stock of the lower grades or else is stock intended for markets which show no preference for dry-picked poultry.

As soon as the dressed poultry is thoroughly chilled it is graded by class, quality, and weight and packed for shipment. At present most dressed poultry is box packed. Each box holds 12 carcasses, which may be packed in a single layer with the breasts up, in a double layer with the sides up, or in other styles, depending upon the class of the poultry and market requirements or the individual requirements of the packer. Some poultry is also packed in barrels. The barrel pack is used mostly, however, for lower-grade stock, such as old cocks. As soon as packed the boxes or barrels, if they are to be shipped soon, are placed in a chill room where the temperature is about 30° to 32° F. and held there until they are loaded into the car for shipment. If the packages are to be held for some time before they are shipped, they are placed in a sharp freezer where the temperature is from 5° F. to -10° F. and frozen solid. They are then removed to a room where the temperature is about

COLD-STORAGE HOLDINGS OF DRESSED POULTRY IN UNITED STATES,




Fig. 39.—Because the quantity of poultry which arrives on the markets in the fall and winter months is in excess of the immediate market demands, the surplus is placed in cold storage and held until the season of shortage, which occurs during the late winter, spring, and summer months. With storage an adequate supply of all classes is available throughout the year. Although the greatest average quantity of poultry in storage at one time during any year appears large, approximately 100,000,000 pounds, this is less than 1 pound for each person in the United States

10° F. for further holding. Poultry packed and handled in this way without ice is called dry-packed poultry, as distinguished from poultry packed in ice.

Dressed poultry is shipped to market either in straight car lots, which is preferable, or in mixed car lots with some other perishable product, such as eggs or butter. Refrigerator cars must be used. The car is usually iced with a mixture of crushed ice and about 10 per cent salt in order to secure a temperature sufficiently low to insure the poultry carrying in good condition. If eggs and dressed poultry must be shipped in the same car, the packages of poultry should be placed next to the ice bunkers and along the floor of the car where the lowest temperatures occur, the eggs being placed near the center and toward the top of the load. Reversal of these positions is likely to result in damage to the eggs from freezing and may not carry the poultry in the best condition.

Where refrigerator-car service is not available, where the quantity of dressed poultry to be shipped is comparatively small, or where the distance to market is short, ice packing is sometimes used. The dressed poultry after thorough chilling, which is often accomplished in ice water or cold running water, is packed in barrels in layers, alternating each layer of poultry with a layer of cracked ice, while on top of the barrel is heaped a generous header of ice. Carcasses are sometimes packed with their backs against the barrel, with the feet and legs toward the center, and the hollow space at the center filled with a core of cracked ice. Dry packing, under most conditions, is superior to ice packing. Small lots of dressed poultry, especially when shipped by producers, is often sent to market by express without icing when the haul is short and the weather cool. In hot weather, however, the poultry should be iced.

Market Distribution of Poultry Products

The typical agencies of distribution in the larger markets consist of wholesale dealers or receivers, jobbers, and retailers. In general, the wholesale dealers receive their supplies of poultry and eggs from shippers, usually in comparatively large lots. These they distribute to the jobbers and to large users such as chain-store organizations. The jobbers, in turn, distribute their supplies to the retailers and may do some grading to meet the needs of the particular retailers which they serve. Jobbers usually operate a delivery service. When the products reach the hands of the retailers they are, in turn, sold to consumers, either in the jobbing grades as received or after a still more refined grading on the part of the retailers.

The functions of these various dealers are not always clearly separated. The wholesale dealer may do some jobbing business, whereas the jobber may act as a receiver to some extent. In the smaller markets in particular there is a tendency for the services of the wholesale dealer and the jobber to be combined in the same hands. The various classes of dealers may operate in eggs or dressed poultry alone or in both. Most dealers in live poultry confine their operations to that line, although this business is sometimes combined

with dressed poultry and less often with eggs as well.

Cold Storage of Poultry Products

Cold stroage of dressed poultry and of eggs plays an important part in the marketing of these products. The production of eggs is decidedly seasonal in character. During the spring and early summer months production is at its height and the quantity available for market is far in excess of the consumptive demand at that time. In the fall and winter months, on the contrary, the marketable surplus of eggs of current production is far below the demand for consumption. Before the advent of cold storage of eggs there was no efficient means of holding over commercially the surplus crop of the season of flush production to the season of scarcity. In consequence the prices of eggs were very low during the spring and summer, often being so low that it did not pay to gather and market

the eggs. In the fall and winter, on the other hand, the prices shot up very high relatively, but even at such prices eggs were not avail-

able for free use by the majority of the population.

With the advent and commercial development of cold storage this condition changed. The surplus egg crop of the season of flush production is now placed in cold storage and held in a wholesome condition until the period of scarcity, when it is drawn upon to supplement the inadequate supply of fresh-laid eggs produced at that time. Owing to the demand for eggs for storage in the spring, the prices of eggs, while still at or near the lowest point of the year during this period, are kept from sinking to the ruinously low levels previously reached. Similarly, the available supply in the warehouses during the fall and winter, although it does not interfere with the sale of high-class fresh eggs at highly satisfactory prices, furnishes eggs at a moderate price to the great majority of consumers who otherwise would be able to use eggs only to a limited extent, if at all. The maintenance of the price of eggs at a level in the spring, which is profitable to the producer, is of far greater importance to the average farmer than extremely high prices in the fall, because most of the eggs available for market are produced during the former season. (See figs. 37 and 38.)

Therefore the cold storage of eggs acts as a market stabilizer in two respects: (1) As a stabilizer of price, modifying extremes in either direction, and (2) as a stabilizer of market supply, making eggs an article of food available to all throughout the year. The maximum holding of eggs in cold storage in the United States in 1923 amounted approximately to 315,000,000 dozen, or about 14 per cent of the total estimated farm production for the year, and oc-

curred about August 1. (See figs 32 and 33.)

The movement of eggs into storage normally begins in a comparatively small way in March, proceeds at a rapidly accelerated rate during April and May, slackens perceptibly during June, and is concluded with a comparatively small movement into storage during July, the high point in storage holdings being reached about August (See figs. 32 and 33.) The movement of eggs out of storage normally begins slowly in August, becomes more rapid in September and October, reaches its most rapid rate during November and December, and then gradually tapers off until the storage warehouses are practically emptied by March 1. Contrary to the opinion commonly held, eggs are not carried from one storage season into another, for the reason that eggs will not keep sufficiently well during such a long period of storage and also because the storage charges would make such a practice unprofitable. Another fact, often misunderstood, is that the companies operating the storage warehouses seldom own any of the eggs which they are holding. These eggs, are owned by shippers, by speculators, by receivers or dealers, or by companies which have outlets for the eggs in connection with their regular trade. The business of the warehouse companies is to rent to the owners of these eggs the space in which to store them and also to a considerable extent to advance money on the eggs held.

The laws of many States define as cold storage all eggs which have been held at a temperature of 40° F. or less for 30 days or more,

not counting refrigeration in transit, and require them to be sold only as cold-storage eggs. Such laws often provide that the egg cases must be marked with the date on which they were placed in storage and with the date they were taken out, and place a limit on the length of time eggs can be held in cold storage and be sold for human consumption.

Eggs produced in April are commonly considered to be the best storage eggs. This is because they are produced and traverse the various market channels to the storage warehouse during a period when the weather is still cool and favorable. As a result they go into storage in better condition than eggs produced during later warm weather, and they very naturally come out in better condition at the end of the storage period. Eggs for storage are carefully graded

COLD-STORAGE HOLDINGS OF VARIOUS CLASSES OF DRESSED POULTRY, UNITED STATES, THREE-YEAR AVERAGE, 1921-1923




Fig. 40.—Rousters form the largest class of dressed poultry held in cold storage, followed in order by fowl, broilers, and turkeys. Owing to their younger age when ready for market, the holdings of broilers in storage begin to increase earlier in the fall than do the other classes. Fowls are marketed to some extend throughout the year, but roasters reach the market during a limited season only This means that there is a greater excess of roasters over immediate consumptive needs than there is of fowl, which results in the accumulation of greater storage holdings of the former

and are packed in new cases, fillers, and packing material. Eggs so packed are called "storage-packed" eggs. Eggs for storage should be of good quality and should contain no dirty, cracked, or

washed eggs, as these spoil more quickly.

The cold-storage rooms for eggs must be sweet and clean, and should be maintained at a temperature as close to 30° F. as possible and at a humidity of about 86. Other products should never be stored in the same room with eggs, as the latter are very likely to absorb foreign odors and flavors. During the last few years several methods of processing eggs have been devised which consist of dipping them in hot mineral oil solution for a few seconds. The purpose of this is to seal the pores of the eggshell and thus prevent or lessen the evaporation of moisture from the eggs and the absorption

of flavors and odors. These processes are used principally with eggs which are to be placed in cold storage as a supplemental precaution to insure the best possible quality in the eggs when they are removed from storage for sale.

Figuring profit on the storage of eggs is not simply a matter of comparing the price at which eggs go into the warehouse with the price at which they come out. Before a profit can be realized a number of costs must be covered by the price advance, such as rental of storage space, insurance, interest on advances made, losses due to spoiled eggs, possible lowering of grade due to deterioration, and possible rehandling and other miscellaneous costs. It must be remembered also that while the into-storage price usually represents a wholesale price, the out-of-storage price often represents a jobbing price, which is therefore not strictly comparable.

Although there is more or less movement of both live and dressed poultry (figs. 41 and 42) to market throughout the year, there are

POUNDS MILLIONS 70 60 40 30 20 1923 1922 10 MAY JUNE JULY AUG.

SEASONAL VARIATION IN RECEIPTS OF DRESSED POULTRY, FIVE MARKETS, 1921-1923

Fig. 41.—The receipts of dressed poultry on the five markets are heavy during the fall and early winter months and are much less and quite uniform during the rest of the year. During the months of heavy receipts the markets are oversupplied for immediate needs. At this time, therefore, the eveess is placed in storage, which is later drawn upon to supplement the receipts of the spring and summer months, which are below market requirements

well-defined periods of relatively flush and relatively scanty production and movement of this commodity. Flush supplies reach the market in the fall and early winter months, when hens have finished their laying for the season and when the crop of chickens hatched in the spring and early summer begin to reach marketable size. Consequently the cold storage of dressed poultry serves the same purpose as the cold storage of eggs. It makes available throughout the year certain classes of poultry, such as broilers and roasters, which otherwise would be on the market in quantity only during a portion of the year. It also serves as a stabilizer or equalizer of the general supply between the period of flush production and the period of scanty production. The reserve supply of frozen poultry always available serves also as a price stabilizer, preventing extreme fluctations in the price of fresh-dressed poultry during periods of relative scarcity or the occurrence of temporary shortages.

Dressed poultry is held in cold storage in a frozen condition at a temperature of about 10° F. The low point in storage holdings of dressed poultry occurs about September or October 1. From this time on the holdings increase rapidly until they reach their high point about January or February 1 and then decrease gradually until they reach their low point again.

COLD-STORAGE HOLDINGS OF DRESSED POULTRY, UNITED STATES AND FIVE MARKETS, THREE-YEAR AVERAGE, 1921-1928 **POUNDS** MILLIONS 100 90 United States 80 70 60 50 Markets 40 30 20 10 FEB. MAR. APR. MAY JUNE JULY AUG. SEPT. OCT. NOV.

Fig. 42—The movement of dressed poultry in and out of cold storage in the five markets follows very closely that of the country as a whole—Although the proportion of holdings which are stored in the five markets varies somewhat at different seasons, it amounts approximately to 70 per cent of the total holdings

Manufacture and Use of Frozen and Dried Eggs

Where eggs are handled in large numbers at concentration points in the producing territory, there will always be found among them a considerable number which are cracked, and therefore unsafe for shipment, and others which, while still edible, are dirty or so far weakened that they will not stand shipment and arrive at market in good condition. Consequently some establishments make a business of breaking such eggs out of the shell and freezing them solid to make their shipment possible and to check any further deterioration in their quality. Egg-breaking units in connection with egg packing houses are therefore largely salvaging units and save for human consumption considerable quantities of eggs which otherwise would be wasted to a large extent. A good many packing houses do not have breaking units but sell eggs of this character to plants within easy shipping distance which do have these facilities. Dealers in the terminal markets often make a practice of breaking out any badly cracked or leaking eggs which they find on candling the

eggs received, and selling them to bakers in liquid form without freezing for immediate use. Stock suitable for breaking may also be sold to an egg-breaking establishment if one is located in the market.

The product of the egg-breaking establishments of the United States consists almost exclusively of frozen eggs. These may be put up as whole or mixed eggs or may be whites or yolks frozen separately. Formerly some dried eggs were manufactured, but at present the bulk of the dried eggs used here is a Chinese product.

The breaking stock is first carefully candled to remove as far as possible all eggs which are unfit for inclusion in the frozen product. The eggs are then sent to the breaking room and opened by experienced girl breakers into cups, where they are judged by appearance, smell, and sometimes taste for edibility. This work is done in a refrigerated room which is finished in white and is kept scrupulously clean in order to keep down the bacterial content of the finished product. The girls are dressed in white uniforms and caps, and utensils are sterilized in an adjoining room whenever they come in contact with a bad egg. The eggs as opened and passed are emptied from the cups into a larger container, if whole egg is to be prepared, or are separated into white and yolk as opened if frozen yolk and white are to be prepared separately. The broken-out product is next emptied into a churn, where it is agitated until a homogeneous mixture is obtained. The liquid mixture is then drawn off into cans, each of which holds about 30 pounds of egg, and immediately placed in a sharp freezer at a temperature of about 0° F. It is held in storage at a temperature of about 10° F., which will insure its remaining in a hard, frozen condition.

Dried egg may be prepared by several different processes. spray method consists of spraying the liquid egg into the top of a high chamber which is maintained at a temperature of about 160° F. In falling to the floor the egg spray is converted into a fine powder, which is then ready for packing and shipment. This method is used for whole eggs and yolks. Another method used also for whole egg and yolk consists of feeding the liquid product in a thin layer on a belt which revolves in a chamber heated to a temperature of about 140° F. After a number of layers of the dried egg accumulates on the belt it is scraped off in the form of flakes and is sifted and graded according to size, or may be ground to a uniform size or powdered. Still another method is employed, especially in drying egg white. It consists of drying films of the liquid product on metal pans which are placed in a temperature of about 120° F. The dried material is then scraped off in the form of flakes and sold as egg albumen.

Grading Eggs and Poultry

The grading of poultry (fig. 43) and eggs, like that of other farm products, is a necessary process incidental to successful marketing. Grading consists of the separating or sorting of a product of miscellaneous quality and condition into two or more lots or grades of greater uniformity, thereby making it easier to determine the

market value of the various grades and also making the product better adapted to the various market outlets available.

Frequently the grading of eggs is done more or less completely at more than one stage of the journey to market. When eggs are bought from the producer on a loss-off or quality basis, a preliminary grading takes place at that time. Ordinarily, however, the first grading takes place at the egg-packing house, where all bad eggs are thrown out, breaking stock may be graded out for separate treatment, and where various grades may be made based upon quality and size and upon soundness and cleanliness of shell. After the eggs arrive at the terminal market they are usually candled again by the jobber or some other dealer to remove any bad eggs and to further classify them into grades according to quality and other factors which will make them especially well suited to the



Fig. 43.—After poultry is killed, plucked, and chilled it is graded and attractively packed in small boxes

dealer's trade outlets. Sometimes another grading takes place in the hands of the retailer who desires to refine the grades still more to suit the tastes of his customers.

Since the interior condition of an egg is the principal consideration in determining its quality, the process of candling (fig. 44) by which the interior of an egg is examined is the principle feature of grading. In candling, each egg in turn is held up to a hole about 1½ inches in diameter which is cut in a circular metal screen within which a bright light is located. The candling is done in a dark or practically dark room so that the light coming through the opening in the screen passes through the egg, illuminates it and reveals the condition of its contents in a very satisfactory manner to an experienced operator, especially when the egg is rotated from side to side so as to expose its entire surface and contents to view.

The market standards for eggs vary considerably in the different parts of the United States. Even though the same grade names

are used in different markets, as is often the case, the quality of the eggs represented usually is not identical and may be very different. Grading in all markets, however, is accomplished by the same means, a combination of candling and inspection without candling, and is based upon consideration of the same basic factors. The principal factors considered are size or weight, color, uniformity, condition of shell, size and condition of air cell, condition of white, condition of yolk, and condition of germ spot. Size or weight affects the market value, and in most markets there is a minimum weight for the better grades below which the eggs can not fall regardless of their interior quality without a lowering of the grade. Color is a factor of importance in certain markets. (See fig. 22.)

Uniformity of size, shape, and color affect the market price to some extent, because of the pleasing appearance which uniformity always imparts to a lot of eggs. Condition of the shell affects the grade according to cleanliness, soundness or freedom from cracks, and freedom from irregularities or abnormalities. The size of the air cell is small in a newly laid egg and increases as the egg ages and evaporation of moisture from its contents takes place. fixed position of the air cell and lack of movement of its lower outline is associated with good quality, whereas a movable air cell and waviness of its lower



Fig. 44.—Candling is the principal and most important operation in grading eggs

line are generally associated with loss of quality. The egg white in a fine egg should be clear, free from any foreign matter and firm or relatively thick. The yolk should be held well in the center of a fresh egg by the thick white, should be barely visible as a faint shadow, and should show but a slow movement when turned or twirled. With age and the loss of quality, the yolk becomes more plainly visible, moves more freely, approaches the shell more closely when the egg is turned, and may appear higher or lower in the egg than when fresh. The germ spot in a fresh-laid egg which has undergone no embryo development is not visible before the candle. As development of the germ takes place the spot becomes visible as a reddened area on the yolk and becomes larger as development progresses until finally blood is visible, when the egg is no longer edible.

Eggs are commonly classed as fresh or fresh gathered, storage or refrigerator, and processed. Fresh or fresh gathered and storage or refrigerator are terms which need no explanation. Processed eggs are

those which have been subjected to some preserving process other than cold-storage and usually refers to one of the oil-immersion processes. Eggs may also be classed as hennery and as near-by. By hennery eggs are meant those which are shipped directly to the market from the poultry farms on which they were produced. Near-by eggs are those which originate in the territory immediately surrounding the market, and the limits of this territory are usually defined by the market using this class designation. Although grade names vary considerably in the different markets, the most usual grades used are extras, extra firsts, firsts, seconds, third, No. 1 dirty, No. 2 dirty and cracks, in which extras and extra firsts designate the higher grades and the other names lower grades.

The produce or mercantile exchanges of the various large markets provide and define official classes and grades for eggs, and more or less trading occurs on the basis of these grades. In case of dispute regarding the grade of eggs involved in an exchange transaction an inspector appointed by the exchange for that purpose may be called in to make an official inspection. In such a case the inspector determines the grade, and his findings are binding upon the members of the exchange concerned, unless reinspection is requested, in which

case the result of the reinspection is final.

Tentative United States standards and grades for eggs have been prepared by the Department of Agriculture. These are based upon the same factors discussed above. The purpose of these grades is to establish a basis for grading and for grade names which can be used uniformly in all parts of the country. The general adoption of such uniform national standards and grade. will, it is believed, remove much of the uncertainty now experienced in marketing eggs and will promote freer trading in eggs between markets and between ship-

ping points and the terminal markets.

Dressed poultry is graded at the packing house where it is dressed just before packing. The classes and grades in use vary somewhat in different sections of the country and also with individual packers. The usual classes of dressed chickens are broilers, fryers, roasters, fowl, stags, capons, and old cocks or roosters. Broilers are young chickens, usually males, weighing up to about 2½ pounds each. Fryers are young chickens, also usually males, weighing from 2½ to 3½ pounds each. Roasters are generally young males weighing 4 pounds or over. Fowls are mature hens. Stags are young males which have developed to the stage where they have begun to get coarse-meated and stringy and may often dress out somewhat bluish in color, especially after freezing. Capons are unsexed males which have been grown to a good weight but which are still soft meated. Old cocks or roosters are mature male birds.

The most common classes of turkeys are old toms, old hens, young toms, and young hens; of geese, old geese, young geese, and green goslings; of ducks, old ducks, young or spring ducks, and green ducklings; of guineas, old guineas, guinea hens or guinea keets, and young guineas or squab guineas; and of pigeons, pigeons and squabs. In addition to these classifications quotations often subdivide still further on the basis of weight, whether the poultry is fresh dressed or frozen, corn fed or milk fed, dry packed or ice packed, and on

geographical origin.

The quality grades used for the different classes of dressed poultry are commonly three in number, in addition to culls. The different grades may be differentiated by number, by letter, or by names given them by individual packers. In general, the factors considered in determining grade are uniformity, condition of flesh, color of carcass, freedom from pinfeathers, freedom from torn skin, whether well or poorly bled, absence of deformities and broken bones, and, to some extent, color of legs and feet. In the best grade the carcasses should be very even and uniform in size, well fleshed, well bled, smooth skinned, of a good bright color, and free from pinfeathers and torn skin. The second grade is composed of birds of good quality but which show some defects, such as slight tears of the skin and not entire freedom from pinfeathers, sufficient to keep

WHOLESALE PRICES, LIVE FOWL, GEESE, AND TURKEYS, NEW YORK, 1921-1923




Fig. 45.—Wholesale prices of live fowl show less violent price fluctuations throughout the year than either geese or turkeys. The two latter classes reach their highest prices during fall and winter when the young stock is available for market and when the demand is greatest. Turkeys vary most in price and reach the highest levels, responding particularly to the Thanksgiving and Christmas markets

them out of the first grade. The third grade usually consists of badly torn, not so well fleshed, poorly bled, not so bright colored, and more heavily pinfeathered carcasses, and birds with broken bones and less serious deformities. Culls consist of the very poor and uneven carcasses, those with serious deformities, and in general those which are not good enough for the better grades.

Certain market preferences are observable both in dressed poultry and eggs in some of the larger cities. For example, New York City prefers and is willing to pay a higher price for white-shelled eggs, while in Boston the preference is for brown-shelled eggs. (See fig. 22.) Also eggs with pale-colored yolks are preferred among a certain part of the highest-prices trade, in New York. In both New York and Boston dry-picked poultry is greatly preferred to scalded poultry; in some cities, particularly the southern markets, this preference is much less marked.

Cooperative Marketing of Eggs and Poultry

Coincident with the widespread interest in cooperative marketing of other farm products in the last few years, there has developed a marked activity in the cooperative marketing of poultry and eggs. particularly the latter. Associations of producers have been formed in many sections of the United States for the purpose of concentrating, grading, and marketing the eggs of their members. The underlying reason for effort of this kind is dissatisfaction on the part of producers with the existing marketing agencies, either because prices are considered unsatisfactory or because no adequate recognition is given to good quality and superior market value. On the Pacific coast production greater than the market requirements of that section, coupled with a distance from eastern markets too great to allow individual shipments by express, has been a factor of great importance in bringing about cooperative shipments in car lots by refrigerated freight in order to provide an outlet for the surplus production.

The earliest efforts at cooperative marketing of eggs were the formation of local egg circles. A number of producers in a locality band together in such a circle either informally or under specific contract, pool their eggs, and locate a suitable market to which the eggs are shipped. A member of the circle acts as the collecting, grading, and packing agent and receives and disburses to the members the payments for eggs. The member so acting either performs this service gratuitously or receives a specified sum for each dozen eggs handled. Many of these circles require the members to stamp each egg or carton of eggs marketed with the number or name of the circle and with a number representing the individual member. In this way responsibility for any eggs furnished which are not of proper quality and which might therefore be the cause of complaint can be tracted to the member furnishing the eggs and steps taken to prevent a recurrence. Many of these egg circles have succeeded in securing prices which are materially better than the local prices otherwise obtainable by members.

Another form of cooperative effort in egg marketing is the utilization of the cooperative creamery as the collection and marketing agency. Eggs are collected from the creamery patrons along the established cream routes or are delivered to the creamery when milk or cream is brought in. Because the milk or cream must be delivered at frequent and regular intervals and delivery of the eggs can be made at the same time without extra effort, the creamery is in a good position to receive the eggs while they are fresh and of excellent quality. The creamery is also often in position to provide the necessary collection, grading, and holding facilities at a small overhead cost, and, since eggs and butter are usually closely associated throughout the process of market distribution, is also often in position to provide good outlets with a minimum of effort.

Cooperative marketing through the egg circle or through the creamery is usually local in character. Cooperative effort on a scale covering a larger producing territory is undertaken through the organization of the egg producers into an association formed specifically for that purpose. Some of these associations have failed, but

others have succeeded, and the movement continues to grow rapidly and the chances of success improve as conditions desirable for the formation of such associations are better understood and as the form of organization and method of operation becomes more nearly

perfected.

The chances for success for a cooperative egg-marketing association depend upon a number of conditions. Chief among these may be mentioned the following: A plainly evident need for cooperative marketing; a sufficient number of cooperators and a sufficient volume of eggs to carry the necessary overhead without its being burdensome and to enable advantageous marketing contracts or outlets to be arranged; production sufficiently concentrated to allow economical handling; the cooperative spirit on the part of the producers; a sufficient spread between local prices and the prices avail-

WHOLESALE PRICES, LIVE CHICKENS, FOWL, AND OLD COCKS, NEW YORK, 1921-1923




Fig. 46.—In the spring the new crop of chickens begins to appear on the market. The first of them which are broilers, are in limited supply and consequently bring a high price, which declines rather rapidly as larger supplies are received. Later, as chickens of all weights and qualities arrive on the market, their average price falls below that of live fewl. The wholesale price of old cocks follows that of fewl very consistently, but is uniformly considerably lower, since old cocks are the poorest grade of the live classes

able in the terminal markets to make the effort worth while; suitable market outlets; a definite and practical plan of marketing; capable management and a suitable form or organization. The attempt should not be made to organize such an association until a thorough survey has been made of the situation and a definite plan of action outlined and agreed upon.

One of the most important features of successful cooperative eggmarketing associations is the marketing contract. By the terms of this the association agrees to market to the best possible advantage all eggs delivered to it. The producer agrees to deliver all his eggs, except such as he uses at home or for hatching purposes, to the association for a term of years. He may be given the right by the association to market his eggs or a part of them elsewhere, but must then pay to the association the same amount per dozen as is deducted by the association when making the sale for the member. Contracts of this character have been declared by the courts to be legal and binding upon the association and the individual members. Such a contract with each member is very necessary in order that the association may hold its members and may know within reasonable limits the volume of eggs at its disposal throughout the year with which to make sales contracts and fill orders.

The eggs received at the grading station of the association are graded, the shipper being given credit on the books of the association for the number of dozens of eggs of each grade delivered. The eggs of the same grade from the different producers are then packed together and forwarded to market, where they are disposed of through the regular channels which the association has established.




Fig. 47 —The wholesale price of frozen fowl follows that of fresh-killed fowl consistently, but is usually slightly lower. The wholesale price of live fowl is usually considerably below that of fresh killed fowl, but does not follow it so consistently. The price of live fowl tends to increase in the spring and fall, at the time of the Jewish holidays

All eggs of like quality received during a certain length of time, usually a week, are pooled together, and payment is made on the basis of the average price received for each grade in the pool minus the regular deduction for operation. A conservative partial payment or advance may be made on receipt of the eggs at the grading station, the balance realized being returned as a deferred payment upon final settlement of each pool. At the end of the year if a surplus has accumulated as a result of the regular deductions which is in excess of the amount needed for use in the association's business, this excess is returned to the members in proportion to the quantity of eggs marketed for each by the association.

The services performed by a cooperative egg-marketing association for its members are identical, so far as they go, with the services performed by the private agency or succession of such agencies concerned with the movement of eggs through the ordinary channels of trade from the producer to the consumer. To be successful, therefore, it is essential that the association perform these services

just as efficiently or more efficiently than these private agencies. Ordinarily the association confines its activities to concentrating, grading, packing, and shipping the eggs to the final market, utilizing the already existing distribution agencies after the eggs reach that point. In some cases, however, associations maintain salesrooms in one or more of the terminal markets and assume the functions of the wholsale dealer and to some extent that of the jobber. much has been done as yet in the way of assuming the functions of the retailers, but this is a possible development of the future. Associations sometimes process and place in cold storage or place in storage without processing a part of the surplus production of the spring season. This is done either to strengthen their market position under unusually heavy receipts or to help in supplying their regular outlets during the period of scarcity in the fall and winter. Sometimes the holding of eggs in cold storage is undertaken by an association as a speculation. This is generally inadvisable and may cause a serious setback in the affairs of the association, especially during its early existence.

The most common causes of failure of cooperative egg-marketing associations have been unfavorable conditions of production, inefficient management, lack of a definite and practical plan of marketing, lack of the cooperative spirit on the part of the members, and competition on the part of dealers which the association is unable

to meet successfully.

Among the cooperative egg-marketing associations which are at present operating, perhaps the best known are the various Pacific coast associations. These operate in the territory around San Francisco, Los Angeles, Portland, Seattle, and other points. To handle their business in the East these cooperatives are federated under the name "Pacific Egg Producers" and maintain an office and salesroom in New York City, where their eggs are sold in the usual wholesale manner and also by daily auction. In the East the bestknown cooperative egg-marketing association is the Atlantic Coast Poultry Producers' Association, which has members in New Jersey, New York, Pennsylvania, Delaware, Maryland, and some of the other near-by States. This association also maintains its headquarters and salesroom in New York City.

The cooperative marketing of poultry is much less common than with eggs. Some of the associations operating mainly in eggs also handle poultry for their members, but the quantity is usually comparatively small. Much of the poultry marketed cooperatively is shipped alive, few of the cooperatives being as yet equipped to dress poultry and handle it properly in that condition. In certain of the Southern States cooperative selling of live poultry in car lots has been undertaken without the formation of an association. In these cases arrangements are made to have a live-poultry car at a certain point or several at successive points on previously advertised dates. Bids are secured from poultry buyers several days in advance for the poultry to be delivered on that date. The successful bidder is notified to be on hand, and the poultry is brought in by the farmers, graded, and weighed up by the county agent or some other designated person, paid for, and turned over to the buyer. necessity of securing bids some time in advance of the actual delivery of the poultry undoubtedly often results in somewhat lower prices than could be obtained if the carload were shipped for sale to a dealer in a large market. Such a procedure, however, involves the sending of an experienced caretaker and feeder, often not available, with the car, and it also means that the owners of the poultry must wait a week or two for their money. As a result the present method, which has usually resulted in advances over the local prices, is more popular.

Prices

Prices received by producers for poultry and eggs vary widely in the different sections of the country, and may at times vary decidedly within comparatively narrow areas. The prices received for poultry




Fig. 48—The wholesale price of dressed fowl remains fairly uniform chroughout the year. The price of broilers is the highest of any class and varies widely, being highest in the spring when these chickens first become available, and decliming rapidly as greater supplies reach the market. The prices of this class increase again to a limited extent toward the end of the year when supplies become scarce. The wholesale price of roasters is lower than that of broilers. The first roasters to appear usually bring the best prices, which are well above the prices of dressed fowl at that time From this point they gradually decline below the price of fowl, reaching their lowest prices at the end of their season, about April, when many become "staggy" or hard meated. Old cocks are the lowest grade of dressed poultry. The wholesale price fluctuation of this class is relatively slight and ranges well below that of other classes

products in sections close to the large consuming markets, such as New Jersey, are consistently higher than prices in more remote sections, such as Kansas. The variation in price in a section is, as a rule, greater with eggs than with poultry, owing to the less uniform quality of the former. Prices paid to producers are based in the final analysis upon the wholesale price in the larger consuming markets, but are affected by a multitude of other factors. Aside from seasonal fluctuations in price, these factors may be mentioned as affecting producers' prices: Distance from market, quality of the product, reputation of a section with respect to the quality of its poultry product, outlets available, competition of buyers, available supplies, and special market demands.

Wholesale prices of poultry products (see figs. 35, 36, 45, 46, 47, and 48) are affected by the supply of the fresh product, by the consumptive and speculative demand, by the quantity in storage, by temporary shortages or unusually heavy receipts, and by reports or generally held opinions as to probable production. Wholesale price quotations as published for the larger markets represent the judgment of trained market reporters in summing up the actual market value of poultry products of the different grades after a careful study of trade transactions.

Retail prices, of course, bear a fairly close relationship to wholesale prices, although the actual advances charged by retailers vary with the retailer, the grade of the product, and the level of wholesale prices at different seasons. Minor fluctuations in the whole-sale price may not always be reflected in corresponding changes in the

INTERNATIONAL TRADE IN EGGS IN THE SHELL FOR THE YEAR 1922




Fig. 49.—China is the leading exporter of eggs in the shell, but Denmark has also built up a remarkable export trade. The United States exports a considerable number of eggs, but her imports are negligible. The United Kingdom imports more eggs than all the other countries combined

retail price. According to the report of the Joint Congressional Commission of Agricultural Inquiry made in 1921, the retailer's margin on a dozen strictly fresh eggs in January and July from the years 1916 to 1921, inclusive, varied from 5.5 to 8.5 cents and constituted from 11.3 to 18.4 per cent of the retailer's selling price. Although the absolute margin was greater when the retailer's selling price was at the higher levels, the percentage which the retailer's margin constituted of the total selling price was higher in nearly every year when this price was at the lower levels.

In the case of eggs the spread which exists between the price received by the producer and the wholesale price in the terminal market represents the losses in spoiled and low-grade eggs, the cost of numerous marketing services, cost of packages, transportation, etc., and profits. In attempting to estimate the different costs involved in marketing, it must be remembered that any figures arrived at

here, at best, only approximations for average conditions, since the different factors involved vary considerably in different localities, at different seasons, and under different conditions.

For the sake of illustration, assume that a case of eggs has been purchased, case count, by shipper from a producer at a point in Missouri in July and is to be shipped by refrigerated freight to New York City. Let us say that the price paid was 17 cents per dozen, or \$5.10 per case. Under average conditions at this time of year, this case will contain some eggs which, by reason of being held by the producer too long or under poor conditions, by being gathered from stolen nests, or by reason of fertility, are unfit for food and must be discarded. Assuming that this amounts to 1 dozen eggs in the case, the loss on these eggs, which must be covered in the selling price if a profit is to be made, would be 17 cents.

The actual labor cost of handling, candling, and grading a case of eggs would probably run from 15 to 30 cents, depending upon the uniformity or lack of it in the quality of the eggs, the care with which the grading is done, and the expertness and wages of the

candler.

In the process of grading some of the eggs would be found to be of low grade, due to small size, dirtiness, or to deterioration in quality, and therefore of lower market value or usable only as breaking stock. Assume this proportion to be 25 per cent, of 7½ dozen, a conservative estimate for the season of the year, and that the difference in grade will result in a lowered market value of 2½

INTERNATIONAL TRADE IN DRIED AND FROZEN EGGS FOR THE YEAR 1922




Fig. 50—Eggs are produced at low cost in China and sold to the United Kingdom, United States, and Germany as frozen and dried eggs. These eggs are used by bakers, and very little of this product is sold directly to the consumers

cents per dozen, the loss from this source would amount to 18% cents per case.

As the result of handling by the producer and during grading and packing, some of the eggs are cracked. Assuming that one-half dozen eggs are injured in this manner and that their value is cut 2½ cents per dozen, the loss from this source would be 1½ cents.

The cost of packing the eggs in new cases and with new fillers and other packing material will be about 45 cents per case. The freight rate in car lots from Missouri to New York, including icing charges. would be about 90 cents to \$1 per case.

On arrival at the market usually there would be a drayage charge amounting to about 5 cents per case. Finally, there would be a commission charge made by the receiver for selling the eggs, which at that season would probably amount to from 35 to 50 cents per case.

The various ordinary costs which would be incurred from the time the eggs were bought from the producer until they were sold for the shipper's account by the wholesale receiver in the market would, therefore, be approximately as follows per case:

Loss in bad eggsce	nts	17
Cost of candling and gradingde	0	15-30
Loss on low-grade eggsde)	18%
Loss on cracked eggsdc)	11/4
Cost of new case and packingde)	45 1
Freight and icing chargesde		
Drayagedo		
Wholesale's commissionde	0	35-50
Total: \$2.27 to \$2.67 per case, or 71/4 to 9 cents per dozen		

If the eggs were placed in cold storage and held for a period of seven or eight months before they were sold, there would be an

IMPORTS OF EGGS IN THE SHELL INTO THE UNITED STATES BY COUNTRIES,




Fig. 51 —The imports of eggs in the shell into the United States have been of very minor importance except during the war period of 1913 to 1916. China has furnished most of these eggs. The fiscal year ending June 30 is used in this figure

additional charge for storage space, insurance, interest on advances, possible rehandling, losses, and additional cartage amounting to from 3 to 5 cents per dozen.

In this estimate of costs involved in marketing no allowance has been made for the overhead costs or for the profit of the shipper, both of which must be covered by the spread in price if the shipper is to continue in business. Other miscellaneous costs may occur, but ordinarily these would be small. Where eggs are marketed through the agency of the local egg buyer, the country storekeeper, or the

huckster, as a great majority of them are, the cost of the service which they render usually will range from ½ to 1½ cents per dozen.

Summaries of similar costs involved in the marketing of live and dressed poultry in car lots from Missouri points to New York City would be approximately as follows where the poultry was purchased directly from the producer by the shipper:

LIVE POULTRY

Per pound

Cost of receiving, handling, feeding, and loading at shipping pointcents Freight, including live-car rentaldo Receiver's commissiondo	2 to 21	/2
Totaldo	4 to 5%	4
DRESSED POULTRY		
Cost of handling poultry through the feeding station and dressing plant from the time it is received alive until it is loaded into the refrigerator car. ready to shipcents_ (This includes cost of handling, feeding [allowance being made for gains secured], killing and dressing [includ-	4 to 8	

Total_____do____631 to 11½

Most poultry is bought by hucksters or local buyers and delivered by them to the shipper. The cost of this service is from 1 to 2 cents per pound additional. Certain incidental costs, such as cartage, may also be incurred. In the estimate given no allowance has been made for overhead and profit. The spread between the price paid the producer and the wholesale price received in the terminal market must be sufficient to absorb the costs given above and to leave a margin over overhead costs if a profit is to be realized.

Exports and Imports of Eggs

Exports and imports of eggs are of relatively small importance in this country when compared with the total volume of domestic production. (See figs. 49 and 50.) During 1923 the total imports of shell eggs amounted to 412,149 dozen, with a value of \$117,937, while the imports of preserved eggs and egg yolks amounted to 16,253,300 pounds, with a value of \$3,925,165, and of egg albumen 7,046,299 pounds, with a value of \$2,711,676. During the same year the estimated farm production of chicken eggs in the United States was 2,196,194,000 dozen, with a value of \$598,961,000. China is the country from which the largest quantity of frozen and dried eggs came, while the greatest quantities of shell eggs were imported from Hongkong, Canada, and China. Aside from China, the only country from which dried eggs, frozen eggs, etc., were imported in important quantities was England.

Of the dried, frozen, and canned eggs imported, 652,703 pounds, with a value of \$91,150, and of egg albumen 456,573 pounds, with a

EXPORTS OF EGGS IN THE SHELL FROM THE UNITED STATES BY COUNTRIES, 1900-1924




Fig. 52.—Exports of eggs in the shell from the United States, although greatly exceeding imports of similar eggs, represent a very small per cent of total production. The United Kingdom and Canada have received the bulk of these eggs, but the exports to Cuba and Mexico have increased very rapidly during the past 10 years. Many of the eggs exported into Canada are reshipped to the United Kingdom

value of \$108,186, were again exported instead of being used in the United States. Exports of domestic eggs in the shell amounted to 30,659,262 dozen, with a value of \$8,430,297. (Fig. 50.) These eggs went principally to Cuba, Mexico, and Canada, with smaller quantities to the United Kingdom, Panama, and to various other countries including several in South America. Exports of domestic eggs and yolks, frozen, dried, or canned amounted to 328,487 pounds, valued at \$49,193.

Because of the different forms in which the exported and imported eggs are moved, and lack of information as to the quantity of each, it is impossible to compare the quantities exported and imported. A comparison of values, however, can be made. Deducting from the value of all forms of imported eggs the value of such of these as were again exported, we have a net value of imports amounting to \$6,555,442, compared with a value of domestic exports amounting to \$8,479,490, or an excess in value of exports over imports of \$1,924,048.

The present tariff on imported eggs and egg products went into effect on September 22, 1922. On shell eggs the tariff is 8 cents per dozen; on frozen or liquid egg albumen, egg yolk, or whole egg, 6 cents per pound; and on dried egg albumen, egg yolk, or whole egg, 18 cents per pound. These rates are considerably in advance of those in effect under the previous tariff. The imports of shell eggs in 1923 decreased 607,021 dozen, or 59.6 per cent; and preserved eggs and egg yolks decreased 1,985,774 pounds, or 10.9 per cent; while imports of egg albumen increased 476,753 pounds, or 7.3 per cent over 1922. (See figs. 50 and 53.)

The Future of the Poultry Industry

In all probability the poultry industry of the United States will show a steady upward trend, because eggs and poultry meat are two of the most popular articles in the human diet, the per capita consumption of which is increasing annually, and because poultry raising has been demonstrated to be relatively as stable a branch of agricultural enterprise as any other. The United States imports very few eggs in the shell and exports only negligible quantities of frozen and dried eggs. The exports of eggs in the shell may be regarded as practically balancing the imports of frozen and dried eggs. In other words, the poultry industry of the United States is

IMPORTS OF DRIED AND FROZEN EGGS INTO THE UNITED STATES BY COUNTRIES, 1910-1924




Fig. 53—Imports of dued and frozen eggs during this period assumed appreciable proportions in 1914 and increased rapidly to 1921. These imports are materially affected both by the price of eggs and by the tariff. The present tariff went into effect in September, 1922. The fiscal year ending June 30 is used in this figure.

largely independent of the poultry industry in foreign countries, and it does not seem that exports and imports will materially affect the future development of the industry unless tariffs are lowered to

allow of greater imports from other countries.

The expansion of the industry must depend to some extent, therefore, upon increased demand resulting from the natural increase in human population and increased per capita consumption. The natural increase in human population will call for slightly increased production. Increased per capita consumption will depend almost entirely upon the quality of the product as it reaches the consumer's table. In this respect, more attention than ever is being given to insuring the maintenance of the highest possible quality in eggs from the time they are produced to the time they are consumed. The extent to which similar attention can be given to maintaining the highest possible quality in poultry meat should lead to its increased per capita consumption also.

However, increased demand for poultry products is not the only expansion factor. The economics of production and the costs of

marketing also will always affect the trend of development.

It is important to bear in mind that as the question of food supply for human beings becomes more and more acute as the result of a steady increase in population, the relative efficiency of the various domestic animals in producing the necessary nitrogenous foods to balance the human diet will become of greater significance. As a result there is bound to be a turn more and more toward the smaller animal unit as a producer of food for humans. The chicken is the smallest economic unit of all our domestic animals used for the production of food, and to the extent to which eggs and poultry meat can be produced economically will the industry expand in response to increased demand for the products of the industry.

The economics of production are affected primarily by the price and amount of feed consumed by poultry, by the labor involved in caring for the animals, and by the equipment and overhead expenses involved in the operations. From year to year labor and equipment may be regarded as fairly stable factors, and the same may be said of the amount of feed consumed by different classes of poultry. Since poultry use staple grains which are also used by humans as well as by other classes of livestock, the price of grains is a very important factor affecting the economical production of eggs and poultry meat. Grain prices vary not only from year to year but also from time to time within any one year, and it is impossible to predict with any accuracy what grain prices may be for the next few years. It seems safe to say, however, that in the production of poultry meat and eggs costs of production must be kept down to the minimum.

Moreover, the economics of production can not be considered independently of prices of eggs and poultry meat and the cost of marketing these products. Prices of both eggs and poultry are affected by a variety of factors, such as the quality of produce, the available supply at any particular time, the price of other foods of animal origin, and other factors. The influence of these factors is so variable that no advance statement can be made. It is apparent, however, that the existing deterioration in quality, especially in eggs, constitutes a heavy burden upon the poultry industry, and to the extent that superior quality is maintained in marketing eggs will prices be maintained at a good level.

The costs of marketing include the cost of equipment used in marketing poultry products, the cost of collecting, the cost of shipping, and the cost of distributing the products in the markets. To the extent to which any of these items can be reduced will the poul-

try industry become stabilized and made more profitable.


Finally, in order to appreciate fully the trend of the poultry industry in the United States in the years to come, the consumers of its products must receive first consideration. Poultry producers must enjoy the confidence of consumers if poultry products are to be sold to advantage and serve a necessary purpose in the human diet.

Poultry Bulletins

Farmers' Bulletins for Distribution by the United States Department of Agriculture

- 287. Poultry Management.
- 684. Squab Raising.
- 697. Duck Raising.
- 767. Goose Raising.
- 801. Lice and Mites on Poultry.
- 849. Capons and Caponizing.
- 898. Standard Varieties of Chickens (Mediterranean Class).
- 1052. Standard Varieties of Chickens (English, Asiatic, and French Classes).
- 1067. Feeding Hens for Egg Production.
- 1112. Culling for Eggs and Market.
- 1221. Ornamental Breeds and Varieties.
- 1251. Standard Varieties of Chickens (Bantam Breeds and Varieties). 1331. Backyard Poultry Keeping. 1337. Poultry Diseases. 1347. Standard Varieties of Chickens (American Class).

- 1363. Natural and Artificial Incubation of Hens' Eggs.
- 1376. Natural and Artificial Brooding of Chickens.
- 1373. Homing Pigeons.
- 1377. Marketing Poultry.
- 1378. Marketing Eggs.
- 1391. Guinea Fowl.
- 1409, Turkey Raising.
- 1413. Poultry House Construction.
- 1427. Poultry Accounts.



By A. J. Henry, J. B. Kincer, H. C. Frankenfield, W. R. Gregg, Weather Burcau, B. B. Smith, Burcau of Agricultural Economics, and E. N. Munns, Forest Service

ITTLE IS KNOWN of the agriculture of primitive man, but it may be assumed for all primitive peoples that the dominating impulse was that of self-preservation, and in the struggle toward that end protection from savage beasts and the inclemency of the weather was of less importance than the effort to wrest from the soil as he found it subsistence for himself and his flocks, for man was a herdsman before he was a farmer.

The rainfall to-day in that part of the globe supposed to have been the cradle of the race is not sufficient for the needs of agriculture; from this fact, together with the remains of irrigating canals in that region, we are led to the opinion that the dependence of crops upon rainfall was recognized at the very dawn of human history. It seems certain that as early as 3,000 years B. C., if not earlier, man was a tiller of the soil and gathered a harvest. From that remote date up to the beginning of the Nineteenth century the history of agriculture and the weather is contemporaneous with that of civilization itself.

Profound changes in agriculture began to be felt in Europe about the beginning of the Nineteenth century and at a little later date in North America. These changes, which typify the new as contrasted with the old agriculture, have been brought about by several causes, chief of which is indicated in the following paragraph:

The Development of Agricultural Education

Following the establishment of agricultural colleges and experiment stations in the United States a general plan of agricultural education was outlined with the object of preparing students for farming which should be scientific in theory as well as in practice. The far-reaching benefits of investigations made by these colleges and stations in the course of systematic instruction have been given to the world in general, and to the farmer in particular, in a series

of papers largely upon agricultural chemistry and physiology. is probably not too much to say that studies of the structure, composition, and physiology of farm crops and their environment climate, soil, and fertilizers—have been the one outstanding contribution of science to the very great progress of agriculture throughout the world. Other factors, of course, have been influential, as, for example, the invention of improved farm machinery, the revolution in methods of transportation, the opening to settlement of new agricultural lands, etc.

The place occupied by climate and weather in the general progress is that both have contributed to make agriculture more econo-

nomically profitable than it was a century ago.

The Weather

Any discussion of the weather that fails to take account of the atmosphere as a whole, as it functions on a rotating globe, is unsat-

isfactory.

In attempting to visualize the operations of the atmosphere it is sometimes helpful to refer to the points of similarity between a great steam engine and the atmosphere, as has been done by Sir Napier Shaw, formerly director of the British Meteorological Office. several respects the analogy is rather striking, but in others we

should not press it too close.

The power of a steam engine, as everyone knows, is furnished by the heat energy of the fuel in the form of steam drawn from the This energy is transformed into mechanical work by the mechanism of the engine. In nature the heat of the Tropics corresponds to the boiler and it is largely this heat that supplies not only the driving force of the winds but also serves to promote evaporation of water from the tropical seas, and this water in the form of vapor passes into the atmosphere, is carried to great distances by the winds, and is later condensed as rain or snow in all parts of the globe. The cold of the upper atmosphere, elevated plateaus, and the polar regions serves as the condenser of the engine. Last, but not least, the winds may be considered as the flywheel. It is largely through them that the unending changes in the weather are brought about.

Hence it is apparent that the ultimate cause of the weather may be referred to the radiant energy of the sun, or, strictly speaking, to that fraction, about 60 per cent, of the earth's share of it, which is effective in maintaining the temperature of the earth. The latter is largely responsible for the heating and cooling of the atmosphere.

The familiar day-to-day changes in the weather, however, are the result, not of a single, simple factor, such as the intensity of solar radiation, but rather to a complex of several closely related factors which has been aptly stated by Marvin as follows:

¹ The terms "weather" and "climate" are not interchangeable, as might be supposed. By weather is meant the condition of the atmosphere with reference to its pressure, temperature, moisture, the prsence of cloud, and the direction and velocity of the wind at any given moment. Climate, on the other hand, connotes both a geographical and a seasonal relation and is not concerned with an explanation of the physical processes of the weather; in short, climate is the average of the weather conditions for a considerable period of time—the climatic conditions of a place are best determined by at least 20 years of observation.

² Sir Napier Shaw, The Air and Its Ways, pp. 150. London, 1923.

ª Marvin, Charles F. Terrestrial weather and solar activities, Monthly Weather Review.

The daily sequence of sunshine and darkness; the varied distribution of clear and cloudy skies; diversities of surface cover added to contrasts of land and water areas, including the phenomena of evaporation, condensation, and precipitation: the cycle of the seasons and, above all, the fluctuating but nevertheless perpetual contrasts of surface temperature, ranging from the heat of the Tropics to the intense cold of the polar zones, constitute a complex series of varied and changeable influences seemingly adequate to cause and explain every feature of the weather, however changeable the latter may be.

While for all practical purposes the radiant energy emitted by the sun may be considered as constant, yet by reason of the movement of the earth in its annual course around the sun and of the further fact that the axis of the earth is not vertical to the plane of its orbit, but stands at an angle of 23½° from the vertical, the intensity and amount of insolation—a convenient term for the radiant energy emitted by the sun—received by any portion of the earth's surface, must depend upon the angle of incidence of the sun's rays, or the sun's altitude, and upon the duration of the insolation or the length of the day. (See fig. 17.)

Thus as from day to day the sun at noon reaches higher and higher altitudes in the sky and the rays become more and more nearly vertical we have the familiar change from the cold to the

warm season.

From the distribution of insolation roughly sketched above it follows that there must be strong contrasts in temperature between equatorial and polar regions, as observations show to be the case. As a result of this temperature difference a circulation is set up in the atmosphere, equatorial air moving poleward and polar air moving equatorward. The circulation thus initiated is modified, of course, by surface friction, local heating and cooling, and the rotation of the earth on its axis.

The effect of the last-named factor that will naturally occur to most persons is that of the change from day to night, and vice versa, but reference is here made to what is commonly called "the deflective force of the earth's rotation." Crudely stated, this force, or influence, as it is preferred to call it, is as follows: Any body moving without friction on the level surface of the rotating earth continually changes its geographic direction—strictly, the earth rotates under it—deviating to the right in the Northern Hemisphere and to the left in the Southern. The rate of this change of direction depends upon the latitude, but is independent of direction of movement. Hence, winds starting from the Equator and moving poleward in the Northern Hemisphere soon become southwest and west winds, and, conversely, north polar winds starting toward the Equator soon become northeast and east winds. In connection with this exchange of air between the Equator and the poles great whirls or vortices are set up in the atmosphere, known to meteorologists as cyclones 4 and anticyclones, or, in the notation of the weather map, simply as LOWS and HIGHS.

The reader should not confuse the term "cyclone" with the violent windstorm of small diameter properly known as a tornado. The term cyclone has been in use for more than half a century to describe those great atmospheric disturbances, 500 to 1,000 miles or more in diameter, that occur dally over some part of the earth's surface. In these disturbances the winds blow spirally inward, counterclockwise, toward a central region of low barometric pressure, hence the name cyclone.

When a farmer wishes to compare the yield of corn, let us say for two different seasons, he first reduces the yield to bushels per acre as a convenient unit of comparison. Likewise, when a meteorologist is asked to compare the weather of two different seasons he is first concerned with the number and distribution of cyclones and

anticyclones that occurred during the respective seasons.

The details of the formation of these great whirls are not yet clearly understood, but when once formed the influence of each upon the weather is well known. Broadly speaking, they are twin phenomena in the sense that one seems to be the complement of the other, just as a valley on the earth's surface is associated with hills on either side, and, further, that they originate at about the same time and travel in closely related paths. In other respects the one is the antithesis of the other, as may be seen in the scheme below:

Cycl	ones	Anticyclones			
Southeast half	Northwest half	Southeast half	Northwest half		
Warm S. to E. winds. Winds at the earth's surf	Cold. N. to W winds. nee blow spirally inward.	('old. N to E winds. Winds at the earth's surf	Warm. S. to W. winds ace blow spirally outward.		

The cyclone, or low, progresses across the country at an average rate of about 25 miles per hour in winter and somewhat less in sum-The direction of movement varies with the season, but in general these disturbances gain distance toward the pole when over oceans and the eastern part of continencs. Those approaching the North American Continent in winter move at first in a southeasterly direction until they reach either of two regions, first the Canadian Northwest or, specifically, the Province of Alberta, and, second, the Pacific off the coast of Washington and Oregon. A very small number may reach the coast south of the mouth of the Columbia River. The course followed after reaching the two principal points above mentioned is not absolute and fixed, but is conditioned very largely upon the distribution of atmospheric pressure over the continental interior at the moment, and since the latter changes from day to day the path taken by the cyclones which arrive at the northwestern frontier is likewise changeable.


To summarize: The characteristics of the cyclone, or low, are southerly winds, warm and moist air, much cloudiness, and rain or snow. The anticyclone, on the contrary, is characterized by northerly winds, cold dry air, clear skies, and as a rule no precipitation.


Obviously, then, the character of the weather for any given region depends largely upon the frequency with which that region is visited by cyclones and anticyclones and the sequence in which they occur.

The average paths followed by cyclones in the United States in

January are shown in Figure 1 and for July in Figure 2.

How variable are the actual paths followed by cyclones in individual months, as in January and July, 1923, is shown in Figures 3 and 4.






Figs. 1 and 2.—Average path of cyclones (lows), (top), January: (bottom) July. Cyclones are classed according to the geographical district in which they are first noted on the daily weather charts, thus "Alberta" signifies that all of the cyclones that followed the path so indicated were first noted in the Province of Alberta, Canada, although their actual point of origin may have been over the Pacific far to the northwest. The average width of cyclones is close to 500 miles; their speed of movement is shown in miles per day by the figures on the several paths.

Control of Weather by Cyclones and Anticyclones

If it were possible for an observer to visualize either hemisphere from a great elevation he would see in winter great cyclonic cloud sheets circling around the pole in mid-latitudes. As winter merges into spring and spring into summer these sheets which form an almost continuous procession in winter would gradually thin out until in summer they would appear in the form of discontinuous



Figs. 3 and 4.—Paths of individual cyclones, (top) January, 1923; (bottom) July, 1923. The paths of cyclones for any individual month depart widely from the average; compare Figures 1 and 3, 2 and 4. Large circles in the respective paths mark the position of the disturbance at the morning observation on the day of the month given by figures on inside of the large circle. Figures in the inside are first, date and second readings of the barometer reduced to sea level. Small circles indicate evening position of the disturbance

patches. The patchy character of the cloud sheets on both sides of the Equator in the warm season would also be in evidence, the patch frequently being the locus of thunderstorms and showers.

Occasionally there would come into view over the tropical seas, about 10° to the north and south of the Equator, respectively, but never on or close to it, a very extensive layer of thin white clouds radiating from a center 500 to 1,000 miles distant. As this central area approaches a land observer the cloud sheet becomes much

denser and the lower and intermediate clouds are seen to be in violent commotion, sometimes being punctured here and there by vivid electrical displays, and thus is indicated the approach of a tropical cyclone—the hurricane of the West Indies, the typhoon of the China Sea, both of which, though bearing different names, are one and the same phenomenon. Destructive storms of this nature sometimes pass inland over the United States from the Gulf of Mexico or the waters to the southeast of the continent, but their destructive character rapidly deminishes after they leave the ocean.

Tropical cyclones that invade extra-tropical latitudes soon take on the character of extra-tropical cyclones; we are therefore not justified in considering them as a major weather control in conti-

nental United States.

In what has preceded the reader will find a suggestion as to the cause of the warm winds that spring up in the winter, late fall, and early spring, prevail for a day or so, and then quickly shift to northerly. In many cases these winds do not greatly disturb the regular diurnal and seasonal change in temperature, but a season rarely passes in which one or two thrusts of northerly winds do not carry freezing temperature to the Gulf coast and Florida. On these occasions a foreknowledge of the impending change is of great value. Aside from the temperature hazard, strong winds may cause fruit to drop or grain to lodge. Fortunately, however, the season of strong winds is in early spring, winter, and late fall, when crops are either dormant or nonexistent.

Local squall winds of the warm season occurring in connection with thunderstorms are at times destructive over restricted areas.

The hail hazard also is confined to the warm season and is also a

local rather than a general hazard.

Hitherto the discussion has referred to the weather experienced in continental United States as a part of the great Temperate Zone of the Northern Hemisphere. For the sake of completeness it may be helpful to sketch very briefly the general weather characteristics of tropical regions, chief of which are uniformity and simplicity, as compared with the weather of the Temperate Zones. Most of the tropical regions is a water surface and the weather control is oceanic rather than continental. Weather and climate in the Tropics are practically synonymous terms: the seasons, in the sense that the term is used in the Temperate Zones, do not exist. There are two maxima of temperature during the year, corresponding to the two zenithal positions of the sun; there are also two minima, corresponding roughly with the time of the solstices. In many tropical regions there are two rainy and two dry seasons, likewise corresponding roughly with "vertical" sun.

The control of the weather by the wind systems is nowhere on the Globe so pronounced as in the Tropics: accordingly the following climatic subdivisions have been made: (1) The equatorial belt with its light variable winds and frequent showers—the doldrums: (2) the trade-wind belts, characterized by fair weather, steady winds, and little rainfall, except on the windward slopes of mountains; and (3) the monsoon belts of India and the Far East, the winds of which depend largely upon great temperature contrasts between land

and water areas.

After the products of the farm have been gathered and are ready for market the weather is one of several factors which must be taken into account if the farmer would reap the greatest returns for his labors.

As a rule little attention is paid to the orderly sequence of weather that makes good crops possible; if the average farmer were to be suddenly asked about the relation of the weather to the growth of crops he would more often than not recall the adverse conditions that deprived him of the returns his efforts demanded, and so it happens that our present knowledge of the weather best suited to each crop is not as complete and satisfying as it might be. Some will say that the farmer must take the weather as it comes; nevertheless, progress has been and is being made in adapting farming operations to the exceptional as well as the ordinary weather.

In what follows the attempt will be made to outline as fully as possible the effect of weather upon agriculture and to point out specific instances where an intelligent use of the information distributed by the Weather Bureau of the Department of Agriculture should aid the farmer in his efforts to improve American agriculture.


The Adjustment of Agriculture to Climate, Soil Condition, and Topography

Climate affects man in many ways—his housing, clothing, food, occupation, migrations, forms of government, and manner of living are all more or less influenced by the climate in which he dwells. Much the greater part of man's food is derived either directly or indirectly from the products of the soil, and these are likewise markedly affected by climatic conditions. The principal factors that influence the segregation of crops into restricted areas or zones in different parts of the world are topography, character of soil, climate, and distance from market. Among these, climate is the most fundamental, unalterable, and important, not only in influencing the geographic distribution of the crops that are grown but also in determining the suitability of the land for agricultural purposes in general. adjustment of agriculture to prevailing physical conditions, soil fertility, and suitability for cultivation are important factors, but they are of secondary importance, since fertility and smoothness would avail little were the climate unfavorable. Moreover, the fertility of the soil is largely dependent on climate, operating indirectly through vegetative growth and otherwise.

Some plants grow best in warm, humid climates, and others prefer warmth and dryness, but most staple crops reach their highest stage of development and are produced most profitably in regions where the climate is moderate, especially as to temperature and rainfall. In such regions we find practically all of the world's production of such important crops as wheat, rye, corn, oats, barley, buckwheat.

potatoes, and most vegetables and fruits.

In view of these facts there can be little doubt that climate is the major factor in determining the settlement of the various regions of the earth. It largely controls agriculture and grazing, and these, in turn, have an important bearing on manufacturing, commerce, and other things which go to make up the varied activities of the



5.—This map shows in a very generalized way the world distribution of annual precipitation which correlates broadly with the natural vegeta tho shown in Figure 6. In general, there are deserts where the precipitation is less than 10 inches and primarily grasslands where it is between 10 and 20 inches. Most of the important cereal-producing areas have between 20 and 40 inches F1G.

human race. The natural vegetation of the earth's surface is the best index to the suitability of land for agriculture, and it depends primarily on the climate, especially on the amount and seasonal distribution of rainfall.

Because of the reciprocal and interacting influence of the several climatic elements on the geographic distribution of vegetation in general, and of food crops in particular, and of the great variety of climates in different parts of the world, especially in the Temperate Zones, it is difficult to consider the question of plant distribution according to any rigid scheme of climatic influence. There are cer-

tain broad relations, however, that are quite definitely fixed.

Two general divisions of climatic influence may be made in studying the relation of climate to agriculture: (1) The influence of moisture alone, and (2) that of temperature and moisture combined. The available moisture determines potential agriculture. That is, it determines the suitability of the land for growing crops of any kind without the artificial application of water by irrigation. The prevailing temperature influences the segregation of the several crops where the moisture is sufficient into more or less definite regions, such as corn-growing areas, cotton-producing sections, and other similar groupings.


Moisture and Vegetation

Based on conditions of moisture, there are three general types of natural vegetation—forest, steppe, and desert. Forests are confined to the better watered portions of the earth's surface or to those regions of moderate rainfall where it is cool and where evaporation is consequently small. Steppes, or open grasslands, are characteristic of regions of light rainfall and warm summers. Deserts, with their scanty vegetation, are the results of extreme dryness. By reason of these climatic and vegetative relations we find zones of different kinds of vegetation, tending to extend around the world, ranging successively from Tropical and Temperate Zone deserts of sand, through steppes, to forests and farming lands, and gradually shading off

again, by reason of low temperatures, into deserts of snow.

Figure 5 shows the distribution of average annual precipitation over the world. That portion of the land within the Tropics, between latitudes 15° N. and 15° S. is the most abundantly watered region on the earth's surface, but the ultimate value of this for utilization by the white race is uncertain. To the north and the south of this belt lie the great trade-wind deserts, which can never be made productive without irrigation, and at the same time the potential water supply in most cases is very limited. It will be noted also that much of the vast area of land in the Northern Hemisphere is restricted in potential agricultural use by reason of scanty moisture, particularly in the interior and northern portions of the continents. It should be borne in mind, however, that the Mercator projection used on this map very largely exaggerates the areas in higher latitudes. For example, a square mile at latitude 60° covers four times as much space on the map as a similar area at the Equator.

Figure 6 shows in a very generalized way the vegetation of the world. Within the Tropics this ranges from the dense tropical forests, through a more or less open grass or savanna country, to



YG. 6.—A very generalized map of the natural vegetation of the world showing its breader relations to cliniate. Only three major divisions of vegetation have been attempted, including forests of all kinds, grasslands, and deserts. The principal forests are found in the well-watered aleas, the grasslands in regions of scanty precipitation, and deserts where rainfall is very light or the temperature too low for vegetative growth

to grazing.

the barren deserts. A somewhat similar range is found in the Temperate Zones, from forests, through the open plains, or steppe lands to the arid interior deserts. A comparison of the vegetation and

rainfall maps shows a striking correlation.

Outside the Tropics there are only four extensive areas that receive sufficient rainfall to support a large population—southeastern and extreme eastern Asia, Europe, southeastern North American, and southeastern South America. The great agricultural sections of the earth are found within the moderately humid portions of the Northern Hemisphere, outside the Tropics, yet in this vast area approximately only 10 per cent of the land surface has an annual rainfall of as much as 20 inches. The large areas of deficient precipitation and scanty vegetation include all of Asia, except the southeastern and eastern parts, much of eastern Europe, and most of North America north of latitude 50° and west of longitude 100°.

Moisture and Types of Farming

As in the case of natural vegetation, so in agriculture there are three types in relation to moisture. The amount of precipitation that determines the successive types varies by reason of different temperature conditions, but in general they are close to 10 and 20 inches of annual rainfall. Except where the soil texture and the temperature are especially favorable for conserving moisture, by lessening evaporation, regions with less than 10 inches of rainfall are wholly unsuited for growth of crops without irrigation. The more favorable of these may be utilized for grazing purposes, but often 75 acres or more are required to sustain one head of stock, and the land is better suited to sheep, as a rule, than to cattle.

In the second division are included lands having from 10 to 20 inches of rainfall, which may be designated crop-grazing areas. Crop growing is practised rather extensively under these conditions, especially in the moister portions in cool climates, but where the rainfall is less than 15 inches success is usually precarious, especially in the warmer regions. In temperate climates more of the small grains, particularly wheat, are grown than any other crops. One of the most serious detriments in regions having from 10 to 20 inches of rainfall is the frequency of droughts, especially within the Tropics and in the warmer sections of the Temperate Zones. Although cultivated crops may be grown, such regions are mostly best suited

The third division includes those areas having more than 20 inches of curval rainfall. In these, where temperatures are favorable, crops are grown with ordinary farming practices, and here the bulk of the world's food is produced. The great cereal lands, as a rule, have an annual rainfall between 20 and 40 inches.

Man must sustain himself from a very small portion of the earth's surface. Three-fourths of it is water, and of the remaining land a very large percentage is unsuited for profitable agriculture, either by roughness of topography, infertile soil, or unfavorable climate. In the western half of the United States, southern Russia, western China, and over vast areas within the Tropics limitations to intensive crop production are imposed by scanty moisture, while in the northern portions of the Northern Hemisphere, and in the higher

elevations of middle latitudes the limiting factors are low temperatures and the short growing season. Whereas climatic conditions are the chief concern in the transition zones between agricultural and nonagricultural areas, smoothness of topography and soil fertility are of primary importance in other sections where the climate is more favorable.

Temperature and Vegetation

Based on temperature requirements, the geographic distribution of different plants where the moisture is sufficient may be grouped broadly in latitudinal zones around the world, the several belts in which individual crops dominate being susceptible of more or less

definite delineation on a quantitative temperature basis.

Figures 7 and 8 show the mean temperature for January and July, respectively, for the different portions of the world. In the Southern Hemisphere the warm season of the year corresponds to the cold season in the Northern Hemisphere, and farming operations, with respect to calendar time, have a corresponding difference. January in nearly the whole of central and southern Africa, in Australia, and in much of South America has a mean temperature in excess of 80° F., whereas at the same time portions of Siberia have a mean monthly temperature of 50° below zero. In July the regions having monthly means in excess of 80° lie mostly in the neighborhood of the Tropic of Cancer, though they extend to latitude 40° N. in southern Asia, as well as locally in southern Europe and the United States.

Two significant values of daily mean temperature for agriculture may be mentioned, those of 50° and 68° F., and the duration of these for 1, 4, and 12 months has been made a basis of certain classifications. The polar limit of trees and the more hardy food crops is fairly well outlined by the isotherm of 50° F. for the warmest month of the year. (See Fig. 8.) Near this line are found the last groups of trees in the tundras. A temperature of 50° for four months closely coincides with the polar limit of the oak and of wheat cultivation.

In general the following classification of temperature in relation to plant life may be made:

(1) Tropical belt, with all months warm; that is, the temperature averaging over 68° F.;


(2) Subtropical belts, with 4 to 11 months warm, averaging over 68° F.;
(3) Temperate belts, with 4 to 12 months of moderate temperature 50° to 68° F.;

(4) Cold belt, with 1 to 4 months temperate, and the rest cold, below 50° F., and

(5) Polar belt, with all months averaging below 50° F.

The Tropical Zone

The first, or tropical belt, lies near the Equator. reaching broadly from latitude 20° N. to 16° S., with a rainy and a dry season, or two rainy and two dry seasons during the year, depending in part on nearness to the Equator. Rainfall is mostly heavy, although the belt extends into more or less desert regions in places, especially in north-central and eastern Africa, central Australia, and along the



the world. In the Northern Hemisphere January is In winter the continents are colder than the oceans, Fro. 7.—Mean temperature in degrees Fahrenheit, for the month of January in different parts of normally the coldest month of the year, but in the Southern Hemisphere July is the coldest, but this condition is reversed in the summer




FIG. 8.—The mean July temperature is highest, as a rule, within a belt between 10° and 30° north latitude. In the Southern Hemisphere the summers are somewhat cooler and the winters warmer than in the Northern, due to more water in the Southern Hemisphere. Summer temperatures have an important bearing on the geographic distribution of crops

central-west coast of South America. (See fig. 5.) The annual range in temperature is very small and seasons in the Temperate-Zone sense do not exist. (See figs. 7 and 8.) The daily temperature range, however, especially over land surfaces, is comparatively

large.

Within this zone are found most of the megatherms of the plant family, or those plants which need continuously high temperatures and abundant moisture, including breadfruit, ginger, sago, coffee, sugarcane, and cotton where rainfall is not too continuous. also are found dense tropical forests. (See fig. 6.) These latter with their superabundance of vegetation, together with the general unhealthful climate, are not favorable for human habitation. largest of these forests are found in the Amazon Valley of South America and in the Congo Basin of Africa. The few inhabitants are generally at a low stage of civilization and live mainly by hunting and fishing. Although some planting is done in forest clearings, little attention is paid to the crops, as a general rule, after they are planted. The food supply in some of the river valleys, particularly the Amazon, is closely related to the rise and fall of the waters. When the river is in flood the fish and birds migrate to the outlying tributaries and, consequently, the best hunting and fishing period is during the dry season. This explains the origin of the native prayer for "a good dry season."

While these dense forests, in their present state, are generally unsuited for agriculture, when the land is cleared it becomes most productive. In the upper Congo Valley the natives cut down all but a few of the largest trees and with fire and hoe prepare the soil for planting crops. These consist first of bananas, planted at wide intervals, and manioc. After these maize is put in, and a little later upland rice is sown, the maize being harvested just before the rice begins to head. Thus two perennial and two annual crops are grown together. The area becomes a manioc thicket, yielding a constant supply up to about the fourth year, when it is dug out. Later the same area becomes a dense banana field. Many other tropical crops can be grown in these regions, though at present they are cultivated on a very small scale.

In the tropical rainy zone, where food may be obtained throughout the year with but little effort on man's part, where frost and drought need not be feared, where shelter and clothing are easily prepared, it has been well said that "Nature has done too much." Under such conditions agriculture does not usually reach a high state of development and the probability of material future progress does not appear to be encouraging. In the parts of these regions where the natural conditions are not so lenient a more aggressive agricultural policy is found.

Subtropical Zones

The zones lying immediately north and south of the equatorial rain belt are the habitat of the xerphytes, or those plants which like dryness and need high temperatures, at least for part of the year. In these the trade winds dominate and rainfall conditions vary from a dry season of moderate length on the margin of the equatorial rain belt, through a long dry and short rainy season in

the typical steppe regions, into the great trade-wind deserts. these zones are found the extensive savanna lands of the Tropics, consisting of more or less open, grass country and lying between the forests on the one side and the deserts on the other. (See fig. 6.) Here vegetation has but a brief season for growth during the short. moist summer. Savannas are found in Africa and South America both north and south of the Equator. In Africa they include the Sudan, in South America the llanos of Venezuela and the campos of Brazil, and in Australia the downs. These lands are best suited and mostly used for grazing purposes, the grass cover forming natural hay during the long dry period of the year. The rainfall from year to year varies considerably and there are consequent variations in the amount of grass and water supply, and the inhabitants are more or less nomadic. Frequent droughts and consequent famine are sometimes experienced, during which occasionally many natives die of starvation. During times of drought they move their tents and household goods great distances, stopping where grass and water are available. Food is supplied chiefly from their flocks and

Agriculture is of a primitive kind. The seed is sown at the beginning of the rains. Where moisture is sufficient growth is very rapid because of the prevailing high temperatures. Where rainfall permits the growth of crops the population becomes more sedentary. In the Sudan there is a region of agriculture near the Equator where rainfall is heavier than in the pastoral zone to the north.

The savannas are the most promising agricultural lands within the Tropics and are by far the most healthful. As time goes on they doubtless will be more thickly populated, owing to the suitability of considerable portions of them for agriculture, especially where water is available for irrigation. In the more favorable sections they are already being utilized to a considerable extent, through dry-farming practice, for grain production, especially in South America and Australia. In the semiarid sections of Australia it is the custom to grow one crop of wheat every three years, the ground being left fallow, for conserving moisture, during the other two.

Because of the decrease in temperature with altitude (about 3° F. for each 1,000 feet) elevation within the Tropics has a marked influence on the climate. This is reflected in the vegetation, the higher mountains showing a vertical succession of plants, ranging from tropical, through temperate, to cold-climate species. A very striking illustration of this may be seen by a traveler on the famous Oroya Railroad in Peru. On leaving sea level this road passes through fields of sugarcane and cotton; at about 5,000 feet a region of fruit trees is encountered, and at 10,500 feet there is a district where little else but potatoes is grown. At the highest elevation reached, 15,665 feet, the low temperature precludes the growth of anything except some forms of grass, but at the lower elevations of the interior valley farming lands are again encountered. This succession may be passed through in a 10-hour ride.

The dominant characteristic of climate within the Tropics, an area embracing approximately half of the earth's surface, is a striking uniformity in weather conditions from day to day. The uncer-

tainty and changeableness of conditions characterizing the Temperate Zones are lacking, and climate and weather are essentially synonymous. In view of these facts, it has been thought that local variations of weather and climate in this region are not so agriculturally important as in other portions of the world. This, however, is not the case, as here the dominating influence of the position of the sun and its effect on cloudiness, precipitation, and wind movement, constituting the seasonal changes in the weather, make a careful study of the relation of climate to plant development of much importance.

Both animals and plants are subjected to constantly high temperatures and consequently are much more sensitive to slight temperature changes than in cooler regions; thus variations which are relatively small have an important significance. Investigations at the College of Agriculture of the Philippines show that the average temperature for the year, and for each month, is about 2° F. lower at the college, located at Los Baños, than at Manila, and that this small difference in temperature makes the former place better suited for several crops which thrive well in regions with cooler weather. Other seemingly insignificant variations in rainfall, cloudiness, humidity, or wind may cause equally important differences in plant The amount of cloudiness is especially important, as the heating and drying power of the direct, vertical rays of the sun is much greater than in temperate regions. Consequently many tropical plants regularly wilt during hot, sunny days and recover normal vigor after sunset. Moreover, many plants introduced into the Tropics from temperate climates require shade during the heat of the day. Tests conducted by the Philippine College of Agriculture on the photosynthesis of even such a sun-resisting plant as the coconut showed that its rate was reduced more than half during the hours from 10 a. m. to 2 p. m. on sunny days in May.

Rainfall is fully as important as intensity of sunlight, and even more important in its effect on plants. The two are closely linked in their influence, since the intensity of sunshine and high rate of evaporation make large amounts of water necessary during sunny weather. In the Philippines any month with less than 2.5 inches of rainfall is distinctly and harmfully dry, whereas this amount of moisture is usually sufficient for most crops in temperate regions.

In agricultural practices within the Tropics it is important to study the moisture requirements of each crop as well as the monthly and in some cases even weekly distribution of rainfall. An annual cycle in rice has clearly been demonstrated in some Philippine investigations, the best yields resulting from plantings in April, May, and June, when growth coincides with the most favorable moisture conditions.

Another factor of tremendous importance is the prevalence of wind. The effect of the long-continued and steadily blowing trade winds on evaporation and, consequently, on growth is very marked. This system of winds shifts northward and southward, following the apparent motions of the sun, and, therefore, different areas are under its influence in different seasons of the year. These winds frequently retard the growth of many tropical plants. This is in some cases more beneficial than harmful, however, because it favors the setting of flowers and fruit in more abundance than would be the case under

the warm, humid conditions of the doldrums, which conditions are more favorable for vegetative growth than for fruiting.

The Temperate Zones

In the third division, or Temperate Zones, are found mostly the mesotherms, or those plants requiring moderate warmth—59° to 68° F.—and a moderate amount of moisture. In these zones the winters are short and cool, the coldest month being below 64°, and the summers warm, the warmest month averaging over 72°. Some of the mesotherms require high summer temperatures, others do not survive cold winters, and still others need abundant moisture. Wherever rainfall is sufficient, within these zones are found such important crops as wheat, corn, cotton, figs, and grapes, as well as hickory, hemlock, and other Temperate-Zone forest trees. Most grain crops, however, especially the hardier grains, extend into the zone classed as cold. The mesotherms inhabit, as a rule, latitudes between 22° and 45° N. and to 40° S.; but large areas of these zones, especially near the Tropics, are barren trade-wind deserts with a rainfall insufficient for crop growth.

The Cold Zones

In the zones classed as cold are found principally those plants which need less heat and will develop with shorter and cooler summers, or the microtherms. In this area the average temperature of the warmest month is between 50° and 72° F., and the coldest is below 43° F. Evergreens, deciduous forests, small grains, and in the warmer portions fruit and corn are found. Over the northern part of the cold zone of the Northern Hemisphere the ground at short distances below the surface is permanently frozen, thawing only in the top stratum during the summer, but in many of these colder sections trees grow and hardy cereals may be produced. The staple grain crops overlap in this and the Temperate Zone, partly because their different varieties permit a rather wide range of temperature and length of growing season. Quick-maturing varieties of corn, for example, are planted in the cooler regions, with their short growing seasons, whereas spring wheat is cultivated considerably farther poleward than is the winter variety.

Within the zones classified as "temperate" and "cold" there are wide variations in climate and topography, often within short distances, and consequently it is not possible to delineate broad zones on a basis of specific crop production. A general classification may be made, however, based on the climatic requirements of various crops in relation to certain combinations of prevailing conditions of temperature, moisture, and sunshine. In these zones we find, as in the Tropics, the natural vegetation ranging from the better-watered forest and agricultural lands, through the steppes, to the desert. (See fig. 6.)

The forests of these zones are chiefly coniferous in the higher altitudes and latitudes, or the colder portions, and deciduous where temperatures are higher. Forests flourish as a rule where the mean summer temperature is over 50° F., with comparatively abundant rainfall. They are found largely along the rainy west coasts of the continents and in much of the interior land areas of the Northern

Hemisphere. On the north the great forest belts merge into the tundras and on the south into the open prairie or steppe country.

Because of their more favorable climates the southern portions of the original forest belts are the lands best suited for agriculture, and here nearly all the great cereal crops of the world are grown. Most of this agricultural land was originally forested, but it has been gradually cleared, and the woodlands have given way to modern farms. At present the most advanced civilizations of the world occupy the originally forested areas. Not all of the present open lands, however, were forest covered, as in many places the conditions of moisture are unfavorable for tree growth. This is especially true in subtropical sections with their long dry seasons and light rainfall, and also in some interior continental areas where precipitation is not sufficient and other elements, such as high winds, are unfa-

vorable for forest production.

Between the areas of heavier rainfall which comprise the forest lands of the Temporate Zones, and the interior continental deserts, come regions of scanty precipitation. Here are broad expanses of treeless plains, or grasslands, called "steppes." In these the general severity of the climate, the small rainfall, low relative humidity, rapid evaporation, and other factors favor grass rather than tree The Asiatic Plateau and southern Siberia comprise the most extensive steppe regions of the world. Other well-known steppe lands in the Eastern Hemisphere include southern Russia and Hungary, parts of Arabia, Persia, and Asia Minor. In the Western Hemisphere extensive steppe lands are found in southeastern and south-central South America and over the Great Plains of North America lying just east of the Rocky Mountains, including the prairie lands. The steppe regions of both North and South America are most valuable for grazing purposes, though many cultivated crops are grown, particularly those crops known to be drought resisting, such as grain sorghums. The Asiatic steppes are extremely unfavorable for plant life. These occupy the center of an immense overgrown continent, far removed from marine influence. Consequently severe temperatures prevail, as well as extremely un-The American grasslands have the advantage favorable dryness. of occupying a narrow belt, with a well-watered and fertile region near by. Where farming operations are conducted in the drier regions larger farms are necessary. In Nebraska it has been found that on some of the table-lands in the western portion of the State, where the rainfall is less than 20 inches, about six times as much land is required, under natural conditions, to produce a given amount of plant matter as is needed in the southeastern portion, where the rainfall exceeds 30 inches.

The polar zones are, in general, outside of the limits of tree and cereal growth. Here are found only the hekistotherms of the plant family, such as Arctic mosses and lichens, which require less heat than any other form of vegetation. These are found where the average temperature for the warmest month of the year is less than 50° F.

Mountain climates of the Temperate Zones.—The mountain climates of the Temperate Zones are characterized by lower temperatures, increase in precipitation up to a certain limit, and by a greater

intensity of sunshine than on the lowlands. Even when they rise from dry plains the mountains are often forest-covered on their upper slopes, with agricultural lands in the lower altitudes and grazing lands at the intermediate elevations. The value of mountain land is often determined by its exposure, according to whether the slope is northern or southern. Southern slopes in the Northern Hemis-

phere are usually more desirable than northern exposures.

An important consideration of mountain climate in relation to agriculture is found in the low night temperatures in the valleys as compared with the surrounding hillsides, which usually results in the earlier frosting of the valley crops. In the Alps this is well recognized, and farmhouses and villages are often built on the hillsides instead of in the valleys. During the calm, clear weather in the late fall there may be seen green fields decked with flowers and sheep grazing on these slopes; whereas, in the valley below the trees may be leafless, all activity of plant life having long since ceased by reason of killing frost. In North Carolina and Virginia there are rather poorly defined zones along the mountain sides called "thermal belts" that may escape killing frost when crops below are destroyed. Slopes, even though moderate, are also of much importance in fruit production, especially in the western United States, since they permit the draining away of cold air at night and hence delay the occurrence of frost.

Mountain influence on vegetation is clearly shown in the south-western portion of this country. From the dry lowlands of southern California, covered with orange groves maintained by irrigation, one may pass up the slopes of the Sierra Nevada into the forests. These at first are deciduous, but coniferous trees increase in number as the higher elevations are reached until finally the tree line is passed and deserts of perpetual snow are attained. The lofty plateaus of Arizona and southern Utah rise from the desert valleys into regions of sufficient rainfall to support forest growth. In many places summer grazing is practised in the higher elevations, the winter range being on the lower levels. This is especially the custom in the Alps and the Himalayas, the Urals, in Norway and

Sweden, and in the western United States.

The World's Future Food Supply

In recent centuries the population of the world has increased rapidly. The question of sustenance for the multiplied millions has been taken care of by migrations to less densely populated countries, principally the Americas, and by importation from foreign lands of plenty. By this process the unoccupied arable land of the world has been gradually occupied until to-day very little remains in regions with healthful climates. North America now leads in production of many food crops, yet but yesterday, as world history goes, it supplied food for only a handful of the red men of the forest. To-day the United States, with only about 5 per cent of the world's population, produces about one-seventh of its cattle, one-fifth of its wheat, one-fourth of its oats, one-third of its hogs, and three-fourths of its corn.

It is true that our production, by the utilization of all available resources, such as irrigation in the West, and intensive culture in the

East, comparable to that practised in the older and more densely populated countries, could be greatly increased. It has been estimated that we could feed between three and four hundred millions of people, but with the millions knocking at our door for admission and our own natural increase in population it is easy to vision the time, especially with unrestricted immigraton, when this country itself would have to look elsewhere for food. The Americas are the world's last food frontier. When they shall have reached their maximum production, if populations continue to increase as in the recent past, a serious situation as to food will likely arise.

In the United States, up to the present time, as population has increased, the problem of food has been met by extending agriculture from the original narrow strip along the Atlantic seaboard farther and farther westward into virgin and fertile soils. We now have occupied all of these, however, and further increases must be obtained either by fertilization or reclamation of relatively unproductive eastern lands or by irrigation in the semiarid West. Any of these methods will present problems far more difficult than our former

method of expansion has required.

The United States and other countries have been experimenting in the last few years with crop production on the semiarid steppe lands. Various beliefs have been prevalent as to the possibility of permanently changing the climate in these regions through the influence of cultivation and otherwise, but it is well known that the fundamental, physical conditions of air and earth that control the geographic distribution of rainfall can be materially changed only through the slow processes of Nature herself operating through the centuries in her usual deliberate way. The climatic limitations to agriculture in the vast steppe lands of the globe are now clearly recognized. Where irrigation can not be practised, by far the greater portion of these must remain primarily grazing lands, and attempts to grow crops by ordinary methods of farming, especially in the drier and warmer sections, will continue, as in the past, to be fraught with uncertainty.

Climate and Agriculture in the United States

With regard to climate favorable for agriculture, the United States is very fortunate in comparison with most other countries of the world. The vast expanse of comparatively level and fertile country, extending from the Great Plains on the west to the Atlantic Ocean on the east, and from the Canadian border to the Gulf of Mexico, receives, as a rule, adequate rainfall, and the temperatures are mostly favorable for crop growth. Moreover, the latitudinal range of the country is such, extending from the cold zone in the extreme north through the subtropical zone in the south, as to permit of the growth of a great variety of plants having a wide range in temperature requirements.

There are, however, large areas in the western half of the country which, because of unfavorable climatic conditions, or rough topography, are unsuited for intensive crop growth unless irrigated. There are also smaller areas in the extreme northern portion of the country and in the high elevations of the West, where moisture conditions are comparatively favorable, in which crop production is

restricted by the cool weather and the short growing season. About 40 per cent of the land area of this country receives on the average less than 20 inches of precipitation annually; one-third has from 20 to 40 inches and one-fourth from 40 to 60 inches.

Rainfall in the United States

Figure 9 shows the average annual precipitation in the different sections of the United States. East of the one hundredth meridian this ranges from 20 to 60 inches, with a more or less uniform increase from northwest to southeast, and in the Southern States from west to east at least to the ninetieth meridian. Over the Great Plains the amounts range from about 12 to 20 inches, whereas in many of the valleys and lower elevations of the Rocky Mountain-Plateau States there is usually less than 10 inches of precipitation




Fig. 9.—On a basis of the average annual precipitation as related to crop growth, the United States may be divided into an eastern and a western part. The dividing line roughly coincides with the one hundredth meridian, in the vicinity of which the annual rainfall is about 20 inches. In general east of this, precipitation is sufficient for crop production by ordinary methods, but in the West large areas have dedicient rainfall, necessitating, for crop growth, special methods for artificially supplying moisture, or conserving it in the soil. Much of the West is primarily best suited for grazing purposes instead of for growing crops

during the year, but the amounts are considerably greater than this in the higher elevations. In the Pacific Coast States precipitation ranges from more than 120 inches on the west side of the Olympic Mountains to less than 5 inches in parts of southeastern California.

Figure 10 shows, for the different sections of the country, the percentage of the annual precipitation that occurs during the warm season, April to September, inclusive, often designated the "cropgrowing season." In the eastern two-thirds of the United States it is the rainfall of this period with which the farmer is mostly concerned, but from the Rocky Mountains westward the precipitation occurring in the winter months is of great importance. In fact, for

some western localities the amount of snow stored in the mountains during the winter, as a reserve water supply for irrigation purposes during the following growing season, largely determines the degree

of success of many farming operations.

Again, in most of the Pacific coast region fall-sown grains, under the influence of comparatively mild temperatures and ample moisture, grow steadily during the winter season and mature after the cessation of rains, using the moisture stored in the soil during the wet winter months. East of the Rocky Mountains these conditions are largely reversed. Here grain makes practically no growth after winter sets in, but with the advent of spring growth is rapid under the influence of favorable conditions of temperature and moisture.




Fig. 10.—Percentage of the annual precipitation that occurs during the six warmer months of the year—There are three principal types of scasonal distribution of precipitation in the United States. Distribution is rather uniform in the East, but in the Great Plains much the greater part of the annual amount falls in the summer season, while in the far West there is a marked winter concentration. Wherever the total rainfall for the year is scanty the seasonal distribution is of much importance, and this is very favorable in the Central Northern States. In fact, throughout the Great Plains region from 70 to more than 80 per cent of the annual precipitation occurs during the period of the year when rainfall is of most benefit to crops. most benefit to crops

Rainfall and Crop Growth

The amount of moisture required by crops for their best development varies for different localities and for different crops. The minimum amount of rainfall needed for ordinary farming, under favorable seasonal distribution, is usually considered to be between 15 and 20 inches of annual precipitation, but several modifying influences, which have wide geographic variations, must be taken into account. Among these are soil texture as affecting its moistureretaining qualities, temperature, and the rate of evaporation. Broadly speaking, about 15 inches of annual rainfall may be considered as about the minimum amount necessary in the relatively cool climates, where the mean summer temperature ranges around

 65° F. and 20 to 25 inches in warmer areas, where the summer mean is 75° to 80° F.

In considering the relation of rainfall to crop production the question of loss of moisture by evaporation from the soil and by transpiration from the plants themselves is of much importance. especially in regions like the western half of the United States, where the moisture supply through rainfall is small. The rate of this loss depends largely on the temperature, soil texture, wind movement, and relative humidity of the atmosphere. Over the Great Plains region the amount of evaporation from a free-water surface is much greater in the south than in the north, ranging from about 30 inches in North Dakota to 50 inches in southwestern Kansas and to about 60 inches in the southern portion of the area. The agricultural importance of these differences, stated in terms of actual equivalent rainfall, can be determined only approximately, but some investigators have shown that for effectiveness in plant growth 20 inches of annual rainfall in North Dakota are equivalent to about 30 inches in southern Texas.

For these reasons the decrease in rainfall from south to north does not have the same significance as a similar decrease from east to west. The gradual decrease in moisture westward over the Plains correlates with the gradual change in the natural vegetation, but the greater quantity of rainfall in the South, as compared with the North, does not show such a correlation. This is due to the more rapid evaporation in the South and to the greater water requirements of plants with the higher prevailing temperatures. For example, it has been found that to produce a ton of dry matter, alfalfa, at Dalhart, Tex., required 1,005 tons of water; at Akron, Colo., 853 tons; at Huron, S. Dak., 630 tons; and at Williston, N. Dak., 518 tons.

Another factor of importance for plant growth, particularly in regions of scanty rainfall, is the length of droughty periods. Over the Great Plains this is normally greater in the south than in the north. The rapid-growing plants and grasses utilize the short growing period, when moisture is present, in vegetative and seed production, and have drought-resisting qualities that usually carry them through the dry season. Thus, drought-resisting plants, such as grain sorghums, are more common in the southern Plains region. One cause for the frequency of damaging droughts in semiarid sections is the dryness of the subsoil, which causes harmful effects to vegetation more quickly after the cessation of rains than is experienced in regions where rainfall is heavier with a greater reserve supply of subsoil moisture. When rain falls in moderate quantities it moistens only the surface soil and is quickly used by the plants or lost by evaporation, but little passing to the soil below for emergency use.

The rapidity with which soil dries out depends largely on its texture and water-holding capacity. A heavy soil will hold 1 inch of rainfall in the surface 6 or 8 inches, in which the soil moisture is readily available to roots of plants. The same amount of rainfall will penetrate a foot or more in sand, but at the same time loss by evaporation is more rapid in the latter; consequently damaging droughts are more frequent in light sandy soils than in those of

heavier texture.

Still another matter of importance is the seasonal distribution of rainfall. Wherever the annual amount borders on the minimum requirement for successful crop growth it is important that the maximum rainfalls occur during the season in which the moisture can be best utilized by growing crops. Over the semiarid Plains region the seasonal distribution is very favorable. (See fig. 10.) Winter precipitation is very light, less than 10 per cent of the annual amount occurring during the three months from December to February, inclusive, in the central and northern portions. In Montana and the Dakotas May and June are usually the months of greatest rainfall. Elsewhere over this region May, June, and July are about equal, except in western Texas and eastern New Mexico, where July has the maximum.

Rainfall Variability

The variations in rainfall from year to year are also important. In general, there is less than the normal amount of rainfall in slightly more than half the years, with a well-recognized tendency for several successive years of comparatively heavy rainfall to be followed by another group of years with deficient amounts. This tendency renders farming by ordinary methods precarious in many of the drier western portions of the country. Abundant crops in years of ample moisture may encourage the extension of the cultivated areas into normally drier regions, but the records show that these are only temporary conditions which are likely to be followed by years of drought, with rainfall entirely insufficient to mature crops. Because of these facts, unless a wise system of farming practice is followed, with provisions for tiding over droughty periods, ordinary farming in the drier portions of the Western States will continue to be hazardous.

Temperature Influence on Periods of Plant Growth and Rest

Of the three climatic elements that dominate plant growth—precipitation, temperature, and sunshine—temperature is the most important in determining, on the one hand, the geographic boundaries within which certain plants thrive best, or, on the other, fail entirely to develop. The temperature of a region establishes also the seasonal limitations of growth.

In most sections of the United States there are periods during the year, varying in length in different localities, with temperature too low for active plant growth; these are known as rest periods. When the temperature in its annual march rises to the vegetative or active value, growth, in general, begins. The rate is slow at first, but is accelerated with the rise in temperature, provided sufficient soil moisture be present, until the optimum is reached, after which growth is slowly retarded until the winter rest period is again entered. The rest, vegetative, and optimum temperature values differ for different plants and localities, but, in general, most cultivated plants remain more or less dormant in temperate climates during the months when the mean monthly temperature remains below 49° F.

Figure 11 shows the general rest periods for most plants in different sections of the United States, as determined by the average time in months between the first month in fall and the last in spring, inclusive, with a mean temperature below 49° F. The vegetative period is represented by the months of the year other than those shown for the several areas on the chart.

In portions of the Northeastern States, in the western upper Lake region, most of Wisconsin and Minnesota, and also in the Dakotas, Montana, and the central and northern portions of the Rocky Mountain region, the rest period extends from October to April, or is of seven months' duration. Immediately to the south of this area there




Fig. 11.—General rest period for most plants in different sections of the country, as determined by the average time in months between the first month in fall and the last in spring, inclusive, with a mean temperature below 49° F. The growth periods are the months other than those shown. In most temperate climates there are periods during the year, usually increasing in length with the latitude, when the temperature is too low for active plant growth. These are known as winter rest periods. In general cultivated plants are more or less domant during the months when the mean temperature is below 49°. Broadly speaking, those months with mean temperatures between 49° and 72° may be considered periods of vegetative growth for most crops. When the average temperature is above 72° and moisture is sufficient, tropical and subtropical plants will continue to grow and fruit will ripen, but when moisture is lacking this becomes a period of summer rest

is a belt, of limited width, in which the mean temperature does not fall below 49° F. until November, but remains below that value in spring for the month of April, thus covering a period of six months. Throughout a wide belt, extending from Kansas and Nebraska eastward to the middle Atlantic coast and reaching as far south as the northern portions of North Carolina, Tennessee, Arkansas, and Oklahoma, the rest period extends from November to March, five months. From this area it decreases southward to the central portion of the Gulf States, where only one month, January, has a mean temperature below 49°, and the Gulf coast, including the whole of Florida, has a mean monthly temperature of 48° or higher in every month. Owing to the diversity of topography from the Rocky Mountains westward, very little detail has been attempted in

drawing the chart and, consequently, the areas shown for these regions are broadly generalized. However, the dormant period is mostly from six to seven months in length, except in portions of the Pacific Coast States and in the lower Colorado River Valley, where in some sections the monthly means do not fall as low as 49°.

Temperature Influence on Crop Distribution

The agricultural regions of the United States in which the several crops dominate have more or less definite boundaries, extending, in a general way, in an east-west direction conforming to the isothermal trend. Broadly speaking, we may divide crops into two classes, those known as cool-climate crops, more intensively grown in the central and northern sections of the country, and warm-climate crops, grown chiefly in the Central and Southern States. Among the former may be included potatoes, wheat, oats, buckwheat, flax, and most grasses; among the latter we find cotton, corn, rice, sugarcane, and peanuts. While the most intensive production of both winter wheat and corn is found in the same area, one classed as a cool and the other as a warm-climate crop, the former matures early in the season, before the warmer weather of summer comes, whereas the most critical period of growth of the latter is the warm, midsummer season.

In that portion of the country lying east of the Rocky Mountains we find five more or less distinctive climatic provinces which correspond to definite crop groupings. These have been designated the subtropical coast, the Cotton Belt, the corn and winter-wheat region,

the Spring Wheat Belt, and the hay and pasture province.

Subtropical coast.—This section has a warm and comparatively equable climate, with an average winter temperature ranging from about 55° F. along the central Gulf coast to 70° in extreme southern Florida, and an average summer temperature of 80° or slightly higher. The principal crops in this province are winter truck, citrus fruits, sugarcane, and rice. The winters are usually mild, although an occasional cold wave, with freezing temperatures, may be expected; in fact, temperatures as low as 0° F. have been recorded as far south as the Alabama coast. The summer temperatures are ap-

preciably tempered by proximity to the Gulf.

Cotton Belt.—The northern limit of successful commercial production of cotton is determined largely by temperature conditions. A mean summer temperature of about 77° F. is the limiting value, which corresponds to a frostless season of about 200 days. Along the northern margin of the belt the last killing frost in spring occurs on the average about April 10 and the first in fall about October 25. The mean summer temperature in the southern portion is about 82° F. The cotton plant grows successfully under a much wider range of precipitation than of temperature. In the cotton-growing States the average annual rainfall varies from little more than 20 inches in the extreme western portion to 55 or 60 inches in some eastern sections of the belt.

Corn and Winter-Wheat Belt.—The principal Corn and Winter-Wheat Belt extends roughly from the Ohio Valley States westward to the Rocky Mountains. The average winter temperature in this area ranges from about 40° F. in the southern portion to 15° in the

northern, and the average summer temperature from about 78° in the south to 70° in the north. The average frostless season ranges

from about 140 days in the north to about 200 in the south.

The thermal constant for corn in the principal producing areas, represented by the accumulated day degrees of temperature in excess of the normal daily temperature at the average date of planting, to the date of maturity, ranges from 1,600° to 1,800° F. Along the northern limit of successful commercial production it is about 1,400°, but in some Southern States, where slower-maturing varieties are planted, it runs as high as 2,800°. It is interesting to note that in the more southern States there is a large excess of heat during the growing season over that required for maturing corn. For example, in southern Georgia the potential thermal constant for this crop, when computed from the accumulated day degrees of temperature above the average at the time of beginning of planting to the average date of first killing frost in fall, is over 4,000° as against 1,600° in central Iowa. This permits successive plantings in the South covering a considerably longer period in the spring. That is to say, early, intermediate, and late crops can be grown.


Spring-Wheat Belt.—This belt lies mostly in the central-northern section of the country, principally in the States of Minnesota and the Dakotas. The average summer temperature along the Canadian border is about 65° F., whereas the southern boundary of the belt conforms approximately to the mean summer isotherm of 70° and a mean winter temperature of 20°. This is by no means the northern limit of spring-wheat production, however, as much is grown in the Canadian Provinces farther north. In the United States the average frostless season of the belt varies from about 100 days in the north to 140 days in the south. As in the Corn and Winter-Wheat Belt, farming is rather diversified, but spring wheat forms a

large percentage of the crop production.

Hay and pasture province.—This province is less well defined than the others mentioned and is, as a rule, a region of varied agricultural conditions. It includes mostly the northern border States from Minnesota eastward and extends southward over the Middle Atlantic States and Appalachian Mountain districts. The average summer temperature ranges from about 62° to 70° F. and the average winter temperature from 10° to 25° F. Climatic conditions in this province are favorable for the production of potatoes, buckwheat, and other cool-climate crops, but dairy products predominate. They amount to about one-half of the total for the United States.

The Frost Hazard

The limiting factor in the successful cultivation of many springplanted crops in the temperate and cold zones is the usual time of the occurrence of the last killing frost in spring and the first in autumn, or the length of the frost-free season. In most farming operations there is, from time to time, more or less loss occasioned by frost. It is important, therefore, that the frost situation, which varies greatly in different sections of the country, be carefully studied in connection with farming operations. Under ordinary conditions fairly big frost risks can be taken in early planting for some crops where high prices are usually realized for products



12.—Average date of last killing frost in spring. In half the years it will occur earlier than the dates shown and in half the years later than these dates. It follows that spring crops which are advanced sufficiently to be harmed by frost on the average date of its last occurrence will be killed in 50 forth usually occurs each year to the Gulf coasts and to the central portion of the Florida peninsula, but in extreme southern Florida it occurs, as a rule, in less than half the years. In some extreme northern districts and in the higher elevations of the Western States the average date of last killing frost is later than June 1, but in the Gulf coast sections it is infrequent after March 1

Fig

which are marketed early, but large risks are not, as a rule, advisable for general crops. The simplest of all frost summaries is the average date of its last occurrence in spring and the first in fall. The intervening period is usually called the frost-free season.

Figure 12 shows the average date of the last killing frost in spring. Killing frost does not occur, as a rule, along the south Atlantic coast from central South Carolina southward and in the southern portions of the Gulf States after March 1. To the northward the average date of the last killing frost in spring becomes progressively later, as shown by the chart.

From the Rocky Mountains westward, owing to diversity of topography, wide variations obtain in the average dates of the last killing frost in spring and of the first in the fall, and, consequently, no general statement applicable to this region can be made. The





Fig. 13.—Dates in spring after which the chance of killing frost is less than 10 per cent; that is, killing frost will occur in the long run after the dates shown for different sections less frequently than 10 years in a century

average spring dates range from before April 1 along the central and southern California coast to after June 1 in the higher elevations of the Plateau and Rocky Mountain districts. Killing frost may be expected, as a rule, in half the years as late as the average date of occurrence. That is, in the long run, the time of occurrence in half the years is earlier than the average date and in the other half later.

Figure 13 shows, for the country east of the Rocky Mountains, the dates after which killing frost is likely to occur only 1 year in 10 on the average. After April 1 the chance of killing frost along the south Atlantic coast and in the southern portion of the Gulf States is only 10 per cent. The line for May 1 extends as shown by the illustration. In much of North Dakota and in the northern portions of Minnesota, Wisconsin, and Michigan, as well as in parts of New York and in northern New England, killing frost may be expected at least 1 year in 10 after June 1. This is the case also in the central and western Rocky-Mountain Plateau States, except in a few favored localities.



fall frost dates range from before September 1 in some of the colder sections of the country to December 1 on the east Gulf coast, northern portion of the Corn Belt the growing season usually is terminated by killing frost during the first 10 days of October, northern Cotton Belt the average time of first killing frost is near the end of that month. Killing frost has occurred at ever mainland of the United States where records have been kept, Key West, Fla., being the only station with no record of killing frost

Much damage is occasionally done to immature crops by killing frost in fall, particularly when the summer season has been unfavorable for rapid maturity and crops are, consequently, late. Figure 14 shows for the United States the average dates of first killing frost in fall, by which time it may be expected to occur in half the years. It follows that crops susceptible to frost damage and crops which do not mature earlier than the dates indicated for the several localities will probably be damaged by frost in half the years. This does not mean that killing frost will be experienced every other year on these dates, but that, in the long run, there is an even chance that it will occur as early as the dates mentioned.

This chart shows that along the northern border of the country killing frost may be expected in half the years as early as September




Fig. 15.—Dates in fall prior to which the chance of killing frost is less than 10 per cent. There is very little risk of damage to crops that mature before the dates shown on the chart for the several localities.

20. To the southward the dates become progressively later until, in the immediate Gulf region, it does not occur, as a rule, until the end of November, and in much of Florida and along the west Gulf coast until after December 1. Killing frost has been experienced in every section of the United States where records have been kept, except on some of the Florida Keys. It may be expected in less than half the years, however, in the extreme southern portion of the Florida. Peninsula.

Figure 15 indicates the dates in fall before which killing frost occurs, in general, less frequently than 1 year in 10. Crops that mature by the dates indicated on this chart, for the various sections of the country, are in very little danger of damage by frost. In the northern portion of the Corn Belt—that is, from eastern South Dakota to southern Wisconsin—killing frost may be expected 1 year in 10 as early as September 11, and in the southern portions from Tennessee to northern Oklahoma about October 11. The latter localities

coincidé with the northern portion of the Cotton Belt. In eastern Gulf sections and in central Texas it does not occur with this fre-

quency until about the 1st of November.

The frost-free season.—The potential frost-free season is the average period between the last killing frost in spring and the first in fall. No type of crop production can be successfully maintained where the risk of frost damage is not more than overbalanced by profits at other times. If spring crops that may be killed by frost are planted early enough to be in condition susceptible to harm on the average date of the last killing frost, the risk of loss is 50 per cent, and likewise crops that require the entire frostless period for maturity are subjected to damage in fall in 50 per cent of the years. When both of these conditions prevail, the chance of growth and maturity without damage is only 25 per cent, or one year in four. Such risks are too big to carry and, consequently, planting operations, wherever possible, should be so timed as to allow a reasonably safe margin from frost danger in spring and for maturity in fall before the risk becomes too great.

before the risk becomes too great.

Figure 16 shows, for different parts of the United States, the average length of the frost-free season. This period is about 100 days in some localities along the central-northern border of the country, about 140 days in the northern portion of the Corn Belt, 200 days along the northern border of the Cotton Belt, and about 280 days in most of the Gulf coast sections. It will be noted that the frost-free season increases rapidly in length from the northern


border of the country to the southern.

Spring planting and frost-free dates.—The best dates for planting tender spring crops in different parts of the country depends mostly on the average date of last killing frost in spring, as shown in Figure 12. In general, spring wheat may be seeded about 5 or 6 weeks before the average date of last killing frost, spring oats 4 or 5 weeks, and early potatoes 2 or 3 weeks before the killing-frost date. Corn requires more warmth for successful germination and should not be planted, as a rule, until near the average date of the last spring frost, while cotton planting should be delayed until about a month after that time, the latter corresponding very well to the latest date in spring on which a killing frost has occurred.

Such truck crops as early cabbage plants from seed beds, radishes, collards, onion sets, early smooth peas, kale, turnips, and mustard may be planted two weeks or more before the average date of last killing frost. Beets, parsnips, carrots, lettuce, spinach, wrinkled peas, cauliflower plants, celery seed, and Chinese cabbage may be planted about the average date, but the planting of snap beans, okra, and tomato plants should be deferred until about two weeks after that time, and such plants as Lima beans, melons, eggplants, cucumbers, squash, and sweet potatoes should not be planted till the soil is well warmed up, or about three or four weeks after the average date of last killing frost.

Sunshine and Light

Sunshine is a very important climatic element, not only from the standpoint of agriculture but also from its physical effect on man



from four to six months, while about one-tenth of the country has more than eight months, on the average, without killing frost

and other animals. Light plays an important part in controlling the plant structure, and the depressing influence on human beings of long periods of cloudy and damp weather is noticeable, even to the casual observer. On the other hand, long periods of successive days with continuous sunshine and high temperature are trying on all animal and most plant life. Long, hot periods are usually characterized by few clouds and much sunshine, when, day after day, the amount of insolation received during the daytime results in an accumulation of heat in excess of that lost at night by radiation.

With an ideal sea level horizon, the amount of sunshine received in any locality, for the year as a whole, would be determined by the prevailing state of the sky as to presence or absence of clouds and fog, although there is a slight increase with latitude in the possible




Fig. 17.—For each 2½° of latitude the average mean solar time of sunrise and sunset and the average length of the day, sunrise to sunset, during the longest and shoriest days of the year, June 21 and December 22, respectively. In the extreme southern portion of the country the longest day is about 14 hours in length and the shortest about 10½ hours, whereas in the extreme northern portion the longest is about 16 and the shortest about 8 hours. During clear weather in summer the sun shines in the extreme northern portion of the country about two hours longer during the day than in the extreme South. This is an important factor in crop growth in these northern localities, as the greater amount of sunshine compensates somewhat for the lower temperature. For the year as a whole the possible amount of sunshine is approximately the same throughout the world, or an average of about 12 hours a day

amount of yearly sunshine. This variation is unimportant, however, amounting in the course of a year to a total of only about 35½ hours between latitudes 25° and 49° N., representing the extreme southern and extreme northern portions of the United States; the average possible yearly amount at latitude 25° is 4,437.2 hours, and, at latitude 49°, 4,472.6 hours for a 365-day year. The possible amount of sunshine, however, has wide seasonal variations in middle and high latitudes, the variations increasing rapidly with the latitude.

Figure 17 affords a comparison of the possible amount of sunshine that could occur in different portions of the United States during the longest and the shortest day of the year. It shows for each 2.5°

of latitude the average mean solar time of sunrise and sunset and the average length of the day, from sunrise to sunset, on December 22 and June 21, or the time of the winter and summer solstices. At the time of the equinoxes, about March 21 and September 22, the days and nights are substantially of equal length throughout the world. The longest day of the year at latitude 25°, extreme southern Florida, is only about three hours longer than the shortest day, but at latitude 49°, representing the northwestern boundary of the country, the longest day is eight hours longer than the shortest.

Geographic distribution of sunshine.—Figure 18 shows the geographic distribution of sunshine for the year as a whole, expressed in percentage of possible amount, the latter being essentially the same for all sections of the country, or an average of approximately 12 hours a day. This chart indicates that the least is received along




Fig. 18.—Percentage of the possible amount of sunshine that occurs on the average in different portions of the country for the year as a whole and indicates the effect of cloudiness on the amount received. The possible amount for the year is approximately the same in all sections. In the far Northwest and from the Lake region castward the sun shines on the average for the year less than half the daylight hours but in some far southwestern districts more than 85 per cent of the possible amount occurs. In the interior of California the summers are practically cloudless, but considerable cloudy weather prevails in the winter. The fall and winter mouths are especially cloudy in the more northwestern States and in the Northeast. The principal agricultural sections of the country receive between 50 and 70 per cent of the possible amount of sunshine

the north Pacific coast, where the sun shines on the average for the year during only about 40 per cent of the daylight hours, whereas in the Lake region, the central and northern portions of the Appalachian Mountain area, and the Northeast, the percentages are only slightly higher—45 to 50. The maximum amount of sunshine in the United States is received in the far Southwest, including extreme western Texas, New Mexico, Arizona, southern Nevada, and the adjoining portions of California. In the lower Colorado River Valley the sun shines on the average for the year nearly 90 per cent of the total number of hours from sunrise to sunset.

The Intensity of Sunshine

Although the importance of sunshine as a climatic factor is well known and considerable data are available showing its duration in different parts of the country, records of the equally important intensity of sunshine are available for only a few places because of the delicacy of the apparatus required in the measurements. In measurements of any kind a unit of measure is required. Two units are employed in measuring the intensity of sunshine, one a heat and the other a light unit. The heat unit is called a gram-calorie, and is the quantity of heat required to raise the temperature of a gram, or cubic centimeter, of water through 1° C. It is usually employed when we wish to measure the total radiant energy, or the energy of all wave lengths, received from the sun. If we wish to confine our measurements to the energy of such wave lengths as are capable of producing in the human eye the sensation that we call light, then we compare the illumination produced by sunlight on a diffusely reflecting surface with the illumination produced on a similar surface by a standard candle 1 foot from it. Under these circumstances the intensity of the illumination produced by the candle is called a foot-The intensity of solar or daylight illumination on a horizontal surface at noon in midsummer if the sky is clear is about 10.000 foot-candles. Even if the sky is completely covered with clouds the intensity may be 2,500 to 3,000 foot-candles. An intensity of from 10 to 15 foot-candles is considered good indoor illumination.

Meteorologists are particularly interested in the intensity of the total radiation received from the sun. The instrument with which this intensity is measured is called the pyrheliometer (solar-heat measurer). The solar radiation to be measured is usually received upon a surface at right angles to the incoming rays, and the heating effect upon a unit of surface, as a square centimeter, in a unit of

time, as one minute, is determined.

It has been computed that if the earth had no atmosphere the intensity of the solar radiation should average about 1.94 gram-calories per minute per square centimeter of normal surface. The effect of the atmosphere is greatly to reduce this intensity by absorbing some of the heat rays and scattering others. The least loss, other things being equal, occurs when the sun is nearest the zenith, or at noon. The absorption and scattering of the rays increases as the

sun approaches the horizon.

In the first line of table 1 is given the highest intensity of solar radiation that has been measured at Washington during each month of the year. Since the sun approaches much nearer the zenith in summer than in winter, one might expect that midday summer intensities would be higher than midday winter intensities. Although this is true at stations in high latitudes, there are two reasons why it is not the case for the latitude of Washington: (1) The earth is nearer the sun in winter than in summer, and this variation in solar distance is sufficient to cause a difference of 7 per cent in favor of midwinter intensities. (2) Water vapor is an active absorber of solar radiation. The atmosphere contains more water vapor in summer than in winter and also more dust.

TABLE 1.—Maximum solar radiation intensities measured at Washington, D. C.

(Gram-calories per minute per square centimeter)

Month	Jan.	Feb.	Mar.	Apr	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Normal surface	1. 43	1. 50	1. 48	1. 51	1. 45	1 43	1 47	1 43	1 49	1 45	1. 48	1. 48
	. 74	. 98	1. 16	1. 35	1. 37	1.38	1 40	1 27	1.17	.96	. 77	. 69

If, as shown in Table 1, sunshine is as intense at midday in winter as in summer, why are the summer days so much the warmer? Partly because there are more hours of sunshine in summer than in winter, but principally because the atmosphere is heated not so much by absorbing the solar rays as they come in through it as by the heat it receives from the surface of the earth. The temperature of the surface of the earth depends not upon solar radiation intensity measured at normal incidence, but upon the vertical component of that intensity, or the intensity upon a horizontal surface.

In the second line of Table 1 are given the vertical components of the intensities of the first line, computed for the 21st day of each month. It is to be noted that although the figures of the first line show no annual variation, in the second line the December intensity is only half that for the 21st of the months May, June, and July.

Besides direct sunlight, the surface of the earth also receives from the sky some of the rays that were diffused or scattered by the gases and dust of the atmosphere. At noon on a summer day with a clear sky this diffuse radiation may equal one-fifth the direct solar radiation. When the sky is covered with clouds all the radiation received is diffuse. The ratio of the diffuse to the direct radiation increases as the sun's zenith distance increases.

In Table 2 is given the average amount of radiant heat received from the sun and sky on a horizontal surface at Washington, D. C., on the 21st day of each month. It will be seen that the amount received in midsummer is about 3.5 times that received in midwinter, while the hours of possible sunshine on June 21 are 14.9. and on December 21, 9.4, or the ratio is 1.6 to 1.

Table 2.—Average radiant heat received on a horizontal surface from the sun and sky on the 21st day of each month

	;		,			1			
Month	Jan	Feb.	Mar.	Apr.	May	June July	Aug Sept	Oct Nov	Dec.
						,			
Radiation	172	254	355	428	479	501 - 464	421 364		144

Perhaps it will be easier to appreciate the magnitude of these measurements if we express them in units of energy. On a clear day the total heat received may exceed the averages of Table 2 by 50 per cent. From March 21 to September 21 it may therefore amount to 600, and in June to 750 gram-calories per square centimeter. These daily amounts are equivalent to 7 and 8.7 kilowatthours of energy per square meter of surface, respectively. Therefore, in the vicinity of Washington on a clear day between March 21 and September 21, the heat energy received on a square meter of surface

is equivalent to the energy required to operate twenty-five 40-watt electric lamps for at least 7 hours, and in June for 8.7 hours.

Measurements of direct solar radiation and of the diffuse radiation from the sky have been made for a number of years at Madison, Wis., Lincoln, Nebr., and Sante Fe. N. Mex.

Wis., Lincoln, Nebr., and Sante Fe, N. Mex.

Measurements of direct solar radiation have also been made by the Smithsonian Institution on Mount Wilson and Mount Whitney, Calif., and on Hump Mountain in North Carolina, and short series have been made by the Weather Bureau at several points in the Southwest and on the Pacific coast.

From these readings we find, as we would expect, that solar radiation intensities increase with elevation above sea level, and also, regardless of elevation, as we go west from the Mississippi River on account of the diminution in the amount of water vapor contained in the atmosphere in the arid and semiarid regions of the Great Plains and the Rocky Mountains.

Figure 19 shows the average amount of radiation received on a horizontal surface on the 21st day of February, April, June, August, October, and December, respectively.

SOLAR RADIATION INTENSITY SOLAR RADIATION INTENSITY SECURITY SE

Fig. 19.—Average daily totals of solar radiation on a horizontal surface, in gram-calories per square centimeter (a gram-calorie is the quantity of heat required to raise the temperature of 1 gram of water 1° C.), on the 21st of February, April, June, August, October, and December. It shows marked variations in radiation intensity between the winter and summer seasons, especially in the central, north-central, and northeastern portions of the country

Certain features of the data on these charts are of interest. example, it will be noted that on December 21 Florida receives twice as much solar radiation per day as is received along the northern border of the United States, and western Texas two and one-half times as much. The Lake region receives less than the average for its latitude on account of the excessive cloudiness. The difference between high and low latitudes grows less with the approach of warm weather, and by April 21 has practically disappeared. In June there is actually an increase in the daily amount of radiation with latitude in the Atlantic coast districts, and the increase from east to west reaches a maximum of 40 per cent from the Gulf coast to the Rocky Mountain Plateau. In general, the spring months receive slightly more radiation than the fall months. Compare, for instance, February and October, and April and August (fig. 19). This is due principally to the less water vapor and dust content of the atmosphere in the spring than in the fall months.

These charts of sunshine intensity (fig. 19) present contrasts between the different sections of the United States that are not shown by charts of the percentage of possible (duration of) sunshine. Sunshine intensity data are useful in studies relative to climate and crops. Unfortunately data are not available to permit the exten-

sion of the lines on these charts to the Pacific coast.

Some Sunshine Effects

Sunshine is important in plant growth because the heat and the light required by all growing plants are supplied by solar radiation. While heat can not replace light in the plant-building process, light can, in some measure, replace heat. Bright sunshine not only raises the temperature of the air but also promotes the evaporation of moisture from the soil. Other factors remaining the same, bright sunshine, as compared with diffuse light, accelerates photosynthesis and transpiration. In general, a plant receiving less than its optimum in light intensity becomes pale, elongated, and weaker than it otherwise would.

Evidently a plant can not maintain itself in a region or extend its habitat in any direction unless conditions are favorable not only for vegetative growth but for reproduction as well. The amount of sunshine and length of day have an important bearing on seed reproduction.

In summer, places in higher latitudes have a much longer period of daylight; and this greater duration of daylight, even with a lower temperature, may produce as great an effect on plants as a shorter period of light with a higher temperature in places lying considerably lower in latitude. This is an important factor in the promotion of rapid development and early maturity of crops in the more northern agricultural sections of the United States. It greatly reduces the frost hazard in these regions where the frostless or growing season is normally short because of the prevailing low temperatures. In some places where the rainfall is sufficient but the temperature too low for the best growth of plants, as in Alaska, sunshine is a most important climatic factor.

Sunshine, however, may be favorable or unfavorable for plants, depending on other prevailing conditions. During a drought in the

summer season it is decidedly harmful, as the soil becomes highly heated and evaporation of the scanty moisture is accelerated. Again, fruit buds may become unseasonably advanced under the influence of continued warm sunshine, and frequently maturing fruit, such as apples, oranges, and lemons, are harmed by sun scald. The temperature of the leaves of plants in sunshine is higher than that of the surrounding air, some experiments showing that this difference may be as much as 20° to 30° F. on clear days.

The sun curing of fruit in some of the more western States, particularly in California, is a very important industry. The continuous sunshine in the interior of that State, with an absence of rain, during July, August, and September makes possible the sun curing of large quantities of fruit every year, principally raisins, prunes,

peaches, apricots, pears, and apples.

Grapes that do not contain at least 22 per cent of sugar are not considered valuable for raisins, and sunshine is important in increasing the sugar content both before picking and during the drying period. The sun curing is a physical as well as a chemical process. The intense sunshine during curing promotes the evaporation of superfluous water and converts the juices into sugar and other solids of great nutritive value.

The importance of sunshine is well illustrated also in orange growing. Primarily because of the greater amount of sunshine received during the summer growing season, the northern California groves usually produce the first ripe fruit. Prune growing is also an important industry in California. The bright, sunny summers are unusually favorable for this fruit, which requires for proper maturity

a long season of clear, warm weather.

Influence of Weather on Farm Work and Crop Yields

Much of the greater part of all farm operations must necessarily be conducted in the open field. Consequently, aside from its direct influence on plant growth, the weather plays an important rôle in the farmer's activities. Rainfall is essential in his work, but at the same time its frequency and duration may be such as to materially retard field operations, either in planting, cultivating, or harvesting. Continued wet weather, if prevailing during the season of preparation of soil and planting, may result in a material reduction in acreage; it may prevent proper cultivation or may be damaging to crops during or after harvesting. Drought may also unfavorably affect the preparation of soil. Thus, either too much or too little rain may be harmful in interfering with farm work as well as to growing In general, warm and moderately dry weather is needed during the planting and cultivating seasons—a plentiful supply of moisture when crops are at the critical maturing stage and fair weather during harvesting and housing.

In preparing a schedule for farm operations there should be taken into account the degree of risk from unfavorable weather in producing the crop. These risks include possible losses from wet weather or drought, low temperatures, hot periods in summer, hail and wind storms, and frost in both spring and fall. For example, in growing a crop the value of which is largely determined by the earliness with which it can be put on the market, which in turn depends more

or less on the time of seeding, the grower must consider whether the higher prices to be realized for early maturity will justify a spring frost risk of, say, 75 per cent, 50 per cent, or less. The average percentage of frost risk at any time can be readily determined from weather records.

Weather and Crop Yields

For the successful production of a given crop in a particular region primary consideration is the conformity of the climate to the requirements of the plant. Soil and other conditions may be favorable, but congruence of climate and plant is essential to success. When this agreement is had, however, there are often large variations in the yield from year to year, due mostly to varying weather conditions. For best development and maximum production, crops require a favorable combination of heat, moisture, and sunshine during growth, and a deficiency or excess of any of these usually results in a lessened yield.

Varying yields from year to year, when the soil or other more or less permanent conditions are substantially the same, are the result of the sum total of all the environmental influences from the time of planting until harvesting, including the condition of the soil at planting, the weather during germination and growth, and insect activity and disease. Of these the weather factor is the most important, both directly through its agency in supplying food to the plant from the soil and indirectly through its influence on plant

diseases and insect activity.

The weather influence begins with the preparation of the soil for planting and does not terminate until the crop is safely garnered. During this entire time the farmer is, so to speak, at the mercy of the weather elements. He carefully prepares the soil and puts in the seed, but with the full realization that some unwelcome weather vagary is liable to be ushered in at any time, taking with it the fruits of his labor perhaps for an entire year. Fortunately, adverse weather conditions, such as drought, destructive hail, damaging frosts, devastating floods, and others, are always more or less limited in geographic extent, and thus the Nation's food supply has never been menaced. While this is true from the national consuming viewpoint, the story is quite different from that of the farmer in the region affected. His harvest may represent his entire year's work, and when this is cut short or, as in some cases, entirely destroyed by unfavorable weather, disaster may stare him in the face.

Where climate and other conditions permit of diversified farming, and this is practiced, the weather hazard is very much reduced, as the failure of one crop may, to some extent at least, be offset by the success of others whose critical periods of growth did not coincide with the unfavorable weather. Localities with comparatively long-growing seasons also have their advantages, as a substitute crop may

be put in when the failure of one is imminent.

The plight of farmers in the Northwestern States in recent years affords a good example of the risk assumed when dependence is largely placed, either from necessity or choice, in a single crop. Beginning with 1917, the severest drought for many years prevailed in that section. In fact, for a period of four or five consecutive years

there was in some localities the greatest deficiency in moisture that had been recorded since rainfall records began, more than 50 years ago. This series of droughts, occurring year after year, during the season when wheat, the principal crop, most needed moisture, proved disastrous to many farmers, and following this the prevailing low prices of wheat added to their difficulties.

Temperature and Crop Growth

A certain amount of warmth is necessary for the germination of seeds, the amount required varying for seeds of different plants. Wheat and oats germinate at a much lower temperature than does corn, and corn, in turn, requires less warmth for successful germination than does cotton. Thus, some crops may be planted earlier in spring than others. In addition a certain amount of heat is required after planting to bring a crop to maturity. As a rough measure of this, there may be used what is known as the "thermal constant," which refers to the total or accumulated day degrees of temperature in excess of some significant temperature taken as a starting point. The thermal constant of a particular plant and the temperature at which planting may be accomplished determine whether or not conditions in a given locality are favorable for its maturity.

When the normal daily temperatures are considered there is a more or less regular cycle through the year, the lowest or minimum, occuring about midwinter, and the highest, or maximum, about midsummer. With the advent of spring and attendant warming up, naturally, in this country, the farther south a location may be the earlier in spring is the rise in temperature to the point where planting may be accomplished. The planting of a given spring crop usually begins in the southern portion of the area in which it is

grown and proceeds northward as the season progresses.

There are certain restricted limits of time within which crops must be planted for best results, defined by the temperature of the locality, and this period of time decreases in general with increase in latitude. While the normal daily temperature at which planting usually may begin differs for different plants, it is quite uniform for the same plant in all sections of the country. The following summary indicates for the country east of the Rocky Moutains the normal daily temperatures at which planting of the more important crops may usually begin in spring:

Spring wheat may be seeded with a lower mean temperature than any other major spring crop. Seeding usually begins in the Dakotas and in Nebraska when the normal daily temperature rises to 37° F., and in Minnesota and Wisconsin at 40°. Next in thermal order comes spring oats, the seeding of which usually begins when the normal daily temperature rises to 43°. Early potato planting begins, as a rule, at 45°, and corn at 55°. The date on which the latter temperature is reached in any locality corresponds closely to the average date of last killing frost in spring. Cotton planting should not begin until the normal daily temperature rises to about 63°. The date on which this temperature is reached corresponds

closely to the latest date in spring on which killing frost has occurred.

Whether a farmer lives in the South or in the North he has, unknowingly, adopted these temperatures as the proper ones at

which planting should begin. Thus the planting of early potatoes, for example, usually begins in northern Mississippi about February 15 and in northern Wisconsin two and one-half months later, but in each locality when the normal daily temperatures rise to 45° F.

In any temperature summation for cultivated crops, especially for those planted in spring, it is usually best that the mean daily temperature at which planting begins be taken as a starting point instead of a general base for all crops, such as the usual 6° C. (42.8° F.) base. As thus computed there is not much difference in the accumulated temperature required to mature most staple spring-planted crops, provided in the case of corn an intermediate-maturing variety is considered.

Cotton and corn are warm-weather crops, and the areas favorable for successful production on a commercial scale are limited principally by the general temperature conditions, which include the length of the frost-free season and the temperature at planting. These limits are defined by an available thermal constant of about 1,600° F. for corn and about 2,000° for cotton, computed from the normal temperature when planting usually begins. It follows that if cotton could be planted with as low temperatures as corn the cotton area would be materially increased.

Owing to the relatively large thermal requirements of warmweather crops, a comparatively warm spring is necessary for best results in germination and for early growth. Thus there is a close relation between the spring temperatures and the growth of such crops during the early stages of development.

Rainfall and Crop Growth

Growing plants need a large amount of moisture, much more than is usually thought, and it is not often that nature supplies just the amount required for best development throughout the growing season. Several hundred pounds of water are necessary during the life of a cultivated plant to produce 1 pound of mature matter, which means that a plant such as wheat or corn requires each day an amount equal to several times its own weight. There is, however, a much greater quantity of water supplied to the soil in a moderately heavy rain than is usually supposed. With a rainfall of 1 inch, without loss by run-off, more than 100 tons of water is supplied to 1 acre of land.

On the other hand, there is no direct relation between the percentage of water content of the soil and the amount available for plant use. A sandy soil with 15 per cent of saturation may carry a large amount of available moisture, whereas a stiff clay with 15 per cent of moisture may have so little available that plants will wilt in it.

The wilting coefficient of a soil is defined as the moisture content (expressed as a percentage of the dry weight) at a time when the leaves of a plant growing in it first undergo a permanent reduction in their moisture content as a result of the deficiency in the soil moisture supply. The water available for growth is the difference between the amount of moisture present in the soil and the wilting coefficient. There is a wide difference in the wilting coefficients of different soils, as those of fine texture are much more retentive of

moisture than coarser soils, but the wilting coefficient for a particu-

lar soil is substantially the same for all crops.

The loss of soil moisture by evaporation is an important factor, especially in normally dry regions. The amount of evaporation during the growing season determines, to a considerable extent, the amount of rain that is needed to produce a crop. The rate of evaporation from a saturated soil is in most cases substantially the same as that from a freely exposed water surface and, consequently, in regions such as the drier western portions of the United States. where the free-water-surface evaporation is much greater than the rainfall, careful cultivation must be practised in order that water sufficient for plant growth may be retained. The effectiveness of proper cultivation is shown by the fact that in some experimental tests where the free-water-surface evaporation for the six summer months is more than five times as much as the rainfall for that period, the water evaporation from the soil has been kept down, by proper tillage, to approximately half the rainfall, thus conserving the other half for the use of the crop. A soil dust mulch is very effective in reducing evaporation, but at the same time it is necessary to sacrifice all of the moisture in the surface strata that is used to form the mulch. A rainfall that wets the surface only is of little or no value, since it evaporates quickly, and preferably so, as the mulch cover must again become dry before the effectiveness is reestablished.

Summer fallowing and careful tilth are practiced in drier sections in a type of agriculture known as "dry farming." This is usually confined to those regions in which the annual rainfall is between 10 and 20 inches. Where the rainfall is small the question of seasonal distribution is important, and this varies greatly in different parts of the drier western half of the country. In most sections west of the Rocky Mountains much of the precipitation comes in winter or early spring, while immediately east of the Rockies the bulk of it is received during the warmer season of the year. This, for example, makes the northern portion of the Great Plains better suited for spring wheat than for winter wheat, so far as moisture is concerned. In the West where fall-sown grain can take advantage of the winter and early spring precipitation and mature before the driest part of the season sets in, conditions are more favorable for winter wheat.

The intensity of rainfall is also of great importance. Summerfallow methods are not adapted to regions in which the rain falls in light showers, as in such cases the moisture penetrates only a few inches and the necessary reserve supply in the deeper layers is not provided. On the other hand, where the yearly total usually includes several torrential falls a large part of it is entirely lost through run-off. In the latter case it is important that cultivation be so handled as to retain as much as possible of the heavier rainfalls. There is usually a greater run-off on fine dust mulch than on coarser soil, because a hard, driving rain may pack the surface of the mulch and largely prevent the absorption of moisture. Observations have been made in Utah where only 0.5 inch of water was absorbed on practically level, summer-tilled land during a heavy rain of 2.5 inches, but at the same time 1.5 inches were absorbed by a near-by stubble field.

Weather and Corn

Corn, or maize, is a sun-loving crop of tropical origin, probably first cultivated on the plateaus of Central and South America. Although it is essentially a warm-weather plant, a number of varieties have been developed which permit production over a wide climatic range. It can not be grown successfully, however, north of the fiftieth parallel of latitude, except for green fodder. general, the most suitable climate for corn is found in the interior of the continents where warm-season rains are ample and where

summer nights as well as the days are warm.

The early missionaries in the Central-Northern States (outside our present Corn Belt) found the Indians in that region to be very good corn farmers, as farming went with these primitive people. In fact, archæological records indicate that the Indians of Wisconsin and Minnesota were quite as efficient corn growers as their brothers farther south. In these northern, colder regions, with their short growing season, it was the Indian custom to sprout the seed before planting, which, in effect, added several days to the usual growing Corn was grown in Wisconsin northward to the Lake

Superior shore.

Records in North Dakota indicate also that some Indian tribes along the Missouri River in that State were successfully growing corn some three or four hundred years ago, and that these upper Missouri Valley Indians, living under semiarid, and in what to-day are considered regions of unfavorable temperature conditions for this crop, had developed corn growing to a point that was not surpassed by any other tribe in America. It appears that these Indians had several varieties of corn (in one instance 13 is claimed), and that the several varieties were always kept separate and planted in different fields to prevent mixing. Some very quick-maturing varieties appear to have been grown.

Climatic requirements.—The United States is by far the most important corn-producing country of the world, contributing about 70 per cent of the world's total production; it is followed in importance by Argentina and Mexico. Corn is preeminently an American crop; it is grown on three-fourths of all the farms of the United States. Although it is thus grown extensively in many sections of the country, the climatic boundaries of the region of intensive production are a mean summer temperature of 70° to 80° F., an average daily minimum summer temperature exceeding 58°, a frostless season of more than 140 days in length, and an annual precipitation of between 25 and 50 inches, of which at least 7 inches should occur in

July and August.

The temperature requirements of different varieties of corn vary widely. Some southern varieties require an average frostless season of 180 days in length and a mean summer temperature of about 80° Practically no corn is grown where the summer temperature averages less than 66°, or where the night temperature falls below 55°; consequently, the production of corn along the northern border of the United States and in the higher altitudes of the western mountainous districts is negligible. The optimum climatic conditions for the development of corn are found in only a few regions of the word, and more extensively in the United States than in any other country. The leading States in corn production in 1923, given in the order of their importance, are as follows: Iowa, Illinois, Nebraska, Missouri, Indiana, Ohio, Minnesota, South Dakota, and Kansas. About two-thirds of the total production in this country in 1923 was grown in these nine States.

The critical period in the growth of corn, during which favorable weather usually assures a good crop and unfavorable weather causes a small yield, is comparatively brief. The most important factor affecting yield in the great corn-producing areas of the United States is rainfall, and July, in most sections, is the critical calendar month. The period from about the middle of July to the middle of August, however, has a greater effect on production than any other period of similar length. The available moisture for the 10 days following the blossoming stage is especially important, the yield varying more or less directly with the amount of moisture in the soil during this period, provided the latter is not excessive. High temperature and dry soil during the 10 days after blossoming have a very unfavorable effect upon the yield.

A comparison of the July rainfall with the yield of corn in the States of Ohio, Indiana, Illinois, and Iowa for the 30 years from 1891 to 1920 shows that for the 6 years in which the July rainfall was less than 2.5 inches the yield of corn averaged 29.5 bushels per acre, and for the 6 years with rainfall between 2.5 and 3.5 inches the yield averaged 35.6 bushels per acre. This 6.1 bushels production increase was due principally to the effect of the additional 1 inch of

July rainfall during the years of larger yields.

Germination and early growth.—The length of time required for corn to germinate and come up depends primarily on the tempera-It has been shown that with a temperature of 49° F. it requires from 10 to 12 days for corn grains to germinate, but germination will take place in two days with a temperature of 80°. The

optimum temperature for germination appears to be about 90° and the maximum beyond which it will not occur somewhat above 115°.




Fig. 20.—The number of days required for corn to come up at Wauseon, Ohio, and the average daily excess of temperature above 55° F. during the respective periods

At Wauseon, Ohio, records for a period of 27 years, kept by the late Thomas Mikesell, show that corn came up, on the average, in 5 days with a mean daily temperature of 71° F., in 6 days with 67°, 7 days with 66°, 8 days with 61°, 9 days at 60°, and that when the mean daily temperature averaged 55° it required 10 days or more for the plants to appear above ground. Figure 20 shows graphically the relation between the temperature at Wauseon and the time required for corn to come up.

Cool, wet weather, immediately following planting is especially unfavorable, for with such conditions the seed may not germinate at all, or many of the young seedlings, after germination, may not have sufficient vitality to push themselves through the heavy, wet soil, resulting in a poor stand and requiring much replanting. On the other hand, warm weather with a moderate amount of moisture usually insures a good stand. There are several things to take into account in choosing a good planting date for corn. It is desirable to





Fig. 21. For lowe and Ohlo the relation of the accumulated remperature access 55° F. (the normal daily temperature at which planting is usually begun) during the month of June, and the condition of corn in percentage of average on July 1, as reported by the Department of Agriculture. The records cover the 20-year period from 1904 to 1923

^{29283°---} чвк 1924---



22.—In the upper part of each diagram the heavy solid line indicates the normal rainfall, whereas the average amounts for the several weeks are shown by the verified bars. The rainfall values are indicated by the figures at the left. In the lower part of each diagram the heavy horizontal line represents the normal temperature, whereas the variable line shows the temperature departure for each week from the normal as indicated by the figures at the left. The condition of corn on the first of each month, as compared with the 10-year average, expressed in percentages, as reported by the Department of Agriculture, is indicated by the heavy dots, according to the figures at the right, and these dots are connected by lines. Fig.

have the crop get as early a start and develop as rapidly as possible that the danger from fall frost may be lessened. This is especially important in regions where the growing season is comparatively short, but at the same time too early planting greatly increases the danger of unfavorable temperature conditions for germination and for coming up. Further, in case the very young plants do not have sufficient warmth they become stunted and yellow and, thereafter, require an appreciable time to regain vigorous growth when favorable weather sets in.

Very young corn may be frosted in spring without serious permanent injury, so, in general, early fall frosts are more to be feared than late spring frosts. Light frost in fall, however, may hasten maturity without material damage. The best date to begin planting on the more favorable soils is about the time the normal daily tem-

perature rises to 55° F.


Temperature is usually more important in corn growth during the spring and early summer, but thereafter rainfall is of greater importance. There is a close relation between the physical condition of corn at the begining of July and the temperature during Figure 21 shows in a graphic manner the relation of the June temperature to the condition of corn on July 1, as reported by the United States Department of Agriculture, for the States of Iowa and Ohio. The correlation coefficient between the June temperature and corn condition, as shown in this graph, for Ohio is +0.65 and for Iowa +0.82. June temperatures in Iowa are relatively of greater importance in early growth of corn than in Ohio, partly because the temperature in Iowa is normally lower for this month. There is, however, a much closer relation between the June temperature and July 1 condition than between the June temperature and the yield, as the latter depends more, in most cases, on the weather during July and August.

Figures 22 and 23 show the combined temperature and rainfall effect on the growth of corn for selected States during the years 1917 and 1918, the first, in general, a favorable and the second an unfavorable year. These graphs show, for the States indicated, for each week during the growing season, the amount of rainfall, the departure of temperature from the normal, and the condition of corn, as reported by the United States Department of Agriculture,

on the first of July, August, and September, respectively.

Figure 22 shows that in 1917 rainfall in general was sufficient during the critical months of July and August, and that in most cases a general improvement in the condition of corn is indicated. The hot, dry weather in Nebraska and Kansas, the drought extending from early in June throughout July, however, caused a marked falling off, but considerable of this loss was regained as a result of the generous rains beginning the first of August. In general, high temperatures are not harmful to corn when moisture is sufficient. There was also a moderate deficiency in rainfall in Indiana and

The term "correlation coefficient" is used by statisticians to express the degree of relationship between two variables; it is usually a deimal lying between plus 1 and minus 1. When plus 1 it signifies strict proportionality between the two variables; when minus 1 the relationship is the same but the variation is in the opposite sense. In the example given the coefficient between June temperature and the condition of corn in Iowa is quite large, +0.82, thus showing the large influence of temperature in that State as compared with Ohio.



Ohio in much of July, under which condition the crop barely held its own, with little or no improvement. In the other cases, where rainfall was ample and well distributed from week to week, continued improvement in condition is shown.

Figure 23 tells for the following year, 1918, a different story. Droughts, severe in some sections, and accompanied by high temperatures, were widespread during the critical period of corn growth, with resultant marked deterioration in the crop, as indicated by the graph. This is shown most pronouncedly in the cases of Oklahoma and Missouri. The yield of corn in Oklahoma that year was only about half the normal and it was much below normal in Missouri.

Corn possesses certain characteristics which, in some respects, would appear to make it adaptable to droughty conditions. The plants are deep rooted, which enables them to draw moisture from the subsoil; in hot, dry weather the rolling of the blades reduces the loss of water from the plant, and the water requirements to produce a given quantity of dry matter is less than for most other

INFLUENCE OF RAINFALL IN JULY AND AUGUST ON THE YIELD OF CORN




Fig. 24—Regions with abundant and uniform summer rains are the most favorable for corn production, as rainfall usually is the most important weather element for this crop. Where there are wide variations from year to year in rainfall, as in Kansas, there are also wide variations in corn yield, compared with regions where summer rains are more uniform, as in Ohio

crops. It has other requirements not found in dry climates, however, which more than offset these advantages and make it unsuited to semiarid conditions. Principal among these is the characteristic short, critical period of growth immediately after blooming, during which a plentiful supply of moisture is required for a good yield; dry periods, in semiarid sections, are likely to occur about the time of year when the crop most needs moisture. Again, semiarid sections have a large daily temperature range, with cool nights, whereas the crop requires warm nights as well as warm days. In addition to the unfavorable effect of deficient moisture during the period of ear development drought often hastens the shedding of pollen from the tassel and at the same time delays the appearance of silk, in which case the pollen may be largely wasted before the silk appears.

In regions where summer rainfall is normally light and drought comparatively frequent corn is an uncertain crop and the yields from year to year vary greatly. Figure 24 affords a comparison between the rainfall for July and August for a period of 20 years and the per acre yield of corn in Kansas and Ohio. In Kansas, where the variations in summer rainfall are large, there are also large differences in yields from year to year, whereas in Ohio both

the rainfall and yield are comparatively uniform.

Effective rainfall.—Although summer rains are very important in corn growth, light falls during a drought may be harmful rather than beneficial, because by merely wetting the surface of the ground an effective dust mulch may be destroyed, resulting in more moisture being lost from the soil by evaporation. Frequent light showers during the early growth of corn may also cause the plants to root near the surface, which would be unfatorable if a drought should follow later in the season. When July is dry the reduction in yield has been found to be less when the previous June was also moderately dry.

With respect to rainfall intensity as related to corn growth, it appears that for equal quantities of rain its value increases as the number of rainy days diminishes unless the rain comes in too heavy amounts. Rainfall of half an inch or more is much more effective

than an equal amount of water in smaller falls.

Freezing injury to seed corn.—When corn contains a large amount of moisture its germinating quality is much more liable to be affected by low winter temperatures than when the kernels are dry. With 10 to 14 per cent of moisture it is usually safe from injury, even by severely cold weather, but when it contain as much as 60 per cent the germ may be killed by a prolonged exposure to a temperature only slightly below freezing. In fact, a very close relation exists between the moisture content of the kernel and the degree of cold required to kill the germ. Seed corn may be seemingly mature and show fairly good germination in early winter but so full of moisture that cold weather later may greatly reduce its germinating qualities.

Weather and Wheat

Wheat may be successfully grown over a wide area of the earth's surface and in a variety of soils. The crop is best suited, however, to temperature regions having a growing season of at least 90 days in length and moderate rainfall. It is most extensively cultivated

at present where the average annual rainfall is less than 30 inches. Most of the famous wheat soils of the world are of high fertility and fine texture, such as silts or silt and clay loam. There are, in general, two main classes of wheat—one seeded in the fall and the other in the spring. The spring variety is usually sown where the winters are dry and cold and the winter variety where it is warmer with more snow protection. In the colder wheat-growing regions the amount of winter snowfall depends more on the geographic location, with respect to the supply of moisture than on the temperature conditions.

The more important winter-wheat producing countries are the United States, India, Russia, Argentina, and France. Other than in Russia, the United States, and Canada, the world's spring-wheat

production is unimportant.

Climatic requirements.—The quality and chemical composition of wheat depend largely on the climate of the region in which it is grown. Wheat of the more humid areas has a tendency to be of soft and starchy composition, whereas that grown in less humid climates is hard and darker in color. Owing to the alternation of the seasons in the Northern and Southern Hemispheres and the varying altitudes and latitudes in which wheat is grown, harvest is in progress each month of the year in some part of the world.

in progress each month of the year in some part of the world.

The ideal climate for wheat is one with a long and rather wet winter, prolonged into a cool and rather moist spring, which gradually merges into a warmer summer, the weather growing progressively drier as it grows warmer, with only comparatively light rains after the blossoming of the crop—just enough to bring the grain to maturity. Wheat should have abundant sunshine and rather dry air, but without dry and scorching winds toward harvest, until the grain is fully ripe, and then warm, dry, rainless weather until the

harvest is gathered.

In the early stages of wheat production in Australia it was thought that abundant moisture was essential, and cultivation was confined to the wetter, coastal country, with an annual rainfall of 30 to 40 inches, but the results were disappointing. Later it was found that the drier, interior districts were more favorable for this crop, and thereafter Australia became more prominent as a wheat-producing country. The bulk of the crop in that country is now grown where the annual rainfall is less than 25 inches, and in some

sections wheat is produced where the rainfall is very light.

In the great wheat-producing Plains region of the United States there is heavy grain production where the annual amount of precipitation is comparatively small. This has been made possible only by the favorable seasonal distribution of the rainfall. There are a number of distinctive types of precipitation in the United States, and in this particular area the rainfall is characterized by generous amounts in the spring and early summer months at a time when the moisture can best be utilized by the growing plants and by very light fall and winter precipitation. To this fortunate provision of nature the large farming sections in this area owe their prominence. There are also important grain sections in the more Northwestern States which receive on the average less than 15 inches of precipitation. In fact, in some localities wheat is grown where the normal annual precipitation is only about 10 inches, but in such

cases special methods for conserving the soil moisture must be

practiced.

Winter wheat.—In the United States central Kansas is the most important center of winter wheat growth, and this area of heavy production extends southward into west-central Oklahoma and northward into southeastern Nebraska. Other important centers are found in the States bordering on the north bank of the Ohio River, in southeastern Pennsylvania, western Maryland, and in southeastern Washington.

Winter wheat yields very well in the more humid and warmer sections of the country, but it is in competition with other better paying crops, which are preferred. The danger of damage by rust is greater also. In the eastern part of the United States the southern boundary of extensive winter wheat culture follows closely the isotherm of average temperature of 68° F. for the two months preceding harvest. The northern boundary of winter wheat follows, in a general way, the mean winter temperature line of 20° F. north of which the climate is better suited to spring wheat.

Winter killing.—Winter damage to wheat is usually grouped under four main heads: Heaving, smothering, direct effect of low temperature and drought. Heaving is one of the most common causes of damage, especially on poorly drained soil. It occurs usually in spring and is due to alternate freezing and thawing, which lifts the plants from the soil and leaves the roots exposed to the air. a common cause of winter killing in the eastern United States.

Smothering of the plants occurs when the ground is covered with This more frequently results from the freezing of an ice sheet. melted snow, although it is sometimes caused by sleet or glaze covering the plants. Plants are sometimes killed by the direct effect of cold on the tissues when snow protection is absent. This kind of injury usually increases with the degree and duration of the cold, but the effect of a sudden freeze of short duration following a warm period, especially in spring, may be very harmful. Winter drought may also cause injury, but this is not so frequent as the other causes

Weather and growth.—The season of winter-wheat growth from the time of planting to harvest is so long that it is difficult to determine satisfactorily the weather influence on the final yield during different periods of growth. It is important that moisture be sufficient to enable the preparation of a good seed bed and for germination of seed, and that the early period of growth be moderately warm and moist. When favorable weather prevails during the fall months the plants usually establish a good root system and are less liable to winter injury than when unfavorable growing weather prevails during that period.

Statistical studies, however, indicate that conditions during the fall months do not bear, in general, any material relation to the yield of wheat the following summer, but that the weather during the winter, spring, and early summer months, especially from March to June, has a much greater influence on the final output. Consequently, wheat may be in poor condition at the beginning of winter, and with favorable weather later the improvement may be such as to produce satisfactory yields. On the other hand, good growing conditions may prevail throughout the season until near harvest time, when a short period of unfavorable weather may prove disastrous. Hot, dry weather during the ripening period, especially following a spring and early summer season of warm weather and abundant moisture, is especially harmful. Figures 25 and 26, based on conditions in several important wheat States during the crop seasons of 1917–18 and 1918–19, afford good illustrations of the two opposite cases named.




Fig. 25.—In the upper part of each diagram the heavy solid line indicates the normal monthly rainfall, whereas the average talls for the several months are shown by the vertical bars. The rainfall values are indicated by the figures at the left. In the lower part of each diagram the heavy horizontal line represents the normal temperature, whereas the variable line shows the temperature departure for each month from the normal, as indicated by the figures at the left. The condition of winter wheat on the first of December, April, May, and June, as compared with the 10-year average, expressed in percentages, as reported by the Department of Agriculture, is indicated by the heavy dots, according to the figures at the right, and these dots are connected by lines

Figure 25 shows that a widespread drought prevailed during the fall of 1917, and, at the beginning of winter, wheat was in very poor condition, the Department of Agriculture reporting the lowest condition figures of record on December 1. Later favorable weather obtained and a good yield was harvested.




Fig. 26.—In the upper part of each diagram the heavy solid line indicates the normal monthly rainfall, whereas the average falls for the several months are shown by the vertical bars. The rainfall values are indicated by the figures at the left. In the lower part of each diagram the heavy horizontal line represents the normal temperature, whereas the variable line shows the temperature departure for each month from the normal, as indicated by the figures at the left. The condition of winter wheat on the first of December, April, May, and June, as compared with the 10-year average, expressed in percentages, as reported by the Department of Agriculture, is indicated by the heavy dots, and these are connected by lines

Figure 26 shows that during the 1918–19 season exceptionally favorable weather for growth of wheat prevailed in the more important producing States throughout nearly the entire season. With very few exceptions, no two successive months in any State had precipitation below normal and the temperatures averaged mostly above normal throughout the season. The soil was in excellent condition during the late summer and fall of 1918 for preparation of seed beds, germination of seed, and early growth of young plants, and, consequently, wheat entered the winter in splendid shape, with roots well established. The winter was mild, with sufficient soil moisture available, and the spring months were uniformly favorable for growth. It will be noted that the condition of wheat on April 1, 1919, was reported to be from 120 to 130 per cent of the 10-year average in all States shown on the graph, and this excellent showing continued generally in the reports for the following two months.

The yield of winter wheat, however, did not come up to expectations, as compared with the indications a short time before harvest, but was disappointing quite generally as to both quantity and quality. Under the influence of persistent favorable growing weather, there was too rank straw growth at the expense of grain in many localities, with considerable complaints of lodging, which, combined with warm, dry weather when the grain was in the milk stage and when ripening, resulted in many poorly filled heads and much shriveled grain. As harvest approached there was also an increase in disease, particularly of rust in the Central Valley States.

Weather and harvest.—East of the Rocky Mountains the time of wheat maturity varies with the latitude, the beginning of harvest being increasingly later with northward progress. From the Tennessee-Kentucky boundary line northward to southern Michigan, a distance of about 375 miles, the beginning of harvest ranges from about June 10 in the south to July 5 in the north, which shows a northward progression of approximately 15 miles a day. Over the Great Plains region the dates range from the first few days in June in southern Oklahoma to about July 5 in northern Nebraska. progressing northward a distance of about 600 miles in approximately one month, or at a rate close to 20 miles a day. From the Rocky Mountains westward, unlike the East, the time of maturity depends on elevation instead of latitude. In this area the beginning of harvest in an average year ranges from about May 15 at the lower elevations in the South to near the middle of August in the higher altitudes of the central Rocky Mountain districts.

It is very desirable that the wheat harvest and threshing periods be dry, particularly in sections where a large acreage is grown. In the Central Great Plains States, where wheat is produced on a more extensive scale than in any other portion of the country, it is interesting to note that whereas rainfall is usually heavy from June to August, as compared with other seasons of the year, it mostly occurs in the form of night showers, which offer a minimum interference with the gathering of the wheat crop. In Kansas and eastern Nebraska in particular, the region of most extensive winter wheat growing in the United States, the nighttime rainfall from June to August is usually much greater than occurs during the day-

light hours, which is also true for the frequency and duration of rain. This means much to the farmers of that section, as otherwise it is probable that great difficulty would often be experienced in

gathering the immense crops grown.

Spring wheat.—The principal area devoted to spring wheat comprises the central-northern portion of the country. North Dakota is the most important spring-wheat State, although the area of intensive production extends into western and southern Minnesota and eastern South Dakota. Another important center is in the Palouse and Big Bend district of eastern Washington. The southern boundary of spring wheat conforms more or less closely to the northern boundary of corn and winter wheat, whereas the northern limit corresponds approximately to the mean summer temperature line of 58° F., which is mostly in Canada.

In connection with the southern boundary of the present spring-wheat culture, it is important to note that there are considerable areas in the upper Appalachian Mountains where the climatic conditions are favorable for the growth of this crop. In Virginia these favorable areas are located north of the thirty-eighth parallel of latitude and at elevations above 2,000 to 3,000 feet; in western Maryland, southern Pennsylvania, and northern West Virginia above 1,800 feet, and in northern Pennsylvania above 600 feet. At even lower elevations in these States and in northern and central Indiana and Ohio, as well as above 1,400 feet in North Carolina, northwestern Georgia, and eastern Tennessee and Kentucky, the early varieties of spring wheat could be sown as a catch crop. The dates of seeding and harvesting in these districts would agree closely with those for oats.

Weather and spring-wheat growth.—The precipitation in May and June and the temperature in June are important factors in the growth of spring wheat. In North Dakota rainfall for these two




Fig. 27.—In the upper part of each diagram the heavy solid line indicates the normal monthly rainfall, whereas the average falls for the several months are shown by the vertical bars. The rainfall values are indicated by the figures at the left. In the lower part of each diagram the heavy horizontal line represents the normal temperature, whereas the variable line shows the temperature departure for each month from the normal, as indicated by the figures at the left. The condition of spring wheat on the first of May, June, and July, as compared with the 10-year average, expressed in percentages, as reported by the Department of Agriculture, is indicated by the heavy dots, and these are connected by lines

months was below the normal 12 times during a period of 26 years, above the normal 13 times, and normal once. Of the 13 years with rainfall above the normal the per acre yield of spring wheat was above normal 9 times and below normal 4 times. Of the 13 years during this period, with May and June rainfall above the normal in South Dakota, the yield was normal or above 10 times and below normal only 3 times. The rainfall averaged above normal for May and June, with the June temperature below normal, 11 times in North Dakota and 9 times in South Dakota during the same period, and of these years 73 per cent in North Dakota and 90 per cent in South Dakota had yields above the average.

Figure 27 shows the varying effect of rainfall and temperature on the growth of spring wheat for several States during the season of 1918. In Washington and Montana the spring drought in that year was disastrous to the crop, but conditions were more favorable in the Dakotas and Minnesota. Precipitation was especially favorable in South Dakota, but in North Dakota the effect of the deficiency of rainfall in June is shown by the slight lowering in the condition of wheat as shown on the graph. These graphs show clearly the importance of weather in the growth of this crop.

Weather and Oats

Oats are best adapted to cool, moist climates, such as are found in most of the northern European countries, the northeastern portion of the United States, and in Canada. The oat is a cool weather plant and consequently needs moderately low temperatures during the season when the heads develop and fill. In warmer climates, such as the southern United States, however, winter varieties are grown which are sown in the fall. Winter oats are less hardy than winter wheat, however, and are more frequently damaged by cool waves in winter, and they usually yield less than spring oats. The region of winter-oat production in the United States is bounded on the north approximately by the winter mean isotherm of 35° F., which extends broadly from Virginia and Kentucky, westward across southern Missouri and central Oklahoma.

The principal oat-producing area of the United States comprises the northern portion of the country extending from eastern North Dakota, South Dakota, and Nebraska, eastward to western Pennsylvania and western New York, where the summers are usually cool and moist. Spring oats should be sown about the time the normal daily temperature rises to 43° F., or at the beginning of the general vegetative period. The crop requires nearly four months to mature, and it is important to seed as early as weather conditions will permit so that the critical period in growth will be reached before the

warmest of summer weather sets in.

Owing to the early date of oat seeding, it sometimes happens that cold, wet weather follows sowing. Such condition is very unfavorable, as the seed may fail to germinate, and too cool weather unfavorably affects the growth of the young plants. For best results the temperature should be above normal for the season and locality about the date of sowing and for sometime thereafter, with only moderately moist soil. When the heads are forming and grain developing, the crop requires cool and moderately wet weather, as such conditions favor proper filling and ripening of the grain. Hot, dry weather, even for only a few days, at the critical period of

development may materially reduce the yield.

It has been found in Russia that a mean daily temperature above 75° F., with a maximum temperature above 86°, between the heading and milk stage endangers the yield of oats, especially if a number of such days occur in succession. An abundance of moisture in June, when the plants were developing vegetative organs, was found to be very beneficial.

Weather and Minor Grain Crops

Ryc.—Rye is a typical cool-weather plant. It may be sown later in fall than wheat and can be grown where the winters are too cold for winter-wheat production. It will germinate and grow with temperatures but little above freezing and is not unfavorably effected by light frost when in the milk stage. The region of greatest production in the United States comprises the area from New York westward to North Dakota. In the central-northern States it is grown where the mean winter temperature is about zero and where temperatures as low as —40° F. sometimes occur. The crop is much more extensively grown in Europe, where in some countries it is more largely used for food than in America.

A correlation of weather and the yield of rye in the centralnorthern portion of the United States shows that the crop needs for best results moderately dry and warm weather in April, a rather abundant moisture supply in May, and cool weather in June. Experiments in Russia indicar that favorable conditions include a rather plentiful supply of warmth and moisture before the formation of the heads and cool and damp weather thereafter, though with moderate temperatures and dry weather during the blooming period. The crop does not fill well if there is too much

rain when the heads are in bloom.

Barley.—Barley has a short growth period and consequently is produced in high latitudes where the growing seasons are short and the weather too cool for corn. The temperature range of this crop in the United States is wider than that of any other cereal. It is grown up to 10,000 feet elevation in some Rocky Mountain districts, where the samer temperature is little more than 50° F., and also in southeastern California, where the temperature for the summer season is as high as 95° F. It will mature with an annual rainfall of less than 10 inches and is mostly grown in subhumid to semiarid climates.

Although barley can be grown in warm climates, the principal producing districts in the United States do not have any month during the growing season with a mean temperature above 75° F. It has been found in England that the chief requirement for a good yield is a cool summer, especially after mid-June. Barley is affected by spring frost more than either wheat or oats, but it recovers quickly from frost effect. A correlation of barley yield and weather in Wisconsin shows that the crop yields best with a rather warm and dry April and a cool June, with rainfall in May and June moderately above normal.

Buckwheat.—A cool, moist summer best suits this crop, very little being grown in the United States where the summer temperature averages over 70° F. and practically none where it exceeds 75°. It is well adapted to high altitudes with short growing seasons, as 10 to 12 weeks are sufficient for maturity under favorable weather conditions. It is very sensitive to cold, however, and consequently the

growth period must be free from frost.

Buckwheat seed will germinate with a temperature as low as 45°; but the optimum warmth for germination is about 80°. Like oats, warmth in the germinating and early growth period is desirable, but the weather should be cool and moist during the later period of growth, especially when the grains are forming. High temperatures and drought are very unfavorable about the blooming stage. It is claimed that a type of buckwheat has been developed in Russia, by constant early seeding, that will resist a temperature several degrees below freezing.

Flax.—Flax for fiber is grown mainly in regions of high humidity and moderate rainfall, with cool summer temperatures. Uniform and rather slow growth is necessary to produce a long, even, fine fiber, and a material checking of growth just before the formation of bolls results in an inferior type. In the United States flax is mostly grown for seed, and principally in the northern Great Plains. In this region the rapid temperature changes and uneven distribution of rainfall during the growing season results in a short, coarse

straw and uneven fiber; consequently only seed is produced.

Flax prefers warm and moderately dry weather in May and June, or during the planting and germinating period, damp, warm weather in August, and cool weather with plenty of moisture in early September. Deficient moisture, with hot, dry winds when the plants are in bloom is especially harmful, but if the weather be too cool and cloudy during this period of development the blooming process will be unfavorably prolonged, resulting in uneven ripening.

Grain sorghums.—Grain sorghums are more or less drought resisting and are best suited to rather dry, hot, and sunshiny climates. They are enabled to withstand droughty periods by their ability to suspend growth without material injury when moisture is deficient and resume development when it again becomes available. These crops are sensitive to low temperatures, however, and do not grow well in high altitudes because of the cool nights. They require a

mean summer temperature of at least 70° to 75° F.

Grain sorghums are grown more extensively in the lower Great Plains, where the rainfall ranges from 15 to 30 inches, than in any other portion of the United States. The summers are warm in this region, droughts occur rather frequently, and there is much sunshine. When growth is unduly delayed by reason of drought or cool weather these crops are sometimes damaged by early fall frosts. Rain during the harvest period of broomcorn is unfavorable in discoloring the heads.

Rice.—The water requirement of rice is very high. It is distinctly a tropical plant, but can be grown in the warmer portions of the Temperate Zone. Summer temperatures should be at least 75° F. for best results, though some varieties are grown in Japan where the mean summer temperature is as low as 70°. A cool sum-

mer in this case, however, may case a failure of the crop, which is very serious, as it is the chief native food supply. Where irrigation is not practiced, a region to be favorable for rice must have

a very heavy rainfall, especially during the growing season.


Rice production in the United States is very small compared with that of the oriental countries. It is chiefly produced in this country in the lower Mississippi Valley States, Texas, and California, though some is grown in the Carolinas and Georgia. The industry in the Sacramento Valley of California has rapidly expanded in recent years. In the United States it is necessary to irrigate this crop because the high water requirements are not met by natural rainfall. The crop requires a growing season of about 135 days, and the average length of the irrigation period in the Mississippi Valley and Texas is about 85 days. In Louisiana rice has been found to require for 90 days an amount of water equivalent to 0.5 inch of rainfall daily.


Weather and Cotton

Cotton is of tropical origin and its successful cultivation has rather definite climatic boundaries. The area of growth, however, is limited more by temperature conditions and the length of the growing season than by rainfall. The plant grows slowly and, under normal conditions, has a long fruiting period which requires for maximum production a growing season of at least 200 days. The mean summer temperature should not be lower than about 77° F. The temperature should be high in both day and night for best growth. The average annual rainfall in the Cotton Belt of this country varies from approximately 23 1 ches in the extreme western portion of the belt to 50 inches or more in central and eastern areas. The principal producing sections in Texas have a warm-season rainfall (April to September) of about 21 inches, the Mississippi Valley 21 to 24 inches, and the more eastern cotton States 23 to 25 inches.

During the last year or so the area planted to cotton has been materially extended in some sections to the west and north of what has been considered the Cotton Belt. In these regions the climate is not so well suited to the requirements of cotton as in the Cotton Belt proper, but at the same time the crop can be grown in competition with other sections because of the boll-weevil situation, the new areas being as yet practically free of this pest. The principal advantage of the more southern and warmer districts is their long growing season, which will permit late fruit to mature before frost, but this was largely nullified under recent conditions because of the fact that the weevil left little or no late fruit to mature in much of the old producing areas. Thus, with the higher price prevailing, the smaller crops in the new sections may still be profitable.

Planting and early growth.—Cotton should not be planted until the ground becomes thoroughly warmed up, or about the time the normal daily temperature rises to 62° F. The temperature is especially important during the early-growth period, particularly in May and June, when warm weather and a moderate amount of moisture is desired. It is especially harmful for these months to be cool and wet, as this greatly retards growth, and when the crop gets





29.—In the upper part of each diagram the heavy solid line indicates the normal weekly rainfall, whereas the average for the section for each week is shown by the vertical bars. The rainfall values are indicated by the figures at the left. In the lower part of each diagram the heavy horizontal line represents the normal temperature, whereas the variable line shows the temperatures from the normal for each week, as indicated by the figures at the left. The condition of cotton on the 35th of the month, as compared with a 10-year average, expressed in recentages, as reported by the Department of Agriculture, is indicated by the dots, and these are connected by broken lines

a late start the retardation in development usually extends through the entire growth period to final maturity. In addition, too much rain in these months prevents proper working, and thorough cultivation is essential for best results.

Deficient rainfall during July and August is more frequently harmful in the western than in the eastern portion of the belt. In fact, in the central and eastern districts cotton is adversely affected by too much moisture as frequently, or more so perhaps, than by too little. Thus, in the west drought is most to be feared and in the east too much rain. The ideal rainfall condition is that of the summer thunderstorm type, with periods of bright, warm weather between the rains.

Frequent rainfall is especially undesirable during the boll-opening and picking period, as the exposed fiber is discolored and damaged by wet, cloudy weather, and at the same time picking, which is done by hand, and, therefore, is a slow and long-drawn-out process, is prevented. In the cotton-growing States, however, rainfall is usually lighter during the fall months than in other seasons,

which is favorable for picking and ginning.

Weather and the boll weevil.—Aside from the direct effect on growth and fruiting of cotton, continued cloudy and rainy weather is very favorable for weevil activity, whereas dry, hot weather is the most potent factor in holding this pest in check. Dryness, sunshine, and heat increase the death rate of immature weevils enor-The most important weather factors affecting the boll mously. weevil are winter temperatures and spring and early summer rainfall. With a temperature as low as 10° F., especially if continuing for a considerable time, the boll weevil should be greatly reduced or largely killed, especially where there is scant protection afforded by his hybernating quarters. It may so happen, however, that the weevil may be largely reduced by winter cold, and the beneficial results negatived by wet weather in May and June, whereby those escaping may be enabled to multiply rapidly. On the other hand, they may largely escape through a mild winter, but be held in check by dry, sunshing, and warm weather in late spring and early

General weather effects.—The seasons of 1917 and 1918 afford excelent illustrations of the varying effects of different kinds of weather on the growth of cotton, as indicated by Figures 28 and 29. The effect of cool weather during the early part of the growing season is shown by Figure 28. As a result of the cool spring weather in 1917, cotton was in poor condition at the end of June, but thereafter there was a steady improvement in condition in most cases, though the drought caused a further falling off in Texas. The prevailing moderate temperature and well-distributed rainfall in Louisiana and Mississippi are reflected in the marked improvement in the condition of cotton in these States, as indicated on the graph, whereas in Oklahoma the beneficial effects of the rainfall in August is strikingly shown.

In 1918 the weather was widely at variance with that of the preceding summer. Figure 29 shows that May and June were generally warm, rather dry, and favorable for cotton; consequently the crop was in better condition than usual in nearly all States at the end of

June. Thereafter, however, drought was widespread, and in the western cotton States extremely severe, which resulted in a marked deterioration in the crop. The graph shows that conditions were especially bad in the States west of the Mississippi River. In Texas there were 10 consecutive weeks of deficient rainfall, beginning about the middle of June, whereas in Oklahoma only one week during the same period had as much as normal rainfall. These graphs clearly show the unfavorable effect of a cool spring (fig. 28) and of a droughty summer (fig. 29) on the development of the cotton crop. Also the beneficial effects of well-distributed rainfall and favorable temperatures as in several States in 1917 (fig. 28).

Weather and Crop Services

The United States is preeminently an agricultural country, and the farming industry is basic to our national prosperity to a greater extent than in any other of the leading countries of the world. The farmer's working partner, so to speak, is the weather, and it is essential that he and all others interested in the important problem of supplying the Nation with food be kept in close contact with prevailing weather conditions and their effect on growing crops and farming operations. To supply this need special weather and crop services are maintained by the Department of Agriculture, through which such information is made available to all interested persons. For this purpose the Weather Bureau maintains two more or less distinct services—one a daily and the other a weekly.

Daily cotton, corn and wheat, and sugar and rice region services are maintained. In these a large number of special meteorological observers, well distributed throughout the principal agricultural sections of the country, make weather observations, and their reports are collected by telegraph and published daily in bulletin form at designated central Weather Bureau stations in different sections of the country. These bulletins show for the various stations and for each 24-hour period the highest and lowest temperature, the general

character of the weather, and the amount of rainfall.


In the weekly service the officials in charge at designated central Weather Bureau stations for the several States collect information weekly from special and cooperative meteorological observers and a large number of correspondents relative to prevailing weather conditions and their effect on farming operations and crop growth. These officials make weekly reports to the central office at Washington, D. C., where the information is tabulated and summarized into a weather and crop report for the entire country. This is released telegraphically each Wednesday at 10 a.m. and published in the "Weekly Weather and Crop Bulletin," which includes meteorological tables and charts showing graphically the precipitation and temperature conditions throughout the country. In addition there is published a local weather and crop summary at each State center relative to conditions prevailing in the respective States. There is also published at New Orleans a weekly cotton region bulletin covering conditions in the Cotton Belt, and at Chicago a similar report covering the principal grain-producing States.

Many circulated stories and rumors that affect the price of grain and other agricultural products and the agricultural industry in

general relate to the weather. By maintaining these services dependable information is supplied at frequent intervals whereby the public is kept acquainted with the actual conditions prevailing.

Livestock and the Weather

The range areas in the United States are four in number, as follows: (1) The Western, (2) the Cotton Belt, (3) the Appalachian, and (4) the Great Lakes region (fig. 30). The first-named, with



which this discussion is chiefly concerned, is essentially different from the others, the distinguishing features being mainly those of rainfall, altitude, and topography; therefore, the weather factor which on the other ranges is of minor importance becomes one of

great importance as will appear later.

Except in parts of the Pacific Coast States and on the higher mountains, the rainfall over much the greater part of the Western range is insufficient to grow crops by the ordinary methods of farming. The average altitude of the range, as a whole, is over 4,000 feet as compared with less than 1,000 feet in the humid East. Altitude and rainfall are the measures by which the Western range

is classed as pastoral rather than agricultural.


Originally the range-cattle industry was centered in Texas and certain north and south belts in the Great Plains States. With the lapse of time and concurrently with the increased demand for land potentially suited to agriculture, the best portions of the original range areas in the Middle West were absorbed by homesteaders and thus the industry was gradually pushed farther and farther toward the Pacific. At present the most compact single geographic unit in the Western range, where the range-cattle industry is best developed, is found between the eastern foothills of the Rocky Mountains and the western limit of the more humid portion of the Great Plains States on the east (fig. 31). This region forms the divide between areas where rainfall is insufficient for crop growth and those areas in which crop production without irrigation is uncertain. This unit may be described, following the classification of O. E. Baker into two belts, as follows:

(1) The farming-grazing belt.—This immediately adjoins the more humid eastern portion of the Plans States in which the rainfall equals or exceeds 20 inches annually and the growing of crops is the dominant feature. The farming-grazing belt comprises the west-central portions of the Dakotas, western Nebraska, extreme western Kansas and Oklahoma, and a narrow strip of western Texas. In this belt the average annual rainfall is, as a rule, slightly more than 15 inches in most of the central and northern portions and 20 to 25 inches in the southern. Here crop production without irrigation is hazardous and grazing is more important than in the belt directly toward the east. The carrying capacity of the range is from 5 to 15

acres per steer.

(2) The grazing-forage belt.—This belt comprises the arga lying immediately east of the Rocky Mountains and is still drier than the farming-grazing belt. The average annual rainfall is about 10 to 14 inches. The soil is brown and the natural vegetation is largely grama grass mixed with buffalo and other native grasses. Crop production is precarious, the frequent failures being sufficient to reduce the average yield per acre to a little more than half that of the farming-grazing belt on the east. In this belt, grazing is the most important interest, but 15 to 25 acres in the more favorable localities to more than 50 acres in the less favorable may be required to support a mature beef animal. Some sections of this beat comprise arid, sandy land, which is mostly found in the dry, warm river valleys below the general level of the surrounding plains, where crop production is impossible without irrigation. These are better suited

WESTERN RANGE GRAZING SEASON AREAS



ADAPTED FROM MAP PREPARED BY ALBERT F. POTTER, U.S. FOREST SERVICE

Fig. 31.—In the summer the cattle in the West near the mountains are commonly driven up into the national forests, which contain large areas of open grass land and parks, as well as abundant browse. In the Great Flains region, in western New Mexico and Arizona, and in the Pacific States, also in much of Nevada, cattle are grazed the year round on the range, commonly with supplementary winter feed. The winter range is mostly desert and used more largely for grazing sheep than cattle. Many cattle are fattened in the irrigated areas. The map, originally prepared by A. F. Potter, formerly of the Forest Service, has been revised by O. C. Stine, Bureau of Agricultural Economics. It does not extend to the eastern boundary of the range area, which is about 200 miles farther east. Nearly all this area not shown is yearlong pasture

to sheep than to cattle, but even with sheep from 5,000 to 10,000 acres

are often required to support a good-sized herd.

The intermountain region.—The area west of the Rocky Mountains is not paralleled elsewhere in the United States for ruggedness of topography and variety of surface features. The latter range from lofty mountains and plateaus to alkaline plains, extensive lava flows, areas of shifting sand, and true deserts. The average rainfall of this region, except the north Pacific Coast States and the higher mountains, ranges from 5 to 12 inches. In some of the more favorable sections a steer can be maintained on probably as few as 50 acres, but in most cases the drier regions require more than 75 acres for a single steer.

The leading cultivated forage crop in the Rocky Mountain and semiarid intermountain regions is alfalfa, although much forage is obtained through grazing in the region of wild grasses along the eastern foothills of the Rocky Mountains and elsewhere. The character of the forage and the grazing capacity of the western range is shown in Table 3, reproduced from the 1921 Yearbook, page 251.

Table 3.—Character of forage and estimated capacity of the western grazing areas of the United States

Areas	Chief forages	Length of season	Area to support a cow
Northern Great Plains Southern Great Plains Black Hills Central Rocky Mountains New Mexico-Arizona Mountains West-central and northwe-stein Montana Southwestern Montana Northean Rocky Mountains Central Idaho Wasatch, Uinta, and Wyoning Mountains Northeastern Nevada, southern Idaho, and central Oregon. East-central Nevada mountains Wyoning semideserts New Mexico-Arizona foothils San Luis Valley of Colorado Utah foothills and valleys Mohave Desert 1 of California Nevada semideserts Southeastern Oregon and Snake River plains. Columbia River Basin Eastern California mountains Western Oregon mountains Western Oregon mountains California-Oregon mountain valley	Bunch grass, weeds, browse. Grass, browse Bunch grass, sagebrush Bunch grass, browse Sagebrush, shadscale, greasewood, short bunch grasses. Browse, tobosa, grama grass Greasewood, salt and short grass. Sagebrush, bunch, salt, and June grasses Annual weeds, browse Shadscale, greasewood, browse Shadscale, greasewood, browse Sagebrush and bunch grass. Bunch grass Browse and bunch grass Browse Browse.	310 6 310 7 310 7 410 8 410 6 210 4 210 5 410 8 710 9 510 7	Acres 15 to 25 15 to 25 25 to 30 20 to 25 25 to 30 35 to 40 20 to 25 60 to 150 25 to 50 50 to 10 75 to 150 30 to 60 30 to 40 75 to 150 50 to 100 10 to 30 25 to 35 75 to 100 40 to 60 10 to 30

¹The grazing season on the Mohave Desert depends on the availability of water for the cattle.

The development of the range and ranch cattle business in Texas and its spread to the ranges of the northern Great Plains and Rocky Mountain region forms one of the most interesting chapters in the annals of American husbandry. When Texas and New Mexico were annexed to the United States vast numbers of Texan cattle roamed throughout those areas. The census of 1870 gives the number as 4,000,000, or one-seventh of all cattle in the other States and Territories. These cattle were descended from stock imported from

Mexico and at a more remote date from Spain, and had through generations of neglect reverted into a condition of semiwildness; moreover, through the survival of the strongest they had become hardy, and being left to their own resources had become expert in seeking food and water. In the language of the stockmen, they were good "rustlers." They were able to subsist the year through with absolutely no care or expense on the part of their owners except such as might be involved in the semiannual "round-ups."

In the late sixties millions of acres of good grazing land were available to stockmen merely by occupying them. Naturally the stockmen were quick to take advantage of the situation, and so it happened that cattle by the thousands were being grazed on ranges

which the cattle owners had no legal right to occupy.

In the beginning of the range-cattle business in the Southwest the moderate climate of that region and the occurrence of several mild winters in succession in the late seventies doubtless led to the unsafe conclusion that winter protection and feed could be dispensed with, and the idea thus carelessly formed spread throughout the range country, even to the Northwest, where severe winter weather is to be expected. It is difficult at this time to accurately appraise each of the several factors that contributed to the early success of the industry, but we may single out, as probably the greatest single factor, the "open" range, coupled with the good quality of the

grazing thereon.

The cost of raising a steer on the open range was from 75 cents to \$1.25 per year. Thus a 4-year-old steer would have cost not to exceed \$5 to raise, and the selling price, when driven to the railroad, was five or six times that amount. The chief problem of the stockman in the early days was to get his product to the great markets, and thus was initiated the picturesque and unique practice of driving cattle hundreds of miles across country as the crow flies, or, in the parlance of stockmen, "riding on trail." This practice had within it the seeds of the final breaking up of the "open" range. Only two of the tendencies will be here mentioned—first, the tendency, based on sound economic principles, of consolidating many small herds into one great one; and, second, the tendency initiated by the settler who, taking advantage of the privileges permitted by the land laws of the United States, preempted such favorable locations throughout the range area as gave promise of being adapted to farming on a small scale, with the keeping of small herds as a secondary issue. The settler was well within his rights when he fenced in his holdings and thus prevented free access to the water, which was so important to the interests of those who wished to keep the range open to all.

The interests which controlled large herds naturally sought and obtained title to large holdings of range land, and thus gave impetus to the trend toward private ownership of grazing lands in the Western range, and this may be called the era of private ownership.

The tendency toward great holdings reached its peak in the middle eighties, when single holdings of as many as 3,000,000 acres were not uncommon. Latterly, however, the tendency has been toward the breaking up of these great ranches.

At present practically all public and State land that can be utilized for farming on a small scale has been taken up, and naturally the area of range land has been very materially reduced; the quality, moreover, has been lowered somewhat when the range as a whole is considered. On the other hand, the national forests have been opened up to stockmen under the permit system. Some 156,000,000 acres of national forests are now being utilized in the livestock industry.

Not only has the quality of the range as a whole been lowered, but the ability of the stock of the present to withstand the rigors of cold weather is not so good as it was before Texans were interbred with purebred stock. Originally the stockman was satisfied to take an annual loss of at least 5 per cent; but when losses of 25 to 35 per cent were sustained, as in the cold winter of 1881–82, his confidence in the ability of present-day cattle to withstand the rigor of an exceptionally cold winter was rudely shaken. Many financial losses were sustained in various parts of the range before the lesson that it would pay to provide shelter and food in very cold weather was learned. The shelter may be natural or artificial.

Cattle have a tendency to drift before a cold wind unless prevented by some physical obstruction, and if not rounded up before the storm begins they may wander many miles from their accus-

tomed feeding grounds.

Owing to the great extent of the Western range, the weather is seldom uniform in all parts of it; some parts may have severe drought and others ample moisture and food for stock, so that it may be necessary to ship stock from one part of the range to another part where the conditions are more favorable. Bankers and others vitally interested in the livestock industry are at all times desirous of obtaining accurate information as to weather and the condition of the range. To meet these needs and to prevent drifting in time of severe storm, the Department of Agriculture, through the Weather Bureau, maintains as a part of its regular program a cattle region service. Bulletins giving the weather conditions and their effect upon livestock are issued from centrally located points in the range country, and in addition telegraphic advices are distributed giving warning of storms that may be injurious to livestock.

Marketing

Once the product is grown there is yet before the agricultural producer a sizeable problem—that of marketing his produce. In the process of marketing the weather conditions are of significance. Just as the hothouse, irrigation, and smudging are attempts to control the weather conditions in growing, so also are there methods of control in the process of marketing. There is a difference, however. Despite whatever protective efforts are made in production, the major portion of agricultural production in the United States nevertheless must take the weather as it comes with good or ill effects. The producer is helpless. But once the crop is harvested more effective barriers against ill effects of weather are possible. A portion of this article will accordingly be devoted to the description of these controls and their effects upon the agriculture of the country.

Weather conditions may affect the consumer in determining what he shall purchase. Watermelons, ice cream, fresh fruits, obviously

are more to be desired in hot, dry weather than in cool.

Transportation is a most essential feature in the marketing program. In fact, the numerous areas of specialization, both agricultural and industrial, and the extensive systems of transportation which connect them, are mutually dependent upon one another. Without the railroads, the surplus production of products in the districts best suited to them would be useless; without the interchange of traffic thus created, the railroads would disappear. Just as the weather is important in agricultural production, so also is the weather an important factor in railroad, highway, and water transportation.

In still another sense weather may have a distinct influence in marketing: In so far as weather affects production it also tends to affect prices. It is not impossible that at times what the producer makes in increased production through most favorable weather he will more than lose in lowered prices. This problem of overproduction, so far as it relates to weather, is more of a production than a marketing problem and hence will not be discussed further in this con-

nection.

The Refrigerator Car

Perhaps the outstanding attempt to control the weather conditions under which perishable products are moved from farms to market is in the development of the refrigerator car. Vast agricultural enterprises have paralleled the growth of the refrigerator-car system until now neither could prosper without the other. To see California fruit served on the eastern coast, and bananas from the countries to the south of us, is now a common sight. Cantaloupes from the Imperial Valley of California are shipped to nearly every State in the Union, their normal life being lengthened by proper cooling to retard deterioration. The country-wide distribution of fresh meats from centrally located slaughter points hinges upon the cooled car. Fast milk trains reach Boston daily from far points in Vermont, New Hampshire, and Maine, and Boston is but one city out of many so served.

"Between 1902 and 1913 the population of United States increased approximately 25 per cent; the railroad mileage increased 23 per cent; the tonnage of perishable products increased 44 per cent; the number of freight cars of all classes increased 47 per cent; and the number of refrigerator cars increased from 18,222 to 43,389, or 138 per cent." These figures include only the cars owned by the railroads. Reliable figures of privately owned cars for early dates are not available. On December 31, 1917, the total number of refrigerator cars owned by all packing companies, private car companies, and railroad interests was 117,337. In 1922 there were about 140,000.

This growth in the use of refrigerator cars has largely been in two fields—in meat shipping and in fruit shipping. The packing interests rather than the railroad were originally responsible for

⁶ White, G. C. Improved transportation service for perishable products. 1917. (In Pan American scientific congress, 2d, Proc. 1915–1916, vol. 3, pp. 400–425.)
⁷ Burnham, Guy H. The Weather Element in Railroading. Monthly Weather Review, January, 1922, 50:1–7.

the levelopment of the refrigerator car, since it rapidly came to be considered a necessary adjunct to the distribution of fresh meat.

That the refrigerator car should be developed by the packing industries rather than by the purely agricultural enterprises was to be expected, for this development required a concentration of free capital which is seldom found among agricultural producers and also because the fruit grower has need of the refrigerated car only during a limited season, whereas the meat shippers have a year-round requirement. The fruit-growing enterprises, however, were not slow to respond to the possibilities opened up by a perfected refrigerator car.

The business of shipping green fruit east from California, for example, was started about 1871 with the experimental shipment of a few carloads. To-day the industry has grown so large as to "encompass the markets of the world and make the name of California familiar at the breakfast tables of two hemispheres." From its infant beginning the movement of fruits and vegetables out of California has grown to over 100,000 carloads annually, approximately 40,000 of these being oranges alone. The estimated value of

the citrus crop is over a million dollars annually.

Another striking illustration of the use of refrigeration in transportation to permit the capitalization of special climates is the importation of bananas.

Bananas have been imported into the United States since 1872. They are most palatable if subjected to a ripening process after the bunches are cut from the plant. Their extreme sensitiveness to even moderate changes in temperature make the utmost care necessary in handling them. They are distributed by rail from different ports to all parts of the United States and Canada, and have come to be an important part of the food of the people. The greater part of the business is in the hand of one company, which controls every feature from production on its own plantations to placing the fruit in the hands of the consumer. Its own steamships are specially constructed for maintaining proper temperatures, and its own attendants accompany every car from port to destination. This is a special industry where little has been left to the rail carriers in originating improved methods of bananas in the United States indicates the possibilities with other products. 10

Perishable agricultural products in transit must be protected not only from extremes of heat but also from extremes of cold. In early days the shipment of potatoes out of Maine was governed in a degree by the weather conditions. Shippers would wait for prospect of fair weather, whereupon effort would be made to get the crop through before dangerously low temperatures could harm the potatoes. If such temperatures should occur, the cars were put in roundhouses, were such available; otherwise the potatoes suffered. This condition made the growing of potatoes in northern Maine a somewhat hazardous undertaking and served as a natural check upon the growth of the industry. To meet this situation the now familiar heater car came into prominence, and just as the refrigerator car gives assurance that fruit and vegetables will arrive on the market in good condition the heater car gives protection to the potatoes when being moved and assures to the purchaser and grower an unspoiled com-

^{*}Dyer, J. H. Perishable freight transportation service for California—present and future. 1920. (In Calif. Dept. of Agr. Monthly Bul., vol. 9, no. 12, December, 1920, pp. 658-661.)

10 See footnote 6.

modity. Partly as a result of this security for the crop in transit, the industry has grown until the Aroostook potato district has be-

come one of the major points of supply.

There is significance both to the producer and consumer in this controlling of weather conditions for perishable products while in transit. For the producer it has permitted the capitalization of soil and weather conditions in districts throughout the world by providing means for disposing of the enormous surplus crops produced. The growing of products in localities particularly adapted to them by soil and weather naturally means a much greater production per "man-hour" than in localities which have not these natural advantages. Greater production with the same human labor means that more and more of that labor can be devoted to other worthy enterprises. The ensuing process of readjustment sometimes appears to bring hardship rather than increased benefits to the particular industry, however; the working of this readjustment is through prices; that is, the district producing at the least cost can afford to put its product upon the various markets throughout the country at a smaller price than can the districts producing at greater costs, thus injuriously affecting those districts. A single instance will suffice: Western butter has often sold in Boston at a price which represents a loss on butter produced in New England. This naturally represents a hardship to New England producers of butter, although their fresh-milk business remains profitable.

While transportation is a most important factor in developing new agricultural districts, it also involves protection of perishable pro-

duce in transit.

The consumer derives direct advantage from the successful transportation of perishable products. In the first place, produce is made available to him at times during the year when it would otherwise be impossible—the banana trade, for example.

Cold Storage

Cold-storage facilities in terminal markets play an even more important part 'han transportation with regard to such products as butter and eggs, of which more will be said shortly. The consumer is also frequently assured of a superior product—for those districts which can produce more bountifully can likewise frequently produce better quality. Finally, the consumer may purchase at relatively lower price—this, however, has been a much-disputed question.

Cold-storage facilities located at concentration points for agricultural commodities play a very important part in their marketing. This is unusually true of the cold storage of fresh beef, mutton, and pork, and dressed poultry, butter, and eggs. A moment's consideration of the importance of cold storage to the production and marketing of eggs serves to demonstrate this importance. Eggs of course have a pronounced seasonal production. Without cold storage the peak production could profitably be no more than the market could absorb at that time. This would naturally limit the year's production to the same scale. The cold-storage warehouse serves as a reservoir in which may be placed the excess production during peak seasons and from which may be withdrawn the needs during seasons of low production. The result is twofold—to the consumer a year-

round supply is available; to the producer is given the opportunity of greatly increased production. There has been much controversy over the effect of cold storage on prices, and the charge of manipulation in markets has been made against warehouse men. On this point it may be mentioned in passing that "perhaps it is not generally known that the owners of the cold-storage warehouses do not store commodities themselves, but on the contrary let cubic space in their warehouses to customers, who place therein such perishable and other commodities as they please."11 Although price relationships within a year may be changed, it is by no means to be admitted that the cold-storage business is responsible if the prices of its commodities have increased or if the price levels of its commodities have increased. Let the fact be what it may with regard to the effect of cold storage on prices, the fact remains that cold storage has been of incalculable benefit to consumers in providing commodities for consumption out of the natural productive season.12 Nor is it to be doubted that this service costs an immense amount. Such being the case, it may well be considered that the cost is but incidental to. and indeed necessary to, having the year-round supply rather than a heavy burden upon the industry. The contention of some writers is that, although consumers sustain this immense expense, there is such a redistribution of consumption throughout the year that there is a consequent redistribution of prices on a lower level than before. 13 Be that as it may, it should not be forgotten that cold storage prevents that object of despair to the producer, the glut on the market. For further discussion the reader is referred to other department literature concerning relationship between cold storage and prices, of which there is considerable. Much has also been written by other individuals.

By sheltering his produce from injerious weather in transit and in the marketing, and by so controlling the conditions that the produce does not deteriorate, man has been able to successfully set at naught the effects of weather upon his products on their way to the consumer, even more than he has been able to protect their These intergrowth by adaptation to climate and soil localities. dependent two-adaptation to climate and soil and protection in marketing-have represented tremendous advantages to both producer and consumer—more than enough to offset the recognized large cost. Otherwise the attempts would have ceased at their inception

rather than have grown to their present magnitude.

Weather and the Railroads

From a railroad point of view, weather is also a definite factor to be combated and one which represents a considerable, though inadequately-measured, cost in transportation. The costs of transportation of course represent a differential in total cost of marketing between local and distant grown produce; that is, the large-scale surplus production of specialized districts must be produced at suf-

Holmes, G. K. Cold storage and prices. U. S. Dept. Agri. Bur. Stat. Bul. 101, 1913.
 See footnote 11.
 See footnote 11.

ficiently lower cost to cover the differential in transportation before it represents an advantage to the grower and the consumer.

Not only must the commodities be protected against weather, but also it is essential that the carrier equipment itself be protected. A very large proportion of the expense necessary to the maintenance of way can be attributed to the damage and wear caused by weather conditions. Not so great, but assuredly a certain proportion of the expense of maintenance of rolling stock may be attributed to weather. The weather is also responsible for variation in operating expense.

"Temperature is an important element in railroading. Extremes of heat and cold have a racking effect upon rails, girders, and other ironwork, and careful allowances have to be made for this factor." Illustrating this relationship, Dr. P. H. Dudley, of the New York Central lines, says:

The winter of November, 1911-12, had deficient temperatures and the rails contracted in the splice bars. The cold wave commenced one or two days in the last of December, but January was cold, and, in most places, February and March. In that winter the railroads had the greatest epidemic of broken Bessemer steel rails * * * that they ever experienced.14

When the roadbed is constructed of dirt low temperatures freeze the moisture contained, which heaves the track and causes rails to spread. A successful but expensive method of combating this condition has been found in the use of crushed stone as ballast.

"It has also been found that low temperatures tend to double the rolling friction of freight and passenger trains. This, together with the increased head resistance which is due to the greater density of the cold air, furnishes the chief reason why train tonnage must be cut down in the winter. Thus these factors, along with the trouble of making steam in cold weather, explain why heavy trains often have great difficulties in starting out of stations during the cold months of the year." 14

Temperature, as was pointed out earlier in this discussion, is the chief weather element from which commodities must be protected. It is now seen that temperature is also an element in railroading itself, being responsible for various costs which must be met out of But of even more importance as a railroading problem are the varied forms of precipitation. For example, heavy rainfall saturates the ground, loosening it and thus causing many landslips. "A typical case can be cited from the Sacramento River Canyon, where the rainfall for five months ended March 1, 1890, was 100 inches (annual average 59 inches). In consequence of the heavy precipitation, the ground became saturated and large masses of earth and slatey rock, estimated at 25,000 cubic feet, fell on the The line was cleared, with an expenditure amounting to 5,500 days' work, just in time to receive a second landslip as large as the first. The danger had so increased that night work was not practical, and the day workers were so much endangered that even when all possible precautions for safety were taken very little effective work was done. The gravity head of water, as in mining operations, was used to remove the débris, and in nine days 9,000 cubic

¹⁴ See footnote 7.

yards of material was removed, at an average cost of \$200 per

day." 17

The story of the "washout" and the consequent interruption to traffic is familiar to all. Indeed, in regions of heavy precipitation, especially in regions where this precipitation is seasonal the rail-

road must wage a constant war with floods.

Moisture is a very significant element in the deterioration of ties. It has a destructive effect upon all woodwork construction and is also instrumental in the oxidization of rails. On the other hand, an extreme lack of moisture causes drying and splintering. To meet this situation, extensive tests have been made with various kinds of woods, certain kinds—camphor, for example—having been found to have longer life. But with the growing scarcity of timber of all kinds in this country it has become even more urgent to find methods of prolonging the life of ties. One method which, though expensive, has been attended with success is the treating of ties with creosote. "The Chicago & North Western Railway, for example, has two plants for treating ties. One of these has a capacity of 800,000 ties per annum and the other of 600,000; the timber being of pine, spruce, or fir." 18

Moisture also impairs operating efficiency, especially when in conjunction with low temperatures. When sleet makes the rail slippery quantities of sand must be used. This results in unusual wear, both for rails and wheels. The ice storm, besides breaking down lines of communication, results in frozen switches and other yard apparatus, thus greatly impeding terminal handling. Because of the accumulation upon points of electrical contact the ice storm is of

particular menace to electric rail transportation.

Another type of precipitation with which the railroads must wage a battle, and one which is of more spect cular nature, is snow. "The transcontinental lines that cross the Cascade Mountains of Washington and Oregon and the Sierra Nevadas of California have to contend with a snow problem of great magnitude. In these mountains the snow accumulates on level ground to a depth of 25 or 30 feet and drifts may be found in the canyons and gulches that are twice as deep. Here the locomotive push plow so common on the eastern roads gives way to the powerful rotary plow High up in the mountains even the rotaries are of no avail in keeping the iron trail open for travel, and there snowsheds have been resorted These sheds are usually made of heavy timbers and are roofed over and serve as tunnels through which the trains may pass. are designed to sustain snow 16 feet in depth, and where that limit is reached it is necessary to shovel the excess off by hand. In spite of their massive structure, sections of the sheds sometimes collapse and thus block transportation until the débris is cleared away. the best-known snowsheds in the world are on the overland route of the Southern Pacific. Here it was found necessary to construct 32 miles of snowsheds in order to operate this line during the winter These sheds were built at a cost of \$42,000 over a mile of single track and \$65,000 over double track. On the average \$150,000 a year is spent for upkeep and renewals, the expenditure for a typi-

 ¹⁷Climatic Factors in Railroad Construction and Operation. Jour. of Geography, April, 1903.
 18 See footnote 7.

cal year (1914) having been \$65,000 for repairs and \$91,000 for renewals." Owing to the considerable fire hazard of these wooden structures, concrete sheds have been attempted, but the expense of

these is considered prohibitive.

Another method of combating snow, particularly drifting, is through the erection of snow fences. "These fences are usually from 4 to 6 feet high and consist of boards nailed 3 or 4 inches apart on heavy wooden posts. They serve as a very efficient barrier to snow driven along by high winds, for, by breaking the force of the wind near the ground, it causes the snow to be precipitated in a drift on the leeward side of the fence, leaving the track beyond relatively clear. Many miles of these structures are set up every year and, as thousands of feet of lumber are used in their construction, this one item alone looms big in the annual budget of snow-removal expenditure.

"In an effort to reduce their snow-fighting bills, some railroads have replaced these board fences with hardy, quick-growing trees of both evergreen and deciduous varieties. To secure the best results the trees are planted about 75 feet from the track in rows about 3 feet apart. The rows are set out in staggered formation and a space of about 3 feet is left between each tree. Experiments made with the various kinds of trees show that either two rows of conifers or eight rows of deciduous trees planted in this fashion will be equally effective. By following this plan, then, a good thick hedge is secured which increases in its effectiveness as a windbreak as the years roll by. Wherever this plan has been adopted it has worked so successfully that others have been induced to imitate it, and hence we now find it being used almost exclusively by many roads in both the United States and Canada." ¹⁰

The battle against snow, it is conservatively estimated, costs the railroads (and hence those who use the railroads) between five and six million dollars in an ordinary winter. In a severe winter the costs would undoubtedly be much greater. This factor is of such importance to railroads in the northern portion of the United States that the general character of a winter is often reflected by the opera-

tion costs appearing in their reports.

Of course, the weather costs of railroading are not directly attributable to shippers of agricultural products, but, nevertheless, these costs represent one of the necessary elements of successful railroading, and as such are naturally reflected in the freight rates charged on all traffic. They are thus indirectly of considerable importance to agricultural as well as industrial and commercial shippers.

So far the weather as a factor in transportation has been considered only from the point of view of the railroad. Although the railroad is of primary importance in the United States in the transportation of agricultural produce, nevertheless water and highway transportation are of significance. The latter is becoming of more and more significance with reference to truck crops. The highways of concrete, or other hard-surface construction, are sometimes rendered impassable by snow and unsafe by rain and sleet. The highways of dirt construction are sometimes rendered impassable by rain

¹⁹ See footnote 7.

^{29283°---} ҮВК 1924----- 35

as well as by snow and sleet. The construction of good roads on extensive scale throughout the country has grown to such a degree, however, that snow at present represents about the only obstruction to traffic over the main routes. In some places steps have been taken to keep the major highways clear of snow. Within city limits this has long been attempted and accomplished, but at great cost. The clearing of the streets of New York city is well known as an under-

taking of considerable magnitude.

Paralleling the construction of good highways is the development of motor transportation. This has not developed to a sufficient degree, however, nor has it been sufficiently standardized and tried as yet to permit of finality in stating just what part it will play in the transportation of agricultural commodities. It is possible that for short-haul traffic it may supplant rail transportation. For long-distance transportation this is highly improbable. As a means of feeding railroads and concentrating freight there is undoubtedly a real opportunity for service. But in any event, exclusive of snow and sleet, the weather is not of such importance to motor traffic operation as to rail, since motor traffic is much more limited in the distances covered. It should not be forgotten, however, that weather plays a very important part in highway deterioration.

It might be interesting to mention a growing tendency in the marketing of near-by produce which has come with the automobile and the highway—that of carrying the market place to the producer rather than to the consumer. Data are not available to show the extent of this traffic, but it is not unusual to see many motorists stopping at the fruit farms and buying fruit which they carry back with them to their homes. To a degree the old order is being inverted and Sunday—the day of motor rides—is being made likewise the day of marketing. In a number of ways this purchasing at the farm is to be commended. It tends to eliminate some of the transportation cost and also the spoilage through repeated handling. It can, however, never play more than a small part in the marketing of agricultural commodities in view of the fact that much of the country's supply is grown primarily in those districts best suited to it.

Weather in relation to water transportation is becoming of less and less significance. The use of steam has to a large degree nullified it. Nevertheless, the season of storms is obviously not the season of most efficient water transportation. Ice is a factor to be considered. When the lakes open up the freight begins to move. Much romance has attached to the spring drive when the winter

snows thaw and the logs go out.

A discussion of the influence of weather upon marketing would not be complete without at least mentioning the probable influence of weather upon consumer preferences. Unfortunately, there are practically no trustworthy data available to demonstrate such a relation. Nevertheless, it is highly probable that in hot, dry weather, for example, oranges, cantaloupes, lemonades, orange-juice drinks, watermelons, ice cream, and the lighter fruit and vegetable salads would be more palatable than the heaver foods indulged in customarily in the colder weather. Studies are at the present time under way in several of the major cities of the country and before long more data will be available on this point.

In this discussion of weather in relation to the marketing of agricultural commodities the question naturally arises as to what steps the producer and marketer can take in view thereof. The best methods of nullifying injurious effects of weather can only be answered commodity by commodity, and that, of course, is beyond the scope of this article. The Department of Agriculture, however, has made many studies of technical nature with reference to specific plant diseases and the conditions—weather included under which they thrive, with specific recommendations as to how best to obviate loss from them. Numerous studies have been made and the results published showing the best methods of handling refrigerator cars in transit with reference to desired temperatures, handling of ventilators, reicing, etc. Such literature is available to those interested. Private literature is also available concerning precooling plants, their methods of construction, and the desirability of using precooling with different fruits. Methods of loading and insulating are extremely important to the successful refrigeration or heating of goods in transit, and much reliable information has been secured on this subject which is available to the public in the form of Government publication and information currently distributed. The weather problem, so far as temperature is concerned, is met in large measure by what are known as shipper's forecasts issued by the Weather Bureau from practically all of its stations in large commercial centers. The detailed procedure in applying these forecasts to the shipment of perishable produce, is, of course, out of place in this article. If, however, this discussion has served to point out that there is a direct weather problem in marketing and that the best information and advice as to methods should be secured, that is sufficient. We may conclude with the rather startling and thoughtprovoking quotation from a State publication:

In most fruit it takes 51 weeks to produce the crop and in one week it is marketed. In this one week 51 times more care should be taken than in any one of the previous weeks. However, here is where many producers fail—they take less care during the process of marketing their fruit than they do in growing it."

Floods and Their Effects Upon Agriculture

In general the effect of floods upon agriculture is detrimental rather than beneficial, although in rare instances beneficial results may follow. A classic example of the last named is, of course, that of the Nile in its annual flood. Not only does the annual overflow supply the moisture necessary to crop growth, but it also deposits a fine silt or sediment that enriches the land.

Some of the rivers of southeastern United States deposit a small amount of sedimentary material when they overflow their banks, but as a rule the current is too swift to permit a material deposit of silt to accumulate. On the other hand there is frequently great danger of soil removal by erosion in the upper stretches of the rivers rather than deposition by flood waters.

The effect of floods upon agriculture in North America is, in the large, harmful rather than beneficial. Millions of dollars

²¹ Burger, O. F. Decay in citrus fruits during transportation. 1920. (In California Dept. of Agri, Monthly bul., vol. 9, no. 9, Sept., 1920, pp. 365-370.)

have been expended in the United States for flood protection and the end is not yet in sight. More than a thousand miles of levees have been constructed along the Mississippi, mainly for the protection of the rich bottom lands which border that stream. Large sums have also been expended in drainage projects in order to reclaim potentially valuable agricultural lands.

The bottom lands along smaller streams east of the one hundredth meridian of west longitude are also among the choicest possessions of the North American farmer. Some of these lands, fortunately, are almost immune from the flood hazard, others are visited infrequently, and still others are subject to high water or floods almost

annually.

Most of the ordinary farm-flood damage can be averted on receipt of advices from the Weather Bureau of the near approach of high water or possibly a damaging flood. Perhaps once in a century a deluge of water may break upon the fertile bottom land and in a few moments sweep away every vestige of soil from it—soil that had accumulated through centuries of deposition—and again this process may be reversed and instead of the soil being washed away it may be covered up by from 6 inches to a foot of sand and gravel carried by a torrent of water such as filled the streams of southern Ohio in March, 1913.

Against these cataclysms of nature the dweller along the streams is helpless; under less extreme conditions, however, the evils of high water can be greatly mitigated; for example, livestock may be driven to higher land, farm implements and other stored material can be

removed on due notice of approaching high water.

It happens rather frequently that a onsiderable quantity of unshucked corn, in the aggregate, is allowed to remain in the bottom lands, a portion of which is quite sure to become flotsam in the first flood that sweeps down the river, rather than food for livestock as intended by the farmer. Of course the farmer may have his chance to gather this corn into barns and elevators on notice that a flood is under way, but the question still remains unanswered—Why was it not harvested while the harvesting was good?

Saving of Livestock

In the States bordering the Atlantic south of Virginia, also in the Gulf States and Arkansas, there are great stretches of so-called swamp areas along the principal streams. These areas, when dry, afford excellent pasturage for livestock. Protection from the weather owing to the mild climate is unnecessary; livestock are therefore turned loose in the river bottoms and practically no further attention is paid to them except to drive them to higher ground and provide feed when notified of the approach of floods that will overflow the bottom lands. This effective aid on the part of the department has been instrumental in establishing and maintaining the livestock industry in the sections above named.

The issue of forecasts of river stages, warnings of high water and damaging floods is a part of the daily program of the Weather Bureau. It is the special aim to reach the dweller of the lowlands along the principal streams whenever danger from high water or floods arises. The present flood service has grown from small begin-

nings until now it covers practically all of the principal streams and some of the smaller ones.

Figure 32 shows the distribution of the 65 river districts that have been organized to care for the dwellers in and users of the lowlands.

Figure 33 shows the organization of a typical river district—that of the Ohio basin above Wheeling, W. Va., with headquarters at the Pittsburgh office of the Weather Bureau.

The art of flood forecasting has been developed to a high degree of accuracy through the absolute necessity of making a definite




Fig. 32.—The capital letters indicate the States in which snow measurements are made in the higher levels. The numerals immediately following show the number of snowfall stations in each State: A, Huron, S. Dak., 6; B, Santa Fe, N. Mex., 15; C, Salt Lake City, Utah, 1; D, Cheyenne, Wyo., 8; E, Helena, Mont., 2; F, Seattle, Wash., 16; G, Bolse, Idaho, 13; H, Reno, Nev., 6; 1, San Francisco, Calif., 17. The numbers identify the river districts

No.	District	Num- ber of sta- tions	No.	District	Num- ber of sta- tions	No.	District	Num- ber of sta- tions
1 23 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	Concord, N. II Hartford, Conn Albany, N. Y Philladelphna, Pa Binghamten, N. Y Harrjaburg, Pa Washington, D. C. Richmond, Va Raleigh, N. C. Columbia, S. C. Augusta, Ga Macon, Ga Atlanta, Ga Montgomery, Ala Mobile, Ala Mordian, Miss. Pittsburgh, Pa Parkersburg, W Va Cincinnati, Ohio Louisville, Ky Evansville, Ind.	14 10 11 14 77 5 20 8 12 10 10 18 15 6 22 23	23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 40 41 42 44	Terre Haute, Ind. Knoxville, Tenn. Chattanooga, Tenn. Nashville, Tenn. Fort Wayne, Ind. Saginaw, Mich. Lansing, Mich. Crand Rapids, Mich. Wausau, Wis. Munneapolis, Minn. La Crosse, Wis. Dubuque, Iowa. Daveport, Iowa.	15 7 11 7 4 10 8 0 4 4 19 84 4	45 46 47 48 49 50 51 52 53 54 55 58 59 60 61 62 63 65	Bismarck, N. Dak Sioux City, Iowa Des Moines, Iowa Omaha, Nebr. Topeka, Kans Kansas City, Mo. Wichtla, Kans Fort Smith, Ark Little Rock, Ark Oklahoma City, Okla Shreveport, La Dallas, Tex Houston, Tex San Antonio, Tex Denver, Colo Phoenix, Ariz Portland, Oreg Sacramento, Calif Fresno, Calif Fresno, Calif Los Angeles, Calif Moorhead, Minn	13 10- 51 2- 13 32 34 10 15 11 40 30 60 16 48

forecast of each flood crest expected in terms of feet and tenths of a foot on the local river gauge at each of the industrial centers and gauging stations along the river. Each farmer, manufacturer, or other person dwelling within the flood plain of the stream knows from experience or surveys, at just what stage of the river his property will be inundated and when that stage is forecast he must of necessity remove to a higher level all property, material, or what not that is subject to water damage. This removal frequently entails considerable expense, which in the case of inaccurate forecasts is burdensome. The remedy lies in definite forecasts; hence the constant urge to attain the greatest possible precision in these important advices.

Snow Water for Irrigation

A knowledge of the probable amount of water available for irrigation and other purposes is of very great importance in the irri-

WATERSHED OF THE OHIO RIVER ABOVE WHEELING




Fig. 33.-Organization of the Pittsburgh, Pa., river district

gated regions of the West. The Department of Agriculture, through the Weather Bureau, attempts to supply this knowledge so far as practicable through the medium of snow measurements during the winter and spring seasons in the elevated regions of the West. From the data thus supplied an estimate is made at the close of the winter and again in the spring of the water equivalent of the accumulated snowfall and its probable influence upon the flow of streams that supply irrigation water to the farmer and water for use of hydroelectric plants of the different sections.

The high-level snow-measuring service is maintained in all of the States west of the Rocky Mountains (see fig. 32). It is susceptible

of enlargement and further improvement as funds permit.

Inland Waterways

Although the general tendency in late years has been toward a diminished use of the inland waterways of the country, certain streams continue to bear a large tonnage of the coarser freight, such as coal, lumber, and manufactured steel. The Great Lakes are in a class by themselves and have not been considered in the foregoing. Water-borne traffic has increased on these inland seas, owing to perfectly natural economic causes, many of which, however, are not operative in the case of rivers and canalized streams.

The most striking instances of river-borne traffic that has held its own or even increased in competition with other forms of transportation may be found in the Monongahela River, which carried in 1923 about 25,000,000 tons of freight, mostly coal; the Federal Barge Line, on the Mississippi, carried 709.635 tons; and the War-

rior system, of Alabama, 268,064 tons.

Whatever the tendency of the future may be as regards the development of transportation by use of the inland waterways of the country, the statistics of high-water and low-water depths on the principal rivers, the rainfall in the several river basins, as now collected by the Department of Agriculture, must continue to be the fundamental physical data which are necessary to devise and execute plans for river improvement or in the successful operation of barge lines already established on the larger rivers.

Forests and the Weather

The forest, like all other agricultural crops, is susceptible to the influence of the weather, for the life processes of forest trees are but little different from that of other farm crops. Heat and cold, drought and flood, sunshine and storm affect the forest throughout its existence from seed to final harvest. The growth of the tree and the growth of the forest are affected by changes in the weather, as are the various agencies which bring about the final destruction of the forest—insects, disease, fungi, fire.

Forest management, like farm management, is concerned with the maximum production of the soil crop: only in this case, instead of bushels or pounds, it is reckoned in terms of board feet of lumber, cords of pulp or fuel wood, or perhaps in number of poles, props, and ties. If the season be backward or early, if frosts come early or late, if drought appears in the growing season, the agriculturist

recognizes the influence of these factors upon the ultimate farm crop, and they should be recognized quite as much in forest management.

When he turns to his orchards the agriculturist finds a very close analogy in many respects to forest growth and forest crop. The forest is reproduced from seed, as is the orchard, and forest seeds come from fruits that, like orchard fruits, are affected by the vagaries of the weather. As in the orchard, a freeze during the blossoming time will prevent the setting of the fruit. A heavy rain may wash away the pollen. Cloudy, damp weather will germinate the pollen before it has a chance to be blown or carried to another flower. Wind may break off the blossoms or the limbs bearing them.

Wind, indeed, plays a very active part in the life of the forest, being nature's chief aid in the fertilization and dissemination of forest seed. Pollen grains have been found floating in the air during the spring season for over 13 miles from the flowering tree. Seeds do not stray so far, but the lighter seeded trees can with the wind's help cover considerable distances, the feathery seeds of the cotton-wood drifting with the wind as much as 9 miles in one instance. In this instance, however, the wind was a somewhat blind and ineffective agent, for the seeds were carried off to sea and fell aboard a coasting vessel. In general, the importance of the wind's good offices can be realized when it is remembered that the great bulk of our forest seeds are provided with wings of one kind or another to aid the wind. Maples, elms, poplars, basswoods, pines, and firs are among the more notable of those trees.

After the seed has once set wind storms may cause the tree fruits to fall or they may be cut from the trees by hailstorms. Periods of very high evaporation, especially when the humidity is unusually low, the temperature high, and winds strong, often cause the fruit of forest trees to drop before ripening, just as these climatic changes destroy the orchard flower before the fruit is set. In the forest one or another or all of these causes may be responsible for failure of trees to bear seed for a number of years, and particularly in the case of those trees whose seeds require more than one growing season in which to ripen.

Once the seed falls on the ground the battle shifts from the parent tree to the potential seedling. From this time forth until the seedling has proved itself and becomes well established there ensues the sharpest struggle. The early life of the tree is much more quickly and vitally affected by weather changes than is its later growth. Reckoning on this, nature usually sows seeds with a lavish hand to make certain that the various species will not vanish from the earth.

In the forest many thousand seeds are scattered for every tree that reaches maturity and the great proportion of these do not get beyond the seedling stage. If the ground is too dry the seed fails to germinate; if the weather is too cold growth can not begin; if favorable weather is too long delayed the seed rots. Heavy spring frosts often kill the ambitious seedling which has not yet developed protective bark. Protracted spring rains may so saturate and flood the ground that the seedling is drowned before it can become well established. Warm, damp weather favors the various fungous diseases that are fatal to seedlings and spread rapidly on the soil surface, attacking especially, the tender, newly germinated trees.

Periods of drought are perhaps the greatest foe to the existence of the young trees. Millions of trees from seeds that germinate each spring get well started, apparently are thriving, when a sudden drought occurs, and they fail to become established. Although we generally think of forest trees as having great strength and hardiness, this is not true of them in early life; for a dry season either of the air or of the soil need be neither severe nor of long duration to kill the tree. The seedling is as tender as any of the annual soil crops, and many species are indeed more so. Drought is readily recognized as an important factor in the life of many of the timber trees in the semiarid West, but in the more humid East it is much more important than is generally known.

Reforestation

Man's endeavors to improve on nature, in sowing the tree seed himself where he wants it, when he wants it, and in such a manner that there will be the greatest encouragement for growth, have not been entirely successful. Indeed, he has found through experience in many places and over many years that broadcast seed sowing is not economical as a general practice. With the uncertainty of weather conditions on one hand and the activities of numerous hungry rodents on the other, the seeds sown year after year either fail to become established seedlings or else are eaten or destroyed before they can germinate. Nature is the only one who makes a general success of broadcast sowing save in exceptional instances, and her ways are too lavish to be imitated by man.

As an improved method of securing young growth where he wants it the forester turns to growing young trees from seed in a nursery, where the needful even distribution of moisture can be controlled and by artificial means the unevenness of weather conditions can be compensated. Here the young seedlings may be sheltered from the sun, protected from hail, sleet, and frost, and watered during

drought.

When these seedlings are set out as forest plantations weather conditions are most important. The first necessity is that the roots be able to secure the necessary moisture from the soil that the tops will demand. Weather conditions control both the supply of moisture and the seedling's demand for it, and hence the success of many forest plantations is due more to the favorable weather conditions at the time of planting and immediately thereafter than to any other

one factor influencing tree growth.

The very process of planting is largely determined by weather conditions. Trees must be set out during the resting or dormant period, for once "growing weather" has set in the demand for water is so heavy that the roots have not time to develop and get started in the soil. Both in the spring or fall weather conditions are liable to jeopardize planting operations. Trees planted in the fall are particularly subject to frost-heaving the first winter if there is no snow cover; and in regions where snowfalls are heavy the planting job may be entirely shut down because of the interruption of an unexpected heavy fall of snow. In the spring a sudden thaw may open the planting season, but if the weather becomes warm and stays warm, tree growth begins in the nursery before the trees can

be set out and make it difficult to continue the planting with much success. In the spring also heavy falls of snow may interrupt the planting work at the very time, perhaps, when a large-scale opera-

tion is planned and a large crew has been assembled.

By the time the young forest is well established weather conditions have played their most conspicuous part in retarding or encouraging tree growth, but even when the new growth has apparently got an excellent start in life losses continue, due to weather conditions, whether the stand is the result of planting or of natural seeding or sprouting. Alternate freezing and thawing may yet heave the young plants from the ground. Persistent freezing in regions of low winter temperature may penetrate so deeply into the ground (if a snow cover does not protect the young trees) that the roots are unable to secure from the frozen soil the necessary water required by the top of the tree. This either partially injures the tree and kills off a portion of the foliage or twigs or, if the injury is severe, results in the death of the tree from no apparent cause. This form of damage is prevalent among evergreen trees, for they take more water from the soil during the winter than do trees whose leaves drop off in the fall.

The Growing Forest

As the trees get older and develop into saplings the crowns of the trees begin to touch one another. If the stand is very dense the trees are tall for their diameter, and in such stands very often only the support they give each other prevents them from falling over in the first heavy wind; thus thinned stands are naturally more ex-

posed to severe weather conditions than dense stands.

Growth.—As the woodlot or forest develops, its growth is materially affected by the weather conditions throughout the various years. Most of a tree's growth, both in diameter and in height, is made in the early part of the growing season. If the ground at the beginning of the growing season is well saturated with moisture and the spring rains appear on schedule the tree makes its best growth. Wide rings are formed in the wood and with continued and moderately warm temperatures the tree puts on a considerable volume of wood. On the other hand, if the spring is relatively dry only a small amount of wood is formed. Thus when the tree is sawn in two the growth rings often show in a general way what kind of weather the tree has experienced at different stages of its career. Occasionally a dry spring and early summer in which the growth is very slow is followed by wet weather later in the season and the tree is stimulated into additional growth. After this has happened the resting stages set in again, but an additional ring may be formed in the wood. In other trees, particularly on the southerly side of the tree where the living wood may be warmed, a false ring may be formed which does not go all the way round the stem. rings when examined after the tree has been cut are exceedingly fine and sometimes lead to wrong deductions as to the age of the tree. In the Monterey pine, for example, very small fluctuations in weather conditions bring about stimulated growth, particularly in height; instead of but one whorl of branches being formed in a season, there may be two and sometimes as high as three such whorls formed.

Management.—Proper forest management prepares for the harvesting of the forest crop as well as for its formation and growth. In cutting the woods the future welfare of the forest should be considered, and among the factors to which consideration must be given in the reestablishment of the forest is the weather. As already indicated, tree reproduction is influenced by the many phases of the weather, and, in the harvesting of the forest crop, the effect of the local weather conditions has a great bearing upon the methods of cutting used. If the species is susceptible to frost damage in early life only a part of the mature trees are taken at a time, the rest being left to act as "nurses" until the smaller ones have reached a stage where they are able to withstand complete exposure to the weather. In other forests it is necessary to guard against



Fig. 34.—The destructive agency of the wind in the forest is well shown here. Winds of high velocity often break off the trees close to the ground or even uproof them. In the great Olympic "blowdown" of January, 1921, with a wind velocity no instrument could record, but which was estimated at 150 miles an hour, billions of board feet of spruce and hemlock were lost, much of it beyond salvage. In a space approximately 15 miles wide and 60 miles long in Callam County, Wash., trees a century and more old, one standing in thickly stocked stands, are now strewn like jackstraws with scarcely a single tree upright

windfall of those left standing. Indeed, so great is the danger of windfalls after cutting in some forests that more seed trees are left than would be the case were wind not a factor. In leaving seed trees local weather conditions and the effect of the winds upon the trees left are carefully considered. Trees with exceedingly large rounded tops are more subject to windthrow than trees with a long and rather narrow crown.

Occasionally nature does the harvesting and instead of man felling the trees they are uprooted or broken off by severe wind (fig. 34). In such cases there is nothing to be done but to salvage as much of the crop as is possible. In 1921 a severe windstorm visited the Olympic Peninsula of western Washington and blew down trees in

which there were estimated to be 8 billion board feet of lumber or about one-fifth that used in the United States each year. In the Southern States heavy losses are sometimes experienced by the timberland owner through the destruction of considerable areas of forest by excessive wind storms.

In many places in the west it is advisable to remove a portion of the fire danger by burning the slash after the timber has been cut. In most forests the limbs and the débris are thrown in piles and when weather conditions are right the piles are burned. This is usually after the first snowfall, for then the fuel is dry enough to burn and there is no danger from fire spreading (fig. 35). Weather





Fig. 35.—The burning of the tops and débris left after logging, so necessary in a number of forest regions as a precaution against severe fires, endangers standing timber if undertaken during the dry senson. Therefore, in the early fall the woodsmen often take advantage of a light snowfall to burn brush piles. Under conditions shown above, fire has little chance to escape. A period of warm, dry, and windy weather, however, will permit such fires to run and do much damage

often changes quickly, and many fires have occurred because the snow melted rapidly, and under the influence of warm dry winds

conditions favorable for fire developed.

Forest fires.—Besides its very material effect upon the establishment, growth, and management of the forest, the weather is of tremendous importance in forest-fire protection and suppression. Season of fire occurrence is a matter of climate, but the frequency and extent of actual fires are mainly controlled by the weather.

Among foresters "fire weather" has a definite meaning, though

Among foresters "fire weather" has a definite meaning, though what determines it may vary from one region to another. Generally speaking, fire weather is an atmospheric condition favorable to a rapid rate of spread of forest fires. It may be a period of only a day or two, during which a region, under the influence of a major storm movement, experiences a high rate of evaporation due to a combination of high temperatures, strong winds, and low atmospheric humidity. As fires burn only when the fuels are able to ignite, this season when fire weather is of moment is usually limited to periods of drought in the spring, summer, or fall, though in regions of warm winter climate the lack of rain or snow may bring about conditions favorable to the spread of fire during the winter period as well.

Fire weather usually develops very quickly, and conditions during

Fire weather usually develops very quickly, and conditions during the fire season often change in just a few hours either favorably or unfavorably. Numerous fires are caught every season when small and are subdued with very little effort; yet a slight change in atmospheric conditions may cause a sluggish fire to escape control when it is all but extinguished. Numerous instances could be cited of fires which under normal conditions could have been put out without great difficulty, but which under the influence of some major weather factor became uncontrollable until a decided change in the weather

made suppression again a simple matter.

One of the more noted of recent cases indicating the close relationship between fire and weather occurred at Berkeley, Calif. Under the influence of a strong dry wind a fire starting in dry grass about noon, September 17, 1923, swept rapidly into a brush field and forest at the edge of the city, communicated itself quickly to the houses close by, and spread through the city. From 2 to 5 p. m. nothing that man could do made any impression upon the onslaught of the flames. By 5.30 p. m. the pressure disturbance which had caused the sudden development of fire weather two days earlier had passed far enough to the east so that the wind reversed its direction and the moisture-laden air from the ocean blew inland. Then fire control was merely a matter of extinguishing the fires in structures that were already ablaze.

A somewhat similar fire took place in northern Minnesota in October, 1918. Uncontrolled fires were burning in many places, but, as with many another "brush fire," no attention was paid to them by the local population. Then a big storm movement passed over the region, bringing low humidities, high evaporation, and strong winds. The slow-running and smouldering fires were whipped together into a few rapidly spreading fires with a wide front and the conflagration was on. Towns were wiped out almost as soon as the fires reached them and great forests were completely destroyed. Cloquet, Brookston, and Moose Lake were devastated and 453 people lost their lives. Then, as suddenly as the fires had flared up, under

the influence of another storm condition they quieted down and were

readily extinguished.

So it is with practically every fire that assumes large proportions. During the passage of one of these storm areas across a region the fires get out of control and do practically as they will unless there has been a forehanded plan of attack and trained personnel and equipment. If these storm areas persist for some time the conditions under their influence become correspondingly more critical and severe.

In addition to periods of fire weather when fires burn most intensely, weather changes and changes in temperature during each 24 hours usually affect fire in the same manner as do the larger storms. During the early morning hours the temperature reaches its lowest point, the air is fairly quiet, and the dew is being formed. With sunrise the wind ceases for a time, the temperature rises, and the dew begins to evaporate, and as the morning wears on the temperature rises, the air is able to absorb more and more water, and all traces of the dew are lost. Then the forest fuels dry out to the point where they will burn readily and all that is needed to start a fire is the spark. As night comes on the process is reversed, the temperature falls, the forest fuels absorb moisture from the air, dew forms, fires burn but slowly, and the ordinary spark fails to ignite the fuel. Many a fire that has seemed impossible to control in the middle of the day has been checked with comparative ease under the weather change that takes place from noon to midnight.

Once a fire has gotten well under way it creates its own local weather (Fig. 36). The heat causes the air to rise rapidly and so creates a draft that assists fire in its spread. Then, too, this intense heat dries out the air and the fuels well in advance of the flame so that the material ignites more quickly. Tests made at some distance




Fig. 36.—The rate of spread of forest fires is tied in closely with the weather. Hot, dry days, especially with wind, make for rapid spread, and fire suppression is then a difficult matter




Fig. 37 .- Duration and degree of fire season for various forest regions

in front of an advancing forest fire in the open showed that the added draft and the heat caused by the flames was responsible for a difference of 10° of temperature and from 15 to 20 per cent of humidity. A recent study of a going fire in a cut-over area showed that at the edge of the cut-over area in advance of the fire the humidity was 12 per cent, whereas it was 35 per cent in the forest, indicating that the green forest cover has a local weather condition which would help check the fire when the forest was reached.

As indicated previously, fire seasons are generally determined by climate, but they are also to some extent controlled by the weather. The occurrence of the fire seasons is shown in Figure 37 for some of the forest regions. The Pacific coast and the northern Rockies normally have a dry summer, though rains may occur in this period. Weather controls the date for beginning and end of fire season. If spring is late and wet the fire season is slow in getting under way; if spring is early and dry the fire season begins much earlier. Weather also controls the intensity of fire season. If rains occur at frequent intervals during the summer and cloudy cool weather prevails then the fire season is a mild one, but if the weather is hot and dry and windy there is an excellent possiblity of having a severe-fire season on hand. As the season opens with drought, it closes with moisture, and usually a good heavy rain or snow about the first of October puts an end to it.

Under a different climatic condition in the East, the fire season occurs during the time of drought both in spring and in fall. In the eastern woods the leaves that dropped from the trees in the previous fall dry out quickly in the spring and a few days of warm dry weather makes conditions ripe for fire to spread. But when the weeds and grass begin to leaf out the fire danger is soon over, and,





Fig. 38.—When lightning strikes a dead tree a fire is apt to result. When many lightning fires are started from a single storm it is usually in mountainous regions difficult of access to the fire fighters, making control and suppression of the fires doubly difficult. On the other hand, lightning fires will sometimes smoulder along for days, attracting no attention, only to break forth when weather conditions are at their worst



29283°-YBK 1924-




Fig. 40.—Lightning fires by regions in percentages of total fires

as the eastern woods usually are green all summer, there is little danger from fire except in the evergreen forest. In the fall after the first frost, when the grass dries up and the leaves begin to drop, the fire season opens again and persists until the fall or winter rain or snows set in.

Lightning.—Second only to the influence of weather upon the spread of fire is the harm one phase of weather creates in starting fire. All but one of the many and varied causes of fire are attributable to man and therefore are preventable with care. The one natural cause over which man has no control is lightning (fig. 38), and in




Fig. 41—The effect of concentrated outbreaks of fires during heavy lightning storms. Note sharp increase in the percentage of "t" fires and in the size of average fire after the number of fires per storm passes California

an 8-year period lightning has started 7.7 per cent of all reported fires, amounting to about 33,000 fires each year (fig. 39). In a number of regions lightning as a cause of fire is negligible, but in some of the important forested regions of the West lightning has been responsible for as high as 2,300 fires a year out of 8,000. This is shown graphically in Figure 39.

It will be noted that the East has relatively a much smaller percentage of lightning fires than the West. This is due to two main causes: (1) The character of the storms and (2) the character of the forest. In many parts of the West thunderstorms are exceedingly violent, and it not infrequently happens that a thunderstorm is accompanied by very little rain, often insufficient to wet down the forest and keep the litter and débris in the forest from burning. In the East most thunderstorms are accompanied by copious rainfall, which prevents lightning fires from really becoming serious. The forests of the West, too, contain many "snags" or standing dead trees. These are not perhaps struck any more often than are green trees, but when the wood is rotten it catches fire readily and smoulders for some time before breaking out.

A light thunderstorm does not set many fires and those it does set can readily be handled by the rangers and forest guards. But many of these storms are not mere local disturbances, but are dominated by weather changes over great areas. Then the fires per storm increase rapidly and the protection organization breaks down for the time being. As indicated in the diagrams (figs. 41 and 42), when the number of fires in a given region exceeds 250 the percentage of class C fires, i. e., those over 10 acres in size, increases markedly. With but one lightning fire for each man to handle, the size of the forest fire can be kept down very easily. Beyond one fire to the man, the average size of the fire increases rapidly.

Records of forest fires in California for several years show how variable the weather as evidenced in lightning storms really is.




Fig. 42 - The rapid increase in percentage of "C" fires and in size of average fire as the number of fires handled per man increases during any one lightning storm in California




Fig. 43.—The number of fires in worst single lightning storm each year. The extreme gravity of these concentrated outbreaks is shown by the dashed curve, giving the percentage of the total fires of the season caused by these single general storms in California

The number of fires in the worst single storm during the year is indicated in Figure 43. When such a large number of fires start all at once in a mountainous region the percentage that succeed in becoming large fires is very high.

Aviation and Agriculture

It is too early to indicate the extent to which aviation may be applied in aid of farming, but the outlook is decidedly promising. Already air-mail planes are speeding up the delivery of mail and, although this may not be of direct economic benefit to the farmer, it suggests the use of airplanes in the rapid transportation of perishable products, thus insuring prompt delivery and preventing considerable waste. Particularly is this true in the case of small fruits and vegetables, such as strawberries, raspberries, lettuce, peas, radishes, etc., all of which should be marketed and consumed as soon after picking as possible. Similarly repair parts for agricultural implements and other supplies can be quickly delivered from cities to the farmer in cases of emergency.

A still wider and probably the most important use of the airplane can be made in spraying or dusting various crops for the purpose of destroying insects and preventing the spread of plant diseases. This phase of the application of aviation to agriculture has as yet not been carried beyond the experimental stage, but in tests that have been made in dusting cotton in the Southern States and in combating locusts in the Philippines very promising results have been realized. This method was found to be much quicker and less




Fig. 44.—Using an airplane in dusting cotton fields to suppress the boll weevil

expensive than the ordinary means of applying poison by hand. With improvements in equipment and with more experience, it seems likely that aviation will become an effective agency for the control of such pests as the boll weevil, the tobacco hornworm, the potato bug, wheat rust, and various fruit-destroying insects and diseases.

An application of aviation to agriculture that has already reached a stage of economic importance is that of locating fires in large forested tracts. With a larger force and with planes carrying radio equipment, it is easy to see that by timely warnings fire fighters can quickly go to a threatened area and prevent the destruction of

millions of dollars' worth of timber.

Aviation in its relations to agriculture is peculiarly susceptible to weather conditions, because of the limitations under which the work can be done. Clear weather is desirable for flying at all times, but is essential when search for forest fires is being made. For most effective spraying or dusting of crops (fig. 44) the air should be absolutely quiet and there should be dry weather for a day or two following. Fortunately, the weather conditions that are required are those that occur most frequently during the crop-growing seasons. Clear and practically calm days are numerous in all parts of the country during the late spring to early fall months. With suitable arrangement for weather advices, there will therefore be no difficulty in selecting days that are favorable for the work to be done at times when that work will be most effective.

AGRICULTURAL STATISTICS

UNITED STATES DEPARTMENT OF AGRICULTURE YEARBOOK, 1924

Prepared under the direction of the Statistical Committee, W. F. Callander, Lewis B. Flohr, Joseph A. Becker, and G. B. L. Arner

INTRODUCTION

Statistics of acreage, yield per acre, and production in the United States are estimates made by the Division of Crop and Livestock Estimates. For the year 1909, acreages are as reported by the Bureau of the Census; acreages in 1919 are based upon the census, supplemented by State enumerations. In the intercensal years from 1911 to 1915, estimated acreages were obtained by applying estimated percentages of decrease or increase to the published acreage in the preceding year. The estimates from 1915 to 1918, and from 1919 to date are based upon acreage changes from year to year as shown by a sample of approximately 2 per cent of the crop acreages in each year, supplemented by State enumerations. Yields per acre are estimates based upon reports of one or more farmers in each agricultural township, on the average yield per acre in their localities. Production is acreage times yield per acre. Production estimates are in some cases revised in the following year on the basis of State enumerations and record of shipments. Estimates of farm stocks, shipments, quality, crop condition, and miscellaneous information concerning crops are based either upon sample data or upon estimates of crop reporters for their localities. The sources of these data are indicated in the notes accompanying the tables.

of these data are indicated in the notes accompanying the tables.

Farm prices on the specified dates are based upon reports of farmers and country dealers on the average price paid to farmers, and do not relate to any specified grade. Farm value as shown is computed by applying the December I farm price to the total production. The average price received for the portion of the crop sold may be greater or less than this price, depending on the price changes previous and subsequent to December I and the amount of the crop sold at the different prices.

Sequent to December 1 and the amount of the crop sold at the different prices.

Numbers of livestock on farms in 1910 correspond to the census enumeration as of April 15 in that year. The number on January 1, 1920, is based upon the census enumeration as of that date, supplemented by enumerations by State agencies, such as assessors and brand inspection boards. In the intercusal years from 1911 to 1916, the numbers of livestock were obtained by methods identical with those used for crop acreages. Estimates from 1917 to 1919, and from 1920 to date are based upon a sample of approximately 2 per cent, supplemented by trends derived from assessors' enumerations, reports of brand inspection boards, market movements, and stock yaid receipts. The census bases are not always comparable from one decade market movements, and stock yard receipts The census ba to another, due both to changes of dates and classifications,

The average price per head on January 1 is estimated from reports of correspondents relating to live-stock in their vicinity. The farm value on January 1 is computed by applying the average price per head

to the number of head on farms

Certain statistics represent enumerations made by the department in connection with the administration of regulatory and inspection laws. Certain other statistics represent enumerations made by the department in compliance with general legislation authorizing the collection and dissemination of information on agricultural products

Statistics relating to supplies, movements, and market prices of agricultural products in the United States are derived from official sources as far as available, otherwise from reliable unofficial sources. In all cases wherein the data presented did not cover the field or a major sample thereof, data most representative of the various commodities, movements, and markets have been selected.

With some crops marketing and movement into consumptive channels takes place entirely within the calendar year in which the crop was produced. For many crops marketing takes place during portions of two calendar years. For a few crops, as potatoes, marketing extends beyond a 12-month period. In order that the movement and prices of the particular crop may be followed through, the months in which the crop moved have been used as the "year". Farm prices are indexes of price trends rather than prices.

weighted averages of prices are shown in all cases where a weighting factor was available. For instance, the weighted price of wheat in Chicago is based on the number of carload sales reported, which range from 42 to 55 per cent of all receipts on that market. In the case of hogs at Chicago, the weighted average price is based on total sales of butcher hogs to slaughterers. With many commodities, however, data as to quantities sold are unobtainable, in all such cases average prices are based on price quotations

without reference to quantity

It should be remembered that, due to changes in market conditions or quality of delivery in different years on or under the same grade description or specifications, prices derived from different sources may not be strictly comparable, although for most general purposes they are entirely satisfactory. For instance, the changes in the description of many kinds of livestock which were made July 1, 1923, while not affecting certain price series, made others only fairly comparable and made comparison impossible in other cases. The data as to commercial stocks and movements of various commodities are as nearly com-Data originating with other departments and agencies are included because of their general interest to the agricultural industry. The sources of such data are given in connection with the tables. Care has been taken to quote only such sources as are generally considered reliable.

Statistics of acreage and production in foreign countries are compiled as far as possible from official sources and are therefore subject to whatever errors may result from shortcomings in the reporting and statistical services of the various countries. Inaccuracies also result from differencies in nomenclature and classification in foreign countries, and through the conversion of foreign units into domestic equiva-

and classification in foreign countries, and through the conversion of foreign units into domestic equiva-lents. Except where otherwise stated, pre-war data refer to pre-war boundaries. Yields per acre are calculated from acreage and production, both rounded to thousand units, and are therefore subject to a greater possibility of error when calculated for countries with small acreage.

The tables of international trade cover substantially the international trade of the world. The total imports and the total exports in any one year can not be expected to balance, although disagreements tend to be compensated over a series of years. Among the sources of disagreement are 'The different periods covered by the "year" of various countries; imports received in the year subsequent to the year of export; lack of unformative indesting of goods as among countries; different trade practices and warving degrees. lack of uniformity in classification of goods as among countries; different trade practices and varying degrees of failure in recording countries of origin and ultimate destination; different practices in recording reexof failure in recording countries of origin and ultimate destination; different practices in recording reex-ported goods; and different methods of treating free ports. The exports given are domestic exports and the imports given are imports for consumption, whenever it is possible to distinguish such imports from general imports. While there are some inevitable omissions, there may be some duplication because of reshipments which do not appear as such in the official reports. In the trade tables, figures for the United States include Alaska, Porto Rico, and Hawali, but not the Philippines Islands. Since the statistics for the current year are in many cases preliminary and subject to revision on the basis of later and fuller information, the reader is cautioned to use always the figures as they appear in the latest issue of the Yearbook.

BREAD GRAINS

WHEAT

Table 1.—Wheat: Acreage, production, value, exports, etc., in the United States, 1909-1924

										·			
Your	Acre- age bar- vest- ed	Average yield per acre	Produc- tion	Average farm price per bushel Dec 1	Farm value Dec. 1	Value per acre 1	De	cem-	shel I rn spi	No 2	Domestic exports, including flour, fis- cal year beginning July 1 ³	Imports, including flour, fis- cal year beginning July 13	Per cent of crop ex-port-ed
1909 1910 1911 - 1912 - 1913 -	1,000 acres 44, 262 45, 681 49, 543 45, 814 50, 154	Bush of 60 lbs 15 8 13 9 12 5 15 9 15 2	1,000 hushels 700, 434 635, 121 621, 338 730, 267 763, 380		1,000 dollars 689, 108 561, 051 543, 063 555, 280 610, 122	Dol- lars 15 57 12 28 10 96 12 12 12 16	106 104 105 85	90%	98 115 90½		Bushels 87, 364, 318 69, 311, 760 79, 689, 404 142, 879, 596 145, 590, 349	Bushels 815, 617 1, 146, 558 3, 413, 626 1, 282, 039 2, 383, 537	Per cent 12 5 10 9 12 8 19 6 19 1
A ver 1909– 1913		14 7	690, 108	85 7	591, 725	12 56	97 9		99-9	108-6	104, 967, 085	1, 808, 275	15.2
1914 1915 1916 - 1917 1918 1919 - 1920	53, 541 60, 469 52, 316 45, 089 59, 181 75, 694 61, 143	16 6 17 0 12 2 14 1 15 6 12 8 13 6	891, 017 1, 025, 801 636, 318 636, 655 921, 438 967, 979 833, 027	91 9 160, 3 200 8 204 2 214 9	878, 680 942, 303 1, 019, 968 1, 278, 112 1, 881, 826 2, 080, 056 1, 197, 263		$106 \\ 155^{1} \frac{2}{2} \\ 220 \\ 280 $	128½ 190 220 220 326	258 220 245 205	126 340 220 280 345	332, 164, 975 243, 117, 026 203, 573, 928 132, 578, 633 287, 401, 579 219, 864, 548 366, 077, 439	21, 924, 985 31, 215, 213 11, 288, 591 5, 495, 516	37 3 23 7 32 0 20 8 31 2 22 7 43 9
A ver 1914– 1920	58 , 20 5	14 5	844, 605	156 9	1, 325, 458	22 77	180 1	200 2	202 4	236 2	255, 011, 161	19, 746, 475	30 2
1921 - 1922 - 1923 1924 4	63, 696 62, 317 59, 659 54, 209	12 8 13 9 13 4 16 1	814, 905 867, 598 797, 381 872, 673	92 6 106 7 92 3 130 2	754, 834 873, 412 735, 993 1, 136, 596	14 02 12 34	121 110	13934 1191 ₂	$120^{1}4$	12914	279, 406, 799 221, 923, 184 156, 429, 824	19, 911, 931	34 3 25 6 19 9

Division of Crop and Livestock Estimates | Figures in italies are census returns

Table 2.—Winter and spring wheat: Acreage sown and harvested, production, and

			Wint	er wheat			 	s	pring who	at	
Year	Acreage sown in pre- ceding fall	Acreage har- vested	Aver- age yield per acre	Produc- tion	Aver- age farm price Dec 1	Total farm value Dec 1	Acre- age	Average yield per acre	Produc- tion	A ver- age farm price Dec 1	Total farm value Dec 1.
910	1,000 acres 31, 659	1,000 acres 27, 329	Bush 15 9 14 8	1,000 bushels 434, 142	Cents 88 1 88 0	1,000 dollars 382, 318	1,000 acres 18, 352 20, 381	Bush 11 0 9 4	1,000 bushels 200, 979 190, 682	Cents 88 9 86, 0	1,000 dollars 178, 733 163, 912
911 912 913 914	32, 648 33, 229 33, 274 37, 158	29, 162 26, 571 31, 699 36, 008	15 1 16 5 19 0	430, 656 399, 919 523, 561 684, 990	80 9 82.9 98 6	379, 151 323, 572 433, 995 675, 623	19, 243 18, 485 17, 533	17 2 13. 0 11. 8	330, 348 239, 819 206, 027	70 1 73 4 98 6	231, 708 176, 127 203, 057
915 916 917 918	42, 431 39, 245 38, 359 43, 126	41, 308 34, 709 27, 257 37, 130	16 3 13 8 15 1 15. 2	565, 099		638, 149 781, 906 837, 237 1, 165, 995	19, 161 17, 607 17, 832 22, 051	18. 4 8. 8 12. 5 16. 2	351, 854 155, 765 223, 754 356, 339	86. 4 152. 8 197. 0 200. 9	304, 154 238, 062 440, 875 715, 831
919 920 921 922	51, 483 44, 861 45, 625 47, 930	50, 494 40, 016 43, 414 42, 358	15. 1 15. 3 13. 8 13. 8		210 5 148. 6 95. 1 104. 7	1, 600, 805 907, 291 571, 044 614, 399	25, 200 21, 127 20, 282 19, 959	8. 2 10. 5 10. 6 14 1	207, 602 222, 430 214, 589 280, 720	230 9 130 4 85. 6 92. 3	479, 251 289, 972 183, 790 259, 013
923 924	46, 103 39, 749	39, 518 36, 438	14. 5 16 2	571, 959 590, 037	95. 1 132. 1	543, 710 779, 510	20, 141 17, 771	11. 2 15 9	225, 422 282, 636	85. 3 126. 3	192, 283 357, 086

Based on farm pure Dec 1
2 No 1 Northern spring to 1915 Chicago Daily Trade Bulletin
3 Bureau of Foreign and Domestic Commerce.
4 Preliminary

Table 3.—Wheat: Acreage, production, and total farm value, by States, 1922-1924

State	Thou	isands of	acres	Produc	tion, thou bushels	sands of		ralue, bas e, thousar dollars	
	1922	1923	1924 1	1922	1923	1924 1	1922	1923	1924 1
Maine Vermont New York New Jersey Pennsylvania	4	5	5	100	130	130	170	153	221
	4	4	3	84	84	60	122	118	90
	463	403	380	8, 966	8, 159	6, 840	10, 580	8, 974	9, 850
	77	74	74	1, 540	1, 480	1, 369	1, 694	1, 628	2, 149
	1, 339	1, 283	1, 213	24, 722	24, 338	20, 020	27, 194	24, 338	28, 829
Delaware	109	106	101	1, 766	1, 908	1, 616	1, 907	1, 908	2, 327
	578	600	540	9, 537	11, 520	8, 532	10, 681	11, 520	12, 371
	830	838	735	10, 375	11, 145	9, 628	12, 658	12, 260	14, 249
	240	228	195	2, 760	2, 964	2, 574	3, 367	3, 438	3, 784
	600	544	462	5, 400	6, 038	5, 544	7, 344	7, 729	8, 870
South Carolina	165	175	123	1, 320	1, 925	1, 476	2, 072	2, 964	2, 509
Georgia	190	189	81	1, 520	1, 739	850	2, 280	2, 556	1, 436
Ohio	2, 526	2, 350	2, 221	35, 374	42, 770	37, 313	41, 388	42, 342	54, 104
Indiana	1, 996	2, 076	1, 849	28, 928	34, 248	31, 437	32, 399	33, 563	44, 640
Illinois	3, 196	3, 479	2, 411	55, 432	62, 506	35, 758	59, 312	58, 756	48, 631
Michigan Wisconsin Minnesota Iowa Missouri	1, 023 176 1, 989 731 3, 105		911 109 1, 674 428 1, 924	14, 326 3, 006 27, 276 16, 452 38, 818	16, 576 1, 970 23, 385 13, 558 36, 790	20, 014 2, 353 36, 513 8, 628 24, 629	16, 475 3, 096 27, 548 16, 288 40, 759	15, 913 1, 931 22, 216 12, 067 35, 686	27, 619 3, 012 47, 467 10, 957 32, 756
North Dakota	8, 980	9, 650	8, 685	126, 618	71, 410	134, 618	113, 956	61, 413	169, 619
South Dakota	2, 989	2, 870	2, 296	40, 012	27, 515	34, 138	36, 811	22, 287	42, 672
Nebraska	4, 177	3, 174	2, 989	59, 838	31, 388	57, 115	57, 445	26, 052	69, 680
Kansas	9, 756	8, 299	9, 435	122, 861	83, 804	153, 738	120, 404	76, 262	196, 784
Kentucky	650	620	434	7, 475	7, 688	4, 340	8, 820	8, 303	6, 206
Tennessee	472	443	340	4, 484	4, 519	3, 570	5, 515	5, 197	5, 248
	20	15	8	218	150	80	349	195	130
	5	4	2	60	60	32	87	66	48
	1, 249	1,559	1, 396	9, 992	16, 370	25, 826	10, 991	16, 861	33, 316
	3, 300	3,450	3, 346	31, 350	37, 950	54, 874	30, 723	35, 294	68, 041
Arkansas Montana Wyoming Colorado New Meyico Arizona	78	70	59	1, 014	770	678	1, 075	832	902
	3, 618	3, 274	3, 154	52, 714	47, 708	51, 668	46, 916	39, 121	64, 068
	179	175	141	2, 506	2, 785	2, 131	2, 055	2, 228	2, 365
	1, 620	1, 407	1, 457	21, 776	18, 272	21, 630	19, 380	15, 166	24, 815
	105	108	163	885	1, 300	2, 551	1, 062	1, 404	3, 188
	49	42	31	1, 274	1, 092	837	1, 465	1, 529	1, 180
Utah	294	272	254	5, 682	6, 566	4, 413	5, 113	5, 975	5, 736
Nevada	21	20	19	550	507	402	660	583	603
Idaho	1, 123	1, 052	933	24, 275	30, 115	17, 828	21, 847	24, 092	23, 355
Washington	2, 486	2, 446	2, 211	32, 104	61, 215	27, 300	33, 388	52, 033	35, 490
Oregon	1, 093	1, 111	1, 099	18, 900	26, 807	15, 450	20, 412	23, 590	19, 930
California	712	748	318	15, 308	16, 157	4, 770	17, 604	17, 450	7, 346
United States	62, 317	59, 659	54, 209	867, 598	797, 381	872, 673	873, 412	735, 993	1, 136, 596

Division of Crop and Livestock Estimates.

Table 4.—Durum wheat: 1 Estimated yield per acre and production in four States

		Yıc	dd per ac	те				Produčti	on	
Year	Minne- sota		South Dakota	Mon- tana	Four• States	Munne- sota	North Dakota	South Dakota	Mon- tana	Four States
1917 1918 1919 1920 1921 1922 1923 1924	Bu. 15 5 20 0 11 9 12 0 11, 9 16 0 12 7 21 5	Bu. 9 0 14.0 7 9 10.5 9 7 15 0 9 1 16 0	Bu. 15. 6 19 5 9. 8 12. 4 11 0 15. 5 12 0 14 9	Bu. 9 0 12 9 4. 5 11. 5 11. 2 14. 7 10 2 18 0	Bu. 10 9 15 2 8. 2 10. 9 10. 1 15 1 10 0 15. 9	1,000 bu 1,557 2,460 1,485 1,383 1,754 3,960 2,858 2,709	1,000 bu. 14, 168 30, 856 21, 720 33, 702 36, 741 60, 397 33, 370 48, 640	1,000 bu 8, 941 12, 403 6, 848 8, 884 10, 570 19, 206 15, 300 17, 493	1,000 bu 1, 343 4, 516 943 4, 231 4, 259 4, 106 1, 306 1, 308	1,000 bu. 26, 009 50, 235 30, 996 48, 200 53, 324 87, 669 52, 834 70, 210

Division of Crop and Livestock Estimates.

¹ Preliminary.

¹ Also included in spring wheat, Table 5.

Table 5.—Winter and spring wheat: Acreage sown and harvested, production, and farm value December 1, by States, 1924

			Winte	r wheat 1				8	Spring w	heat 1	
State	Acreage sown in preceding fall	Acre- age har- vested	A ver- age yield per acre	Pro- duc- tion	Average farm price Dec.	Total farm value Dec. 1	Acre- age	A ver- age yield per acre	Pro- duc- tion	Average farm price Dec 1	Total farm value Dec 1
Maine	1,000 acres	1,000 acres	Bush.	1,000 bushels	Cents	1,000 dollars	1,000 acres 5	Bush.	1,000 bushels 130	Cents 170	1,000 dollars 221
New York New Jersey	380 77	366 74	18. 0 18. 5	6, 588 1, 369	144 157	9, 487 2, 149	3 14	20 0 18 0	252	150 144	363
Pennsylvania	1, 240	1, 203	16, 5	19, 850	144	28, 584	10	17. 0	170	144	245
Delaware Maryland Virginia West Virginia	106 562 775 212	101 540 735 195	16 0 15 8 13, 1 13 2	1, 616 8, 532 9, 628 2, 574	144 145 148 147	2, 327 12, 371 14, 249 3, 784					
North Carolina	486	462	12 0	5, 544	160	8,870					
South Carolina Georgia OhioIndiana	129 140 2, 468 1, 963	123 81 2, 221 1, 845	12 0 10 5 16 8 17 0	1, 476 850 37, 313 31, 365	170 169 145 142	2, 509 1, 436 54, 104 44, 538	4	18 0	72	142	102
Illinois	2, 678	2, 330	14 7	34, 251	136	46, 581	81	18 6	1, 507	136	2, 050
Michigan Wisconsin Minnesota Iowa Missouri	66 105	904 64 100 396 1, 921	22 0 22 0 22 0 22 0 20 4 12 8	19, 888 1, 408 2, 200 8, 078 24, 589	138 128 130 127 133	27, 445 1, 802 2, 860 10, 259 32, 703	7 45 1,574 32 3	18 0 21 0 21 8 17 2 13 5	126 945 34, 313 550 40	138 128 130 127 133	174 1, 210 44, 607 698 53
North Dakota South Dakota Nebraska Kansas Kentucky	89 2, 941 9, 819 620	80 2, 794 9, 426 434	11 0 19 5 16 3 10 0	1, 120 54, 483 153, 641 4, 340	125 122 128 143	1, 400 66, 469 196, 664 6, 20 6	8, 685 2, 216 195 9	15 5 11 9 13 5 10 5	134, 618 33, 018 2, 632 94	126 125 122 128	169, 619 41, 272 3, 211
-		ĺ									
Tennessee Alabama Mississippi	395 11 4	340 8 2	10 5 10 0 16 0	3, 570 80 32	147 162 150	, 248 130 48					
Texas Oklahoma	1, 469 3, 485	1, 396 3, 346	18 5 16 4	25, 826 54, 874	129 124	33, 316 68, 044					
Arkansas Montana Wyoming	62 685 16	59 637 16	11 5 17 1 16 0	678 10, 893 256	133 124 111	902 13, 507 284	2, 517 125	16 2 15 0	40, 775 1, 875	124 111	50, 561 2, 081
Colorado New Mexico Arizona	1, 268 122 32	1, 141 110 31	14 0 15 0 27 0	15, 974 1, 650 837	118 125 141	18, 849 2, 062 1, 180	316 53	16 0 17 0	5, 056 901	118 125	5, 966 1, 126
Utah	157 3	119	12 0 22 0	1, 788 66	130 150	2, 324 99	105 16	25 0 21 0	2, 625 336	130 150	3, 412 504
Idaho	397 1, 687 945	353 1, 265 869	16 0 15 3 15 0	5, 648 19, 354 13, 035	131 130 129	7, 399 25, 160 16, 815	580 946 23 0	21 0 8 4 10 5	12, 180 7, 946 2, 415	131 130 129	15, 956 10, 330 3, 115
California	691	318	15 0	4, 770	154	7, 346					
United States.	39, 719	36, 438	16. 2	590, 037	132 1	779, 510	17, 771	15 9	2 82, 636	126 3	357, 086

Division of Crop and Livestock Estimates.

¹ Preliminary.

TABLE 6.-Wheat: Yield per acre, 1909-1924

		Ī		-		Λv.	ji l	ı —		ī	٠.		T 1	Av	Ī	ī		
State	1909	1910	1911	1912	1913	1909- 1913	1914	1915	1916	1917	1918	1919	1920	1914- 1920	1921	1922	1923	1924
Maine Vermont New York New Jersey Pennsylvania	25. 5 25. 0 21. 0 17. 9	29. 3 23 7 18 5	21. 0 27. 8 19. 5 17. 4	23 5 25 0 16 0 18 5	25. 5 24. 5 20. 0 17. 6	25. 0 26. 3 20. 0 18. 0	Bu. 27 0 29 0 22 5 18.0 18.1	28, 0 30, 0 25, 0 20, 0	27 0 25.0 21 0 20 0	14. 0 20. 0 21. 0 19. 0	22. 0 22 0 18 2 17 0	18, 8 16 0 21, 0 18, 0	22 0 19 0 21 8 16 0	21 5 18 3	17. 0 14. 0 19 2 19. 0	25. 0 21 0 19 4 20 0	21. 0 20. 2 20 0	26, 0 20, 0 18 0 18, 5
Delaware Maryland Virginia West Virginia North Carolina	14 5 11.2 13.0 9.5	17 4 12.8 12.5 11.4	15 5 12.0 11.5 10.6	15 0 11.6 14 5 8.9	13, 6 13, 6 13, 0 11, 7	15. 1 12. 2 12. 9 10. 4	20. 5 21. 5 14. 5 15. 0 12. 0	16, 1 13, 8 15, 0 10, 9	16 0 12.7 14.5 10.5	17 0 13. 0 14. 0 10. 0	15, 5 12, 0 14 2 7, 0	13 5 11 8 13. 5 7. 9	17 0 12 5 12 5 11 7	16 7 12.9 14.1 10.0	9 8 12 5 7. 5	16 5 12.5 11.5 9.0	19. 2 13. 3 13. 0 11. 1	15 8 13. 1 13. 2 12. 0
South Carolina Georgia Ohio Indiana Illinois	10 0 15 9 15.3 17.4	10. 5 16 2 15. 6 15. 0	12. 0 16. 0 14. 7 16. 0	9. 3 8. 0 8. 0 8. 3	12 2 18.0 18.5 18.7	10.8 14.8 14.4 15.1	11. 5 12. 1 18. 5 17. 4 18. 5	11. 0 20 3 17. 2 19. 0	11. 4 13 5 12 0 11. 0	8, 5 22, 0 18, 5 18, 7	10. 2 19. 0 21 0 22. 1	10 5 19 9 14 9 17. 1	10. 0 12 7 12 0 15. 2	10 5 18 0	10. 5 12. 4 12. 0 16. 1	8.0 14 0 14.5 17.3	9. 2 18. 2 16. 5 18. 0	10. 5 16. 8 17. 0 14. 8
Michigan Wisconsin Minnesota Lowa Missouri North Dakota	19. 5 16 8 17. 0 14. 7	19 3 16. 0 21. 0 13. 8	15, 9 10 1 16 4 15, 7	19. 0 15 5 19 8 12. 5	19, 3 16 2 20, 6 17, 1	18.6 14.9 19.0 14.8	19. 7 19. 1 10. 6 18. 6 17. 0	22 7 17.0 20 0 12 3	17 6 7 6 16 3 8. 5	22 3 17. 5 19 9 15. 3	24 2 20 9 18 9 17. 2	13, 5 9 4 14, 8 13, 5	15. 1 9 8 17 5 12. 5	19, 2 13, 3 18 0 13, 8	13 1 9.7 17.9 10.9	17. 1 13 7 22 5 12. 5	16. 6 12. 7 18. 5 13. 0	21 6 21. 8 20. 2 12. 8
South Dakota Nebraska Kansas Kentucky	14. 1 18 8 14 4 11, 8	12. 8 16 2 14 1 12. 8	4 0 13 4 10 7 12, 7	14 2 17 6 15 5 10.0	9 0 17, 9 13, 0 13, 6	10 8 16. 8 13. 5 12. 2	18. 6 20 5 16. 5	17. 1 18. 3 12. 5 11. 0	6. 8 19. 4 12. 0 9. 0	14. 0 13. 8 12. 2 12. 0	19 0 11 2 14 1 13.0	8 2 13, 8 13 8 11, 5	9 2 16 8 15 4 10 2	11 9 16 0 14 4 11. 9	9, 1 15, 1 12, 2 10, 0	13 4 14 3 12 6 11, 5	9. 6 9. 9 10 1 12, 4	14 9 19 1 16 3 10. 0
Alabama	10 5 11 0 9 1 12.8		11. 5 12 0 9. 4 8. 0	10 6 12.0 15 0 12.8	11. 7 14. 0 17 5 10. 0	11.3 12 6 13.2 12.0	15. 5 13. 0 13. 0 13. 0 19. 0	12, 0 20, 0 15 5 11, 6	9 5 15 0 11, 0 9, 7	10, 0 15 0 12 0 11, 5	9. 0 16 5 10 0 12. 6	9. 0 14 0 16 5 14. 0	9 6 10 0 13 0 16, 0	10 3 14 8 13 0 13 5	10 5 11 0 10 0 12, 5	10 9 12 0 8 0 9.5	10. 0 15. 0 10. 5 11. 0	10 0 16 0 18 5 16 4
Montana Wyoming Colorado New Mexico Arizona	30. 8 28 7 29 5 24. 5 25 0	22, 0 25, 0 22 3 20 0 22, 3	28, 7 26, 0 18 9 22 9 29 6	24 1 28 7 24, 2 20 9 30, 7	23, 8 25, 0 21, 0 18 8 32 0	25. 9 26. 7 23. 2 21. 4	20. 2 22. 9 23. 8 24. 2 28. 0	26 5 26 5 24 2 22 2	19. 3 21 6 19. 8 18. 6	10.4 $21/2$ $22/6$ $12/7$	12 6 25 4 12 3 16, 7	2 7 14 4 13 7 19 0	10 3 20 0 18.0 18 3	14. 6 21 7 19. 2 18 8	12 3 17. 2 13 5 13 6	14 6 14 0 13 1 18.4	14. 6 15. 9 13. 0 12. 0	16 4 15 1 14 4 15 6
Utah	28, 7 27 8 23 2 20 2	26, 5 22 6 16 9 22 1	28 3 30 7 22 7 21 0	29, 2 28, 6 23, 5 25, 0	27. 7 27. 6 23. 2 21. 0	27. 5 21. 9 21. 9	29, 6 26, 2 23, 5 20, 8	29, 6 28 0 25 7 22 2	28, 9- 23, 8 23, 7 23, 0	27 8 20 3 15 8 14 5	25, 5 21, 3 13, 1 14-7	21 2 18 2 16 8 19 2	22 3 22 4 16 9 20 9	26 4 22 9 19 4 19 3	23 5 21 0 22 8 23 1	26, 2 21 6 12 9 17 3	25. 4 28. 6 25. 0 24. 1	21 2 19 1 12.3 14 1
United States	15 8	13 9	12 5	15. 9	15. 2	14.7	16 6	17.0	12, 2	14 1	15 6	12 8	13 6	11 6	12 8	13 9	13, 4	16 1

Division of Crop and Livestock Estimates

Table 7.--Wheat. Percentage reduction from full yield per acre, from stated causes, as reported by crop correspondents, 1909-1923

			Adve	rse we	ather c	onditio)ns	_:	·		1	Г		
Year	Defi- cient mois- ture	Ex- ces- sive mois- tine	Floods	Frost, freeze, or win- ter kill	-	Hot winds	Star ma	Total cli- mat- ic 1	Plant dis- ease	Insect pests	Ani- mal pests	De- fec- tive seed	Other and un- known causes	To- tal
1909 1910 1911 1912 1913	P ct 8 5 18 9 25 5 8 1 14 1	P ct. 3 2 9 8 1 8 . 4	7° ct 0 7 2 (²) .3 .2	P ct 2 4 6 6 1, 5 9 5 1 9	P ct 2 0 .5 4 1.5 .7	P et 1 2 2 6 3 8 1 8 1.7	P ct. 0 6 .2 1 .4	P. cl. 18 9 30 0 32 3 24 0 19 8	P. ct. 1 6 . 8 1 9 1 8 . 3	P ct 1 1 1 9 1 9 2 3 2 2	P ct 0 3 4 2 3 .1	P ct 0 1 . 2 . 2 . 2 . 1	P ct. 0 8 5 1 3 .9	P.ct. 22 8 33 8 37 8 29 5 23.5
1914 1915 1916 1917 1918	6. 7 1. 3 6. 9 19. 1 14. 6	1. 4 7 3 3. 8 . 4 . 3	.1 1.0 .6 .1	1 1 1.2 5 1 11.8 3.8	1. 0 1. 6 1. 3 1. 0 1. 1	2. 7 . 1 2. 7 1. 6 2 0	.2 .4 .2 .2	13 4 13 0 21, 2 34 4 22, 3	3 0 2 4 12 5 .7 1.5	2. 6 3. 6 4 0 7 1. 1	.! .! .1 .1	.1 .1 .1	.6 .5 8 .3	19. 8 19. 7 38. 7 36. 3 25. 7
1919 1920 1921 1922 1923	12. 3 8. 1 13. 3 13. 1 8. 6	6. 2 2. 3 2. 0 2. 0 4. 0	.4 .2 .2 .4 .5	1. 3 4. 2 3. 1 2. 2 4. 0	. 8 1. 0 1. 4 2. 0 1. 4	2.8 1.5 3.6 1.4 .8	.3 .4 .3 .2 .2	24. 3 17. 7 23. 9 21. 4 19. 5	10. 2 9. 5 5 2 3 4 4 6	2.5 4 4 3 6 3.4 4 6	.1 .1 .1 1	(2) .1 .1 .1	.5 .4 .2 .3 .3	37. 6 32. 2 33. 1 28. 7 29. 2

Division of Crop and Livestock Estimates. ¹ Includes all other climatic. ² Less than 0.05 per cent.

Table 8.—Winter wheat: Yield per acre in States producing both winter and spring wheat, 1909-1924

State	1909	1910	1911	1912	1913	A v 1909– 1913	1914	1915	1916	1917		1919	1920	Av. 1914- 1920		1922	1923	1924
Fennsylvania Ohio Indiana	21 0 17 0 15 9 15, 3	23 7 17 8 16 2 15 6	19 5 13 5 16 0 14 7	16 0 18 0 8 0 8 0	20 0 17 0 18 0 18 5	Bu. 20 0 16 7 14 8 14 4 15 1	22 5 18 1 18, 5 17 4	25 0 18 5 20 3 17 2	21. 0 19 0 13 5 12 0	21 0 17 5 22 0 18 5	18 0 17 0 19 0 21 0	22 0 17 5 20 0 15 0	22 3 16 6 12 7 12 0	21 7 17 7 18 0 16 2	17 5 12 4	19 5 18 5 14 0 14 5	20 4 19 0 18 2 16 5	18. 0 16 5 16 8 17 0
Michigan	20 1 21 6	20 0 21 2	17. 5 19 7	19 5 23 0	$\begin{array}{ccc} 20 & 1 \\ 16 & 2 \\ 23 & 4 \end{array}$	21.8	21 5 19 5 21, 6	23. 0 19. 5 21. 5	19 0 14 0 18 5	24 0 18 0 17, 5	$\begin{array}{ccc} 21 & 2 \\ 18 & 0 \\ 20 & 5 \end{array}$	19 6 15 0 18 3	22 0 19 6 19 7	21 5 17 7 19 7	16 0	18 6 14 0 23 2	17. 0 16 0 18 9	22 0 22 0 20 4
Kansas Montana	19 4 11 5 32 5	16 5 11 2 22 0	$\frac{13}{10} \frac{8}{8}$ $\frac{10}{31} \frac{8}{7}$	18 0 15 5 24 5	18. 6 13 0, 25 6	17 3 14 6 27 3	19 3 20 5 23 0	18 5 12 5 27 0	20 0 12 0 21 5	12 0 12 2 13 0	11 1 14 1 12 7	14. 8 13. 8 5. 2	17 4 15 4 12 0	15 9 16 2 14 4 16 3 21 0	15 3 12 2 14 0	14 5 12 6 15 2	10 0 10 1 17 0	19 5 16. 3 17 1
New Mexico Utah Nevada	24 0	20 0 20 5 24 0	25 0 20 0 23 0	20 0 24 0 27 5	21 1 18 6 23 0 23 0 27 4	22 3	25 0 25 0 29 0	22 0 25 0 26 0	16 5 20 0 21 5	10 0 14 0 2 6 0	10 0 16, 6 29 0	19 1 12 7 19 7	18 2 15 9 18 7	19 3 17 3 18 5 24 7 22 7	12 6 19 9 2 0 2	5 5 14 0 19 7	9 5 19 9 25 7	15 0 12. 0 22. 0
	21 0	23 7	22 2	26 8		23 0	22 0	24 0	23 0	17 5	17 0	21 2	22 2	21 4 21 0 15 7	25 5	19. 0	25 0	15 0

Division of Crop and Livestock Estimates

Table 9.—Spring wheat Yield per acre in States producing both winter and spring wheat, 1909-1924

State	1913 19	Å v 909 1914/1915 191 913	6 1917 1918 1919 1920	$\frac{3}{3}$ \\ \tag{1914} \text{1921} \\ \text{1922} \\ \text{1923} \\ \text{1920} \\ \text{1}
Ru. Bu Bu Bu Bu New York Pennsylvania Olio Indiana Illimois Michigan	Ru I	Rv .	20 0,23 0, 9 0 12 0 25 0,26 9 14 5 16 5	14 5 16 0 16 5 18 0
Wisconsin 19 0,18 7 14 5 18 8 Minnesota 16 16 0 10 1 15 8 Iowa 14 20 9 13 8 17 6 Missonii 14 1 12 8 4 0 14 2 Nebraska 14 0 13 9 10 0 14 3	16 2 1 17 0 1	14 9 10 5 16 13 13	0 21 5 18 0 5 11 3 5 13 0 3 14, 0 19, 0	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
Kansas 11 5 15 15 15 16 Montana 28 8/22 0 25 0 223 12 3 22 3 22 0 25 0 26 0/20 22 0 25 0 26 0/20 22 0 20 20 5 22 0 20 5 22 0 20 5 22 0 20 5 22 0 20 5 22 0 20 5 22 0 20 5 22 0 20 5 22 0 20 5 22 0 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20 20<	21 5 25 0 2 21 0 2	26 4 22 0 27 0 22 1 23 2 22 5 21 0 19	0 9 0 12 5 2 3 10 0	13 5 12 0 14 4 14 0 16 2 17 0 14 0 16 0 15 0 19 0 15 0 16 0 16 0 17 0 16 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 17 0 1
$\begin{array}{c ccccc} Utah & 28 & 5 25 & 3'27 & 0'29 & 2\\ Nevada & 28 & 7'29 & 0'32 & 5 30 & 2\\ Idaho & 26 & 0 20 & 4 29 & 0 28 & 3\\ Washington & 20 & 6 4 & 5 19 & 5 20 & 6\\ Oregon & 18 & 7 & 18 & 0 & 17 & 7 19 & 5\\ United States & 15 & 8 11 & 0 & 9 & 4 17 & 2\\ \end{array}$	31 0 28 0 19 5	30. 0 32 0 31 24. 0 26 5 23. 20 0 22 2 21. 17. 0 23.	5 13. 6 0 11. 0 11 0 13. 0 17 0	24 0 27 3 25 3 21 0 24 0 27 3 25 3 21 0 22 7 24 0 23 0 29 0 21 0 16 0 15 0 9 3 22 0 8 4 15.5 17.0 11 5 21 0 10 5 12.3 10.6 14 1 11 2 15 9

Table 10.—Winter wheat: Percentage of acreage abandoned, 1909-1924

State	1900	0 1	910	191	11	1912	191	13	A v 1909– 1913	1914	1915	1916	1917	1918	1919	1920	Av. 1914– 1920	1921	1922	1923	1924
New York	3 : 2 : 2 :	5 2 7 5	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3 3 2	2 4 8 4 9	5 7 4 6 3 9 3 0	3 2	0 0 0 7 8	P ct 3 6 3 9 3.3 2 7 2 1 2 3	4 5 2 0 2 0 1 5	4 0 4 9 2 5 3 0	P. ct 1 0 3 0 2 5 3 0 3 8 2 0	5 0 4.0 3 5 4 2	6 0 5 0 9. 0 5. 0	1. 5 . 5 0 5	P cl. 1 5 10 0 3 5 5 0 4 0 3 0	4 9 3. 2 3. 6 3 1	2. 0 1. 8 1 0	4 0 2 0 2 0 2 0	3 2 3 0 2 5 3 0 3 2	3 8 4 0 3 0 5 0 3 8
West Virginia	3 : 3 : 10 (5 3 0	3 5 3 8 6 0 5 6	3 3 3 3	5 3 2	$\begin{array}{c} 3 & 3 \\ 4 & 3 \\ 5 & 0 \\ 45 & 2 \end{array}$	2 4 3 3	5 0 0 3	3 0	3 0 3.0 1.3	4 0 3 3 5 0 1 8	1 5 3 0 4 0 18 0	10 0 25 0 38 0 4 0	2 0 2 0 11 0 5 0	1 0 2 0 6 0	5 0 16 0		3 5 2 0	1 0 10 0 9 0 2 5	2 0 2 0 5 0 12 5	3 0 5 0 42 0 12 0
Illmois Michigan Wisconsin Minnesota Iowa Missouri	5 (0 2	5 5 4 4 8 Î	3 7 4	2 2 0	7 2 Î8 3	4 4	5	5. 9	5 0 8 0 2 0	3 0 3 0 1 0	$\begin{array}{ccc} 20 & 0 \\ 25 & 0 \\ 18 & 0 \end{array}$	5 0 15 0 62 0	$\begin{array}{c} 45 & 0 \\ 18 & 0 \\ 13 & 0 \end{array}$	$\begin{array}{c} 2 \ 0 \\ 3 \ 5 \\ 4 \end{array}$	4 0 14 0 6. 0	13 4 6 3 12 0 12 4 11 6 8 1	10 0 7 0 1 0	$\begin{bmatrix} 16 & 0 \\ 12 & 0 \\ 2 & 0 \end{bmatrix}$	4 0 15 0 5 0	3 0 5 0
South Dakota Nebraska Kansas Kentucky Tennessee Alabama	8 6 5 3	0, 3 5 0	0 7 6 5 6 4	27 3 4	0 9 3	18 0 13 0 5 6	6 5 3	0 0 2	17 9 6 8 4 5	4 0 4 5 2 3 2 0	1 0 3 5 7 0 4 5	4 0 5 0 6 0 4 5	75 0 53 0 16 0 35 0	10 0 29 0 2 0 2 0	.3 .4 1 0 1 8	16 0 14 0 14 0	14 3 14 6 15 9 6 9 9.1 8.1	$\begin{bmatrix} 2 & 0 \\ 8 & 0 \\ 3 & 5 \\ 2 & 0 \end{bmatrix}$	12, 0 27 0 3 0 2 0	25 0 28 0 3 5 2 7	3 0 4 5 25 0 14 0
Mississippi Texas Oklahoma Arkansas Montana Wyoming	7. 3 3 15	5 0 5 1	5 0 3 3 5 0	34 5 5	0	10 5 7 (3 7	7 2 7	0 4 0	12 8 4 1 9 3	3 0 2 5	2 0 5 0	5 0 5 0 25 0	$\begin{array}{c c} 17 & 0 \\ 5 & 0 \\ 22 & 0 \end{array}$	20 0 1 0 12 0	.1 17 45	$\begin{array}{c} 10 & 0 \\ 13 & 0 \\ 6 & 0 \\ 22 & 0 \end{array}$	10 9 17 4 8 4 3 3 13 6 6.6	4 0 4 0 4 0 15 0	41 0 24 0 3. 5 9 0	9 0 4 0 18 0	2.0 2.0 5.0 6.0
Colorado New Mexico Arizona Utah Nevada Idaho	9 5	0	0 0 5 0	2	0 6 9	10 9 15 () 14) 5 8 13	2 0 5 3	5 0 4 0 6 4 5 8	8 0 7 0 5 0 3 0 4 5 2 0	2 5 3 5 3 0 4 0	8 0 6 0 2 0 3 0	28 0 10 0 5 0 5 0	35 0 13 0 2 0 1 0	5 0 5 0 4 5 5 0	15 0 5 0 4 0 12 0	14 4 6.8 3.4 4 9	10 0 4 0 8 0	60 0 1 0 2 0 1 0	50 0 8 0 2 5 2 0	10 0 2 0 2 0
Washington Oregon California United States	3 (16 :	0 3	6 0 5 2	8	9	8 6	5 5. 30	0	3 9 13 5	2 0 5 0	2. 5 5 0	2 0 20 0	11 0 20 0	2. 0 15 0	1 5 10 0	3 0 16 0	12 8 3 4 13 0	25 0	4 0 8 7	8 (1.0 54 0

Division of Crop and Livestock Estimates

Table 11.-Wheat. Monthly marketings by farmers, 1917-1923

Year beginning	P	ercent	rge of	year's	receipt	s as rej	- ported 	by abo	out 3,50	 20 mill	s and e	levator	's
July 1	July	Aug	Sept	Oct	Nov.	Dec	Jan	Feb	Mar	Apr.	May	June	Sea- son
1917 1918 1919 1920 1921 1922 1923	7 4 17 6 17 1 12 1 19 1 14 8 13 4	12 4 19 9 23 2 14 3 18 2 17. 3 17. 6	19 3 18 0 15 6 15 9 16 4 14 2 16 7	18 0 13 8 11 1 10 6 10 6 12 0 13 7	13 7 8 7 7 5 6 9 6 8 8 6 9.5	7 6 7 3 5 7 6 2 5 4 7 4 6.2	4 7 4 6 4 2 5 5 4 4 5 5 4 6	3 9 3 1 3 0 5 3 4 9 5 1 4 8	3 7 2 0 2 9 4. 9 3 9 4 3 3. 3	4 1 1 6 3. 1 5 0 3 2 3 7 2 9	3 1 1 9 3 4 6 4 3 5 3.4 3 7	2 1 1 5 3 2 6 9 3 6 3.7 3.6	100 0 100 0 100 0 100 0 100 0 100 0 100 0

Division of Crop and Livestock Estimates.

 $^{^{-1}\,\}mathrm{Based}$ on percentages reported abandoned to May 1 by crop reporters — Total for season used in December estimate may be greater or less

Table 12.—Wheat: Acreage and yield per acre in specified countries, average 1909-1913, annual 1921-1924

		Acreage				Yield per acre				
Country	A ver- age, 1909– 1913	1921	1922	1923	1924	A ver- age, 1909- 1918	1921	1922	1923	1924
NORTHERN HEMISPHERF NORTH AMERICA Canada United States Mexico	1,000 acres 9,945 47,097 1 2,174	1,000 acres 23, 261 63, 696	1,000 acres 22,423 62,317 1,419	1,000 acres 22,672 59,659 1,138	1,000 acres 22, 505 54, 209	Bush- els 19 8 14 7	Bush- els 12 9 12 8	Bush- els 17 8 13 9 9 6	Bush- els 20 9 13 4 12 0	Eush- els 12. 1 16. 1
Total North Amer- ica comparable 1909-1913 Total North Amer- ica comparable	59, 216		86, 159	83, 469						
1924	57, 042	86, 957	84, 740	82, 331	76, 714					
United Kingdom England and Wales Scotland Ireland Norway	1, 787 57 43 12	1, 976 65 43 41	1, 967 65 41 25	1, 740 59 39 26	1, 545 50 25	31 2 39, 9 37, 0 25 5	35 3 39 5 33 7 23 7	31 2 38 8 34 6 25 7	31 5 39 3 32 5 22 6	33 2
Sweden Denmark Netherlands Belgium Luxemburg	255 2 154 138 2 404 27	358 220 180 343 29	356 237 150 300 23	363 205 154 345 16	323 149 119 340 18	31 8 41 1 36 1 37 6 22 8	34 5 50 7 47 6 42 3 21 4	26 4 39 0 41 1 35 4 7 5	30 5 43 2 40 3 38, 8 18 8	22 5 36 3 37 1 14. 5
France Spain Portugal Italy Switzerland	2 16, 500 9, 547 3 1, 211 2 11, 793 105	13, 300 10, 386 1, 267 211, 877 117	13, 072 10, 309 1, 123 11, 489 103	13, 672 10, 488 1, 055 11, 554 105	13, 412 10, 355 11, 280 104	19 7 13 7 15 6 31 6	24 3 14 0 7 4 16 3 30 5	18 6 12 2 8 7 14 1 22 8	20 2 15 2 12 3 19 5 34 2	21 1 11 9 15 1 29 9
Germany Austru Czechosłovakia Bungary Yugosłavia	² 4, 029 ² 635 ² 1, 718 ² 3, 712 ² 3, 982	3, 561 378 1, 556 2, 888 3, 699	3, 396 460 1, 675 3, 522 3, 673	3, 653 475 1, 507 3, 220 3, 8 3	3, 624 481 1, 500 3, 499 4, 071	32 6 20 2 22 0 19 3 15 6	30 3 17 3 24 9 18 3 14 0	21 2 16 1 20 1 15 5 12 1	29 1 18 7 24 0 20 4 15 9	25 7 18 8 22 9 14 4 17 2
Greece Bulgatus Rumania Poland Lithuania	2 1, 134 2 2, 109 2 59, 515 4 3, 350 2 211	988 2, 233 6, 149 2, 093 179	890 2, 226 6, 547 2, 585 194	1, 071 2, 303 6, 648 2, 514 202	2, 462 7, 839 2, 658 210	14 4 15 7 16 7 19 0 15 5	11 3 13 1 12 8 17 9 15 9	10 7 16 9 14 1 16 4 16 9	12 5 15 7 15 4 19 8 14 7	11 5 9, 5 12, 4 16, 9
Latvia. Esthonia. Finland Russia, including Ukraine and Northern Caucasia	2 85 2 23 8 2 57, 420	46 31 28 27, 326	70 52 38 17, 257	104 56 40 22, 192	37	17 4 15 8 17 1 10 6	17 0 13 8 16 0 4 8	13 7 14 6 18 7	15 8 13 2 11 8	15 5
Total Europe com- parable 1909-1913. Total Europe com-	130, 264	91, 357	81, 845	87, 749						
parable 1924	70, 433	61, 702	62, 482	63, 336	64, 207					
Morocco. Algeria Tunis Egypt	(1, 700) 3, 520 1, 310 1, 314	1, 960 3, 009 1, 492 1, 458	2, 068 3, 035 1, 072 1, 518	2, 249 3, 166 1, 559 1, 537	2, 332 3, 451 1, 108 1, 416	10 0 4 8 25, 6	6 2 9 4 7 1 25. 4	8 9 5 6 3, 4 24 1	10 8 11 5 6 4 26 5	50 3 4 7 24 1
Total Africa comparable 1909-1913. Cyprus	7, 844 29, 224 16, 789	7, 919 196 25, 784 10, 985	7, 693 191 28, 207 6, 027	8, 511 191 30, 844 5, 928	8, 307 31, 178	12 0 9. 0	12 i 9 7 6 8	13 1 13 0 9, 5	13 7 12 1	11.7
Japan Chosen Formosa Kwantung	1, 179 574 15 + 4	1, 264 871 13 4	1, 229 890 10 4	1, 196 875 8	1, 149	21 3 12 0 11 3 10 0	22 6 12.8 8 5 15 5	23 9 11. 8 9 1 12. 0	22, 2 9, 8 9 6	22. 1
Total Asia compar- able 1909-1913. Total Asia compar- able 1924.	47, 785 30, 403	38, 921 27, 048	36, 367 29, 436	32, 040	32, 327					
Total Northern Hemisphere com- parable 1909-1913. Total Northern	,		212, 064							
Hemisphere comparable 1924	165, 722	183, 626	184, 351	186, 218	181, 555					

Table 12 .- Wheat: Acreage and yield per acre in specified countries, average 1909-1913, annual 1921-1924-Continued

	Acreage					Yield per acre				
Country	A ver- age, 1909 10 to 1913-14	1921-22	1922-23	1923-24	1924-25	A ver- age, 1909–10 to 1913–11	1	1922-23	1923–24	192 4-2 5
SOUTHERN HEMISPHERE										
Peru	1 192 1, 003 6 791 16, 051 4 803 7, 603 241	232 1, 345 812 14, 240 902 9, 719 353	213 1, 473 663 16, 254 9, 764 276	1, 379 1, 056 17, 215 9, 498 174	1, 399 1, 052 17, 755 10, 775 170	20. 0 8. 2 9. 2 7 5 11 9 28 7	12. 9 17 6 12. 2 13 4 8 5 13 3 29 9	17 6 7 8 12. 0	20 0 11 8 14. 3 13. 2 24 4	10 7
Total Southern Hemisphere com- parable 1906–1913. Total Southern Hemisphere com- parable 1924. World total com-	25, 689	27, 693 26, 469	28, 430	29, 322	31, 151					
parable 1909-1913 World total com- parable 1924	271, 793 191, 411	210, 095	212, 781	215, 540	212, 706					

Division of Statistical and Historical Research Official sources and International Institute of Agriculture, except where otherwise stated Figures in parenthesis denote unofficial estimates, interpolations, etc. Estimates given are for crops harvested during the calendar year in the Northern Hemisphere and the succeeding harvest in the Southern Hemisphere.

Two-year average.
 Estimated for present territory
 Three-year average

One year only.
Four-year average.
Excluding native locations

Table 13.—Wheat: Production in specified countries, average 1909-1913, annual 1921-1924

[Thousand bushels-1 e,000 omitted]

Country	Average 1909-1913	1921	1922	1923	1924	
Northern Hemisphere						
NORTH AMERICA						
Canada United States Mexico	197, 119 690, 108 1 11, 481	300, 858 814, 905	399, 786 867, 598 13, 626	474, 199 797, 381 13, 657	271, 622 872, 673 13, 962	
Total North America comparable 1909–1913	898, 708		1, 281, 010	1, 285, 237	1, 158, 257	
EUROPE						
United Kingdom England and Wales Scotland Ireland Norway	55, 770 2, 273 1, 597 306	69, 776 2, 568 1, 451 972	61, 312 2, 520 1, 417 643	54, 872 2, 320 1, 269 587	51, 2 59	
Sweden	8, 103 16, 332 4, 976 15, 199 615	12, 335 11, 145 3, 562 14, 495 621	9, 381 9, 249 6, 161 10, 615 173	11, 082 8, 858 6, 211 13, 376 301	7, 279 4, 316 12, 612 261	
France Spain Portugal Italy Switzerland	³ 325, 644 130, 446 ³ 11, 850 ¹ 184, 393 3, 314	323, 467 145, 150 9, 418 194, 071 3, 574	243, 315 125, 469 9, 782 161, 641 2, 348	275, 569 157, 110 12, 964 224, 836 3, 593	282, 335 122, 884 8, 630 169, 779 3, 112	

¹ Four-year average.
² Estimated for present territory.

One year only.

Table 13.—Wheat: Production in specified countries, average 1909-1913, annual 1921-1924—Continued

[Thousand bushels-i e,000 omitted]

	(1	1	1	1
Country	A verage 1909-1913	1921	1922	1923	1924
NORTHERN HEMISPHERE—Continued EUROPE -continued					
Germany Austria Czechosłovakia Hungary Yugosłavia	2 131, 274 2 12, 813 2 37, 879 2 71, 493 2 62, 021	107, 798 6, 530 38, 682 52, 715 51, 809	71, 933 7, 422 33, 621 54, 729 44, 472	106, 448 8, 889 36, 226 67, 705 61, 069	93, 216 9, 042 - 34, 293 50, 386 70, 062
Greece	² ³ 16, 273 ² 37, 823 ¹ ² 158, 672 ² 63, 675 ² 3, 264	11, 170 29, 239 78, 563 37, 409 2, 840	9, 553 37, 704 92, 007 42, 451 3, 274	13, 356 36, 223 102, 311 49, 735 2, 965	9, 661 28, 319 74, 332 32, 859 3, 541
Latvia Esthoma Finland Russia, including Ukraine and Northern	- 1, 475 2 364 137	784 427 447	958 761 710	1, 641 737 473	1, 642 696
Caucasia	² 607, 828	130, 071	185, 185		
Total Europe comparable 1909-1913 Total Europe comparable 1924	1, 955, 802 1, 337, 418	1, 346, 089 1, 200, 127	1, 228, 806 1, 029, 674	1, 247, 542	1, 071, 070
AFRICA					
MoroccoAlgeria	(17 000) 35, 161 6, 224 33, 662	23, 241 28, 177 10, 619 37, 010	12, 894 16, 986 3, 674 36, 648	20, 050 36, 394 9, 921 40, 654	25, 170 17, 355 5, 181 31, 186
Total Africa comparable 1909-1913.	92, 047	99, 047	70, 202	107, 019	81, 892
ASIA					
Cyprus	2, 216 351, 841 151, 113	2, 380 250, 357 74, 589	2, 496 366, 987 57, 320	2, 611 372, 661	364, 149
Japanese Empne Japan Chosen Formosa Kwantung	25, 088 6, 898 169 + 40	28, 575 11, 111 110 62	29, 315 10, 532 91 48	26, 578 8, 599 77	25, 406 10, 605
Total Asia comparable 1909–1913 Total Asia comparable 1924 Total Northern Hemisphere com-	537, 365 383, 827	367, 184 290, 043	466, 789 406, 834	407, 838	400, 160
parable 1909–1913 Total Northern Hemisphere com- parable 1924	3, 483, 922 2, 712, 000		3, 046, 807 2, 787, 720	3, 047, 636	2, 711, 379
Country	Average, 1909–10 to 1913–14	1921-22	1922 23	1923- 24	1924-25
SOUTHERN HEMISPHERE					
Peru Chile Uruguay Argentina Union of South Africa Australia New Zealand	³ 2, 866 20, 062 ¹ 6, 517 147, 059 ³ 6, 034 90, 497 6, 925	3, 001 23, 636 9, 944 191, 012 8, 419 129, 089 10, 565	25, 937 5, 152 195, 842 6, 059 109, 455 8, 395	27, 521 12, 493 247, 036 6, 027 125, 545 4, 250	190, 330
Total Southern Hemisphere com- parable 1909-1913. Total Southern Hemisphere com- parable 1924	279, 960 147, 059	375, 666 191, 012	195, 842	247, 036	190, 330
parable 1924 World total comparable 1909–1913 World total comparable 1924	3, 763, 882 2, 859, 059	101, 012	2, 983, 562	3, 294, 672	2, 901, 709

Division of Statistical and Historical Research. Official sources and International Institute unless otherwise stated. Figures in parentheses denote unofficial estimates, interpolations, etc. For each year is shown the harvest during the calendar year in the Northern Hemisphere and the succeeding harvest in the Southern Hemisphere.

¹ Four-year average.

² Estimated for present territory.

³ One year only.

Three-year average.
 Excluding native locations which produced 359,000 bushels in 1918 and 290,000 bushels in 1921.

TABLE 14.-Wheat: World production, 1890-1924

[Thousand bushels-i. e., 000 omitted]

			(I HOUSE	in Dustiers	-1. 6., 00	O OHILLE	u,			
	Produc- tion in		Best			Select	ed count	ries		
Year	countries report- ing all years 1890-1924	Produc- tion as reported	Esti- mated world total	Russia 1	Italy	France	India	Argen- tina	Aus- tralia	Canada
1890 1891 1892 1893 1894	1, 581, 975 1, 633, 263 1, 648, 461	2, 016, 036 2, 192, 472 2, 443, 072	2, 319, 194 2, 557, 764	181, 450 266, 055 481, 758	141, 465 115, 685 135, 228	810, 728 277, 751	256, 704 227, 500 285, 567	36, 008 58, 532 82, 232	25, 675 32, 760 87, 143	
1895 1896 1897 1898	1, 628, 012 1, 561, 792 2, 113, 124	2, 328, 627 2, 112, 010 2, 867, 948	2, 468, 629 2, 233, 593 3, 012, 350	412, 038 340, 170 459, 289	145, 233 86, 919	340, 268 242, 227 364, 906	200, 866 200, 229 269, 113	46, 407 81, 599 53, 388 104, 981 101, 654	20, 880 28, 241	
1900 1901 1902 1903 1904	1, 983, 191 2, 136, 988 2, 017, 180	2, 913, 652	3, 117, 721 8, 272, 810	427, 782 607, 370 621, 459	181, 512 150, 648 208, 191	810, 913 827, 898 862, 968	264, 825 227, 380 297, 601	74, 752 56, 379 103, 758 129, 671 150, 748	38, 562 12, 378 74, 150	
1905	2, 158, 965 2, 000, 064 2, 216, 491	3, 012, 480 3, 077, 785	3, 493, 206 3, 189, 191 3, 171, 263	543, 481 570, 570	176, 735 194, 372 195, 475 167, 917 190, 378	828, 697 881, 228 316, 684	819, 950 817, 061 228, 689	155, 991 192, 487	66, 421 44, 656 62, 591	112, 434 166, 744
1910	2, 232, 327 2, 326, 048	8, 782, 788 4, 011, 754	3, 570, 369 3, 857, 488 4, 087, 654	836, 242 568, 485 901, 497 1, 027, 662 2 827, 756	165, 720	322, 339 334, 333 319, 370	359, 647 375, 629 370, 515 368, 219 312, 368	104, 728	95, 112 71, 636 91, 981 108, 344 24, 892	230, 924 224, 159 231, 717
1915 1916 1917 1918 1919	1, 968, 736	4, 144, 659 2, 515, 591 2, 426, 838 2, 774, 877 2, 668, 701	3, 288, 291 3, 133, 888 3, 147, 677	1 826, 784	176, 580 139, 999 183, 294	204, 908 137,096 228,688	876, 992 823, 045 882, 144 870, 421 280, 261	84, 121 234, 818	152, 420	262, 781 233, 743 189, 075
1920 1921 1922 1923 1924 4	2, 800, 742 2, 259, 581	3, 303, 749 2, 307, 648	3, 816, 749 3, 400, 448	3 204, 660 3 242, 505	161 641i	8 243 SIK	377, 888 250, 357 366, 987 372, 661 364, 149	191, 012 195, 842	109, 455 125, 545	300, 858 399, 786

Division of Statistical and Historical Research. For each year is shown the production during the calendar year in the Northern Hemisphere and the succeeding harvest in the Southern Hemisphere.

TABLE 15 .- Wheat: Supply and distribution and per capita disappearance in the United States

[Thousand bushels-i. e., 000 omitted]

	_		Year be	ginning l	uly 1		-
Item	Average, 1899–1908	A verage, 1909–1913	Average, 1914–1920	1921	1922	1923	1924
Supply:							
Stocks on farms, July 1	46, 423	28, 872	32, 631	56, 707	32, 359	35, 894	30, 696
Stocks in country mills and eleva- tors, July 1. Commercial visible (Bradstreet's),	27,000	29, 000	26, 997	26, 767	28, 756	87, 117	34, 435
July 1	81,817	24, 168	19, 290	9, 966	20, 342	29, 403	38, 597
Stocks of flour (in terms of wheat), July 1	7, 114	8,024	8, 240		7, 461	10.040	
New crop. Imports (flour included), July 1 to	677, 927	690, 108	844, 605	6, 651 814, 905	867, 598	10, 048 797, 381	9, 207 872, 678
June 30.	746	1,808	19,746	17, 253	19, 945	28,045	
Total supply	701, 027	781, 980	951, 500	932, 648	976, 461	937, 888	
		-					

¹ Includes all Russian territory reporting for years named.

² Excludes Poland.

³ New boundaries, and therefore not comparable with earlier years.

⁴ Preliminary.

Table 15.—Wheat: Supply and distribution and per captia disappearance in the United States—Continued

[Thousand bushels-i. e., 000 omitted]

			Year b	ginning	July 1		
Item	Average, 1899–1908	A verage, 1909–1913	Average, 1914–1920	1921	1922	1923	1924
Distribution: Exports (flour included), July 1- June 30. Resxports, July 1-June 30. Shipments (flour included) to Alaska, Hawaii, Porto Rico Estimated seed requirements Carryover on June 30. On farms In country mills and elevators ¹ Commercial visible (Bracistreet's) Flour (in terms of wheat) ¹	152, 623 397 1, 722 70, 444 40, 654 25, 400 28, 668 6, 986	104, 967 195 2, 445 72, 326 32, 485 31, 600 25, 326 8, 628	255, 011 561 2, 476 88, 312 36, 127 26, 449 18, 265 7, 988	279, 407 383 2_576 96, 249 32, 359 28, 756 20, 342 7, 461	221, 923 208 2, 787 91, 413 35, 894 37, 117 29, 403 10, 048	156, 430 88 2, 851 79, 378 30, 096 34, 435 38, 597 9, 207	
Total distribution	826, 394	277, 972	435, 139	467, 533	428, 793	351, 682	
Disappearance for food, feed, and loss Population, Jan. 1 Per capita disappearance, food, feed, and loss, bushels.	464, 133 82, 614 5, 6	504, 008 94, 378 5, 3	516, 870 102, 880 5, 0	465, 115 108, 541 4, 3	547, 668 109, 956 5. 0	586, 206 111, 371 5, 3	

Division of Statistical and Historical Research.

TABLE 16.—Wheat: Farm stocks, shipments, and quality, 1895-1924

	Stocksin	Old		Orop.		Total	Stocks on farms	Stocks in mills and	Shipped out of
Year begin- ning July 1	mills and elevators July 1 ¹	stocks on farms July 13	Quan- tity	Weight per bushel	Quai-	supplies (except visible)	Mar. 1, follow- ing 2	elevators Mar. 1, follow- ing 1	county where grown ⁵
1895 1896 1897 1898	1,000 bushels.	1,000 bushels. 29,007 48,524 29,239 20,196 71,861	1,000 bushels. 589, 456 544, 193 610, 254 772, 163 636, 051	Pounds. 58. 3 57. 6 57. 1 57. 7 56. 9	85. 7 84. 4 87. 9 83. 7	1,000 bushels. 598, 463 592, 717 639, 493 792, 359 707, 912	138, 068 224, 575	1,000 bushels.	308, 298 453, 675
1900 1901 1902		58, 363 35, 140 54, 616	602, 708 788, 638 724, 808 663, 922 596, 911	56. 3 57. 5 57. 6 57. 8 57. 4	87. 8 88. 8	661, 071 823, 778 779, 424 709, 185 634, 333	147, 674 181, 673 174, 664		322, 982 389, 275 420, 279
1904		25, 545 47, 393 55, 438 38, 188 14, 171	726, 819 756, 775 637, 981 644, 656 700, 484	57. 5 58. 3 58. 2 58. 3 57. 9	89. 9 89. 4 90. 4	752, 364 804, 168 693, 419 677, 844 714, 606	211, 910 148, 392 137, 628 163, 371		447, 589 377, 999 392, 441 428, 262
1910 1911 1912 1913 1914		36, 725 34, 071 23, 876 35, 515 32, 236	685, 121 621, 338 730, 267 763, 380 891, 017	58. 5 57. 8 58. 3 58. 7 58, 0	93. 1 88. 3 90. 0 93. 2 89. 7	671, 846 655, 409 754, 143 798, 895 923, 253	162, 705 122, 041 156, 471 151, 795 152, 903	98, 597 95, 710 118, 400 93, 627 85, 955	352, 906 348, 739 449, 881 411, 733 541, 198
1915 1916 1917 1918 1919	19, 672	74, 731 15, 611 8, 068 19, 261	1, 025, 801 636, 318 636, 655 921, 438 967, 979	57. 9 57. 1 58. 5 58. 8 56. 3	88. 4 87. 0 92. 4 98. 1 82. 1	1, 954, 778 711, 049 652, 266 929, 501 1, 006, 912	244, 448 100, 650 107, 745 128, 708 169, 904	155, 027 89, 173 66, 138 107, 037 123, 233	633, 380 361, 088 325, 500 541, 666 591, 552
1920 1921 1922 1923 1924 6	27, 167 28, 756 37, 117	49, 546 56, 707 32, 359 35, 894 30, 960	833, 027 814, 905 867, 598 797, 381 872, 673	57. 4 57. 0 57. 7 57. 4 58. 9	88. 9 85. 8 87. 6 87. 5 93. 1	919, 877 898, 779 928, 713 870, 392 938, 088	217, 037 134, 253 155, 474 185, 948	87, 075 75, 071 102, 908 98, 288	491, 035 502, 470 584, 089 505, 785

Division of Crop and Livestock Estimates. Prior to 1918 stocks in mills and elevators not included.

¹ Compiled from Chicago Daily Trade Bulletin. Stocks in country mills and elevators, from 1899–1918, are stocks in second hands less visible supply on July 1, as given by Chicago Daily Trade Bulletin.

Based on percentage of crop as estimated by about 3,500 mill and elevator operators.
Based on percentage of crop on farms as estimated by crop reporters.
Based on estimates of crop reporters on Nov. 1.
Percentage of "a high medium grade" as estimated by crop reporters at time of harvest Based on percentage shipped out as estimated by crop reporters.
Preliminary.

TABLE 17.—Wheat: Receipts and shipments, 11 primary markets, 1909-1924

[Thousand bushels-i. e., 000 omitted]

	Ohi	cago	Milw	aukee	Minne	sapolis	Dul	uth	St. I	ouis	Tol	edo
Year beginning July 1	Re- ceipts	Ship- ments	Re- ceipts	Ship- ments	Re- ceipts	Ship- ments	Re- ceipts	Ship- ments	Re- ceipts	Ship- ments	Re- ceipts	Ship- ments
1909 1910 1911 1912 1918	35, 563 44, 168	17, 259 30, 003 43, 325	8, 482 10, 062 8, 497 10, 337 6, 372	7, 875 3, 411 5, 685	92, 833 90, 774 96, 889 126, 161 103, 679	20, 866 52, 745 32, 761	28, 628 30, 598 83, 530	50, 280 25, 352 25, 571 75, 435 64, 799	20, 127 15, 336 38, 792	20, 082 12, 790 27, 179	4, 122 6, 930 4, 734	1, 556 4, 644 2, 475
Average 1909- 1913	37, 111	31, 816	8, 750	4, 634	102, 067	31, 182	52, 048	48, 287	24, 713	20, 383	5, 203	2, 771
1914	85, 819 56, 708 18, 735 54, 533 74, 167	61, 531 47, 342 8, 118 67, 122	7, 337 10, 595 18, 138 15, 535 7, 006	3, 505 8, 099 1, 336 12, 575 3, 674	112, 716 163, 202 119, 701 82, 229 117, 787 119, 419 118, 579	54, 932 39, 689 19, 072 38, 174 37, 468	95, 674 30, 978 16, 602 88, 388 18, 317	59, 867 82, 540 36, 789 13, 646 86, 932 13, 664 43, 272	41, 024 17, 023 42, 547 45, 266	31, 046 33, 080 13, 234 25, 621 32, 956	9, 965 5, 719 4, 583 5, 940 8, 046	4, 168 5, 571 2, 590 1, 379 1, 348 2, 285 1, 400
Average 1914- 1920	60, 469	51, 475	9, 655	5, 536	119, 090	39, 938	51, 044	48, 101	38, 228	27, 761	6, 628	2, 677
1921 1922 1923	51,660		3, 681	3, 145	105, 343 133, 880 105, 958	48, 648		55, 036	40,605	33, 561	10, 472	5, 524
July	8, 559 21, 380 6, 211 2, 774 1, 519 1, 335	1, 990 7, 558 6, 496 1, 748 2, 180 1, 286	249 361 278 191	216 111 147 212 191 216	10, 705 15, 245 14, 652 14, 925	4, 444 5, 661 4, 689 5, 074	3, 233 8, 606 5, 067 5, 883	3, 938 5, 065 3, 587 3, 305	5, 826 8, 027 3, 139 2, 311	4, 535 2, 929 2, 477 1, 819	2, 223 665 1, 361 3, 248	192 166 647 1, 340
January January March April May June July August September November	1, 512 1, 610 983 1, 245 1, 479 3, 590 28, 347 15, 059 8, 102 3, 368	954 993 2, 004 2, 918 1, 775 1, 809 17, 809 16, 268 11, 005 2, 963	163 148 81 54 129 165 2, 310 2, 254 1, 656	195 209 260 270 162 200 1, 536 2, 072 1, 672	7, 624 7, 533 3, 659 4, 618 6, 078 5, 523 6, 720 21, 076 16, 859 11, 909	3, 044 3, 585 2, 863 8, 262 3, 749 3, 284 4, 471 7, 608 10, 388 6, 507	1, 018 1, 473 1, 213 1, 716 2, 366 2, 264 2, 704 16, 764 82, 784 27, 633	636 847 1, 452 8, 995 3, 689 3, 426 2, 506 10, 034 28, 013 27, 804	2, 265 1, 654 1, 482 1, 731 1, 722 3, 693 8, 774 5, 567 5, 354	2, 018 1, 648 1, 393 1, 472 1, 528 1, 843 4, 633 4, 142 4, 304 2, 885	675 465 113 1, 241 357 580 2, 801 1, 721 1, 702 1, 798	663 633 933 591 70 207 91 953 694

Table 17.—Wheat: Receipts and shipments, 11 primary markets, 1909-1984—Continued

[Thousands of bushels, i. e., 000 omitted]

	Det	roit	Kansa	nsas City	Pec	oria	Om	aha	Indian	apolis	To	tal
Year beginning July 1	Re- ceipts	Ship- ments	Re- ceipts	Ship- ments	Re- ceipts	Ship- ments	Re- ceipts	Ship- ments	Re- ceipts	Ship- ments	Re- ceipts	Ship- ments
1909 1910 1911 1012 1918	2,003	167 105 401 715 812	40, 537 23, 627 48, 374	26, 709 16, 970 33, 415	1, 225 1, 518 1, 951	1, 074 1, 106 1, 616	(1) 11, 080 20, 193	(1) (1) 9, 690 18, 183 11, 958	1,560	(1) 178 482	247, 251 224, 878 283, 025 880, 777 810, 854	120, 878 157, 504 236, 201
Average 1909- 1913	1, 821	446	35, 756	24, 576	1, 525	1, 244	15, 892	11, 594	1, 211	492	2 79, 2 57	172, 588
1914 1915 1916 1917 1918 1919 1920	2, 809 2, 724 1, 597	2, 012 1, 580 1, 082 260 306 289 149	68, 720 22, 226 54, 106 92, 215	55, 678	8, 786 4, 503 2, 870 2, 195 8, 405 3, 663 2, 199	8, 527 5, 836 2, 468 1, 422 8, 871 4, 285 2, 011	17, 767 25, 618 81, 194 8, 565 19, 780 26, 585 28, 192	21, 992	4, 851 2, 890 2, 990 6, 477 7, 471	1, 967 929 1, 192 2, 080 1, 340	488, 616 512, 441 878, 123 184, 883 410, 051 403, 843 372, 755	315, 855 264, 167 74, 010 288, 340 230, 841
Average 1914- 1920	2, 121	811	67, 515	49, 208	2, 232	3, 208	22, 521	17, 807	4, 600	1, 269	385, 102	247, 788
1921 1922 1928	1, 578 1, 797 1, 884	234 80 120	77, 684	52, 464	2, 564 4, 355 2, 221	1, 709 4, 070 1, 678	25, 310 25, 356 17, 896	19, 505		909	385, 637 420, 166 333, 388	267, 146
1928 July	288 155 258	6 8 10 11 5 28	9, 001 12, 284 5, 947 6, 355 5, 712 4, 777	8, 847 8, 467 8, 216 8, 072 2, 651 2, 268	275 654 267 241 184 161	202 471 141 188 78 148	1, 386 2, 493 2, 295 2, 514 1, 409 1, 648	856 1, 188 1, 290 1, 971 1, 188 1, 201	966 2, 121 522 452 186 170	4 250 351 119 45 89	61, 456 43, 291 87, 086 85, 728	25, 472 18, 721 17, 871
January. February. March. April. May June. July August. September. October. November. December	176 119 75 65 91 48	9 28 7 6 102 5	3, 060 4, 081 2, 616 1, 350 2, 638 2, 695 19, 732 28, 698 11, 657 10, 677 5, 145 3, 348	2, 306 2, 078 2, 618 2, 538 2, 512 4, 860 12, 677 10, 687 7, 714 4, 983 5, 021	94 79 72 45 94 115 100 670 824 214 185 68	56 192 61 52 75 94 78 527 328 174 106	924 1, 481 902 532 1, 412 900 2, 062 8, 541 4, 388 5, 183 1, 994 1, 158	1, 076 1, 192 1, 115 582 900 892 874 5, 485 4, 284 4, 795 2, 626 1, 552	221 879 208 247 325 289 404 1, 354 444 385 293 195	163 148 119 95 67 11 79 115 67 10	19, 453 16, 795 9, 780 15, 139 16, 221 38, 126 86, 012 79, 748 83, 090 56, 962	11, 030 11, 837 12, 200 16, 535 14, 478 16, 537 49, 820 56, 543 68, 831 48, 813

Division of Statistical and Historical Research. Compiled from the Chicago Daily Trade Bulletin and the Annual Reports of the Chicago Board of Trade.

¹ No report.

TABLE 18.—Wheat: Estimated requirements, surplus, and deficiency, by States, 1924-25

[Thousand bushels—i. e. 000 omitted]

		-		nd busi	hels—i.	e. 000 o	mitted]				
	1925	ma car co sur	ti- ted er oita n- np- on	Estin require for foo fee	ments d and	uirements 2	To require	ments	ctionestimate	deficier for exp unacce	ort and ounted sition,
Geographic divisions and State	Population Jan. 1, 1925	1 1161	Average 1919- 1923 1	1911 per capita basis	Average 1919-1923 per capita basis ¹	Estimated seed requirements	1911 food and feed basis plus seed	Average 1919-1923 food and feed basis plus seed ?	Dec. 16, 1924, production estimate	1911 per capita basic	Average 1919–1923 per capita basis 1
New England: Maine. New Hampshire. Vermont. Massachusetts. Rhode Island. Connecticut.	781, 220 449, 526 351, 244 4, 102, 626 686, 218 1, 517, 562	5.0	4.6 4.6 3.9	8, 672 2, 248 1, 897 20, 513 2, 736 6, 829	8, 359 2, 068 1, 721 18, 872 2, 481 6, 222	10	3, 682 2, 248 1, 903 20, 513 2, 736 6, 829	3, 369 2, 068 1, 727 18, 872 2, 481 6, 222	130	- 3, 552 - 2, 248 - 1, 843 - 20, 513 - 2, 736 - 6, 829	- 2,068 - 1,667 - 18,872
Middle Atlantic: New York New Jersey Pennsylvania E. North Central:	11, 040, 134 3, 474, 561 9, 263, 317	5. <u>4</u> 5. 0	4.6	17, 373 53, 727	54, 097 15, 983 49, 696	780 144 2, 295	17, 517	54, 877 16, 127 51, 391	6, 840 1, 369 20, 020	- 16, 148	- 14,708 - 31,371
Ohio	6, 270, 435 3, 048, 596 6, 921, 342 4, 110, 423 2, 785, 649	6. 2 5. 7 5. 6 5. 0 5. 2	5. 1 4. 6	17, 377 38, 760	35, 114 15, 853 35, 299 18, 908 13, 093	4, 261 3, 892 3, 697 1, 638 177	48, 188 20, 769 42, 457 22, 190 14, 662	39, 375 19, 245 38, 996 20, 546 13, 270	20, 014	+ 10,668 - 6,699 - 2,176	+ 12, 192 3, 238 532
Minnesota Iowa Missouri North Dakota South Dakota Nebraska Kausas	2, 547, 511 2, 496, 337 3, 461, 078 682, 828 663, 668 1, 350, 016	7. 2 6. 5 5. 8	4. 8 4. 7 6. 6 5. 9 5. 8	13, 231 17, 998 4, 916 4, 314 7, 830	4, 507 3, 916 7, 158	2, 465 867 8, 102 11, 725 3, 148 4, 577 12, 513	14, 098 21, 100 16, 641 7, 462 12, 407	19,369	8, 628 24, 629 134, 618	- 5,470 + 3,529 +117,977	+ 17, 234 - 4, 221 + 5, 260 +118, 386 + 27, 074 + 45, 383 +131, 634
South Atlantic: Delaware Maryland Dist. of Columbia Virginia West Virginia North Carolina. South Carolina Georgia Florida	233, 654 1, 529, 137 492, 421 2, 436, 693 1, 588, 637 2, 740, 841 1, 770, 415	5.0 5.3 5.3 4.5 5.7 4.5	4.5 4.8 4.1 5.2 4.1 3.9 8 6	1, 168 7, 646 2, 610 10, 965 9, 055 12, 334 7, 613	1, 051 6, 881 2, 364 9, 990 8, 261	226 905 1, 140 314 546 133 134	1, 394 8, 651 2, 610 12, 105 9, 369 12, 880 7, 746	1, 277 7, 786 2, 364 11, 130 8, 575	1, 616 8, 532 9, 628 2, 574 5, 544	+ 222 - 19 - 2,610 - 2,477 - 6,795 - 7,836 - 6,270	+ 339 + 746 - 2,364 - 1,562 - 6,001 - 6,239 - 5,562 - 10,241
E. South Central: Kentucky Tennessee Alabama Mississippi W. South Central:	2, 481, 896 2, 416, 732	4.5 4.1 4.0	4. 1 3. 7 3. 6		10, 176 8, 942 8, 843 6, 425	15	10, 421	9, 454 8, 858 6, 431	3, 570 80 82	- 7,669 - 6,851 - 9,760	- 6, 676 - 5, 884 - 8, 778
Arkansas Louisiana Oklahoma Texas Mountain:	1, 843, 750 1, 871, 705 2, 219, 422 5, 058, 089	G. U	4. 1 5. 5	7, 875 8, 428 13, 317 27, 314	6, 638 7, 674 12, 207 24, 785	74 4, 720 2, 022	8, 423 18, 037	6, 712 7, 674 16, 927 26, 807	678 54, 874 25, 826	- 8,423 + 36,837	- 7,674 + 37,947 -961
Montans Idaho Wyoming Colorado New Mexico Arizons Utah Newada	486, 597 219, 847 1, 012, 044 877, 871 401, 016	6.0 7.9 7.2	5. 9 5. 7 5. 5 7. 2 6. 6 5. 6	3, 700 8, 163 1, 382 6, 072 2, 981 2, 887 2, 980 471	2, 871 1, 250	4, 893 1, 059 244 2, 430 156 32 420 30	4, 222 1, 626 8, 502 3, 137 2, 919	8, 274 8, 930 1, 494 7, 996 2, 873 2, 679 3, 156 462	51, 668 17, 828 2, 131 21, 030 2, 551 837 4, 413 402	+ 13,606 + 505 + 12,528 - 586 - 2,082 + 1,013	+ 13, 898 + 637 + 13, 034 - 822 - 1, 842 + 1, 257
Pacific: Washington Oregon California United States	1, 467, 162 840, 362 8, 967, 278 112, 786, 165	1	•	8, 803 5, 126 22, 217 598, 465	8, 069 4, 706 20, 233 544, 769	2, 834 1, 964 1, 070 81, 516	7, 090 23, 287	21, 308	4,770	- 18, 517	+ 16, 397 + 8, 780 - 16, 533 +246, 388

Division of Statistical and Historical Research.

1 The consumption figures in this column were obtained by a survey in 1911 by the Bureau of Crop Estimates.

2 The figures in this column shown for the individual States were computed on the ratio between the United States consumption in 1911 (5.31 bushels) and the per capita disappearance during the five years July, 1919-June 30, 1924 (4.338 bushels). The average disappearance for the latter period was 91.11 per cent of the 1911 disappearance.

2 The seed requirements are based on the spring acreage of 1924 and the 1924 fall sowing according to the December 16, 1924, estimates. The rate of seeding in each State was applied to the acreage in that State.

TABLE 19 .- Wheat: Visible supply in the United States, 1889-1924 CRICAGO BOARD OF TRADE!

[Thousand bushels, i. e., 000 omitted]

								,				
Year begin- ning July 1	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June
1889 1890 1891 1892 1893	15, 301 20, 174 12, 583 24, 262	18, 863 16, 768	14, 386 17, 640 19, 124 36, 260	17, 853 17, 059 27, 895 47, 901	21, 235	31, 471 24, 529 43, 265 72, 580	25, 603 45, 908	31, 489 23, 592 43, 118 81, 390	41, 111	41. U30	23, 457 20, 980 37, 936 75, 027	22, 453 17, 493 27, 910 71, 080
		59, 349	56, 881	60, 528	61, 694 71, 396	78, 091	80, 228	79, 898	75, 569	77, 654 71, 458	66, 583	59, 394
1894	54, 657 44, 561 47, 199 17, 583 14, 701	60, 001 88, 517 46, 754 17, 814 9, 083	66, 949 85, 438 45, 574 14, 817 7, 147	71, 418 40, 768 50, 116 21, 104 11, 268	28, 680 26, 974	85, 159 63, 903 58, 914 84, 845 24, 115	54, 551	83, 376 66, 734 49, 591 36, 602 28, 984	43. 797	74, 308 60, 322 38, 612 30, 223 29, 987	62, 196 55, 519 84, 412 23, 263 28, 144	52, 229 50, 340 26, 897 22, 587 26, 188
1899 1900 1901 1902 1903		47, 594 30, 369 21, 972	34, 768 50, 294	42, 143 55, 409 85, 304 25, 624 19, 489	i 41. I92	55, 778 62, 179 52, 396 45, C82 30, 140	58, 291 61, 408 58, 929 49, 738	54, 363 59, 767 57, 929 48, 447 39, 760	54, 084 57, 234 54, 093 47, 807 85, 599	41, 958	52, 472 46, 668 38, 328 33, 456 30, 357	44, 704 86, 932 28, 604 24, 528 20, 608
1904 1905 1906 1907	14, 055	18, 098	12, 814 12, 140 20, 054		26, 495 29, 895 87, 972 43, 683		40, 619 42, 951 44, 727 48, 481	38, 979 48, 537 44, 857 46, 711 44, 875	35, 565 47, 283 44, 884 42, 906	82, 327 46, 468 47, 208 38, 798	28, 529 41, 221 51, 999 30, 318	20, 034 80, 811
1909 1910 1911 1912	9, 756 12, 034 23, 863 23, 350	7, 609 12, 375 41, 316 18, 841	9, 166 26, 457 48, 057	19, 442 34, 969 52, 709 31, 658 52, 061	27, 001 40, 120 65, 199	31, 086 42, 989 69, 948 55, 400	27, 738 44, 282 70, 489 65, 342	26, 463 43, 251 60, 425 64, 913 60, 808	25, 515 39, 868 57, 080 63, 786	29, 013 34, 152 51, 042	26, 228 27, 605 41, 722 47, 157	18, 647 26, 838 30, 847 37, 940 29, 778
Av. 1909-1913.				88, 168		51, 658		51, 172	48, 654	45, 013	37, 218	28, 80
1914	13, 248 7, 948 42, 628 14, 209 785 8, 681	29, 744 6, 582 40, 889 5, 819 17, 155 20, 908	31, 534 7, 767 54, 660 5, 058 48, 821 56, 828 20, 758	51, 586 15, 900 57, 418 7, 789 90, 623 84, 909 27, 391	22, 639 60, 703 14, 908 122, 60	21,031 121,661 89,742	67, 311 59, 534 18, 938	13, 809	44, 916 9, 739 118, 219 50, 875	57, 387 39, 317 5, 381 92, 546 44, 787	26, 439 48, 864 25, 756 2, 194 49, 502 42, 784 13, 448	28, 896 1, 146 23, 702
Av. 1914-1920.	15, 328	19, 797	32, 204	47, 945	59, 804	65, 767	65, 254	59, 498	52, 64	42, 458	29, 855	23, 246
1921 1922 1923 1924	8, 061 17, 773 26, 312 34, 901	36, 693	38, 741 27, 349 56, 541 69, 119	63, 932	82, 278 69, 189	47, 763 83, 428 71, 806 100, 863	74,852	42, 280 46, 776 67, 162	40, 055 47, 507 64, 072	40,780	44, 521	
					BRADST	RBET'S						
1909	34, 420	17, 053 46, 389 23, 595 43, 198	38, 352 54, 581 26, 862 51, 960	48, 437 61, 500 40, 998 61, 485	53, 420 73, 792 52, 494 66, 668	57, 002 81, 215 67, 575 72, 061	59, 369 81, 501 77, 471 74, 854	56, 357 70, 748 76, 131 71, 264	50, 566 66, 982 73, 895 66, 191	42, 697 59, 826 69, 000 59, 931	34, 656 48, 022 53, 508 49, 327	32, 76 35, 99
Av. 1909-1918.	24, 168 17, 138	28, 569 36, 456	87, 458 89, 964	48, 202 61, 784		63, 906 86, 332	66, 229 85, 967	62, 228 81, 776	58, 419		43, 857 31, 407	34, 18 22, 87
1914	10, 734 50, 515 19, 901 2, 465 10, 873 23, 404	9, 361 49, 591 11, 692 20, 462 25, 968	12, 679 65, 754 10, 315 54, 236 65, 479 24, 195	22, 498 70, 420 18, 072	33, 338 75, 455 22, 855 131, 852 107, 783	60, 678 76, 191 29, 633 131, 584 101, 058	80, 150 73, 584 26, 476 129, 627 85, 117	77, 834 59, 477 20, 436	78, 748 54, 160 15, 484 127, 207 58, 632	66, 691 48, 525 10, 180 100, 505 51, 909	57, 658 32, 831 6, 656 55, 247 47, 756	52, 51 84, 87 4, 37 27, 62 41, 23
Av. 1914-1920.	19, 290	24, 822	88, 946	56,235		76, 250	75, 530	69, 586				27, 72
1921 1922 1923 1924	9, 966 20, 342 29, 408 38, 597	23, 077 40, 526	47, 159 82, 479 68, 922 79, 700	72, 930	89, 023	82, 269	84,080	53, 828	54, 562	51, 862	49, 521	87, 20
								1				

Division of Statistical and Historical Research.

Ompiled from the annual reports of the Chicago Board of Trade to December, 1922. January, 1923, t date from the Chicago Dally Trade Bulletin. Reported on the Saturday nearest the first of the mont From 1889 to November 28, 1908 stocks at the principal points in Canada were included. The Chicago Board of Trade "visible" includes grain stored east of the Rockies only. It covers 22 interior and seaboar points of large accumulation and grain in transit by canals and lakes.

From the Chicago Dally Trade Bulletin.

Compiled from Bradstreet's. Includes grain stored at approximately fifty interior and seaboard point of accumulation and grain in transit by canals and lakes; also Pacific Coast stocks at Portland, Tacom and Seattle. Reported on the Saturday nearest the first of the month.

Table 20.—Wheat crop classified by grades, 1 crops of 1922-1924 SPRING WHEAT

State		No.	1		No.	2		No.	3	:	No.	4		No.	5		Belov No.	
	1922	1923	1924	1922	1923	1924	1922	1923	1924	1922	1923	1924	1922	1923	1924	1922	1923	1924
North Dakota South Dakota Nebraska	49. 4 53. 5 51. 8 10. 1	14. 7 10. 5 6. 2 4. 0	61. 0 65. 0 67. 0	24. 2 26. 4 25. 2 37. 8	22. 1 18. 9 17. 7 14. 4	P.ct 22. 0 19. 0 22. 0 44. 0 10. 0	14. 5 12. 9 15. 3 37. 7	28. 0 29. 4 30. 9 19. 0	11. 0 10. 0 8. 0 21. 0	7. 7 4. 8 5. 6 9. 9	18. 5 22. 7 23. 9 26. 8	4.0 4.0 2.0	8. 1 1. 9 1. 7 3. 0	11. 8 12. 1 14. 9 18. 7	1. 0 1. 0 1. 0 3. 0	1.1	4. 0 6. 4 6. 4	
Utah Idaho Washington	31. 0 35. 5 7. 2	27. 2 87. 6 39. 2	19. 0 40. 0 12. 0	44. 9 49. 7 29. 6	48. 2 43. 1 44. 2	39. 0 55. 0 46. 0 35. 0 40. 0	18. 8 10. 9 30. 7	17. 3 14. 3 12. 4	19. 0 10. 0 28. 0	4. 3 2. 0 20. 0	5. 9 2. 3 8. 3	5. 0 3. 0 15. 0	1. 1 . 9 9. 2	1.0 1.0	1. 0 1. 0 6. 0	1.0 3.3	1.7 • 5	1.0
United States	52. 1	18. 8	62. 9	26. 4	26. 4	21. 5	13. 5	24. 1	10. 1	5. 3	16. 3	3. 7	2.0	8, 8	1.0	. 7	5, 6	.8

WINTER WHEAT

State	No. 1			No.	2		No.	3	:	No. 4	1		No.	5		Belov No.		
	1922	1923	1924	1922	1923	1924	1922	1923	1924	1922	1923	1924	1922	1923	1924	1922	1923	1924
	P.cl	P.ci	P.ct	P.ci	P.ct	P.ct	P.ct	P.ct	P.ct	P.ct	P.ct	P.ct	P.ct	P.ct	P ct	P ct	P.ct	P ct
New York	17. 3	20.0	14. 0 13. 0	53. 1	56. 0	60.0	23. 2	22. 0	20 0	3. 7	2 0	4.0	1.6	0	2.0	1. 1	. 0	
Pennsylvania	12. 5	14. 0	13.0	49. 5	55. 0	47. 0	26. 4	21.0	28.0	7 7	7.0	9. 0	2. 3	20	2.0	1 6	1.0	1.0
MarylandVirginia	2. 0	9. 0	20. 0	31. 0	40.0	50. 0	20. 9	117.0	20 U	17. 5	2.0	10.0	9. 2	1.0	2.0	13. 4	1.0	2-0
North Carolina	11 8	21 0	12 0	50. 3	51 0	49 0	28 0	20. 0	24 0	4 2	8.0	11 0	5. 5	1 0	4.0	5 2	1 0	7.0
	1	ı	i	1		į.	1	ı	1 1									١٠
Ohio Indiana Illinois Michigan	16. 4	27. 0	25. 0	44. 1	58. 0	52. 0	25. 9	12.0	17. 0	9. 2	2.0	4.0	3. 1	1.0	1.0	1.3	0	1.0
Indiana	7. 9	15. C	14. 0	50. 2	60. 0	59. 0	28. 3	17.0	20.0	9. 6	5.0	5.0	2. 6	2.0	10	1.4	1.0	10
Illinois	10. 5	17. 0	13.0	43, 2	55. 0	52. 0	27.8	19. 0	22. 0	13. 0	6.0	8.0	4 1	2.0	3.0	1.4	1.0	2.0
Michigan	22. 7	25. 0	20.0	54. 1	59. 0	66.0	15. 5	11.0	11.0	4.9	3 0	2.0	1.5	1.0	10	1.3	1.0	
Iowa	11. 0	9. C	11.0	60. 7	61.0	58.0	21. 5	24. 0	20.0	4. 4	4.0	7.0	1. 2	20	3.0	.6	0	1.0
Missouri	٠.	l	1.2 0	00 0		45 0		- n	20 0	10 0	10.0	11 0	9 0	4 0	4 0	4 7	20	, 0
Nebraska	12 1	120.0	24. 0	46. 4	21 0	47 0	25. 4	24.0	20. 0	10. 0	10. 0	8 0	0. 2	7 8	3.0	7. 1	รัก	1.0
Kansas	A A	11. 6	45. 0	20.	20. 0	35 0	24 7	20 0	12 0	10.0	18 0	5.0	7 8	8 0	2.0	3. 1	3 0	liŏ
Kentucky	3 0	1 2 0	80	NOA 9	IKA 6	147.0	130 F	23.0	'30. O	23.2	9.0	14. O	11.4	2 3	2 0	7.7	20	1.0
Tennessee	4. 2	12.0	15.0	27. 4	47. 0	58. 0	35. 3	23.0	17. 0	19. 2	12.0	6.0	8. 4	5 0	3. ŏ	5. 5	1.0	i.ŏ
	1	1	1	l l	1	ı	1	1	1	1		1	1	1	}	l	1	1
Texas	18. đ	28.0	50.0	17. 7	41. 0	32. 0	20.4	19. 0	13. 0	14. 9	7.0	3.0	13. 3	3.0	2.0	15, 1	2.0	
Oklahoma	10. C	54. C	52. 0	21. (21.0	29. 0	27. 8	12.0	13. 0	23. 3	7.0	4 0	11. 5	4.0	1.0	6.9	2.0	10
Montana	79. 1	81.0	77.0	18. 6	15. C	17.0	4. 1	3.0	5.0	.8	10	1.0	. 4	0	1-2-2	0	0	
Colorado	26. 1	21.0	34.0	40.0	140. (38. 0	21, 4	23. U	15. 0	7. 1	8.0	7.0	8. 6	3.0	3.0	1.8	50	3.0
Idoho		ء مدا	200	J		J	J		200 0	, ,	9 0		١,,	١,,	1 1 0		م ا	ļ
Idaho	20, 2	41.0	30.0	124	41 (149 0	21 1	15.0	20.0	11 9	2.0	7 0	2 7	1 1 6	1 1 0	1 1 5	ľ	
Oragon	26 0	47 0	286	48 6	27 0	41.0	18.0	13 0	14. 0	6.0	2.0	8.0	l ĩ. ò	l i.o	līŏ	i.ö	lŏ	1
Oalifornia	55. 2	37. 0	57. 0	24.	45. 0	25. 0	12.8	12.0	13. 0	4.4	4.0	4.0	1. 9	īŏ	īŏ	1. 1	1. 0	
						-												
United States			80. 3	loo c	Jano	400		104 8			ואאו			9 7	100	ເຄຍ	1 2	1.1

Division of Crop and Livestock Estimates.

¹ Based on percentage estimates of about 3,500 mill and elevator operators.

TABLE 21.—Wheat: Classification of cars graded by licensed inspectors, all inspection points

			Trooper Charge	Total of all c	lasses	and subcla	sses under	and subclasses under each grade, annual inspections 1917-1923	, annual in	al inspections 1917–1923	1917-1923			1	
Year beginning July 1			`	Receipts							Shipments				
•	No. 1	No. 2	No. 8	No. 4	Ne. 5	Sample	Total	No. 1	No. 2	No. 3	No. 4	No. 8	Sample	Total	
1917 1918 1820 1821 1821 1822	20, 24, 25, 25, 25, 25, 25, 25, 25, 25, 25, 25	Corre 201, 143 203, 965 1192, 003 241, 339 269, 250 210, 527 163, 393	Core 59, 421 68, 827 187, 538 124, 184 147, 537 131, 368 101, 739	28.28.29.29.29.29.29.29.29.29.29.29.29.29.29.	Cere 15, 766 10, 017 27, 680 27, 680 28, 367 27, 680 28, 088	25. 402 15. 402 18. 247 49. 575 25. 280 26. 520 26. 520 27. 28. 280 28. 280	Cers 286, 015 622, 880 604, 464 656, 337 647, 374 583, 805 465, 573	Cars 17, 928 246, 577 16, 602 44, 837 21, 414 28, 387 45, 617	Care 26, 559 87, 173 143, 770 268, 752 255, 512 226, 008 137, 406	Cars 17, 833 14, 106 86, 744 44, 407 34, 243 37, 610 28, 290	Cars Cars 5.503 18,480 18,480 7,7884 5,421 5,605	Cers Cers 4, 299 1, 519 1, 519 2, 519 2, 753 4, 753 4, 978	Care 3, 625 3, 181 4, 648 11, 724 5, 495 5, 816	Cars 76,745 357,062 276,569 384,530 385,446 307,744	•
Class				F	Total inspections, by		grade and	clase, July	1, 1923, to June	June 30, 192	24				
Hard Red Spring Durum Hard Red Winter Soft Red Winter White. Mixed	40, 739 2, 636 41, 961 8, 256 6, 371 7, 519	17, 170 13, 070 64, 632 30, 458 17, 815 20, 247	19, 700 9, 204 39, 764 14, 413 7, 128 11, 550	13, 426 17, 912 17, 912 4, 991 4, 702	9,024 1,097 1,590 1,590 1,590 1,590 1,590	2, 11 1, 7352 2, 45 4, 46 4, r>4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	22.82.92.83.83.83.83.83.83.83.83.83.83.83.83.83.	28, 207 736 12, 464 2, 024 1, 368	11, 473 14, 512 23, 986 14, 221 14, 221 14, 221	8,4,4,4,4,8,5,5,5,5,5,5,5,5,5,5,5,5,5,5,	2, 283 372 1, 952 365 9	1, 455 173 2, 361 260 729	700 101 2,553 1,257 1,188	52, 227 18, 280 18, 280 15, 190 20, 185 20, 386	•
Year beginning July 1-				Total of	all classes	and subclasses	sses under	esch grade,		annual inspections 1917–1923	1917-1923				•
1917 1918 1919 1920 1921 1922	Pa 2	Pa cent 34.3 32.7 31.8 36.8 41.6 35.1	Per cent 22.3 10.2 31.0 18.9 22.8 22.5 21.8	Per cent (18.7%) 15.7% (18.7%) 15.7% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%) 15.0% (18.7%)	Per Cent 5.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1	Per cent 5 8 8 0 7 6 8 0 7 7 6 6 7 7 6 6 7 7 6 6 7 7	Per cent 100 100 100 100 100 100 100 100 100 10	Per cent 23. 4 69. 1 6. 0 11. 7 11. 7 9. 2	Per cent 34. 6 24. 4 52. 0 69. 9 73. 5 60. 3	Per cent 28.2 3.9 3.9 10.2 10.2 12.2 12.2	Per Cent. 1884 188 188 188 188 188 188 188 188 18	Per Cent. 1 12 12 12 12 12 12 12 12 12 12 12 12 1	Per 68-10-10-10-10-10-10-10-10-10-10-10-10-10-	Pa cent 100 100 100 100 100 100	•
Class				Ţ	Total inspections, by grade	tions, by	rade and class,	lass, July 1,	, 1923, to June	une 30, 1924	-				•
Hard Red Spring. Durum. Hard Red Winter. Soft Red Winter. White. Mixed.	39.6 8.8 8.2.7 112.6 119.4 15.1	16 7 43 8 85 0 85 0 4 4 6 6 6	20.8 20.8 21.5 22.1 21.8 23.2	13 0 11 1 9.2 7.1 9.4	80 60 60 64 80 70 80 40 40	41.60.16. 7.860.48	888888	47.4 EI 0 E 4 E 6 F 7 E 9 0 C 7 E 9 0 C 7 E 9 0 C 7 E 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C 9 0 C	公司 公司 公 (本 (本 (本 (本 (本 (本) (本) (本) (724 844 841 112 6	4048408	4049 % 8000 %	1.0.4.0.2. 8.6.8.2.2.2	888888	
											i				

Grain Division.

Table 22.—Dockage assessed on wheat at Minnesota markets, 1899-1923

Year beginning Sept. 1	Number of cars on which dockage is as- sessed	Amount of wheat in cars 1	Amount of dockage assessed?	Per- cent- age of dock- age as- sessed	Year beginning Sept 1	Number of cars on which dockage is as- sessed	Amount of wheat in cars !	Amount of dockage assessed ?	Per- cent- age of dock- age as- sessed
	Cars	Bushels	Bushels	Per ct.		Cars	Bushels	Bushels	Per ct.
1899	163, 824				1911	103, 399			3.0
1900	111,742	145, 264, 600	3, 558, 982. 7	2.4	1912	182, 800			
1901					1913	137, 483			
1902		167, 900, 200			1914	126, 897		5, 911, 285. 2	
1903		144, 819, 500			1915	219, 165		10, 826, 751. 0	
1904	109, 160	141, 908, 000	2, 743, 554. 6	1.9	1917	94, 942 88, 830		5, 986, 093. 1	
1905	140, 546	182, 709, 800	5, 298, 584. 2	2.9	1918	157, 452		4, 041, 765. 0 4, 776, 044. 0	
1906	134, 298				1919	85, 657		5, 010, 934, 5	
1907	95, 917				1920	127, 976		7, 486, 596, 0	
1908	117, 909				1921	107, 452		5, 343, 050, 7	
1909	150, 699				1922	138, 668		7, 589, 299, 6	
1910	91, 995				1923	97, 469		7, 091, 462. 0	
	1 -2,000	,,,	1 -, -: -, -: -			1 77	,,	1 -7 7	1

Division of Statistical and Historical Research. Compiled from Minnesota State Grain Inspection Department data.

Table 23.—Wheat, and wheat including flour: Domestic, exports from the United States by months, 1910-1924

[Thousand bushels—i. e., 000 omitted]
WHEAT

Year ended June 30	Ju	ly	Aı	ıg.	Se	pt.	0	ct.	No	o▼.	D	ec.	Ja	n.	F	вb.	M	ar.	A	pr.	M	ay	Ju	ne	То	tal
1910		783	6,	157	7,	156	8,	566	8,	427	3,	727	1,	428	1,	166	1,	204	2,	953	2,	487		626		
1911	_ !	862	2,	131	2,	226	3,	260	2,	500	3,	409	2,	802	1,	349	1,	883	1,	319	1,	371	l	616	23,	729
1912	8,	200	Ö,	203	0,	U66	8,	850	, Z,	200	ð,	100	3,	U13	1,	248	1,	502	1,	800	-	603 159		199	au,	100
1913	۱ ۵ ا	040	۵,	244	13,	100	10,	400	10,	OKO	٠,	707	2,	331	3,	356 947	3,	457	0,	084	۱,	810				394
1914											_		_	_	_	_	_		_	_	_		_			
Av. 1910-1914	3,	371	8,	937	7,	919	7,	573	5,	533	5,	087	3,	940	2,	412	2,	493	3,	062	8,	686	2,	900	56,	913
1915.	26	267	ন্ম	341	25	867	10.	578	19.	182	28.	876	24	088	24.	432	20.	MI	22	758	14.	227	9.	396	250	643
1916	7.	856	16.	838	21.	526	18.	040	13.	500	12.	624	13.	461	15.	054	17.	293	16.	506	14.	571	5.	905	173.	274
1917	6.	355	11.	060	13.	108	11.	985	14.	279	14,	473	18,	906	10,	384	7,	885	14,	233	11,	, 359	15,	804	140,	, 831
1918	5.	059	5.	170	2.	613	5.	415	4.	878	4.	491	1,	914	1,	048	1,	687	1,	024		853		467	84	119
1919		225	15,	120	26,	848	21,	319	16,	087	25,	084	9,	943	5,	992	10,	208	17,	338	14,	029	16,	390	178,	883
1920	5,	884	12,	941	17,	090	13,	687	15,	116	9,	520	8,	480	4,	938	6,	838	4,	176	10,	, 864	12,	846	122,	, 481
1921	28,	838	27,	694	30,	771	35,	808	26,	085	25,	908	21,	84 5	18,	469	14,	601	17,	642	25,	932	25,	235	293,	, 268
Av. 1915-1921	10.	804	16.	166	19.	689	17.	975	15.	582	17.	282	14,	019	11,	474	11,	308	13,	382	13,	048	12,	292	178	021
																577										
1923	14	070	20,	703	24	087	10,	283	10,	577	14,	676	7	207	۱۲,	901	1	201	7	043	6	973	0	252	154	951
1924	Ř,	243	14.	108	15	408	0,	230	4	148	1	250	4.	421	8	095	2	958	ı.	747	2	811	4.	975	78	793
1925	4	049	16.	835	32	662	45.	112	27.	831	17.	791	 -		1		L		L.,		L	, - 	L			
			- 47		1				<u>, , , , , , , , , , , , , , , , , , , </u>	-3.	ı-·,		1		1				1		1		1		1	

1914	12,	900	46,	950	117,	919	13,	111	Į V,	, OI (10,	, 041	٧,	102	١,,	000	ο,	200	٠,	UNU	10,	010	11,	<i>_</i>	170,	000
Av. 1910-1914	6,	002	12,	244	12,	771	12,	806	10,	419	10,	052	8,	188	6,	087	6,	192	6,	671	7,	461	6,	074	104,	967
1915	30,	174	27,	618	31,	433	25,	664	25,	897	37,	122	82,	027	31,	428	28,	145	29,	224	20,	288	13,	445	332,	465
1916	11.	661	20,	439	26,	301	23,	769	119,	264	20,	416	20,	892	21,	066	24,	071	22,	424	20,	593	12,	221	243,	117
1917	10.	583	14.	919	18.	100	16,	181	19,	006	18,	689	24,	008	13,	560	12,	439	18,	505	16,	221	21,	358	203,	574
1918	8.	422	9.	738	7.	182	111.	523	10.	614	15.	301	12,	450	10,	492	12,	207	12,	364	10,	915	11,	373	132,	579
1919	11.	154	19.	496	28.	348	24.	531	21.	989	33.	539	22,	103	15,	842	20,	814	31,	129	26,	305	32,	652	287,	402
1920	13.	624	20.	810	25.	029	20.	979	23.	396	15.	428	12.	274	10.	581	16.	881	13,	721	25,	888	21,	754	219	865
1921	84,	655	32,	674	34,	994	43,	088	30,	989	30,	186	27,	105	23,	074	20,	765	24,	801	31,	624	32,	177	366,	077
Av. 1915-1921	17,	182	20,	742	24,	492	23,	662	21,	593	24	383	21,	551	18,	006	19.	200	21,	788	21,	691	20,	711	255,	011
1922	20	713	AA	 ₩	98	OKO	25	211	10	MAR	1K	015	15.	011	10.	991	14.	874	10.	449	14.	267	18.	200	279.	407
1923	10	124	28	044	21	830	25	077	177	K78	16	428	12	519	12	197	10.	725	10.	195	14	896	12	881	221	923
1924	12	822	īŏ	020	22	465	18	652	12	147	13	000	12	143	10	019	ø.	874	8	416	7.	206	lıö.	257	156	480
1925	7	601	21	106	39	244	13.	538	86	102	24	326			['			-,-			L.,		I			
	'''				100,		100,	-	1,		1		1										_		1	

Division of Statistical and Historical Research.

Compiled from the Monthly Summary of the Bureau of Foreign and Domestic Commerce, July, 1910-December, 1924.

¹ Based on 1,300 bushels to the car.

¹ Based on 60 pounds to bushel.

¹ Includes exports of flour milled from Canadian wheat imported in bond. Does not include reexports

TABLE 29.—Wheat, including flour: International trade, average 1910-1914, annual 1922-1924

[Thousand bushels-i. e., 000 omitted]

				Year end	ed June 30)		
Country	A ve 1910-	rage, 1914 ¹	192	12 I	19	23	1924, pre	liminary
	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Exports
PRINCIPAL EXPORTING COUNTRIES								
Algeria	639 13 7	5, 986 95, 248 49, 782	1, 698	5, 884 108, 966 116, 466	4, 110	987 145, 428 49, 625	1,412	10, 365 170, 009 82, 201
British India	208	49, 880 11, 182 95, 828	16, 728 (*) 372	2, 810 4, 477 185, 768	586 881	24, 154 274, 886	430	4 18, 825 343, 781
Chile Hungary	1 170	1 2, 593 49, 116	* 5 5	100, 100 1 1, 121 9, 097	676 7 224	608 4. 921	6 31	\$ 1,797 \$ 15,377
Rumania Russia United States	196 556	54, 630 164, 862 104, 967	(4) 17, 251	3, 494 279, 407	19, 945	1, 595 10 6, 700 221, 923	28, 045	8 9 2, 535 10 34, 960 156, 430
Yugoslavia	1,000	102, 801		2, 793	10, 020		20,010	100, 400
TRIES								
Austria Belgium Brazil Czechoslovakia	11, 402 72, 877 20, 495	21, 965	18, 739 40, 674 20, 857	70 4, 054	\$ 13,063 41,267 21,979	1,775	43, 082 11 11, 554	3, 396
Czechoslovakia Denmark Egypt	7, 155 8, 244	597 59	11, 408 4, 191 6, 918	208 275 328	12, 100 6, 304 7, 326	1, 997 321 20	19, 487 9, 526 7, 871	464 229
Finland France ¹ Germany ³	44, 081 91, 851	1, 230 23, 300	3, 268 21, 659 70, 556	(4) 2, 544 1, 262	4, 562 44, 183 42, 676	2, 779 623	4, 881 54, 213 29, 751	2, 797 161
Greece	56, 784 4, 116	3, 682 28	13, 233 101, 080 24, 815	5 512 51	18, 479 112, 003 15, 316	1, 776 7 488	17, 364 77, 552 77, 907	7, 680
Latvia	80, 702	58, 435	721 22, 974	(⁸) 3, 286	7 871 25, 935	7 5 3, 365	30, 762	3, 388
Norway Poland Portugal	8, 674	219	5, 090 1, 270	2	6, 619	7 29	6, 524	
Spain	6, 262	70	1 9, 086	320	51	191		
Sweden Switzerland Tunis	7, 080 16, 937 1, 746	23 14 960	4, 547 13, 216 645	699 (⁵) 2, 266	8, 999 16, 553 7 2, 001	701 7 1 8 550	12, 187 15, 682	316 3, 557
Union of South Africa United Kingdom ³	3 6, 274	1 253 4, 493	2, 072 208, 148	5, 921	5, 644 209, 290 141	11 6, 465	14 5, 491 225, 000 3, 386	3, 557 14 2 13, 247
Total countries reported	673, 033	800, 177	640, 672	742, 247	643, 708	752, 023	700, 319	871, 514

Division of Statistical and Historical Research. Compiled from official sources and International Institute of Agriculture.

^{&#}x27;Years ended July 31 as compiled by the Interna-tional Institute of Agriculture.
'Calendar years 1969–1913
'Years ended June 30.
'Sea trade only.
'Less than 500.
'Nine months.
'Ten months ended May 31, International Insti-tute of Agriculture.

International Institute of Agriculture.
Nine months for wheat.
Commercial source.
Six months.
Ten months for wheat; twelve months for flour.
Bight months for flour.
Ten months.

TABLE 30 .- Wheat: Farm price per bushel, United States, 1909-1924

Year beginning July	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	Мау 15	June 15	Weight- ed av.
	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.
1909	114.0							105.0		102. 2	98.8	96.4	101. 8
1910	97.1			92. 1									
1911	83. 5												
1912	94.4	87.8					78.0						
1913	79. 2	77. 1	77.5	77. 4	78.4	80.4	81. 3	82. 4	83.6	84.0	84.2	80 6	79.5
Av. 1909-1913	98. 6	89. 5	87.7	88. 1	87. 3	86. 7	88.4	89. 2	88. 9	89. 3	90.3	89.0	88.8
1914	76.7	84. 9	93. 4	95.4	97.9	103. 2	118.8	131. 8	132. 6	135. 6	135. 6	117. 2	102.8
1915	104.6							108. 4					
1916	100.0	119. 2	133 8	147.4	159. 4	155. 3	157. 6	164. 6			247. 2	234. 3	
1917	224. 5	219. 3	205. 2	200.3	200.4	201.4	201.6	202.0	202.6	203.1	203.0	202.8	206.8
1918	203.8	205.0		205.9	205. 1	204.5	206. 2	207.8	211. 1	222.6	229.8	225. 2	208.1
1919	219.6	211.4			214.0		233. 8					256.0	
1920	242 9	225. 4	216 5	201. 2	165. 8	146. 4	149. 2	148. 2	140. 4	122 1	119.0	119.8	181 8
Av. 1914-1920	167. 4	166. 6	165. 0	164. 8	162. 2	161.7	167. 9	170. 6	170.0	177. 1	183. 8	178.8	167.4
1921	108.5	103.0	103. 4	99. 9	93. 4	93. 0	95, 2	107.0	117.0	119.0	118 8	109.6	103. 1
1922	99.8	92. 6	89. 2	94. 1	99. 4			104. 4	106.0	108.4			
1928	89. 6	86.4	91.0	94. 2	93. 7	94.5	96.7	98.0	98.8	95 8	96.8	98. 5	
1924	105.8	116. 8	114. 2	129. 7	133. 6	141. 1							

Division of Crop and Livestock Estimates. Mean of prices reported on 1st of month and 1st of succeeding month.

Table 31.—Wheat: Farm price per bushel, December 1, 1909-1924, and value per acre 1924

								P.	, wo										
State	1909	1910	1911	1912	1913	AV. 1909- 1913	1914	1915	1916	1917	1918	1919	1920	Av. 1914– 1920	1921	1922	1923	1924	Val. per acre 1924 1
Me Vt N. Y	Cts. 110 120 111	Cts. 102 103 96	Cts. 110 99 95	Cts. 103 98 99	Cts. 101 100 93	Cts. 105 104 99	Cts. 109 100 108	Cts. 112 107 101	Cts. 187 165 168	Cts. 235 236 210	215	Cts. 220 227 215	Cts. 230 200 175	Cts. 190 181 170	Cts. 175 125 108	Cts. 170 145 118	Cts. 118 140 110	150 144	Dolls 44. 20 30. 00 25. 92
N. J Pa Del	109 109 104	98 92 90		95 96		99 96 94	109 104 109	106 104 109	162	213 205 208	215 214 222	220 216 213	205 170 171	176 168 171	113 103 98	110 110 108	110 100 100	144 144	29.04 23.76 23.04
Md Va W.Va N. C	110 115 113 127	92 97 102 110	91 96 102 102	95 101 101 111	89 96 100 106	95 101 104 111	106 108 108 117	105 108 108 120	171 165 160 176	207 216 217 234	219 219 221 280	215 224 220 233	165 180 190 210	170 174 175 189	103 116 117 144	112 122 122 136	100 110 116 128	148 147	22. 91 19. 39 19. 40 19. 20
8. C Ga Ohio	146 145 112	126 130 90	123	1119 122 98	130 120 90	129 126 96	145 134 105	138 129 104	189 186 169	290 290 204	260 260 266 212	258 263 212	255 240 165	219 215 167	208 175 108	157 150 117	154 147 99	170 1 69	20. 40 17. 74 24. 36
Ind Ill Mich	110 104 112	87 88 89		93 88 96	88 86 89	93 91 95	103 101 103	102 100 101	167	208 201 204	208 209	210 210 210	167 161 168	166 164 166	106 100 104	112 107 115		136 138	24. 14 20. 13 30. 36
Wis Minn Iows Mo	96 96 93	92 94 85 87	90 92 88 88	83 73 78	82 76 76	89 86 84	100 102 96 98	95 90 87	162 156	202 202 199	205 204 200 205	215 250 200 209	154 130 140 160	162 163 154	97 97 88 99	103 101 99 105	98 95 89 97	130 127	27. 65 28. 34 25. 65 17. 02
N. Dak. S. Dak. Nebr	105 92 90 89	90 89 80	89 91 87	90 69 69	84 73 71 71	91 83 82 79	101 94 95	98 87 86 84	165 152 150 160	195 200 196 195	203 199 197	241 240 202	130 115 131	161 159 154 152	85 87 83	90 92 96	86 81 83	126 125 122	19. 58 18, 62 23. 30
Kans Ky Tenn	96 111 115 130	93 98 113	91 92 96 120	74 99 100	79 96 98 115	98 101	95 103 105	105 108	169	198 212 222 270	199 214 214 245	215 211 222 245	130 191 195 280	156 172 176 204	93 115 120 153	98 118 123 160	91 108 115 130	143 147	20. 86 14. 30 15. 44 16. 20
Miss Tex	121 118 101	116 98 87	100 100 92	113 97 93 75	95 94 82	118 106 101 87	126 125 99 92	125 105 107 89	185 175 173 167	300 210 194	250 215 201	250 200 205	213 172 185	203 168 155	130 100 86	145 110 98	110 103 93	150 129	24. 90 23. 86 20. 34
Mont Wyo	110 87 99	94 86 95	90 77 94	94 64 80	90 66 72	96 76 88	99 91 89	101 78 78	163 161 145	201 192 200	207 194 189	202 235 212 202	190 128 135 135	166 154 150 149	100 85 79 76	106 89 82 89	108 82 80 83	124 111	15. 30 20. 34 16. 76 16. 99
Colo N. Mex. Ariz Utah	93 117 139 90	82 100 120 84	84 100 95 70	73 90 110 75	78 97 110 73	82 101 115 78	90 125 86	90 115 86	150 150 150 152	193 215 210 178	195 210 240 188	200 225 210	140 262 153	156 190 150	105 125 75	120 115 90	108 140 91	125 141	19. 50 38. 07 22. 62
Nev Idaho Wash	104 87 98	109 72 78	95 66 71 75	100 66 68	82 63 78	98 71 77	95 87 100	95 80 82	140 146 148	180 182 193	206 192 196	214 205 214	180 125 135	159 145 152	130 72 86	120 90 104	115 80 85	131 130	31.80 25.02 15.99
Oreg Calif U. S.	93 111 98. 4	84 94 88. 3	88	72 98 76.0	75 95 79. 9	80 96 86. 0	102 104 98. 6	95 91. 9	145 152 160. 3	182 200 200. 9	201 216 204. 2	212 204 214. 9	180 180 148. 7	151 164 150, 2	85 107 92. 6	108 115 100. 7		154	18. 19 28. 10 20. 97

Division of Crop and Livestock Estimates.

Based upon farm price Dec. 1.

Year beginning July J

TABLE 32.—Wheat: Weighted average price per bushel of reported cash sales NO. 1 DARK NORTHERN SPRING, MINNEAPOLIS, 1917-1924 1

July Aug. Sept. Oct. Nov. Dec. Jan. Feb. Mar. Apr. May. June. Weight-ed average³

	1	}	l	l	1	1	ł	1	l	l	l		ago.
1917 1918 1919 1920 1921 1922 1923		\$2,50	\$2. 21	\$2. 21	\$2. 21	\$2. 21	\$2. 21	\$2. 21	\$2, 21	\$2, 21	\$2. 21	\$2, 21	
1018	£2 21	2. 29	2 24	2 23	2 25	2 25	2. 25	2 20	2 41	2.63	2.68	2. 56	2.86
1919	2 72	2.29 2.71 2.59	2.24 2.77	2. 28 2. 84	2. 25 8. 00	2. 25 3. 25	8. 34	2.90	2 41 2 97 1.72	2. 63 3. 23	2. 68 3. 26	3. 01	3.00
1920	2.95	2.59	2.64	2.21	1.82 1.30	1.73	1.81	2. 29 2. 90 1. 74 1. 58	1.72	1. 57	1.67	1.74	2.01
1921	1.81	1.59	1. 56	1. 36	1.30	1. 83	1. 39	1. 58	1. 59	1.66	1.71	1. 53	1.48
1922	1. 57	1. 22 1. 22	1. 20 1. 26	1. 21	1.28	1. 81 1. 19	1. 28 1. 24	1.31 1.27	1. 29 1. 26	1. 85	1.32 1.30	1. 22 1. 37	2. 36 3. 00 - 2. 01 1. 48 1. 26 1. 24
1924	1. 47	1. 38	1.35	1. 26 1. 51	1. 19 1. 54	1.71	1.22	1.2/	1.20	1, 26	1. 80	1.01	1.24
1002	1.71	1.00	1.00	1.01	1.01	1		<u> </u>			<u> </u>		
	NO.	NOE	RTHE	RN 8	PRIN	3, MI	NNEA	POLI	8, 189	-1924	1	_	
	\$0.70	\$0.70	\$0.69	\$0.69	\$0.65	\$0.65	\$0.65	\$0.65	\$0.65	\$ 0. 66	\$0.66	\$0.71	\$0.67
1900	. 78	.74	.76	.76 .62	.74	. 78 . 74	.75 .76	.74 .74 .77	.74	.72 .73	. 73	.69	. 74
1901	. 65	. 69 . 72	.68	.70	.70	.78	.76	.74	.76	.78	.75	.75 .84	.71 .75
1902	./5	.93	85	.82	.80	.82	.88	.97	.97	.93	.94	.94	. 89
1904	.97	1. 14	1, 17	1.15	1.07	1.00	1.14	1.18	1 1.11	1.02	1. 13	1. 10	1. 10
1905	1.08	.98	.81	. 86	. 84	. 85	. 83	. 81	.77	.79	. 83	.84	. 86
1906	.79	.75	.74	.76	.80	.80	.80	.82	.80	.84	. 96	1.01	. 82
1907	1.02	1.00	1.08	1.12	1.03	1.07	1. 10	1.06	1.07	1.03 1.24	1.09	1.08	1.06
1900 1901 1902 1903 1904 1905 1906 1907 1908	1.14	1. 12	1.03	1.04	1.06	1. 10	1.09	1. 18	1. 15	-	1.31	1.34	1. 15
1909 1910 1911	1. 29 1. 21 . 99	1.06	1.04	1.04	1.05	1.12	1.14	1.14	1. 15	1.11	1. 10	1.00	1.09
1910	1. 21	1. 13	1.09	1.08	1.04	1.03	1.06	1.02	. 98	. 96 1. 10	. 99	. 97	1.05
1911	1.09	1.05	1.09	1. 10	1.05	1.02	1.08	1.06 .87	1.08	. 88	1. 16 . 91	1. 13 . 92	1. 07 . 87
1913		.88	.87	.84	.85	.86	.87	.93	.92	.91	. 94	.02	.88
Av. 1909-1913	1, 10	1.02	1.00	.99	.97	.97	1.00	1.00	1.00	.99	1. 02	1. 01	. 99
1914 1915 1916 1917 1918 1919	00	1.10	1.12	1.11	1. 18	1. 20	1.38	1. 52	1.49	1. 58	1. 58	1.35	1. 20
1015	1 44	1. 18	1. 12	1.02	1. 02	1. 14	1. 29	1. 26	1.14	1. 22	1. 22	1. 11	1.09
1916	1. 21	1.64	1 84	1.79	1. 95	1.79	1. 93	1.86	2.03	2.38	2.96	2.73	1 78
1917	2. 66	2.47	2. 17 2. 28 2. 56	2.17	2. 17	2. 17	2.17	2.17	2, 17	2.17	2. 96 2. 17	2. 17	2. 20 2. 25 2. 72
1918	2. 17	2. 23	2. 28	1 2 19	2. 22	2. 22	2. 21	2. 24	2. 36	2.56	1 2.59	2.48	2. 25
1919	2. 66	2. 59	2.56	2. 67	2.85	3. 07	3. 01 1. 79	2. 67 1. 72	2. 84 1. 66	8.06	3. 09	2. 93 1. 69	2.72
1920	2. 55	2. 56	2. 54	2.16	1. 79	1. 66				1. 53	1. 57		2.07
Av. 1914-1920	1.99	1.97	1.89	1.87	1.88	1.89	1. 97	1.92	1.96	2. 07	2. 17	2.07	1. 90
1921 1922 1923	1.67	1.48	1. 51	1.34	1. 25	1 31	1. 34	1.51	1.51	1.58 1.30	1. 61 1. 28	1.49	1. 43
1922	1.49	1. 11 1. 18	1. 10 1. 21	1. 15 1. 20	1. 23 1. 14	15 1. k	1. 23 1, 19	1. 26 1. 21	1. 24 1. 21	1. 21	1. 23	1. 17 1. 25	1. 20
1924	1. 12 1. 87	1. 31	1. 30	1.40	1. 48	1. 66	1, 19	1. 21	1. 21	1. 21	1. 22	1, 25	1. 17
1002-1-11-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-			<u> </u>	<u> </u>		<u> </u>	7010	0 1000	10048	1	1		1
		-		D WI		K, OH							
1899 1900 1901 1902	\$0.72	\$0.72	\$0.71	\$0.72 .77 .72	\$0.69		\$0.67	\$0. 69	\$0.69	\$0.70 .75	\$ 0. 70	\$0.75	
1900	.77	.77 .71	.76 .70	.77	.74	\$0. 74 . 82	.76 .85	.75	.75	.75	.74	.72 .79	\$0. 76 . 72
1901	73	:71	.81	.82	.76	.75	.75	.76	.74	.78	.78	.80	.75
		.82	.82	.82	.84	.88	. 94	1.04	1.03	1.05	1.07	1.05	.83
1904	. 97	1.01	1.10	1.19	1.16		1. 20	1	1.15	1.07	. 92	1.04	
1905	.90	. 85	.85	. 88	87		. 88	. 84	. 82	. 87	. 89	. 86	
1904 1905 1906 1907 1908	.78	.73	.72	.74	.74	.74	.74	.76	1 .77	.79	. 98	. 95	.77
1907	.92	.87	1.00	1.01	1.05	1.05	1.01	1.20	. 98 1. 22	1. 33	1.03	. 92 1. 60	. 90
4000	:				_		_						
1909	1.10 1.07	1.04 1.02	1.07	1.20	1.18	1. 25	1.26	1. 23	1. 18 . 90	1.11	1.11	1.01	1. 10
1011	. 86	.90	.93	1.00	-04	.94	.97	1.01	1.03	1.00	1.16	1.10	1. 02 . 90
1912	1.05	1.03	1.03	1.06	-96 -99	.86	1.09	. 99	. 95	1.02	1.03	1.00	1.03
1913	. 87	. 88	. 98	. 92	. 92	. 94	.97	. 97	. 95	. 95	. 99	. 82	. 88
A = 1000_1019	00	. 97	. 99	1.08	1.00	. 99	1.05	1.02	1.00	1.01	1.05	. 97	. 99
1914	.82	. 92	1.11	1.12	1.15	1. 20	1.89	1. 57	1, 52	1. 59	1.55	1. 24	1.08
1915	1.18	1.11	1.08	1.12	1.12	1. 23	1.80	1. 23 1. 74	1. 18	1. 22	1.15	1.05	1.13
1016	1. 23	1.48	1. 53	1.66	1.85	1.76 2.17	1.89	1.74	1.99	2. 48	2.94	2.76	1.68
1010	2.00	2.80	2.17	2. 17 2. 25	2. 17 2. 24	2. 17	2.17	2. 17 2. 28	2. 17 2. 36	2. 17 2. 52	2. 16 2. 76	2. 17 2. 82	2. 25 2. 22
1010	2 23	2. 21 2. 24	2. 17 2. 25 2. 24	2, 24	2. 29	2. 44	12 64	12.42	2.55	42.68	43. 10	2. 89	2. 22
1914 1915 1016 1917 1918 1919 1920	2. 63	2.49	2. 58	2. 18	42.01	2. 02	1.96	1.85	1.65	1.41	1. 67	1.47	2. 23
Av. 1914-1920	1.82	1.81	1.84	1.82	1, 83	1.87	1.96	1.89	1. 91	2.00	2.19	1. 99	1. 83
1921	1. 24	1. 22	1. 29	1.18	11. 23	41.18	1. 21	1. 34	1.38	1.40	1.84	1. 18	1. 25
1922		1. 07	1.06	1. 18	1, 27	1. 88	1. 30	1. 35	1.31	1. 32	1.28	1.16	1.14
	1. 19 1	1. U/ I											
1923	1.14	1.00	1.05	1.11	1.06	1.09	1. 18	1. 18	1.09	1.06	1.07	1.15	1.02
1928	1.00 1.29		1. 05 1. 31	1. 11 1. 53	1. 06 1. 55	1. 09 1. 80	1. 18	1. 18	1.09	1.06	1.07		1.02

¹Compiled from Minneapolis Daily Market Record. Prior to the promulgation of the Federal grades, August 1, 1917, the subclass Dark Northern did not exist.

³ Average of daily prices weighted by earlot sales.

⁵ Compiled from the Chicago Daily Trade Bulletin.

⁴ Based on small number of sales.

TABLE 32.—Wheat: Weighted average price per bushel of reported cash sales—Con. NO. 2 RED WINTER, ST. LOUIS, 1899-1924 :

Year beginning July	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	Weight- ed aver- age 7
1899	.66 .71 .80 .97	\$0. 71 . 73 . 71 . 66 . 81 1. 01 . 85 . 70 . 87 . 95	\$0. 70 . 76 . 71 . 67 . 85 1. 15 . 86 . 72 . 95 1. 02	\$0. 72 . 74 . 72 . 70 . 87 1. 18 . 92 . 76 1. 03 1. 03	\$0. 70 . 78 . 74 . 69 . 87 1. 15 . 92 . 75 . 96 1. 07	\$0. 71 . 72 . 84 . 72 . 92 1. 15 . 93 . 76 1. 00 1. 08	\$0. 71 . 74 . 89 . 75 . 93 1. 18 . 94 . 77 1. 03 1. 11	\$0. 72 . 74 . 86 . 76 1. 04 1. 18 . 92 . 78 1. 12 1. 24	\$0. 72 . 75 . 82 . 73 1. 05 1. 15 . 91 . 77 1. 02 1. 30	\$0. 72 . 74 . 80 . 72 1. 06 1. 09 . 95 . 78 . 99 1. 36	\$0. 71 . 75 . 81 . 75 1. 08 1. 08 . 94 . 89 1. 02 1. 39	\$0. 77 . 69 . 78 . 79 1. 07 1. 05 . 88 . 94 . 96 1. 57	\$0.72 .74 .73 .71 .86 1.04 .76 .90 .76 .96
1909	1. 13 1. 07 . 84 1. 03 . 85	1. 12 1. 02 . 88 1. 04 . 88	1. 14 1. 02 . 94 1. 03 . 94	1. 23 1. 00 1. 00 1. 09 . 93	1. 22 . 96 . 96 1. 04 . 94	1.28 .98 .97 1.07 .95	1. 30 1. 03 1. 02 1. 11 . 96	1. 27 . 96 1. 01 1. 09 . 95	1 23 . 93 1. 04 1. 08 . 95	1. 12 . 90 1. 13 1. 09 . 94	1. 16 . 94 1 21 1. 04 . 96	1. 02 . 88 1. 11 . 99 . 84	1. 13 . 99 . 94 1. 05 . 89
A▼. 1909-1913	. 98	. 99	1.01	1. 05	1.02	1. 05	1.08	1.06	1 05	1.04	1.06	. 97	1.00
1914	. 87 1. 17 1. 25 2. 36 2. 21 2. 22 2. 73	. 93 1. 14 1. 45 2. 32 2. 21 2. 20 2. 51	1. 10 1. 14 1. 60 2 15 2. 19 2. 21 2. 58	1. 10 1. 21 1. 73 2. 15 2. 22 2. 24 2. 26	1. 11 1. 16 1. 87 2. 15 2. 22 2. 29 2. 02	1. 18 1. 23 1. 83 2. 15 2. 32 2. 48 1. 99	1. 40 1 34 1. 96 2. 15 2. 41 2. 70 2. 02	1. 57 1. 30 1. 88 2. 15 2. 38 2. 55 1. 90	1. 50 1. 17 2. 05 2. 15 2. 55 2. 58 1. 66	1. 54 1. 22 2. 66 2. 15 2. 71 2. 76 1. 41	1. 50 1. 20 3 04 2 15 2. 60 2. 99 1. 58	1 19 1 10 2.65 2 15 2.41 2.89 1.50	1. 10 1. 20 1. 63 2. 23 2. 23 2. 30 2. 13
Av. 1914-1920	1. 83	1. 82	1. 85	1.84	1. 83	1. 88	2. 00	1 96	1. 95	2.06	2. 15	1. 98	1.84
1921 1922 1923 1924	1. 23 1 12 . 97 1. 35	1. 23 1. 09 . 99 1. 38	1. 36 1. 14 1. 09 1. 40	1. 26 1. 23 1. 16 1. 56	1. 20 1. 29 1. 12 1. 63	1. 21 1. 36 1. 14 1. 79	1. 22 1 37 1 16	1. 38 1. 39 1. 18	1. 42 1. 36 1. 14	1. 41 1. 39 1. 13	1. 38 1 33 1. 12	1. 18 1. 28 1 16	1. 27 1. 21 1. 07

NO. 2 HARD WINTER, KANSAS CITY, 1899-1924

		,		,			,		,				
1899 1900 ⁷		\$0.65 .66	\$0.65 .67	\$0.65 .68	\$0.63 .67	\$0. 64 . 66	\$0. 63 . 68	\$0.64 .68	\$0.64 .69	\$0. 64 . 70	\$0. 62 . 70	\$0.66 .67	\$0.65
19017	. 63	. 67	.66	. 66	69	.75	79	.75	.72	72	74	:70	. 68 . 68
1902	70	.66	.67	.67	.67	. 67	.67	.68	.68	.68	.69	.73	.68
1903	.70	.73	.73	. 73	.72	.71	.75	. 87	.89	. 89	. 92	.89	.77
1904	.87	.94	1.08	1.06	1.05	1.05	1.07	1.09	1.04	. 93	1.01	1.00	. 97
1905	. 84	.80	. 78	. 80	. 81	. 81	. 81	. 78	. 76	. 79	.80	.78	.80
1906		. 68	. 66	. 69	. 69	. 70	. 71	. 72	.71	. 73	. 90	. 91	. 72
1907	. 87	.86	. 93	1.00	. 96	. 97	1.00	. 95	. 98	. 97	1.00	. 97	. 93
1908	. 97	. 95	. 98	. 99	1.02	1.03	1.06	1. 10	1. 15	1.30	1.38	1.37	. 99
1000	1 14	1 00	1 00		1 04	. 10				1 00	1 07	1 00	1, 07
1909	1. 14 1. 04	1.02 1.00	1.02	1.06	1.04	1.10	1. 11	1.11	1.10	1.08	1.07	1.08	.98
1911	. 87	. 93	. 95	1.04	1.00	1.00	1 05	1.03	1.05	1.09	1.11	1.09	.97
1912	.92	.89	.88	.88	. 83	.84	. 87	. 86	. 86	. 88	. 87	. 88	.88
1913	.82	.83	.87	.84	.83	.84	85	.86	.88	.87	.90	.85	.84
AVAU		1.00				.02			1.00				
Av. 1906-1913	. 96	. 93	. 94	. 95	. 92	. 94	. 97	. 95	. 95	. 96	. 97	. 96	. 95
1914	. 78	. 91	1.04	1.02	1.08	1. 13	1. 34	1.54	1.49	1.54	1 50	1. 21	1, 05
1915	1. 36	1. 26	1.07	1.07	1.03	1. 12	1. 20	1. 20	1.05	1. 12	1. 10	1.00	1. 19
1916	1. 14	1.41	1. 57	1.67	1.85	1. 72	1.89	1.82	1. 97	2.43	3. 01	2.74	1.71
1917	2.68	2. 61	2. 12	2. 12	2. 12	2, 12	2. 12	2. 12	2. 12	2. 12	2. 12		- 2. 52
1918	2. 20	2. 16	2. 16	2, 16	2. 15	2. 24	2. 31	2. 26	2. 39	2. 62	2. 60	2.47	2. 19
	2. 25	2. 18	2, 24	2. 30	2.46	2. 63	2.82	2.42	2.49	2.75	2. 93	2.76	2. 42
1919	2.68	2. 45	2. 44	2.07	1. 76	1. 69	1. 72	1. 62	1. 55	1. 83	1. 47	1. 38	1.83
Av. 1914-1920	1.87	1.85	1.81	1. 77	1. 78	1. 81	1. 91	1. 85	1.87	1.99	2 10		1.85
1921	1. 18	1, 15	1. 23	1. 10	1.09	1. 09	1. 13	1. 29	1. 34	1. 35	1. 34	1. 17	1, 20
1922	1.13	1.04	1.04	1. 18	1. 17	1. 17	1. 14	1. 15	1. 16	1. 20	1. 16	1.04	1. 13
1923	. 96	1. 01	1.09	1. 12	1.09	1.09	1. 13	1. 11	1.00	1.04	1.06	1.08	1.05
1924	1, 20	1. 19	1. 20	1. 87	1.48	1.62							
		1	1				i		1	i	i	1	ĺ

Division of Statistical and Historical Research.

Compiled from St. Louis Daily Market Reporter.
 Compiled from Kansas City Daily Price Current.
 Jan.-Dec., 1901, compiled from daily Kansas City Star.

TABLE 33.—Wheat: Average price per bushel of daily cash closing prices, 1909-1924 NO. 2 HARD WINTER, NEW YORK 1

Year beginning July	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	Aver-
				ļ					ļ	<u> </u>	ļ		
				\$1.20	\$1. 19	\$1. 24	\$1. 26	\$1. 33	\$1. 27	\$1. 19	\$1. 14	\$1.05	\$1.20
1910		1. 10	1.06	1.04	1.02	1.02	1.08	1.08	1.00	. 99	1.08	. 97	1.04
1911	. 98 1. 10	1.03	1.04 1.01	1.02	1.05	. 99	1.11	1.04	1. 18	1.19	1. 24	1. 20 1. 04	1. 10 1. 03
1918	. 99	. 97	. 98	. 95	.98	1.00	. 98	1.02	1.02	1.02	1.05	1.00	1.00
Av. 1909-1913	1. 10	1.04	1.04	1.06	1.04	1.06	1.09	1. 11	1.08	1.08	1. 10	1.05	1, 07
1914	. 92	1.01	1. 13	1. 12	1. 28	1. 31	1. 52	1.72	1.66	1.67	1.65	1. 37	1. 36
1915	1. 36	1. 22	1. 20	1. 24	2.00	(*) 1 87	1.40	1.42	1. 25	1.29	1. 24	1. 15	1. 28
1916	1. 26 2. 44	1. 57 2. 46	1. 68 2. 28	1.84 2.64	2.00	2.62	2.09 2.26	2.00	2. 16 2. 26	2. 63 2. 26	3.07 2.26	2. 26	2. 02 2. 40
1918	2. 31	2.38	2. 38	2. 38	2. 38	2. 38	2.38	2.38	2. 38	2. 38	2.38	2. 38	2.37
1919	2. 38	2.38	2. 38	2.38	2. 38	2. 88	2. 37	2. 37	2. 51	8.02	3.09	2.98	2.55
1920	2. 92	2. 62	2. 65	2. 33	2.06	1.95	2.00	1. 90	1.81	1.59	1.75	1. 67	2. 10
Av. 1914-1920	1. 94	1.95	1.98	1.99			2.00	2.01	2.00	2. 12	2 21	1.97	2.01
1921	1. 46	1. 36	1. 38	1. 20	1. 16	1. 25	1. 23	1. 43	1. 45	1. 51	1.49	1. 30	1. 35
1922	1. 32	1. 23	1. 19	1. 83	1. 36	1. 37	1. 32	1. 30	1. 33	1.37	1. 34	1. 25	1. 31
1928	1. 16 1. 39	1.14	1. 16	1. 22 1. 60	1. 19	1. 22 1. 80	1.25	1. 28	1. 24	1.20	1. 21	1.26	1. 21
143/2	1.09	1.20	1. 32	1.00	1.03	1. 80							
		NO.	1 NO	RTHI	ERN I	PRIN	1G, W	INNI	PEG)	·	·	·
1909	41 91	81, 19	\$1.00	\$ 0. 97	20.97	20.98	\$1.03	\$1.03	\$1.04	\$1.03	\$0.98	\$0.93	\$1.04
1910	1 08	1.07	1.03	. 98	. 92	. 00	. 94	. 93	. 90	. 90	95	. 97	.96
1911	. 95	1.01	1.01	1,00	. 99	. 95	.95	.97	.98	1,01	1.04	1.06	. 99
1912	1.07	1.06	1.00	. 91	. 85	.80	. 82	.84	. 85	. 89	. 98	.96	. 92
1913	. 97	.95	. 89	. 81	. 88	. 84	.85	. 88	. 90	. 90	. 93	. 94	. 89
Av. 1900-1913	1.08	1.06	. 99	. 93	. 91	. 89	. 92	. 93	. 93	. 95	. 97	. 97	. 96
1914	. 90	1.06	1. 13	1. 11	1. 18	1. 18	1. 36	1. 58	1.49	1. 57	1.61	1. 32	1. 29
1915	1. 85	1. 25	. 95	. 96	1.02	1.07	1. 22	1. 26	1. 10	1. 15	1. 17	1. 11	1. 18
	1. 18	1.49	1.59	1.72	1.98	1.76	1.80	1.68	1.85	2. 33	2.75	2. 49	1. 38
1917	2. 34 2. 21	2. 40 2. 21	2. 25 2. 24	2. 21 2. 24	2. 21	2. 21 2. 2	2.21	2.21	2. 21	2. 21 2. 24	2. 21 2. 24	2. 21 2. 24	2. 24 2. 24
1919	2. 16	2 15	2.58	2. 58	2.52	2. 44	2.40	2.31	2. 36	2.40	2. 38	2. 32	2.38
1920	2.88	2. 33	2. 45	2.11	1.84	1.67	1.71	1. 66	1.68	1. 57	1.67	1.69	1.89
Av. 1914-1920	1.78	1.84	1.88	1.84	1.85	1.80	1.85	1.84	1.85	1.92	2.00	1.91	1.86
47 4 1 1072 1000							-						
	1 64	1 54	1.82	1 04	1 02	1 3 APR -	1109≏	1721	11.37	1 1 40	1 44	1 1 31	1,240
1921	1. 64 1. 35	1.56	1.88	1.04 1.01	1. 02 1. 10	1. 05 1. 08	1.08	1. 31	1. 37	1.40	1. 44	1. 31 1. 12	1.30 1.12
1921	1. 64 1. 35 1. 06 1. 35					1.08 1.08 .91 1.78	1.08 1.07			1. 40 1. 19 . 96			

Division of Statistical and Historical Research.

Table 34.—Wheat, good average quality imported red: Average spot price per bushel of 60 pounds at Liverpool, 1909-1924

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Aver.
1914	Dols.	Dols. 1, 29	Dols.	Dols.	Dols.	Dols.							
1915 1916	1. 67 1. 94	1. 95 1. 90	1. 91 2. 00	1. 94 1. 93	1. 98 1. 71	1. 65 1. 55	1. 68 1. 58	1. 61 1. 96	1. 67 2. 00	1.71 2.15	1. 59 2. 22	1. 78 2. 39	1.75 1.94
1917 1918 1919	2. 39 2. 32 2. 46	2. 48 2. 82 2. 46	2. 42 2. 39 2. 43	2. 46 2. 32 2. 41	2. 46 2. 32 2. 41	2. 46 2. 32 2. 39	2. 50 2. 32 2. 29	2. 50 2. 32 2. 21	2. 38 2. 82 2. 16	2. 26 2. 89 2. 16	2. 26 2. 46 2. 11	2. 26 2. 46 1. 95	2. 40 2. 36 2. 29
1920 Av.1914-1920	1.90	1.75	2.11	2.87	2. 84	2, 40	2. 34	2. 20	2.18	2.84	2. 58	2. 39	2. 28
1921	2. 33 1. 37	2.14	2. 14 1. 58	2. 18 1. 58	2. 18 1. 59	1.98	1.71	1.59	1. 56 1. 29	1.31	1. 26	1.87	1.81
1928 1924	1. 42 (¹)	1,41	1.40 (¹)	1. 46 (¹)	(1)	(1)	(1)	1. 26 (1)	1. 22 1. 61	1. 23 1. 74	1. 25	(¹) 1.88	

Division of Statistical and Historical Research. For earlier years 1879-1913, see the U.S. Dept. of Agr. Yearbook 1923, page 630. Compiled from Broomhall's 1921 Yearbook, 1914-1920; from Corn Trade News, 1921-1924. Conversions at current exchange rate.

¹ Compiled from New York Journal of Commares.

Nominal.

Compiled from Winnipeg Farmers' Advocate, July 1909-September 1923; November 1923-December 1924, from Minnapolis Daily Market Record.

Table 35.—Wheat: Weighted average price 1 per bushel of reported each sales of all classes and grades combined at markets named, 1918-1924

MINNEAPOLIS

Year beginning July 1	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау.	June	Weight- ed aver- age
1918	Cents 212.8 248.9 274.6 145.3 140.8 110.7 135.7	221. 8 230. 1 247. 1 132. 2 114. 2	284. 0 244. 9 138. 6 111. 0 114. 6	218. 6 240. 9 203. 9 121. 5 113. 8 115. 3	220. 5 261. 6 172. 4 117. 3 122. 3 109. 4	220. 0 278. 5 163. 0 117. 7 128. 1 108. 9	276. 5 167. 8 120. 2 119. 2	221. 2 245. 6 156. 3 138. 9 120. 8	230. 5 254. 8 151. 5 141. 3 121. 2	285. 8 185. 1 148. 2	251. 8 297. 0 144. 5 149. 7 124. 8	239. 8 278. 7 146. 0 136. 5	Cents 222. 4 257. 6 187. 9 131. 2 119. 2 113. 9
				K	ANSA	B ÖI	ΓY						
1918 1919 1920 1921 1922 1923 1924	220. 2 219. 3 267. 4 117. 0 111. 0 94. 9 121. 8	214. 4 245 6 115. 0 103. 2 99. 2	214. 0 215. 9 246. 0 120 4 104. 1 102. 6 120. 5	221. 2 206. 6 109. 8 111 1 107. 1	235. 9 176. 3 107. 6 114. 5 101. 3	252. 2 170. 2 108. 2	111. 1 114. 0	218. 6 233. 4 164. 6 127. 4 115. 1 106. 5	227. 1 241. 5 154. 6 131. 4 115. 4 104. 2	132. 3 119. 7	286. 3 147. 5 125. 9 115. 9	273. 5 139. 7 113. 2	218. 1 244. 9 190. 2 118. 2 110. 8 101. 9
					CHI	ODAC							
1018 1919 1920 1921 1922 1923 1924	225. 0 223. 9 264. 9 124 1 113. 4 99. 1 129. 4	222. 2 248. 8 119. 8 107. 0 99. 6	220. 6 221. 9 249. 8 124. 4 104. 5 101. 0 121. 5	113. 4 106. 8	107. 9 119. 0 103 1	249. 5 173. 4 110. 5 123. 6 105. 3	272. 2 178. 6 112 7 117. 6 108. 6	220. 1 235. 5 171. 9 128. 6 120. 6 110. 3	230. 8 242. 0 157 3 129. 7 120. 0 109. 7	250. 0 289. 8 189. 7 132. 4 124. 8 106. 1	295 8 156 5 132, 7 119, 3		223. 0 226. 1 216. 3 121. 6 112. 2 102. 5
					8 T . I	LOUIS	!						
1918 1919 1920 1921 1921 1922 1923	221. 6 220. 7 273. 3 120. 3 107. 4 96. 6 131. 9	116. 3	253 1 122. 6 107. 2	222. 0 220. 9 219. 2 111. 6 116. 7 111. 4 147. 3	197. 2 107. 7 121. 6 106. 9	126. 0 108. 6	230. 2 252. 5 194. 7 115. 3 124. 5 112. 2	231. 2 247. 4 183. 7 131. 3 128. 0 113. 1	252. 3 253. 5 163. 8 133. 1 125. 8 110. 3	262. 3 275. 8 139. 8 133. 3 129. 6 108. 2	130. 6 124. 8	239. 5 283. 0 148. 2 113. 1 114. 3 112. 6	223. 6 225. 2 210. 1 120. 4 115. 8 104. 5
			FOU	R M	RKE	TS O	OMBI	NED					
1918 1919 1920 1921 1922 1923 1924	221. 2 223 1 270. 6 122. 9 117. 1 99. 8 126. 2	121. 7 107. 6 102. 7	218. 5 223. 6 246. 6 128. 5 108. 6 109. 5 128. 3	218. 3 229. 8 205. 8 117. 3 113. 4 112. 6 145. 0		220. 6 256. 8 167. 2 113. 8 121. 3 106. 4 166. 4	220. 7 267. 9 172. 4 115. 8 118. 3 111. 4	221. 3 240. 1 163. 2 131. 4 120. 0 112. 7	232. 4 248. 6 154. 3 136. 1 120. 4 112. 6	249. 2 278. 2 135. 3 138. 5 125. 0 111. 0	135. 0 122. 2	277. 0	221. 7 241. 8 193. 3 123. 7 116. 0 108. 5

Division of Statistical and Historical Research. Compiled from daily trade papers of markets named.

29283°-- твк 1924----38

¹ The prices in this table are comparable with farm prices in that the farm prices are averages of the several prices reported which cover all classes and grades sold from the farm.

¹ Average of daily prices weighted by carlot sales.

TABLE 36.—Wheat, Barletta: Average price per bushel of 60 pounds at Buenes 4 Aires, 1912-1924.

Year	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Aver- age
1912 1913	\$1.01 .91	\$1.00 1.00	\$1.00 .93	\$1.03 .99	\$0. 96 . 95	\$0. 99 1. 02	\$0. 99 1. 02				\$0. 96 1. 08	\$0. 92 . 95	\$0.99 1.90
1914 1915 1916 1917 1918 1919	. 95 1. 26 1. 05 1. 65 1. 56 1. 31 1. 65	. 99 1. 42 1. 06 1. 64 1. 55 1. 81 1. 75	. 98 1. 39 . 96 1. 67 1. 58 1. 27 2. 02	. 95 1. 44 . 95 1. 72 1. 59 1. 27 2. 55	1. 01 1. 48 . 85 2. 00 1. 57 1. 33 2. 79	. 99 1. 35 . 83 2. 21 1. 56 1. 34 2. 58	1. 01 1. 33 . 84 2. 23 1. 50 1. 82 2. 85	1. 22 1. 29 1. 06 2. 02 1. 41 1. 94 2. 48	1. 23 1. 31 1. 19 2. 00 1. 42 1. 85 2. 48	11. 12 1, 36 1, 49 2, 02 1, 41 1, 66 2, 58	11. 24 1. 31 1. 74 2. 10 1. 46 1. 71 12. 75	1. 22 1. 20 1. 48 1. 79 1. 49 1 63 1. 86	1. 08 1. 34 1. 12 1. 92 1. 51 1. 54 2. 36
Av. 1914-1920	1. 35	1. 39	1. 41	1. 50	1. 58	1. 55	1. 65	1 62	1.64	1.66	1. 76	1.752	1. 55
1921 1922 1923 1924	1.76 1.04 1.20 .99	1. 58 1. 26 1 22 . 97	1. 62 1. 32 1. 20 . 98	1. 46 1. 30 1. 21 . 99	1. 48 1. 32 1. 17 1. 02	1. 50 1. 22 1. 13 1. 11	1. 45 1. 27 1. 05 1. 30	1. 43 1. 20 1. 00 1. 40	1. 50 1. 16 1 05 1. 43	1. 22 1. 22 1. 09 1. 59	1. 05 1. 20 1. 13 1. 60	1. 05 1. 22 1. 04 1. 61	1. 42 1. 23 1. 12 1. 25

Division of Statistical and Historical Research.

Prices and monthly exchange rates from International Yearbook of Agricultural Statistics, 1922, supplemented by Review of the River Plate. Exchange after July, 1921, from Federal Reserve Bulletin.

Table 37.—Wheat, white: Spot price per bushel of 60 pounds at Karachi, India, 1912-1924.

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Aver- age
1912	\$0.90	\$0. 94	\$0. 94	\$0. 96	\$0. 93	\$0. 89	\$0. 88	\$0. 89	\$0. 88	\$0. 89	\$0. 89	\$0. 89	\$0. 91
1913	.92	. 97	. 97	. 93	. 92	. 90	. 90	. 87	. 87	. 86	. 88	. 88	. 91
1914	. 91 1. 27 1. 09 1. 19 1. 22 1. 82 2. 12	. 93 1. 43 1. 03 1. 14 1. 23 1. 82 2. 09	. 91 1. 22 . 97 1. 13 1. 24 1. 91 1. 91	. 92 1. 21 . 89 1. 12 1. 24 1. 78 1. 90	. 94 1. 07 . 88 1. 04 1. 25 2. 07 1. 74	. 91 1. 02 . 86 1. 05 1. 23 2. 01 1 62	. 90 1. 02 . 95 1. 08 1. 26 2. 06	. 96 1. 06 1. 05 1. 07 1. 31 2. 16	1. 08 1. 12 1. 03 1. 14 1. 41 2. 14 1. 34	1. 09 1. 10 1. 04 1. 13 1. 57 1. 93 1. 36	1. 22 1. 09 1. 10 1. 22 1. 61 2. 04 1. 32	1. 23 1. 07 1. 15 1. 26 1. 63 2. 16 1 22	1. 00 1. 14 1. 00 1. 13 1. 35 1. 99 1. 62
Av. 1914-1920	1. 37	1. 38	1. 33	1. 29	1. 28	1. 2.	1. 25	1. 28	1. 32	1. 32	1. 37	1 39	1. 32
	1. 28	1. 29	1. 26	1. 26	1. 33	1. 31	1. 29	1. 52	1. 86	1. 73	1. 57	1. 60	1. 44
	1. 50	(3)	(2)	(3)	1. 36	1. 36	1. 25	1. 22	1. 11	. 89	. 91	1. 17	1. 20
	1. 20	1. 12	1. 12	1. 17	1. 13	1. 07	1. 03	. 91	. 96	. 97	. 99	1. 01	1. 06
	. 98	. 98	- 99	. 99	1. 04	1. 05	1. 19	1. 30	1. 35	1. 46	1. 47	1. 49	1. 19

Division of Statistical and Historical Research. Compiled from Indian Trade Journal. Converted at par of \$0.3244 per rupee to 1919, and current exchange rate as given by Federal Reserve Bulletins 1919 to date.

Table 38.—Wheat: Average price per bushel of 60 pounds at Port Adelaide, Australia, 1912-1923.

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Aver- age
1912	\$0. 88 . 85	\$0.87 .86	\$0. 88 . 86	\$0. 96 89	\$0.96 .88	\$0. 98 . 87	\$0. 96 . 86	\$0. 96 . 87	\$0.99 .86	\$1.00 .84	\$0.96 .84	\$0. 86 . 84	\$0. 94 86
1914 1915	.86 1.48	. 87 1. 65	. 90 1. 74	.90 1.76	. 92 1. 80	. 93 1. 81	. 93 1. 82	1.00 1.79	1.12 1.78	1. 14	1. 21 1. 05	1 40 1. 23	1 02 1.61
19181 1917 1	1. 13 1. 14	1. 14 1. 14	1. 14 1. 14	1.14 1.14	1. 14 1. 14	1.14	1. 14 1. 14	1.14	1.14 1.14 1.14	1. 14 1. 14 1. 14	1. 14 1. 14 1. 14	1. 14 1. 14	1. 14 1. 14
1918 ¹ 1919 ¹ 1920 ¹	1. 14 1. 14 1. 19	1. 14 1. 19 1. 29	1. 14 1. 18 1. 45	1. 14 1. 16 1. 50	1.14 1.16 1.48	1. 14 1. 15 1. 51	1. 14 1. 11 1. 48	1. 14 1. 07 1. 39	1. 05	1. 15	1. 12	1. 14 1. 13 1. 34	1. 14 1. 13 1. 38
Av. 1914-1920	1. 15	1. 20	1. 24	1. 25	1. 25	1. 26	1. 25	1. 24	1. 25	1. 21	1. 16	1. 22	1. 22
1921 ¹ 1922	1. 69 . 99 1. 18	1.74 1.07 1.14	1.76 1.18 1 12	1.77 1.15 1.18	1. 79 1. 27 1. 17	1.70 1.20 1.12	1. 63 1. 19 1. 04	1. 64 1. 15 . 98	1. 68 1. 14 1. 01	1.74 1.15 1.01	1. 79 1. 15 . 98	1.87 1.17 .94	1. 73 1. 15 1. 07

Division of Statistical and Historical Research. Compiled from Statistical Register of South Australia, 1920-21 to 1922-23.

Barletta is a semihard wheat. No. 1 Rosario wheat. Description "Pan." New crop

¹ First week of month, from Review of the Trade of India.

² Not quoted.

¹The prices from 1916-1921 are those fixed for home consumption, the average prices on the whole transaction of the Wheat Harvest Board during each year being: 1916, \$1.13; 1917, \$1.14; 1918, \$1.14; 1919, \$1.31; 1920, \$1.70; and 1921, \$1.52.

These prices for old wheat; new wheat price; November, \$0.93; December, \$1.02.

WHEAT FLOUR

Table 39.—Flour, wheat: Average wholesale price per barrel at markets named, 1909-1924

MINNEAPOLIS-SPRING PATENTS 1

	·					,							
Year beginning July 1	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	Aver-
1909	\$6. 21	\$5. 89 5. 79	\$5. 14 5. 75	\$5, 29	\$5. 22	\$ 5. 4 8	\$5. 58 5. 28	\$5. 45	\$5. 52	\$5. 38		\$5. 33	\$5. 49
1910	6. 20	5. 79	5. 75	5. 21	5. 03	5. 01	5. 28	4. 91	4. 75	4. 64	4. 89	4.81	5. 19
1911	4. 88 5. 43	4. 88 5. 24	4. 98 4. 69	5. 25 4. 68	5. 05 4. 59	5. 05 4. 18	5. 00 4. 26	5. 10 4. 43	5. 10 4. 43	5. 10 4. 43	5. 43 4. 43	5. 60 4. 63	5. 12 4. 61
1909 1910 1911 1912 1913	4. 66	4. 57	4. 45	4. 88	4. 18	4. 15	4. 26	4. 52	4. 54	4. 51	4. 51	4, 51	4. 43
Av. 1909-1913		5. 27	5. 00	4. 94	4. 81	4. 76	4. 88	4. 88	4 87	4. 81	4. 94	4. 98	4. 97
1914	4. 62	5. 78	6. 02	5. 58	5. 79	6.01	6. 86	7. 54	7. 16	7 61	7. 41	6. 78	6. 43
1915	6.78 5.68	6. 42 7. 69	5. 18 8. 26	5. 23 9. 08	5. 28 9. 56	5. 98 8. 60	6. 23 9. 00	6. 13 8. 4 5	5. 70 9. 44	5. 90 11. 33	5. 79 14. 09	5. 29 13. 08	5. 82 9. 52
1917	12.86	13, 22	11. 15	10.84	10. 24	10. 07	9, 85	10.05	9.89	9. 90	9. 42	9. 89	10.62
1918	10. 45 12. 15	10. 53	10.49	10.44	10.41	10.44	10.42	10.69	11. 22	. 12. 09	12. 52	12.00	10.98
1915	12. 15 14. 12	12. 13 13. 33	11, 54 13, 02	12.03 11.45	13. 20 9. 74	14. 48 9. 28	14 97 9 94	13. 73 9. 38	13. 41 9. 10	14. 69 8. 30	15. 49 9. 04	14. 64 9. 40	13. 54 10. 51
Av. 1914-1920	9. 52	9. 87	9. 37	9. 24	9. 17	9. 27	9 61	9. 42	9. 42	9 97	10. 54	10. 15	9. 63
1921	9.27	8. 34	8. 62	7. 67	7. 39	7. 26	7. 33	8. 17	8. 27	8. 46	8. 32	7. 71	8. 07
1022	9. 27 7. 95	7. 22	6, 68	6. 76	6.88	6.86	7. 33 6. 71	6.72	6 72	7.00	6, 80	6, 85	6.89
1923 1924	6. 21	6.37	6.45	6. 43	6. 21	6. 30	6. 44	6. 51	6 49	6. 56	6. 83	7. 12	6. 49
1924	7.72	7. 69	7. 52	8. 19	8. 22	9. 03							
		ST.	LOUIS	-801	T W	INTE	R PA	TENT	rs :				
1909	\$5. 80	\$4. 92	\$5. 14	\$5. 75	\$5. 68	\$5. 82	\$5. 77	\$5. 80	\$5. 75	\$ 5. 4 0	\$5. 29	\$ 5. 11	\$5. 52
1910	5. 20	4.85	\$5. 14 4. 76	· 4.68	4. 58	4. 58	4. 86	4. 64	4. 52	4. 38 5. 07	4. 39	4. 36	4. 65
1911	4. 17	4. 25	4. 40 4. 54	4. 69	4. 68	4. 62	4. 74	4. 70	4. 72	5. 07	5. 54	5. 43	4. 75
1912 1913	5. 26 4. 12	4. 49 3. 88	3. 98	4. 70 3. 95	4. 67 4. 08	4. 70 4. 14	4. 84 4. 20	4.86 4.11	4. 68 4. 02	4 59 3.85	4. 52 3. 92	4. 45 3. 74	4. 69 4. 00
Av. 1909-1913	4. 91	4. 48	4. 56	4. 75	4. 74	4. 77	4. 88	4. 82	4. 74	4. 66	4. 73	4. 62	4. 72
1914	3. 47	4. 16	5 04	4. 86	4 91	5. 03	6. 18	6. 98	6. 57	6. 65	6. 66	5. 56	5. 51
1915	5 56	4.87	4 83	5 08	5. 18	5. 39	5. 60	5. 79	5. 24	5 32 11. 29	5. 20 13. 91	4. 91 12. 53	5. 25 9. 00
1916	5 24 10 64	6.85 10.78	7. 31 10 36	7.84 10 33	8. 72 10 26	8. 31 10. 28	8. 67 10. 46	8. 44 10. 74	8 83 11. 40	11. 29		10. 72	10.69
1915	10. 25	10. 25	10 25	10. 25	10. 25	10. 25	11. 22	11. 65	10 71	11, 45	11. 41	10. 28	10.68
1919	10.00	10. 13	9. 90	10. 25 9. 95	10. 12	11. 31	12.08	11.49	11. 59	12. 34	13. 93	13. 18	11.40
1920	11. 98	11. 99	12.09	11. 38	10. 13	9. 44	9 73	9. 71	8. 76	7. 10	7 81	7. 98	9.84
Av. 1914-1920	8. 28	8. 43	8. 54	8. 53	8. 51	8. 57	9. 13	9. 26	9. 01	9. 36	9 98	9. 31	8. 91
1921	6 61	6. 63	6.94	6.60	6. 25	6. 25	5. 99	6. 69	7. 05	6. 79	7. 07	6. 48	6. 61
1922	5. 94 5. 59	5. 75 5. 71	5. 86 5 39	6. 29 5. 71	6. 50 5. 75	6. 62 5. 75	6. 50 5. 93	6. 62 5. 94	6. 50 5. 95	6. 66 5. 93	6 53 5, 88	6. 05 6. 08	6. 32 5. 80
1923 1924	6. 60	7. 24	7. 00	7. 86	8. 26	8. 94							
	<u>!</u>		ошо	AGO-	-WIN'	rer :	PATE	NTS			!		
						. 1			l		I	I	Ī
1909	\$6.08	\$5. 07 4. 87	\$4. 72 4. 72	. \$5. 28 4. 57	\$5. 41 4. 40	\$5. 40 4. 41	\$5. 48 4. 53	\$5. 42 4. 31	\$5.48 4.00	\$5. 27 4. 06	\$5.05 4.20	\$4. 75 4. 16	\$5. 28 4. 44
1910	4. 92 4. 08	4. 12	4. 82	4. 64	4. 31	4. 85	4. 40	4. 58	4.58	4. 76	5. 21	5. 17	4. 61
1912	4.86	4.52	4 69	4 52	4. 56	4, 59	4. 62	4. 67	4.50	4. 48	4 48	4. 41	4. 58
1913	4. 25	4. 12	4. 16	4. 21	4. 21	4 22	4. 25	4. 25	4. 25	4. 22	4. 21	4. 24	4. 22
Av. 1909-1913	4.84	4, 54	4. 52	4. 64	4. 64	4. 69	4. 66	4. 65	4. 58	4. 56	4. 63	4. 55	4. 63
1914	3. 80	4. 54	5 36	5. 16	5. 23 5. 23	5. 22 5. 39	6. 28 5. 92	7. 42 6. 11	7. 01 5. 38	7. 18 5. 76	7. 19 5. 54	5. 69 5. 37	5. 84 5. 46
1910	5. 16	5. 24 6. 55	5. 10 7. 30	5. 26 7. 78	8. 82	8. 20	9. 09	8.44	9. 10	11. 20	14. 91	13. 80	9, 20
1917	5. 23 11. 77	12, 25	11.74	10.68	10.38	10. 44	9. 92	8. 44 10. 45	11.00	10 95	10.82	10.88	10.94
1918	10.88	10.68	10. 20	10.08	9. 58	10. 22	10. 55	10. 42	10. 36	11. 44	12, 99	11. 82	10.77
1919	11. 02 12. 98	10. 54 11. 79	10. 80 12. 22	11. 85 11. 00	11. 91 10. 40	13. 00 8. 78	13. 68 10. 19	12. 88 9. 26	12. 08 9. 05	12. 30 7. 91	13. 68 7. 84	13. 42 8. 76	12, 22 10, 02
Av. 1914-1920	8. 69	8. 80	8. 96	8. 76	8. 79	8, 75	9. 38	9. 28	9, 14	9. 53	10. 42	9.96	9, 21
1921	7. 12	7. 00	7. 01	6. 95	6. 51	6. 44	6. 01	6. 97	6. 81	6. 95	7. 54	7. 11	6. 87
1922	6.76	6. 10	6. 24	6.48	6.44	6. 67	6. 89	6. 20	6. 26	6. 19	6.02	5. 80	6. 80
1923	5. 31 6. 23	5. 39 6. 32	5. 75 6. 43	5. 74 7. 20	5. 80 7. 87	5. 80 8. 10	5. 30	5. 58	5. 41	5. 26	5. 52	5. 94	5, 48
1924	0. 23	0. 52	U. 93	1.20	1.01	5. IV							
	'				'				ــــــــــــــــــــــــــــــــــــــ			·	

Compiled from the Minneapolis Daily Market Record.
 Compiled from St Louis Annual Statements of Trade and Commerce and St. Louis Market Reporter.
 Compiled from Chicago Board of Trade and Daily Trade Bulletin.

Table 39.—Flour, wheat: Average wholesale price per barrel at markets named, 1909 to 1924—Continued

CHICAGO-SPRING PATENTS !

				100-	21 121	101.	A I DI	10.					
Year beginning July 1	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	Aver- age
1909 1910 1911 1911 1912	5. 53 6. 10 4. 89	6. 65 5. 83 5. 79	6. 37 5. 89 5. 65	\$5. 92 6. 31 6. 12 5. 36 4. 62	\$6. 13 6. 18 5. 95 5. 14 4. 58	\$6. 45 6. 28 5. 80 4. 84 4. 65	\$6. 41 6. 42 5. 82 4. 60 4. 68	\$6. 35 6. 05 5. 86 4. 66 4. 80	5, 56 5, 80 4, 64	\$6. 28 5. 36 5. 88 4. 71 4. 71	\$6. 27 5. 62 6. 38 4. 88 4. 74	\$6. 18 5. 44 6. 40 4. 81 4. 72	\$6. 21 6. 08 5. 94 5. 10 4. 73
Av. 1909-1913	I	5. 78	5. 74	5, 67	5. 60	5. 60	5. 59	5. 54	5, 46	5. 39	5. 58	5. 51	5. 61
1914	4. 58 6. 66 5. 96 12. 53 10. 65 11. 62 13. 35	6. 76 7. 63 13. 08 11. 00 12. 25	5. 40 8. 15 11. 46 10. 62 11. 40	5. 71 5. 60 9. 84 10. 89 10. 40 11. 52 11. 75	5. 79 5. 69 9. 79 10. 55 9. 58 13. 00 10. 75	5. 90 5. 84 9. 02 10. 45 10. 50 13. 95 8. 32	6. 97 6. 51 9. 54 10. 08 10. 42 13. 88 10. 00	7. 62 6. 74 9. 01 10. 75 10. 28 14. 42 8. 82	11.25	7. 62 6. 16 12. 02 11. 50 11. 45 13. 75 8. 48	11. 15 13. 10	6. 62 5. 99 17. 46 10. 88 11. 25 14 50 9. 60	6. 49 6. 11 10. 29 11. 21 10. 79 13. 24 10. 31
Av. 1914-1920	9. 34	9. 91	9. 38	9. 39	9. 81	9. 14	9. 63	9. 66	9. 49	10. 14	11.05	10. 90	9. 78
1921 1922 1923 1924	8. 82 7. 73 5. 80 7. 08	9. 00 7. 25 5. 97 7. 09	6.15	7. 75 6. 86 6. 18 7. 75	7. 38 6. 78 5. 99 7. 83	7. 32 7. 00 5. 95 8. 50	6. 78 6. 85 5. 98	7. 84 6. 68 6. 39	7. 55 6. 68 6. 25	7. 60 6. 64 6. 12		7. 65 6 22 6. 68	7. 82 6. 86 6. 14
		NI	CW Y	ORK-	-WIN	rer :	PATE	NTS 4					
1909	\$6. 52 5. 44 4. 68 5. 79 5. 58	\$6. 28 5. 36 4. 67 5. 28 5. 42	\$5. 43 5. 07 4. 71 5. 34 4. 89	\$5. 77 4. 92 4. 90 5. 33 4. 91	\$5. 78 4. 81 4. 90 5. 33 4. 90	\$5. 74 4. 88 4. 90 5. 33 4. 90	\$5. 96 5. 02 4. 96 5. 55 4. 92	\$5. 95 4. 92 5. 06 5. 75 4. 97	\$5. 96 4. 78 5. 08 5. 44 5. 00	\$5. 82 4. 63 5. 32 5. 50 4. 88	\$5. 74 4. 67 6. 00 5. 50 5. 00	\$5. 40 4. 65 6. 00 5. 54 4. 98	\$5, 86 4, 93 5, 10 5, 47 5, 03
Av. 1909-1913	5. 60	5 40	5. 09	5. 17	5. 14	5. 15	5. 28	5. 33	5. 25	5. 23	5. 38	5. 31	5. 28
1914	11. 35	5. 22 6. 62 7. 34 11. 12 10. 71 10. 53 11. 20	5. 81 5. 68 7. 86 10. 94 10. 40 10. 52 11. 22	5. 80 5. 89 8. 30 10. 64 10. 28 10. 22 10. 14	5. 80 5. 90 8. 90 10. 51 10. 25 10. 18 9. 38	5. 86 6. 20 . 60 10. '5 10. 53 10. 68 8. 82	6. 79 6. 70 9. 09 10. 44 10. 48 10. 99 8 87	7. 88 6. 62 8. 87 10. 43 10. 25 10. 98 8. 36	7. 56 6. 28 9. 53 10. 91 10. 55 10. 91 8. 15	7. 39 6. 24 11. 41 11. 00 11. 40 11. 47 7. 00	7. 55 5 91 14. 57 10. 98 11. 38 12. 90 7. 09	6. 64 5. 48 12. 98 10. 98 11. 19 13. 67 7. 39	6. 43 6. 17 9. 42 10. 84 10. 73 11. 18 9. 17
Av. 1914-1920	9.09	8. 96	8. 92	8.75	8. 70	8. 73	9. 05	9. 06	9. 13	9. 42	10. 05	9. 76	9. 13
1921 1922 1923 1924	6. 50 7. 10 5. 69 7 24	6. 24 6. 49 5. 93 7 17	6. 32 6. 57 6. 31 7. 17	6. 02 6. 76 6. 33 7. 97	5. 73 6. 98 6. 20 8. 26	5. 68 6. 79 6. 18 8. 87	6. 00 6. 67 6. 19	6. 66 6. 63 6. 16	6. 99 6. 56 6. 26	6. 57 6. 72 6. 25	6. 32 6. 45 6. 47	5. 93 6. 34 6. 81	6. 25 6. 67 6. 28
		N	EW Y	ork-	-spri	NG P	ATE	1T8 ·					
1909 1910 1911 1912 1918	\$6. 45 6. 05 5. 13 5. 51 4. 98	\$6. 31 5. 78 5. 36 5. 37 4. 98	\$5. 62 5. 71 5. 44 5. 11 4. 75	\$5. 51 5. 52 5. 42 4. 87 4. 50	\$5. 56 5. 33 5. 45 4. 80 4. 52	\$5. 63 5. 40 5. 22 4. 60 4. 56	\$5. 80 5. 46 5. 42 4. 66 4. 61	\$5. 76 5. 25 5. 43 4. 70 4. 76	\$5, 82 5, 08 5, 40 4, 80 4, 90	\$5, 66 5, 02 5, 54 4, 66 4, 66	\$5. 62 5. 23 5. 88 4. 89 4. 72	\$5. 42 5. 10 5. 73 4. 95 4. 79	\$5. 76 5. 41 5. 45 4. 91 4. 73
Av. 1909-1913	5. 62	5. 56	5. 33	5. 16	5. 13	5. 08	5. 19	5. 18	5. 20	5 11	5, 27	5. 20	5. 25
1914	4. 59 6. 82 6. 09 12. 32 11. 41 12. 12 13. 93	5. 78 6. 91 7. 80 12. 46 11. 26 12. 35 13. 06	6. 09 6. 44 8. 36 11. 69 11. 07 11. 73 12. 82	5. 78 5. 58 8. 94 11. 31 10. 92 12. 20 11. 34	5. 83 5. 62 9. 69 10. 93 10. 82 13. 11 9. 77	6. 02 6. 10 8. 99 10. 86 10. 90 14. 25 9. 12	7. 03 6. 69 9. 49 10. 68 10. 64 14. 49 9. 58	7. 78 6. 64 9. 06 10. 63 10. 69 13. 25 8. 98	7. 41 5. 99 9. 80 10. 94 11. 27 13. 07 8. 82	7. 63 6. 32 11. 66 11. 00 12. 09 13. 88 8. 12	7. 79 6. 27 14. 99 10. 98 12. 51 14. 83 8. 61	6. 50 5. 78 13. 68 10. 98 11. 93 14. 20 9. 07	6. 52 6. 26 9. 88 11 23 11. 29 13. 29 10. 27
Av. 1914-1920	9. 61	9. 95	9. 74	9. 44	9. 40	9. 46	9. 79	9. 58	9. 61	10. 10	10. 85	10. 31	9. 82
1921	9. 08 7. 69 6. 07 7. 52	8. 48 7. 00 6. 38 7. 48	8. 31 6. 64 6. 40 7. 28	7. 50 6. 85 6. 36 7. 98	6. 97 6. 99 6. 17 8. 08	6. 94 6. 93 6. 20 8. 61	6. 85 6. 68 6. 23	8. 05 6. 62 6. 50	7. 95 6. 56 6. 39	7. 96 6. 79 6. 26	8. 18 6. 68 6. 46	7. 63 6. 87 6. 84	7. 82 6. 82 6. 36

Compiled from Chicago Board of Trade and Daily Trade Bulletin.
 Compiled from New York Journal of Commerce.

TIBLE 39.—Flour, wheat: Average wholesale price per barrel at markets named, 1909 to 1924—Continued

KANSAS CITY-HARD WINTER PATENTS 6

Year beginning July 1	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar	Apr.	Мау	June	Aver- age
1909 1910 1911	\$5, 42 4, 85 4, 06	4. 70 4. 19	4. 70 4. 30	4. 54 4. 65	4. 46 4. 60	4. 46 4. 54	4. 52 4. 80	4. 30 4. 72	4. 20 4. 69	4. 05 4. 79	4. 26 4. 90	4. 18 4. 90	4. 44
1912 1913	4. 50 4. 10	4. 10 4. 07	4. 10 4. 19					3. 94 3. 95		3. 99 4. 00			
Av. 1909-1913	4. 50	4. 36	4. 39	4. 42	4. 32	4. 32	4. 39	4. 34	4. 32	4. 33	4. 40	4. 36	4. 38
1914 1915 1916	3. 58 5. 58 5. 14	5. 38	4. 91	4.90	4.98	5. 19 5. 18 8. 02	6. 24 5. 75 8. 82	7. 02 5 74 8. 38	5, 12	6. 80 5. 20 11. 91			5. 65 5. 22 9. 19
1917 1918 1919	11. 95 10. 59 11. 11	12. 41 10 27	10. 74 10. 15	10. 50 10. 14	10. 31 10. 25	·10 02 9. 93	10. 10 9. 83	10. 25 10 06 12. 64	10. 31 10. 49	10.31 11 94 13.09	10 38 12 99	10. 38	10. 64 10. 72 12. 46
1920	12 98						9 06			7. 54			
Av. 1914-1920	8. 70						9. 13			9 54			
1921 1922 1923 1924	7. 15 6. 71 5. 39 6. 97	6. 61 6. 02 5. 59 7. 08	7. 08 6. 00 5. 66 7. 09	5.89		6. 40 5. 68	6. 13 6. 20 5. 87	6. 85 6. 20 5. 94	7. 14 6. 20 5 96	7. 28 6. 33 5. 88	6, 21	5 72	6. 21

Division of Statistical and Historical Research

Table 40.—Flour (wheat): Retail price per pound in cities listed and average for the United States, 1913-1924

NEW YORK

Year	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Sept.	Oct.	Nov. 15	Dec. 15	Aver- age
1913	Cents 3. 3	Cents 3 2	Cents 3. 2	Cents 3. 2	Cents 3. 2	Cents 3 3	Cents 3 3	Cents 3 3	Cents 3 2	Cents 8 2	Cents 3. 2	Cents 3 2	Cents 3 2
1914 1915 1916 1917 1918 1919	3. 2 4. 0 4. 0 5. 6 7. 0 6. 8 8. 5	3. 2 4. 6 4. 1 5. 7 7. 1 6. 8 8. 8	3. 2 4. 5 3. 9 5. 7 7. 8 7. 0 8. 6	3. 2 4. 6 3. 9 6. 9 7. 0 7. 3 8 7	3 2 4.7 3.9 9.2 7.1 7.8 9.3	3. 2 4 4 3. 9 8. 3 7. 2 7. 8 9. 7	8 2 4, 3 3. 8 7 6 7. 2 7. 8 9. 8	3.6 4.3 4.6 7.9 7.4 7.8 9.5	3.8 4 0 5 0 7.9 7.3 7 7 9.0	3. 7 3. 7 5. 3 7. 8 7. 3 7. 5 8. 3	3 6 3 6 5.8 7 7 7.1 7.7 7.3	3.7 3.7 5.5 7.6 6.9 8.1 6.6	3. 4 4. 2 4. 5 7. 3 7. 2 7. 5 8. 7
Average, 1914-1920	5. 6	58	5.8	59	6, 5	6 4	6. 2	6. 4	6 4	6. 2	6 1	60	6. 1
1921 1922 1923 1924	6 7 5.0 4.9 4 7	6. 4 5. 1 4. 9 4. 7	6. 4 5. 4 4. 9 4. 7	6. 0 5. 4 4. 9 4. 7	5. 6 5. 4 4. 9 4. 8	6. 0 5. 5 4. 9 4. 8	6. 1 5. 4 4. 9 5. 0	6. 1 5. 4 4. 7 5. 1	5. 8 5. 0 4. 5 5. 4	5. 5 5 0 4. 6 5 4	5. 0 4. 9 4. 5 5 5	5. 0 4. 9 4 7 5 6	5. 9 5. 2 4. 8 5. 0
					CHIC	AGO							
1913	2 8	2. 8	2.7	2.7	2.8	2. 8	2. 9	2.9	2. 9	2. 9	2. 9	2.9	2. 8
1914	2 9 3. 6 3. 5 5. 1 6. 1 6. 1 7. 9	2.9 3.9 3.7 5.1 6.3 6.2 7.8	2.9 4.0 3.6 5.3 6.4 6.4 7.7	2. 9 4. 2 8. 5 6. 4 6. 2 6. 8 8. 0	2.9 4.4 3.5 8.2 6.4 7.4 8.7	2. 9 4. 0 3. 5 7. 8 6. 3 7. 2 8. 5	2. 9 3. 8 3. 5 7. 0 6. 5 7. 2 8. 3	3. 3 3. 8 3. 9 7. 2 6. 5 7. 2 7. 8	3. 4 8. 5 4. 5 6. 9 6. 5 7. 1 7. 6	3. 4 8. 4 4. 9 6. 6 6. 4 7. 1 7. 0	8. 4 3. 3 5. 2 6. 4 6. 3 7. 3 6. 2	3 4 3.4 5.1 6.1 6.3 7.7 5.5	8. 1 8. 8 4. 0 6. 5 6. 4 7. 0 7. 6
Average, 1914–1920	5. 0	5. 1	5. 2	5. 4	5. 9	5. 7	5. 6	5. 7	5. 6	5. 5	5.4	5.4	8.5
1921 1922 1923 1924	5.8 4.4 4.2 4.0	5. 5 4. 7 4. 2 4. 1	8.6 4.9 4.1 4.1	5.3 4.9 4.1 4.1	5.2 4.9 4.1 4.1	5. 4 4. 8 4. 2 4. 2	5.3 4.8 4.0 4.4	5.4 4.7 4.0 4.6	5.1 4.3 4.1 4.7	4.9 4.2 4.1 4.8	4.5 4.2 4.1 4.9	4.4 4.3 4.1 5.1	5.2 4.6 4.1 4.4

⁶ Compiled from Northwestern Miller, Kansas City Daily Price Current, and Kansas City Grain Market Review.

TABLE 40.—Flour (wheat): Retail price per pound in cities listed and average for the United States, 1913-1924—Continued

MINNEAPOLIS

				M	NNE.	APOL	18						
Year	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Sept.	Oct.	Nov. 15	Dec. 15	Aver-
1918	Cents 2.8	Cents 2.9	Cents 2, 9	Cents 2.9	Cents 2, 9	Cents 3.0	Cents 8.0	Cents 3.0	Cents 8.0	Cents 2.8	Cents 2.8	Cents 2.8	Cents 2.9
1914 1915 1916 1917 1918	8.7 5.8 5.8	2.9 4.5 3.9 5.1 5.9 6.2	8.0 4.4 8.6 5.4 6.0 6.4	2, 9 4, 4 8, 6 6, 3 6, 8 6, 9	3.0 4.5 3.6 8.1 5.8 7.2	3. 0 4. 0 8. 5 7. 6 5. 9 7. 2	2.9 4.0 8.5 6.7 6.8	8.4 8.9 4.4 7.3 6.8 7.2	3.6 3.4 4.7 6.3 6.3 7.1	3.6 3.3 5.0 6.1 6.3 7.2	3. 5 3. 4 5. 5 5. 9 6. 2 7. 4	8.6 8.6 5.2 5.8 6.2	3. 2 4. 0 4. 2 6. 3 6. 1
1919	8. 5	8. 2	8.0	8. 3	9.0	8.6	7.2 8.2	7.8	7.7	7.0	6.1	8.1 5.7	7.0
Average, 1914–1920 1921	6. 1 4. 7 4. 6	5.2 5.7 5.1 4.7 4.8	5.3 5.7 5.8 4.6 4.3	5. 4 5. 3 4. 6 4. 4	5. 5 5. 3 4. 6 4. 5	5.7 5.9 5.1 4.5 4.7	5. 5 5. 9 5. 8 4. 4 4. 9	5.8 5.6 5.0 4.4 5.1	5. 6 5. 5 4. 6 4. 8 5. 0	5. 5 4. 5 4. 4 5. 1	5.4 4.9 4.6 4.2 5.2	5.5 4.9 4.7 4.8 5.4	5. 5 5. 5 5. 0 4. 5 4. 8
1	UNIT	ED S	TATE	8 (A)	ERA	GE O	F LE	ADIN	G OI	TIES)			
1913	3. 3	3. 3	3. 3	3. 3	3. 8	3. 3	3. 3	3. 3	8. 8	3. 3	3. 8	8, 3	3. 3
1914	4. 1 8. 9 5. 6 6. 6	3. 3 4. 5 4. 1 5. 6 6. 6 6. 7 8. 1	3.3 4.5 4.0 5.8 6.6 6.8 8.0	3.3 4.5 3.9 6.8 6.6 7.2 8.1	3.3 4.6 3.9 8.8 6.6 7.5 8.7	3. 8 4. 3 3. 9 8. 1 6. 7 7. 5 8. 8	3.2 4.1 3.8 7.3 6.7 7.5 8.7	3.5 4.1 4.4 7.6 6.8 7.4 8.4	3.7 3.9 4.9 7.4 6.8 7.3 8.3	3.7 3.7 5.1 7.1 6.7 7.3 7.8	3.7 3.7 5.7 6.9 6.7 7.4 7.3	3.7 3.8 5.5 6.8 6.7 7.7 6.6	3.4 4.2 4.4 7.0 6.7 7.2 8.1
Average, 1914-1920	5. 4	5. 6	5. 6	5.8	6. 2	6. 1	5. 9	6.0	6.0	5. 9	5. 9	5.8	5 9
1921 1922 1923 1924	4. 9	6. 5 5. 1 4. 9 4. 6	6. 4 5. 8 4. 8 4. 6	5. 9 5. 3 4. 9 4. 6	5. 7 5. 3 4. 8 4. 6	5.9 5.3 4.8 4.6	5.8 5.2 4.7 4.8	5. 7 5. 1 4. 5 5. 1	5.6 4.9 4.5 5.1	5. 4 4. 8 4. 6 5. 3	5. 1 4. 8 4. 6 5. 4	5.0 4.9 4.5 5.6	5. 8 5. 1 4. 7 4. 9

Division of Statistical and Historical Research. Compiled from Bureau of Labor Statistics reports.

TABLE 41.—Bread: Average retail pric. per pound (baked weight), 1913-1924

NEW YOA: K

Year	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug.	Sept.	Oct. 15	Nov. 15	Dec. 15	Aver-
1913	Cents 6. 0	Cents 6. 0	Cents 6. 0	Cents 6. 0	Cents 6. 0	Cents 6. 2	Cents 6. 4	Cents 6. 1	Cents 6. 0	Cents 6. 0	Cents 6. 0	Cents 6. 1	Cents 6. 1
1914	6. 6 8. 0 9. 1	6. 1 7. 2 6. 8 8. 1 8. 9	6. 2 6. 6 6. 6 8. 7 8. 9	6. 1 6. 6 6. 6 8. 9 10. 0	6. 1 6. 6 6. 6 9. 8 10. 0	6. 1 6. 8 6. 6 9. 9 9. 9	6. 1 6. 9 6. 6 9. 9 10. 0	6. 4 6. 9 6. 6 9. 9 9. 9	6. 2 6. 6 7. 1 9. 9 9. 9	6. 2 6. 6 7. 7 9. 9 10. 0	6. 3 6. 6 7. 8 9. 9 9. 9	6. 3 6. 6 8. 1 8. 8 9. 9	6, 2 6, 7 7, 0 9, 3 9, 7
1919 1920 Av. 1914–1920	10. 0 10. 5 8. 1	10. 0 11. 1 8. 3	10 0 11.1 8.3	10. 0 11. 6 8. 5	10. 0 11. 8 8. 7	10. 0 11. 9 8. 7	10.0 11.9 8.8	10.0 11.9 8.8	10. 0 11. 9 8. 8	10. 0 11. 9 8. 9	10. 0 11. 9 8. 9	10. 0 11. 6 8. 8	10.0 11.6 8.6
1921 1922 1923	11. 0 9. 8 9 7	10. 7 9. 0 9. 7	10. 8 8. 9 9. 7	10. 6 8. 9 9. 6	9. 9 8. 9 9. 6	10. 0 9. 7 9. 6	10. 1 9. 7 9. 6	10. 2 9. 7 9. 6	10. 1 9. 8 9. 6	10. 1 9. 8 9. 6	10. 0 9. 8 9. 6	9. 9 9. 7 9. 6	10. 3 9. 5 9. 6
1924	9.4	9.4	9. 5	9. 5	9.5 CHIC	9. 8 A.G-O	9.5	9.5	9.5	9. 5	9.5	9.5	9. 5
1913	6. 1 6. 4 6. 5 8. 1 9. 2 10. 2 10. 6	6. 1 7. 2 6. 5 8. 2 9. 6 10. 2 11. 6	6.1 7.2 6.5 8.2 10.1 10.2 11.6	6. 1 6. 5 6. 5 8. 6 10. 2 10. 0 11. 6	6. 1 6. 5 6. 6 9. 6 10. 2 10. 0 12. 8	6. 1 6. 5 6. 6 10. 5 10. 2 10. 0 12.	6. 1 6. 1 6. 5 6. 6 10. 5 10. 2 10. 0 12. 4	6. 1 6. 5 6. 6 10. 5 10. 2 10. 0 12. 4	6.1 6.2 6.5 6.6 10.5 10.2 10.0 12.4	6. 1 6. 2 6. 5 7. 8 10. 5 10. 2 10. 7 12. 4	6. 1 6. 2 6. 5 7. 9 10. 1 10. 2 10. 6 12. 4	6. 1 6. 3 6. 5 8. 0 9. 0 10. 2 10. 7 11. 5	6. 1 6. 6 6. 8 9. 5 10. 1 10. 2 12. 0
Av. 1914-1920	8.2	8.5	8.6	8.5	8.8	9.9	8.9	9.8	8.9	9.1	9.1	8,9	8.8

Table 41.—Bread: Average retail price per pound (baked weight), 1913-1914—Continued

MINNEAPOLIS

Year	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Sept.	Oct. 15	Nov. 15	Dec. 15	A ver- age
1918	Cents 5. 7 5. 6 6. 1 6. 3 8. 0 8. 8 9. 2	Cents 5. 7 5. 6 6. 4 6. 4 8. 0 8. 8 9. 2	Cents 5. 6 6. 4 6. 4 8. 0 9. 1 9. 2	Cents 5. 6 5. 6 6. 5 6. 4 8. 0 9. 1 9. 2	Cents 5. 6 5. 6 6. 5 6. 4 9. 3 9. 0 9. 2	Cents 5. 6 5. 6 6. 5 6. 4 10. 5 9. 0 9. 6	Cents 5. 6 5. 6 6. 5 6. 5 10. 5 8. 8 9. 6	Cents 5. 6 5. 6 6. 5 6. 5 10. 6 8. 8 9. 6	Cents 5. 6 6. 5 7. 4 10. 5 8. 8 9. 6	Cents 5. 6 5. 9 6. 3 7. 4 10. 4 8. 8 9. 6	Cents 5. 6 6. 0 6. 3 7. 5 10. 5 8. 8 9. 6	Cents 5. 6 6. 0 6. 3 7. 9 9. 7 8. 8 9. 8	Cents 5. 6 5. 7 6. 4 6. 8 9. 5 8. 9 9. 4
1920	10 6	10. 5	10. 4	10. 4	10. 4	11. 1	11. 1	11. ĭ	11. 1	11.1	10. 3	10. 3	10.7
Av. 1914-1920	7.8	7.8	7.9	7.9	8.1	8.4	8. 4	8.4	8. 5	8. 5	8.4	8.4	8. 2
1921 1922 1923 1924	10. 3 8. 4 9. 0 9. 0	10. 8 8. 4 9. 0 9. 0	8. 4 9. 0 8. 9	10. 3 8. 8 9. 0 8. 9	9. 6 8. 9 9. 0 8. 9	9. 6 9. 0 9. 0 8. 9	9. 6 9. 0 9. 0 8. 9	9. 6 9. 0 9. 0 8. 9	8. 6 9. 0 9. 0 8. 9	8. 6 9. 0 9. 0 8. 9	8. 4 9. 0 9. 0 8. 9	8. 4 9. 0 9. 0 9. 0	9. 5 8. 8 9. 0 8. 9

1913	5.6	5. 6	5. 6	b. 6	5. 6	5. 6	5.6	5.6	5. 6	5. 6	5.6	5.6	5. 6
1914	6. 2	6. 2	6. 2	6. 2	6. 2	6. 2	6. 2	6.3	6. 4	6. 4	6. 4	6. 5	6.3
1915	6.8	7. 1	7. 1	7. 1	7 2	7. 2	7.1	7. 1	7.0	70	6. 9	6.9	7.0
1916	6.9	7.0	7.0	7.0	7.0	7.0	7.0	7. 1	7.7	8.1	8 4	7.8	7.8
1917	79	80	8. 1	8.4	9.5	9.6	9.9	10. 2	9.9	9.9	9. 9	9.3	9. 2
1918	9.4	9. 5	9.6	9.8	9. 9	10. 0	10 0	9.9	9 9	9.8	9.8	9.8	9.8
1919	9.8	9.8	9.8	9.8	9.8	9. 9	10.0	10. 1	10. I	10. 1	10. 2	10. 2	10.0
1920	10 9	11. 1	11. 2	11.2	11.5	11.8	11 9	11.9	11 9	11.8	11 6	10.8	11.5
Av. 1914-1920	8 3	8 4	8.4	8. 5	8.7	8.8	8.9	8 9	9. 0	9 0	9 0	8 8	8.7
1921	10 8	10.6	10. 5	10. 3	8.9	9.8	9.7	9.7	9. 6	9. 5	9. 3	9. 1	9. 9
1922	8 8.	8 6	8 7	8.7	8.8	8.8	8.8	8 7	8.7	8.7	8.7	8.6	8.7
1923	8 7	8 7	8 7	8 7	8.7	8.7	8.8	8.7	8.7	8.7	8.7	8.7	8.7
1924	8.7	8.7	8. 7	8.7	8. 7	8. 7	8.7	8.8	8 8	8.8	89	8.9	8.8

Division of Statistical and Historical Research. Compiled from Bureau of Labor Statistics reports.

Table 42.—Bran, wheat: Average price per ton at Minneapolis, 1916-1924

Year	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Aver-
1916		32. 55 32. 50 42. 83 42. 68 21. 44 24. 75	34, 20 32, 85 38, 09 46, 69 21, 64 23, 85 28, 44	38. 54 33. 04 39. 78 50. 26 16. 41 22. 29 27. 38	33, 77 31, 27 37, 39 53, 25 15, 97 20, 91 27, 10	26 97 30 74 34. 20 50. 78 14. 80 15. 35 20. 94	32. 15 26. 00 37. 41 47. 83 14. 06 15. 31 19. 75	31. 83 29. 31 40. 38	30. 28 29. 06 37. 49 38. 42 12. 97 16. 88 27. 62	30 55 28. 45 36. 82 30. 63 12. 15 21. 81 28 10	22. 65	38. 02 33. 49 41. 50 28 23 20. 63 24. 14 24. 78	32. 59 30. 58 39. 26 42. 04 17. 06 20. 25

Division of Statistical and Historical Research. Compiled from Minneapolis Daily Market Reford, average of daily range.

Table 43.—Bran: Price per ton paid by farmers, United States, 1910-1924.

Year	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Sept.	Oct. 15	Nov.	Dec. 15
1910	\$26. 20	\$27. 00	\$27. 03	\$26. 58	\$26. 10	\$25. 37	\$25. 22	\$25. 19	\$24. 95	\$24. 56	\$24. 45	\$24. 6
1911.	24. 92	25. 27	24. 94	25. 48	25. 93	25. 87	25. 80	25. 92	26. 09	26. 52	26. 72	26. 9
1912.	27. 39	28. 62	29. 16	29. 73	30. 18	29. 35	28. 41	27. 41	26. 82	26. 58	25. 66	25. 1
1918.	25. 24	25. 32	24. 96	24. 69	24. 59	24. 67	24. 65	25. 10	26. 59	26. 52	26. 47	26. 4
1914.	26. 53	26. 91	27. 58	28. 50	28. 08	27. 75	26. 36	27. 24	27. 86	26. 71	26. 40	26. 7
1915.	27. 91	28. 96	28. 23	28. 28	28. 41	27. 68	27. 47	27. 22	26. 47	25. 81	25. 42	25. 5
1916.	25 93	26. 23	26. 05	25. 97	25. 97	26. 13	25. 81	26. 53	27. 50	28. 48	31. 54	32. 4
1917.	32. 76	34. 87	38. 33	42. 07	44. 19	40. 83	40. 40	43. 16	39. 46	39. 23	39. 42	42. 5
1918	41. 32	42. 07	42. 62	42. 82	42. 41	42. 30	40. 69	89. 63	89. 54	39. 38	39. 22	38. 9
1919	49. 78	49. 95	47. 93	48. 24	48. 66	47. 54	47, 14	49. 28	49. 58	47. 70	48. 32	48. 7
1920	50. 23	51. 18	51. 95	55. 26	58. 69	59. 53	59, 91	56. 62	55. 05	48. 43	44. 69	41. 6
1921	89. 74	36. 77	35. 18	82. 15	29. 71	29. 35	26, 83	26. 25	25. 81	24. 22	23. 60	26. 1
1922 1923 1924	28. 08 32. 53 34. 67	29, 90 83, 58 34, 40	82. 09 85. 48 84. 02	81. 94 85. 86 83. 41	31. 81 36. 44 32. 82	30. 22 35. 32 31. 59	28. 29 33. 27 31. 61	27. 24 81. 31 32. 81	26. 24 32. 60 33. 02	28. 25 84. 84 33. 40	30. 78 35. 19 34. 02	31. 34.

Division of Crop and Livestock Estimates. As reported monthly by country dealers.

Table 44.—Middlings, wheat: Average price per ton at Minneapolis, 1816-1924

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Aver-
1916 1917 1918 1919 1920 1921 1922 1922 1928		32. 55 84. 50 44. 14 47. 28 20. 91 24. 76	34. 20 34. 85 38. 56 51. 57 20. 86 25. 54 28. 31	39. 56 35. 04 40. 74 54. 88 15. 38	36. 15 83. 27 44. 81 57. 77 15. 29 21. 20 28. 70	42. 90 56. 06 14. 83 17. 18 25. 25	41. 90 27. 61 47. 22 54. 22 14. 07 17. 30 24. 78	41. 78 31. 00 53. 06 52. 56 14. 64 16. 24 25. 48	35. 09 30. 90 51. 46 45. 65 13. 97 18. 07 28. 16	36. 25 30. 77 44. 44 30. 62 13. 16 23. 06 28. 10	37. 40 80. 09 41. 22 28. 86 15. 85 23. 23	89. 05 36. 27 43. 13 23. 94 20. 73 23. 71 23. 80	36. 34 32. 62 45. 04 45. 62 16. 89 21. 16

Division of Statistical and Historical Research. Compiled from Minneapolis Daily Market Record, average of daily range.

RYE

TAB LE 45.—Rye: Acreage, production, and total farm value, by States, 1922-1924

State	Thou	isands of	acres	Produc	tion, the	usands s	Total v price dolla		
	1922	1923	1924 1	1922	1923	1924 1	1922	1923	1924 1
Massachusetts Connecticut New York New Jersey Pennsylvania	3	3	3	57	54	60	80	73	87
	5	5	4	100	90	72	150	112	101
	55	58	55	880	945	935	854	860	1,057
	61	65	65	1, 159	1, 157	1, 138	985	1, 088	1,286
	220	215	204	3, 740	3, 655	8, 264	3, 254	3, 326	3,688
Delaware Maryland Virginia West Virginia North Carolina.	6	6	6	85	86	81	89	83	101
	17	17	20	258	269	300	284	261	366
	40	42	44	460	504	537	414	539	687
	10	10	10	120	100	112	114	103	144
	60	75	71	480	780	852	576	1,053	1, 269
South Carolina	6	7	7	60	74	82	108	128	156
	18	20	20	171	180	184	231	342	337
	87	84	80	1, 235	1, 302	1, 280	1, 025	1, 016	1, 421
	350	299	263	4, 200	4, 186	3, 682	3, 318	3, 056	3, 908
	256	230	172	4, 096	3, 450	2, 580	3, 072	2, 588	2, 761
Michigan Wisconsin Minnesola Lowa Missouri	642	467	364	8, 218	6, 538	6, 006	6, 246	4, 054	6, 366
	489	342	321	7, 139	5, 062	5, 457	5, 140	3, 290	5, 948
	1, 154	912	620	21, 926	12, 312	11, 780	14, 910	6, 525	12, 722
	55	51	48	1, 084	898	864	759	593	881
	28	26	20	336	325	270	312	286	284
North Dakota	1, 800	1, 320	990	28, 980	10, 296	18, 860	17, 388	4, 942	14, 414
	506	304	219	9, 108	3, 496	2, 956	5, 283	1, 713	3, 015
	188	132	132	2, 106	1, 584	1, 914	1, 369	887	1, 857
	71	41	40	788	348	568	552	261	557
	20	20	16	230	234	176	253	241	224
Tennessee	20	20	18	180	200	198	214	232	273
	1	1	1	5	12	10	8	19	16
	13	17	17	117	204	272	146	200	302
	35	87	37	350	444	518	280	400	528
	1	1	1	12	9	11	12	11	14
Montana	240	156	125	3, 360	1, 716	1, 750	1, 814	875	1, 592
	35	24	24	490	812	284	255	206	232
	97	77	74	873	924	740	576	517	629
	2	2	2	10	24	40	10	22	40
Utah	12	11	11	120	125	99	72	112	106
	13	14	14	195	266	154	131	181	188
	19	23	20	190	861	100	180	260	183
	37	37	35	444	555	280	377	516	881
United States	6, 672	5, 171	4, 178	103, 362	63, 077	63, 446	70, 841	40, 971	68, 061

Division of Crop and Livestock Estimates.

¹ Preliminary.

Table 46.—Rys: Acreage, production, value, exports, etc., in the United States, 1909–1924

	A creage	A verage		Aver- age farm	Farm	Value	Chic	ago car bushel	h pric	e per	Domestic exports including
Year	har- vested	yield per acre	Produc- tion	price per bushel	value Dec. 1	per acre 1	Dece	mber	Follo M	wing ay	rye flour, fiscal year beginning
				Dec. 1			Low	High	Low	High	July 1
	1,000	Bush.of	1,000	1	1,000						
	acres :	56 lbs.	bushels	Cents	dollars	Dollars	Cts.	Cts.	Cts.	Cts.	Bushels
1909	2,196	16.1	35, 406	72.2	25, 548	11.68	72	80	74	80	242, 262
1910	2, 185	16.0	34, 897	71.5	24, 953	11.42	80	82	90	113	40, 123
1911	2, 127	15.6	83, 119	83. 2	27, 557	12.96	91	94	90	951	31, 384
1912	2, 117	16.8	35, 664	66. 3	23, 636	11.16	58	64	60	64	1, 854, 738
1918	2, 557	16. 2	41, 381	63. 4	26, 220	10. 25	61	65	62	67	2, 272, 492
Av. 1909-1913.	2, 236	16. 1	36, 093	70. 9	25, 588	11, 44	72.4	77. 0	75. 2	83. 9	888, 200
1914	2, 541	16.8	42, 779	86. 5	37, 018	14, 57	1074	1121	115	122	13, 026, 778
1915	8, 129	17. 3	54, 050	83. 4	45, 083	14.41	941	981	901	991	15, 250, 151
1916	8, 213	15. 2	48, 862	122, 1	59, 676	18, 57	130	151	200	240	13, 703, 499
1917	4, 317	14.6	62, 933	166. 0	104, 447	24, 19	179	185	180	260	17, 186, 417
1918	6, 391	14. 2	91, 041	151. 6	138, 038	21, 60	154	164	1454	173	36, 467, 450
1919	6, 307	12. 0	75, 483	133. 2	100, 573	15, 95	150	182	198	229	41, 530, 961
1920	4, 409	13. 7	60, 490	126.8	76, 693	17. 39	144	167	1351	167	47, 337, 466
Av.1914-1920_	4, 330	14. 4	62, 234	128. 9	80, 218	18. 53	137. 0	151.4	152. 9	184. 4	26, 357, 532
1921	4, 528	13, 6	61, 675	69. 7	43, 014	9. 50	84	90	971	111	29, 943, 852
1922	6, 672	15, 5	103, 362	68. 5	70, 841	10.62	831	921	72	83	51, 662, 968
1923	5, 171	12. 2	63, 077	65. 0	40, 971	7. 92	691	721	651	691	19, 901, 719
19244	4. 173	15. 2	63, 446	107. 3	68,061	16.31	1311				

Division of Crop and Livestock Estimates; figures in italics are census returns.

Based on farm price Dec. 1.
Chicago Dally Trade Bulletin.
Compiled from reports of Bureau of Foreign and Domestic Commerce.
Preliminary.

TABLE 47.—Rye: Yield per acre, by States, 1909-1924

				9 -		,			, - 0									
State	1909	1910	1911	1912	1913	Av. 1909- 1913	1914	1915	1916	1917	1918	1919	1 92 0	Av. 1914– 1920	1921	1922	1923	1994
	Ru.	Bu.	Bu.	Bu.	Bu.	Bu.	Bu.	Bu.	Bu.	Bu.	Bu.	Bu.	Bu.	Bu.	Bu.	Bu	Ru	Bu.
Massachusetts Connecticut New York New Jersey Pennsylvania	16. 2	17. 0	16. 0	18, 5	18. 5	17 2	19. 0	20.0	18. 5	19.0	20.0	23.0	18.0	19.6	15. 0	19. 0	18.0	20.0
Connecticut	18. 7	20.0	18. 5	17. 5	19. 3	18.8	19.0	21. 5	19. 6	20. 5	22.0	20.0	18.0	20.1		20.0		
New York	17. 0	18. 3	16. 7	16. 5	17. 2	17. 1	17. 7	18, 7	18.0	19.0	16. 5	16 0	17. 5	17. 6	15. 5	16.0	16. 3	17. 0
New Jersey	16. 3	18. 0	16. 4	17. 5	18.0	17. 2	18. 5	20.0	19. 0	18. 5	18. 5	16.0	17. 5	18. 3				
Pennsylvania	15. 3	17. 0	15. 1	17. 5	17. 5	16.5	18.0											
Delaware	14.0	15. 5	15.0	14.0	14. U	14.5	17. 5									14. 1		
Marviand	114. 1	16. 1	114. N	In. bi	14. 4	14. W	17. 0	16. 5	15. 5	16.0	15.0	14.0	15. 4	15.6		15. 2		
Virginia	12. 3	13. 5	11. 5	12. 5	12. 3	12.4	13. 0	14. 5	12.5	15.0	12.0	11. 5	12.0	12.9		11.5		
West Virginia	13. 5	12.9	11.0	13.0	13. 5	12.8	14. 5							13. 7	12.6	12.0	10.0	11.2
North Carolina	9.4	10.0	10.0	9, 3	10. 3	9.8	10.0									8.0		
North Carolina South Carolina Georgia Ohio Indiana	9.8	10. 0	10.0	9. 5	10. 5	10.0	11. 5									10.0		
Georgia	9.0	10. 4	9. 5	9. 2	9. 5	9.5	9.3	9. 2	9. 5	8.3	8.8	8. 9	10.0	9.1	9.0	9. 5	9.0	9. 2
Ohio	17. 2	16. 5	15. 5	15. 5	16. 5	16. 2	17. 0								13. 0	14. 2	15. 5	16. 0
Indiana	16. 5	15. 8	13. 7	14. 5	15. 2	15.1	16. 3	16.0	14.0	15.0	16. 5	14.0	14.0					14.0
IIIInois	111.0	111. 🕏	110. 0	10. U	TIT OIL	I TO'R	16.0									16.0		
Michigan	15. 5	15. 3	14. 6	13. 3	14.3	14.6	16.0	15. 5	14.3	14.0	14. 3	13. 3	14.7	14.6	13. 0	12 8	14.0	16. 5
						17 0	16. 5	18. 5	16. 2	18. 5	17. 6	15.8	16.0	17.0	13. 6	14. 6	14.8	17.0
M Innesota	HY. U	111.0	110. /	23. U	TR' O	18.3	18.8	19. 5	15.0	18. 5	20.0	15.0	17.0	17. 7		19. 0		
Iowa	17.8	18. 5	18. 0	19. 0	18, 2	18.3	19.0	18. 5	17. 0	18.0	19.0	15. 9	17.0	17.8	16. 1	19. 7	17.6	18.0
Iowa	15.0	15. 0	14. 1	14. 8	15. 0	14.8	14.0	13. 5	11.0	14. 7	14.0	12.0	12.0			12.0		
N	140 4	~ ~		40 0	- 4		17. 1	15. 0	13. 3	9. 5	10. 5	8.0	10.0	11.9	11.0	16. 1	7.8	14. Q
South Dakota	17. 5	17. 0	10. 0	19. 5	13. 2	15.4	17. 0	19. 5	18.0	16.0	18.0	13. 0	13. 5	16.4	16. 0	18. 0	11. 5	13. 5
Nebraska	16. 5	16.0	13. 0	16.0	14. 5	15. 2	16.0								12.7	11. 2	12.0	14. 5
Kansas	14. 2	14. 0	11.0	15. 9	14.0	13. 8	20.0											
Kentucky	12.7	13. 0	12.0	13. 0	12.4	12.5	13. 7											
Tennessee	10. 7	11.0	11. 9	11. 5	12.0	11.4	13.0	10. 5	10.0	9.8	10.0	8.0	9.0	10 0				
Alabama	11.3	12.0	10.0	11. 5	11.0	11. 2 12. 9	13. 0	10. 0	13. 0	9. 5	11.0	9. 5	10. 9	11.0	12.0	5.0	12.0	10.0
Texas	11. 2	11. 5	10.0	16. 6	15.0	12.9	14.8	17. 0	10.0	10. O	5. 4	17.0	16.0	12.9				
Oklahoma	13. 5	13. 7	9. 5	12.0	9. 5	11.6	16.0	13. 5	10.0	10. O	11.0	14.0	15.0	12.8	12.0	10.0	12.0	14.0
North Dakota South Dakota Nebraska Nebraska Kansas Kentucky Tennessee Alabama Texas Oklahoma Arkansas Montana	10. 5	12.0	10.0	10. 5	11. 5	10.9	10. 5											
Montana	29. 0	20.0	23.0	23. 5	21.0	23. 3	21.0	22. 5	20.5	12. 7	12.0	3.0	8.0	14. 2				14 0
Wyoming	26.0	18. 5	20.0	19. 0	19.0	20.5	17. 0	20.0	15. 5	14.0	18.0	9.0	18.0	15. 9				11.0
Colorado	22.0	14.0	12.0	19. 5	17. 0	16. 9	17. 5	17. 5	14.0	16. O	7.0	8.8	11.8	13. 2				10.0
Utah																		20.0
Utah	22.0	18. 5	15. 5	15.0	17.0	17. 6	17. 5	15. 5	12.0	8.0	18.0	7.0	8.3	11.6				9.0
Idaho	21. 8	20. 0	22. 5	22, 0	22.0	21. 6	20.0	20.0	17. 0	15. 5	15.0	14.0	14.0	16.5	18.0	15. 0	19.0	11.0
Washington	21.0	20. 5	22.0	20.0	21.0	20.9	19. 7	18. 2	14. 5	12. 7	10.0	12.0	9. 8	13.8				5.0
Oregon	17.0	15. 1	19. 5	16.0	17. 5	17.0	16.0	18.0	17.0	12. 7	11.0	8.4	12.0	13.6	14. 2	12.0	15.0	8.0
United States	16. 1	16.0	15. 6	16, 8	16. 2	16. 1	16. 8	17. 8	15. 2	14. 6	14. 2	12.0	18. 7	14. 8	18. 6	15. 5	12, 2	18. 2

TABLE 48.—Rye: Acreage and yield per acre in specified countries, average 1909-1913, annual 1921-1924

			Acreage				Yie	ld per	acre	
Country	Aver- age, 1909- 1913	1921	1922	1923	Prelim- inary, 1924	Aver- age, 1909- 1913	1921	1922	1928	1924
NORTHERN HEMISPHERE NORTH AMERICA Canada	1,000 acres 117 2,236 2,353	1,000 acres 1,842 4,528 6,370	1,000 acres 2, 105 6, 672 8, 777	1,000 acres 1,448 5,171 6,619	1,000 acres 891 4,178 5,064	Bush- els 17. 9 16. 1	Bush- els 11. 6 13. 6	Bush- els 15. 4 15. 5	Bush- els 16. 0 12. 2	Bush- els 16. 3 15. 2
EUROPE	2, 000	0,010	6,777	0,018			 ===			
Norway Sweden Denmark Netherlands Belgium	37 977 1 636 557 1 672	36 913 559 499 559	80 872 547 500 531	27 869 574 519 573	27 654 465 489 563	26. 3 24. 7 29. 5 85. 2	29. 0 29. 1 21. 8 30. 0 38. 1	28. 7 26. 0 26. 1 34. 3 34. 6	27. 5 28. 1 26. 4 28. 1 36. 3	25. 7 18. 0 30. 0 35. 1
Luxemburg France Spain Portugal Italy	26 1 3, 095 1, 988 271 1 346	21 2, 227 1, 786 573 1 327	20 2, 195 1, 757 665 320 48	20 2, 215 1, 801 550 315	20 2, 149 2, 147 309	25. 0 17. 0 13. 9 18. 3 29. 7	21. 0 19. 9 15. 7 8. 0 19. 9 27. 4	12. 5 17. 5 14. 9 8. 0 17. 4 31. 0	19. 6 16. 5 15. 6 9. 5 20. 6 34. 3	15. 8 18. 6 13. 8 19. 8 30. 0
Switzerland Germany Austria Czechoslovakia Hungary Vugoslavia	1 1,608	57 10, 539 758 2, 181 1, 341 461	10, 236 834 2, 174 1, 663 487	48 10,790 922 2,123 1,620 462	48 10, 526 927 2, 073 1, 625 392	29. 7 29. 0 21. 4 24. 4 19. 5 12. 3	27. 4 25. 4 17. 4 24. 6 17. 3	21. 0 16. 3 23. 5 15. 1 9. 3	24. 4 17. 2 25. 1 19. 3	22, 4 16, 6 22, 4 14, 1 16, 5
Yugoslavia	1 542 1 542 1 31, 286 1 12, 127 1 1, 749 1 888	466 795 8, 866 1, 248	442 659 11, 225 1, 869 584	425 668 11,477 1,442 649	414 671 10, 915 1, 329 658	13. 9 16. 1 18. 1 13. 9 14. 7	13. 1 11. 4 18. 9 16. 9	16. 9 14. 0 17. 6 17. 7	16. 1 14. 4 20. 5 16. 6	10. 7 9. 6 13. 8 14. 2 14. 7
Esthonia. Finland Russia, including Russia in Asia	1 486 589	353 583 47, 927	392 586 45, 658	402 583 53,498	390 578	16. 7 17. 8 12. 0	16. 7 20. 1 8. 4	14. 8 18. 0 12. 5	16. 1 16. 2	14. 6 19. 6
Total Europe com- parable 1924	107, 013 44, 829	83, 636 35, 136	88, 794 87, 471	91 572 88, 5.1	37, 369					
Total Northern Hemisphere com- parable 1909-1913. Total Northern Hemisphere com-	109, 366	90, 006	92, 571	99, 191						
parable 1924	47, 182	41, 506	46, 248	45, 143	42, 433					
Country	A ver- age, 1909-10 to 1913-14	1921-22	1922–23	1923-24	1924-25	A ver- age, 1909- 1913	1921	1922	1923	1924
SOUTHERN HEMISPHERE Chile	1,000 acres 5	1,000 acres 4	1,000 acres 4	1,000 acres 3	1,000 acres	Bush- els 22. 2	Bush- els 14. 5	Bush- els 15. 5	Bush- els 19. 3	Bush- els
Argentina Australia New Zealand	85 9 44	242 4 1	366	297	321 	19. 3 12. 7 4 28. 5	7. 0 12. 5 82. 0	9. 6 12. 5 18. 0	14. 9 12. 5 18. 0	
Total Southern Hemisphere com- parable 1909-1913.	103	251								
Total Southern Hemisphere com- parable 1924	85	242	366	297	821					
Total world com- parable 1909–1913	109, 469	90, 257								
Total world com- parable 1924	47, 267	41,748	46, 614	45, 440	42,754	<u> </u>				

Division of Statistical and Historical Research. Official sources and International Institute of Agriculture unless otherwise stated. For each year is shown the production during the calendar year in the Northern Hemisphere and the succeeding harvest in the Southern Hemisphere.

Estimated for present territory. Three-year average. Four-year average. One year only.

TABLE 49.—Rye: Production in specified countries, average 1909-1915, annual 1921-1924

[Thousand bushels-i. e., 000 omitted]

Country	Average, 1909-1913	1921	1922	1923	Prelimi- nary, 1924
Northern Hemisphere	•				
NORTH AMERICA	1				l
Canada	2, 094 36, 093	21, 455 61, 675	32, 373 103, 362	23, 232 63, 077	14, 500 63, 446
Total North America, comparable	38, 187	83, 130	135, 735	86, 309	77, 946
EUROPE					
Norway	974	1,043	862	742	695
Sweden	24, 100	26, 558	22, 678	24, 399	11, 755
Denmark	1 19, 104	12, 204 14, 987	14, 284 17, 140	15, 146	
Belgium	16, 422 1 23, 644	21, 273	18, 384	14, 571 20, 787	14, 661 19, 737
Luxemburg	651	441	250	392	315
France	1 52, 501	44, 392	38, 412	36, 517	39, 874
SpainPortugal	27, 636 2, 300 1 6, 317	28, 118 4, 564	26, 252 5, 294	28,075 5,222	28, 575 6, 027
Italy	1 6, 317	6, 519	5, 563	6, 484	6, 106
Switzerland	1, 783	1,559	1, 488	1,646	1, 433
Germany	1 368, 337	267, 648	206, 049	263,037	236, 129
Austria	1 23, 785 1 63, 538	13, 161 53, 735	13, 589 51, 097	15, 836 53, 338	15, 397 46, 395
Hungary	1 31, 377	23, 177	25, 147	31, 274	22, 858
Yugoslavia	1 9, 004	6, 170	4, 523	5, 906	6, 450
Bulgaria	17, 539	6, 095	7, 453	6,862	4,414
RumaniaPoland	1 \$ 20, 644 1 218, 943	9, 081 167, 558	9, 206 197, 372	9, 607 234, 728	6, 456 150, 517
Lithuania	1 24, 283	21, 047	24, 249	23, 890	18, 824
Latvia	1 13, 061	9, 806	6, 845	10, 770	9, 669
Esthonia	1 8, 129 10, 490	5, 908 11, 692	5, 797 10, 530	6, 550 9, 448	5, 695 11, 321
Finland Russia, including Russia in Asia	1 743, 519	403, 127	569, 259	0, 110	
Total Europe, comparable 1909-1913.	1, 718, 081	1, 159, 863	1, 281, 723		
Total Europe, comparable 1924 Total Northern Hemisphere, compa-	955, 458	744, 532	698, 180	810, 080	663, 303
rable 1909-1913	1, 756, 268	1, 242, 993	1, 417, 458		
Total Northern Hemisphere, comparable 1924	993, 645	827, 662	833, 915	896, 389	741, 249
Country	A verage 1909–10 to 1913–14	1921-22	1922-23	1923-24	1924-25
Southern Hemisphere					
Chile	111	58	62	58	
Argentina	640	1, 692	3, 526	4, 368	
Australia New Zealand	114 4 114	50 32	18		
Total Southern Hemisphere, com-	979	1 990	•		-
parable 1909-1913 Total all countries, comparable	9/9	1,832			
1909-1913	1, 757, 247	1, 244, 925	833, 915	896, 389	741, 249
Total all countries, comparable 1924.	993, 645	827, 662			

Division of Statistical and Historical Research. Official sources and International Institute of Agriculture unless otherwise stated. For each year is shown the production during the calendar year in the Northern Hemisphere and the succeeding harvest in the Southern Hemisphere.

¹ Estimated for present boundaries.

2 Estimated on basis of acreage and average yield of 8.9 business per acre.

3 Four-year average.

4 One year only.

TABLE 50 .- Rye: World production, 1894-1924

[Thousand bushels-i. e., 000 omitted]

	Produc- tion in		Estimated		Selected	countries	
Year	countries reporting all years 1894–1924	Produc- tion as reported	world totals, pre- liminary	Russian Empire 1	Germany	Austria	France
1894	598, 680 555, 602 599, 039 553, 480 623, 328	1, 615, 256 1, 407, 233 1, 472, 487 1, 277, 277 1, 437, 887	1, 630, 057 1, 422, 636 1, 492, 092 1, 289, 029 1, 450, 476	931, 156 772, 711 789, 562 654, 281 737, 501	328, 447 304, 113 335, 967 321, 656 355, 577	82, 872 64, 889 73, 781 63, 051 79, 686	74, 926 71, 833 69, 766 47, 737 66, 921
1899	607, 429 574, 851 584, 998 620, 234 654, 390	1, 595, 285 1, 563, 841 1, 412, 160 1, 619, 875 1, 653, 933	1, 607, 186 1, 579, 937 1, 431, 740 1, 638, 557 1, 665, 588	911, 633 920, 134 754, 927 919, 019 911, 944	341, 547 336, 621 321, 346 373, 764 389, 919	85, 267 54, 792 75, 514 82, 481 81, 129	67, 223 59, 397 58, 386 45, 660 58, 127
1904	656, 528 668, 874 669, 999 659, 599	1, 744, 083 1, 499, 862 1, 429, 513 1, 541, 662	1, 750, 938 1, 507, 134 1, 440, 852 1, 553, 063	1, 008, 440 737, 443 667, 605 815, 086	396, 071 378, 200 378, 945 384, 146	91, 684 98, 185 99, 245 86, 451	52, 669 58, 586 50, 888 56, 402
1908	725, 304 765, 781 701, 725 714, 883 747, 850	1, 597, 515 1, 758, 609 1, 676, 414 1, 579, 536 1, 898, 177	1, 605, 055 1, 762, 744 1, 680, 193 1, 582, 591 1, 900, 437	790, 098 903, 622 875, 135 768, 650 1, 050, 837	422, 688 446, 763 413, 802 427, 776 456, 600	113, 308 114, 433 108, 938 104, 114 117, 112	51, 691 55, 689 43, 883 46, 749 48, 746
1914	779, 689 670, 362 591, 387 561, 476 439, 541	1, 889, 318 1, 618, 879 1, 585, 620 593, 750 470, 433	1, 892, 513 1, 624, 341 1, 590, 294 1, 494, 975 1, 228, 503	1, 011, 316 2 869, 657 2 909, 943	481, 169 410, 478 360, 310 351, 826 3 274, 677	74, 555 60, 674 50, 233 10, 922	50, 055 43, 884 33, 148 33, 351 25, 669
1918	471, 435 439, 039 389, 664 489, 509	513, 509 517, 015 615, 305 1, 248, 899	1, 170, 187 1, 057, 894 970, 356 1, 248, 91	3 368, 877 3 403, 127	262, 832 240, 161 194, 255 267, 648	9,035 10,098 110,098	* 30, 100 * 30, 577 * 34, 492 * 44, 392
1922 1923 1924	456, 400 475, 764	1, 423, 610 918, 679 743, 084	1, 424, 426 1, 494, 688	⁸ 869, 259	⁸ 206, 049 ⁸ 263, 037 ⁸ 236, 129	13, 589 15, 836 15, 397	38, 412 36, 517 39, 874

Division of Statistical and Historical Research. For each year is shown the production during the calendar year in the Northern Hemisphere and the succeeding harvest in the Southern Hemisphere.

TABLE 51.—Rye: Monthly marketings by farmers, 1917-1923

Percentage of year's receipts as reported by about 3,500 mills and elevators

Year beginning July	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	See- son
1917 1918 1919 1920 1921 1922 1922	2.8 5.6 8.2 7.3 13.9 10.7 5.3	14. 8 11. 3 15. 0 20. 7 20. 8 20. 5 18. 8	20. 5 14. 9 13. 3 18. 1 17. 6 14. 8 19. 2	17. 1 14. 5 12. 4 12. 2 10. 6 12. 3 14. 2	11.3 12.2 7.8 8.8 6.3 10.2 9.4	7.6 9.5 9.1 7.0 8.7 8.5	5.84 8.6 8.5 6.5 6.5	6.4 4.9 4.7 4.8 5.9	7.6 6.3 6.2 4.3 4.9 4.0 8.5	8.4 4.8 6.4 8.7 4.0 2.5	1.7 8.4 4.8 3.8 4.2 2.2 8.0	1.0 4.1 8.8 2.5 1.9 4.8	100. 0 100. 0 100. 0 100. 0 100. 0 100. 0

Includes all Russian territory reporting for years named.
Excludes Poland.
New boundaries, and therefore not comparable with earlier years.

TABLE 52.—Rye: Receipts at markets named, 1909-1924

[Thousand bushels—i. e., 000 omitted]

Year beginning July	Minne- apolis	Duluth	Chicago	Milwaukee	Omaha	Fort William and Port Arthur
1909	2, 444 1, 518	902 134	1, 362 1, 121	965 1, 033		
1911	2, 453	759	2, 077	2, 582		
1912	5, 943	2,341	3, 299	2, 336		
1918	5, 538	1, 357	3, 206	2, 836		
A verage 1909-1913	8, 579	1,099	2, 213	1, 950		
1914	5, 737	4, 323	3, 274	3, 608		
1915	6, 774	4, 216	5, 651	3, 872		
1916	7, 118	2, 812	5, 459	3,050	1, 048	
1917	11, 923	3, 482	3, 766	2, 947	1, 121	212
1918	16, 467	16, 115	8, 467	4, 472	1, 782	970
1919	9, 325 5, 428	17, 027 14, 631	6, 119 4, 132	4,094	1,630	1, 172
1920	0, ^28	14,031	4, 132	3, 607	1, 409	2, 832
Average 1914–1920	8, 967	8, 944	5, 267	8, 664		
1921	4, 754	17, 446	4, 235	2, 282	2, 048	5, 297
1922	15, 111	42, 619	7, 585	3, 241	1,916	11, 552
1923	13, 336	16, 922	2, 952	1,449	736	6, 837
1923						
July	347	868	63	51	31	
August	1, 500	1, 401	360	127	146	
September	1, 392	3, 098	228	110	175	1, 341
October	1, 010 791	1, 679 1, 415	127 925	164 110	255 74	975
December	899	1, 201	154	218	/3	873 750
1924						
January	5, 272	852	172	98		258
February.	601	601	250	260	55	38
March.	450	574	287	144		22
April	247	555	65	85		459
May	250	1,718	99	34		642
June	577	2,960	222	98		615
July	427	1,994	2, 210	129		618
August	1, 257	1,527	1,304	168		246
September	1, 577	11, 228	648	350	165	1, 576
October	2, 386	12, 409	1, 135	887	339	1,302
November	715	5, 105	2, 386	343	167	805
December	431	2,054	894	263	76	363

Division of Statistical and Historical Research. Compiled from Minneapolis Daily Market Record, Chicago Daily Trade Bulletin, Grain Dealers' Journal, and Canadian Statistics.

Table 53.—Rye: Classification of cars graded by licensed inspectors, all inspection points

Total of each grade, annual inspections, 1923-1924 Receipts Shipments Year beginning July Sam-ple Sam 2 3 4 Total 2 3 Total 1 ple 1923-24 1 30, 796 100 14, 394 48. 2 13, 532 40. 6 3, 872 11. 6 1, 061 3. 2 33, 332 100 132 89 . 8 26 . 1 Cars... Cars...... Per cent.....

Grain Division.

¹ Crop year begins in September.

¹ First complete year of inspection.

, Table 54.—Rye, including flour: International trade, average 1910-1914, annual 1922-1924

[Thousand bushels-i. e., 000 omitted]

				Year end	ed June 80	0		
Country	A ve 1910-	rage 1914 ¹	193	12 1	19	123	1924, pre	liminary
	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Exports
PRINCIPAL EXPORTING COUNTRIES							-	
Algeria ² ArgentinaBulgaria	(s) (a)	273 1, 925	(1)	5 817 263	(14)	4 3 1, 849		3, 059
Canada Hungary 3	68 140	58 14, 150	14 7	4, 293 34	26 4 2	9, 138 20	21	8, 596 3, 657
Rumania ⁹ Russia United States ⁹ Yugoslavia	5, 381	2, 992 33, 979 888	1	1, 213 29, 944 66		225 51, 663		7 771 8 42, 471 19, 902
PRINCIPAL IMPORTING COUNTRIES								
Austria ² Belgium ⁹ Czechoslovakia	1, 469 5, 755	830	2, 139 390 782	3 110 153	1, 609 231 319	1,177 2,016	3, 788 1, 554 4, 827	243 803
Denmark Finland	8, 758	288	3, 060 3, 563	763 43	5, 405 6, 596	420 8	10, 227 10, 563	510 10
France 9	3, 316 16, 22 6	26 43, 936	29 5, 822	1, 256 1, 084	614 42, 765 4 704	599 651	2, 776 24, 940	1, 071 63
Italy Latvis ! Netherlands	649 29, 557	2 17, 889	10 576 1,496	(³) 61 1, 371	227 748 3, 179	3 4 73 1, 266	230 2, 059 9, 432	237 2,978
Norway	10, 644	10 51	7, 123 482	13 386	6, 856	4 1	8, 097	2,010
Poland Portugal Sweden Switzerland Posts	174 3, 940 728	(³) 59 1	31 40	1, 914	809 4 2	439 (3 4)	4, 626	150
Other countries.	1			68			2 13	
Total countries re- ported	86, 827	117, 349	25, 569	43, 860	70, 099	69, 357	83, 153	84, 521

Division of Statistical and Historical Research. Compiled from official sources and International Institute of Agriculture.

¹ Years ended July 31 as compiled by the International Institute of Agriculture.
2 International Institute of Agriculture.
3 Less than 500.
4 Ten months ended May 31, from International Institute of Agriculture.
5 Calendar years 1909–1913.
5 Average for the seasons 1911–1912 to 1913–1914.
7 Nine months.
6 Commercial source.

⁸ Commercial source.
9 Years ended June 30.
10 Season 1913–1914.

TABLE 55 .- Rye: United States, farm price per bushel, 15th of month, 1909-1924

Year beginning July	July 15	Aug. 15	Sept.	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	Weight- ed av.
1909 1910 1911 1912 1913	76. 2	74. 2 76. 2 74. 4	78. 4 78. 8 70. 4	72. 2	71. 6 83. 2 67. 6	72. 4 83. 0 65. 0		Cts. 76. 3 72. 5 84. 2 66. 0 61. 8	73. 6 84. 6 63. 0	75. 6 84. 8 62. 6	76. 8 85. 4 63. 2	77. 4 84. 8 63. 6	81. 0 69. 0
Av. 1909-1913	74.7	72. 4	71. 7	72. 0		71. 3	72. 1	72. 2	-		72. 8		
1914	62. 0 91. 4		77. 2 83. 6	79. 6 83. 7			95. 4 86. 8	103. 0 87. 0					
1916 1917	83. 4 177. 6	91. 6	101. 9	109. 7 169. 3	118. 7	120. 3	121.0	124.8	130.8	149.8	173. 6	180.0	114.6
1918	166. 9	161. 6	156. 6	153. 3	152. 1	151. 2	145. 6	136. 3	139.0	150.6	149.6	141. 2	152.7
1920	144. 2 178. 8			132. 8 152. 2		142. 8 125. 8		149. 8 128. 8				186. 4 108. 0	144. 6 145. ()
Av. 1914-1920	129. 2	127. 3	126, 8	125. 8			129. 0	131. 1	135. 5	142. 1	143. 4	139. 1	128. 9
1921 1922	101. 0 74. 0		89. 2 63. 2	81. 6 65. 2		69. 6 70. 7	70.0 71.7	77. 0 71. 0			87. 8 69. 2	82. 8 62. 2	
1923	56. 3	55. 3	57 2	58 8	62. 1	63. 9		64. 5				61.6	
1924	68.8	79.8	80. 1	105. 7	108.6	112.7							

Division of Crop and Livestock Estimates. Mean of prices reported on 1st of month and 1st of succeeding month.

Table 56.—Rye: Farm price per bushel, December 1, 1909-1924, and value per acre, 1924

						Av.		-		<u> </u>				Av.			1		Value
State	1909	1910	1911	1912	1913		1914	1915	1916	1917	1918	1919	1920		1921	1922	1923	1924	per acre 1924!
Mass Conn N. Y N. J	Cts. 105 90 80 79	Cts. 94 86 74 77	Cts. 95 93 89 83	Cts. 100 92 76 79	Cts. 98 92 75 80	Cts. 98 91 79 90	Cts. 101 98 89 82	Cts. 102 102 93 92	Cts. 127 125 128 117	Cts. 200 210 184 175	Cts, 227 205 172 173	Cts. 175 200 150 160	Cts. 195 174 158 170	Cts. 161 159 139 138	Cts. 175 150 99 102	Cts 140 150 97 85	Cts. 135 125 91 94	Cts. 145 140 113 113	Dolls. 29, 00 25, 20 19, 21 19, 78
Pa Del Md Va W. Va N. C	75 78 84 90 103	73 69 75 80 90 101	80 95 86 89 90 100	80 85 84	74 79 76 81 87 98	77 80 79 84 88 101	83 92 86 90 90 105	99 88 93 93 105	-109 123 110 107 119 130	170 178 168 175 169 200	165 171 170 175 180 198	157 160 163 170 165 210	140 136 156 155 160 190	130 137 134 138 139 163	95 100 92 95 95 125	87 105 110 90 95 120	91 96 97 107 103 135	113 125 122 128 129 149	18. 08 16. 88 18. 30 15. 62 14. 45 17. 88
S C Ga Ohio Ind Ill	141 150 76 74 74	146 140 72 68 71	145 138 85 80 81	145 140 75 68 70	150	145 142 75 70 72	150 150 81 85 85	151 140 83 82 83	185 160 120 119 122	285 270 161 160 165	295 210 150 152 150	295 272 145 140 130	300 210 135 130 130	237 202 125 124 124	250 175 84 73 80	180 135 83 79 75	173 190 78 73 75	190 183 111 106 107	22 23 16. 84 17. 76 14. 84 16. 05
Mich Wis Minn Iowa Mo	68 60 63 82	64 64	85 84 78 77 84	65 61 50 62 80	62 57 48 60 75	70 68 60 65 79	91 91 89 77 87	85 87 81 80 86	130 132 127 115 123		150 150 150 147 163	128 133 130 132 150		126 127 124 118 128	70 71 62 73 86	76 72 6 8 70 93	62 65 53 66 88	106 109 108 102 105	
N. Dak. S. Dak. Nebr Kans Ky	57 59 61 75 88	60 73	76 75 81	52	45 50 60 75 87	58 60 62 74 88	84 78 74 80 95	73 76	118 116 110	155 155 167	145 141 135 170 161	121 125 115 141 175	103 100 150	120 115 110 121 140	58 58 60 68 112		48 49 56 75 103	104 102 97 98 127	14. 56 13. 77 14. 06 13. 92 13. 97
Tenn Ala Texas Okla Ark	96 136 123 93 105	103 81	107 104	134 110 87	140 101 86	97 131 109 90 99	98 110 99 95 105	135 103 77	120 125	196 170	192 261 235 187 210	200 260 167 150 200		159. 208 153 129 157	160 100 66 130	153 125 80	116 160 98 90 120	138 156 111 101 131	14, 14 14, 41
Mont Wyo Colo N. Mex. Utah	90 78	81 67	70	55	64 60	78 65	70 81 65 	70		146	144 152 140 180	185 180 130 200		119 126 109 	53 58 60 70 70	54 52 66 100 60	51 66 56 90 90	91 88 85 100 107	12. 74 9. 68 8. 50 20. 00 9. 63
Idaho Wash Oreg	70 94 100	89	80	65	60	78	67 85 100			175	165 200 205	175 185 190		142	70 65 68	67 95 85	68 72 93	122 133 136	18. 42 6. 65 10. 88
U.S.	72. 2	71. 8	83. 2	96. 3	63. 4	85. 9	86. 5	83. 4	122. 1	166. 0	151. ß	133. 2	126.8	124. 2	69. 7	68. 5	65. 0	107. 3	16. 81

Division of Crop and Livestock Estimates.

¹ Based upon farm price Dec. 1.

860 Yearbook of the Department of Agriculture, 1984

Table 57.—Rye, No. 8: Weighted average price per bushel, 1909-1924

CHICAGO

Year beginning July	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	Weight- ed av- erage ¹
1909	\$0. 79 . 77 . 84 . 74 . 63	\$0.71 .75 .85 .72 .66	\$0. 72 . 74 . 91 . 69 . 67	\$0. 78 . 76 . 97 . 69 . 65	\$0. 74 . 79 . 95 . 64 . 64	\$0. 77 . 81 . 93 . 61 . 68	\$0. 81 . 84 . 94 . 64 . 61	\$0. 81 . 82 . 92 . 62 . 62	\$0. 79 . 89 . 91 . 60 . 61	\$0, 79 . 95 . 94 . 62 . 62	\$0. 77 1. 02 . 93 . 62 . 65	\$0. 76 . 90 . 83 . 62 . 63	\$0.76 .84 .91 .65
Av. 1909-1913	. 75	. 74	. 75	. 76	. 75	. 75	. 77	. 76	. 76	. 78	. 80	.75	. 76
1914	. 64 1. 08 . 98 2. 27 1. 73 1. 55 2. 04	. 84 1. 00 1. 13 1. 90 1. 67 1. 54 1. 90	. 95 . 96 1. 20 1. 86 1. 63 1. 40 1. 99	. 92 1. 01 1. 33 1. 84 1. 63 1. 38 1. 69	1. 02 . 99 1. 47 1. 78 1. 68 1. 42 1. 59	1. 10 . 97 1. 41 1. 82 1. 59 1. 66 1. 61	1. 19 1. 01 1. 43 2. 01 1. 61 1. 76 1. 63	1. 23 . 97 1. 46 2. 39 1. 38 1. 56 1. 47	1. 17 . 93 1. 61 2. 84 1. 61 1. 72 1. 46	1. 17 . 96 1. 87 2. 64 1. 73 1. 99 1. 35	1, 19 . 98 2, 20 2, 20 1, 59 2, 13 1, 47	1. 17 . 98 2. 40 1. 80 1. 46 2. 27 1. 32	1. 05 . 99 1. 54 2. 11 1. 61 1. 70 1. 62
Av. 1914-1920	1. 47	1.43	1.43	1.40	1. 42	1. 45	1. 52	1.49	1.62	1. 67	1. 68	1. 63	1. 52
1921	1. 27 . 82 . 65 . 84	1. 07 . 73 . 67 . 93	1. 04 . 72 . 70 1. 03	. 86 . 78 . 72 1. 26	.79 .87 .71 1.31	.86 .88 .70 1.41	. 81 . 87 . 73	. 97 . 86 . 72	1. 02 . 83 . 69	1. 04 . 86 . 66	1. 06 . 78 . 67	. 90 . 70 . 76	. 97 . 81 . 70

MINNEAPOLIS

1909	. 76 . 73 . 79 . 69 . 57	. 67 . 73 . 80 . 64 . 61	. 66 . 71 . 85 . 62 . 61	. 68 . 72 . 92 . 63 . 56	. 69 . 74 . 88 . 58 . 54	. 72 . 77 . 87 . 56 . 55	. 77 . 79 . 90 . 58 . 55	. 76 . 78 . 88 . 57 . 56	. 74 . 84 . 89 . 55 . 56	. 73 . 88 . 89 . 57 . 57	. 71 1. 01 . 87 . 57 . 60	. 69 . 87 . 79 . 56 . 59	. 70 . 77 . 86 . 60 . 58
Av. 1909-1913	. 71	. 69	. 69	. 70	. 69	. 69	. 72	. 71	. 72	. 73	. 75	. 70	. 70
1914	. 58 1. 02 . 93 2. 20 1. 84 1. 54 2. 09	. 80 . 97 1. 15 1. 75 1. 68 1. 48 1. 92	. 89 . 90 1. 20 1. 84 1. 60 1. 39 1. 85	. 87 . 96 1. 26 1. 81 1. 58 1. 36 1. 66	1. 01 . 1. 1. 1. 1. 1. 77 1. 62 1. 38 1. 48	1.06 .92 1.38 1.83 1.57 1.66 1.49	1. 15 . 96 1. 42 1. 93 1 54 1. 73 1. 58	1. 24 . 95 1. 42 2. 24 1. 34 1. 53 1. 44	1. 12 . 89 1. 58 2. 91 1. 54 1. 70 1. 42	1. 11 . 93 1. 80 2. 74 1. 71 1. 95 1. 28	1. 16 . 94 2. 26 2. 30 1. 55 2. 08 1. 37	1. 12 . 94 2. 37 1. 85 1. 45 2. 14 1. 26	. 98 . 94 1. 35 1. 93 1. 58 1. 60 1. 61
Av. 1914-1920	1. 46	1. 39	1. 38	1. 86	1. 38	1. 42	1. 47	1. 45	1. 59	1. 65	1. 67	1. 59	1. 48
1921 1922 1923 1924	1. 15 . 76 . 61 . 83	1. 00 . 69 . 62 . 86	. 99 . 66 . 66 . 95	. 80 . 71 66 1. 21	. 72 . 81 . 64 1. 28	. 78 . 83 . 65 1. 33	.75 .82 .67	. 95 . 80 . 66	. 97 . 76 . 63	. 97 . 81 . 61	1. 02 . 76 . 63	. 86 . 64 . 70	. 92 . 75 . 65

Division of Statistical and Historical Research. Compiled from Chicago Daily Trade Bulletin and Minneapolis Daily Market Record.

¹ Average of daily prices weighted by carlot sales.

GRAINS OTHER THAN BREAD GRAINS

CORN

Table 58.—Corn: Acreage, production, value, exports, etc., United States, 1909-1924

		Average		A ver- age farm		Value		bush	eash posed i		Domestic exports,	Imports.	Per
Year	Acre- age	yield per acre	Produc- tion	price per bush- el Dec.	Farm value Dec. 1	per acre ¹	Dec	em-	Follo M		including corn meal, fiscal year beginning July 13	fiscal year beginning July 1 *	of crop ex- por- ted
				i			Low	High	Low	High			
1909 1910 1911 1912 1913	1,000 acres 98, 585 104, 035 105, 825 107, 063 105, 820	27. 7 23. 9 29. 2	1,000 bushels 2, 572, 336 2, 886, 260 2, 531, 488 8, 124, 746 2, 446, 988	48. 0 61. 8 48. 7	1,000 dollars 1, 507, 185 1, 384, 817 1, 565, 258 1, 520, 454 1, 692, 092	13. 31 14. 79 14. 20	4514 68 4714	50 70	Cts. 56 5214 7614 5514 67	Cts. 63 5514 8214 60 721/2	Bushels 38, 128, 498 65, 614, 522 41, 797, 291 50, 780, 143 10, 725, 819	Bushels 53, 425 903, 062 12, 367, 369	1.6
A verage 1909- 1913	104, 229	26. 0	2, 712, 364	56. 6	1, 533, 961	14. 72	57. 5	62. 7	61. 4	66. 6	41, 409, 255	2, 664, 771	1. 5
1914 1915 1916 1917 1918 1919	103, 435 106, 197 105, 296 116, 730 104, 467 97, 170 101, 699	28. 2 24. 4 26. 3 24. 0 28. 9	2, 672, 804 2, 994, 793 2, 566, 927 3, 065, 233 2, 502, 665 2, 811, 302 3, 208, 584	57. 5 88. 9 127, 9 136. 5 134. 5	1, 722, 070 1, 722, 680 2, 280, 725 3, 920, 225 3, 416, 240 3, 780, 597 2, 150, 332	16. 22 21. 66 33. 58 32. 70 38. 91	691/2 88 160 135 142	75 96 190 155 160	69 152 150 160½	56 78½ 174 170 185 217 66	66, 753, 294 49, 073, 263 23, 018, 822	5, 208, 497 2, 267, 299 3, 196, 420 3, 311, 211 10, 229, 249	2.6 1.6 .9 .6 2.2
Average 1914- 1920	104, 999	27. 0	2, 831, 758	95. 8	2, 713, 268	25. 84	103. 9	118. 6	118. 6	135. 2	45, 289, 120	5, 693, 428	1.6
1921 1922 1923 1924 4	103, 740 102, 846 104, 324 105, 012	28. 3 29. 3	3, 068, 569 2, 906, 020 3, 053, 557 2, 436, 513	65. 8 72. 6	1, 297, 213 1, 910, 775 2, 217, 229 2, 405, 468	18. 58 21. 25	691/2	511/2 771/2 87 1351/2		85 871/2 81	179, 490, 442 96, 596, 221 23, 135, 200	137, 529	3. 3

Division of Crop and Livestock Estimates. Figures in italics are census returns.

Table 59.—Corn: Percentage reduction from full yield per acre from stated causes, as estimated by crop reporters, 1909-1923

			Advers	e weat	her co	ndition	S						Other	
Year	Defi- cient mois- ture	Excessive moisture	Floods	Frost or freeze	Hail	Hot winds	Storms	Total cli- ma- tic 1	Plant dis- eases	Insect pests	Ani- mal pests	Defec- tive seed	and un- known causes	Total
1909	P. ct. 13.0 13.9 23.4 23.4 27.1 20.8 3.0 18.5 122.1 10.8 5.4 10.6 14.2 9.9	P. ct. 7.30 1.66 1.2 1.39 1.58 2.99 7.33 1.123	P. ct. 1.58 (9) .4 2.17 .6 .55 1.44 .63 .57	P. ct. 1.0 94 1.7 1.0 46.9 1.7 13.5 2.0 17 22 2.7	P. ct. 0. 5 . 4 . 5 . 3 . 5 . 6 . 4 . 6 . 4 . 1. 0	P. cl. 1.6 1.6 1.0 3.1 2.1 1.7 1.2 6.3 1.0 1.0 1.0 7.7	P. ct. 0.7 .5 .1 .3 .4 1.1 1.1 1.3 .8.3 .4 .6 .2 1.1	P. ct. 25. 8 21. 8 29. 6 18. 1 33. 7 26. 1 26. 5 31. 3 31. 6 32. 8 21. 4 11. 3 14. 1 19. 3 19. 9	P. ct. 0.2 .2 .2 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3 .3	P. 23 24 23 4.87 3.61 2.04 2.12 8.37 8.50 2.4	P. d. 0.4	P. a 0.3 1.2 2.4 2.8 4 2.2 1.5 2.2 1.5 2.1	P. d. 0.65 1.00 1.55 1.00 1.38 1.4 1.38 1.22 1.1 1.8	P. ct. 29. 6 26. 0 33. 7 26. 3 38. 9 30. 6 20. 9 34. 7 33. 8 37. 7 25. 4 15. 9 18. 7 23. 6

Based upon farm price Dec. 1.
Chicago Daily Trade Bulletin. Contract to 1915.
Compiled from reports of Bureau of Foreign and Domestic Commerce.
Preliminary.

¹ Includes all other climatic.

^{*} Less than 0.05 per cent.

Table 60 .- Corn: Acreage, production, and total farm value, by States, 1922-1924

State	Tho	sands of	acres	Produc	ction, thou bushels	sanda of		value, bash housands o	
,	1922	1923	1924 7	1922	1923	1984 1	1922	1923	1924 1
Maine New Flampshire. Verment. Massachusetts Rhede Island	61	19 26 92 63 12	18 28 90 61 12	779 1,161 3,570 2,440 520	3, 627 2, 709 456	756 1, 232 4, 230 2, 745 504	779 871 3, 249 2, 294 624	766 1, 212 3, 990 3, 115 524	1,028 1,661 4,991 3,541 706
Connecticut New York New Jersey Pennsylvania Delaware	798 231 1,573	76 758 236 1,541 183	76 743 236 1,547 175	8, 465 28, 329 9, 702 69, 212 5, 557	8, 116 24, 559 9, 440 61, 640 6, 657	3, 268 24, 519 8, 024 55, 692 4, 725	3, 326 23, 513 6, 791 49, 833 3, 890	3, 334 24, 559 8, 968 56, 892 4, 996	3, 922 28, 687 9, 308 65, 717 5, 292
Maryland Virginia West Virginia North Carolina South Carolina	1.888	642 1,914 616 2,603 1,980	598 1,766 542 2,473 1,901	25, 680 52, 248 20, 536 51, 540 29, 899	25, 221 \$5, 595 20, 944 58, 568 32, 670	18, 528 37, 066 15, 176 44, 514 21, 862	17, 462 41, 276 17, 250 45, 871 26, 012	20, 689 52, 176 20, 735 59, 739 34, 304	20, 577 46, 728 18, 818 55, 197 26, 890
Georgia Florida Ohio Indiana Elinois	775 3,823 4,765	4, 034 820 3, 899 5, 003 8, 995	4, 115 845 8, 650 4, 603 9, 175	52, 620 10, 850 149, 097 176, 805 313, 074	49, 215 10, 250 150, 850 192, 616 337, 312	50, 203 12, 252 94, 900 116, 916 208, 600	45, 253 9, 440 98, 404 98, 731 187, 844	52, 960 16, 250 118, 296 119, 422 219, 258	56, 227 13, 722 98, 696 109, 901 278, 920
Michigan. Wisconsin Minnesota Lowa Missouri	2,209 3,979	1,686 2,253 4,297 10,776 6,562	1,688 2,230 4,512 10,884 6,562	66, 716 98, 300 131, 307 466, 380 178, 125	58,167 83,361 154,692 496,428 196,860	43, 884 57, 989 126, 336 364, 782 170, 612	49, 686 61, 929 73, 532 291, 173 121, 125	45, 370 66, 689 94, 362 270, \$65 145, 676	46, 466 60, 879 107, 386 283, 419 163, 788
North Dakota South Dakota Nebraska Eansus Tentucky	3.861	842 4, 208 8, 244 5, 629 3, 300	1,137 4,545 8,400 5,818 3,234	21,450 110,038 182,400 98,391 \$8,060	26, 207 145, 176 272, 052 122, 149 94, 050	22, 740 99, 990 203, 280 130, 965 80, 850	11,368 55,019 105,792 60,019 60,781	15, 232 75, 492 144, 188 78, 175 79, 942	17, 282 79, 992 184, 985 113, 887 82, 467
Tennessee Alabama Mississippi Louisiana Texas	3,636 2,856 1,706	3,018 3,150 2,327 1,604 5,000	3, 169 3, 245 2, 442 1, 652 4, 600	75, 44 \ 50, 904 49, 962 29, 002 114, 580	73, 941 44, 100 33, 742 24, 702 92, 500	69, 718 42, 185- 29, 316 18, 998 78, 200	59, 598 45, 814 42, 468 24, 072 95, 101	69, 505 47, 628 36, 104 25, 937 92, 508	75, 295 51, 466 36, 988 21, 848 86, 020
Oklahoma Atkansas Montana Wyeming Colorado	2,250 228 I12	3, 264 2, 000 365 150 1,505	3, 200 2, 200 511 155 1, 885	57, 600 43, 875 5, 540 2, 688 18, 329	37, 536 31, 000 9, 490 4, 050 37, 625	65, 600 36, 300 9, 198 2, 310 15, 650	40, 320 37, 294 2, 936 1, 613 12, 091	32, 656 31, 310 6, 168 2, 835 24, 456	58, 384 38, 841 9, 106 2, 171 13, 772
New Mexico Arizona Utah Nevada	39 32 1	221 33 31 1	210 31 28 1	3, 210 1, 170 781 21	3, 624 990 772 23	4, 200 930 728 27	2,632 1,346 684 22	3,443 1,188 733 29	4, 620 1, 162 1, 056 33
Idaho Washington Oregon California	116	73 74 71 128	80 76 70 110	1,976 2,747 2,277 4,176	3, 066 2, 738 2, 485 4, 460	2, 860 2, 345 2, 135 3, 850	1, 561 2, 884 2, 072 4, 176	2,361 2,601 2,236 4,828	3, 164 2, 626 2, 538 5, 313
United States	102,846	104, 334	105, 012	2, 906, 020	3, 052, 557	2, 436, 513	1,910.775	2,217,229	2, 405, 468

¹ Preliminary.

Tanam 61 .- Corn: Yield per acre, by States, 1909-1924.

State.	1909	1010	1911	1912	1913	AV. 1909- 1913	1914	1915	1916	1917	1918	1919	1920	Av. 1 914 1920	1921	1922	1923	1924
	Bu.	Bu.	Bu.	Bu.	Bu.	Bu.	Bu.	Bu.	Bu.	Bu.	Bu.	Bu.	Ru.	Bu.	Bu.	Bu.	Bu	Bu
Maine	38. 0	46.0	44. 0	40.0	88. O	41.2	46. 0	41.0	48. 0	87. 0	46.0	55. 0	45. 0	44. 6	50. 0	41.0	38. 0	42.0
New Hampshire	30.1	40.0	40.0	10. U	37. U	41.8	46. 0							44.8	58. 0	48. 0	42. 0	44.
V 651110015	36 0	MAG. IS	41.0	45 0	84. U	49.4	47. 0	40. O	20.0	46. U	80. U	10.0	24. 0	44.6	40.0	42. 0	49 0	44.
Vermont. dassachments Rhode Island	33, 2	40.0	45.0	41. 5	26 , 5	39. 2	47. 0 42. 0	18.0	31. 0	42.0	44.0	45. 0	40.0	46. 5 41. 0	46. 0	40.0	38. O	42.0
Jonnecticut New York New Jersey Pennsylvania Delaware	41. 0	53. 2	48. 5	50. O	38. 5	46. 2	46. 0											
New York	36. 0	38. 3	38. 5	38. 6	28. 5	36.0	41.0							37. 3	46.0	35. 5	32. 4	33.0
New Jersey	32. 7	36.0	36. 8	38. 0	89. 5	36.6	38. 5	38. 0	40.0	42.0	41.0	40.0	44. 0	40. 5 41. 6	47.0	42.0	40.0	34. (
Pennsylvania	32. 0	41.0	44. D	42. 0	39K U	39.8	48. 5	36.0	3V. O	89. Q	40. U	47. 0	40. U	41.0	48.0	44. U	40. 0	36. (
						82.5	36.0	51. 0	34. U	34. U	8 4. 0	30. 0	37. 5	33, 4	ł	i	l	1
Maryland	31. 4	33. 5	36. 5	36. 5	88. 0	34. 2	37. 0							37. 8	39. 0	40.0	39. 3	31. C
/irginia	23. 2	25. 5	24. 6	24.0	20. 0	24. 5	20. 5	28. 5	28, 0	27. 0	28.0	28.0	30.0	27. 1	25. 0	28.0	29. 0	21. 0
vest Virginia	81. 4	26.0	25. 7	33. 8	ğ1. O	29.6	31. 0	51. 5	80. 5	30. 0	ğ1. O	84. 0	34. 0	31.7	34. 0	84. 0	354. 0	28.0
varyand Virginia Vest Virginia Verth Carolina	16. 8	18.6	18, 4	18. 2	19. 5	18.3	20. 3	Z1. 0	18. 5	20.0	21. 0	19. 0	22. 5	20.3	19. 3	20 0	22. 6	118.
					- 1	18.2	18, 5	10. 0	15. 5	19. 0	17. 0	16. 0	184 0	17. 4	10.0	14. 0	16. 5	11. 8
leorgia lorida	13, 9	14. 5	16, 0	13. 8	15. 5	14.7												
lorida	12, 6	13. 0	14. 6	13. 0	15. 0	13.6												
hio	39. 5	3A, 5	38. 6	42.8	37. 5	39. 0	30. 1	41. 5	81. 5	38.0	36. 0	43.0	43. 4	38. 9	41.0	39, 0	41.0	26. (
hio ndiana linois	40.0	39. 3	36. 0	40. 3	36 . 0	38.3	38. 0											
							29.0	36. U	29. 5	88.0	85. 5	36. 0	34.6	34.1	34.0	35. 5	37. 5	32.0
fichigan	35. 4	32. 4	33. 0	84. 0	33. 5	33. 7	36. 0	32. 0	2 7. 5	21. 5	30. 0	37. 0	39. 0	31. 9	39. 0	35, 3	34. 5	26. (
Visconsin	33 . 0	32. 5	36. 3	85. 7	40. 5	35.6	40. 5	28. 0	36. O	2 2. 0	40. 2	45.0	43. 2	35. 7 34. 1	46. 2	44. 5	37. 0	26, (
linuesota	34. 8	32. 7	33. 7	34. 5	40. 0	85, 6 85, 1 35, 2	35. 0	23.0	33 . 5	30. O	40 0	49 . 0	37. 5	34. 1	41.0	88, 0	36. 0	28.
Alchigan Visconsin Ainnesota Dwa Aissouri	31. 5 26 4	36. 3 33. 0	31. 0 26. 0	48. 0 32. 0	34. 0 17. 5	35. 2 27. 0	22.0	80.0 29.5	88. 5 19. 5	87. U 35. O	38.0 20.0	41. 6 27. 0	46. U 82. O	37. 9 26. 4	42, 0 90, 0	28.5	40. 5	28 (
							1 1						1 1					1
lorth Dakota	31. 0	14. U	25. 0	26 7	28. 8	25. 1	28. 0	14. 0	26, 5	9.0	19. 0	33. 0	24. 0	21. 9	28. 0	27. 5	38. 5	20 0
outh Dakota	31.	25. 0	22. 0	80. 0	20. 0	27. 0 22, 1	20. 0	29. 0	20.0	28. U	34. U	25. 0	30 0	29. 1 26. 5	32. 0	28. 0	04. 7	22.
POTRISKS	24. 8	20. 0	ZL U	24. 0	10. 0.	15.9	10 5	21.0	20.0	27. 0	14. (20. Z	33. 8	17. 3	20. 0	20. 0	00. U	29. 2
orth Dakotaiebraska ansasentucky	29. 0	29. 0	26. 0	30. 4	20. 5	27. 0								27. 9	25. 6	28. 0	28. 5	25. 0
tommorous.	300 0	25 0	20	34 E	an 5	24. 3	24 0	27 0	a .	20 O	24.0	91 4	30 (25. 6	28 6	22 0	24 8	20 0
dahama.	12 5	18 0	19 0	17 9	17 3	16. 8	17 0	17 0	19 8	16.0	14 6	14 5	15 7	15 3	14 5	14 0	14 0	18 0
ennessee. labama lississippi	14 5	20 5	10 0	18 3	20 0	18. 5	18. 6	10 0	14 0	20. 5	17 0	16.0	16 0	15. 3 17. 1	18 0	17. 6	14 5	12.0
onisiana	23.0	23. 6	18.5	18.0	22 0	21.0								18. 8	19. 4	17. 0	15. 4	iī. 5
oulsians. 'exas	15. 0	20. 6	9, 5	21. 0	24. O	18.0								19. 9				
Mahoma	17 0	18 0	8 5	18 7	11 0	13. 8	12.5	20 S	13.5	8.5	7.5	24 0	28.0	17. 6	25.0	18.0	11 5	20.5
klahomarkansas	18 0	24 6	20. 2	20. 4	10 0	20. 4	17 5	23. 0	17 7	24 6	18 0	18 0	23 4	19. 5	22 0	10 5	16 5	16.5
Iontana	35 0	21 0	26. 5	25. 5	31. 5	28. 3	28 0	28 0	25 0	12 5	21 0	4 0	12 1	18. 7				
Vyoming	28. 0	10.0	15. 0	23. 0	29. 0	21.0	25. 0	25. 0	22.0	20. 0	25. 0	1ã. ň	24. 0	22 4	22 0	24. 0	27, 0	14. 0
Iontana Vyoming olorado	24. 2	19. 9	14.0	20. 8	15. 0	18.8	23. 0	24. Ö	15. 5	20. 0	17. 5	15. 0	20. 5	19. 4	14. 5	16. U	25. O	10.0
	- 1		- 1		- 11	24.0	28. 0	24 0	21 0	20 C	25 0	21 A	21 7	23. 3	22 0	12 6	18 4	20 0
New Mexico	22 1	32 A	83 6	13 O	28 0	31.7	32 0	ຂັດດີ	25 0	27 0	28 0	20 n	22 0	ח ספ	מסו	วก ก	20 (1	20 0
tah.	31. 4	30. 3	35 0	30. 0	84. 0	32.1	35. 0	34. 0	33. 0	25. 0	28 0	19. 2	21. 9	28.0	24.6	24. 4	24. 0	26.0
Tevada		30. O	30, 5	30. 0	34 . 0	31. 1								32. 3	29. 1	21. î	23. 3	27.0
đưng	30 G	82 n	30 c	32 8	82 A	81. 5	21 0	85 0	25 n	91 0	40 0	39 A	88 0	84. 3	25 6	32 n	42 A	35 0
Vashington	27 8	28 0	28. 5	27 2	28 0	27. 9	27. 0	27. 0	37.0	37 0	38 0	30.0	88.0	34 A	40 0	41 0	37 0	33
A CONTRACTOR OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF TH	20. 7	28 6	28 5	31.5	28.5	200.0	30. 0	27. 0	33. K	ag o	31.0	26. 5	81.0	34. 0 31. 0	30 0	23.0	35.0	30. 5
dahovashington Fagonalifornia	34. 8	37. 5	86. o	37. 0	83. 0	35. 7	36. 0	41. ŏ	3 2. 0	32. O	35 0	32. Ø	33. O	34.4	35. O	36. 0	35. O	35, 0
ı			-	29. 2	-		25, 8											28. 2

Yearbook of the Department of Agriculture, 1924

TABLE 64 .- Corn: World production, 1900-1984

[Thousand busitels-i.e., 000 omitted]

	Production in countries	V roduutlen	Estimated world totals	Three	selected cou	ıntries
Year ●	reporting all years 1900-1923	as reported	(prelimi- nary)	United States	Italy	Argentina
1900 1901 1902 1903 1904	1, 784, 780 2, 755, 097 2, 640, 948	3, 145, 539 2, 328, 687 3, 274, 417 3, 138, 418 3, 066, 601	3, 445, 529 2, 637, 787 3, 552, 187 3, 417, 243 3, 339, 736	2, 505, 148 1, 613, 528 2, 619, 499 2, 346, 897 2, 528, 662	87, 969 100, 455 71, 028 88, 990 90, 545	55, 611 98, 841 84, 018 148, 948 175, 187
1905. 1906. 1907. 1908.	2, 920, 433 3, 042, 894 2, 667, 113 2, 702, 729	3, 464, 564 3, 703, 932 3, 354, 363 3, 266, 956 3, 390, 685	3, 743, 794 8, 980, 577 3, 628, 818 3, 705, 956 3, 703, 585	2, 748, 949 2, 897, 662 2, 512, 065 2, 544, 957 2, 572, 336	97, 265 92, 964 88, 412 95, 845 99, 289	140, 707 194, 916 71, 768 136, 058 177, 158
1910 1911 1912 1913 1914	3, 056, 689 2, 683, 121 3, 287, 886 2, 616, 158	3, 709, 655 3, 547, 596 4, 220, 154 3, 557, 132 3, 939, 799	3, 951, 255 3, 790, 396 4, 329, 454 8, 748, 632 4, 041, 799	2, 886, 260 2, 531, 488 3, 124, 746 2, 446, 988 2, 672, 804	101, 722 93, 518 98, 668 108, 388 104, 967	175, 187 27, 676 295, 845 196, 642 263, 136
1915 1916 1917 1918	2, 699, 894 3, 197, 869 2, 615, 641	3, 990, 557 3, 176, 062 3, 719, 215 3, 279, 232 8, 671, 630	4, 142, 557 3, 475, 462 4, 049, 715 8, 469, 832 3, 962, 630	2, 994, 793 2, 566, 927 3, 065, 233 2, 502, 665 2, 811, 302	121, 824 81, 547 82, 771 76, 590 85, 846	325, 179 161, 132 58, 831 170, 661 224, 239
1920 1921 1922 1923 1924	3, 348, 224 3, 198, 858 3, 026, 064 3, 183, 038	4, 292, 421 4, 044, 444 4, 027, 438 4, 205, 958 3, 128, 634	4, 437, 421 4, 054, 444 4, 055, 238 4, 288, 058	3, 208, 584 3, 068, 569 2, 906, 020 3, 083, 557 2, 436, 513	89, 298 92, 325 76, 830 89, 204 98, 421	258, 696 230, 420 176, 171 176, 105 276, 756

Division of Statistical and Historical Research. Official sources and International Institute of Agriculture unless otherwise stated.

TABLE 65.—Corn: Farm stocks, shipments, and quality, United States, 1897-1924

	Old stocks		Cr	op			Stocks on	Shippedout
Year begin- ning Nov. 1	on farms Nov. 1	Quantity	Quality?		hartion nantable 1	Total supplies	farms Mar. 1 following 1	of county where grown 1
1897 1898 1899 1900 1901	1,000 bush. 320, 488 156, 330 134, 995 106, 198 116, 016	1,000 bush. 2, 144, 553 2, 261, 119 2, 454, 628 2, 505, 148 1, 613, 528	Per cent 86. 3 83. 8 87. 2 85 5 73. 7	Per cent 86. 8 82. 2 86. 7 86. 8	1,000 bush. 1,861,838 1,858,027 2,127,460 2,175,608	1,000 bush. 2,465,041 2,417,449 2,589,623 2,611,346 1,729,544	1,000 bush. 878, 063 937, 016 904, 586 927, 423 471, 609	1,000 bunh. 472, 426 478, 991 420, 739 585, 701 186, 612
1902 1908 1904 1905 1908	31, 494 187, 602 83, 379 83, 105 122, 732	2, 619, 499 2, 346, 897 2, 528, 662 2, 748, 949 2, 897, 662	80. 7 88. 1 86. 2 90. 6 89. 9	76. 0 75. 6 84. 5 88. 3 89. 3	1, 991, 866 1, 774, 099 2, 136, 927 2, 427, 996 2, 587, 598	2, 650, 993 2, 484, 499 2, 612, 041 2, 832, 054 3, 020, 394	1, 091, 534 871, 712 972, 077 1, 124, 905 1, 287, 086	580, 139 449, 719 505, 287 696, 365 690, 490
1907 1908 1909 1949	129, 786 69, 251 77, 403 112, 919 128, 824	2, 512, 065 2, 544, 957 2, 572, 336 2, 886, 260 2, 531, 488	82, 8 86, 9 84, 2 87, 2 80, 6	77. 2 88. 2 82. 7 86. 4 80. 1	1, 939, 877 2, 244, 571 2, 126, 965 2, 492, 763 2, 027, 922	2, 641, 851 2, 614, 208 2, 649, 739 3, 006, 179 2, 655, 312	931, 508 999, 235 980, 848 1, 165, 378 884, 059	470, 046 565, 510 620, 057 661, 777 517, 766
1912 1918 1914 1915	64, 764 137, 972 80, 046 96, 009 87, 908	3, 124, 746 2, 446, 988 2, 672, 804 2, 994, 793 2, 566, 927	85. 5 82. 2 85. 1 77. 2 88. 8	85. 0 89. 1 84. 5 71. 1 88. 9	2, 654, 907 1, 961, 058 2, 259, 755 2, 127, 965 2, 154, 487	3, 189, 510 2, 584, 960 2, 752, 850 3, 090, 802 2, 654, 835	1, 290, 642 864, 352 910, 894 1, 116, 559 782, 308	680, 831 422, 059 400, 265 560, 894 456, 569
1917 1918 1919 1920	34, 448 114, 678 69, 835 139, 063	8, 065, 233 2, 562, 665 2, 811, 302 8, 208, 584	75, 2 85, 6 89, 1 89, 6	60. 0' 82. 4 87. 1 86. 9	1, 837, 728 2, 062, 041 2, 448, 204 2, 789, 720	3, 099, 681 2, 617, 343 2, 881, 137 3, 347, 667	1, 253, 200 855, 269 1, 045, 575 1, 564, 832	678, 027 367, 589 470, 328 705, 481
1921 1922 1923 1924*	285, 769 177, 287 83, 856 102, 429	3, 068, 569 2, 965, 020 3, 053, 557 2, 485, 513	84. 0 86: 0 79. 4 68. 2	87. 5 85. 3 80. 8	2, 684. 684 2, 567, 044 2, 467, 768	8, 354, 336 3, 082, 307 8, 187, 419 2, 538, 942	1, 305, 586 1, 093, 306 1, 162, 847	587, 893 518, 779 690, 745

Based or reported percentage of entire crop on farms, proportion merchantable, and per cent shipped out of county where grown.

*1099-101o 1920-21, quality reported as per cent of a high medium grade; 1921, per cent of merchantable quality.

*Preliminary.

Table 66.—Corn: Monthly marketings by farmers, United States, 1917-1923

	P	ercents	ige of 3	'eaf's 1	eccipta	s as reg	orted	by abo	ut 3,50	0 mfils	and e	levator	·s
Year beginning July	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	Sea- son
1817 1918	5.3 6.7 4.5 5.4 4.9 6.8	4.0 6.9 5.6 5.6 7.8 7.5 7.2	3. 4 8. 4 4. 9 6. 9 8. 6 9. 1 6. 1	3.8 6.7 5.6 6.3 6.7 8.2 5.6	8.8 7.3 9.2 7.1 6.6 8.7 10.4	12.2 12.0 15.0 11.3 12.4 13.6 12.3	14.2 15.0 12.9 14.3 18.8 10.7 12.9	16. 1 7. 2 9. 5 11. 7 12. 4 11. 0 13. 8	18.7 7.5 8.7 8.9 7.5 6.6 7.4	7. 1 8. 2 5. 9 5. 6 4. 7 5. 3 6. 1	5. 6 9. 0 7. 0 8. 5 7. 6 6. 1 5. 9	5. 8 6. 1 10. 6 9. 4 7. 5 6. 4 6. 0	100. 0 100. 0 100. 0 100. 0 100. 0 100. 0

Division of Crop and Livestock Estimates.

Table 67 .- Corn: Receipts and shipments, 11 primary markets, 1909-1924

[Thousand bushels-i. e., 000 omitted]

**	l	cago	Milw	au ke e	Minne	eapolis	Dul	uth	St. 1	outls	Tol	edo
Year beginning Nov. 1	Re- ceipts	Ship- ments	Re- ceipts	Ship- ments	Re- ceipts	Ship- ments	Re- ceipts	Ship- ments	Re- cerpts	Ship- ments	Re- cerpts	Ship- ments
1909	113, 808 103, 431	92, 652 73, 940 94, 311	6, 585 7, 895 9, 440 11, 613 15, 804	7, 625 6, 506 7, 887	8, 948 5, 423 6, 258	3, 264 4, 374	12 492	943 1, 697 12 492 362	23, 766 25, 176 22, 762	15, 492 12, 257	4, 001 6, 236 4, 121 2, 996 4, 560	3, 290 2, 037 1, 885
Av. 1909-1913	105, 459	76, 888	10, 261	7, 728	7, 581	5, 366	792	701	2 2, 3 16	13, 985	4, 383	2, 273
1914 1915 1916 1917 1918 1918	101, 3 25 78, 723 98, 786	62, 148 40, 497 34, 540 32, 019 37, 236	9, 887 12, 755 12, 374 6, 784 14, 652	6, 943 8, 681 7, 006 3, 697 7, 079	5, 661 9, 550 16, 715 6, 621 9, 192	9, 636 4, 773 6, 384	3, 036 (1) 32 177 6 5 4, 834	(1) 6 170 (1) (1)	17, 974 21 312 25, 354 19, 210 27, 595	8, 678 13, 191 16, 180 11, 956 15, 975	4, 582 4, 656 2, 882 2, 609 1, 127 2, 122 3, 194	2, 594 1, 422 1, 190 1, 160 549 1, 298 1, 349
Av. 1914-1920	101, 633	57, 153	14, 788	10, 316	10, 643	7, 568			22, 286	13, 311	8, 025	1, 366
1921 1922 1923	115, 960	65, 890 48, 440	25, 630 15, 280 17, 089	11,748	7, 531	4, 828	688	14, 034 639 8, 886	29, 856	20, 243	3, 994 3, 149 4, 090	1, 795 1, 118 1, 445
1923 November December	7, 905	3, 484	1, 557 2, 710	61 0 1, 597			272 1, 316		2, 090 4, 524			88 99
January. February Masch April May Jene July August September October Movember December	14, 740 9, 267 4, 157 8, 018 5, 901 4, 926 7, 736 10, 677 9, 276 6, 347	5, 309 4, 353 3, 277 8, 086 8, 289 2, 880 3, 376 4, 286 5, 197 2, 384	1, 111 8, 409 2, 486 720 483 851 1, 020 1, 972 743 199 489	1, 854 1, 185 561 427 515 654	3, 367 2, 202 826 487 944 977 639 768 416	1, 048 1, 253 809 696 292 414	2, 989 274 495 719	26 148	5, 393 2, 862 3, 589 3, 089 2, 835 3, 711	8, 535 2, 169 2, 056 1, 900 2, 196 2, 140 1, 420 1, 243 1, 492 690	750	154 296 280 120 152 106 81 44 8 17 98

TABLE 67.—Corn: Receipts and shipments, 11 primary markets, 1909-1924—Con.

	Det	roit	Kansa	s City	Pec	oria	Om	aha	India	apolis	То	tal
Year begin- ning Nov.	Re- ceipts	Ship- ments	Re- ceipts	Ship- ments	Re- ceipts	Ship- ments	Re- ceipts	Ship- ments	Re- ceipts	Ship- ments	Re- ceipts	Ship- ments
1909 1910 1911 1912 1913	3, 860 2, 857	1, 412 1, 930 1, 888 1, 615 1, 636	16, 026 19, 646 16, 992	13, 395 14, 971 10, 614	16, 477 19, 041 17, 923	11, 009 11, 141 14, 292 11, 202 6, 651	(1) 20, 817 22, 618 37, 108		15, 974 14, 118	(1) 1, 947 3, 637 5, 183	162, 290 198, 713 228, 621 252, 177 230, 029	152, 522 149, 753 166, 006 155, 528
Av. 1919-1923.	2, 957	1, 696	19, 052	14, 209	16, 710	10, 859					214, 366	149, 044
1914 1915 1916 1917 1918 1918 1919	4, 726 3, 192 4, 361	3, 189 2, 425 717 626 481	25, 887 12, 743 31, 366	10, 845 5, 034	35, 948 31, 533 36, 176 18, 511 22, 449	6, 831 13, 722 11, 870 17, 062 10, 530 17, 660 9, 823	24, 599 21, 496 29, 820 46, 159 21, 805 23, 227 20, 012	23, 117 15, 948 25, 179 36, 355 21, 197 18, 604	15, 087 22, 790 24, 421 20, 583 15, 905 19, 991	6, 498 11, 073 14, 801 9, 200 7, 130 7, 170	253, 776 250, 300 226, 963 294, 660 169, 128 219, 763 310, 122	176, 455 149, 459 134, 088 156, 468 102, 822 116, 921
Av. 1914-1920	3, 043	1, 524	18, 263	13, 206	25, 349	12, 500	26, 731	22, 537	19, 469	8, 890	246, 387	149, 370
1921 1922 1923	2, 454 1, 957 1, 683	903 289 253	16, 063 15, 499 21, 136	10, 242 7, 289 13, 605	21, 157	16, 278	22, 730	20, 266	21, 665 18, 317 17, 536	6, 161	374, 160 252, 124 275, 082	154, 699
1923 November December	225 339		1, 763 2, 718		1, 579 2, 611	1, 137 1, 874			2, 363 1, 474	475 519	21, 791 35, 472	
1924 January February March April May June July August September October November December	343 207 58 44 33 5 14 62 70	18 34 38 69 39 20 7 2 8 5	3, 031 3, 518 2, 102 1, 922 1, 497 1, 035 1, 421 1, 031 663 430 1, 740 4, 747	1, 814 1, 565 1, 330 1, 741 1, 490 1, 380 720 764 555 312 411 533	1,866 1,076 1,205 1,017 1,075 1,345 1,170 1,449 1,78	674 590 949 1, 073 678	4, 682 2, 877 2, 311 1, 372 1, 412 1, 150 1, 764 2, 104 966 502	4, 465 8, 355 8, 374 2, 181 1, 702 1, 103 1, 457 1, 937 1, 064 430	1, 352 955 915 1, 044 1, 617 955 1, 197 1, 451 1, 940	551 625 353 420 462 385 530 484 611 558	42, 346 27, 799 16, 289 14, 797 16, 030 16, 456 16, 993 20, 705 17, 986 14, 158	15, 481 14, 659 16, 358 13, 357 9, 632 9, 313 10, 959 11, 230 6, 200

Division of Statistical and Historical Research. Compiled from the Chicago Daily Trade Bulletin and the Chicago Board of Trade Annual Reports.

TABLE 68.—Corn: Visible supply in United States, first of month, 1909-1924
[Thousand bushels-i. e., 000 omitted]

						,		,				
Year beginning November	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.
1909 1910 1911 1912 1918	2, 653 3, 510 1, 703 2, 689 6, 206	1, 545 2, 054 1, 525	8, 465 5, 099 5, 140 5, 879 12, 126	9, 145 6, 900	11, 794 14, 257 17, 918	13, 778 11, 166 15, 914 21, 494 18, 812	7, 047 7, 490 7, 270	5, 940 4, 685 5, 699 2, 549 4, 409	5, 146 7, 482 8, 204 11, 479 7, 589	7, 100 2, 451 6, 389	2, 750 6, 724 1, 823 2, 612 3, 923	5, 011 6, 339 3, 101 7, 308 5, 461
Av. 1909-1913.	8, 352	2, 088	7, 342	10, 406	15, 165	16, 288	8, 358	4, 656	7, 980	4, 583	3, 566	5, 444
1914 1915 1916 1917 1918 1919 1919	3, 114 3, 288 2, 361 1, 277 4, 733 1, 484 10, 085	8, 382 4, 387 2, 677 1, 982 2, 216 1, 477 4, 597	19, 708 8, 919 5, 838 3, 155 2, 415 2, 921 5, 409		24, 605 12, 931 8, 939 4, 483	82, 877 27, 697 11, 974 19, 016 2, 514 5, 669 82, 896	7, 173 16, 111 4, 245 5, 085	12, 795 14, 505 2, 629 13, 038 2, 600 2, 740 15, 103	6, 870 3, 277 11, 487 4, 088 4, 364	2, 306 5, 167 2, 841 9, 466 2, 461 6, 152 14, 584	2, 382 3, 830 2, 871 5, 232 956 2, 564 11, 500	3, 444 5, 098 1, 163 5, 508 2, 168 7, 587 11, 765
Av. 1914–1920.	3, 763	2, 958	6, 909	12, 521	17, 069	18, 949	13, 887	9, 059	8, 509	6, 140	4, 048	5, 245
1921 1922 1923 1924	18, 891 8, 806 809 8, 697	15, 518 11, 072 2, 690 7, 563	28, 279 16, 760 8, 799	21,658	27, 529	46, 889 28, 742 26, 074	22, 339	27, 046 6, 734 12, 288	8, 366	2, 373		

Division of Statistical and Historical Research.
Compiled from the Chicago Daily Trade Bulletin. Reported on Saturday nearest the first of each month.

No report.

Table 69.—Corn: Classification of cars graded by licensed inspectors, all inspection points

				T	otal of all	classes a	nd subclæ	Total of all classes and subclasses under each grade, annual inspections, 1917-1923	each grad	le, annual	inspection	13, 1917-19	923			
Year beginning November				Rece	Receipts							Ship	Shipments			
	-	67	8	4	2	9	Sample	Totai	1	2	æ	7	5	9	Sample	Total
2.00	Care	Cars	Cars	Cars	Cars	Cars	Cars	Cars	1			Cars 21 687	Cars 13 037		Cars 218	Cors 180, 187
1918	428 482	3,727	\$ 4 8	41,491	38,832	16,061	19,638	194, 282				15,985	5,670		7,425	106, 985
1920	18 8	8,875	8,29	88	21, 176	9	. 28. 28. 28. 28. 28. 28. 28. 28. 28. 28	324,077				10,774	1,74		3, 172	244,342
1922	42.4 88.88 88.88	141, 563 141, 563 59, 578	98, 932 111, 899	8, 26, 26 35, 26 35, 26 35, 26	35, 470 35, 901	13, 526 15, 404	3,771	367, 943 305, 913		131, 026 131, 026 59, 649	38,5° 8,4° 8,4° 8,4° 8,4° 8,4° 8,4° 8,4° 8,4	2, 767 15, 065	, 88 138	2, 185	2, 131	162, 490
Class					Total in	spections	by grade	Total inspections by grade and class Nov. 1, 1923, to Oct.	Nov. 1, 19	123, to Oct	. 31, 1924					
White Yellow Mixed	1, 305 1, 086	12,995 28,788 16,801	19, 330 58, 863 33, 706	12, 482 40, 213 16, 657	24, 182 6, 030	1, 843 10, 181 3, 380	1, 294 6, 387 3, 060	54, 280 170, 913 80, 720	255 226 497	14, 200 30, 167 15, 282	10, 070 50, 477 18, 807	2, 519 8, 181 4, 355	1, 871 1, 871	1,049	129	27, 606 92, 710 42, 175
				Ę	Total of all	all classes and		subclasses under each	ach grade,	, annual i	nspection	annual inspections, 1917-1923	g			
Year beginning November				Rece	Receipts							Shipments	nents			
	-	2	60	4	rc.	မ	Sample	Total	1	2	က	7	5	9	Sample	Total
1917 1918 1910 1921 1922 1923	Per central property (12,12,12,12,12,12,12,12,12,12,12,12,12,1	Per cent 5.8 17.9 21.7 27.4 27.4 46.0 47.5	Per cent 18 0 21 0 21 0 17.5 19.8 38.2 36.6	Per cent 17.3 21.4 25.6 19.5 10.0 8.2 22.7	Per cent 14 1 14 1 12 8 5 5 5 1 1.4 11.7	Per cent 133 14 15 15 15 15 15 15 15 15 15 15 15 15 15	Per cent 30.4 10.1 10.1 1.2 1.2 3.5	Per cent 100 100 100 100 100 100 100 100 100 10	Per ce 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Per cent 27 7 27 7 38.5 57 9 57 9 74 7 36.7	Per cent 34.3 37.3 30.1 20.4 16.0 21.6 48.8	Per cent 19.8 15.1 15.1 15.1 2.3 9.3	Per cent 8.2 5.4 1.7 1.7 1.9	Per cent 10.1 10.1 2.3 2.3 1.0 1.0 1.0 1.0 1.0 1.6 1.6 1.4	Per cent 20.1 7.0 7.0 3.4 1.3 5 1.3	Per cent 100 100 100 100 100 100
Class					To	tal inspec	tions by g	Total inspections by grade and class, Nov.	lass, Nov	. 1, 1923, 1	1, 1923, to Oct. 31, 1524	1834				
White Yellow Mixed	1. 1. 1.38 1.38	23.9 17.4 20.8	25.6 34.4 41.8	888 85 8	10.5 14.2 7.5	4 6 0 4 4 2 2	4.00 4.00 4.00 4.00	888	0.9 1.2	32.5 36.2	8.8.5 6.4.4 6.4.0	9.1 8.8 10.3	1.0 2.0 2.4	0.6	Q . &	999
							-									

Grain Division.

Yearbook of the Department of Agriculture, 1924

TABLE 70.—Corn, in duding meal: International trade, average 1910-1914, annual 1922-1984

[Thousand bushels-i. e., 000 omitted]

				Year end	d June S)		
Country		rage 1 -1914	19	22	19	28	19 Prelin	24 dnary
	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Exports
PRINCIPAL EXPORTING COUNTRIES							-	
Argentina	3 44 5 38	115, 749 9, 234 148 46, 998	(4) 356 (4)	112, 853 2, 195 119 19, 729	(¹) 69	122, 875 1, 664 487 9, 421	17	128, 318 852 7 26, 195
Russia	299 143	28, 354 # 3, 952 41, 409	(4) 125 96	16, 827 179, 496 12, 496	2 5 8, 168 2 138	7, 111 96, 596 451	9 8 228	8 5, 246 9 21, 100 28, 184
PRINCIPAL IMPORTING COUNTRIES				,,				
Austria 3 Austria-Hungary Belgium 10. Canada Czechoslovakia	15, 455 25, 818 10, 693	263 8, 238 83	4, 188 21, 945 15, 467 8 6, 880	2 34 5, 525 87 (4)	3, 546 15, 992 10, 364 2, 417	406 156 21	3, 107 16, 460 9, 249 4, 010	502 62
Ouba ²	2, 746 11, 777 504	(*) (*) 63 88 2	3, 089 20, 683 1 19, 628 56, 182	* 254 186 37	3, 183 15, 005 537 21, 986 26, 822	47 161 2	12, 554 11 66 21, 629 5, 811	11 17 79
Greece Hungary 3 Italy Mexico		268 13 7	373 1 42 1. 753	(13) 20	822 235 20, 584	(13) 29		696
Netherlands Norway Poland ⁸	30, 377	8, 641	40, 235 3, 975 1, 159	824 38	30, 916 3, 316 123	298	29, 354 3, 636	181
Portugal Spain Sweden	1, 838 9, 799 1, 656	11 51 26	13, 963 3, 340	4	16, 466 1, 899	ì	3, 065	
Switzerland *	442	1 8 2 115 201	5, 481 2 772 83, 025 266	\$ 21 \$ 65 2 09	4, 995 396 72, 590 81	(4) 2 11 2 111 124	3, 641 63, 591	
		210	713	¥ 206	2, 083	14 2, 018	4, 227	14 2, 090
Total	268, 470	264, 070	315, 787	350, 413	257, 735	241, 995	190, 987	-208, 356

Division of Statistical and Historical Research. Official sources except where otherwise noted. Malcant or maizens is included as "Corn and corn meel."

r maizens is intended as "Corn and corn meal."

1 Years ended July 31, from International Institute of Agriculture,
2 Year ended December 31.

5 International Institute of Agriculture
4 Less than 506.
4 Four-year average.
6 Three-year average.
7 Nine months.
6 Commercial source.
9 Ten months.
10 Year ended June 30, from original sources.
11 Six months.
12 Included in "Other countries."
13 One year endy.
14 Hullerry and British India.

Tanta 71.—Corn: Farm price per bushel, December 1, 1909-1984, and value per acre, 1924

State	1909	1910	191 1	1 912	1 9 18	Av. 1909 1915	1014	191 5	19 16	1917	1919	1919	1920	Av. 1914- 1920	1921	1922	1928	1994	Value per acre 19241
Me:	Cts. 80 76 78 81 97	Cts. 71 69 60 70 83	Cts 90 82 80 88 95	Cts. 75 75 75 72 77 88	Cls. 87 81 81 85 99	Cts. 81 77 74 79 92	Cts. 88 82 81 85 98	Cui. 85 76 84 80 100	Cts. 119 115 110 120 138	Cts. 228 217 218 218 215 286	Cts. 167 159 170 170 180	Cts. 196 170 175 172 186	Cts. 128 145 126 125 189	Cts 144 136 137 138 160	Cts. 77 75 76 77 110	Cts. 100 75 91 94 120	Cts. 112 111 110 115 115	Cts. 136 134 118 129 140	Dola. 57 12 58 96 55 46 58.05 58.80
Coun. N. Y. N. J. Pa. Del	75 74 71 70 58	68 68 60 59 52	88 77 71 68 61	77 70 68 68 51	85 81 75 72 59	78 78 69 66 56	89 88 76 73 62	85 78 75 70 62	120 110 109 97 89	215 198 170 158 140	171 175 159 155 186	180 166 158 147 145	140 116 86 100 75	143 132 116 114 101	90 67 53 55 48	96 83 70 72 70	107 100 95 91 81	120 117 116 118 112	
MdVa VaVa N. C S. E	65 74 74 85 90	58 68 76 82	63 73 77 82 91	55 71 65 88 85	65 76 80 88 97	61 72 73 83 89	68 81 83 86 92	61 71 74 77 87	89 93 101 110 118	140 158 170 170 192	185 160 180 177 195	140 169 104 185 197	81 100 116 118 116	102 118 127 131 142	49 89 75 78 74	68 79 84 89 87	82 94 99 102 105		34. 41 28 46 34 72 22 33 14. 14
Ga. Fla. Ohio Ind	86 83 56 50 52	78 85 46 40 38	88 80 58 54 55	85 79 45 42 41	91 82 63 60 63	85 82 54 49 50	85 80 61 58 61	78 73 56 51 54	100 90 90 84 84	160 140 186 125 110	165 138 130 119 120	160 140 121 125 130	105 100 68 50 59	122 109 95 89 88	53 53 41 37 38	86 87 66 58 60	62		27. 04 23. 88
Mich Wis Minn Iowa Mo	61 60 49 49 59	53 52 45 36 44	66 60 53 53 60	57 51 37 35 46	67 60 53 60 74	61 57 47 47 57	67 65 52 55 68	68 68 62 51 57	92	182 163 110 108 114	130 130 111 122 143	120	82 77 51 47 64	109 103 84 83 96	48 46 31 30 40	63 56 56	80 61 62	105 85	27. 30 23. 80 26. 04
N. Dak S. Dak Nebr Kans Ky	55 50 50 54 62	58 40 36 45 53	60 53 55 63 63	43 37 37 40 55	52 56 65 78 76	54 47 49 56 62	58 50 53 63 64	67 49 47 51 56	84 77 78 90 87	151 120 120 125 121	130 110 128 149 146	140 119 122 140 155	72 42 41 44 82	100 81 84 95 102	34 26 27 31 55	53 50 58 61 69	53 64	76 50 91 87 102	22. 02 19. 58
Tenn Ala Miss La Tex	70 85 81 69 76	56 71 63 55 63	61 78 72 70 80	61 79 71 68 64	77 89 77 77 82	65 80 73 68 73	68 80 73 75 74	58 69 65 64 58	94 102 58 94 104	120 125 138 146 167	145 148 151 161 176	157 159 160 150 118	87 98 102 85 84	104 112 112 111 111	52 62 56 65 54	79 90 85 83 83	107		13. 22
Okla Ark Mont Wyo Colo	55 72 86 78 70	51 58 95 66 60	70. 72. 80. 76. 78.	41 67 70 64 50	72 78 77 80 73	58 69 82 73 66	64 80 76 70	46 64 69 67 55	93 98 93 90	147 140 175 175 125	164 180 135 140 135	127 164 165 165 142		99 118 113 109 97	67 50	85 58	65 70	94	13. 16
N. Mex Ariz Utah Nev	90 100 87 87	90 110 84 100	84 97 81 90		75 110 70 118	83 108 79 9 9	80 120 75 110	73 115 80 98	113 140 115 125	188 190 170 150	180 210 181 210	1	160	132 141	90 100 76 120	115 85 105	120 95 125	125 145	37. 50 37. 70
Idaho Wash Oreg Calif	75 86 80 91	71 75 80 80	86 79 80 90	70 77 75 85	68 80 70 88	74 79 77 87	72 73 82 87	65 77 82 88	100 100 95 124	155 162 150 185	183 170 155 193	155	125	120 127 121 139	50 86 84 77	79 105 91 100	95 90		39. 55 37. 52 36. 90 48. 30
v. s	58. 0	48. 0	01. 8	48. 7	69 . 1	57. 2	64, 4	57. 5	88. 9	127. 9	136. 5	184, 5	8 7. 0	96. 7	42. 3	65. 8	72. 6	98. 7	22. 91

Division of Crop and Livestock Estimates.

^{*}Based upon farm price Dec. 1.

Table 72.—Corn: United States, farm price per bushel, 15th of month, 1909-1924

Year beginning November	Nov. 15	Dec. 15	Jan. 15	Feb.	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Sept.	Oct. 15	Weight- ed av.
1909 1910 1911 1911 1912 1913	Cts. 60. 0 50. 3 63. 2 53. 6 69. 9	Cts. 60. 1 48. 1 62. 0 48. 8 69. 4	Cts. 63. 8 48. 6 68. 4 49. 8 69. 0	Cts. 65. 6 49. 0 65. 6 51. 4 68. 7	Cts. 65. 7 49. 3 68. 8 53. 0 69. 9	Cts. 64. 5 50. 8 75. 2 55. 2 71. 4	Cts. 64. 4 53. 4 81. 0 58. 7 73. 6	Cts. 65. 7 57. 6 81. 8 61. 9 75. 2	Cts. 66. 7 62. 9 80. 2 64. 3 76. 2	Cts. 66. 8 65. 8 78. 4 70. 4 79. 2	Cts. 63. 7 65. 8 73. 9 75. 4 79. 8	Cts. 56. 8 65. 2 64. 3 73. 0 74. 4	Cts. 63. 7 53. 6 69. 6 57. 0 71. 9
Av. 1909-1913	59 4	57. 7	58. 9	60. 1	61. 3	63. 4	66. 2	68. 4	70. 0	72. 1	71. 7	66. 7	68. 2
1919 1920	188. 4	140. 6 137. 4 66. 8	141. 4 143. 6 64. 6	146. 6 137. 6 147. 6 63. 4	154. 0 143. 4 153. 6 63. 8	154. 6 156. 1	154. 1 166. 9 177. 4 61. 0	153. 1 173. 8 185. 4 62. 4	156 7 183. 8 174. 6 62. 0	162. 7 188. 3 159. 7 59. 0	162. 6 169. 6 138. 5 53. 6	66. 2 83. 6 160. 6 149. 9 143. 6 104. 3 46. 0	72. 7 70. 1 124. 2 147. 6 152. 1 150. 1 62. 6
1921 1922 1923 1924	41. 7 64. 3 78. 3 99. 6	42. 8 67. 6 72. 2 105. 6	44. 6 70. 2 73. 6	50. 3 72. 5 76 5	55. 8 75. 3 77. 2	58. 3 79. 6 78. 2	60. 6 84. 0 78. 6	61. 9 85. 8 80. 8	63. 3 87. 0 98 3	63. 6 87. 0 107. 4	62. 2 86 2 109. 7	62. 2 84. 8 108. 9	58. 4 76. 6 83. 1

Division of Crop and Livestock Estimates. Mean of prices reported on 1st of month and 1st of succeeding month.

Table 73.—Corn, No. 3, yellow: Weighted average price per bushel of reported cash sales, 1899-1924

CHICAGO:

													,
Year beginning November	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Weight- ed aver- age ²
1899	\$0.31 .37 .60 .53 .44	\$0.30 .35 .64 .46 .44	\$0.30 .36 .62 .43 .43	\$0. 32 . 37 . 59 . 43 . 46	\$0. 36 . 39 . 59 . 41 . 46	\$L. 39 . 42 . 62 . 41 . 49	\$0. 38 . 43 . 62 . 46 . 49	\$0. 40 . 42 . 63 . 49 . 50	\$0. 41 . 48 . 65 . 51 . 49	\$0.40 .56 .60 .53 .52	\$0. 40 . 56 . 59 . 51 . 53	\$0. 42 . 56 . 60 . 45 . 55	\$0. 36 . 43 . 62 . 47 . 49
1904	. 45 . 43 . 59	.43 .42 .42 .58 .59	.42 .42 .41 .53 .64	.44 .42 .43 .54 .65	. 47 . 40 . 43 . 68 . 66	.48 .42 .44 .65 .69	.50 .47 .52 .73 .73	. 55 . 49 . 53 . 72 . 75	. 57 . 52 . 54 . 76 . 72	. 54 . 54 . 57 . 81 . 70	. 53 . 47 . 64 . 80 . 69	. 53 . 46 . 65 . 77 . 59	. 48 . 44 . 50 . 68 . 65
1909\ 1910	.49	. 59 . 45 . 61 . 46 . 66	. 64 . 45 . 62 . 46 . 62	. 63 . 45 . 64 . 48 . 62	.61 .45 .68 .49 .64	. 57 . 50 . 78 . 55 . 67	. 60 . 54 . 79 . 57 . 70	. 59 . 55 . 75 . 60 . 72	. 62 . 63 . 68 . 62 . 71	. 64 . 65 . 79 . 74 . 82	. 58 . 67 . 74 . 75 . 79	. 50 . 73 . 65 . 70 . 73	. 59 . 53 . 71 . 53 . 70
Av., 1909-1913	. 60	. 55	. 56	. 56	. 57	. 61	. 64	. 64	. 65	. 73	. 71	. 66	. 61
1914	. 67 . 63 . 98 2. 21 1. 33 1. 46 . 77	. 64 . 69 . 92 1. 77 1. 45 1. 47 . 74	.71 .74 .98 1.77 1.43 1.51	. 74 . 74 1. 00 1. 81 1. 27 1. 46 . 63	. 72 . 73 1. 09 1. 70 1. 53 1. 58 . 62	.75 .76 1.40 1.65 1.62 1.69 .57	.77 .75 1.59 1.60 1.74 2.02 .60	. 74 . 74 1. 70 1. 62 1. 78 1. 89 . 63	. 78 . 81 1. 99 1. 70 1. 92 1. 58 . 60	. 81 . 85 2. 06 1. 72 1. 95 1. 58 . 56	74 . 86 2. 10 1. 58 1. 55 1. 31 . 53	. 65 . 96 2. 03 1. 41 1. 41 . 91 . 45	. 70 . 79 1, 11 1, 68 1, 62 1, 59 . 62
Av., 1914-1920	1. 15	1. 10	1. 11	1.09	1. 14	1. 21	1. 30	1. 30	1. 34	1. 36	1, 24	1. 12	1. 15
1921 1922 1923 1924	. 47 . 71 . 82 1. 11	.47 .73 .71 1.20	. 48 . 70 . 76	. 55 . 72 . 78	. 57 . 78 . 77	. 58 . 79 . 77	. 62 . 82 . 77	. 61 . 84 . 82	. 64 . 88 1. 09	. 62 . 88 1. 17	. 64 . 89 1. 14	. 69 1. 04 1. 10	. 55 . 78 . 86

¹ Compiled from Chicago Daily Trade Bulletin.

³ Average of daily prices weighted by car lot sales.

TABLE 73 .- Corn, No. 3, yellow: Weighted average price per bushel of reported cash sales, 1899-1924-Continued.

KANSAS CITY

Year beginning November	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Weight- ed aver- age
1899		\$0. 28 . 34 . 68 . 38 . 37	\$0. 29 . 35 . 64 . 39 . 40	\$0. 31 . 36 . 61 . 39 . 43	\$0. 32 . 37 . 61 . 38 . 42	\$0. 38 . 42 . 63 . 36 . 47	\$0. 38 . 41 . 64 . 41 . 50	\$0. 87 . 41 . 60 . 54 . 49	\$0. 38 . 48 . 63 . 48 . 51	\$0. 37 . 59 . 53 . 46 . 49	\$0. 38 . 57 . 56 . 45 . 49	\$0. 38 . 59 . 52 . 40 . 49	\$0. 33 . 41 . 63 . 40 . 45
1904	. 47 . 42 . 38 . 51 . 60	. 42 . 41 . 38 . 50 . 57	. 42 . 40 . 39 . 53 . 57	. 46 . 39 . 40 . 55 . 60	. 46 . 40 . 41 . 59 . 63	. 46 . 44 . 40 . 63 . 67	. 47 . 47 . 51 . 69 . 73	.50 .48 .50 .71 .72	. 53 . 50 . 51 . 75 . 67	. 50 . 46 . 50 . 72 . 63	. 50 . 44 . 57 . 74 . 65	.48 .42 .58 .69 .60	. 46 . 43 . 43 . 54 . 62
1909	. 59 . 47 . 67 . 45 . 72	. 62 . 43 . 62 . 45 . 66	. 65 . 44 . 66 . 47 . 65	.61 .42 .65 .47 .63	. 59 . 44 . 71 . 50 . 66	. 55 . 47 . 81 . 56 . 69	. 62 . 52 . 80 . 58 . 73	.60 .55 .75 .59	. 62 . 67 . 75 . 62 . 70	.62 .62 .76 .75 .81	. 55 . 66 . 71 . 75 . 78	.49 .71 64 .72 .70	. 59 . 49 . 69 . 55 . 67
Av. 1909-1913	. 58	. 56	. 57	. 56	. 58	. 62	. 65	. 64	. 67	. 71	. 69	. 65	. 60
1914 1915 1916 1917 1918 1919	. 64 . 62 . 95 2 02 1 47 1. 51 . 67	. 65 . 67 . 89 1. 66 1. 52 1. 51 . 69	.73 .70 .95 1.65 1.42 1.49	. 73 . 71 . 99 1, 74 1, 34 1, 45 . 58	. 71 . 68 1. 16 1. 66 1 48 1. 56 . 57	. 75 . 72 1. 41 1. 59 1. 66 1. 71 . 52	. 75 . 72 1. 58 1. 61 1. 74 1. 91 . 56	. 74 . 72 1 68 1. 54 1. 79 1. 82 . 56	. 76 78 2. 01 1. 63 1. 92 1. 58 . 51	. 76 . 82 1. 78 1. 76 1. 93 1. 57 . 46	.70 .84 1.96 1.66 1 64 1.28 .49	. 59 . 91 1. 91 1 45 1. 42 . 88 . 38	. 72 . 69 1. 06 1. 63 1. 56 1. 60
Av. 1914-1920	1. 13	1.08	1.08	1 08	1. 12	1. 19	1. 27	1. 26	1. 31	1. 30	1. 22	1.08	1 12
1921 1922 1923 1924	. 43 . 73 . 78 1, 07	. 42 . 71 . 67 1. 15	. 45 . 70 . 73	. 53 . 71 . 73	. 54 . 73 . 72	. 57 . 82 . 76	. 59 . 85 . 75	. 59 . 85 . 86	. 60 . 84 1 04	. 58 . 83 1. 09	. 59 . 86 1. 10	.64 .95 1.08	. 54 . 74 . 78

Division of Statistical and Historical Research.

Table 74 .- Corn, No. 3, yellow: Weighted average price per bushel of reported cash sales, 1909-1924

ST. LOUIS

						0001							
Year beginning November	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Weight- ed a ver- age 1
1909	\$0. 58 . 47 . 65 . 48 . 73	\$0. 61 . 44 . 61 . 46 . 67	\$0. 65 . 45 . 60 . 48 . 63	\$0. 63 . 44 . 64 . 48 . 62	\$0.60 .45 .70 .50 .66	\$0. 58 . 48 . 80 . 57 . 68	\$0. 62 . 53 . 79 . 58 . 71	\$0. 59 . 55 . 74 . 60 . 71	\$0. 63 . 65 . 74 . 64 . 73	\$0. 62 . 63 . 76 . 73 . 83	\$0. 55 . 66 . 73 . 75 . 79	\$0. 49 . 72 . 64 . 71 . 72 . 66	\$0. 61 . 48 . 70 . 52 . 68
1914	. 66 . 64 . 96 2. 00 1. 40 1. 49 . 79	. 65 . 68 . 91 1. 75 1. 50 1. 49 . 74	.72 .75 .98 1.76 1.44 1.51 .64	.74 .75 .99 1.82 1.38 1.48 .63	.72 .78 1.12 1.68 1.54 1.60 .62 1.14	. 76 . 75 1. 45 1. 66 1. 62 1. 73 . 57	.77 .74 1.63 1.62 1.74 2.00 .62	. 74 . 74 1. 67 1. 60 1. 78 1. 87 . 61	. 78 . 81 1. 94 1. 69 1. 99 1. 62 . 59	. 78 . 86 1. 75 1. 75 1. 93 1. 57 54	. 74 . 86 2. 04 1. 63 1. 52 1. 30 . 52 1. 23	.64 .93 1.91 1.45 1.42 .92 .46	. 72 . 75 1. 11 1. 67 1. 89 1. 64 . 60
1921 1922 1928 1924	. 47 . 71 . 82 1. 12	. 48 . 72 . 71 1. 20	. 48 . 70 . 77	. 54 . 73 . 78	. 58 . 74 . 78	. 57 . 80 . 79	.61 .84 .78	. 60 . 86 . 86	. 65 . 86 1. 09	. 61 . 92 1, 19	. 63 . 90 1, 15	. 69 1. 00 1. 10	. 57 . 75 . 87

Division of Statistical and Historical Research. Compiled from the St. Louis Daily Market Reporter.

Compiled from the Kansas City Daily Price Current. Prior to May 11, 1908, the prices were obtained under mixed corn.
 1901, compiled from the Kansas City Star.

¹ Average of daily prices weighted by car lot sales.

TABLE 75.—Core, all classes and grades combined: Weighted average price per bushel of reported oash sales at markets named, 1918-1924

CHICAGO.

Year beginning November	Nov.	Dec.	Jan.	Feb.	Mer.	Apr.	Mey	June	July	Aug.	Slegat.	Oot.	Weighte average
	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cta.	Cts.	Cts.	Cts.	Cts.	Cents.
918	118.6	138. 6	131. 4	122.0	144. 2 155. 1	160. 1	.174. G	173.7	191. 8	194. 2	156.6	140.0	
1030	143. 8	141.6	144 9	139 5	155. 1	159. 7	197. 4	183, 3 59, 1	155. 3	154.9	132 2	95. 9	
900	78.8	72.5	62.1	79X 9	60.7	54L S	61.2	59. 1	59. 4	56.2	53.2	46.2	56.
1980 1981 1982	78. 8 46. 7	47. 1	47. 3 70. 1	59. 9 54. 0	57. 1	58, 2 79, 3	61. 2 61. 4 81. 8	60.0	63.7	56. 2 62. 0	63.0	69.0	56.
9t2	71.1	72.4	70.1	72.5	72.8		81.8	84. 0	87. 1	88. 2 117. 2	88.8		78.
1923	76. 1	69:8	74:4	75, 2	74.4	76. 4	76.7	82.6	109.1	117. 2	114.9	110.0	86.
1024	109. 3	115.3		•									
					ST.	. LOU	18						
018	126. 5 146. 4	139, 7	134, 5	126. 1 142. 5 61. 2 54: 7	143. 5	160. 2	174. 8	179. 1	193. 0	194.8 158.1	155, 8	141. 9	151.
£atot l	146. 4	144. 5	134. 5 147. 4	142.5	143. 5 155. 3	160. 2 171. 8	174. 8 194. 9	186. 8	180.6	158, 1	129. 3	93. 5	155.
000	82, 1	71.0	62. 1	61. 2	60. 7 57. 7	56. 2 57. 9 80. 1	59. 9	60. 5	60. 7 64. 0	54. 3	51.6	45, 4	57.
001	46.0	71. 9 47. 8	47. 5	54 7	57 7	57 Q	61. 3	60. O	84 0	61. 4	62.5	69. 9	57.
002	71. 4	72. 6	71.0	73. 5	74. 3	80. I	84. 2	86. 1	87. 4	87. 0	89. 9	101. 5	79.
990 981 982	76. 9	60 4	74.6	75. 8	75. 5	77. 5	77. 3	85. 7	107. 8	113. 8		109. 4	86.
24	108. 6	69. 4 117. 7											
			1		0:	MAH	! A						· · · · · · · · · · · · · · · · · · ·
38	131.6	142. 8 185. 6	136. 0	123. 6	142, 4 146, 3 53, 1 51, 2 68, 9	159. 3	167. 6	170. 7	186. 1 149. 3	184. 0	152. 2	136. 1	151.
19	131. 6 189. 3	185. 6	135. 9	131. 9	146. 3	161.7	181. 4	175. 5	149. 3	150. 3	118. 2	81 4	147.
20	70. 7	60. 7 39. 2 66. 8	54.7	131. 9 52. 2 49. 5 67. 5	53. 1	47. 6	52.6	53. 6	50. 3	45.3	42.5	36. 2	147. 50.
21	39. 4	30 2	40. 4	40 5	51 2	51. 9	84 2	54. 4	57. 1	53. 7	55. 8	64 0	50
122	68. 4	88 8	40: 8 65. 8	87 5	88. Q	77. 2	54. 2 80. 1	80. 5	80. 0	79. 6	82.8	94. 3	50. 73.
23	68 8	62. 5	68. 1	68. 3	87. 5	69. 8	70. 5	79. 8	101. 3	107. 0		102.8	76.
24	104.8	114. 4	00. 1	00. 3	91.0	OB. 0	10.0	11.0	101. 0	107. 0	100.0	102.0	70.
F24	101.0	114.4											
	 -			₇		SAS C					7		
18	189. 5 138. 3 67. 1	148. 8 141. 0	126. 5	127. 9	147. 9	165. 1 166.	178. 6 185. 1 57. 0	176. 7	189. 5	189. 0	155. 2	141.7	152
019	138. 3	141.0	142. 1 58. 5	136. 5	149. 1		185: 1	171. 1	149. 5	146. 2		86. 1	147. 53. 53.
20	67. 1	63 . 3]	58. 5	57. 1	56. 8	51. 1,	57. 0	55. 5	52. 4	45. 6	45. 3	39 0	53.
21	41. 8	63. 3 42. 1	43. 7	52. 9	54. 0	55. 0	57A #	57. 0	56.0	55. 2		68. 9	53.
122	72.5	70. 5	69. 8	71.4	72. 7	81.9	84.0	84, 2	88.0	81.5	86.6	95. 3	77.
23	73. 9	65. 1	71.4	71. 5	70. 5	73. 8	73. 6	84. 9	102. 3	107. 4	108.9	104.8	77.
24	105. 2	114. 2											
					MINN	EAP	OLIS			·			
018	130. 9 140. 6	136. 6	128 1	115.8	131. 2	155.8	162. 5	180.0	176. 7	184. 0	152, 6	138, 1	140.
19	140. 6	134. 5	135. 5	132 3	146. 3 52. 1	161. 1	179. 4	172. 3	143. 2	129.0	123. 1	89. 5	141. 50.
20	67. 0	60. 4	53. 6	50. 6	52, 1	47. 4	51. 2	51. 8	51. 3	50. 7	47.0	40.3	50.
21	41. 4	39. 9	41. 2	50. 3	50. 5	5L 4	54.9	54. 5	58. 1	56. 6	58. 2	65. 3	50.
22	68. 9	65. 3	41, 2 63, 3	65. 8	50. 5 66. 7	72. 6	54. 9 77. 9	54. 5 76. 3	79. 1	81.9	82.9	90. 4	71.
28	72. 3	64. 9	69. 9	72. 6	71. 1	71.7	70. 9	79. 1	102. 7	112. 1	111. 1	106.4	75.
*	68. 9 72. 3 104. 8	106. 4											
					CINC	INNA	TL						
<u> </u>		- 1	147. 5	145, 9 65, 5	159, 3 63, 9	173. 8 57. 8	196. 0 63. 9	191. 5 63. 4	164. 4 65. 3	159. 0 63. 6	137. 9 55. 4	102 7	
29	60.0		CE "		00.19	60. 5	03. 9	40.0	001.0	95. 9	65. 6	50.8	61.
90	80, 3	69. 7	65. 7	90. 0				02: 21		65. 4	00. 0	73. 1	59: 8 0 ;
90 21	49, 5	69. 7 49. 2	49: 1	55, 8	60. 8	00. 0	25.0	000	200	~~ =			
90 21 22.	49. 5	49. 2 74. 0	49. 1 78. 8	55. 8 76. 3	77.3	85. 7	64. 5 87. 0	62. 2 88. 9	68. 2 92. 1	924 5	93. 6	99. 5	
90 21 22	49. 5	49. 2 74. 0 67. 6	49: 1	55, 8	60. 8 77. 3 74. 8	85, 7 78, 9	87. 0. 78. 3	88. 9 84. 8	92. 1 110. 6	92, 5 129, 5	93. 6 126. 4	99. 5 112. 0	81.
90 21 22	49, 5	49. 2 74. 0	49. 1 78. 8	55. 8 76. 3	77.3	85. 7	87. 0. 78. 3	88. 9 84. 8	92. 1 110. 6	924 5			
90. 91. 92. 93.	49, 5 69, 9 73, 5 107: 9	49. 2 74. 0 67. 6 116. 1	49: 1 73: 8 75: 7	55. 8 76. 3 76. 9	77. 3 74. 8	85. 7 78. 9	78. 3	84.8 NED	110, 6	924 5			
90. 91. 92. 93.	49, 5 69, 9 73, 5 107: 9	49. 2 74. 0 67. 6 116. 1	49: 1 73: 8 75: 7	55. 8 76. 3 76. 9	77. 3 74. 8	85. 7 78. 9	78. 3 3 3 3 3 3 3	84.8 NED	110, 6	92 5 129, 5	198. 4	112.0	81.
90. 91. 92. 93.	49, 5 69, 9 73, 5 107: 9	49. 2 74. 0 67. 6 116. 1	49: 1 73: 8 75: 7	55. 8 76. 3 76. 9	77. 3 74. 8	85. 7 78. 9	78. 3 OMBI	84. 8 NED	110, 6	92 5 129, 5	156. 1 180. 1	139.9	81.
90	49, 5 69, 9 73, 5 107: 9	49. 2 74. 0 67. 6 116. 1	49: 1 73: 8 75: 7	55. 8 76. 3 76. 9	77. 3 74. 8	85. 7 78. 9	78. 3 OMBI	84. 8 NED	110, 6	92 5 129, 5	156. 1 180. 1 51. 9	139.9	156: 146,
190	49, 5 69, 9 73, 5 107: 9	49. 2 74. 0 67. 6 116. 1	49: 1 73: 8 75: 7	55. 8 76. 3 76. 9	77. 3 74. 8	85. 7 78. 9	78. 3 OMBI	84. 8 NED	189: 9: 184: 8: 57. 8: 62: 1	92 5 129, 5	156. 1 180. 1 51. 9 62. 3	139. 9 94. 3 45. 2 69. 4	156: 146,
90	49, 5 69, 9 73, 5 107: 9	49. 2 74. 0 67. 6 116. 1	49: 1 73: 8 75: 7	55. 8 76. 3 76. 9 123. 0 127. 9 58. 1 53. 2 71. 6	77. 3 74. 8 143. 1 158. 1 48. 8 55. 4 72. 4	78. 9 78. 9 78. 0 160. 6 163. 8 52: 9 56: 5	78. 3 MBI 172. 2 191. 7 88. 9 59. 6 82. 1	173; 9 181, 0 48, 3 59, 8	189: 9: 184: 8: 57: 8: 62: 1 85: 6:	92, 5 129, 5 191, 5 153, 2 54, 0 60, 1 86, 4	156. 1 180. 1 51. 9 62. 3 86. 3	139. 9 94. 3 45. 2 69. 4 100. 3	156: 146, 56: 58: 77.
90. 91. 92. 93.	49. 5 69. 9 73. 5 107. 9 122. 5 143. 3 45. 6 70. 8 74. 9	49. 2 74. 0 67. 6 116. 1	49: 11 78: 8 75: 7 51 133: 6 143: 2 46: 0 69: 2: 72: 8	55. 8 76. 3 78. 9	77. 3 74. 8	85. 7 78. 9	78. 3 OMBI	84. 8 NED	189: 9: 184: 8: 57. 8: 62: 1	92 5 129, 5	156. 1 180. 1 51. 9 62. 3	139. 9 94. 3 45. 2 69. 4	156: 146,

These prices are comparable with farm prices.

Division of Statistical and Historical Research. Compiled from Chicago Daily Trade Builetin, St.

Louis Daily Market Reporter, Omaha Daily Price Current, Kaussa City Grain Market Review, Minnespolis Daily Induced Record, Cincinnet Daily Prace Builetia.

^{*}No seports until Minuary, 1926;

From November, 1918, through December, 1919, inclusive, Cincinnati is not included.

A verage of daily prices weighted by car lot sales.

Table 76.—Corn, American mixed: Average spot price per bushel of 56 pounds at Liverpool, 1912-1924

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1912 1913 1914 1915	\$0. 92 . 82 . 91 1. 04 1. 40	\$6.95 .89 .91 1.11 I.47	\$8.94 .81 .91 1.10 I.43	\$6. 95 . 82 . 91 1. 09 1, 43	\$0.95 .82 .91 1.13 1.47	\$0. 95 . 82 . 92 1. 06 1. 28	\$0. 93 . 82 . 93 1. 10 1. 37	\$0.99 .90 1.13 1.18 1.44	\$0. 99 . 95 1. 11 1. 16 1. 41	\$0. 99 . 89 1. 04 1. 16 1. 48	\$0.91 .90 1.00 (1) 1.71	\$0.86 .91 .98 1.23 1.83
1947 1948 1919 1920	1. 95 2. 16 2. 11 (1)	2. 00 2. 16 2. 11 1. 98	2. 05 2. 16 1. 65 2. 14	1. 98 2. 16 1. 63 2. 16	2.08 2.16 1.63 2.04	2.08 2.16 1.61 2.06	2.05 2.34 1.55 (¹)	2. 05 2. 52 (1) (1)	2. 95 2. 52 (1) (1)	2. 95 2. 52 (¹) 1. 3 3	2. 05 2. 53 (1) 1. 58	2. 05 2. 53 (¹) 1. 38
1921 1922 1923 1924	1. 49 . 81 . 99 1. 06	1. 15 . 90 1. 09 1. 15	1, 13 .85 1 06 1, 13	1. 01 . 83 1. 06 1, 06	. 95 . 84 1. 07 1. 08	. 97 . 84 1. 09 1. 00	. 98 . 98 . 95 1. 12	. 92 . 92 1. 18 1. 12	.85 .90 1.16 (¹)	.71 1.00 (1) (1)	.78 1.00 (¹)	. 85 1. 00 (¹)

Division of Statistical and Historical Research. Compiled from Broomhall's Corn Trade News. For rate of exchange used in conversion from shillings see Table 764, p. 1183.

1 No quotations.

2 Quotation for Aug. 6 only.

Table 77 .- Corn: Spot price per bushel of 56 pounds at Buenos Aires, 1912-1924

Year	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	A ver-
1912	\$0. 54	(1) \$0. 54	(1) \$0. 54	\$0, 58 , 56	\$0. 53	\$0. 52 . 55	\$0 . 51	\$0. 52 . 55	80. 50 . 62	\$0. 51 . 59	\$0. 52 . 58	\$0. 53 . 58	\$0. 55 . 56
1914 1915 1916 1917 1917 1918 1919	. 55 . 54 . 56 1. 07 . 79 . 57 . 70	. 56 . 61 . 60 1. 07 . 79 . 52 . 71	. 56 . 56 . 56 . 99 . 74 . 47 . 88	. 54 . 57 . 51 1. 03 . 59 . 55 1. 03	. 59 . 54 . 45 1. 27 . 53 . 55 L. 13	. 55 . 50 . 43 1. 46 . 57 . 55 1. 10	. 57 . 51 . 45 1. 43 . 64 . 96 . 96	2.56 .49 .51 1.27 .68 1.07	. 55 . 51 . 55 . 87 . 65 . 91 . 92	. 49 . 51 . 70 . 85 . 63 . 79 . 83	. 53 . 54 1. 08 . 95 . 63 . 74 . 77	. 54 . 52 . 93 . 88 . 63 . 71 . 82	. 55 . 53 . 61 1. 10 . 60 . 70
Av. 1914-1920	. 69	. 69	. 67	. 69	. 72	. 74	. 79	. 78	. 71	. 69	. 74	. 72	. 72
1921	. 88 . 63- . 80 . 78	. 91 . 73 . 82 . 82	.91 .79 .81 .77	. 78 . 77 . 80 . 67	.61 .75 .77 .65	. 63 . 71 . 75 . 57	. 65 . 79 . 73 . 68	. 66 . 78 . 69 . 85	. 65 . 76 . 74 . 93	. 58 . 74 . 78 1. 05	.61 .70 .81 1.06	. 63 . 74 . 79 1. 07	. 71 . 74 . 77 . 83

Division of Statistical and Historical Research. Compiled from International Yearbook of Agricultural Statistics 1912-1921. Subsequently Review of the River Plata. Average of weekly quotations. For rate of exchange used in conversion from shillings see Table 764, p. 1183.

1 No quotations.

2 Interpolation, no quotation.

Table 78.—Corn, yellow, La Plata: Spot price per bushel of 56 pounds at Liverpool, 1912-1924

Year	Jan.	Feb.	Mar.	Apr.	May	Tune	July	Aug.	Sept.	Oct.	Nov.	Dec.	Aver-
1912 1913 1914 1915 1916	\$0.71 .65 .98 1.40	(1) \$0. 75 . 66 1. 06 1. 44	(1) \$0. 76 . 68 1. 02 1. 42	(1) \$0. 74 . 68 1. 06 1. 43	\$0.97 .72 .74 1.11 1.47	\$0, 87 . 69 . 76 . 97 1, 33	\$0. 71 . 67 . 78 . 92 1. 45	\$0. 75 . 67 . 97 . 90 1, 54	\$0. 78 . 70 . 93 . 85 1. 39	\$0. 72 . 66 . 83 . 94 1. 48	\$0. 68 . 63 . 78 1. 06 1. 69	\$0. 67 . 67 . 83 1. 19 1. 81	\$0. 77 . 70 . 77 1. 00 1. 49
1917	11.89 2.23 2.04 31.49 1.28 .92 .99 1.03	1. 92 2. 23 2. 04 41. 77. 1. 22 1. 08 1. 04 1. 15	2. 00 2. 23 1. 75 11. 96 1. 30 1. 08 1. 05 1. 11	2. 16 2. 23 1. 74 1. 97 1. 28 1. 08 1. 09 1. 07	(1) 2. 23 1. 74 1. 81 1. 18 1. 06 1. 14 1. 12	2. 17 2. 23 1, 72 1. 67 1. 09 1. 01 1. 10 1. 00	2. 17 2. 42 1. 65 1. 53 1. 05 1. 10 1. 02 . 94	2. 17 2. 61 1. 66 1. 43 . 93 i 10 . 94 1. 04	2. 17 2. 61 1. 69 1. 60 .83 1. 09 .98 1. 14	2. 17 2. 61 1. 68 1. 49 . 72 1. 08 . 97 1. 24	2. 17 2. 61 1. 65 1. 15 . 78 . 96 . 96 1. 21	2. 17 2. 61 1. 52 1. 25 .88 1. 00 1. 02 1. 22	2. 11 2. 40 1. 74 1. 59 1. 04 1. 02 1. 11

Division of Statistical and Historical Research. Compiled from International Yearbook of Agricultural Statistics, 1912-1921. Subsequently Broomball's Corn Trade News.

For rate of exchange used in conversion from shillings, see Table 764, p. 1183.

¹ Not quoted.

² Trading in maize controlled Jan. 5, 1917.

Afloat price.

Yearbook of the Department of Agriculture, 1984 616

OATS

Table 79.—Oats: Acreage, production, value, exports, etc., United States, 1909-1924

Year	Acre- age har- vested	Aver- age yield per acre	Produc- tion	Average farm price per bushel Dec. 1	Farm value Dec. 1	Value per acre 1	Dec	e pe	iı	shel,	Domestic exports, in- cluding catmeal, fiscal year beginning July 1	Im ports, fiscal year be- ginning July 1 *
	-						Low	High	Low	High		
1909 1910 1911 1912 1918	1,000 acres 35,159 37,548 37,763 37,917 38,399	Bush. of 38 lbs. 80. 4 31. 6 24. 4 37. 4 29 2	1,000 bushels 1,068,289 1,186,341 922,298 1,418,337 1,121,768	Cents 40. 6 34. 4 45. 0 31. 9 39. 2	414, 663 452, 409	12. 34 10. 88 10 98 11. 93	31 461 31	45 321 47 31	86 31 50 35	Cts. 431 36 58 43 421	Bushels 2, 548, 726 3, 845, 850 2, 677, 749 36, 455, 474 2, 748, 743	107, 318 2, 622, 357
Av. 1909- 1913	37, 357		1, 143, 407			11. 51						
1914 1915 1916 1917 1918 1919	38, 442 40, 996 41, 527 43, 553 44, 349 40, 359 42, 491		1, 549, 030 1, 251, 837 1, 592, 740 1, 538, 124 1, 184, 030	36. 1 52. 4 66. 6 70. 9	559, 506 655, 928 1, 061, 474 1, 090, 322 833, 922	15, 80 24, 37 24, 59 20, 66	401 463 701 68 783	54	39 <u>1</u> 59 <u>1</u> 72	403 74 793 743 1173	95, 105, 608 125, 090, 611 109, 004, 734 43, 435, 994	665, 314 761, 644 2, 591, 077 551, 355 6, 043, 834
Av. 1914- 1920	41, 674	33. 4	1, 393, 300	55. 3	769, 842	18. 47	56. 9	63. 4	60. 9	70. 5	83, 085, 412	2, 148, 512
1921 1922 1923 1924 4	45, 495 40, 790 40, 981 42, 452		1, 215, 803 1, 305, 883	80, 2 39, 4 41, 4 48, 0		7. 16 11. 74 13. 20 17. 42	434	50°	43	45 47 50 50	21, 236, 742 25, 413, 330 8, 795, 933	293, 208

Division of Crop and Livestock Estimates. Figures in italics are census returns. Exports and imports from Bureau of Foreign and Domestic Commerce.

Based on Dec. 1 price.
 Chicago Dally Trade Bulletin. Quotations are for contract 1906–1915.
 Oatmeal not included in 1909.
 Preliminary.

TABLE 80 .- Oats: Acreage, production, and total farm value, by States, 1923-1924

State	Thou	sands of	acres	Produc	tion, thouse bushels	ands of		lue, basis thousand	
	1922	1923	1924 1	1922	1923	1924 1	1922	1923	19241
Maine	120	125	121	4, 560	4, 625	4, 477	2, 143	2, 590	2, 910
New Hampshire	18	18	18	684	675	702	410	432	512
Vermont Massachusetts	90 10	75 9	68 8	8, 060 340	2, 625 315	2, 584 272	1, 714 214	1, 654 198	1, 783 190
Rhode Island	10	1	î	81	82	30	19	19	22
Connecticut	11	10	10	308	290	290	200	180	203
New York	1, 059	1,017	946	31, 770	82, 747	84, 056	16, 203	18, 011	21, 115
New Jersey	72	68	67	2, 232	1,632	2, 144	1, 228	898	1, 372
Pennsylvania Delaware	1, 170 7	1, 170 7	1, 030 7	39, 780 161	33, 930 182	37, 080 210	19, 094 92	17, 644 109	22, 990 139
Maryland	58	59	61	1, 740	1, 758	2, 074	887	949	1, 327
Virginia	166	163	187	3, 320	8,586	4, 394	1,959	2, 259	3, 164
West Virginia	200	196	184	4,600	4,704	4,784	2, 668	2, 964	8, 492
North Carolina South Carolina	220 406	300 447	258 360	4, 620 9, 744	6, 600 10, 728	4, 644 7, 704	3, 095 7, 405	4, 884 8, 797	3, 901 7, 478
Georgia	474	521	234	8, 532	9, 378	3, 978	6, 399	7, 971	3, 779
Florida	37	83	31	481	396	465	370	317	418
Ohio	1,472	1, 516	1,577	39, 744	52, 302	64, 657	17, 885	23, 536	33, 622
IndianaIllinois	1, 506 8, 860	1, 739 3, 860	1, 843 4, 092	81, 626 110, 010	48, 692 135, 100	70, 034 163, 680	12,650 42,904	18, 990 52, 689	33, 616 76, 930
Michigan	1, 498	1, 528	1, 600	50, 932	48, 896	67, 200	20,882	21, 025	32, 256 49, 728
Wisconsin	2, 465	2, 539	2,590	101, 558	92, 166	103, 600	39, 608	39, 631	49, 728
Minnesota	4,021	4, 200	4, 500	142, 746	155, 400	198, 500	45, 679	52, 836	83, 200
Iowa Missouri	5, 874 1, 200	5, 774 1, 380	5, 774 1, 518	217, 925 19, 200	209, 019 34, 500	248, 282 41, 745	76, 274 8, 448	77, 337 15, 525	109, 244 21, 290
North Dakota	2, 388	2, 388	2, 746	78, 804	54, 924	93, 364	20, 489	15, 379	33, 611
South Dakota	2, 400 2, 408	2, 304	2,650	74, 400	78, 336	98, 050	23, 808	24, 284 27, 556	39, 220
Nebraska	2, 408	2, 456 1, 338	2, 456	56, 106	81, 048	76, 186	19,076	27, 556 15, 016	32, 738 18, 709
Kansas Kentucky	1, 494 234	225	1, 531 230	27, 639 4, 282	34, 922 4, 725	39, 806 5, 336	11, 332 2, 398	2, 646	3, 575
Tennessee	229	205	225	4, 122	4, 305	4, 950	2, 185	2, 583	3, 416
Alabama	277	277	197	5, 540	4, 709	2, 955	4, 155	3, 767	2, 571
Mississippi Louisiana	125 56	120 56	118 53	2, 375 1, 249	2, 280 1, 232	2, 124 1, 060	1, 568 862	1, 733 838	1, 805 880
Texas	1, 455	1, 370	1, 438	33, 465	43, 840	48, 892	18, 406	24, 989	28, 846
Oklahoma	1, 500	1, 200	1, 440	30,000	24,000	38, 880	13, 500 3, 762	12, 480	20, 606
Arkansas	264	250	275	6, 600	5, 750	5, 500	3,762	3, 565	3, 520 9, 331
Montana	660 158	678 165	673 169	21, 120 4, 898	22, 209 5, 610	19, 854 5, 239	7, 814 1, 959	8, 439 2, 637	3, 039
Colorado	185	226	260	4, 625	7, 232	6, 500	2, 081	2, 637 3, 327	3, 770
New Mexico	53	58	64	827	1, 160	1, 536	480	812	922
Arizona	20	19	20	620	570	700	422	456	567
Utah Nevada	86 2	81 3	77 3	3, 354 74	8, 062 106	3, 080 102	1, 576 56	1, 776 86	2, 156 73
Idaho	162	170	184	6, 156	7, 820	6, 624	2,832	8, 441	3, 842
Washington	202	210	218	7,918	11,970	8, 611	4, 592	5, 985	5,080
Oregon	267	270	270	6, 675	10, 530	8, 370	3,805	4, 738 3, 159	5, 106
California	150	162	70	5, 250	5, 265	1, 645	8, 360		1, 481
United States	40, 790	40, 981	42, 452	1, 215, 808	1, 305, 883	1, 541, 900	478, 948	541, 187	739, 495

Division of Crop and Livestock Estimates

¹ Preliminary.

TABLE 81 .- Oats: Yield per acre, by States, 1909-1924

State	1909	1910	1911	1912	1913	AV. 1909- 1918	1914	1915	1916	1917	1918	1919	1920	AV. 1914- 1920	1921	1922	1923	1934
Maine New Hampshire Vermont Massachusetts Rhode Island	Bw. 37. 0 31. 5 32. 2	Bu 42. 442. 8	Bu. 38. 8	Bu 34. 6	Bu. 40. 0 85. 0 89. 0	Bu. 38. 5 86. 4 38. 1	Bu. 41. 0 88. 0 42. 5 87. 0	38. 0 43. 0	87, 0 32, 0	38. 0 36. 0	88. 0 41. 0	38. 0 29. 5	89. 0 85. 0	37. 4 37. 3 37. 0	Bu. 35. 0 35. 0 33. 0 31. 0	38. 0 38. 0 34. 0	37. 0 37. 5 35. 0	37. 0 39. 0 38. 0
Rhode Island Connecticut New York New Jersey Pennsylvania Delaware							27. 5 29. 0 31. 5 29. 0 30. 0	33. 0 82. 5 40. 5 82. 5 38. 0	27. 0 30. 0 26. 0 30. 0 31. 0	31. 0 33. 0 35. 0 34. 0 35. 0	42. 0 38. 0 41. 0 40. 0 89. 0	30. 0 29. 5 25. 5 30. 0 31. 0	28, 0 30, 0 38, 5 32, 0 39, 0	81. 2 81. 7 84. 0 82. 5 84. 7	30. 0 24. 0 24. 0 28. 5	31. 0 28. 0 30. 0 31. 0 34. 0	32. 0 29. 0 32. 2 24. 0 29. 0	30. 0 29. 0 36. 0 32. 0 36. 0
Maryland Virginia West Virginia North Carolina South Carolina	25. 4 19. 0 22. 0 16. 5 21. 0	30. 0 22. 0 25. 2 18. 2	27. 0 20. 0 22. 0 16. 5	30. 0 22. 2 28. 0 18. 6	28. 0 21. 5 24. 0 19. 5	28. 1 20. 9 24. 2 17. 9	27. 0 27. 0 15. 5 20. 0 17. 5 20. 0	34. 0 25. 0 29. 0 28. 0	29. 5 23. 5 23. 0 17. 5	31. 0 24. 5 27. 0 16. 0	33. 0 23. 0 27. 0 17. 0	28. 0 22. 0 21. 0 16. 7	32. 5 21. 9 27. 0 22. 0	80. 7 22. 2 24. 9 18. 5	28, 0 27, 0 20, 5 22, 0 18, 0 24, 0	30. 0 20. 0 23. 0 21. 0	29. 8 22. 0 24. 0 22. 0	34. 0 23. 5 26. 0 18. 0
Georgia Florida Ohio Indiana Illinois							20. 0	19. 5 20. 0 41. 0 40. 0	19. 5 15. 0 28. 0 30. 0	16. 0 14. 0 44. 0 42. 0	20. 0 18. 0 44. 0 42. 0	20. 0 15. 0 33. 0 32. 0	21. 0 17. 0 44. 2 41. 0	19. 4 16. 7 37. 8 36. 5	21. 0 13. 0 23. 0 24. 0 26. 5	18. 0 13. 0 27. 0 21. 0	18. 0 12. 0 34. 5 28. 0	17. 0 15. 0 41. 0 38. 0
Michigan	30. 5 35. 0 33. 0	34, 0 29, 8 28, 7	28. 6 29. 8	34. 9 87. 8 41. 7	30. 0 36. 5 87. 8	81. 6 83. 7 82. 8	83. 5 27. 0 28. 0 33. 0 21. 5	46, 5 43, 0 40, 0	37. 0 26. 5 37. 0	44. 0 37. 0 47. 0	46, 6 41, 0 42, 0	33. 4 28. 0 34. 6	44. 8 37. 5 39. 0	39. 9 34. 4 38. 9	18, 2 24, 3 24, 0 26, 0 20, 0	41. 2 35. 5 37. 1	36, 8 37, 0 36, 2	40. 0 43. 0 43. 0
North Dakota South Dakota Nebraska Kansas Kentucky	32. 0 30. 0 25. 0 28. 2 22. 3	7. 0 23. 0 28. 0 33. 3 25. 0	23. 5 7. 4 13. 9 15. 0 18. 4	41. 4 33. 8 24. 4 32. 0 26. 9	25. 7 26. 5 26. 5 19. 5 19. 8	25. 9 24. 1 23. 6 25. 6 22. 5	28. 0 27. 5 32. 0 33. 5 21. 0	42. 0 32. 0 26. 5	30, 5 35, 5 23, 5	34. 0 38. 0 31. 0	39. 0 22. 2 22. 0	29. 0 32. 8 28. 1	34. 0 34. 6 30. 7	33.7 32.4 27.9	19. 0 22. 0 27. 1 20. 5 19. 0	31. 0 23. 3 18. 5	34. 0 33. 0 26. 1	37. 0 31. 0 26. 0
Tennessee	20.0 16.5	28. 0 18. 5	19. 5 19. 2	21. 7 20. 0	21. 0 20. 5		23. u 23. 0	21. 5 25. 0	18, 0 19, 0	19. 0 22. 3	20. 0 25. 0	16 0 22, 0	17. 0 23. 0	18. 8 19. 2 22. 8	20. 5 22. 0 20. 0 23. 0 18. 0	20. 0 19. 0 22. 3	17. 0 19. 0 22. 0	15. 9 18. 0 20. 0
Oklahoma Arkansas Montana Wyoming Colorado	29. 0 22. 8 51. 3 35. 0 38. 0	36. 5 27. 5 38. 0 32. 0 39. 1	9. 0 20. 0 49. 8 34. 5 35. 0	25. 1 19. 9 48. 0 41. 8 42. 8	18. 0 26. 5 43. 5 38. 0 35. 0	23. 5 23. 3 46. 1 86. 3 38. 0	24. 0 35. 0 35. 0	27. 0 52. 0 42. 0	21. 0 38. 0 35. 0	28. 0 20. 0 36. 0	25. 5 30. 0 41. 0	22. 0 6. 0 12. 0	25. 0 22. 0 38. 0	24.6 29.0 34.1	20. 0 22. 0 24. 0 30. 0 31. 0	25. 0 32. 0 31. 0	23. 0 33. 0 34. 0	20. 0 29. 5 31. 0
New Mexico Arizona Utah Nevada						34. 2 41. 4 45. 2 42. 5	42. 0 50. 0 52. 0	37. 0 47. 0 45. 0	37. 5 43. 5 43. 0	40. 0 44. 0 40. 0	40. 0 45. 0 38. 0	35. 0 27. 9 25. 3	27. 0 33. 8 37. 2	36, 9 41, 6 40, 1	27. 7 35. 0 36. 4 37. 7	31. 0 39. 0 37. 2	30. 0 37. 8 35. 4	35. 0 40. 0 84. 0
Idaho						44. 5 47. 8 87. 5 84. 6	47. 0 35. 0 35. 0	50. 0 44. 0 33. 0	52. 0 48. 0 32. 5	38. 5 25. 0 35. 0	27. 0 25. 0 32. 0	40. 0 31. 3 29. 0	46. 6 36. 5 30. 0	43. 0 35. 0 32. 4	43. 0 50. 0 32. 0 27. 0 23. 7	39, 2 25, 0 35, 0	57. 0 39. 0 32. 5	39. 5 81. 0 23. 5

Division of Crop and Livestock Estimates.

Table 82.—Oats: Percentage reduction from full yield per acre, from stated causes, as reported by crop correspondents, 1909-1925

			Advers	e west	her cos	adition							Other	
Year	Defi- cient mois- ture	Excessive mois- ture	Floods	Frost or freeze ¹	Hail	Hot winds	Storms	To- tal ³ cli- matic	Plant dis- cases	In- sect pests	Ani- mal pests	Defec- tive seed	and un- known causes	Total
1909 1910 1911 1912 1913	P. ct. 7. 9 17. 0 27. 6 7. 2 22. 7	P. ct. 8.2 .8 1.0 8.1	P. ct. 0.6 .2 (*) .3	P. ct. 0.8 .7 .5 .5	P. ct. 1.1 .4 .3 1.0 .6	P. ct. 0. 9 1. 7 5. 1 1. 1 1. 8	P. ct. 0.8 .3 .1 .5	P. ct. 17. 7 21. 4 35. 4 14. 1 27. 2	P. ct 2.4 .9 .8 1.6	P. ct. 0. 5 . 6 1. 5 . 7 1. 1	P. ct. 0.1 .2 .1 .2	P. ct. 0.4 .2 .2 .2 .2	P. ct. 1.1 .7 1.5 .9 1.2	P. ct. 22. 2 24. 0 39. 5 17. 7 30. 3
1914 1915 1916 1917 1918	15.7 1.4 10.1 11.8 12.9	2 2 8.5 4.0 1.2	.2 .9 .4 .2	.8 .4 .6 2.7 1.8	.8 1.0 .8 .8	2.6 .1 2.8 1.0 1.8	.4 .8 .5 .3	22. 7 13. 2 19. 7 18. 2 18. 1	2 0 2 1 5 2 .8 1.1	1.6 .3 1.8 .4 .9	.1 8	;1 ;2 g)	1.0 .5 .8 .4	27. 5 16. 3 27. 2 19. 8 20. 7
1919 1920 1921 1922 1923	11. 5 6. 4 18. 3 14. 6 10. 1	5. 7 2. 7 2. 8 3. 8 2. 7	.4 .3 .2 .4 .2	.4 .5 2.7 .5 1.5	.7 .8 .8 1.2	2.8 .9 5.9 1.4 1.5	.4 .6 .8	22. 3 12. 1 31. 0 22. 0 17. 4	4.8 2.3 5.2 3.2 3.0	2.2 1.4 2.1 1.8 1.0	(*) .1 :1	.1 .1 .1 .1	.5 .8 .5 .4	29. 9 16. 8 38. 9 27. 6 21. 9

Division of Crop and Livestock Estimates.

Table 83.—Oats: Acreage and yield per acre in specified countries, average 1909 1913, annual 1921-1924

			Acreage				Yie	ld per	acre	
Country	A ver- age, 1909- 1913	1921	1922	1923	1924	A ver- age, 1909- 1913	1921	1922	1928	1924
NORTHERN HEMISPHERE										
NORTH AMERICA	1,000 acres	1,000 acres	1,000 acres	1,000 acres	1,000 acres	Bush- els	Bush-	Bush-	Bush- els	Bush-
Canada United States	9, 597 37, 357	16, 949 45, 495	14, 541	14, 388		36. 6	25. 1	33. 8	39. 2	32.0
Total North America	46, 954	62, 444	55, 331	55, 369	56, 933					
EUROPE										
United Kingdom: England and Wales Scotland Ireland	952	2, 148 1, 012 1, 254	2, 157 988 1, 214	1, 976 968 1, 176	2, 037 957			47. 5	47. 9 46. 5 48. 0	
Norway Sweden Denmark Netherlands Belgium	1, 961 1 1, 161	342 1, 751 1, 112 883 608	301 1, 798 1, 118 394 717	256 1, 795 1, 118 381 654	255 1, 913 1, 132 377 653	43. 0	37. 9 42. 9 46. 9 52. 2 58. 4	42. 9 52. 2 45. 2	41. 3 56. 4 48. 9	87. 1 57. 8
Luxemburg France Spain Portugal Italy	77 110, 084 1, 276	1, 575 403	482	78 8, 457 1, 595 526 1, 228	72 8, 560 1, 399		19. 4 29. 0 22. 6 18. 9 81. 4	33. 9 20. 6	39. 8 25. 4	84.6
Switzerland Germany Austria Ozenhoslovakia. Hungary	1 9, 529 1 888 1 2, 506	52 7, 814 664 1, 968 885	7, 912 7, 912 704 2, 016 811	802 2,081	2, 091	55. 8 32. 9 38. 4	28. 6 87. 7	35. 0 26. 0 35. 5	50. 9 82. 2 44. 0	48.5

¹ Estimated for present territory.

Includes winterkill of fall-sown oats in Southern States.
 Includes all other climatic.
 Less than 0.05 per cent.

TABLE 83.—Oats: Acreage and yield per acre in specified countries, average 1909–1915, annual 1921–1924—Continued

	1		Acreage)			Yie	ld per	acre	
Country	Aver- age, 1909- 1918	1921	1922	1928	1924	A ver- age, 1909- 1913	1921	1922	1928	1924
Yugoslavia	1,000 acres 11,358 11140	1,000 acres 1,003		1,000 acres 928 180	1,000 acres	Bush- els 24. 7 29. 1	Bush- els 18.9	Bush- els 18.9	Bush- els 23. 1 83. 1	Bush- els
Greece Bulgaria Rumania Poland	1 408 1 2, 119 1 6, 666	831 8, 062 4, 753	852 8, 295 5, 941	870 3, 325 6, 215	3, 056 6, 388	21. 2 28. 2 29. 4	20. 1 21. 7 31. 6	26. 0 27. 9 29. 5	24. 8 18. 8 39. 0	19.8 14.8 27.7
Lithuania. Latvia Esthonia. Finland.	1 961 1 765 1 394 999	766 622 353 1,042	769 676 399 1, 061	816 754 378 1, 059	903 826 412 1, 063	23. 8 25. 1 24. 9 20. 4	23. 7 27. 1 25. 0 33. 4	87. 6 26. 9 25. 2 35. 0	29. 1 21. 8 21. 0 20. 1	29. (28. (26. 8 30. (
Russia, including Ukraine and Northern Caucasia	1 85,514	20, 191	15, 6 57	19, 400		23. 0	14. 6	23. 4		
Total Europe, comparable with 1909-1913 Total Europe, comparable with 1924	84, 324 45, 880	40, 279	42, 046	65, 105 42, 619	48, 078					
AFRICA	10,000									
MoroccoAlgeriaTunis	449 133	22 574 159	28 585 126	29 600 121	37 658 112	30. 0 27. 4	25. 2 17. 7 26. 0	6. 4 12. 6 7. 7	14. 3 32. 1 22. 8	10. 8 14. 8 16. 8
Total Africa comparable with 1909-1918	582	733 755	711 739	721 750	770 807					
ASIA										
Russia (Asiatic) Japanese Empire:	5, 742	3, 922	2, 243	2, 631		19. 0	16. 0	20.9		
Japan Chosen	110 4 141	268	307 272	266	272	44, 8 15. 6	19. 6	43. 8 18. 9	41. 2	39. 7
Total Asia comparable with 1909-1913. Total Asia comparable with 1924.	5, 993 110		2, 822 307	266	272					
Total Northern Hemisphere comparable with 1909-1913 Total Northern Hemisphere comparable with 1924	137, 853		98, 423	99, 004	101, 085					
Country	A ver- age, 1909- 10 to 1913- 14	1921~ 22	1922- 23	1928- 24	1924- 25	A ver- age, 1909- 10 to 1913- 14	1921- 22	1922- 23	1923- 24	1924- 25
Southern Hemisphere										
Chile	78 66 2,396 810 745 866	70 107 2, 105 530 733 171	81 87 2, 618 1, 014 143	79 120 2, 815	82 118 2, 644	42. 7 19. 5 22. 6 11. 9 23. 8 49. 1	41. 3 19. 3 14. 5 9. 8 20. 7 49. 4	34. 8 11. 5 21. 2 18. 5 49. 7	41, 1 12, 8 35, 2 38, 0	
Total Southern Hemisphere comparable with 1909-1913. Total Southern Hemisphere comparable with 1924 World total comparable with	4, 461 2, 540	3, 716 2, 282	2, 786	2, 514	2, 844					
1909–1918 World total comparable with 1924	142, 804		101, 209	101, 518	103, 929					

Division of Statistical and Historical Research. Official sources and International Institute, except where otherwise specified Estimates given are for crops harvested during the calendar year in the Northern Hemisphere and for the succeeding harvest in the Southern Hemisphere.

¹ Retimated for present territory.
2 One year only.
5 Four year average.

⁴ Three year average.

4 Excludes native locations.

TABLE 84.—Oats: Production in specified countries, average 1909-1913, annual 1921-1924

[Thousand bushels-i. e., 000 omitted]

Country	Average 1909–1913	1921	1922	1923	1924
Northern Hemisphere					
NORTH AMERICA					1
CanadaUnited States	351, 690 1, 143, 407	426, 238 1, 078, 341	491, 239 1, 215, 803	563, 996 1, 305, 883	468, 860 1, 541, 900
Total North America	1, 495, 097	1, 504, 574	1, 707, 042	1, 869, 881	2, 005, 760
EUROPE					
United Kingdom: England and Wales Scotland Ireland	96, 913 44, 507 65, 169	97, 822 46, 782 56, 238	90, 568 46, 917 61, 589	94, 710 44, 977 56, 490	105, 980
Norway Sweden Denmark Netherlands Belgium	10, 276 86, 050 1 60, 557 18, 070 1 43, 964	12, 960 75, 070 52, 158 20, 001 35, 225	13, 380 77, 154 58, 403 17, 817 35, 783	12, 548 74, 174 63, 107 18, 641 47, 056	9, 788 70, 927 21, 605 40, 036
Luxemburg	3, 382 1 368, 462 29, 110 1 37, 537	1, 243 244, 455 35, 616 5, 616 38, 415	1, 527 288, 264 31, 214 12, 669 30, 465	3, 174 336, 944 40, 434 8, 098 39, 827	1, 929 295, 771 24, 824 5, 460 33, 304
Switzerland	4, 784 1 527, 178 1 29, 030 1 96, 147 1 28, 464	3, 036 344, 812 19, 000 74, 087 21, 964	2, 466 276, 643 18, 317 71, 552 22, 553	3, 059 420, 731 25, 861 91, 684 27, 458	2, 694 422, 632 84, 952 17, 125
Yugoslavia Greece Bulgaria Rumania Poland	1 33, 516 1 3 4, 075 1 8, 651 1 3 59, 776 1 195, 825	18, 907 4, 134 6, 657 66, 356 150, 286	9, 144 92, 073 175, 549	21, 476 5, 964 9, 188 62, 666 242, 671	19, 432 4, 062 7, 372 44, 299 177, 128
Lithuania. Latvia. Esthonia. Finland. Russia, including Ukraine and Northern Caucasia.	1 22, 910 1 19, 188 1 9, 795 20, 391	18, 154 16, 843 8, 840 34, 846 295, 554	28, 942 18, 171 10, 057 37, 174 365, 826	23, 777 16, 412 7, 942 21, 288	23, 286 23, 147 11, 049 32, 801
Total Europe comparable with 1909–1913	2, 740, 958	1, 799, 411 1, 335, 345		1, 629, 925	1, 479, 603
MoroccoAprica MigeriaTunis	13, 489 3, 642	555 10, 148 4, 134	180 7, 227 965	415 19, 249 2, 756	7, 972 1, 585
Total Africa comparable with 1909– 1913 and with 1924	17, 131	14, 282	8, 192	22, 005	9, 557
AI3A			•		
Russia (Asiatic) Japanese Empire:	107, 687	63, 382	46, 848		
Japan Chosen	4, 928 4 2, 202	12, 086 5, 336	13, 436 5, 136	10, 968	10, 808
Total Asia comparable with 1909- 1913 Total Asia comparable with 1924 Total Northern Hemisphere com-	115, 687 4, 928	80, 904 12, 086	65, 420 13, 436	10, 968	10, 808
parable with 1909-1913. Total Northern Hemisphere comparable with 1924.	4, 368, 003	3, 899, 071 2, 866, 287		3, 532, 779	8, 505, 728

¹ Estimated for present territory.

² One year only.

Four-year average.
Three-year average.

Table 84.—Oats: Production in specified countries, average 1909-1915, annual 1921-1924—Continued

Country	Average 1909-1910 to 1913-1914	1921-1922	1922-1928	1923-1924	1924-1925
SOUTHERN HEMISPHERE Chile	3, 333 1, 285 54, 246 19, 661 17, 768 17, 978	2, 893 2, 069 30, 606 5, 186 15, 184 8, 441	2, 822 1, 000 55, 597 18, 728 7, 110	3, 246 2, 156 81, 457 2, 468	
Total Southern Hemisphere com- parable with 1909-1913. World total comparable with 1909- 1913. World total comparable with 1924	104, 271 4, 472, 274	64, 379 3, 463, 450 2, 866, 287		8, 582, 779	3, 505, 728

Division of Statistical and Historical Research. Official sources and International Institute except where otherwise specified. Estimates given are for crops harvested during the calendar year in the Northern Hemisphere and the succeeding harvest in the Southern Hemisphere.

TABLE 85 .- Oats: World production, 1894-1924 [Thousand bushels-i. e., 000 omitted]

	Production in countries		Estimated	Three	selected count	ries
Year	reporting all years 1894–1923	Production as reported	world totals (prelimi- nary)	Russia 1	Germany	France
1894	1, 885, 275	2, 872, 863	े, 039, 717	743, 953	453, 328	294, 344
1895	2, 039, 081	3, 026, 778	3, 213, 431	717, 314	430, 205	305, 742
1896	1, 868, 604	2, 894, 896	8, 113, 148	799, 833	411, 259	296, 205
1897	1, 810, 951	2, 680, 919	2, 889, 281	663, 714	393, 979	253, 257
1898	2, 045, 803	2, 995, 851	3, 181, 262	687, 534	465, 317	321, 562
1899	2, 099, 848	3, 333, 003	3, 620, 889	995, 307	474, 174	307, 914
1900	2, 086, 228	3, 226, 625	8, 470, 581	853, 697	488, 590	285, 313
1901	1, 902, 240	2, 810, 028	2, 960, 683	624, 098	485, 711	254, 909
1902	2, 304, 423	3, 557, 569	8, 812, 029	930, 679	514, 447	319, 691
1903	2, 178, 550	3, 326, 743	8, 621, 951	799, 785	542, 427	344, 329
1904	2, 162, 947	3, 561, 205	8, 832, 755	1, 124, 266	477, 847	290, 902
1905\	2, 248, 847	3, 474, 967	8, 752, 142	936, 665	451, 013	805, 736
1906	2, 374, 494	3, 430, 518	3, 713, 918	714, 272	580, 869	295, 110
1907	2, 264, 041	3, 526, 136	3, 775, 336	921, 175	630, 318	852, 712
1908	2, 165, 982	8, 729, 862	3, 783, 767	959, 414	530, 126	327. 159
1909	2, 570, 179	4, 530, 467	4, 546, 147	1, 163, 076	628, 712	883, 139
1910	2, 520, 718	4, 252, 783	4, 257, 893	1,064,516	544, 287	331, 866
1911	2, 257, 513	3, 964, 808	8, 978, 991	876, 013	530, 764	849, 247
1912	2, 822, 328	4, 738, 090	4, 756, 725	1, 089, 365	586, 987	855, 089
1913	2, 647, 659	4, 781, 258	4, 798, 558	1, 250, 590	669, 231	857, 049
1914	2, 492, 811	4, 181, 958	4, 148, 447	914, 913	622, 674	318, 333
1915	2, 604, 450	4, 513, 559	4, 581, 429	1, 022, 107	412, 400	238, 551
1916	2, 424, 824	3, 126, 676	4, 023, 526	2, 022, 201	484, 007	277. 117
1917	2, 382, 705	8, 122, 116	3, 882, 136		249, 964	220, 836
1918	2, 882, 177	8, 118, 816	8, 777, 886		³ 301, 839	³ 180, 558
1919	2, 006, 599	2, 772, 076	3, 283, 092		309, 587	179, 823
1920	2, 437, 471	8, 606, 466	3, 886, 484	463, 634	332, 490	291, 406
1921	2, 006, 843	8,457,790	8, 457, 805	858, 936	344, 812	244, 455
1922	2, 107, 098	8, 765, 408	8, 775, 424	412, 674	276, 643	288, 264
1928	2, 402, 892	8, 802, 837	4, 245, 255	412,014	420, 781	886, 944
1924	a, TUE, 092	3, 564, 921	T, #100, 400		422, 632	296, 771
AVAR		0, 502, 921			* 400,000	- 200, //1

Division of Statistical and Historical Research.

For each year is shown the production during the calendar year in the Northern Hemisphere and the succeeding harvest in the Southern Hemisphere.

One year only.
 Four year average.
 Excluding native locations which produced 299,644 bushels in 1917-18 and 67,270 bushels in 1920-21.

Includes all Russian territory reporting for years named.
 Excludes Poland.
 New boundaries and therefore not comparable with earlier years.

Table 86.—Oats: United States, monthly marketings by farmers, 1917-1923

Tour bankening	P	ercent	age of 7	/ear's 1	receipt	s as reg	orted	by abo	at 8,50	0 mills	and e	levator	8
Year beginning July	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	Sea- son
1917 1918 1919 1920 1921 1922 1923	4.7 8.0 14.4 8.3 15.1 8.9 7.0	16. 4 19. 6 18. 4 18. 7 16. 5 15. 7 17. 7	13. 5 11. 9 10. 1 13. 8 11. 8 11. 9 14. 1	11. 1 9. 9 9. 2 9. 5 7. 9 10. 1 11. 5	7. 7 7. 2 5. 8 5. 5 5. 8 7. 8 6. 8	7. 8 6. 7 8. 8 5. 8 6. 1 8. 6 7. 6	8. 8 6. 7 8. 2 6. 6 7. 3 7. 4 7. 7	8. 0 4. 5 6. 6 6. 9 7. 1 7. 9	7. 1 5. 5 4. 9 6. 0 5. 6 6. 5 5. 2	6. 5 6. 3 4. 8 4. 6 4. 3 4. 7 4. 8	4. 0 7. 0 5. 2 6. 8 7. 2 5. 4 4. 8	4.9 6.7 4.6 7.8 6.0 5.9 4.9	100, 0 100, 0 100, 0 100, 0 100, 0 100, 0 100, 0

Division of Crop and Livestock Estimates.

TABLE 87.—Oats: United States, farm stocks, shipments, and quality, 1897-1924

		····					
	Old stocks		Crop.	,		Stocks on	Shipped out of
Year beginning August	on farms Aug. ¹	Quantity	Weight per bushel ²	Quality •	Total supplies	farms Mar. 1 following 1	county where grown 1
1897	1,000 bush. 80, 153 51, 352 59, 060 64, 420 78, 598 46, 394 62, 872 77, 573 73, 196 40, 528 27, 478 66, 686 67, 801 84, 875 103, 916 62, 467 55, 607	1,000 bush. 791, 442 842, 747 925, 555 913, 800 778, 392 1, 053, 489 889, 350 1, 008, 931 1, 090, 236 1, 035, 576 805, 108 850, 540 1, 068, 289 1, 186, 341 922, 298 1, 418, 337 1, 121, 768 1, 141, 060 1, 649, 030 1, 251, 837	Pounds 30. 5 29. 7 31. 3 31. 1 30. 7 31. 0 29. 7 31. 6 32. 7 32. 0 29. 4 29. 8 32. 7 32. 7 31. 1 33. 0 32. 1 31. 5 33. 0 31. 2	Per cent 87. 6 84. 5 89. 5 89. 5 89. 2 83. 7 86. 7 79. 9 91. 4 88. 2 77. 0 81. 3 91. 4 92. 4 93. 8 94. 6 91. 0 89. 1 86. 5 87. 5	1,000 bush. 871, 595 894, 099 984, 615 978, 220 1, 085, 938 947, 948 1, 055, 325 1, 113, 149 878, 304 891, 068 1, 095, 767 1, 225, 684 1, 235, 527 1, 046, 637	1,000 bush. 309, 043 328, 684 338, 383 332, 364 241, 506 300, 872 304, 128 392, 861 437, 300 413, 480 258, 104 294, 082 385, 705 442, 685 289, 989 604, 249 419, 481 379, 369 598, 148	1,000 bush. 245,409 233,409 2374,146 288,907 152,962 286,233 250,192 300,534 319,871 229,441 221,147 253,929 343,968 363,103 265,944 438,130 297,865 335,539 465,823
1917 1918 1919	47, 834 81, 424 93, 045	1, 592, 740 1, 538, 124 1, 184, 030	33. 4 33. 2 31. 1	95. 1 93. 6 84. 7	1, 640, 574 1, 619, 548 1, 277, 075	599, 208 590, 251 409, 730	514, 117 421, 568 312, 364
1920	54, 819 161, 108 74, 513 70, 965 65, 710	1, 496, 281 1, 078, 341 1, 215, 803 1, 305, 883 1, 541, 900	33. 1 28. 3 32. 0 32. 1 33. 4	93. 3 74. 7 87. 7 87. 9 91. 4	1, 551, 100 1, 239, 449 1, 290, 316 1, 376, 848 1, 607, 610	683, 759 411, 934 421, 118 447, 366	431, 687 258, 259 303, 950 322, 971

Division of Crop and Livestock Estimates.

Based on percentage of crop as reported by crop reporters.
 Average weight per measured bushel as reported by crop reporters.
 Per cent of a "high medium grade" as reported by crop reporters
 Preliminary.

FABLE 88.—Oats: Receipts and shipments, 11 primary markets, 1909-1924
[Thousand bushels-i. e., 000 omitted]

				MARIO I								
Year beginning		cago		aukee		apolis		uth		ouis	Tol	
August	100	Ship-	Re-	Ship-	Re-	Ship-	Re-	Ship-	Re-	Ship-	Re-	Ship-
	ceipts	ments	ceipts	ments	celpts	ments	ceipts	ments	ceipts	ments	ceipts	ments
1909	85, 999	72, 501 89, 705	9, 496	7, 483	15, 599	14, 531	7, 806	7,432	20, 048	14, 765	3, 670	3, 162
1910 1911 1912	107, 902	89, 705	14, 844	14, 878	18.419	18, 845 10, 048	2, 434 4, 529	2,824	20, 517 16, 879	10,828	3,700 2,872	3, 435
1911	87, 628	70,090	10, 000	6, 174	10, 555	10,048	4, 529	4,639	16, 879	11, 280	2,872	2,611
1912	117, 108	116, 275	16, 252	1 20, 180	19, 031	16, 397	9, 350	8, 351	23, 785	16, 592	3, 637	4, 365
1710	1700, 100	90, A3A	18, 434	17, 172	22, 995	24, 272	5, 795	6, 761	25, 967	19, 497	3, 655	2,819
Av. 1909-1918.	100, 873	89, 342	18, 978	18, 570	17, 320	15, 818	5, 988	6, 001	21, 439	15, 491	3, 507	8, 278
1014	149 019	130, 938	29, 962	31, 179	28, 042	23, 147	9, 005	8, 325	21, 419	16, 240	6, 066	8, 089
1915 1916 1917 1918 1919	151, 168	122, 280	85, 252	84, 389	45, 778	45, 024	4, 844	4.528	17, 518	11, 636	4, 707	3, 501
1916	145, 075	108, 152	82, 707	28, 649	31. 822	23, 075	8, 184	8, 498	24.616	18.940	4, 926	2.642
1917	134, 310	86, 725	31, 766 34, 727	20, 128	42, 017	42, 181	766	680	87, 4 31	32, 129	- 5, 303	3, 194
1918	115, 714	83, 719	34, 727	30, 548	87. 081	88, 019	2, 663	2, 378	80, 812	23, 836	9, 010	8,820
1919	82, 141	60, 792	26, 572	17, 766	17, 054	19,083	1, 085	1,084	81, 391	22,772	3, 221	1,601
1920	עספר, שו	54, 598	19, 065		26, 003	14,600	6, 241	455	80, 103	21, 387	5, 848	2, 339
Av. 1914-1920.	121, 664	92, 458	30, 007	25, 137	81, 750	28, 583	3, 963	2, 992	27, 613	20, 991	5, 583	3, 884
1921	77, 828	82 419	23, 241	17, 869	32, 307	28, 260	6, 065	10 120	25, 949	20, 160	4, 604	2, 848
1000	84, 451	63, 418 65, 055	21, 057	17, 162	24, 870	38, 320	1, 372	2 130	82, 220	26, 664	3, 786	2, 230
1922 1923	69, 516	50, 190	19, 729	17, 859	29, 069	27, 385	5, 068	10, 129 2, 130 4, 717	35, 001	28, 722	4, 248	1, 820
	00,010					====			====	===		
1923						1 800	-00	اء			200	
Aug Sept	9, 591	5, 218	3, 171	1, 914	3, 542	1, 765	89	170	3, 207	2, 627	889	360
Sept	6, 890	5, 368 4, 990	2, 535 8, 364	2, 160 2, 893	4, 339 4, 390	1, 724 2, 995	541 449	179 266	3, 182 3, 612	2, 320	514 294	335 176
Mor	7,660	2, 960	9 050	1, 628	2, 505	3, 134	609	521	9 494	2, 734 1, 910	232	79
Oct Nov Dec	5, 093 6, 223	8, 866 3, 819	2, 059 1, 704	1, 198	3, 363	2, 802	915	380	2, 484 2, 836	2, 165	194	66
	0, 220	3,010	1, 101	1, 100	0, 000	2,002	910	000	2, 000	2, 100	103	
1924						0			0.00			
Jan Feb Mar Apr May June July Aug Sept Oct Nov	5, 068	4, 157	1, 266 1, 396	1, 009 1, 286	1, 994	2, 133	367 388	22 22	3, 004 3, 119	2, 432	329	102 176
Feb	6, 560	3, 212	1, 396	1, 230	2, 568	2, 221	255		8, 119	3, 081	348 356	
M8F	5, 704	4, 485 3, 489	1, 151 860	1, 687	1, 857 1, 479	2, 114	200	18 825	2, 670 2, 870	2, 476 2, 365	239	146
Apr	4, 192	3, 489 4, 563	580	1, 215 1, 494	1, 479 796	3, 217 2, 626	325	1, 270	2 404	2, 547	321	95 73
May	4, 545 4, 411	4, 634	851	889	1, 196	1, 416	891	702	8, 496 2, 754	2, 430	275	42
Tulw	3, 579	2, 389	792	486	1, 040	1, 238	216	504	1, 767	1, 635	257	170
Ang	9, 981	2,967	1, 961	479	3, 788	1, 197	1, 369	347	3, 576	2, 507	1, 193	292
Sent	16, 084	4, 512	4. 208	2, 037	14, 062	1, 163	9, 693	2, 949	3, 576 3, 030	2, 397	1, 529	663
Oct.	11, 904	4, 952	8, 302	1, 423	10, 385	3, 020	3, 085	2,751	2.942	2.461	515	337
Nov	4,714	3, 739	1. 305	1,071	4, 871	4, 118	989	1,025	1, 944	1,644	952	183
Nov Dec	6,081	8,011	1, 543	687	3, 970	4, 141	3, 057	637	1,828	1,638	386	256
			-,		9,0,0		9,001		1,040	1,000	1 200	-
Year beginning	Det	roit	Kansa	s City	Pı	ria	Om	aha	Indian	apolis	T	otal
Year beginning August	Det Re-	roit Ship-	Kansa Re-	s City Ship-	Pt Re-	ria hip-	Om Re-	aha Ship-	Indiar Re-	apolis Ship-	Re-	otal Ship-
August	Det Re- ceipts	roit Ship- ments	Kansa Re- ceipts	s City Ship- ments	Pt Re- ceipts	ria hip- ments	Om Re- ceipts	aha Ship- ments	Indian Re- ceipts	apolis Ship- ments	Re- ceipts	otal Ship- ments
August	Re- ceipts 2, 488	roit Ship- ments 383	Kansa Re- ceipts	Ship- ments 4,508	Re- ceipts 10, 875	ria hip- ments	Om Re- ceipts	sha Ship- ments	Indian Re- ceipts	Ship- ments	Re- ceipts	otal Ship- ments
August 1909 1910	Det Re- ceipts 2, 488 3, 073	roit Ship- ments 383 265	Re- ceipts 5, 165 6, 280	Ship- ments 4, 508 4, 066	Re- ceipts 10, 875 10, 130	hip- ments 11, 705 10, 895	Re- celpts	sha Ship- ments	Indiar Re- ceipts	Ship- ments	Re- ceipts 161, 146 187, 299	otal Ship- ments 136, 420 155, 231
August 1909	Det Re- ceipts 2, 488 3, 073 2, 752	roit Ship- ments 383 265 348	Re- ceipts 5, 165 6, 280 6, 018	Ship- ments 4, 508 4, 066 5, 071	Re- ceipts 10, 875 10, 130 6, 658	hip- ments 11, 705 10, 895 8, 737	Om Re- celpts (1) (1) 8, 868	sha Ship- ments (1) (1) 9, 258	Re- ceipts	Ship- ments (1) (1) 394	Re- ceipts 161, 146 187, 299 158, 593	otal Ship- ments 136, 420 155, 231 130, 665
August 1909	Det Re- ceipts 2, 488 3, 073 2, 752 3, 535	roit Ship- ments 383 265 348 514	Re- ceipts 5, 165 6, 280 6, 018 7, 704	Ship- ments 4, 508 4, 066 5, 071 7, 523	Re- ceipts 10, 875 10, 130 6, 658	ria hip- ments 11, 705 10, 895 8, 737 13, 188	Om Re- celpts (1) (1) 8, 868 14, 958	sha Ship- ments (1) (1) 9, 258 14, 802	Indian Re- ceipts (1) (1) 976 8, 136	Ship- ments (1) (1) 394 2,876	Re- ceipts 161, 146 187, 299 158, 593 234, 938	otal Ship- ments 136, 420 155, 231 130, 665 221, 063
August 1909	Det Re- ceipts 2, 488 3, 073 2, 752 3, 535 3, 807	roit Ship- ments 383 265 348 514 649	Re- ceipts 5, 165 6, 280 6, 018 7, 704 11, 325	Ship- ments 4, 508 4, 066 5, 071 7, 523 11, 032	Pc Re- ceipts 10, 875 10, 130 6, 658 11, 447 12, 152	hip- ments 11, 705 10, 895 8, 737 13, 188 13, 804	Om Re- celpts (1) (1) 8, 868	sha Ship- ments (1) (1) 9, 258	Re- ceipts	Ship- ments (1) (1) 394	Re- ceipts 161, 146 187, 299 158, 593 234, 938 231, 237	otal Ship- ments 136, 420 155, 231 130, 665 221, 063 214, 530
August 1909 1910 1911 1912 1913 Av. 1909-1918.	Det Re- ceipts 2, 488 3, 073 2, 752 3, 535 3, 807 3, 131	70it Ship- ments 383 265 348 514 649 432	Re- ceipts 5, 165 6, 280 6, 018 7, 704 11, 325 7, 298	Ship- ments 4, 508 4, 066 5, 071 7, 523 11, 032 6, 440	Peceipts 10, 875 10, 130 6, 658 11, 447 12, 152 10, 252	ria Thip- ments 11, 705 10, 895 8, 737 13, 188 13, 804 11, 666	Om Re- ceipts (1) (1) 8, 868 14, 958 15, 977	aha Ship- ments (1) (1) 9, 258 14, 802 18, 575	Indiar Receipts (1) (1) 976 8, 136 5, 392	Ship- ments (1) (1) 2,876 1,808	Re- ceipts 161, 146 187, 299 158, 593 234, 938 231, 237 194, 643	otal Ship- ments 136, 420 155, 231 130, 665 221, 063 214, 530 171, 582
August 1909	Det Re- ceipts 2, 488 3, 073 2, 752 3, 535 3, 807 3, 131 4, 028	Ship- ments 383 265 348 514 649 432	Kansa Re- ceipts 5, 165 6, 280 6, 018 7, 704 11, 325 7, 298 7, 338	Ship- ments 4, 508 4, 066 5, 071 7, 523 11, 032 6, 440 6, 107	Pc Receipts 10, 875 10, 130 6, 658 11, 447 12, 152 10, 252 11, 189	hip- ments 11, 705 10, 895 8, 737 13, 188 13, 804 11, 666	Om Re- ceipts (1) (1) 8, 868 14, 958 15, 977	aha Ship- ments (1) (1) 9, 258 14, 802 18, 575	Indiar Re- ceipts (1) (1) 976 8, 136 5, 392	Ship- ments (1) (1) 394 2,876 1,808	Re- ceipts 161, 146 187, 299 158, 593 234, 938 231, 237 194, 643 275, 338	otal Ship- ments 136, 420 155, 231 130, 665 221, 063 214, 530 171, 582 252, 139
August 1909	Det Re- ceipts 2, 488 3, 073 2, 752 3, 535 3, 807 3, 131 4, 028 5, 173	70it Ship- ments 383 265 348 514 649 432 1, 123 2, 292	Kansa Re- ceipts 5, 165 6, 280 6, 018 7, 704 11, 325 7, 298 7, 338 4, 882	Ship- ments 4, 508 4, 066 5, 071 7, 523 11, 032 6, 440 6, 107 2, 582	Pc Receipts 10, 875 10, 130 6, 658 11, 447 12, 152 10, 252 11, 189 11, 364	ria hip- ments 11, 705 10, 895 8, 737 13, 188 13, 804 11, 666 11, 726 11, 888	Om Re- ceipts (1) (1) 8, 868 14, 958 15, 977	aha Ship- ments (1) (1) 9, 258 14, 802 18, 575	Indiar Re- ceipts (1) 976 8, 136 5, 392 5, 828 13, 797	Ship- ments (1) (1) 394 2, 876 1, 808	Re- ceipts 161, 146 187, 299 158, 593 234, 938 231, 237 194, 643 275, 338 305, 904	otal Ship- ments 136, 420 155, 231 130, 665 221, 063 214, 530 171, 582 252, 139 257, 708
August 1909	Det Re- ceipts 2, 488 3, 073 2, 752 3, 535 3, 807 3, 131 4, 028 5, 173 3, 911	roit Ship- ments 383 265 348 514 649 432 1, 123 2, 292 934	Kansa Re- ceipts 5, 165 6, 280 6, 018 7, 704 11, 325 7, 298 7, 338 4, 882 10, 059	Ship-ments 4, 508 4, 066 5, 071 7, 523 11, 032 6, 440 6, 107 2, 582 10, 130	Re- ceipts 10, 875 10, 130 6, 658 11, 447 12, 152 10, 252 11, 189 11, 364 13, 562	ria hip- ments 11, 705 10, 895 8, 737 13, 188 13, 804 11, 666 11, 728 11, 888 11, 049	Om Re- ceipts (1) (1) 8, 868 14, 958 15, 977	aha Ship- ments (1) 9, 258 14, 802 18, 575 13, 916 10, 961 17, 392	Indiar Re- ceipts (1) 976 8, 136 5, 392 5, 828 13, 797 14, 895	Ship- ments (1) (1) 394 2, 876 1, 808	Re- ceipts 161, 146 187, 299 158, 593 234, 938 231, 237 194, 643 275, 338 305, 904	otal Ship- ments 136, 420 155, 231 130, 665 221, 063 214, 530 171, 582 252, 139 257, 708
August 1909	Det Re- ceipts 2, 488 3, 073 2, 752 3, 535 3, 807 3, 131 4, 028 5, 173 3, 911 8, 677	roit Ship- ments 383 265 348 514 649 432 1, 123 2, 292 934 607	Kansa Re- ceipts 5, 165 6, 280 6, 018 7, 704 11, 325 7, 298 7, 338 4, 882 10, 059 18, 344	S City Ship- ments 4, 508 4, 066 5, 071 7, 523 11, 032 6, 440 6, 107 2, 582 10, 130 11, 826	Re- ceipts 10, 875 10, 130 6, 658 11, 447 12, 152 10, 252 11, 189 11, 364 13, 562 20, 170	ria hip- ments 11, 705 10, 895 8, 737 13, 188 13, 804 11, 666 11, 726 11, 888 11, 726 11, 726 11, 726 11, 726 11, 726	Om Re- ceipts (1) (1) 8, 868 14, 958 15, 977 13, 648 11, 421 18, 216 23, 673	aha Ship- ments (1) (1) 9, 258 14, 802 18, 575 	Indiar Re- ceipts (1) 976 8, 136 5, 392 	(1) (1) (2) (3) 4, 349 4, 349 4, 349 10, 891 113, 705	Re- ceipts 161, 146 187, 299 158, 593 234, 938 231, 237 194, 643 275, 338 305, 904 302, 473 337, 279	otal Ship- ments 136, 420 155, 231 130, 665 221, 063 214, 530 171, 582 252, 139 257, 708 235, 347 251, 661
August 1909	Det Re- ceipts 2, 488 3, 073 2, 752 3, 535 3, 807 3, 131 4,028 5, 173 3, 911 8, 677 8, 179	roit Ship- ments 383 265 348 514 649 432 1, 123 2, 292 934 607 1, 756	Kansa Re- ceipts 5, 165 6, 280 6, 018 7, 704 11, 325 7, 298 7, 338 4, 882 10, 059 18, 344 16, 688	Ship- ments 4, 508 4, 066 5, 071 7, 523 11, 032 6, 440 0, 107 2, 582 10, 130 12, 826 11, 343	Re- ceipts 10, 875 10, 130 6, 658 11, 447 12, 152 10, 252 11, 189 11, 364 13, 562 20, 170 8, 535	ria 11,705 11,705 10,895 8,737 13,188 13,804 11,666 11,888 11,049 17,541 8,212	Om Re- ceipts (1) (1) 8, 868 14, 958 15, 977 13, 648 11, 421 18, 216 23, 673 20, 661	aha Ship- ments (1) 9, 258 14, 802 18, 575 13, 916 10, 961 17, 392 21, 945 221, 945 220, 559	Indiar Re- ceipts (1) 976 8, 136 5, 392 	apolis Ship- ments (1) 394 2, 876 1, 808 4, 349 8, 677 10, 891 13, 705 4, 516	TRe- ceipts 161, 146 187, 299 158, 593 234, 938 231, 237 194, 643 275, 338 305, 904 302, 473 337, 279 288, 840	otal Ship- ments 136, 420 155, 231 130, 665 221, 063 214, 530 171, 582 252, 139 257, 708 235, 347 251, 661 228, 706
August 1909	Det Re- ceipts 2, 488 3, 073 2, 752 3, 587 3, 807 3, 131 4, 028 5, 173 3, 911 8, 179 8, 179 2, 418	roit Ship- ments 383 265 348 514 649 432 1, 123 2, 292 934 607 1, 756 551	Kansa Re- ceipts 5, 165 6, 280 6, 018 7, 704 11, 325 7, 298 7, 338 4, 882 10, 059 18, 344 16, 688 7, 615	S City Ship- ments 4, 508 4, 066 5, 071 7, 523 11, 032 6, 440 7, 582 10, 130 12, 826 11, 343 8, 180	Pc Re- ceipts 10, 875 10, 130 6, 658 11, 47 12, 152 10, 252 11, 189 11, 364 13, 562 20, 170 8, 535 10, 636	Thip- ments 11, 705 8, 737 13, 188 13, 804 11, 666 11, 726 11, 838 11, 049 17, 541 8, 212 13, 096	Om Re- celpts (1) 8, 858 14, 958 15, 977 13, 648 11, 421 18, 216 23, 673 20, 661 18, 018	aha Ship- ments (1) 9, 258 14, 802 18, 575 10, 961 17, 392 21, 945 20, 559 12, 110	Indiar Re- ceipts (1) 976 8, 136 5, 392 	Apolis Ship-ments (1) (2) 394 2, 876 1, 808 4, 349 8, 677 10, 891 13, 705 4, 516 4, 023	TRe- ceipts 161, 146 187, 299 158, 593 234, 938 231, 237 194, 643 275, 338 305, 904 302, 473 337, 279 228, 840 209, 070	Ship- ments 136, 420 155, 231 130, 665 221, 063 214, 530 171, 582 252, 139 257, 708 235, 347 251, 661 228, 706 158, 006
August 1909 1910 1911 1912 1913 Av. 1909-1913 1914 1915 1916 1917 1918 1919 1919	Det Re- ceipts 2, 488 3, 073 2, 752 3, 535 3, 807 3, 131 4, 028 5, 173 5, 173 8, 179 2, 418 3, 345	70it Ship- ments 383 265 348 514 649 432 1, 123 2, 292 934 607 1, 755 1, 750	Kansa Re- ceipts 5, 165 6, 280 6, 018 7, 704 11, 325 7, 298 7, 338 4, 882 10, 059 18, 344 16, 685 7, 615 7, 137	S City Ship- ments 4, 508 4, 066 5, 071 7, 523 11, 032 6, 440 0, 107 2, 582 10, 130 12, 826 11, 343 5, 182	Pc Re- ceipts 10, 875 10, 130 6, 658 11, 447 12, 152 10, 252 11, 189 11, 364 13, 562 20, 170 8, 535 9, 176	Thip- ments 11, 705 10, 895 8, 737 13, 188 13, 804 11, 666 11, 726 11, 838 11, 049 17, 541 8, 212 13, 096 7, 906	Om Re- celpts (1) 8, 858 14, 958 15, 977 13, 648 11, 421 18, 216 23, 673 20, 661 18, 018 10, 223	aha Ship- ments (1) 9, 258 14, 802 18, 575 13, 916 10, 961 17, 392 21, 945 20, 559 12, 110 8, 423	Indiar Re- ceipts (1) 976 8, 136 5, 392 	Apolis Ship-ments (1) (2) 394 2, 876 1, 808 4, 349 8, 677 10, 891 13, 705 4, 516 4, 022 6, 099	TRe-ceipts 161, 146 187, 299 158, 593 234, 938 231, 237 194, 643 275, 338 305, 904 302, 473 337, 279 298, 840 209, 070 213, 060	Ship- ments 136, 420 155, 231 130, 665 221, 063 214, 530 171, 582 252, 139 257, 708 235, 347 251, 661 228, 706 158, 008 134, 986
August 1900 1910 1911 1912 1913 Av. 1909-1913 1914 1915 1916 1917 1918 1919 Av. 194-1920 Av. 1914-1920	Det Re- ceipts 2, 488 3, 073 2, 752 3, 535 3, 807 3, 131 4, 028 5, 173 5, 173 8, 911 3, 677 8, 179 2, 418 3, 345 4, 390	70it Ship- ments 383 265 348 514 649 432 1, 123 2, 293 607 1, 750 1, 750 1, 145	Kansa Re- ceipts 5, 165 6, 280 6, 018 7, 704 11, 325 7, 298 7, 338 4, 882 10, 059 18, 344 16, 688 7, 615 7, 137	SCity Ship- ments 4,508 5,071 7,523 11,032 6,440 6,107 210,130 12,826 11,343 5,182 7,614	Re- ceipts 10, 875 10, 130 6, 658 11, 447 12, 152 10, 252 11, 189 11, 362 20, 170 8, 535 9, 176 12, 090	Thip- ments 11, 705 10, 895 8, 737 13, 188 13, 804 11, 666 11, 726 11, 888 11, 049 17, 541 8, 212 13, 096 13, 096 11, 624	Om Re- ceipts (1) (8, 868 14, 958 15, 977 13, 648 11, 421 18, 216 23, 673 20, 661 18, 018 18, 018 18, 018 18, 018	Ship-ments (1) (1) (1) (2) (1) (1) (1) (1) (2) (3) (4) (8) (2) (575 (13) (9) (17) (17) (20) (559 (12) (10) (14) (15) (15) (15) (15) (15) (15) (15) (15	Indiar Re- ceipts (1) 976 8, 136 5, 392 	napolis Shirp-ments (1) (1) 2, 876 1, 808 4, 349 4, 349 8, 349 13, 705 4, 516 4, 023 6, 099 7, 466	TRe- ceipts 161, 146 187, 299 158, 593 234, 938 231, 237 194, 643 275, 338 302, 473 337, 279 288, 840 209, 070 213, 060 277, 426	Ship- ments 136, 420 155, 231 130, 665 221, 063 214, 530 171, 582 252, 139 257, 708 235, 347 251, 661 228, 706 134, 986 134, 986
August 1909. 1910	Det Re- ceipts 2, 488 3, 073 3, 535 3, 807 3, 131 4, 028 5, 173 3, 911 8, 677 8, 179 2, 418 3, 3445 4, 390 2, 285	roit Ship- ments 383 265 348 514 649 432 1, 123 2, 292 934 607 1, 756 551 750 1, 145	Kansa Re- ceipts 5, 165 6, 280 6, 088 7, 704 11, 325 7, 298 7, 338 4, 882 10, 559 11, 344 16, 688 7, 615 7, 137 10, 295	S City Shipments 4,508 4,066 5,071 7,523 11,032 6,440 6,107 2,582 10,130 11,343 5,180 5,180 7,614 5,043	Pc Re- ceipts 10, 875 10, 130 6, 685 11, 447 12, 152 10, 252 11, 189 11, 364 13, 562 20, 170 8, 535 10, 636 9, 176 12, 090 14, 210	Thip- ments 11, 705 10, 895 8, 737 13, 188 13, 804 11, 666 11, 726 11, 888 11, 7541 8, 212 12, 096 7, 906 11, 624	Om Re- ceipts (1) (1) (8, 868 14, 958 15, 977 18, 216 22, 673 20, 661 18, 018 10, 223 15, 837 10, 665	Ship-ments (1) (1) (2) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	Indiar Re- ceipts (1) (1) (2) 976 8, 136 5, 392 	18 polis Ship-ments (1) (1) 2, 876 1, 808 4, 349 8, 677 10, 891 12, 705 4, 516 4, 023 6, 099 7, 466 6, 247	TRe- ceipts 161, 146 187, 299 158, 593 234, 938 231, 237 194, 643 275, 338 305, 904 302, 473 337, 279 298, 840 209, 070 213, 060 277, 426 217, 468	0tal Ship- ments 136, 420 155, 231 130, 665 221, 063 214, 530 257, 708 235, 347 251, 661 228, 706 158, 006 158, 006 118, 936 216, 936
August 1909 1910 1911 1912 1913 Av. 1909-1913 1014 1915 1916 1917 1918 1919 Av. 1914-1920 1921	Det Re- ceipts 2, 488 3, 073 2, 752 3, 535 3, 807 3, 131 4, 028 5, 173 3, 911 8, 677 2, 418 3, 345 4, 390 2, 285 8, 444	roit Ship- ments 383 265 348 514 649 432 2, 292 2, 292 1, 1756 551 750 1, 145 330	Kansa Re- ceipts 5, 165 6, 280 7, 704 11, 325 7, 298 4, 882 10, 059 18, 348 16, 615 7, 137 10, 296 10, 568	s City Ship- ments 4,508 4,066 5,071 7,523 11,032 6,440 6,107 2,582 10,130 12,826 11,343 5,180 5,132 7,614 5,043 6,143	Pc Re- ceipts 10, 875 10, 136 6, 658 11, 447 12, 152 10, 252 11, 189 11, 364 13, 562 20, 170 8, 570 9, 176 12, 090 14, 210 16, 555	ria Thip- ments 11, 705 10, 895 8, 737 13, 188 13, 804 11, 626 11, 888 11, 049 17, 541 8, 212 12, 096 7, 906 11, 624 12, 254 15, 147	Om Re- ceipts (1) (1) (1) 8, 868 14, 958 15, 977 11, 421 11, 421 11, 216 22, 673 20, 661 10, 223 15, 837 10, 685 14, 772	sha Ship- ments (1) (1) (1) 9, 258 14, 802 18, 575 13, 916 10, 961 17, 392 21, 945 22, 549 12, 110 8, 423 15, 044 9, 768	Indiar Re- ceipts (1) 976 8, 136 5, 392 5, 828 13, 797 14, 895 19, 822 14, 820 11, 509 14, 234 13, 052	18polis Ship- ments (1) (2) (2) 394 2, 876 1, 808 4, 349 8, 677 10, 891 13, 705 4, 516 4, 023 6, 099 7, 466 6, 247 3, 471	TRe- ceipts 161, 146 187, 299 158, 593 234, 938 231, 237 194, 643 2775, 338 305, 904 302, 473 307, 279 228, 840 209, 070 213, 060 277, 426 217, 468 222, 680	Ship- ments 136, 420 135, 231 130, 665 221, 063 214, 530 171, 582 252, 139 257, 708 235, 347 251, 661 228, 706 158, 008 134, 986 216, 936 175, 826
August 1909. 1910	Det Re- ceipts 2, 488 3, 073 3, 535 3, 807 3, 131 4, 028 5, 173 3, 911 8, 677 8, 179 2, 418 3, 3445 4, 390 2, 285	roit Ship- ments 383 265 348 514 649 432 1, 123 2, 292 934 607 1, 756 551 750 1, 145	Kansa Re- ceipts 5, 165 6, 280 6, 088 7, 704 11, 325 7, 298 7, 338 4, 882 10, 559 11, 344 16, 688 7, 615 7, 137 10, 295	S City Shipments 4,508 4,066 5,071 7,523 11,032 6,440 6,107 2,582 10,130 11,343 5,180 5,180 7,614 5,043	Pc Re- ceipts 10, 875 10, 130 6, 685 11, 447 12, 152 10, 252 11, 189 11, 364 13, 562 20, 170 8, 535 10, 636 9, 176 12, 090 14, 210	Thip- ments 11, 705 10, 895 8, 737 13, 188 13, 804 11, 666 11, 726 11, 888 11, 7541 8, 212 12, 096 7, 906 11, 624	Om Re- ceipts (1) (1) (8, 868 14, 958 15, 977 18, 216 22, 673 20, 661 18, 018 10, 223 15, 837 10, 665	Ship-ments (1) (1) (2) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	Indiar Re- ceipts (1) (1) (2) 976 8, 136 5, 392 	18polis Ship- ments (1) (2) (2) 394 2, 876 1, 808 4, 349 8, 677 10, 891 13, 705 4, 516 4, 023 6, 099 7, 466 6, 247 3, 471	TRe-ceipts 161, 146 187, 299 158, 593 234, 938 231, 237 194, 643 277, 338 305, 904 302, 473 337, 279 228, 840 209, 070 213, 080 277, 426 221, 468	0tal Ship- ments 136, 420 155, 231 130, 665 221, 063 214, 530 257, 708 235, 347 251, 661 228, 706 158, 006 158, 006 118, 936 216, 936
August 1909. 1910. 1911. 1912. 1913. Av. 1909-1913. 1914. 1915. 1916. 1917. 1919. 1919. 1920. Av. 1914-1920. 1921. 1922. 1923.	Det Re- ceipts 2, 488 3, 073 2, 752 3, 535 3, 807 3, 131 4, 028 5, 173 3, 911 8, 677 2, 418 3, 345 4, 390 2, 285 8, 444	roit Ship- ments 383 265 348 514 649 432 2, 292 2, 292 1, 1756 551 750 1, 145 330	Kansa Re- ceipts 5, 165 6, 286 6, 918 7, 704 11, 325 7, 298 7, 338 4, 882 10, 082 118, 344 16, 688 7, 613 7, 137 10, 295 7, 262 10, 568 11, 701	s City Ship- ments 4,508 4,066 5,071 7,523 11,032 6,440 6,107 2,582 10,130 12,826 11,343 5,180 5,132 7,614 5,043 6,143	Pc Re- ceipts 10, 875 10, 130 6, 658 11, 447 12, 152 20, 170 8, 535 10, 636 12, 090 14, 210 16, 555 13, 419	ria Thip- ments 11, 705 10, 895 8, 737 13, 188 13, 804 11, 686 11, 888 11, 049 17, 541 8, 212 13, 906 7, 906 11, 624 12, 254 15, 147 12, 292	Om Re- ceipts (1) (1) (1) 8, 868 14, 958 15, 977 11, 421 11, 421 11, 216 22, 673 20, 661 10, 223 15, 837 10, 685 14, 772	sha Ship- ments (1) (1) (1) 9, 258 14, 802 18, 575 13, 916 10, 961 17, 392 21, 945 22, 549 12, 110 8, 423 15, 044 9, 768	Indiar Re- ceipts (1) 976 8, 136 5, 392 5, 828 13, 797 14, 895 14, 820 13, 969 16, 509 14, 234 13, 052	18polis Ship- ments (1) (2) (2) 394 2, 876 1, 808 4, 349 8, 677 10, 891 13, 705 4, 516 4, 023 6, 099 7, 466 6, 247 3, 471	TRe- ceipts 161, 146 187, 299 158, 593 234, 938 231, 237 194, 643 2775, 338 305, 904 302, 473 307, 279 228, 840 209, 070 213, 060 277, 426 217, 468 222, 680	Ship- ments 136, 420 135, 231 130, 665 221, 063 214, 530 171, 582 252, 139 257, 708 235, 347 251, 661 228, 706 158, 008 134, 986 216, 936 175, 826
August 1909. 1910. 1911. 1912. 1913. Av. 1909-1913. 1914. 1915. 1916. 1917. 1919. 1919. 1920. Av. 1914-1920. 1921. 1922. 1923.	Det Re- ceipts 2, 488 3, 073 2, 752 3, 535 3, 807 3, 131 4, 028 5, 173 3, 911 8, 677 2, 418 3, 345 4, 390 2, 285 8, 444	roit Ship- ments 383 265 348 514 649 432 2, 292 2, 292 1, 1756 551 750 1, 145 330	Kansa Re- ceipts 5, 165 6, 280 6, 018 7, 704 11, 325 7, 338 4, 882 10, 059 18, 344 16, 684 16, 685 7, 615 7, 137 10, 295 21, 568 11, 701	S City Ship- ments 4,066 5,071 7,523 6,440 6,107 2,582 10,130 12,826 11,343 5,132 7,614 6,147 7,283	Pc Re- ceipts 10, 875 10, 130 6, 658 11, 447 12, 152 20, 170 8, 535 10, 636 12, 090 14, 210 16, 555 13, 419	ria Thip- ments 11, 705 10, 895 8, 737 13, 188 13, 804 11, 686 11, 888 11, 049 17, 541 8, 212 13, 906 7, 906 11, 624 12, 254 15, 147 12, 292	Om Re- celpts (1) (1) (1) (2) 8, 868 14, 958 15, 977 18, 216 23, 673 20, 661 13, 018 10, 223 15, 837 10, 685 14, 444	Ship- ments (1) (1) (2) (1) (2) (1) (2) (2) (2) (3) (3) (4) (2) (3) (4) (4) (5) (4) (5) (6) (6) (7) (7) (7) (7) (8) (8) (8) (8) (9) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	Indiar Re- ceipts (1) (1) (2) (1) (1) (2) (3) (4) (5) (5) (5) (6) (6) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7	18polis Ship- ments (1) (2) (2) 394 2, 876 1, 808 4, 349 8, 677 10, 891 13, 705 4, 516 4, 023 6, 099 7, 466 6, 247 3, 471	TRe- ceipts 161, 146 187, 299 158, 593 234, 938 231, 237, 194, 643 275, 338 302, 473 337, 279 298, 840 209, 970 213, 080 277, 426 217, 468 222, 683 220, 631	otal Ship- ments 136, 420 155, 231 130, 665 221, 063 214, 530 171, 582 252, 139 257, 708 258, 068 158, 008 134, 986 216, 936 175, 826 174, 939
August 1909. 1910. 1911. 1912. 1913. Av. 1909-1913. 1914. 1915. 1916. 1917. 1919. 1919. 1920. Av. 1914-1920. 1921. 1922. 1923.	Det Re- celpts 2,488 3,073 2,752 3,535 3,807 3,131 4,023 3,911 3,677 3,179 2,418 3,345 4,390 2,285 3,444 3,983 3,244 3,983 3,244 3,567 3,245 5	roit Ship- ments 883 265 348 514 649 432 1, 123 2, 292 2, 934 607 1, 756 551 1, 145 330 326 558	Kansa Re- celpts 6, 165 6, 280 6, 018 7, 704 11, 325 7, 298 7, 388 4, 882 10, 059 18, 344 16, 688 7, 615 7, 262 10, 598 11, 701 11, 701	SCity Ship- ments 4,066 5,071 7,523 11,032 6,440 6,147 12,582 10,130 12,820 11,343 5,180 5,180 5,180 6,147 7,283	Pc Re- ceipts 10, 875 10, 130 6, 658 11, 447 12, 152 10, 252 11, 189 11, 364 13, 562 20, 170 8, 535 10, 636 9, 176 12, 090 14, 210 15, 545 18, 419 1, 603 11, 341 11,	Thip- ments 110, 895 11, 686 11, 686 11, 726 11, 686 11, 726 11, 581 11, 8, 212 12, 254 15, 147 12, 254 15, 147 12, 292 14, 987 12, 292 14, 987 12, 292 14, 987 12, 292 14, 987 12, 292 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 98	Om Re- celpts (1) (1) (1) (2) 8, 868 14, 958 15, 977 18, 216 23, 673 20, 661 13, 018 10, 223 15, 837 10, 685 14, 444	sha Ship-ments (1) 9, 258 14, 802 18, 575 13, 916 10, 961 17, 392 21, 945 20, 559 12, 110 8, 423 15, 044 9, 768 16, 174 22, 058 2, 850 2, 208	Indiar Re- ceipts (1) 976 8, 136 5, 392 5, 828 13, 797 14, 895 19, 822 13, 969 14, 234 13, 052 11, 685 11, 687	spolis Ship- ments (1) 2, 876 1, 808 4, 349 8, 677 10, 891 13, 708 4, 516 4, 023 6, 099 7, 466 6, 247 3, 471 2, 262	TRe-ceipts 161, 146 187, 299 158, 593 224, 938 231, 237 194, 643 275, 338 337, 279 288, 840 277, 426 213, 080 277, 426 212, 680 277, 426 222, 680 220, 631 220, 631	otal Ship- ments 136, 420 136, 521 130, 665 221, 063 221, 063 221, 053 257, 708 235, 347 251, 641 228, 706 158, 008 175, 826 175, 826 175, 826 174, 939 16, 682
August 1909. 1910. 1911. 1912. 1913. Av. 1909-1913. 1914. 1915. 1916. 1917. 1919. 1919. 1920. Av. 1914-1920. 1921. 1922. 1923.	Det Re- ceipts 2, 488 3, 073 2, 752 3, 535 3, 807 3, 131 3, 617 3, 179 8, 179 4, 199 2, 285 4, 285 3, 444 3, 063 322 455 3346	8hip- ments 383 265 348 514 649 432 1, 123 2, 292 934 607 1, 756 1, 145 336 326 351	Kansa Re- ceipts 5, 165 6, 280 6, 018 7, 704 11, 325 7, 298 7, 338 4, 382 10, 059 18, 344 16, 488 16, 648 17, 137 10, 295 7, 262 10, 568 11, 701 1, 899 1, 836 1, 876	S City Ship- ments 4, 506 5, 071 7, 523 11, 032 6, 440 6, 107 12, 826 11, 343 5, 180 5, 132 7, 283 263 984 887	Pc Re- ceipts 10, 875 10, 875 10, 130 6, 658 11, 447 12, 152 11, 189 13, 562 20, 170 8, 535 10, 636 9, 176 12, 090 14, 210 16, 555 13, 419 1, 603 1, 135 1, 554	ria Thip- ments 11, 785 8, 737 13, 188 13, 804 11, 666 11, 726 11, 88 11, 88 11, 88 11, 89 17, 541 18, 89 7, 906 11, 626 11, 2254 12, 292 1, 496 937 1, 839 1, 839 1, 839	Om Re- celpts (1) (1) (1) (2) 8, 868 14, 958 15, 977 18, 216 23, 673 20, 661 13, 018 10, 223 15, 837 10, 685 14, 444	sha Ship-ments (1) 9, 258 14, 802 18, 575 13, 916 10, 961 17, 392 21, 945 20, 559 12, 110 8, 423 15, 044 9, 768 16, 174 22, 058 2, 850 2, 208	Indiar Re- ceipts (1) (1) (2) (3) (1) (3) (4) (5) (8) (8) (8) (8) (8) (8) (8) (8) (8) (8	spolis Ship- ments (1) 394 2,876 1,808 4,349 8,705 4,516 4,023 6,099 7,466 6,247 3,471 2,262	TRe-ceipts 161, 146 187, 299 158, 593 224, 938 231, 237 194, 643 275, 338 337, 279 288, 840 277, 426 213, 080 277, 426 212, 680 277, 426 222, 680 220, 631 220, 631	otal Ship- ments 136, 420 136, 521 130, 665 221, 063 221, 063 221, 053 257, 708 235, 347 251, 641 228, 706 158, 008 175, 826 175, 826 175, 826 174, 939 16, 682
August 1909 1910 1911 1912 1913 Av. 1909-1913 1914 1915 1916 1917 1918 1919 1920 Av. 1914-1920 1921 1923 1923 Aug Sept Nov	Det Re- ceipts 2, 488 2, 488 3, 073 2, 7525 3, 807 3, 1311 4, 028 5, 173 3, 911 8, 677 8, 179 2, 245 4, 390 2, 285 3, 063 346 2788	roit Ship- ments 383 265 348 514 649 1,123 2,292 934 607 1,756 551 1,145 330 326 351 58 12	Kansa Re- celpts 5, 165 6, 280 6, 018 7, 704 11, 325 7, 298 4, 882 10, 059 18, 344 16, 688 7, 615 7, 137 10, 295 11, 701 1, 899 1, 870 1, 027	SCity Shipments 4, 508 4, 066 5, 071 7, 523 11, 032 6, 440 6, 107 2, 582 10, 130 11, 343 5, 180 5, 180 7, 614 5, 043 6, 107 7, 283 283 984 887 620	Pc Re- ceipts 10, 875 10, 130 6, 658 11, 447 12, 152 10, 252 11, 189 11, 364 13, 562 20, 170 8, 535 10, 636 10, 636 11, 4210 14, 210 16, 555 11, 554 1, 135 1, 135 1, 154	Thip-ments 11,705 8,737 11,666 11,666 11,766 11,888 13,804 11,666 11,788 11,049 11,686 11,049 11,624 12,254 12,254 15,147 19,279 1,496	Om Re- ceipts (1) (1) 8, 868 14, 958 15, 977 11, 421 18, 216 23, 673 20, 661 13, 018 10, 223 15, 837 10, 665 14, 772 2, 036 2, 708 1, 176	sha Ship-ments (1) 9, 258 14, 802 18, 575 13, 916 10, 961 17, 392 20, 559 12, 110 8, 110 15, 044 9, 768 16, 174 22, 058 2, 204 2, 480 2, 204 2, 480 2, 126	Indiar Re- ceipts (1) (2) (3) (6) (8) 136 (5, 392 (6) 13, 797 14, 895 19, 822 14, 820 11, 653 (1), 586 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653	apolis Ship- ments (1) 2,876 1,808 4,349 8,677 10,891 13,705 4,516 4,516 4,029 7,466 6,247 3,748 4,249 8,677 12,262	TRe-ceipts 161, 146 187, 299 158, 593 234, 938 231, 237 194, 643 275, 338 305, 904 203, 302, 473 337, 279 288, 840 2213, 080 227, 426 217, 488 222, 680 220, 631 29, 176 25, 135 27, 479 17, 229	otal Ship- ments 136, 420 155, 231 130, 605 221, 063 214, 530 171, 582 252, 139 257, 708 235, 347 228, 706 154, 986 174, 939 16, 826 174, 939 16, 821 19, 380 14, 958
August 1909 1910 1911 1912 1913 Av. 1909-1913 1914 1915 1916 1917 1918 1919 1919 1920 Av. 1914-1920 1921	Det Re- ceipts 2, 488 3, 073 2, 752 3, 535 3, 807 3, 131 3, 617 3, 179 8, 179 4, 199 2, 285 4, 285 3, 444 3, 063 322 455 3346	8hip- ments 383 265 348 514 649 432 1, 123 2, 292 934 607 1, 756 1, 145 336 326 351	Kansa Re- ceipts 5, 165 6, 280 6, 018 7, 704 11, 325 7, 298 7, 338 4, 382 10, 059 18, 344 16, 488 16, 648 17, 137 10, 295 7, 262 10, 568 11, 701 1, 899 1, 836 1, 876	S City Ship- ments 4, 506 5, 071 7, 523 11, 032 6, 440 6, 107 12, 826 11, 343 5, 180 5, 132 7, 283 263 984 887	Pc Re- ceipts 10, 875 10, 875 10, 130 6, 658 11, 447 12, 152 11, 189 13, 562 20, 170 8, 535 10, 636 9, 176 12, 090 14, 210 16, 555 13, 419 1, 603 1, 135 1, 554	Thip- ments 110, 895 11, 686 11, 686 11, 726 11, 686 11, 726 11, 581 11, 8, 212 12, 254 15, 147 12, 254 15, 147 12, 292 14, 987 12, 292 14, 987 12, 292 14, 987 12, 292 14, 987 12, 292 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 987 14, 98	Om Re- celpts (1) (1) 8, 868 14, 958 11, 421 118, 216 123, 673 20, 661 18, 018 10, 223 15, 837 10, 665 14, 772 18, 144	sha Ship- ments (1) (2) (2) (3) (4) (4) (4) (5) (4) (5) (6) (6) (6) (6) (6) (6) (7) (7) (8) (12) (10) (8) (12) (10) (10) (10) (10) (10) (10) (10) (10	Indiar Re- ceipts (1) (1) (2) (3) (1) (3) (4) (5) (8) (8) (8) (8) (8) (8) (8) (8) (8) (8	spolis Ship- ments (1) 394 2,876 1,808 4,349 8,705 4,516 4,023 6,099 7,466 6,247 3,471 2,262	TRe-ceipts 161, 146 187, 299 158, 593 234, 938 231, 237 194, 643 275, 338 305, 904 203, 302, 473 337, 279 288, 840 2213, 080 227, 426 217, 488 222, 680 220, 631 29, 176 25, 135 27, 479 17, 229	otal Ship- ments 136, 420 155, 231 130, 665 221, 063 221, 063 221, 530 171, 582 257, 708 235, 347 251, 641 228, 706 158, 006 158, 006 175, 826 175, 826 175, 826 174, 939 16, 882
August 1909 1910 1911 1912 1913 Av. 1909-1913 1914 1915 1916 1917 1918 1919 1920 Av. 1914-1920 1921 1922 1923 August Sept Oct Nov	Det Re- ceipts 2, 488 2, 488 3, 073 2, 7525 3, 807 3, 1311 4, 028 5, 173 3, 911 8, 677 8, 179 2, 245 4, 390 2, 285 3, 063 346 2788	roit Ship- ments 383 265 348 514 649 1,123 2,292 934 607 1,756 551 1,145 330 326 351 58 12	Kansa Re- celpts 5, 165 6, 280 6, 018 7, 704 11, 325 7, 298 4, 882 10, 059 18, 344 16, 688 7, 615 7, 137 10, 295 11, 701 1, 899 1, 870 1, 027	SCity Shipments 4, 508 4, 066 5, 071 7, 523 11, 032 6, 440 6, 107 2, 582 10, 130 11, 343 5, 180 5, 180 7, 614 5, 043 6, 107 7, 283 283 984 887 620	Pc Re- ceipts 10, 875 10, 130 6, 658 11, 447 12, 152 10, 252 11, 189 11, 364 13, 562 20, 170 8, 535 10, 636 10, 636 11, 4210 14, 210 16, 555 11, 554 1, 135 1, 135 1, 154	Thip-ments 11,705 8,737 11,666 11,666 11,766 11,888 13,804 11,666 11,788 11,049 11,686 11,049 11,624 12,254 12,254 15,147 19,279 1,496	Om Re- ceipts (1) (1) 8, 868 14, 958 15, 977 11, 421 18, 216 23, 673 20, 661 13, 018 10, 223 15, 837 10, 665 14, 772 2, 036 2, 708 1, 176	sha Ship-ments (1) 9, 258 14, 802 18, 575 13, 916 10, 961 17, 392 20, 559 12, 110 8, 110 15, 044 9, 768 16, 174 22, 058 2, 204 2, 480 2, 204 2, 480 2, 126	Indiar Re- ceipts (1) (2) (3) (6) (8) 136 (5, 392 (6) 13, 797 14, 895 19, 822 14, 820 11, 653 (1), 586 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653 (1), 653	apolis Ship- ments (1) 2,876 1,808 4,349 8,677 10,891 13,705 4,516 4,516 4,029 7,466 6,247 3,748 4,249 8,677 12,262	TRe-ceipts 161, 146 187, 299 158, 593 234, 938 231, 237 194, 643 275, 338 305, 904 203, 302, 473 337, 279 288, 840 2213, 080 227, 426 217, 488 222, 680 220, 631 29, 176 25, 135 27, 479 17, 229	otal Ship- ments 136, 420 155, 231 130, 605 221, 063 214, 530 171, 582 252, 139 257, 708 235, 347 228, 706 154, 986 174, 939 16, 826 174, 939 16, 821 19, 380 14, 958
August 1909 1910 1911 1912 1913 Av. 1909-1913 1914 1915 1916 1917 1918 1919 1919 1920 Av. 1914-1920 1921 1922 1923 August Sept Oct Nov Dec	Det Re- ceipts 2, 488 3, 073 2, 458 3, 535 3, 807 3, 131 4, 028 5, 911 3, 677 8, 179 2, 418 3, 444 3, 444 3, 445 3, 444 3, 445 3, 444 3, 445 3, 444 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3, 445 3	Toit Ship- ments 383 285 348 514 69 432 1, 123 2, 292 1, 173 607 1, 756 551 7, 756 1, 146 330 326 351 14 66	Kansa Re- ceipts 5, 165 6, 280 6, 280 6, 280 7, 704 11, 325 7, 298 7, 388 4, 882 1, 882 1, 882 1, 882 1, 615 7, 137 10, 295 7, 262 11, 701 1, 870 1, 870 1, 870 1, 192 7, 588	SCity Shipments 4, 508 4, 066 5, 071 7, 523 11, 032 6, 440 6, 107 2, 582 10, 130 11, 343 5, 180 5, 180 7, 614 5, 043 6, 107 7, 283 283 984 887 620	Re- ceipts 10, 875 10, 130 6, 658 11, 447 12, 152 11, 364 13, 562 20, 170 8, 535 12, 090 14, 210 16, 555 13, 419 1, 135 1, 135 1, 135 1, 135 1, 135	Thip-ments 11, 705 10, 895 8, 737 13, 188 13, 804 11, 888 13, 804 11, 888 13, 804 11, 888 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11, 848 11,	Om Re-celpts (1) (1) (8) 8, 868 14, 958 11, 421 118, 216 23, 673 20, 661 118, 018 10, 223 115, 837 10, 665 14, 772 18, 144 2, 976 1, 776 1, 743	aha Ship-ments (1) 9, 288 14, 802 18, 575 13, 916 10, 961 17, 392 21, 945 20, 559 12, 110 9, 768 16, 174 22, 058 2, 204 2, 420 1, 746	Indiar Re- eeipts (1) 976 8, 136 5, 392	apolis Shipments (1) (2) 394 2, 876 1, 808 4, 349 8, 671 10, 891 13, 705 4, 516 4, 023 6, 099 7, 466 6, 247 3, 471 2, 262 878 878 878 878 878	TRe-ceipts 161, 146 187, 299 158, 593 234, 938 231, 237 194, 643 275, 388 305, 904 302, 473 337, 279 298, 840 220, 631 222, 680 220, 631 29, 176 25, 135 27, 479 17, 229 20, 144	otal Ship- ments 136, 420 155, 231 130, 605 221, 063 214, 530 171, 582 252, 139 257, 708 235, 347 228, 706 154, 986 174, 939 16, 826 174, 939 16, 821 19, 380 14, 958
August 1909 1910 1911 1912 1913 Av. 1909-1913 1914 1915 1916 1917 1918 1919 1919 1920 Av. 1914-1920 1921 1922 1923 August Sept Oct Nov Dec	Det Re-ceipts 2, 488 3, 073 2, 755 3, 8071 3, 113, 677 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8,	Ship- ments 383 265 348 514 649 432 1, 123 2, 292 934 607 1, 756 356 1, 145 36 36 351	Kansa Re- celpts 5, 165 6, 280 6, 280 6, 280 7, 704 11, 329s 7, 338 4, 882 16, 683 16, 685 10, 295 10, 568 11, 701 1, 899 1, 889 1, 870 1, 192 1, 192	S City Ship- ments 4, 508 4, 066 5, 071 7, 523 11, 032 6, 440 12, 582 11, 343 5, 132 7, 614 7, 2, 582 847 7, 283 984 867 867 981	Pc Re- ceipts 10, 875 10, 130 6, 688 11, 447 12, 152 11, 384 13, 562 20, 170 8, 535 10, 636 9, 176 12, 200 11, 354 1, 135 1, 135 1, 135 1, 135 1, 174 1, 174 1, 137	Thip- ments 11, 705 11, 705 11, 705 11, 705 12, 188 13, 804 11, 649 11, 888 11, 726 11, 888 11, 726 11, 888 11, 726 11, 641 12, 292 11, 621 12, 292 1, 496 1, 001 1, 001	Om Re-celpts (1) (1) 8, 888 14, 958 15, 977 13, 648 11, 421 18, 216 23, 673 20, 661 13, 018 10, 223 15, 837 10, 665 14, 772 18, 144 2, 036 2, 708 1, 743 1, 743	aha Ship-ments (1) 9, 258 14, 802 18, 575 13, 916 10, 961 17, 392 21, 945 20, 559 12, 110 8, 423 15, 044 22, 058 2, 204 2, 204 2, 126 1, 746 2, 2860 2, 126 1, 746 2, 2860	Indiar Re-ceipts (1) (2) (3) (5, 828 13, 797 14, 820 16, 509 14, 234 13, 652 11, 653 11, 653 11, 653 508 508 970 986	apolis Ship- ments (1) (2) (3) (4) (2) (3) (4) (4) (4) (4) (4) (4) (4) (5) (4) (5) (6) (6) (6) (7) (6) (6) (7) (6) (7) (8) (8) (8) (8) (8) (8) (8) (8) (8) (8	TRe- celpts 161, 146 187, 299 158, 593 1234, 938 231, 237 194, 643 275, 338 305, 904 337, 279 288, 840 298, 840 220, 631 29, 176 25, 185 20, 176 25, 185 20, 144 18, 085	otal Ship- ments 136, 420 155, 231 130, 665 221, 063 2214, 530 1771, 582 252, 139 257, 708 228, 708 134, 986 216, 928 174, 939 16, 822 174, 939 14, 958 14, 102 13, 818
August 1909 1910 1911 1912 1913 Av. 1909-1913 1914 1915 1916 1917 1918 1919 1919 1920 Av. 1914-1920 1921 1922 1923 August Sept Oct Nov Dec	Det Re- ceipts 2, 488 3, 073 2, 752 3, 535 3, 807 3, 131 4, 173 3, 911 3, 677 8, 179 2, 285 4, 390 2, 285 3, 444 3, 063 322 455 329 280 280 2810	8hip- ments 383 265 348 514 649 432 1, 123 1, 123 1, 756 1, 145 356 351 368 368 14 66 599 988	Kansa Re- ceipts 5, 165 6, 280 6, 018 7, 704 11, 325 7, 338 4, 882 10, 05 11, 344 16, 688 7, 137 10, 295 7, 262 11, 701 1, 836 11, 701 1, 899 1, 836 1, 027 1, 192 7, 758 978 978	S City Ship- ments 4, 508 4, 066 5, 071 7, 523 11, 032 6, 440 6, 107 2, 582 10, 130 11, 343 5, 132 7, 614 5, 043 6, 147 7, 283 984 887 887 887 897	Pc Re- ceipts 10, 875 10, 130 6, 658 11, 447 12, 152 20, 252 20, 170 8, 535 11, 364 12, 090 14, 210 16, 555 18, 419 1, 603 1, 135 1, 174 1, 137 974 1, 222 1, 070	Thip-ments 11, 705 11, 705 8, 737 13, 188 13, 804 11, 626 11, 888 13, 904 11, 624 11, 624 12, 292 1, 496 1, 001 888 888 888 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 000 1, 0	Om Re-ceipts (1) (1) (1) 8, 88, 88, 88, 88, 88, 88, 88, 88, 88,	aha Ship-ments (1) 9, 288 14, 802 18, 575 13, 916 10, 961 17, 392 21, 945 20, 559 12, 110 8, 423 15, 044 9, 768 16, 174 22, 058 2, 204 2, 126 1, 746 1, 800 1, 800	Indiar Re- ceipts (1) (2) (3) (4) (5) (8) 136 5, 392 5, 828 13, 797 14, 895 16, 509 14, 234 13, 052 10, 585 11, 653 11, 672 1, 672 508 830 970 986 830	apolis Shipments (1) 2, 876 1, 808 4, 349 8, 677 10, 891 13, 705 4, 516 4, 023 6, 099 7, 466 6, 247 12, 262 878 878 878 878 878 878 878 878 878 87	TRe-ceipts 161, 146 187, 299 158, 593 234, 938 231, 237 194, 643 276, 302, 473 302, 473 307, 479 298, 840 220, 670 213, 060 277, 426 217, 468 220, 631 29, 176 25, 135 27, 479 27, 479 17, 229 20, 144 16, 002 19, 085 16, 107	otal Ship- ments 136, 420 155, 231 130, 665 221, 063 221, 053 171, 582 257, 708 235, 347 228, 706 134, 986 134, 986 175, 826 176, 826 174, 939 16, 623 16, 623 14, 058 14, 102 13, 813 14, 102 13, 813
August 1909 1910 1911 1912 1913 Av. 1909-1913 1914 1915 1916 1917 1918 1919 1919 1920 Av. 1914-1920 1921 1922 1923 August Sept Oct Nov Dec	Det Re-ceipts 2, 488 3, 073 2, 753 2, 753 5, 917 3, 3131 4, 028 5, 917 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8	Toit Ship- ments 383 383 514 649 432 1, 123 2, 292 1, 123 607 1, 756 551 756 1, 146 330 351 31 58 88 88 88 88 12 6 6 6 6 6 98 98	Kansa Re- ceipts 5, 165 6, 280 6, 280 6, 280 6, 280 7, 704 11, 325 7, 338 4, 882 16, 68 16, 68 17, 10, 295 7, 262 10, 568 11, 701 11, 102 11,	S City Ship- ments 4,508 4,066 5,071 7,523 11,032 6,140 6,107 2,582 11,343 12,826 11,343 6,147 7,283 263 263 263 263 263 263 263 263 263 26	Re- ceipts 10, 875 10, 130 6, 658 11, 447 12, 152 11, 364 11, 364 12, 160 12, 090 14, 210 16, 555 11, 603 1, 135 1, 137 1, 137	Thip-ments 11, 705 10, 895 8, 737 13, 188 13, 804 11, 588 11, 588 11, 588 11, 541 12, 254 12, 254 12, 292 1, 839 971 1, 001 888 960 1, 104	Om Re-celpts (1) (2) (3) (4) (4) (4) (5) (5) (7) (7) (7) (8) (7) (8) (8) (8) (8) (8) (9) (9) (9) (9) (9) (9) (9) (9) (9) (9	aha Ship-ments (1) (2) (3) (4) (5) (4) (5) (6) (7) (7) (8) (7) (7) (8) (7) (8) (7) (8) (7) (8) (8) (8) (8) (8) (8) (8) (8) (8) (8	Indiar Re- ceipts (1) 976 8, 136 5, 392 13, 797 14, 892 13, 797 14, 822 14, 820 16, 509 14, 234 11, 653 11, 653 1, 987 1, 987 1, 987 1, 987 1, 987 1, 9886 8902	Apolis Shipments (1) 394 2, 876 1, 808 4, 349 8, 677 10, 817 113, 705 4, 512 6, 099 7, 466 7, 466 8, 247 3, 471 2, 262 878 854 128 92 60 124 224 224	TRe- celpts 161, 146 187, 299 158, 593 234, 938 231, 237 194, 643 275, 338 302, 473 307, 279 298, 840 200, 070 213, 060 220, 631 20, 176 221, 468 222, 680 220, 631 24, 176 25, 135 27, 479 17, 229 211, 085 16, 107 13, 788	otal Ship- ments 136, 420 155, 231 130, 665 221, 063 224, 530 171, 582 252, 139 257, 708 235, 347 251, 661 228, 706 158, 008 134, 986 276, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382 16, 382
August 1909 1910 1911 1912 1913 Av. 1909-1913 1914 1915 1916 1917 1918 1919 Av. 1914-1920 Av. 1914-1920 1921 1923 1923 Sept Oct. Nov. Dec. 1924 Jan Feb. Mar	Det Re- ceipts 2, 488 3, 073 2, 752 3, 535 3, 807 3, 131 3, 617 3, 179 4, 179 2, 285 4, 295 3, 444 3, 063 322 455 346 278 329 240 292 310 172 144	8hip- ments 383 265 348 514 649 432 2, 292 934 607 1, 756 1, 145 336 326 351 36 66 69 598 822 226	Kansa Re- ceipts 5, 165 6, 280 6, 018 7, 704 11, 325 7, 338 4, 882 10, 559 16, 648 7, 137 10, 268 11, 701 1, 836 11, 701 1, 899 1, 836 1, 027 1, 192 758 978 978 458	S City Ship- ments 4, 508 4, 066 5, 071 7, 523 11, 032 6, 440 6, 107 2, 582 10, 130 112, 826 113, 343 5, 132 7, 614 6, 147 7, 283 984 807 807	Pc Re- ceipts 10, 875 10, 130 6, 687 11, 447 12, 152 11, 364 11,	Thip- ments 11, 705 11, 705 11, 895 8, 73; 188 13, 804 11, 686 11, 888 11, 049 11, 726 11, 621 12, 292 11, 292 1, 496 987 1, 839 1, 101 12, 292 1, 496 1, 838 1, 101 1, 10	Om Re-celpts (1) (1) 8, 888 14, 958 15, 977 13, 648 11, 421 18, 216 20, 661 11, 223 15, 837 10, 665 1, 772 18, 144 2, 036 2, 708 1, 176 1, 743 1, 213 1, 213 1, 213 1, 213 1, 213 1, 214 1, 214 1, 215 1, 215 1, 216 1, 216	aha Ship-ments (1) 9, 288 14, 802 18, 575 13, 916 10, 961 12, 7, 961 12, 110 8, 423 15, 044 22, 058 2, 204 2, 126 1, 746 2, 288 1, 601 1, 730 1, 518	Indiar Re-ceipts (1) 76 8, 136 5, 392 13, 797 14, 987 11, 653 11, 653 11, 653 11, 672 1, 282 508 986 686 986 986 986 980 9902 722	apolis Shipments (1) (2) (3) (2) (3) (4) (4) (5) (8) (677) (1) (8) (7) (8) (8) (7) (8) (8) (8) (8) (8) (8) (8) (8) (8) (8	TRe- celpts 161, 146 187, 299 158, 593 234, 938 231, 237 194, 643 305, 904 307, 279 298, 840 290, 070 213, 080 277, 426 222, 680 277, 426 222, 680 29, 176 25, 135 27, 479 17, 229 20, 144 16, 002 19, 085 16, 107 18, 788	otal Ship- menta 136, 420 155, 231 136, 653 121, 653 221, 653 221, 530 1771, 582 277, 708 228, 706 134, 936 174, 939 16, 382 16, 623 174, 939 14, 958 14, 058 14, 058 14, 058 14, 058
August 1909 1910 1911 1912 1913 Av. 1909-1913 1914 1915 1916 1917 1918 1919 Av. 1914-1920 Av. 1914-1920 1921 1923 1923 Sept Oct. Nov. Dec. 1924 Jan Feb. Mar	Det Re-ceipts 2, 488 3, 073 2, 753 2, 753 5, 917 3, 131 4, 028 5, 917 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8, 179 8,	8hip- ments 383 285 348 341 342 1, 123 2, 292 1, 123 3, 607 1, 756 551 330 326 351 351 351 44 66 559 988 282 266	Kansa Re- ceipts 5, 165 6, 280 6, 280 6, 280 7, 704 11, 325 7, 338 4, 852 10, 568 11, 701 1, 896 1, 870 1, 870 1, 870 1, 192 7, 58 1, 973 7, 262 1, 973 1, 973 1, 973 7, 262 1, 973 1, 870 1, 192 7, 263 1, 870 1, 192 7, 263 1, 870 1, 192 7, 263 1, 870 1, 870	S City Ship- ments 4,508 4,066 5,071 7,523 11,032 6,440 6,107 2,582 11,343 12,826 11,343 5,180 5,181 5,043 6,147 7,283 283 284 887 620 807	Pc Re- ceipts 10, 875 10, 130 6, 658 11, 447 12, 152 11, 364 11, 364 11, 364 11, 364 11, 365 10, 636 9, 170 14, 210 16, 555 13, 419 1, 133 1, 135 1, 135 1, 137 1, 137 1, 137 1, 189 1,	Thip-ments 11, 705 10, 895 8, 737 13, 188 13, 804 11, 838 11, 848 11, 848 12, 906 7, 906 11, 624 12, 254 15, 147 12, 292 1, 839 11, 001 1, 000 1, 020 1, 100 1, 683 900	Om Re-ceipts (1) (1) (1) (1) (2) (1) (1) (2) (1) (2) (1) (2) (1) (2) (1) (2) (1) (2) (2) (2) (2) (3) (4) (4) (2) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	aha Ship-ments (1) (2) (3) (4) (5) (6) (7) (7) (8) (8) (8) (8) (8) (8) (8) (8) (8) (8	Indiar Re-ceipts (1) 976 8, 136 5, 392	apolis Shipments (1) (2) 394 2, 876 1, 808 4, 349 8, 677 10, 891 13, 705 4, 516 4, 023 6, 099 7, 466 6, 247 3, 471 2, 262 878 878 878 878 878 878 878 878 878 87	TRe- celpts 161, 146 187, 299 1161, 146 187, 299 118, 593 234, 938 231, 237 194, 643 275, 338 302, 473 337, 279 288, 840 209, 070 213, 080 277, 426 217, 468 222, 680 220, 631 24, 176 25, 136 27, 479 17, 229 20, 144 16, 002 19, 085 16, 107 13, 788 13, 418 13, 322	otal Ship- ments 136, 420 155, 231 136, 620 155, 231 130, 665 221, 063 221, 582 252, 139 257, 708 235, 347, 708 236, 347, 986 158, 008 134, 986 175, 826 176, 828 19, 380 174, 382 18, 382 19, 380 14, 058
August 1909 1910 1911 1912 1913 1913 Av. 1909-1913 1914 1915 1916 1917 1918 1919 Av. 1914-1920 1921 1922 1923 1923 August Sept Oct Nov Dec 1924 Jan Apr Mar Apr May June July	Det Re- ceipts 2, 488 3, 073 2, 753 3, 807 3, 131 3, 131 3, 617 8, 179 8, 179 8, 179 8, 14, 298 2, 444 3, 063 222 455 278 329 280 2810 172 144 126 499	8hip- ments 383 265 348 514 649 432 2, 292 934 607 1, 756 1, 145 336 326 351 36 66 69 598 822 226	Kansa Re- celpts 5, 165 6, 280 6, 280 6, 280 7, 704 11, 329 7, 338 4, 882 16, 683 16, 683 10, 295 10, 568 11, 701 1, 899 1, 899 1, 899 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	S City Ship- ments 4, 508 4, 066 5, 071 7, 523 11, 032 6, 140 6, 107 2, 582 11, 343 6, 147 7, 283 984 6, 147 7, 283 984 807 807 732 590 710 385 267	Pc Re-ceipts 10, 875 10, 130 6, 6847 12, 152 11, 189 11, 364 18, 562 20, 170 8, 535 10, 636 9, 176 12, 200 11, 1554 1, 134 1, 1374 1, 1374 1, 1377 917 680	Thip-ments 11, 705 11, 705 12, 188 13, 804 11, 888 11, 726 11, 888 11, 726 7, 906 7, 906 11, 62, 12, 292 1, 937 1, 001 888 888 8980 1, 020 1, 020 1, 020 5519	Om Re-celpts (1) (2) (3) (4) (4) (5) (5) (7) (7) (7) (8) (8) (8) (8) (8) (8) (8) (8) (8) (8	aha Ship-ments (1) 9, 258 14, 802 18, 575 13, 916 10, 961 17, 392 21, 945 20, 559 12, 110 8, 423 15, 044 22, 058 2, 204 2, 204 2, 126 1, 746 1, 611 1, 738 1, 584 1, 584 1, 584 1, 584 1, 584	Indiar Re-ceipts (1) 76 8, 136 5, 392	apolis Shipments (1) (2) (3) (4) (3) (4) (4) (5) (8) (677) (1) (8) (7) (8) (8) (8) (7) (8) (8) (8) (8) (8) (8) (8) (8) (8) (8	TRe- celpts 161, 146 187, 299 158, 593 231, 237 194, 643 305, 904 336, 904 337, 279 298, 840 290, 070 213, 080 277, 468 222, 680 220, 631 29, 176 25, 135 29, 176 20, 176 17, 229 20, 144 18, 085 18, 188 18, 188 18, 322 9, 746	otal Ship- ments 136, 420 155, 231 136, 625 221, 065 221, 065 221, 530 214, 530 217, 582 255, 708 228, 706 134, 986 174, 939 16, 282 16, 623 19, 380 14, 958 14, 058 14, 958 14, 958 14, 958 14, 958 14, 958 14, 958 14, 958
August 1909 1910 1911 1912 1913 1913 Av. 1909-1913 1914 1915 1916 1917 1918 1919 Av. 1914-1920 1921 1922 1923 August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August Aug	Det Re- ceipts 2, 488 3, 073 2, 488 3, 073 3, 807 3, 131 4, 028 5, 911 3, 677 8, 179 2, 418 3, 345 4, 346 3, 464 3, 463 322 455 346 222 421 441 421 422 422	Toit Ship- ments 383 285 348 514 432 1, 123 2, 292 1, 123 607 1, 756 551 330 326 330 381 12 599 988 98 98 98 98 98 98 98 98 98 98 98	Kansa Re- ceipts 5, 165 6, 280 6, 280 6, 280 6, 280 7, 704 11, 325 7, 298 7, 388 4, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 882 1, 883 1, 883 1, 884 1,	S City Ship- ments 4, 508 4, 066 5, 071 7, 523 11, 032 6, 440 10, 107 2, 582 10, 130 11, 343 5, 143 5, 143 7, 614 7, 283 263 263 263 263 263 263 263 263 263 26	Re- ceipts 10, 875 10, 130 6, 658 11, 447 12, 152 11, 364 11, 364 11, 364 11, 364 11, 364 11, 365 10, 636 9, 170 14, 210 16, 555 1, 555 1, 133 1, 135 1, 135 1, 135 1, 137 1, 137 1, 138 1, 138	Thip-ments 11, 705 10, 895 8, 737 13, 188 13, 804 11, 888 13, 804 11, 888 13, 804 11, 888 11, 686 11, 720 11, 84 11, 85 11, 85 11, 85 11, 85 11, 85 11, 85 11, 85 11, 85 11, 85 11, 85 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001 11, 1001	Om Re-ceipts (1) (1) (2) (1) (1) (1) (2) (1) (2) (1) (2) (1) (2) (1) (2) (1) (2) (2) (2) (2) (3) (4) (4) (4) (2) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	aha Ship-ments (1) 9, 288 808 14, 802 18, 575 13, 916 10, 961 17, 392 21, 945 20, 559 12, 110 9, 768 16, 174 22, 058 2, 204 2, 406 2, 406 2, 126 1, 746	Indiar Re- eeipts (1) 976 8, 136 5, 392	apolis Shipments (1) (2) 394 2, 876 1, 808 4, 349 8, 677 10, 891 13, 705 4, 516 4, 023 6, 099 7, 466 6, 247 3, 471 2, 262 378 378 378 378 378 378 378 378 378 378	TRe-ceipts 161, 146 187, 299 158, 593 234, 938 231, 237 194, 643 276, 302, 473 302, 473 302, 473 302, 473 298, 840 220, 673 127, 426 217, 488 222, 680 220, 631 29, 176 25, 135 27, 479 17, 229 20, 144 16, 002 19, 085 18, 18, 38 18, 18, 322 9, 746 27, 86	otal Ship- ments 136, 420 155, 231 130, 665 221, 063 221, 063 221, 582 252, 139 257, 708 228, 706 158, 008 154, 986 175, 826 176, 826 176, 826 177, 939 16, 822 19, 380 14, 058 14, 102 13, 818 14, 558 14, 058 14, 058 14, 058
August 1909 1910 1910 1911 1912 1913 Av. 1909-1913 1914 1915 1916 1917 1918 1919 1920 Av. 1914-1920 1921 1922 1923 August Sept Oct Nov Dec 1924 Jan Feb Mar Apr Apr Apr May June July August 1920 1921 1924 June July Aug Sept	Det Re-ceipts 2, 488 3, 073 2, 755 3, 807 3, 131 1 4, 028 5, 173 3, 345 4, 390 4, 390 2, 285 3, 444 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063	Ship- ments 383 383 514 649 432 1, 123 2, 292 1, 123 326 551 1, 145 551 330 351 33 588 812 66 66 66 69 98 82 22 23 28 23 38 38	Kansa Re- ceipts 5, 165 6, 280 6, 280 6, 280 6, 280 7, 704 11, 325 7, 338 4, 882 18, 344 16, 68 7, 615 7, 10, 395 7, 262 10, 568 11, 701 11, 701 11, 192 7, 262 11, 192 7, 263 1, 896 1, 870 1, 192 1,	S City Ship- ments 4, 508 4, 066 5, 071 7, 523 11, 032 6, 140 6, 107 2, 582 11, 343 6, 147 7, 283 984 6, 147 7, 283 984 981 981 981 981 981 981 981 981 981	Re- ceipts 10, 875 10, 130 6, 658 11, 447 12, 152 11, 189 11, 364 13, 562 20, 170 8, 535 10, 636 9, 176 14, 210 16, 555 18, 419 1, 135 1, 135	Thip-ments 11, 705 11, 705 11, 705 11, 705 11, 895 8, 737 13, 188 13, 804 11, 838 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11,	Om Re-celpts (1) (2) (3) (4) (4) (5) (6) (13, 648 (14, 223, 673 (20, 661 (13, 018 (14, 772 (18, 114 (14, 772 (18, 144 (17, 172 (18, 144 (17, 172 (18, 144 (17, 172 (18, 144 (18, 144 (19, 114 (19,	aha Ship-ments (1) (2) (3) (4) (4) (5) (4) (5) (6) (7) (7) (8) (7) (7) (8) (7) (8) (7) (8) (7) (8) (8) (8) (8) (8) (8) (8) (8) (8) (8	Indiar Re- ceipts (1) 976 8, 136 5, 392	apolis Shipments (1) 394 2, 876 1, 808 4, 349 8, 677 10, 817 113, 705 4, 516 4, 023 6, 099 7, 466 4, 023 6, 247 3, 471 2, 262 878 854 128 92 6130 70 70 70 71 212 280	TRe- celpts 161, 146 187, 299 161, 187, 299 185, 593 234, 938 231, 237 194, 643 275, 338 302, 473 337, 279 298, 840 298, 840 220, 631 277, 426 217, 468 222, 680 220, 631 29, 176 25, 135 26, 176 27, 479 17, 229 24, 16, 002 19, 085 16, 107 18, 788 18, 418 13, 322 9, 746 27, 800 55, 658	otal Ship- ments 136, 420 155, 231 136, 620 155, 231 130, 665 221, 063 221, 530 171, 582 252, 139 257, 708 225, 1661 228, 008 134, 986 216, 928 16, 628 174, 939 14, 938 14, 938 14, 938 14, 938 14, 938 14, 938 14, 938 14, 938 14, 938 14, 938 14, 938 14, 938 14, 938 14, 938 14, 938 14, 938 14, 938 14, 938 15, 856 16, 858 16, 851 12, 688 8, 062 9, 445
August 1909 1910 1910 1911 1912 1913 Av. 1909-1913 1914 1915 1916 1917 1918 1919 1920 Av. 1914-1920 1921 1922 1923 August Sept Oct Nov Dec 1924 Jan Feb Mar Apr Apr Apr May June July August 1920 1921 1924 June July Aug Sept	Det Re- ceipts 2, 488 3, 073 2, 752 3, 535 3, 807 3, 131 3, 131 3, 677 8, 179 2, 285 4, 390 22, 285 3444 3, 083 322 455 346 278 329 280 292 310 172 144 126 49 229 876 168	8hip- ments 383 265 348 514 649 432 2, 292 934 607 1, 756 1, 145 306 326 351 14 66 598 222 222 324 326 37 100 22 326 326	Kansa Re- ceipts 5, 165 6, 280 6, 018 7, 704 11, 325 7, 338 4, 882 10, 034 16, 618 7, 137 10, 296 11, 701 1, 899 1, 836 11, 701 1, 192 758 973 458 251 1, 1968	S City Ship- ments 4, 508 4, 066 5, 071 7, 523 11, 032 6, 440 10, 107 2, 582 10, 130 11, 343 5, 143 5, 144 7, 283 263 263 263 264 267 877 11, 385 267 877 879 877 879 877 879 877 879 877 879 877 879 877 879 877 879 877 879	Pc Re-ceipts 10, 875 10, 130 6, 687 11, 447 12, 152 10, 252 11, 364 13, 563 9, 176 8, 535 9, 176 12, 090 14, 555 13, 419 1, 603 1, 135 1, 135 1, 137 1, 137 1, 137 1, 139 1, 139	Thip-ments 11, 705 11, 705 12, 188 13, 804 11, 888 11, 904 12, 254 12, 292 1, 496 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11, 601 11,	Om Re-celpts (1) (1) (2) (1) (2) (1) (2) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	aha Ship-ments (1) 9, 288 9, 288 9, 288 13, 916 10, 961 17, 3945 20, 559 12, 110 8, 423 15, 044 22, 058 2, 204 2, 126 1, 746 2, 248 1, 560 2, 126 1, 730 1, 584 1, 597 842 2, 248 1, 590 2, 126 1, 746 1, 584 1, 580 1, 242 2, 248 1, 580 1, 242 2, 248 1, 580 1, 242 2, 248 1, 580 1, 242 2, 248 1, 580 1, 242 2, 248 1, 580 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 1, 242 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248 2, 248	Indiar Re-ceipts (1) 76 8, 136 5, 392 714, 935 11, 653 11, 672 1, 234 11, 653 11, 672 1, 232 508 2, 2318 1, 628 2, 2318 1, 628 2, 2318 1, 628 820	apolis Shipments (1) (2) (3) (4) (2) (3) (4) (4) (4) (4) (5) (6) (7) (6) (7) (6) (7) (8) (8) (8) (8) (8) (8) (8) (8) (8) (8	TRe-celpts 161, 146 187, 299 158, 593 231, 234, 938 231, 275, 338 305, 904 302, 473 337, 279, 298, 840 220, 631 217, 468 220, 631 29, 176 25, 185 27, 479 17, 229 20, 144 16, 002 19, 085 13, 418, 322 9, 780 27, 800 55, 688 37, 077	otal Ship- menta 136, 420 155, 231 130, 665 221, 053 214, 530 217, 589 257, 708 228, 706 134, 986 134, 986 174, 939 16, 822 174, 939 16, 823 14, 058 14, 058 14, 058 14, 058 14, 058 15, 351 12, 688 8, 062 9, 445 16, 786
August 1909 1910 1911 1912 1913 1913 Av. 1909-1913 1914 1915 1916 1917 1918 1919 Av. 1914-1920 1921 1922 1923 August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August August Aug	Det Re-ceipts 2, 488 3, 073 2, 755 3, 807 3, 131 1 4, 028 5, 173 3, 345 4, 390 4, 390 2, 285 3, 444 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063 3, 063	Ship- ments 383 383 514 649 432 1, 123 2, 292 1, 123 326 551 1, 145 551 330 351 33 588 812 66 66 66 69 98 82 22 23 28 23 38 38	Kansa Re- ceipts 5, 165 6, 280 6, 280 6, 280 6, 280 7, 704 11, 325 7, 338 4, 882 18, 344 16, 68 7, 615 7, 10, 395 7, 262 10, 568 11, 701 11, 701 11, 192 7, 262 11, 192 7, 263 1, 896 1, 870 1, 192 1,	S City Ship- ments 4, 508 4, 066 5, 071 7, 523 11, 032 6, 140 6, 107 2, 582 11, 343 6, 147 7, 283 984 6, 147 7, 283 984 981 981 981 981 981 981 981 981 981	Re- ceipts 10, 875 10, 130 6, 658 11, 447 12, 152 11, 189 11, 364 13, 562 20, 170 8, 535 10, 636 9, 176 14, 210 16, 555 18, 419 1, 135 1, 135	Thip-ments 11, 705 11, 705 11, 705 11, 705 11, 895 8, 737 13, 188 13, 804 11, 838 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11, 84 11,	Om Re-celpts (1) (2) (3) (4) (4) (5) (6) (13, 648 (14, 223, 673 (20, 661 (13, 018 (14, 772 (18, 114 (14, 772 (18, 144 (17, 172 (18, 144 (17, 172 (18, 144 (17, 172 (18, 144 (18, 144 (19, 114 (19,	aha Ship-ments (1) (2) (3) (4) (4) (5) (4) (5) (6) (7) (7) (8) (7) (7) (8) (7) (8) (7) (8) (7) (8) (8) (8) (8) (8) (8) (8) (8) (8) (8	Indiar Re- ceipts (1) 976 8, 136 5, 392	apolis Shipments (1) 394 2, 876 1, 808 4, 349 8, 677 10, 817 113, 705 4, 516 4, 023 6, 099 7, 466 4, 023 6, 247 3, 471 2, 262 878 854 128 92 6130 70 70 70 71 212 280	TRe- celpts 161, 146 187, 299 161, 187, 299 185, 593 234, 938 231, 237 194, 643 275, 338 302, 473 337, 279 298, 840 298, 840 220, 631 277, 426 217, 468 222, 680 220, 631 29, 176 25, 135 26, 176 27, 479 17, 229 24, 16, 002 19, 085 16, 107 18, 788 18, 418 13, 322 9, 746 27, 800 55, 658	otal Ship- ments 136, 420 155, 231 130, 665 221, 063 221, 063 214, 530 257, 708 2252, 139 257, 708 228, 706 158, 008 134, 986 216, 926 175, 826 176, 826 177, 826 174, 389 14, 102 14, 102 14, 103 14, 103 14, 508 14, 658 14, 658 14, 658 16, 786 18, 787

Division of Statistical and Historical Research. Compiled from the Chicago Daily Trade Bulletin and the annual reports of the Chicago Board of Trade.

44.

TABLE 89.—Oats: Visible supply in United States, first of month, 1909-1924
[Thousand bushels—i. e., 000 omitted]

Year beginning August	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	July
1909	3, 800 2, 761 11, 203 1, 031 17, 131	12, 551	18, 802 21, 044 9, 260	17, 022 22, 600 10, 552	15, 505 20, 315 10, 774	16, 129 18, 754 8, 457	15, 997 15, 481 9, 646	15, 769 14, 366 12, 348	18, 129 18, 429 13, 115	10, 559 11, 991 8, 704	8, 052 8, 105	9, 570 3, 690 14, 756
Av. 1909-1913.	7, 185	13, 460	18, 525	19, 024	17, 969	16, 286	14, 857	14, 521	13, 869	10, 748	7, 866	7, 894
1914		2, 924 27, 691 7, 277 19, 309 19, 411	14, 381 88, 866 14, 165 24, 689 19, 552	15, 730 45, 580 17, 453 22, 050 19, 196	20, 928 47, 467 18, 595 29, 143 16, 922	21, 081 48, 828 17, 657 84, 828 13, 090	20, 175 42, 675 13, 879 80, 505 11, 550	86, 740 13, 947 27, 666 10, 401	17, 892 84, 191 18, 098 22, 882 9, 576	12, 096 28, 933 21, 911 21, 507 6, 813	16, 192 17, 454 20, 822 15, 827 8, 642	12, 452 9, 741 13, 227 18, 094 3, 623
Av. 1914-1920.	7, 879	14, 984	23, 791	26, 613	28, 498	28, 660	26, 513	25, 203	23, 404	20, 717	17, 141	18, 698
1921 1922 1923 1924	37, 562 36, 667 5, 477 3, 086	38, 355 10, 111	35, 968 16, 514	84, 077 20, 488	32, 940 18, 686	82, 391 19, 940	30, 861	27, 688	24, 044	21, 932	13, 514	8, 523

Division of Statistical and Historical Research. Compiled from the Chicago Daily Trade Bulletin. Reported on the Saturday nearest the first of each month.

Table 90.—Oats: Classification of cars graded by licensed inspectors, all inspection points

Total of all classes and subclasses under each grade, annual inspections, 1919-1923

Year beginning August			Rece	eipts					Ship	nents		
	1	2	3	4	Sam- ple	Total	1	2	3	4	Sam- ple	Total
1919	Cars 5, 662 8, 803 2, 519 2, 548 2, 724	60, 169	73, 072 105, 103 95, 984	14, 766 31, 774 17, 004	6, 831 6, 664 4, 640	Cars 173, 271 163, 641 177, 703 167, 523 168, 963	Cars 3, 167 3, 600 2, 384 1, 738 1, 263	49, 117 45, 563	31, 811 72, 955 62, 601	2, 821 4, 305 6, 112	2, 220 1, 675	Cars 111, 817 85, 551 130, 436 117, 249 93, 750
Class		То	tal insp	ections	by grad	le and c	lass, Au	g. 1, 192	23, to Ju	ıly 31, 1	924	
White	2, 006 630 60		88, 714 1, 503 89	21, 797 549 46	10, 743 250 21		998 261			31		
Mixed	27	275		250	293		8	5Ô	72	35	141	301
Year beginning August	Tot	al of all	classes	and sul	oclasses	under e	ach gra	de, annu	al inqp	ections,	1919–19	23
1919	Pr. ct. 8. 3 5. 4 1. 4 1. 5 1. 6	36. 8 17. 8 28. 3	Pr. ct. 55. 4 44. 6 59. 1 57. 3 53. 7	9. 0 17. 9	Pr. ct. 2.1 4.2 3.8 2.8 6.7	100 100	Pr. ct. 2. 8 4. 2 1. 8 1. 5 1. 4	52. 7 87. 7	Pr. ct. 56. 1 87. 2 55. 9 58. 4 52. 4	3. 8 8. 8	1. 8 1. 0	Pr. ct. 100 100 100 100 100
Class		То	tal insp	ections	by grad	le and c	lass, Au	g. 1, 192	3, to Ju	ıly 81, 1	924	
White	1. 2 10. 4 19. 6 9. 1 2. 1	51. 6	55. 0 24. 8 29. 1 9. 1 84. 8	9. 1 18. 0 9. 1	6. 7 4. 1 6. 9		1. 1 13. 8 20. 0 1. 0	35. 7 67. 1 40. 0 89. 0 16. 6	60. 0	1 6	.7	100 100 100 100 100

Grain Division.

TABLE 91 .- Oats, including catmeal: International trade, average 1910-1914, annual 1922-1924

[Thousand bushels-i. e., 000 omitted

				Year ende	ed June 8)		
Country	A ve 1910-	rage, ¹ 1914	192	12 1	19	23	19 prelin	24, ninary
	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Exports
PRINCIPAL EXPORTING COUNTRIES							-	
Algeria	3 55	4, 102 142, 569	286	10, 123 28, 676	560	561 25, 290	282	7, 163 36, 494
Australia British India	898 4 87	270 443 178	25 1	428 87 20		67		662
Canada Chile		14, 771 3 2, 469	35 <u>4</u>	31, 544 1, 844	964	26, 115 721	186	35, 914 7 956
Czechoslovakia Hungary Latvia		12, 416	1, 807 6 83	10 572 218	815 • 12 • 79	70 11,447 11,473	2, 691	3, 234 10 3, 481 10 129
Rumania	4 72	10, 493 70, 466		12, 592	(4) (4)	10 21, 075		7 2, 700
Russia Tunis United States 3	1, 206 2 5, 852	2, 875 9, 655	1, 783	8, 408 21, 237	61 293	10 456 25, 413	4, 244	10 2, 606 8, 796
PRINCIPAL IMPORTING COUNTRIES								
Austria Belgium Denmark	2, 295 8, 420 4, 687	114 62 152	937 10, 358 765	4 22 148	9 4, 203 8, 950 969	182 238 326	10 5, 816 6, 215 2, 906	326 558
FinlandFrance	29, 846	122	(6) 22, 424	132 769	590 17, 541	421 1, 031	5, 095 5, 341	3, 584
Germany ⁸	87, 202	33 , 575	6, 798 136	545	7, 126 8 87	117	1, 356	5, 733
Italy Japan Netherlands	8, 212 5	65 42	' 088 8	10	12, 243	6	6, 240 (11)	22
Norway	38, 862 11 497	30, 771 11 27	4, 485 981	611 3	5, 191 585	683 20	5, 971 2, 683	604
PolandSwedenSwitzerland	6, 468 12, 464	1, 899 13	440 2, 169 7, 917	3, 851 1	1, 437 10, 291	1,766	6, 820 10 9, 453	561
Union of South Africa United Kingdom	366 68, 371 26	3 434 3 1, 591	36, 684 22	3 184 1, 119	194 36, 137 10 678	188 624	13 182 43, 436 10 4, 055	18 154 1, 161
Total countries reported	226, 984	239, 174	103, 275	118, 118	109, 080	108, 299	112, 972	114, 243

Division of Statistical and Historical Research. Compiled from official sources and International Institute of Agriculture.

¹ Years ended July 1, as compiled by the International Institute of Agriculture.
2 Calendar years 1906-1913.
3 Years ended June 30, from official sources.
4 Average for the seasons 1911-12 to 1913-14.
(Sea trade only.
6 Less than 500 bushels.
7 Nine months.

Nine months.
Ten months ended May 31, from International Institute of Agriculture.
Eleven months, from International Institute of Agriculture.
International Institute of Agriculture.
Included in other countries.
I Reason 1918-14.
In Ten months.

TABLE 92 .- Oats: Farm price per bushel, 15th of month, United States, 1909-1924

Year beginning	Aug.	Sept.	Oct.	Nov.	Dec.		Feb.	Mar.	Apr.	May	June	July	Weight-
August	15	18	15	15	15	15	15	15	15	15	15	15	ed av.
	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.
1909	46.2	41.6	41.0	40.6	41.5	43. 9	45.5	45.8	44.4	48, 2	42.6	41.9	48.0
1910	40.0	37.3	85.6	34.6	33.8	83. 2	83.0	82.6	32.8	34.0	36.1	38.8	35. 5
1911	49.3	41.4	43. 2	44.4	45.0	46.8	48.6	50.9	54.0	55.6	53.9	48.4	46.2
1912	39. 6	34.3	33. 6	82.8	82.0	82. 3	32.8	33. 1	33. 6	35. 1	36.8	37. 6	34. 5
1913	88. 4	89. 4	38 , 8	88. 6	89. 2	89. 2	39. 1	39. 2	39. 5	39.8	39.4	37.8	89.0
Av. 1909-1913	40. 9	38. 8	88. 4	38. 2	88. 3	89.0	89.8	40.3	40. 9	41.5	41.8	40. 9	39.6
1914	39. 5	42.8	43.1	43.4	44.4	47.6	51.1	52.8	53. 4	52.4	49.0	46.0	45.9
1915	42.0	86. 5	34.7	85. 5	37. 6	41.8	43.6	42.4	42.3	42. 4	41. 2	40.2	39.4
1916	41.6	43.8	46.8	50.7	51.9	53. 8	56.0	59, 2	66. 2	70. 4	69. 4	71.3	53.8
1917	67.7	62.0	62.0	64.2	70. 2	76.3	82.4	87.6	87.4	82.0	77. 2	74.6	72.1
1918	71.6	70.6	69, 6	69.6	70.8	67.6	63.4	64.2	68.4	71.0	71.0	73. 1	69. 4
1919	73.5	70.0	68. 6	69.6	74.3	80.4	83, 6	87.6		100.6	103. 7	93. 2	79. 9
1920	76.0	65. 4	57. 6	50. 2	45.8	43.7	41.8	40.6	38.0	87.4	36.8	34.7	51.0
Av. 1914-1920	88.8	55. 9	54. 6	54.8	56. 4	58.7	60. 3	62. 1	64.3	65. 2	64.0	61. 9	61.6
1921	32, 0	30.6	30. 1	29.7	80. 6	81.9	84.7	36. 6	37. 2	38. 2	37.8	36. 2	33.0
1922	33. 6	33. 4	36. 4	38.8	40.3	41.5	42. 4	43.5	44.8	45. 3	43.7	40.2	39. 1
1923	37. 6	88.0	39. 4	40.8	42.6	43.4	45. 4	46. 2	46.5	46.3	46.8	49.4	42.4
1924	49.1	47.1	48. 9	47.4	50.6				l		l		

Division of Crop and Livestock Estimates. Mean of prices reported on 1st of month and 1st of succeeding month.

Table 93.—Oats: Farm price per bushel, December 1, 1909-1924, and value per acre, 1924

							u	cre,	192	4									
State	1909	1910	1911	1912	1913	Av. 1909- 1913.	1914	1915	1916	1917	1918	1919	1920	Av. 1914– 1920.	1921	1922	1923	1924	Value per acre 1924 1
	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Dolla.
Me	58	48	54	51	55	53	57	45	67	85	90	92	85	74	55	47	56	65	24. 05
N. H	64	51	61	48	56	56	58	54	69	84	87	85	75	73	60	60	64	73	28. 47
Vt	50	50	59	48	52	52	55	53	65	85	90	90	75	73	59	56	63	69	26. 22
Mass	58	50	58	47	54	53	56	51	66	81	91	90 95	80	74	59	63	63	70	23.80
R. I	53	48	58	45	50	51	58	50	68	75	90		80	74	60	60	60	75	22. 50
Conn N. Y	53 49	44 42	56 51	49 42	55 47	51	55 51	55 45	69 62	79 75	90 84	88 83	75 67	73 67	60 47	65 51	62 55	70 62	20. 30 22. 32
N. Y N. J	50	44	50	44	47	46 47	54	48	61	70	79	80	75	67	45	55	55	64	20. 48
Pa	Ιŏŏ	41	50	41	46	46	51	44	57	73 78	80	80	66	64	45	48	52	62	22. 32
Del	48	43	47	45	51	47	50	51	62		87	90	70	70	46	57	60	66	19.80
Md	49	46	49	45	48	47	52	49	61	75	86	82	70	68 77	45	51	54	64	21.76
Va	54	49	54	52	52	52	58	55	63	84	100	100	81	77	56	59	63	72	16.92
W. Va	54	50	56 63	47 62	51	52 62	55 65	51 62	64 74	79 93	91 108	91 106	79 96	73	52 70	58 67	63 74	73 84	18 98 15, 12
N. C 8. C	66 72	60 65	72	66	61 71	69	71	67	80	100	118	110	103	86 93	73	76	82	97	20. 76
Ga	71	64	70	65	68	68	70	66	79	117	119	115	108	96	64	75	85	95	16. 15
Fla	75	65	75	70	70	71	70	70		98		120	60	86	65	77	80	90	13, 50
Ohio	41	35	45	33	40	71 39	45	36	53	64	70	72	50	56	33	45	45	52	21. 32
Ind	39	31	43	30	38 38	36	43	34	71 53 51 51	63 65	67	69	46	53	29	40	39	48	18. 24
ш	38	80	42	30		86	44	35		65	67	70	43	54	29	39	39	47	18.80
Mich	41	35	46	33	39	39	45	35	53	64 66 63	69	71	48	55	36	41	43	48 48	20. 16
Wis Minn	39 35	34 32	45 40	32 26	37 32	37	43 40	36 82	51 47	89	67 63	70 64	49 86	55 49	33 23	39 32	43 34	43	19. 20 18. 49
Iowa	35	27	41	27	34	33 33	41	32	48	63	64	64	36	50	23	35	37	44	18. 92
Mo	43	32		35	45	40	44	38	53	61	70	71	49	55	30	44	45	51	14.02
N. Dak	33	87	41	22	30	38 38	37	27	44	62	61	67	35	48	21	26	28 31	36	12. 24
8. Dak	34	30	43	25	84	38	38	28	46	61	59	63	83	47	20	32		40	14.80
Nebr	85	28	43	30	38 45	35	40	81	47	61	65	65 73	37	49	21	34	84	43	13, 83
Kans	43 51	34 45	45 50	35 44	52	40 48	42 53	87 48	55 60	64 76	78 90	91	39 73	55 70	27 48	41 56	43 56	47 67	12. 22 15. 54
Ку	53	46		47	53	50		50		83	93	93	78	78	48	58	60	69	15. 18
TennAla	70	60	66	62	69	65	53 69	63	62 75	102	107	105	88	87	65	75	80	87	13. 05
Miss	68	55	65	60	63	65 62	65	63 60	74	94	107	105	87	85	64	66	76	85	15. 30
La	62	49	65	51	57	57	63	55	68	94	99	100	82	85 80	70	69	68	83	16.60
Tex	62	47	54	43	51	51	48	42	61	82	92	64	66	65	39	55	57	59	20.06
Okla	46	37	48	34	45	42	41	85	57	75	84	70	44	58 72 60 69	27	45	52	53	14. 31
Ark	59 42	46		50 35	53 32	52 89	53 39	52 82	68 47	75 81	88 80	88 91	78 51	72	45 84	57 37	62 38	64 47	12.80 13.86
Mont Wyo	50	46 50		87	40	45	48	43	60	80	80	112	62	80	38	40	47	58	17.98
Colo	53	46		38	44	48	45	41	80	76	80	90	62 60	65	33	45	46	58	14.50
N. Mex	66	62		45		58	45	50	67	84	89	95	80	78	48	58	70	60	14.40
Ariz	79	90	60	70	50	58 70 47	70	64	80	96		100	96	89 73	65 37	68 47	80 58	81	28, 85
Utah	52	48	47	49	40	47	48	45	61	85	97	98	80	73	37	47	58	70	28. 00
Nev	59	68	62	52		60	55	55	75	96	118	100	120	88	75	75	81	72	24. 48
Idaho	50 48	42 48	40	85 40	32	40 44	38 42	84 37	54 51	77 81	94	98 93	68 72	66 68	32 42	46 58	44 50	58 59	20. 88 23. 30
Wash	52	47	45 44	41	40 38	44	45	87	49	75	96	92	65	66	38	57	45	61	23. 30 18. 91
Calif	66	50		55	60	58	53	50	72	85	94	96	80	76	51	64	60		20. 44
United States.	40. 6	34. 4	45. 0	31. 9	39. 2	38. 2	43. 8	86. 1	52. 4	66. 6	70. 9	71. 5	46.0	55. 3	20. 2	89. 4	41.5	48.0	17. 42

(Table 94.—Oats, No. 3 white: Weighted average price per bushel of reported cash sales, 1899—1924

CHICAGO 1

					CHI	CAGO							
Year beginning August	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Weight- ed averages
						20.04			00.00	20.05	** **		20.04
1899	\$0. 22	\$0. 23	\$0. 25	\$0. 25	\$0. 24	\$0. 24	\$0. 25	\$0. 26	\$0. 26	\$0. 25	\$0. 25	\$0. 25	\$0. 24
1900	. 23	. 24	. 24	. 25	. 25	. 26	. 27	. 27	. 28	. 29	. 29	. 35	20
1901	. 37	.37	.38	. 42	. 47	, 47 .34	.44	.44	. 44	. 44	. 48	. 49	. 43
1902	. 35	1 . 33	. 82	. 31	. 32	.34	. 35	. 34	.84	. 85	. 89	. 38	. 34
1899	. 35	.37	. 36	. 36	. 36	.39	. 43	.40	.41	. 42	. 42	. 40	. 26 . 43 . 34 . 38
1904 1905 1906	. 34	. 32	. 30	. 31	.30	. 31	. 31	. 32	.31	. 32	. 32	. 32	. 32
1905	27	1.28	. 29	. 31	.31	.31	. 30	. 30	. 32	. 34	. 38	. 37	. 31
1906	.31	.32	. 33	. 33	. 35	. 36	.40	. 42	. 42	. 45	. 45	. 45	. 37
1907	. 46	.49	. 49	. 47	.50	.50	. 51	. 52	. 52	. 53	. 51	. 55	. 50
1908	.49	. 49	.48	. 49	. 50	. 50	. 54	. 54	. 55	. 59	. 56	.48	. 52
		_	-	_		-		-					
1909 1910 1911 1912	. 38	. 39	.40	. 40	. 44	. 48	. 47	.44	. 42	. 40	. 38	.41	. 42
1910	. 85	. 34	. 32	. 32	. 82	. 33	. 31	. 31	. 82	. 34	. 39	. 44	. 38
1911	.41	. 45	. 47	. 48	. 47	. 50	. 52	. 53	. 57	. 55	. 53	.49	. 33
1912	. 33	. 33	. 33	. 32	. 33	. 33	. 33	. 32	. 35	(. 38	.40	.40	.35
1913	. 42	. 43	.40	. 40	.40	. 39	. 39	. 39	. 39	. 40	. 40	. 37	. 40
			-							 			
Av. 1909-1913	. 38	. 89	. 38	. 38	. 39	. 41	. 40	. 40	. 41	. 41	. 42	. 42	. 40
1914	. 42	. 48	. 46	. 48	. 49	. 53	. 58	. 57	. 57	. 54	. 49	. 53	. 50
1915	.41	.84	.36	. 36	. 42	. 48	.45	.42	.44	43	.39	.41	41
1910	.44	.46	.49	. 55	. 53	. 57	. 56	.61	. 69	. 43 . 70	.67	.78	. 41
1916	. 23	.60	.60	.65	.77	.82	. 89	.93	.89	77	.77	77	71
1917	.61	.00		. 00	72	. 65	. 58	.63	70	1	70	.78	.70
1918	.70	.72	. 69	.72	. /2			.00		1.09	1. 13	1	
1919	.73	. 68	.70	. 73	. 82	. 86	. 86	. 93	1.01	1.09	1. 13	.91	. 80
1918 1919 1920	.70	. 62	. 54	. 51	. 48	. 44	. 42	. 42	. 36	. 39	. 37	. 34	. 51
Av. 1914-1920	. 57	. 56	. 55	. 57	. 60	. 62	. 62	. 64	. 67	. 66	. 65	. 65	. 60
1921	. 32	. 35	. 31	. 33	. 34	. 34	. 36	. 36	. 38	. 38	. 37	. 36	. 35
1922	. 32	. 38	. 42	. 43	. 44	. 43	. 44	. 45	. 46	. 48	. 43	.40	.41
1023	.38	.40	. 43	.43	. 44	. 46	. 48	. 47	. 48	. 48	. 51	. 54	. 45
1024	. 50	. 48	. 50	. 50	. 58	1		1				1	
1947		. ~		1									
		<u> </u>	·	·		0.070	337 1	·		·	<u> </u>		
					ANOA	B OIT	1		ī	1	ī	1	1
1899 1900 4 1901 4	\$0, 22	\$0. 22	\$0. 23	\$0. 24	\$0. 24	\$0. 24	\$0. 24	\$0. 24	\$0. 26	\$0. 24	\$0. 24	\$0. 25	\$0.24
1900 4	. 22	. 23	. 24	. 24	. 24	. 25	. 26	. 27	. 29	. 30	. 29	. 38	. 26
1901 4	. 39	. 23	. 38	. 43	. 47	. 25	.45	. 45	.45	. 44	. 45	.47	. 43
1902	. 32	. 32	. 32	.31	. 32	. 35	. 34	. 34	. 33	. 34	. 44	. 37	. 34
1908	. 34	. 38	. 35	. 34	. 35	. 37	.41	. 39	.40	. 42	. 40	.40	. 37
		į .	1				1	ĺ	1	i	i		1
1904	. 35	. 32	.30	. 30	. 31	.31	.32	. 32	.30	. 32	. 31	. 33	. 32
1905	. 26	. 27	. 28	.30	. 31	.31	.31	.31	.32	. 34	.37	. 37	. 31
1906	.30	. 32	. 33	. 33	. 34	. 36	. 40	.41	. 42	. 45	. 45	.45	. 38
1907	. 48	. 48	. 48	. 44	. 49	. 49	. 49	. 51	. 49	. 51	. 51	. 50	. 49
1908	. 48	. 48	. 47	. 48	. 49	. 50	. 51	. 53	. 54	. 56	. 56	. 50	. 51
							-						
1909	.41	.41	.40	. 39	. 44	. 48	. 46	. 45	. 42	.40	. 35	.40	. 42
1910	.34	. 33	. 32	. 32	. 32	. 32	. 31	. 30	. 32	. 32	. 39	. 43	. 84
1911	.41	. 46	. 49	.48	. 48	.50	. 53	. 53	. 57	. 54	. 52	.44	. 50
1909	. 34	. 33	. 32	. 34	. 33	. 38	. 39	.36	. 48	1.40	.40	. 38	. 84 . 50 . 87
1918	.40	. 47	.45	. 47	. 47	. 34	. 33	. 33	. 35	. 36	. 39	. 37	. 40
Av. 1909-1913	. 38	. 40	. 40	. 40	. 41	. 40	. 40	. 39	. 43	. 40	.41	. 40	. 41
	. 47	. 47	. 45	. 47	. 48	. 53	. 56	. 57	. 58	. 54	. 46	. 51	. 54
1914	. 38	. 35	. 36	.89	. 30	. 44	1 . 00	1 .01	1 . 50	42	.39	1 . 01	. 04
1916		. 30	. 80	. 20	. 42	1 . 22	.47	.43	.44	. 50	. 59	.45	. 40
1916	. 45	. 46	. 48	. 55	. 54	. 56	. 58	. 63	.71	.43 .71 .77	. 67	.75	. 40 . 58 . 72
1917	. 59	. 60	. 60	. 67	. 76	. 83	.90	. 91	. 91	1 .77	.72	.74	.72
1918	. 74	. 72	.70	. 69	. 72	. 67	.61	.66	.71	1.12	.70 1, 11	.69	.66
1919	.73	. 66	. 69	.74	. 81	. 87	. 89	. 92	1.06	1.12	1, 11	. 91	. 83
1920	.72	. 63	. 55	. 51	. 49	. 46	. 48	. 43	.37	. 40	.37	.35	. 50
Av. 1914-1920	. 58	. 56	. 55	. 57	. 60	. 62	. 63	. 65	. 68	. 67	. 63	. 63	. 60
1921 1922	. 32	. 35	. 32	. 82	. 33	. 36	. 87	.37	. 37	. 39	. 37	. 36	. 84
1922	. 33	. 38	. 42	. 44	. 45	.44	. 44	. 46	. 47	. 45	, 43	.40	. 48
1923	. 40	. 40	. 48	. 42	. 44	. 47	. 49	. 48	. 49	. 49	. 49	.56	. 44
									1				
1924	. 50	. 48	. 51	. 50	. 59								

Division of Statistical and Historical Research.

⁴ Jan. Dec. 1901; compiled from Kansas City Star.

Table 95.—Oats, No. 3 white: Weighted average price per bushel of reported cash sales, 1909-1924

MINNEAPOLIS

Year beginning August	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Weight- ed average
1909 1910 1911 1911 1912 1918	\$0. 36 . 35 . 41 . 34 . 40	\$0.37 .36 .44 .31 .40	\$0. 36 . 30 . 46 . 31 . 37	\$0. 38 . 31 . 46 . 29 . 37	\$0. 41 . 30 . 46 . 30 . 37	\$0. 46 . 31 . 48 . 31 . 36	\$0. 45 . 29 . 50 . 31 . 36	\$0. 43 . 29 . 52 . 30 . 37	\$0. 40 . 32 . 54 . 32 . 36	\$0, 39 . 33 . 54 . 35 . 38	\$0. 36 . 37 . 50 . 38 . 38	\$0. 42 . 42 . 47 . 38 . 35	\$0. 39 . 33 . 47 . 33 . 38
Av. 1909-1918	. 37	. 38	. 36	. 36	. 37	. 38	. 38	. 38	. 39	. 40	. 40	. 41	. 38
1914	. 42 . 37 . 44 . 55 . 68 . 70 . 66	. 46 . 33 . 44 . 58 . 69 . 65 . 58	. 44 . 34 . 47 . 58 . 65 . 67 . 51	. 46 . 35 . 53 . 62 . 69 . 69 . 47	. 46 . 40 . 49 . 76 . 69 . 80 . 44	. 52 . 46 . 55 . 81 . 64 . 83 . 41	. 56 - 45 - 56 - 88 - 56 - 82 - 39	. 56 . 41 . 60 . 92 . 60 . 89 . 39	. 55 . 42 . 67 . 88 . 68 1. 08 . 33	. 52 . 42 . 69 . 74 . 66 1. 05 . 36	. 46 . 38 . 66 . 75 . 66 1. 15 . 34	. 50 . 38 . 75 . 74 . 74 . 94 . 34	. 48 . 38 . 52 . 71 . 66 . 80 . 48
Av. 1914–1920	. 55	. 53	. 52	. 54	. 58	. 60	. 60	. 62	. 66	. 63	. 63	. 63	. 58
1921 1922 1923 1924	.31 .29 .35 .48	. 33 . 38 . 37 . 45	. 28 . 38 . 40 . 47	. 29 . 39 . 39 . 46	.30 .41 .40 .54	. 32 . 40 . 43	. 35 . 40 . 45	.34 .41 .44	.35 .42 .45	. 36 . 41 . 45	. 33 . 39 . 47	. 32 . 36 . 51	. 32 . 36 . 40

Division of Statistical and Historical Research. Compiled from Minneapolis Daily Market Record.

Average of daily prices weighted by carlot sales.

Table 96.—Oats, No. 3 white: Price per pound expressed as percentage of price per pound for No. 3 yellow corn, Chicago, 1909-1924

Year beginning August	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aver- age
1909	P. ct. 95 96 110 78 99	P. ct. 99 103 118 78 100	P. ct. 119 112 113 89 100	P. ct. 119 114 124 108 97	P. ct. 130 124 135 126 106	P. ct. 131 128 141 126 110	P. ct. 131 121 142 120 110	P. ct. 126 121 136 114 107	P. ct. 129 112 128 111 102	P. ct. 117 110 122 117 100	P. ct. 113 124 124 117 97	P. ct. 116 122 126 113 91	P. ct. 119 116 127 108 102
Av. 1909-1913	95	100	107	112	124	127	125	121	116	113	115	114	114
1914	90 89 91 52 71 66 78	106 80 94 50 80 77 83	110 97 89 52 86 87 104	125 100 98 51 95 87 116	134 106 101 76 87 98 114	131 114 102 81 80 100 118	137 106 98 86 80 103 117	138 101 98 96 72 103 119	133 101 86 94 76 105 111	128 100 77 84 69 94 114	116 92 69 83 69 105 103	119 89 69 79 71 101 99	122 98 89 74 78 94 106
1921 1922 1923 1924	100 90 76 75	116 104 79 74	121 106 72 80	128 106 92 79	127 105 108 85	124 108 106	115 107 108	111 108 107	115 102 109	107 96 109	106 90 109	98 80 87	114 100 97

Division of Statistical and Historical Research. Compiled from the Chicago Daily Trade Bulletin.

BARLEY

Table 97.—Barley: Acreage, production, value, exports, etc., United States, 1909-1924

	Acre-	Aver-	Pro-	Aver- age farm	Farm	Value	bu	ago, ca shel, le fancy ¹	ow ma	e per alting	Domestic exports,
Year	age har- vested	yield	duo- tion	price per bushel	value Dec. 1	per acre 1	Dece	mber	Folio M	wing ay	fiscal year beginning July 1
				Dec. 1			Low	High	Low	High	
	1,000	Bushels		Q4.	1,000	Dol-	a.	- Tu	~	- ~	
	acres	of 48 lbs.	oushels	Cents	dollars	lars	Cts.	Cts.	Cts.	Cts.	Bushels
1909	7,699	24. 4	187, 978	54.8	102, 947	13. 37	55 72	72 90	50	68	4, 311, 566
1910	7, 743	22. 5		57. 8	100, 426 189, 182	12. 97 18. 25		130	75 68	115 132	9, 399, 346
1911 1912	7, 627 7, 530	21. 0 29. 7	160, 240 223, 824	86. 9 50. 5	112, 957	15. 00		77	45	68	1, 585, 242 17, 536, 703
1912	7, 499	23.8	178, 189		95, 781		50	79	51	66	6, 644, 747
Av. 1909-1918	7, 620		184, 812	59.7	110, 249		64. 4	89. 6	57.8	89. 8	7, 895, 521
1914	7, 565	25. 8	194, 953	54. 8	105, 903	14.00	60	75	741/2	82	26, 754, 522
1915	7, 148	32.0	228, 851	51. 6		16. 53	62	77	70	83	27, 473, 160
1916	7, 757	23.5		88. 1	160, 646	20. 71	95	125	128	165	16, 381, 077
1917	8, 933	23.7	211, 759	118.7	240, 758		125	163	105	176	26, 285, 378
1918	9,740	26.3	256, 225	91. 7	284, 942	24. 12		105	110	130	20, 457, 781
1919	6,720	22.0		120.6	178, 080	26. 50	125	168	140	190	26, 571, 284
1920	7, 600	24. 9	189, 332	71. 8	135, 083	17. 77	50	98	56	75	20, 457, 198
Av. 1914-1920	7, 923	25. 4	201, 577	83. 2	167, 655			115. 9	97. 6	128.7	23, 497, 200
1921	7, 414	20. 9	154, 946	41. 9	64, 934			64	62	75	22, 400, 393
1922	7, 317	24. 9			95, 560	13. 06		75	63	72	18, 192, 809
1923	7,835	25. 2		54. 1	107, 038			100	69	90	11, 208, 733
1924 4	7,086	26. 5	187, 875	73. 1	137, 270	19. 37	54	81			

Division of Crop and Livestock Estimates.

Based on farm price Dec. 1.
Chicago Daily Trade Bulletin

Table 98 .- Barley: Acreage, production, and total farm value, by States, 1922-1924

State	Thou	sands of	acres	Produc	tion, thou bushels	sands of	Total v price dollar		s Dec. 1 ands of
	1922	1923	1924 1	1922	1923	1924 1	1922	1923	1924 1
Maine New Hampshire Vermont New York Pennsylvanla Maryland Virginia Ohio Indiana Illinois Michigan Wisconsin Minnesota Iowa Missouri North Dakota South Dakota South Dakota Nebraska Kansas Kansas Kentucky Tennessee Tennessee Tennessee Oklahoma Montans Wyoming Colorado New Mexico Arizona Utah	3 1 1 188 12 4 4 9 733 30 190 1443 908 101 1,008 881 2424 1,074 1,074 149 20 20 109 109 109 109 109 109 109 109 109 10	4 1 9 9 190 12 4 4 10 74 30 228 156 92 168 6 1, 250 890 339 924 17 17 108 129 188 880 199 11 199 199 199 199 199 199 199 199	4 1 9 2300 112 2 5 5 12 7 5 5 12 153 423 914 4 1,850 801 251 157 124 80 84 12 88 84 24 4	84 28 2011 4, 108 306 1, 424 24, 605 4, 605 11, 220 24, 062 4, 062 4, 062 4, 062 115 25, 704 18, 580 18, 120 26 261 5,092 270 1,982 6,612 3,600 13,252 24,050 4,503 162 20,025 9,492 20,513 189 3,600 162 21,876 22,025 9,492 20,513 889 840 8,700 1,880 8,700 1,880 8,700 1,880 8,700 1,880 8,700 1,880 8,700 1,880 8,700 1,880 8,700 1,880 8,700 1,880 8,700 1,880 8,700 1,880 8,700 1,880 8,700 1,880 8,700 1,880 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700 8,700	104 26 28 280 318 175 324 2, 250 7, 781 4, 743 13, 536 29, 248 4, 710 100 35, 100 35, 100 35, 100 3, 200 4, 675 3, 200 8, 100 8,	84 277 253 3,040 199 926 928 3,251 296 3,251 11,302 8,105 11,256 8,510 2,045 1,266 1,266 1,169 1,169 1,169 1,266 2,087 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1,169 1	120 22 248 3,819 194 10,216 1,258 3,835 2,304 2,304 10,582 1,268 8,312 2,342 2,342 1,763 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1,987 1	112 27 27 286 1840 1, 912 6, 836 20, 181 3, 297 82 21, 762 14, 354 3, 953 7, 508 2447 3, 272 2, 139 2, 648 5, 874 1, 109 814	
Nevada	85 74 80 1,129	5 93 85 88 1,096	102 110 97 504	176 2,890 1,776 2,160 34,434	3,999 3,884 3,060 33,069	145 2, 958 2, 640 2, 425 10, 080	176 1,878 1,314 1,598 21,698	105 2,319 2,330 2,064 23,148	160 2, 426 2, 244 2, 425 11, 698
United States	7,317	7, 885	7,086	182,068	197, 691	187,875	95, 560	107,088	187, 270

Division of Crop and Livestock Estimates.

³ Compiled from reports of Bureau of Foreign and Domestic Commerce.
⁴ Preliminary.

TABLE 99.—Barley: Percentage reduction from full yield per acre, from stated causes, as reported by crop correspondents, 1909-1923

			Adver	e weatl	her con	ditions								
Year	Defi- cient mois- ture	Ex- ces- sive mois- ture	Floods	Frost or freeze	Hail	Hot winds	Storms	Total cli- mat- ic ¹	Plant dis- eases	In- sect pests	Ani- mal pests	De- fec- tive seed	Other and un- known causes	Total
1909 1910 1911 1912 1913	P. ct. 8. 9 34. 0 29. 6 8. 4 24. 9	P. ct. 8.6 .2 1.2 1.8	P. ct. 0.3 .1	P. ct. 1.0 .9 .8 .9	P. d. 2.1 .9 .4 1.9	P. ct. 2. 3 4. 8 5. 7 1. 7 8. 2	P. ct. 0.8 .1 .1 .5	P. ct. 19. 0 40. 7 38. 1 15. 9 31. 1	P. ct. 1.4 .4 .9 .9	P. d. 0.4 .8 .9 .5	P. ct. 0. 5 . 6 . 3 . 5	P. d. 0 2 .1 .2 .4	P. ct. 1. 3 . 5 . 9 1. 4 1. 4	P. ct. 22. 8 43. 1 41. 3 19. 6 34. 3
1914 1915 1916 1917 1918	8. 2 1. 3 8. 0 26. 6 20. 7	2.6 3.2 8.4 .8	.2 .8 .3 (4)	.6 .7 .7 1.0	1.5 1.7 1.5 1.1	4. 6 .3 5. 0 2. 3 2. 3	.4 .5 .5 .2 .3	18. 4 8. 0 20. 2 32. 1 25. 9	2.8 .9 8.5 .5	.6 .2 .7 .4 1.6	.2 .2 .1 .2 .2	.1 .1 .1 .1	1. 1 . 6 1. 0 . 3 . 5	22, 7 10, 0 30, 6 33, 6 28, 8
1919 1920 1921 1922 1923	18. 0 10. 4 20. 2 13. 5 10. 7	8. 4 2. 2 1. 4 1. 3 1. 2	.5 .2 .1 .1	.2 .5 1.8 .5	1.8 1.1 1.2 1.6 1.5	3.8 2.0 6.6 1.6 2.1	.3 .2 .5 .2 .3	28. 2 16. 8 31. 4 19. 0 16. 6	5.3 3.0 2.9 1.3 2.8	4.3 1.3 1.3 1.4	.1 .1 .1 .1	.1 .1 .1	.4 .4 .3 .3	38. 5 21. 7 36. 0 22. 2 20. 8

Division of Crop and Livestock Estimates. Includes all other climatic. Less than 0.05 per cent.

TABLE 100.—Barley: Yield per acre, by States, 1909-1924

											,							
State	1909	1910	1911	1912	1913	Av. 1909– 1913	1914	1915	1916	1917	1918	1919	1920	Av. 1914- 1920	1921	1922	1923	1924
Maine	28. 5 25. 0 30. 0 24. 8	31. 0 26. 0 31. 0 28. 3	30, 5 25, 0	26. 2 28. 0 35. 0 26. 0	28. 0 28. 0 32. 0 26. 7	28. 3 26. 2 31. 7 26. 2	32. 0 34. 5	26. 5 30. 0 35. 0 32. 0	26. 0 28. 0 27. 5 23. 3	21, 0 25, 0 29, 0 28, 0	25. 0 32. 0 31. 0 31. 5	28, 0 24, 8 25, 0 22, 0	26. 0 26. 0 28. 0 29. 0	26. 1 28. 3 30. 0 27. 7	Bu. 26. 0 23. 0 25. 0 21. 0 21. 5	28. 0 28. 0 29. 0 26. 0	30. 0 26. 5 29. 0 26. 8	26. 0 26. 0 32. 0 30. 0
MarylandVirginiaOhioIndianaIllinois	32. 0 28. 5 25. 9 23. 5	31. 0 29. 3 28. 5 27. 0	23. 0 23. 0 27. 2 26. 5	27. 0 25. 0 31. 0 29. 5	29. 0 26. 0 24. 0 25. 0	28. 4 26. 4 27. 3 26. 3	33. 0 26. 0 25. 0	34. 0 29. 0 31. 0 28, 0	32. 0 27. 5 27. 8 27. 0	25. 0 30. 0 33. 0 30. 5	31. 0 27. 0 31. 5 37. 0	33. 0 25. 0 23. 0 25. 0	27. 5 27. 0 27. 7 27. 0	30. 8 27. 4 28. 4 28. 5	30. 0 23. 0 26. 0 19. 0 26. 3	32. 0 27. 5 19. 5 17. 0	33. 0 27. 0 27. 0 23. 0	35. 0 27. 0 30. 0 25. 0
Michigan Wisconsin Minnesota Iowa Missouri	28. 0 23. 6 22. 0 25. 0	25. 9 21. 0 29. 5 27. 0	25. 5 19. 0 21. 9 20. 0	29. 4 28. 2 31. 0 24. 8	25. 0 24. 0 25. 0 22. 0	26. 8 23. 2 25. 9 23. 8	27. 3 23. 0 26. 0	35. 5 30. 5 31. 0	30. 0 19. 0 29. 5	82. 0 27. 0 35. 0	85. 7 31. 0 81. 5	26. 5 20. 0 25. 5	26. 0 81. 7 25. 0 27. 5 28. 0	31. 2 25. 1 29. 4	17. 5 22. 5 20. 0 23. 5 22. 0	32. 1 26. 5 28. 6	28, 5 25, 0 28, 5	32. 0 32. 0 31. 4
North Dakota South Dakota Nebraska Kansas Kentucky	21. 0 19. 5 22. 0 18. 0 24. 0	5. 5 18. 2 18. 5 18. 0 24. 0	19. 5 5. 4 11. 0 6. 5 28. 7	29, 9 26, 0 22, 0 23, 5 26, 0	20. 0 17. 5 16. 0 8. 1 26. 6	19. 2 17. 3 17. 9 14. 8 25. 9	23. 0 23. 5 24. 5	32. 0 31. 0 31. 0	22, 7 28, 0 16, 0	27.0 26.5 8.0	29, 5 16, 5 10, 0	22. 0 25. 7 27. 0	18, 0 25, 0 29, 0 25, 4 28, 0	25. 9 25. 7 20. 3	15. 5 17. 0 24. 7 20. 0 24. 0	23. 0 18. 0 17. 3	22. 5 28. 0 22. 2	28. 0 25. 0 16. 5
Tennessee	24. 0 19. 4 23. 0 38. 0 31. 0	23. 0 30. 0 30. 0 28. 0 30. 0	28. 0 18. 0 10. 0 34. 5 34. 0	26. 0 29. 3 20. 0 36. 5 34. 0	25. 2 24. 0 9. 0 31. 0 30. 5	25. 2 24. 1 18. 4 88. 6 31. 9	25. 0 25. 0 30. 5	28. 0 26. 5 34. 0	17. 0 12. 5 28. 0	20. 0 18. 0 15. 0	17. 0 17. 0 22. 0	35. 0 30. 0 5. 6	23. 0 24. 0 18. 0	23. 6 21. 9 21. 9	21. 0 24. 0 22. 0 20. 5 29. 0	19. 0 17. 0 25. 0	24. 0 22. 0 25. 5	28. 0 25. 0 25. 0
Colorado	36. 0 40. 0 40. 0 40. 0 88. 0	32. 0 25. 0 36. 0 36. 0 40. 0	29. 0 33. 0 36. 5 43. 0 40. C	39. 0 35. 0 40. 0 45. 0 41. 0	32: 5 24. 0 39. 0 38. 5 41. 0	83. 7 31. 4 38. 3 40. 5 40. 0	34. 0 36. 0 45. 0	33. 0 37. 0 42. 5	28. 0 35. 0 36. 0	28, 0 35, 0 37, 0	28. 0 34. 0 85. 0	23. 8 35. 0 22. 9	23. 6 34. 0 31. 2	28. 3 85. 1 85. 7	22. 0 24. 0 32. 0 32. 0 31. 1	15. 0 33. 0 35. 0	19. 0 35. 0 40. 6	20. 0 35. 0 39. 0
Idaho	31. 5 26 . 5	31. 5 31. 0	34. 0 28. 0	30. 0 30. 0	35. 0 26. 0		39. 0 30. 0 30. 0	41. 5 36. 0 29. 0	41. 3 38. 5 28. 0	29. 0 29. 0 29. 0	15. 2 25. 0 26. 0	80.0 23.1 27.0	85. 8 82. 2 28. 0	33. 0 30. 5	\$6. 8 32. 0 25. 0	24. 0 27. 0 20. 5	45. 7 35. 0 30. 2	29. 0 24. 0 25. 0 20. 0
~ 4400 × 4400 · · · · ·	[,		L l		1 0					r			1	II	Γ		

⁵ Table 101.—Barley: A creage and yield per acre in specified countries; average 1909–1918, annual 1921–1924

						i	I JE	ld per	BOTTO	
	Aver-		Acreage	ī		Aver-	1	- 	1	<u> </u>
Country	age, 1909- 1918	1921	1922	1928	1924	age, 1909- 1918	1921	1922	1928	1924
NORTHERN HEMISPHERE	1.000			4.000						
NORTH AMERICA	1,000 acres	1,000 acres	1,000 acres	1,000 acres	1,000 acres	Bush- els	Bush- els	Bush-	Bush- els	Bush- cls
Canada United States	1, 574 7, 620	2, 796 7, 414	2, 600 7, 317	2,785 7,885	3, 408 7, 086	28. 8 24. 3	21. 4 20. 9	27. 6 24. 9	27. 6 25. 2	26. 6 26. 5
Total North America	9, 194	10, 210	9, 917	10, 620	10, 494					
EUROPE										
United Kingdom; England and Wales Scotland Ireland	1, 488 191 166	1, 436 171 175	1, 364 157 170	1, 827 159 154	1, 316 152	34. 0 37. 6 45 2	30. 8 36. 0 34. 0	31. 0 39. 1 42. 2	81. 4 86. 5 86. 7	86. 4
Norway	. 68	156 397 628 61 96	132 427 667 61 80	125 398 690 59 85	124 428 745 62 74	82. 2 33. 6 42. 0 48. 1 50. 5	27. 4 31. 0 43. 9 54. 1 53. 3	34. 0 32. 4 45. 6 51 5 43. 0	36. 4 30. 0 47. 0 50. 6 49. 2	33. 8 29. 4 50. 7 50. 4
LuxemburgFrance		5	9	9		27.8	14.8	19. 7	22.2	20.1
France	1 1, 987 3, 510	1, 679 4, 835 144 1 585	1, 712 4, 082 191 576	1, 684 4, 589 170 569	1, 714 8, 074 571	26. 6 21. 3	22. 8 20. 6 11. 1 19. 0	23. 9 19. 0 16. 4 14. 3	26. 7 24. 6 14. 4 18. 5	26. 8 20. 4
Switzerland	13	16	16	16	16	83. 9	34. 5	30.7	35. 6	32. 4
Germany Austria Czechoslovakia Hungary	1 2. 2/0	2,808 266 1,613 1,184	2, 840 313 1, 420 1, 445	2, 949 336 1, 696 1, 136	3, 571 339 1, 679 1, 081	38. 6 23. 9 81. 3 24. 5	31. 7 20. 6 29. 4 18. 1	26. 0 17 9 32. 6 15 3	36. 8 23. 4 82. 5 24. 0	30. 8 21. 3 28. 4 13. 8
Yugoslavia	1 1, 058	910	927	891	609	19. 1	14. 7	11. 9	15.8	25. 1
Greece Bulgaria Rumania Poland	11. 7 889	524 8, 878	584 4, 200	400 544 4, 641	525 4, 573	18. 8 20. 1 18. 3	16. 2 11. 4 22. 9	22. 4 22. 0	17. 8 20. 3 13. 1	15. 1 11. 0
	1 536	2, 451 414	2, 825 417	2, 964 432	8, 011 484	22. 7 16. 5	22. 9 16. 1	21. 1 25. 7	25. 7 18. 4	19. 0 20. 5
Lithuania Latvia Esthonia Finland	1 463 1 329 278	361 275 272	387 331 277	434 312 277	443 308 278	17. 1 18. 8 17. 8	18. 0 17. 1 22. 5	17. 5 20. 2 23. 3	13. 9 13. 1 13. 7	19.6 18.4 20.8
Russia, including Ukraine and Northern Caucasia	23, 281	14, 915	7, 522	12, 981		16. 4	7. 5	17. 5		
Total Europe compar- able with 1909-1913 Total Europe compar- able with 1924	50, 075			39, 802						
able with 1924	26, 259	24, 521	25, 268	26, 267	25, 185					
AFRICA		2 472	9 547	2 803	2 081	16. 3	15. 1	10. 7	12.6	16.2
Morocco Algeria	3, 395 1, 228	2, 472 2, 514	2, 547 2, 917 734	2, 808 2, 838	2, 981 3, 065 692	13. 5 6. 4	19. 1 9. 4	5. 7 2. 5	16. 5	6.8
Tunis Egypt	398	1, 228 394	875	1, 206 400	872	29.8	30. 9	30.7	80.0	27. 6
Total Africa compar- able with 1909-1913 Total Africa compar-	5, 021	4, 136	4, 026	4, 444	4, 129					
Total Africa compar- able with 1924		6, 608	6, 578	7, 247	7, 110					
Cyprus		130	118	113			14. 7	14. 8	22. 5	
Cyprus	8, 877 2, 912	6, 203 799	7, 303 478	7, 850 479		16. 4 12. 6	18. 9 8. 0	20. 0 11. 7	19. 8	
Japan Chosen	8, 042 41, 662	2, 929 2, 108	2, 746 2, 130	2, 549 2, 170		29. 4 20. 7	28. 1 18. 5	29. 6 16. 4	27. 0 14. 2	
Formosa Kwantung	5 1	1	3 1	8		12. 6 8. 0	9. 2 26. 0	9. 8 28. 0	9, 3 28. 0	
Total Asia comparable with 1909-1918 Total Northern Hemisphere comparable	16, 499	12, 174	12, 774	12, 665						
sphere comparable with 1909-1913 Total Northern Hemi-	80, 789			67, 581	•••••					
sphere comparable with 1924										

¹ Estimated for present territory.

One year only.

Four-year average.
Three-year average.

Table 101.—Barley: Acreage and yield per acre in specified countries, average 1909-1913, annual 1921-1924—Continued

Country	A ver- age, 1909- 10 to 1913-14	1921-22	1922-23	1923-24	1924-25	Average, 1909– 10 to 1913– 14	1921- 22	1922- 23	1923- 24	1924- 25
SOUTHERN HEMISPHERE Chile Uruguay Argentina Union of South Africa * Australia New Zealand	1,000 acres 111 3 7 230 2 109 154 35	1,000 acres 128 3 620 87 299 33	1,000 acres 153 3 599	1,000 acres 145 15 545	1,000 acres 124 9 630	Bush- els 36. 8 11. 1 19. 1 11. 7 19. 6 36. 1	Bush- els 35. 6 14. 0 9. 6 14. 7 21. 2 18. 8	Bush- els 49. 5 9. 3 12. 8	Bush- els 60. 7 5. 3 16. 9	Bush-els
Total Southern Hemisphere comparable with 1909-1913. Total Southern Hemisphere comparable with 1924. World total comparable with 1909-1913. World total comparable with 1924.	646 348 81, 435	1, 170 751 	755 	705 	763 43, 552					

Division of Statistical and Historical Research. Official sources and International Institute except where otherwise specified. Estimates given are for crops harvested during the calendar year in the Northern Hemisphere and the succeeding harvest in the Southern Hemisphere.

One year only.
Four-year average.
Excludes native locations.

Table 102.—Barley: Production in specified countries, average 1909-1913; annua 1921-1924

[Thousand bushels-i. e., 000 omitted]

Country	Average,	1921	1922	1923	1924
Constitution	1909-1913				
NORTHERN HEMISPHERE					
NORTH AMERICA		1			
CanadaUnited States	45, 275 184, 812	59, 709 154, 946	71, 865 182, 068	76, 998 197, 691	90, 768 187, 878
Total North America	230, 087	214, 655	253, 933	274, 689	278, 644
EUROPE					
United Kingdom: England and Wales Scotland Ireland	7, 178 7, 510	44, 242 6, 158 5, 952	42, 233 6, 133 7, 170	41, 717 5, 800 5, 647	47, 927
Norway Sweden Denmark	2, 867 15, 035 1 26, 860	4, 279 12, 326 27, 548	4, 483 13, 830 30, 433	4, 549 11, 781 32, 457	4, 185 12, 576
Netherlands Belgium.	3, 270 1 4, 446	3, 302 5, 117	3, 143 8, 438	2, 984 4, 182	8, 146 3, 729
Luxemburg France. Spain Portugal Italy	1 52, 826	74 38, 318 89, 320 1, 600 11, 119	177 40, 908 77, 533 3, 141 8, 253	201 45, 024 111, 861 2, 453 10, 499	161 45, 934 62, 557 1, 668 8, 662
Switzerland	441 1 138, 787 1 10, 065 1 71, 108	552 89, 056 5, 481 47, 471	491 73, 887 5, 599 46, 352	570 108, 446 7, 855 55, 176	510 109, 900 7, 211 47, 62
Hungary	1 32, 369		22, 169		

¹Estimated for present territory.

29283°-YBK 1924-

* TABLE 102.—Barley: Production in specified countries, average 1909-1913, annual 1921-1934—Continued

Bulgaria 110, 380 8, 480 15, 941 11, 063 7, 941	1001	1004				
Yugoslavia	Country	A verage, 1909–1913	1921	19212	1923	1924
Yugoslavia	NORTHERN HEMERHERE—Continued	1				
Greece. 1-16, 985 6, 430 15, 941 11, 063 7, 948 Rumaria. 110, 380 8, 489 15, 941 11, 063 7, 948 Rumaria. 1-10, 380 8, 489 15, 941 11, 063 7, 948 Rumaria. 1-101, 697 44, 224 98, 789 06, 870 7, 947 7, 941 11, 063 7, 948 Rumaria. 1-101, 697 44, 224 98, 789 06, 870 7, 947 7, 941 11, 063 7, 948 Rumaria. 1-101, 697 44, 224 98, 789 06, 870 7, 947 7, 941 11, 063 7, 948 Rumaria. 1-101, 697 44, 224 98, 789 16, 670 4, 097 5, 848 Rumaria. 1-101, 697 44, 090 4, 097 5, 848 Rumaria. 1-101, 697 44, 090 4, 097 5, 848 Rumaria. 1-101, 101, 101, 101, 101, 101, 101, 10	EUROPE-continued			}		
Greece. 1-16, 985 6, 430 15, 941 11, 063 7, 948 Rumaria. 110, 380 8, 489 15, 941 11, 063 7, 948 Rumaria. 1-10, 380 8, 489 15, 941 11, 063 7, 948 Rumaria. 1-101, 697 44, 224 98, 789 06, 870 7, 947 7, 941 11, 063 7, 948 Rumaria. 1-101, 697 44, 224 98, 789 06, 870 7, 947 7, 941 11, 063 7, 948 Rumaria. 1-101, 697 44, 224 98, 789 06, 870 7, 947 7, 941 11, 063 7, 948 Rumaria. 1-101, 697 44, 224 98, 789 16, 670 4, 097 5, 848 Rumaria. 1-101, 697 44, 090 4, 097 5, 848 Rumaria. 1-101, 697 44, 090 4, 097 5, 848 Rumaria. 1-101, 101, 101, 101, 101, 101, 101, 10	Viignslevia	1 20, 229	18, 378	131.069	14, 085	15, 308
Rumaria. 1-61, 697 44, 254 93, 789 60, 870 70 70 10 60, 650 50, 104 58, 559 76, 637 57, 21 Lithuania. 1-8, 820 6, 675 10, 725 7, 927 9, 90 Latvia. 1-7, 922 6, 406 6, 770 6, 021 8, 86 Estitonia. 1-6, 201 4, 000 6, 070 4, 070 5, 66 Estitonia. 1-6, 201 4, 000 6, 070 4, 070 5, 66 Estitonia. 1-6, 201 4, 000 6, 770 6, 021 8, 86 Estitonia. 1-6, 201 4, 000 6, 770 4, 070 5, 66 Estitonia. 1-6, 100 112, 007 181, 307 Total Europe, comparable with 1024. 1081, 243 676, 420 Total Europe, comparable with 1024. 1081, 243 676, 420 Total Europe, comparable with 1024. 1081, 243 11, 937 11, 482 2, 58 Egypt. 11, 867 11, 877 11, 878 11, 878 11, 882 2, 58 Egypt. 11, 867 12, 173 11, 536 11, 983 11, 983 10, 971 Total Africa, comparable with 1924. 108, 915 57, 220 105, 738 81, 711 Cyprus. 2, 183 1, 915 1, 933 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983 11, 983	Greece	116.949	6 430		7, 101	6, 169
Lithuania.	Rumania	1 8 61, 677	44, 254	93, 789	60, 870	l
Finland	Poland	i .	56, 104	ŀ	75,037	57, 214
Finland	Lithuania	1 8, 820	6, 675	10, 725	7,957	9, 902
Finland	Esthonia	1 6, 201	4, 690	6, 670	4.097	1 5.664
Total Europe, comparable with 1909-1913. 1,081,243 676,420 482,041 563,669 487,43 482,041 563,669 487,43 482,041 563,669 487,43 482,041 563,669 487,43 482,041 563,669 487,43 482,041 563,669 487,43 482,041 563,669 487,43 482,041 563,669 487,43 482,041 563,669 487,43 482,041 563,669 487,43 482,041 563,669 487,43 482,041 563,669 487,43 482,041 563,669 487,43 482,041 563,669 487,43 482,041 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583,071 583	Finland	4,947	6, 114	6, 466	3, 789	5, 782
1909-1913	Caucasia	1 381, 235	112, 067	181, 357		
1909-1913	Total Europe, comparable with					
Morocco	1909-1913	1, 081, 248	676, 420			
Morocco	Fotal Europe, comparable with 1924.		452, 041		563, 669	487, 434
Algeria. 45, 974 47, 996 16, 427 46, 917 20, 68- Tunis . 7, 826 11, 442 1, 837 11, 482 2, 32- Egypt . 11, 867 12, 173 11, 526 11, 988 10, 274 Total Africa, comparable with 1924		1				
Tunia. 7, 826 11, 482 1, 837 11, 482 2, 32 Egypt 11, 867 12, 173 11, 526 11, 988 10, 27 Total Africa, comparable with 1909-1913		45 974	37, 264 47 998	27, 296	35, 371 46, 917	48, 220 20, 684
Total Africa, comparable with 1909-1913. Total Africa, comparable with 1924. ASIA Cyprus	Tunis.	7, 826	11, 482	1,837	11, 482	2, 526
1900-1913	Egypt	11, 867	12, 173	11, 526	11,988	10, 275
Total Africa, comparable with 1924. ASIA Cyprus. Lindia. Russia (Asdatic). Japanese Empire: Japan. Chosen. Total Asia, comparable with 1900- 1913. Total Asia, comparable with 1924. Total Northern Hemisphere, comparable with 1904- 1913. Total Northern Hemisphere, comparable with 1924. Total Southern Hemisphere, comparable with 1924. Southern Hemisphere, comparable with 1924. Total Southern Hemisphere, comparable with 1924. Total Southern Hemisphere, comparable with 1924. Total Southern Hemisphere, comparable with 1924. Total Southern Hemisphere, comparable with 1924. Total Southern Hemisphere, comparable with 1924. Total Southern Hemisphere, comparable with 1924. Total Southern Hemisphere, comparable with 1924. Total Southern Hemisphere, comparable with 1924. Total Southern Hemisphere, comparable with 1924. Total Southern Hemisphere, comparable with 1924. Total Southern Hemisphere, comparable with 1924. Total Southern Hemisphere, comparable with 1924. Total Southern Hemisphere, comparable with 1924. Total Southern Hemisphere, comparable with 1924. Total Southern Hemisphere, comparable with 1924. Total Southern Hemisphere, comparable with 1924. Total Southern Hemisphere, comparable with 1924. Total Southern Hemisphere, comparable with 1924. Total Southern Hemisphere, comparable with 1924. Total Southern Hemisphere, comparable with 1924. Total Southern Hemisphere, comparable with 1924. Total Southern Hemisphere, comparable with 1924. Total Southern Hemisphere, comparable with 1924. Total Southern Hemisphere, comparable with 1924. Total	Total Africa, comparable with					00.40
Cyprus	Total Africa, comparable with 1924	00,007	108, 915		70, 887 105, 758	33, 480 81, 711
Cyprus	· -					
India		0 100	1 01#	1 009	0 540	
Russia (Aslatic) 36, 796 6, 486 5, 512	India	145, 496	117, 087	145, 973	2, 543 145, 460	
Solution	Russin (Aslatic)	36, 795	6, 180	5, 512		
Total Asia, comparable with 1999-1913 246,802 269,555 121,307 116,321 99,730 111,175 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 1	Japan.	99, 531		81, 411	68, 858	75, 326
Total Asia, comparable with 1990-1913.	Chosen Pormosa				30, 872	35, 848
1913. 246, 802 266, 555 Total Asia, comparable with 1924. 123, 976 121, 307 116, 321 99, 730 111, 17- Total Northern Hemisphere, comparable with 1909-1913. 1, 685, 518 1, 209, 528 Total Northern Hemisphere, comparable with 1024. 926, 918 1, 043, 876 958, 961 Country Parable with 1024 1913-14 1921-22 1922-23 1923-24 1924-25 Southern Hemisphere Chile. 1913-14 1921-22 1922-23 1923-24 1924-25 Southern Hemisphere Chile. 24, 696 4, 556 7, 557 8, 798 Trugulay 27, 656 9, 186 Trigulay 3, 621 1, 224 Total Southern Hemisphere, comparable with 1909-13. 14, 122 18, 823 Wew Zealand 07, 696, 687 1, 228, 351 1, 228, 351	Kwantung					· · · · · · · · · · · · · · · · · · ·
1913. 246, 802 266, 555 Total Asia, comparable with 1924. 123, 976 121, 307 116, 321 99, 730 111, 17- Total Northern Hemisphere, comparable with 1909-1913. 1, 685, 518 1, 209, 528 Total Northern Hemisphere, comparable with 1024. 926, 918 1, 043, 876 958, 961 Country Parable with 1024 1913-14 1921-22 1922-23 1923-24 1924-25 Southern Hemisphere Chile. 1913-14 1921-22 1922-23 1923-24 1924-25 Southern Hemisphere Chile. 24, 696 4, 556 7, 557 8, 798 Trugulay 27, 656 9, 186 Trigulay 3, 621 1, 224 Total Southern Hemisphere, comparable with 1909-13. 14, 122 18, 823 Wew Zealand 07, 696, 687 1, 228, 351 1, 228, 351	Total Asia, comparable with 1909-					
Total Northern Hemisphere, comparable with 1909-1913. Total Northern Hemisphere, comparable with 1924. Country Average, 1909-10 to 1913-14 SOUTHERN HEMISPHERE Chile	1913.					
Parable with 1909-1913	Total Northern Hemisphere, com-	123, 976	121, 307	116, 321	99,730	111, 174
Country	parable with 1909-1913	1, 685, 518	1, 209, 528			
Average, 1909-10 to 1921-22 1922-23 1923-24 1924-25	Total Northern Hemisphere, com-		026 012		1 043 976	958 968
Country 1908-10 to 1921-22 1922-23 1923-24 1924-25	parable with 1021		020, 815		1, 1720, 510	000,000
Chile	Country	1909-10 to	1921-22	1922-23	1923-24	1924-25
Chile	SOUTHERN HEMISPHERE					
Trigulay		4,698	4, 556	7, 557	8, 798	
Total Southern Hemisphere, cousparable with 1909-13. World total, comparable with 1909-1943. 14, 122	Uruguay	279	42	28	79	
Total Southern Hemisphere, cousparable with 1909-13. World total, comparable with 1909-1943. 14, 122	Union of South Africa	1 274	1, 282	7, 656	9, 186	
Total Southern Hemisphere, cousparable with 1909-13. World total, comparable with 1909-1943. 14, 122	Australia	8, 621	6, 339	6, 822		
parable with 1909-13	New Zealand	1, 264	622	622		
1909-1913	Total Southern Hemisphere, com-	44.455	10.000			
1909-1913	World total comparable with	14, 122	18, 823			
WORLD FOR SOME WITH 1924	1909-1913	1, 6 99, 62 7			1 045 084	000 000
	world total, comparable with 1924		A50* A19		1, 048, 876	958, 9 63

Division of Statistical and Historical Research. Official sources and International Institute unless charwise specified.

Historical Research. Official sources and International Institute unless characters given are for crope harvested during the extendar year in the Northern Hemisphere and the succeeding harvest in the Southern Hemisphere.

^{*} Estimated for gresent territory.

* One year only.

* Four-year average.

* Three-year average.

* Excludes native locations which produced 38,550 bushels in 1917-16 and 29,657 bushals in 1929-21.

TABLE 108 .- Barley: World production, 1894-1984

[Thousand bushels-i. e., 000 omitted]

	Production in countries		Estimated world totals	Three	selected cour	ntries
Year	reporting all years, 1894-1928	as reported	(prelimi- nary)	Russian Empire ¹	Germany	Japan
1894	607, 282	1, 031, 839	1, 209, 725	277, 464	130, 858	81, 138
1895	616, 057	970, 564	1, 125, 471	226, 134	128, 325	79. 046
1800	564, 927	961, 353	1, 127, 085		125, 254	
INCO				253, 630		70, 548
1897	551, 097	909, 157	1,045,892	238, 651	117, 783	72, 662
1898	635, 270	1, 090, 672	1, 327, 512	306, 922	129, 939	83, 386
1809	628, 739	973, 216	1, 143, 901	226, 909	137, 047	77, 309
1900	620, 639	964, 210	1, 168, 680	236, 981	137, 888	82, 420
1901	679, 376	1, 046, 723	1, 222, 624	239, 917	152, 535	83, 352
1902	702, 761	1, 182, 478	1, 365, 344	338, 251	142, 391	74, 078
1002	666, 922	1, 195, 298	1, 356, 104			
1903	000, 922	1, 190, 200	1, 800, 102	357, 471	152, 652	59, 737
1904	657, 150	1, 140, 319	1, 313, 769	346, 255	135, 408	80, 794
1905	651, 638	1, 158, 453	1, 313, 903	346, 966	134, 203	77, 478
1906	758, 275	1, 262, 809	1, 456, 706	330, 962	142, 900	83, 967
1907	725, 374	1, 261, 256	1, 438, 416	377, 031	160, 649	90, 480
1908	709, 335	1, 293, 613	1, 434, 561	402, 258	140, 538	87, 13
1909		1, 522, 309	1, 648, 697	501,869	160, 551	87, 188
l910		1, 390, 972	1, 518, 917	487, 919	133, 330	81, 95
1911	728, 017	1, 449, 535	1, 541, 983	436, 569	145, 133	86, 480
1912	772, 145	1, 575, 130	1,619,575	496, 352	159, 924	90, 559
1913	783, 390	1, 726, 695	1, 778, 842	609, 232	168, 709	101, 47
1914	718, 089	1, 514, 983	1, 557, 233	a 432, 615	144, 125	85, 774
	691, 862	1, 563, 397	1, 585, 154	429, 161	114, 077	94, 95
1915			1, 514, 614	- 120, 101	128, 450	89, 335
916	669, 754	1, 048, 089			¹ 89, 886	
1917	612, 658	982, 142	1, 434, 642			88, 896
1918	694, 950	1, 128, 067	1, 488, 567		8 93, 504	87, 769
1919	536, 432	927, 303	1, 136, 303		3 87, 741	89, 356
1920	580, 268	1, 156, 526	1, 244, 526	3 216, 326	8 82, 344	84, 909
1921	579, 481	1, 267, 713	1, 276, 713	8 118, 497	89, 056	82, 325
1922	549, 788	1, 332, 092	1. 348, 202	3 136, 869	3 73, 837	81, 411
	652, 723	1, 326, 790	1, 470, 718	100,000	108, 446	68, 858
1923	002, 123		1, 4/0, /10		109, 905	75, 326
1924		964, 763			a 108' non	70, 320

Division of Statistical and Historical Research. For each year is shown the production during the calendar year in the Northern Hemisphere and the succeeding harvest in the Southern Hemisphere.

Table 104.—Barley: Monthly marketings by farmers, United States, 1917-1923

•	Per	rcentag	ge of y	ear's r	eceipt	as re	ported	by al	onut 3,	500 mi	Ils and	i eleva	tors
Year beginning July	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	Sea- son
1917	2. 2 2 4 18. 5 7. 0 35. 0 17. 4 10. 3	15. 0 9. 7 19. 2 16. 5 14. 0 22. 9 23. 7	28. 4 8. 4 14. 3 15. 0 10. 5 14. 6 15. 1	16. 5 4. 4 9. 9 9. 9 7. 8 10. 8 9. 9	8.5 7.8 6.4 9.9 4.4 5.2 7.8	8.6 3.3 7.5 7.2 4.2 6.0 6.5	6. 5 1. 3 5. 4 6. 7 3. 9 4. 8 4. 1	7. 5 .7 3 1 5. 5 4. 3 3. 2 3. 5	6. 1 2. 9 3. 7 6. 5 4. 2 3. 5 3. 1	2. 9 27. 5 3. 4 4. 2 3. 0 1. 9 2. 6	1.8 30.7 3.0 5.7 4.4 2.7 2.3	1. 0 . 9 5. 6 5. 9 4. 3 7. 0 11. 1	100. 0 100. 0 100. 0 100. 0 100. 0 100. 0 100. 0

Division of Crop and Livestock Estimates.

¹ Includes all Russian territory reporting for years named.

Excludes Poland.
 New boundaries and therefore not comparable with earlier years.

Table 105.—Barley: Farm stocks, shipments, and quality, United States, 1910-1924

	011-4-1		Crop			Stocks on	Shipped
Year beginning August	Old stocks on farms Aug 1 ¹	Quantity	Weight per bushel ²	Quality *	Total supplies	farms Mar. 1 fol- lowing 1	out of county where grown 1
	1,000 bushels	1,000	D 20	D	1,000	1,000	1,000
		bushels	Pounds	Per cent	bushels	bushela	bushels
1910	8, 075	173, 832	46.9	88.1	181, 907	33, 498	86, 955
1911	5, 763	160, 240	46.0	84.9	166, 003	24, 754	91, 620
1912	2, 591	223, 824	46.8	86.2	226, 415	62, 301	120, 148
1913	11, 252	178, 189	46. 5	86.4	189, 441	44, 126	86, 262
1914	7, 609	194, 953	46. 2	87. 5	202, 562	42, 889	87, 834
1915	6, 336	228, 851	47. 4	90.5	235, 187	58, 301	98, 965
1916	10, 982	182, 309	45. 2	84. 4	193, 291	33, 244	79, 257
1917	3, 775	211, 759	46.6	90.9	215, 534	44, 419	84, 056
1918	4, 510	256, 225	46. 9	89.8	260, 735	81, 746	99, 987
1919	11, 897	147, 608	45. 2	84. 8	159, 505	33, 820	50, 471
1920	4, 122	189, 332	46.0	88, 2	193, 454	65, 229	68, 663
1921	13, 487	154, 946	44. 4	82. 5	168, 433	42, 294	55, 738
1922	7, 497	182, 068	46. 2	88.5	189, 565	42, 469	66, 560
1923	6, 805	197, 691	45. 3	86.6	204, 496	44, 930	68, 190
1924	6, 359	187, 875	47. 0	88.7	194, 234	-1, 0.00	30, 100
1044	0,000	101,010	21.0		101, 201		

Division of Crop and Livestock Estimates.

Table 106.—Barley: Receipts at markets named, 1909-1924 [Thousand bushels-i. e., 000 omitted]

1914							
1910	Year beginning August		Duluth	Chicago	Milwaukee	Omaha	William and Port
1910	1000	22, 828	12.177	26, 658	15, 143		3, 301
1911							
1912 35, 682 14, 504 30, 683 19, 824							3 . 483
1913	1912	35, 682	14, 504	30, 083	19, 824		9, 859
1914	1913	29, 796	10, 895	26, 201	17, 499		10, 667
1915	Average, 1909-1913	21,792	10, 150	24, 922	15, 636		5, 769
1915	1914	29, 465	11, 122	25, 073	7, 096		2, 884
1916. 26, 301 8, 633 28, 075 19, 619 1, 236 7, 688 1917 35, 423 7, 470 21, 473 14, 675 2, 089 7, 470 1918 43, 172 8, 427 26, 871 18, 458 3, 991 7, 741 1919 13, 194 2, 322 13, 094 10, 208 831 8, 194 1920 17, 774 4, 043 10, 192 0, 813 1, 325 12, 326 12, 236 14, 246 21, 894 8, 094 1921 11, 945 5, 154 7, 597 9, 341 1, 075 11, 597 1922 14, 269 3, 835 10, 073 9, 446 801 15, 768 1923 13, 641 3, 926 9, 755 9, 077 785 15, 910 1922 14, 269 3, 835 10, 073 9, 446 801 15, 768 1923 13, 641 3, 926 9, 755 9, 077 785 15, 910 1923 1, 941 432 1, 222 872 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 1					19, 850		10, 356
1918		26, 301	8, 633			1, 236	7, 688
1919	1917		7, 470				
1920	1918						
A verage, 1914–1920. 30,067 8,202 22,495 14,246 21,894 8,094 1921 11,945 5,154 7,597 9,341 1,075 11,597 1922 14,269 3,835 10,073 9,446 801 15,756 1923 13,641 3,926 9,755 9,077 785 15,910 1923 1,941 422 1,222 872 150 September 2,417 1,563 979 1,191 171 2,787 October 1,879 750 1,255 1,187 243 2,692 November 1,633 365 767 703 133 2,310 December 1,633 365 767 703 133 2,310 December 1,633 365 767 703 133 2,310 1924 1924 1924 1,131 22 985 88 88 692 March 1,131 23 928 768 88 692 April 855 140 668 618 1,063 May 663 121 557 605 1,394 May 663 121 557 605 1,395 June 611 135 389 418 529 July 400 187 414 362 1,236 September 3,913 5,498 1,748 2,336 139 3,015 October 4,155 1,937 1,127 1,137 61 6,988		13, 194					
1921	1920	17, 774	4, 043	10, 192	9, 813	1, 325	12, 326
1922	Average, 1914-1920	30, 067	8, 202	22, 495	14, 246	2 1, 894	8, 094
1922	1921	11, 945	5, 154	7, 597	9, 341	1,075	11, 597
1923 13, 641 3, 926 9, 785 9, 077 785 15, 910 August							15, 756
August 1, 941 432 1, 222 872 150 September 2, 417 1,563 979 1, 191 171 2,787 October 1, 879 750 1, 255 1, 187 243 2,682 1,828 1,187 243 2,682 1,833 2,865 767 703 133 2,310 133 2,310 1,704 1,704 1,702 995 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,704 1,702 1,704 1,702		13, 641			9, 077	785	15, 910
September 2, 417 1, 563 979 1, 191 171 2, 787 October 1, 879 750 1, 255 1, 187 243 2, 692 November 1, 633 365 767 703 133 2, 310 December 184 102 1, 029 905 133 2, 310 January 748 92 748 675 728 728 February 1, 131 23 928 768 88 599 March 1, 159 16 819 683 82 622 April 855 140 668 618 1, 063 622 May 663 121 557 605 1, 303 1, 363 May 683 121 557 605 1, 304 529 July 400 187 414 362 1, 236 August 1, 484 602 775 616 225	1923						
September 2, 417 1, 563 979 1, 191 171 2, 787 October 1, 879 750 1, 255 1, 187 243 2, 692 November 1, 633 365 767 703 133 2, 310 December 1, 633 365 767 703 133 2, 310 December 1, 64 102 1, 029 905 133 2, 310 January 748 92 748 675 723 723 723 723 723 723 723 723 723 723 723 723 723 723 723 723 723 723 723 723 723 723 723 723 723 723 723 723 723 723 723 723 723 724 724 724 724 726 725 723 723 723 723 724 724 724 724 724 724	August			1, 222		150	
November	September						2, 787
December 184 102 1,029 905 1,704				1, 255			2, 692
1924 748 92 748 675 728 February 1, 131 23 928 768 88 569 March 1, 150 16 819 683 622 April 855 140 668 618 1, 063 May 663 121 557 605 1, 390 June 611 135 369 418 529 July 400 187 414 362 1, 236 369 418 529 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300 300	November					133	2,310
January	December	184	102	1,029	995		1,704
January	1924						
February 1, 131 23 928 768 88 569 March 1, 169 16 819 683 662 662 April 855 140 668 618 1, 063 May 663 121 557 605 1, 390 June 611 135 369 418 529 July 400 187 414 362 1, 236 August 1, 484 602 775 616 225 September 3, 913 5, 498 1, 748 2, 336 139 3, 015 October 4, 155 3, 772 2, 070 1, 840 155 8, 049 November 2, 756 1, 937 1, 127 1, 137 61 6, 938		748	92	748	675		728
March 1, 159 16 819 683 642 April. 855 140 668 618 1, 063 May 663 121 557 605 1, 300 June 611 135 369 418 529 July 400 187 414 362 1, 236 August 1, 484 602 775 616 225 September 3, 913 5, 498 1, 748 2, 336 139 3, 015 October 4, 155 3, 772 2, 070 1, 940 155 8, 049 November 2, 756 1, 937 1, 127 1, 137 61 6, 948					768	88	589
					683		662
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			140	668	618		1.063
June 611 135 369 418 529 July 400 187 414 362 1, 236 August 1, 484 602 775 616 225 September 3, 913 5, 498 1, 748 2, 336 139 3, 015 October 4, 155 3, 772 2, 070 1, 940 155 8, 049 November 2, 756 1, 937 1, 127 1, 137 61 6, 988	May	683	121				1,390
July 400 187 414 362 1, 236 August 1, 484 602 775 616 225 September 3, 913 5, 498 1, 748 2, 336 139 3, 015 October 4, 155 3, 772 2, 070 1, 840 155 8, 049 November 2, 756 1, 937 1, 127 1, 137 61 6, 998							529
September 3, 913 5, 498 1, 748 2, 336 139 3, 015 October 4, 155 3, 772 2, 070 1, 940 155 8, 049 November 2, 756 1, 937 1, 127 1, 137 61 6, 998		400	187				1, 236
October 4, 155 8, 772 2, 070 1, 840 155 8, 049 November 2, 756 1, 937 1, 127 1, 137 61 6, 998	August						
November 2,756 1,937 1,127 1,137 61 6,998	September			1,748			
December							
	December	2, 218	229	1,238	1,897	42	2,875

Division of Statistical and Historical Research. Compiled from Minneapolis Daily Market Record, Chicago Daily Trade Bulletin, Grain Dealers Journal, and Canadian Statistics.

^{&#}x27;Based on percentage of entire crop as reported by crop reporters.
'Average weight per measured bushel as reported by crop reporters.
'Percent of a "high medium grade" as reported by crop reporters.
'Prelimnury.

¹ Crop year begins in September.

¹ Five-year average.

TABLE 107 .- Barley: Farm price per bushel, 15th of month, United States, 1909-1924

	·	1								· · · · · · · · · · · · · · · · · · ·	ī	1	1
Year beginning	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Weight-
August	15	15	15	15	15	15	15	15	15	15	15	15	ed av.
							ļ	 					
	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.
1909	57.9	54.0	58. 4	53.6	55.8	58.4	59.8	60.0	58. 1	56. 1	54.8	54. 3	55. 8
1910	56.0	56.6	55.7	56.6	58.8	62.0	63.6	66.0	71.6	73. 9	72.0	69. 7	61. 8
1911	73. 2	79 4	88. 3	85. 9	86. 6	88. 8	91.1	91.6	94. 2	93.6	86. 5	74. 4	83. 2
1912	60.2	54.2	54. 3	52. 2	50. 2	50.6	50. 2	48.8	48 4	50.5	53. 2	52. 2	53. 2
1913	53.0	56.0	55.8	54. 2	53. 0	52. 8	51.8	51.4	50 5	49. 2	48 3	46. 3	52. 6
Av. 1909-1913	60. 1	60.0	60. 5	60 5	60.9	62.4	63. 3	63. 6	64 6	64. 7	63 0	59 4	61. 2
1914	48. 8	52. 2	51 8	53.0	54. 3	58. 6	65. 3	66. 2	64. 2	62. 9	58. 9	56. 2	55. 4
1915	54. 3	49.4	48 4	50 8	53. 2	58. 3	60. 6	58 4	58 4	59.6	59. 4	59. 3	54. 8
1916	66. 1	74.7	79.8	85. 6	87 6	89. 9	94.8	99. 6			113.0	110.6	88.7
1917	112. 2	112.0	112.6	112.5	120. 1	129. 2	146. 5	165. 6			126 9	114. 2	137. 8
1018	105. 4	98. 2	95. 2	93. 3	91.5	89. 0	86. 1	89 0			108 8	113.6	98. 6
1919	117. 2		116 2	118.8	125. 4		133. 2	134. 6			145 2	131. 5	125. 7
1920	113.0	98. 1	86 4	76 5	67. 8	60. 8	57.0	55 6	51.8	50. 4	51 1	50.0	76. 1
Av. 1914-1920	88 1	85 7	84 3	84 4	85 7	88 5	91. 9	95.6	98 8	99. 1	94. 8	90 8	90. 9
1921	48. 2	46. 2	43. 6	41.8	42.8	44.0	47.0	61. 2	54 6	57.0	55 0	51.0	47. 4
1922	47. 7	46. 2	49 2	52.0	55. 6	56. 8	56 2	58.0	59 6	60 8	58 3	54.7	52.6
1923	52 2	51.9	54. 7	55. 2	57.6	56. 5	58.0	60.0	61 0	60 0	61. 9	68 8	57. 1
1924	75. 7	75.6	81.4	79.7	76. 2								
		1			1	1		1		1	1	1	1

Division of Crop and Livestock Estimates. Mean of prices reported on 1st of month and 1st of succeeding month.

Table 108.—Barley: Farm price per bushel, December 1, 1909-1924, and value per acre, 1924

State	1909	1910	1911	1912	1913	Av. 1909– 1913	1914	1915	1916	1917	1918	1919	1920	Av. 1914- 1920	1921	1922	1923	1924	Value per acre, 1924 i
Me N. H Vt N. Y Pa	Cts 77 80 77 69 67	Cts. 76 77 68 70 63	Cts. 90 86 82 97 65	Cts. 77 84 80 68 68	Cts. 80 80 80 69 71	Cts 80 81 77 75 67	Cts. 81 82 75 71 70	Cts. 75 79 75 75 75	Cts. 104 90 100 101 75	Cts. 130 175 140 130 140	153 126	Cts. 170 188 150 136 128	Cts. 138 146 120 99 90	Cts. 121 130 116 105 100	Cts. 86 110 80 62 62	Cts. 100 98 97 74 65	C/s. 100 85 95 75 72	C/s. 108 105 103 91 90	Dols. 28. 08 27. 30 32. 96 27. 30 23. 85
Md Va Ohio Ind	64 71 61 63 52	61 67 60 56 56	60 70 84 75 92	68 75 55 60 53	64 70 58 50 57	63 71 64 61 62	66 80 50 67 61	70 75 54 65 57	73 85 80 75 103	130 139 118 104 121	160 93	123 130 125 118 121	110 100 82 87 82	90 110 87 89 91	67 72 51 48 46	75 80 65 58 58	80 80 63 65 58	93 105 85 77 75	32. 55 28. 35 25. 50 19. 25 23. 25
Mich Wis Minn Iowa Mo	61 56 47 46 68	58 64 60 56 60	86 99 96 93 75	65 55 41 52 66	60 60 48 55 60	66 67 58 60 66	65 62 53 55 65	62 56 49 49 63	91 105 87 91 93	119 124 111 117 94	92 80 85	118 121 116 112 130	84 62 63	92 92 80 82 94	57 51 34 42 65	65 57 47 49 72	64 61 44 52 78	80 78 69 70 82	24. 96 22. 08 21. 98
N. Dak S. Dak Nebr Kans	43 45 43 53 76	55 57 45 45 65				52 56 48 51 75	45 50 47 47 77	44 46 42 42 77	83 75 77	100 110 98 115 115	78 85 95		52 50 45		29 29 28 29 61	39 42 47 45 85		62 64 63 65 101	17. 92 15. 75
Tenn Tex Okla Mont	79 100 65 63		90 93 61 68	80 78 50 53	70 81 80 48	80 88 62 50	82 70 53 53	68 50 48	80 100 76	144 137 148 103	130 124 100	180 112 122 140	75 72 65	- 96 96 84	100 45 45 60	80 65 55 50	100 68 70 48	110 76 70 69	21. 28 17. 50 17. 25
Wyo Colo N. Mex Ariz Utah	74 66 100 88 66	80 90	70 87	62 50 71 87 59	72 73	68 60 79 85 61	55 75 60 50	56	100 108	130 104 139 150 120	113 110 130	175 120 110 140 141	110 75 75 140 100	107 85 97 112 97	65 37 61 80 48	60 59 95 85 55	65 54 80 95 70	72 72 60 88 87	17. 28 12. 00 30. 80
Nev Idaho Wash Oreg Calif	75 59 64 66 74	50 57 62	70 68 65	53 55	55	81 56 59 61 70	65 50 52 61 59	52 56 62	82 84 80		130 115 136	150 140 135 150 141	75 100	91 94 101	80 47 52 50 56	100 65 74 74 63	83 58 60 67 70	110 82 85 100 116	23. 78 20. 40 25, 00
v. s	54. 8	57. 8	86, 9	50. 5	58. 7	60. 7	54. 3	51. 6	88. 1	118.7	91. 7	120. 6	71. 3	84. 5	41. 9	52. 5	54, 1	73. 1	19 87

Division of Crop and Livestock Estimates.

¹ Based on farm price Dec. 1

TABLE 109.—Barley: International trade, average 1910–1914, annual 1928–1924

	[Thou	sand bus	hels—i. e.	, 9 00 omii	tod]			
Company of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the contro				Year end	ed June 30)		
Country		1914 i	19:	2 23 1	19	23		relimi- iry
	Imports	Exports	Imports	Exports	Imports	Experts	Imports	Exports
PRINCIPAL EXPORTING COUNTRIES							-	
Algeria	213	5, 482	699	5, 965	4, 282	105	202	9, 452
Argenting	13	764		1, 299		1, 381		9,779
Australia-		51	7	2,616		2, 319		1,854
British India		10,640	15	184	68	1, 399		7 11, 717
Bulgaria		1,876	(8)	819				
Canada	57	5, 522	3	12, 864	(8)	12, 474	2	16, 577
Chile	1 88	1 1,002	3	2, 023	I	1, 776		2,052
Czechoslovakia	.00	- 1,002	52	1.941	11	7, 103	91	8, 183
Hungary	229	11,836	8	188	6 12	1, 103	01	10 327
Latvia		11,000	ĭ	10	67	10 279		10 15
Poland.	1		271	258	6 19	6 833		
Rumania		11 16, 804	1	15, 424		39, 065		9 10 19,990
	1	1				,		'
Russia		173, 240		İ	l			12 19, 883
Sweden	28	102	85	75	28	782	205	19
Tunis	323	3,055	50	6, 524	6 1, 083	358		10 6, 623
United States 3		7,896		22, 400 440		18, 193		11, 209
Yugoslavia				440			¦	
PRINCIPAL IMPORTING COUNTRIES								
Austria	716	8, 123	1, 452	6	3, 367	0 81	10 3, 933	
Belgium 3	18, 351	3,079	11,874	1, 258	11, 367	63	12, 414	79
Denmark.	3, 024	2,906	1,655	2, 906	6, 149	1, 190	10, 645	622
Egypt.	732	18 42	83	503	608	179	11 181	14 6
Finland	6, 711	787	29 1,413	261	67	748	273 6, 728	831
Flance	0, 111	101	, 410	2071	1,411	190	1, 120	001
Germany 1	148, 297	136	11, 102	191	13, 128	122	23, 085	13
Greece			379		627		(18)	
Italy	810	20	1,603	44	528	47	386	61
Japan	15		20		¢ 10		(15)	
Netherlands	38, 039	26, 975	6, 692	431	9, 067	404	15, 267	556
Norway	4, 550		1,500	(*)	1,363		2, 976	
Douturn1	24	- 5	l	1	1		!	1
Portugal Spain	690	113	6, 239	58	142	1		
Switzerland	1, 140	113	2, 229	(8)	10 2, 908	(0) (8)	10 3, 017	
United Kingdom	48, 550	2 101	33, 698	10 613	38, 958	16 137	43, 608	
Other countries	1 10,000	2	00,000		19		1, 365	
Total countries re-			i	1	i			
ported	272, 969	280, 620	84, 115	78, 787	95, 165	89, 054	124, 378	119,848
-	I	I		1	1	1	1 .	1 .

Division of Statistical and Ristorical Research. Compiled from official sources and International Institute of Agriculture.

¹ Years ended July 31 as compiled by the International Institute of Agriculture.
2 Calendar years 1909-1913.
3 Years ended June 30, from efficial sources.
4 Eleven months, from the International Institute of Agriculture.
4 Average for seasons 1909-10 to 1911-12.
4 Ten months ended May 31, from the International Institute of Agriculture.
5 Rea trade only.
5 Less than 500 bushels.
6 Nine months.

Nine months.

Nine months.

International Institute of Agriculture.

I Average for seasons 1911–12 to 1913–14.

Commercial source.

[&]quot;A versge for seasons 1912-13 to 1913-14.
"Six menths.
"Calender year.

TABLE 110 .- Barley, No. 2: Weighted average price per bushel, Minneapolis, 1900-1984

Year beginning August	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Weighted aver-
1909	\$0.45 .61 .85 .46	\$0. 48 .63 .94 .49 .61	\$0. 49 . 63 . 95 . 50 . 56	\$0. 52 . 66 . 98 . 47 . 53	\$0. 57 . 70 . 9\$. 45 . 50	\$0. 61 . 77 1. 05 . 49 . 52	\$0.60 .74 1.00 .48 .50	\$0. 58 - 81 - 95 - 46 - 48	\$9. 54 . 88 1. 01 . 46 . 17	\$0. 54 . 75 . 99 . 50 . 48	\$0. 53 . 77 . 76 . 52 . 47	\$0.60 .87 .60 .48	\$0.51 .74 .92 .48
Av. 1909-1913	. 59	. 63	. 63	. 63	. 63	. 69	. 66	. 66	. 67	. 65	. 61	. 60	64
1914	.59 .59 .81 1.31 1.02 1 33	. 56 . 48 . 81 1. 33 . 95 1. 27	. 55 . 51 1. 03 1. 28 . 91 1. 29	.59 .56 1 11 1.27 .94 1.33	. 57 . 61 1. 07 1. 49 . 92 1. 52	. 68 . 70 1. 17 1. 56 . 90 1. 52	. 75 . 66 1. 17 1. 88 . 87 1. 37	.70 .65 1.21 2.12 .98 1.51	.70 .68 1.36 1.82 1.09 1.60	.70 .70 1.48 1.46 1.13 1.74	. 66 . 68 1. 38 1. 23 1. 12 1. 49	. 68 . 69 1. 49 1. 18 1 21 1. 16	. 66 . 63 1. 17 1. 45 1. 00 1. 48
1920 A▼. 1914-1920	. 95	. 99	. 92	. 82	. 74	1.03	1.05	1.11	1.12	. 59 1 11	1 02	1 00	1.02
1921	. 58 . 49 . 56 . 80	. 55 . 54 . 58 . 81	. 50 . 57 . 60 . 85	.54 .60 .61 .81	. 47 . 61 . 62 . 87	. 51 . 57 . 62	. 56 . 60 . 68	. 58 . 59 . 70	. 61 . 64 . 75	. 62 . 61 . 70	. 56 . 58 . 73	. 56 . 59 . 78	. 54 . 58 . 63

Division of Statistical and Historical Research. Compiled from Minneapolis Market Record.

FLAX AND FLAXSEED

Table 111.—Flaxseed: Acreage, production, value, exports, etc., United States 1909-1924

Yoar	Acreage	Average yield per acre	Production	Average farm price per bushel Dec. 1	Farm value Dec. 1	Value per acre 1	Domestic exports, fiscal year beginning July 1 2	Imports, fiscal year beginning July 1 2
1909 1910 1911 1912 1913	Acres 2, 085, 000 2, 467, 000 2, 767, 000 2, 851, 000 2, 291, 000	Bush. of 56 lbs. 9. 5 5. 2 7. 0 9. 8 7. 8	Bushels 19, 699, 000 12, 718, 000 19, 370, 000 28, 073, 000 17, 253, 000	Cents 152. 8 231. 7 182. 1 114. 7 119. 9	Dollars 30, 093, 000 29, 472, 000 35, 272, 000 32, 202, 000 21, 399, 000	Dollars 14. 45 11. 95 12 79 11. 29 9. 34	Bushels 65, 193 976 4, 323 16, 894 305, 546	Bushels 5, 002, 406 10, 499, 227 6, 841, 806 5, 294, 296 8, 653, 235
Av. 1909-1913 1914 1915 1916 1917 1918 1919 1920	2, 190, 000 1, 645, 000 1, 387, 000 1, 474, 000 1, 984, 000 1, 910, 000 1, 503, 000 1, 757, 000	7.9 8.4 10.1 9.7 4.6 7.0 4.8 6.1	19, 543, 000 13, 749, 000 14, 030, 000 14, 296, 000 9, 104, 000 13, 369, 000 7, 178, 000 10, 752, 000	126. 0 174. 0 248. 6 20. 6 340. 1 438. 5 176. 7	29, 658, 000 17, 318, 060 24, 410, 000 35, 541, 000 27, 182, 000 45, 470, 000 31, 475, 000 18, 999, 000	11, 92 10 53 17 60 24, 11 13, 70 23 81 20, 94 10, 81	78, 586 4, 145 2, 614 1, 017 21, 481 15, 574 24, 044 1, 481	7, 258, 212 10, 666, 215 14, 679, 233 12, 308, 988 13, 366, 529 8, 426, 886 23, 391, 934 16, 170, 415
Av. 1914-1920	1, 666, 000 1, 108, 000 1, 113, 000 2, 014, 000 3, 289, 000	7. 1 7. 2 9. 3 8. 5 9. 2	11, 805, 000 8, 029, 009 10, 375, 000 17, 060, 090 30, 173, 000	212. 9 145. 1 211. 5 210. 7 227. 3	28, 680, 000 11, 648, 000 21, 941, 000 35, 951, 000 68. 611, 000	17 22 10. 51 19. 71 17. 91 20, 88	10, 051 2, 267 1 216	14, 158, 487 13, 632, 073 25, 005, 986 19, 576, 750

Division of Crop and Livestock Estimates. Figures in italies are census returns.

¹ Average of daily prices weighted by carlot sales.

Based on farm price Dec. 1.
 Compiled from reports of Bureau of Foreign and Domestic Commerce.
 Preliminary
 Six months, beginning July 1, not separately reported in 1923.

Table 112.—Flaxseed: Acreage, production, and total farm value, by States, 1922-1924

State	Thou	sands of	acres		etion, the		Total value, basis Dec. 1 price, thousands of dollars				
	1922	1923	1924 1	1922	1923	1924 1	1922	1923	1924 1		
Wisconsin Minnesota Iowa Missoui	4 310 8	8 527 6	8 712 8	3, 100 83	97 5, 270 56	104 8, 117 94	94 6, 758 154	204 11, 225 118	234 18, 913 212 20		
North Dakota South Dakota Nebraska Kansas	521 162 3 20	1, 050 284 4 24	1, 732 483 8 54	4, 845 1, 539 24 120	8, 085 2, 414 44 182	14, 722 4, 299 56 378	10, 368 3, 093 46 223	17, 140 5, 021 92 391	33, 419 9, 587 126 818		
Montana Wyoming Colorado	84 1	110 1	270 1 12	605	902	2, 349 9 36	1, 192	1, 741 19	5, 191 20 76		
	1, 113	2, 014	3, 289	10, 375	17,060	30, 173	21, 941	35, 951	68, 611		

Division of Crop and Livestock Estimates.

¹ Preliminary.

TABLE 113.—Flaxseed: Yield per acre, by States, 1909-1924

															·			
State	1909	1910	1911	1912	1913	Av. 1909– 1913	1914	1915	1916	1917	1918	1 9 19	1920	Av 1914- 1920	1921	1922	1923	1924
Wisconsin	14 5 10. 0 9. 8 9. 3 9. 4 8. 5 7 0 12. 0	7. 5 12 2 3. 6 5. 0 8. 0 8. 2 7. 0	12. 0 8. 0 7. 6 5. 3 5. 0 7. 7	12. 5 10. 2 11. 5 9. 7 8. 6 9. 5 6. 0 12. 0	14. 0 9 0 9. 4 7 2 7. 2 6. 0 6. 0 9. 0	12. 6 8. 9 10. 2: 7. 5 7. 1 7. 4 6. \ 9. 5	13. 5 9 3 9. 5 8. 3 7. 5 7. 0 8. 0	13. 5 10. 5 9. 0 9. 9 11. 0 11. 0 5. 7 10. 5	12. 0 8, 5 10. 0 10. 3 9. 3 8. 0 5. 8 9. 5 7. 0	9. 5 11. 0 3 9 7. 0 5 5 7. 0 3. 0 6. 5	11 0 10. 4 11. 0 7. 8 9. 5 9. 5 5. 0 9. 0	10. 5 8. 0 9 5 4. 6 7. 0 5 0 6. 3 1. 3 4. 0	11. 0 9 5 10. 0 5. 3 10. 0 9. 0 6. 9 2. 6 8. 2	9. 4 10. 0 7. 2 8 8 7. 9 6 1 5. 4	6 5 8 0 6.7 5 0 5.7	13. 0 10. 0 10. 4 9. 3 9. 5 8. 0 6 0 7 2 7. 0	12. 1 10 0 9. 4 7. 7 8 5 11. 0 7. 6 8. 2 10. 0	13.0 11.4 11.7 8 5 8 9 7.0 7.0 8.7 9.0
United States	95	5. 2	7.0	9.8	7.8	7. 9	8. 4	10. 1	9.7	4.6	7.0	4.8	6. 1	7 2	7.2	9. 3	8. 5	9. 2

Division of Crop and Livestock Estimates.

Table 114.—Flaxseed: Percentage reduction from full yield per acre, from stated causes, as reported by crop correspondents, 1910–1923

`			Adve	rse we	ather c	onditio	ns						Oaban	
Year	Defi- cient mois- ture	Ex- ces- sive mois- ture	Floods	Frost or freeze	Hail	Hot winds	Storms	Total cli- matic 1	Plant dis- eases	In- sect pests	Ani- mal pests	De- fect- ive seed	Other and un- known causes	Total
1910 1911 1912 1913	P. ct. 49. 4 16. 4 5. 1 24. 3 11. 4	P. ct. (2) 1. 1 2. 9 . 7 1. 7	P. ct.	P. ct. 2. 5 8. 4 5. 9 1. 0 2. 0	P. ct. 0. 9 . 9 2. 8 1. 7 1. 9	P. ct. 6. 2 2. 8 1. 1 2. 2 6. 6	P. ct. 0.1 .1 .8 .2	P. ct. 59. 3 30. 5 19. 0 30. 6 24. 1	P. ct. 1. 4 2. 2 3. 7 1. 6 2. 2	P. ct. 1.8 1.7 .4 .3 .5	P. ct. (2) (3) (4) .2	P. ct. 0.1 .2 1.4 .4	P. ct. 0. 5 1. 7 1. 7 1. 6 1. 8	P. ct. 63. 1 36. 3 26. 6 34. 5 29. 1
1915 1916 1917 1918	2. 1 3. 3 51. 3 26. 2	2. 0 2. 3 . 8 . 2	(2) (3)	8. 5 1. 4 2. 9 3. 3	2. 1 1. 7 1. 1 2. 3	.4 2.8 2.9 2.5	(²) 3	16. 1 12. 4 59. 3 34. 8	2. 6 3. 9 1. 2	.1 1.2 2.6	9333	(²) .1 .1	.8 .7 .5	20. 0 17. 2 62. 3 39. 3-
1919 1920 1921 1922 1923	38. 0 23. 2 25. 2 9. 6 10. 2	.7 1.2 .9 .4 1.0	.1 .3 .2 .1 .2	.5 .6 .5 .3	2. 0 1. 7 1. 9 2. 4 2. 5	4. 1 4. 2 6. 6 1. 7 2. 8	(*) .2 .1 .2 .3	45. 5 31. 7 35. 3 14. 7 18. 1	3. 7 4. 4 4. 3 2. 6 3. 8	10. 6 3. 7 3. 1 3. 9 1. 4	(2) (2) (3) (3)	(²) .1 .1 .1	1. 5 .7 .8 1. 0	60. 2 41. 4 43. 5 21. 4 24. 5

Division of Crop and Livestock Estimates.

¹ Includes all other climatic.

Table 115.—Flax: Acreage in specified countries, average 1909-1913, annual 1921-1924

	1924				
_			Area		The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s
Country	A verage, 1909-1913	1921	1922	1923	1924
Northern Hemisphere					
NORTH AMERICA	Acres	Acres	Acres	Acres	Acres
Canada	1, 034, 874	533, 147	565, 479	629, 938	1, 275, 314
United States	2, 489, 800	1, 108, 000	1, 113, 000	2, 074, 000	8, 289, 000
Total North America	3, 524, 674	1, 641, 147	1, 678, 479	2, 643, 938	4, 564, 314
EUROPR		1			
United Kingdom: England and Wales. Northern Ireland Irish Free State	480 { 53, 014	7, 848 32, 432 7, 413	9, 352 29, 117 4, 915	9, 446 45, 107 8, 100	6, 000 42, 800
Sweden Netherlands	1 4, 016 33, 055	6, 800 21, 510	5, 567 23, 954	24, 915	30, 500
Belgium	2 48, 930	37, 164	40,700	46, 287	54,000
FranceSpain	² 61, 666	43, 163 4, 097	38, 221 4, 594	36, 813 4, 201	39, 400
Italy	* 7, 349 1 2 50, 758 2 12, 787	2 73, 018	71,906	70, 127	
AustriaCzechoslovakia	3 12, 787 3 61, 404	² 73, 018 ⁸ 8, 725 58, 409	9, 212 56, 181	9, 039 52, 440	52, 689
Hungary	27 087	1 10, 366	6, 630	4, 169	02, 008
Y ugoslavia Bulgaria Rumania Poland	² 32, 274 ² 756	35, 661 635	32, 568 1, 720	33, 163 1, 285	900
Rumania	2 4 71, 253 2 191, 710 2 143, 257	27, 225	26, 847	33, 200	50, 600
Poland Lithuania	* 191,710	175, 095	26, 847 251, 493 126, 517	255, 632 128, 741	262, 000 152, 000
Latvia	1 * 101, 906	128, 764 84, 335	93, 169	138, 603	149, 500
Esthonia Finland	² 135, 193 ³ 12, 236	50, 342 16, 828	59, 178 15, 938	75, 704 10, 625	80,000 14,800
Russia, including Ukraine and northern	· ·		10, 830	1	14, 800
Caucasia	2, 789, 082	1, 963, 704	2, 160, 395	2, 159, 654	
Total Europe comparable with 1909-	3, 879, 093	0 701 524	9 040 144	1	
Total Europe comparable with 1924	3, 679, 003	2, 791, 534 681, 750	3, 068, 144 772, 357	858, 798	935, 189
AFRICA					
Kenya Morocco		14, 587 43, 663	11, 781 31, 720	5, 889 33, 961	
Algeria	1, 366	445	667	766	700
Tunis. Egypt	4, 628	9, 180 5, 765	3, 800 1, 384	7, 400 1, 698	5, 400
Total Africa comparable with 1909-	4,026		1,004		
1913	5, 994	6, 210	2, 051	2, 464	
Total Africa comparable with 1924	فننف سنفذ	9,625	4, 467	8, 166	6, 100
India	3, 818, 080	2, 269, 000	3, 011, 000	3, 382, 000	3, 730, 000
Russia (Asiatic) Japanese Empire:	376, 000	2,200,000	0,011,000	5, 502, 600	
Japanese Empire: Japan	1 12, 139	76, 423	39, 248	39, 200	36, 800
Chosen	3,000	3, 167	3, 175	3, 428	
Total Asia comparable with 1909-1913. Total Asia comparable with 1924	4, 209, 219 3, 830, 219	2, 345, 423	3, 050, 248	3, 421, 200	3, 766, 800
Total Northern Hemisphere com- parable with 1909-1913	11, 618, 980				
Total Northern Hemisphere com- parable with 1924		4, 677, 945	5, 505, 551	6, 979, 102	9, 358, 403
·		1,011,010	5,000,001		
Southern Hemisphere			000		
Uruguay	748 4 126, 528	650 60, 935	833 <u>.</u> 84, 459	102, 490	108, 800
Argentina	4, 113, 434	3, 891, 825	4, 316, 837	5, 254, 695	5, 906, 000
Australia New Zealand	1, 056 2, 565	918 5, 880	714 10, 645	11, 900	
		-,	-,		
Total Southern Hemisphere com- parable with 1909-1913	4, 244, 331	3, 960, 208	4, 413, 488		
Total Southern Hemisphere com-			, ,	E 957 105	0.014.000
world total comparable with 1909-	4, 239, 962	3, 952, 760	4, 401, 296	5, 357, 185	6, 014, 800
1913	15, 863, 311		0.000.04	10 994 00**	- 1 E 200 000
World total comparable with 1924		8, 630, 705	9, 906, 847	12, 836, 287	15, 378, 208

Division of Statistical and Historical Research. Official sources and international Institute unless otherwise stated. Estimates given are for crops harvested during the calendar year in the Northern Hemisphere and the succeeding harvest in the Southern Hemisphere.

¹ Three-year average.
2 Estimated for present territory.
3 Two-year average.

Four-year average. One year only.

Table 116.—Flow: Production in specified countries, overage 1909-1913, annual 1921-1924

			Seed					Fiber		
Country	Aver- age, 1909- 1913	1921	1921 1922		1924	Aver- age, 1909- 1913	1921	1922	1928	1924
NORTHERN HEMISPHERE										
NORTH AMERICA	1,000 bushels	1,000 bushcls	1,000 bushels	1,000 bushels	1,000 bushels	1,000 pounds	1,000 pounds	1,000 pounds	1,000	1,000 poun ds
Canada United States	12, 040 19, 543		5, 009 10, 375	7, 140 17, 060	9, 751 30, 173					
Total North America.	31, 583	12, 141	15, 384	24, 200	39, 924					
EUROPE				}						1
United Kingdom: Northern Ireland Irish Free State Sweden Netherlands	1 14 376	11 249				23, 700 11, 128 17, 276	1,098 10.853	1, 902 602 9, 690	2, 912 15, 872	16,710
Netherlands Belgium France Spain Italy Austria	3 3 4 7 2 3 5 3 4 8 2 6 3 3 4 0 3 1 1 2	328 288 46 3 516	313 51	288 51 402	394	2 8 51, 887 2 40, 732 3 1, 995 2 6, 675	20, 027 23, 333 1, 157 2 5, 930 2 7, 035	33, 481	59, 779 23, 920 1, 168 5, 290	96, 400 5, 510
Czechoslovakia Hungary Yugoslavia Bulgaria	2 435 2 63 2 161 2 6	300 73	312 41	362 30	421 5	39, 143 6, 671 222, 277 382	28, 693 7, 618 16, 680 169	27, 731 5, 188 15, 269 598	28, 377 3, 258 19, 177	36, 550
Rumania. Poland. Lithuania. Latvia. Esthonia. Finland.	1 2 707 2 1, 703 2 1, 126 2 953 2 733	119 1, 297 909 625 275	1, 995		2, 738		2,670 92,614 41,469 30,675 15,906 3,486		90, 004 66, 623 42, 380 21, 643 3, 086	
Russia, including Ukraine and Northern Caucasia Total Europe compar- able 1900–1913	P16, 861	9, 73A	10, 2, '	11, 023		¹ 694, 756		· 1		
Total Europe comparable 1924	24, 622 5, 768	4, 243	5, 090	5, 577	6, 960	1, 138, 265 324, 238	-		l	443, 540
AFRICA Kenya Morocco	13	35 418 11	34 267 7	19 258 11	- - - - - -	188	2, 545	1, 351	672 441	400
Algeria Tunis Egypt	87	59	8 15	47 18				992	1, 208	
Total Africa compar- able with 1909-1913_ Total Africa compar- able with 1924	50	70 ⁴	15	58	7	188 188			441 441	400 400
ARIA		=				100		7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		400
India	19, 870 2, 123	10, 800	17, 443	21, 320	18, 480	127, 613				
Japan Chosen	1 98	634	271	218	243	1 5, 142	24, 980 1, 016	10, 896 1, 106	5, 710 1, 1 42	9, 400
Total Asia comparable with 1909-1913 Total Asia comparable	22, 091				40.	132, 755		18.00-		
with 1924	19, 968 78, 346	11, 434	17, 714	21, 538		5, 142 1, 271, 208	24, 980	10, 896	5, 710	9, 490
Total Northern Hemi- sphere comparable with 1924	57, 332	27, 829	38, 195	51, 326	65, 614	329, 568			336, 670	453 , 4 30

¹ Four-year average.

² Estimated for present territory.

Three-year average.

Table 116.—Flax: Production in specified countries, average 1909-1913; annual 1921-1924—Communed

			Seed			Fiber						
Country	Aver- age, 1909- 1913	1921	1922	1923	1924	Aver- age, 1909- 1913	1921	1922	1923	1924		
Southern Hemisphere Chile	1,000 bushels	1,000 bushels	1,000 bushels	1,000 bushele	1,000 bushels	1,000 pounds 1 127	1,000 pounds 958	1,000 pounds	1,000 pounds	1,000 pounds		
Urugnay Argentina. Australia New Zealand	1 951 31, 117	519 36, 045	. 3	58, 584		• 128	49	49				
Total Southern Hemisphere comparable with 1909-1913 Total Southern Hemi-	3 2, 096	36, 580	205	157		255	1, 007					
sphere comparable with 1924 World total compara-	31, 117	36, 045	47, 577	58, 584	,	1, 271, 463						
World total compara- ble with 1924	88, 449	63, 874	85, 772	109, 910	1	329, 568			336, 670	453, 430		

Divisional of Statistical and Historical Research. Official sources and International Institute unless otherwise stated. Estimates given are fer crops harvested during the calendar year in the Northern Hemisphere and the succeeding harvest in the Southern Hemisphere

1 Four-year average.

*Two-year average.

Table 117 .- Flaxseed: Monthly marketings by furmers, United States, 1917-1923

Marie and Providence and the restrictions of the re-	1	Percentage of year's receipts as reported by about 3,500 mills and elevators													
Year beginning July	July	Aug	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar	Apr.	May	June	Sea- son		
1917 1918 1919 1920 1921 1922 1923	1. 8 1 8 3. 6 2 1 6. 4 2. 5 1. 1	3.6 2.9 8.0 4.7 10.9 13.4 10.0	21. 5 14. 8 20. 6 23. 6 20. 7 27. 6 30 7	28. 1 21. 5 22 2 28 6 25. 7 23. 3 27. 3	17. 6 15. 0 11. 1 13. 0 12. 0 11. 4 12. 1	7 6 10. 9 7. 4 6 2 6 9 5 9 6 0	4 7 5 2 5 0 5 0 4 3 4.7 2.6	4. 0 4. 4 6 3 3 3 2. 8 3. 0 2. 3	4. 8 5. 8 3. 1 3. 1 3. 0 2. 7 2. 0	1.8 4.3 3.1 2 1 2 4 2.3 1.5	1. 6 5. 0 2. 6 3. 4 2. 1 1. 6 2. 1	2. 9 8. 4 7. 0 4 9 2. 8 1. 6 2. 3	100, 0 100, 0 100, 0 100, 0 100, 0 100, 0 100, 0		

Division of Crop and Livestock Estimates.

TABLE 118.—Flaxseed: Receipts at Minneapolis, 1910-1924

Thousand bushels-i. c., 000 omitted!

Year beginning September	Sept	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Total
1910	854	1,530	1, 292	535	338	300	232	112	118	122	133	191	5, 757
1911	563	1,212	1, 570	1,716	581	459	397	468	571	440	487	160	8, 574
1912	700	1,657	1, 520	2,245	1,450	1,146	1,057	742	518	514	432	281	12, 362
1913	756	1,686	1, 565	1,131	711	478	592	270	139	165	233	117	7, 783
1914	901	1,890	1,247	1,016	590	448	384	142	77	146	239	115	7, 199
1915	347	1,038	1,506	1,113	319	399	810	486	440	363	441	199	7, 461
1916	316	2,380	1,694	1,045	544	442	441	384	263	565	825	92	8, 491
1917	265	980	1,112	614	533	563	527	283	349	648	208	94	6, 106
1918	536	915	857	788	558	473	829	439	436	942	642	196	7, 611
1919	753	570	568	492	844	368	409	159	295	522	554	297	5, 331
1920	580	1,444	861	699	298	269	364	484	578	572	838	289	6, 726
Av. 1914-1920 1921 1922 1923 1924	528 500 909 2, 553 2, 263	1,317 1,144 1,121 2,025 8,432	1, 121 375 580 1, 360 2, 722	824 354 577 865 1,488	\$08 494 364	200 238 267	254 316 229	332 196 456 205	348 300 398 299	220 458 284	392 157 382 276	183 288 884 185	6, 998 4, 296 6, 808 8, 912

Division of Statistical and Historical Research. Compiled from annual reports of the Minneapolis Chamber of Commerce and Minneapolis Daily Market Record.

Yearbook of the Department of Agriculture, 1924 644

Table 119.—Flassed, including lineed oil: Production, imports, exports, and net supply in the United States, 1911-1924

Year beginning July	Produc- tion	Imports of	Imports of oil 1	Exports of seed (do- mestic and foreign)	Exports of oil (do- mestic and foreign) 1	Net sup- ply
1911 1912 1913 1914 1915	Bushels 19, 370, 000 28, 073, 000 17, 853, 000 13, 749, 000 14, 030, 000	Bushels 6, 841, 806 5, 294, 296 8, 653, 235 10, 666, 215 14, 679, 283	Bushels 294, 902 69, 476 76, 913 214, 116 20, 059	Bushels 26, 242 17, 062 305, 796 67, 173 2, 631	Bushels 99, 085 693, 579 95, 775 484, 857 -285, 648	Bushels 26, 381, 381 32, 726, 131 26, 181, 577 24, 077, 301 28, 441, 013
1916 1917 1918 1919 1920 1920 1921 1922 1923 1924	14, 296, 000 9, 164, 000 13, 369, 000 7, 256, 000 10, 774, 000 8, 029, 000 10, 375, 000 17, 060, 000 430, 173, 000	12, 393, 968 13, 366, 529 8, 426, 886 23, 391, 934 16, 170, 415 13, 632, 073 25, 005, 936 19, 576, 750	44, 323 20, 331 395, 925 1, 820, 156 798, 634 8, 997, 620 3, 027, 399 951, 448	1, 017 22, 332 15, 618 48, 980 1, 486 2, 281 3 235 (3)	480, 622 470, 216 439, 173 456, 806 224, 514 148, 605 165, 605 140, 174	26, 252, 672 22, 052, 312 21, 737, 020 31, 962, 304 27, 517, 049 30, 507, 807 38, 242, 514 37, 448, 024

Division of Statistical and Historical Research. Compiled from reports of the Bureau of Foreign and Domestic Commerce and Division of Crop and Livestock Estimates.

Table 120 .- Flaxsecd used in the production of oil, United States, 1919-1924 [Thousand bushels-i. e., 000 omitted]

. Year beginning July 1-	July-Sept.	Oct -Dec.	JanMar.	AprJune	Total
1918. 1919. 1920. 1921. 1922. 1923. 1924.	6, 809 6, 542 5, 812 5, 563 8, 223 7, 550	7, 684 6, 341 7, 539 8, 602 8, 970 11, 530	1, 041 6, 336 6, 343 6, 713 8, 292 9, 575	4, 785 6, 407 6, 332 3, 441 8, 689 9, 434	27, 326 25, 558 28, 505 81, 166 36, 202

Division of Statistical and Historical Research. Compiled from reports of the Bureau of the Census.

Table 121.—Flaxseed: Imports into the United States, by countries, 1910-1924 [Thousand bushels-i. e., 000 omitted]

Year ended June 30	Argen- tina	Canada	British India	Other coun- tries	Total
1910	3, 029 5, 021 1, 211 429	1, 410 2, 251 3, 511 4, 732 8, 647	194 2, 334 1, 525 129	369 893 595 4 6	5, 002 10, 499 6, 842 5, 294 8, 653
1915	3, 928 11, 468 5, 009 7, 432 6, 977	6, 630 3, 095 7, 015 5, 501 1, 304	40 123	68 116 247 434 135	10, 665 14, 679 12, 394 13, 367 8, 427
1920 1921 1922 1928	22, 242 13, 145 10, 409 22, 331 16, 169	816 2, 635 3, 013 2, 101 3, 365	12	334 390 198 484 3	23, 392 16, 170 13, 632 25, 000 19, 577

Division of Statistical and Historical Research.

Stated as seed equivalent, 2½ gallons of oil equal 1 bushel of seed.
 Six months beginning July 1, not separately reported in 1923.

Not separately reported.Preliminary.

¹ Less than 500 bushels.

Table 122.—Flaxseed: International trade, calendar years, average 1911-1913, annual 1921-1923

[Thousand bushels -i. e., 000 omitted]

Country		rage -1913	19	21	19	22	19: prelin	
Country	Imports	Exports	Imports	Exports	Imports	Exports	lmports	Exports
PRINCIPAL EXPORTING COUNTRIES								
Argentina	1 323 89	25, 562 1 14, 409 10, 645 648	283 270	53, 436 4, 264 8, 728 184	260 45	36, 909 12, 494 2, 073 1, 331	226 797	40, 777 15, 357 2, 871 314
Morocco (French)		338		3 191 590		225		
Rumania Russia Tunis Uruguay	80	120 5, 789 39 994	³ 248 (8)	79 887	(3)	22 3 500		
PRINCIPAL IMPORTING COUNTRIES								
Australia 4.		(3)	712 14	(3)	³ 690	(3)	3 754	
Austria-Hungary Relglum Częchoslovakia Denmark	1, 913 9, 313	5, 965	6, 273 350 1, 106	2, 516 (3) (3)	2, 934 402 596	102 (3) (3)	2, 611 505 642	174
Finland France Germany	110 6, 304	(8) 60 210	139 4, 280 5, 908	12 8 45	142 5, 288 4, 061	1 47 2	115 6, 167 2, 206	33
Hungary Italy Japan	1, 098	6 27	749 162	(4) 103	1, 217 139	² 14	1, 470	3
Notherlands Norway Sweden	445 911	2, 488 7	10, 788 438 1, 061	210 1	9, 862 353 1, 043	201 (4)	7, 743 494 1, 204	155
United KingdomUnited StatesOther countries	15, 908 7, 298 575	101 139	18, 528 12, 326 29	(³) 214	14, 092 14, 913 26	2 209	15, 153 24, 332 24	318
Total	69, 171	67, 533	63, 702	66, 460	56, 139	54, 543	64, 443	60, 003

Division of Statistical and Historical Research. Official sources except where otherwise noted.

Two-year average.
 International Institute of Agriculture.
 Less than 500.

Years beginning July 1.
Eight months, May-December.
One year only.

Table 123.—Flaxseed: Farm price per bushel, 15th of month, United States, 1909-1924

Year beginning September	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Sept.
1909 1910 1911 1912 1913	Cts. 123. 0 227 2 204 3 155. 2 125. 2	231. 8 207 8 140. 6	230. 6 196. 4 124. 0	226. 4 184. 6 110. 4	189. 0 107. 8	237. 3 187. 4	237.6 187.6 116.3	238. 2 186 2 114 0	233. 4 193. 0 115 0	215.3 201 7 114 6	202. 4 186. 8 116 0	201. 4 168. 9 123. 2	228. 5 194. 3 123 5
Average 1909-1913.	167. 0	166. 4	163. 3	161. 1	166. 5	172. 4	173. 5	154. 8	175. 9	171 5	169. 0	170. 7	165. 9
1914 1915 1916 1917 1918 1919 1920	133. 4 145. 8 194. 7 805. 6 381. 0 477. 8 285. 0	155. 5 217. 0 302. 2 357. 4 410. 2	168. 4 241. 6 296 2 337. 0 410. 8	190. 0 249. 6 803. 7 333. 9 436. 0	198 4 252. 2 318. 8 318 9 445. 0	206. 7 253. 4 338. 2 318. 8 464. 6	202. 3 259. 6 364. 8 338. 0 464. 2	197. 0 283. 4 376. 5 855. 0 452 0	184. 2 209. 7 368. 4 875. 4 434 6	169. 8 288. 4 356. 4 416. 7 890. 4	274. 8 379. 9 492. 4 331. 6	184. 2 287. 2 395. 8 529. 0 297. 0	174.0 243.5 315.9 858.6 421.1
Average 1914-1920.	274. 8	260. 7	254 9	257. 7	263. 2	270. 8	276. 9	281.0	2 81. 1	275. 5	278. 8	185. 8	268. 1
1921 1922 1923 1924	163. 8 189. 1 208. 4 201. 2	199. 4 212. 1	211.0	217. 8	218. 8		261.6	279. 5	233. 8 273. 1 222. 6	248. 4	228.8	210.4	218.2

Division of Crop and Livestock Estimates. Mean of prices reported on 1st of month and 1st of succeeding month.

Table 124.—Flaxseed: Farm price per bushel, December 1, 1909-1924, and value per acres, 1924.

			p	,						
State	1909-	1910	1911	1912	1913	Av. 1909- 1918	1914	1915	1916	1917
Wistensin Minnesota. Iowa North Dakota South Dakota Mebraska Eanes Mostans Wyoming.	160	Cts. 220 230 220 235 229 225 216 240	Cts. 185 183 185 184 178 186 190 180	Cts., 127/120 124/114/113 128/130 112	Gts. 123 123 123 121 120 110 116 115	Cts. 158 161 156 162 158 154 151 161	Cis. 125 128 120 128 123 119 125 120	Cts. 180 176 150 178 167 147 145 170 148	Cts. 240 240 215 252 247 230 234 248 225	295 275 300 299 250 290 295 261
	152.6	281. 7	182. 1	114.7	119. 9	160. 2	126. 0	174.0	248. 6	296. 6
State		1918	1919	1920	Av. 1914– 1920	1921	1922	1923	1924	Value per acre 19211
Wisconsin Minnesota Lowe North Dakota South Dakota Nebraska Kanass Mootana Wyoming		Cts. 380 341 320 345 325 330 330 338 325	Cts. 480 445 420 441 425 400 380 440 350	Cts. 212 183 180 178 165 155 180 176 180	258 240 260 250 233 241 255 240	Cts. 150 151 153 143 139 150 135 140 118	Cts. 180 218 185 214 201 190 186 197 190	Cts. 210 213 210 212 208 210 215 193 190	Cts. 225 233 225 227 223 225 215 221 220	Dolls: 29, 25 26, 58 28, 32 19, 30 19 85 15, 75 15, 05 19, 28
		340. 1	438. 5	176. 7	257. 2	145, 1	211 5	210.7	227. 3	20.88

Division of Crop and Livestock Estimates.

Table 125 .- Flaxseed: Average closing price per bushel, Minneapolis, 1899-1924

Year beginning September	Sept.	Oct.	Nov.	Dec.	Jan.	Féb.	Mar.	Apr.	May.	June.	July.	Aug	Aver-
1899 1900 1901 1901 1902 1988 1904 1905 1906 1906	1 50 1.31 1.00 1.22 1.04 1.10 1.22	1. 45 1. 20 . 98 1. 14 . 97 1. 11 1. 27 1. 22	\$1.71 1.42 1.18 .94 1.16 .98 1 17 1.13 1.38	1. 47 1, 19 . 97 1. 23 1. 04 1. 19 1. 12 1. 45	1. 65 1. 65 1. 19 1. 06 1. 28 1. 16 1. 20 1. 17 1. 56	1. 60 1. 70 1. 15 1. 15 1. 27 1. 14 1. 22 1. 16 1. 64	\$1. 59- 1. 54 1. 72 1. 12 1. 14 1. 39 1. 13 1. 19 1. 16 1. 64	1. 68 1. 75 1. 10 1. 12 1. 39 1. 15 1. 16 1. 17 1. 65	\$1. 75 1. 75 1. 75 1. 14 1. 06 1. 42 1. 14 1. 23 1. 23 1. 72	\$1. 75 1. 75 1. 74 1. 07 1. 07 1. 47 1. 11 1. 25 1. 23	\$1. 63 1. 85 1. 52 . 97 1. 19 1. 47 1. 10 1. 18 1. 21 1. 59	\$1. 35 1. 60 1. 42 . 97 1. 24 1. 42 1. 11 1 14 1 29 1. 42	\$1. 60 1. 59 1. 13 1. 08 1. 32 1. 09 1 18 1. 20 1 52
1909 1910 1911 1912 1918	2.66	1. 57 2. 62 2. 35 1. 60 1. 38	1. 75 2. 61 2. 04 1. 35 1. 35	1. 93 2. 42 2. 06 1. 25 1. 44	2. 18 2. 60 2. 15 1. 29 1. 49	2. 18 2. 68 2. 06 1. 34 1. 53	2. 25 2. 60 2. 06 1. 26 1. 58	2. 38 2. 56 2. 15 1. 29 1. 54	2. 22 2. 47 2. 23 1. 30 1. 56	2 04 2. 24 2. 25 1. 31 1. 59	2. 34 2. 10 1. 97 1 38 1. 68	2 47 2.34 1.86 1.47 1.64	2. 06 2. 49 2. 14 1. 38 1. 52
Average 1909-1913 .	1. 95	1.90	1.82	1.82	1.94	1. 96	1.95	1, 98	1.96	1. 89	1. 89	1. 96	1. 92
1914:	2.11 8.88 4.09	1. 33 1. 86 2. 54 8. 16 3. 59 4. 32 2. 83	1. 45 1. 99 2. 78 3. 29 8. 77 4. 83 2. 27	1, 54 2, 07 2, 84 3, 40 3, 54 4, 99 2, 06	1, 83 2, 31 2, 89 8, 60 8, 41 5, 12 1, 96	1. 86 2. 32 2. 81 3. 74 3. 45 5. 09 1. 82	1. 91 2. 27 2. 90 4. 08 8. 75 5. 02 1. 78	1. 93 2. 13 3. 18 4. 09 3. 88 4. 68 1. 58	1: 95 1. 96 3. 33 3. 93 4: 12 4. 53 1. 84	1.76 1.80 3.11 3.86 4.86 3.92 1.86	1. 67 1. 96 3. 01 4. 40 5. 94 3. 48 1. 89	1. 67 2. 15 3. 46 4. 39 5. 87 3. 28 2. 01	1. 70 2. 04 2. 91 3. 78 4. 19 4: 53 2. 09
Average 1914-1920 .	2.99	2.80	2.91	2 92	3.02	3. 01	3, 10	3. 07	3. 09	8. 02	8. 19	3. 26	8. 63
1921 1928 1923	2.03 2.28 2.38 2.38	1.81 2.88 2.48 2.40	1. 81 2. 48 2. 41 2. 59	1. 89° 2. 62 2. 46° 2. 84°	2. 13 2. 89 2. 50	2.46 3.04 2.58	2. 57 8. 07 2: 49	2. 70 8. 40 2. 47	2.80 2.94 2.46	2.50 2.80 2.44	2. 59 2. 70 2. 47	2. 29· 2. 34 2: 44	2. 19 2. 58 2. 44

Division of Statistical and Historical Research. Compiled from Annual Reports of the Minneapolis Chamber of Commerce and the Minneapolis Daily Market Record. From Jan. 1, 1921, averages of daily prices weighted by ear-lot sales.

Based upon farm price Dec. 1.

TABLE 126 .- Flarseed, 4 per cent extraneous matter: Average price per bushel of 56 pounds at Buenos Aires, 1913-1924

Year	Jan.	Feb.	Mar.	Apr	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec	ΑΨ
1913	SL 14	11. 14	31. 12	81, 17	\$1.20	\$1,-20	21. 28	81. 34	21, 29	21, 28	\$1. 20	\$1. 26	£1 21
1920	1 2.30	2.64	3.05	18.09	1 3.01	2.92	2.52	1 2.48	2.46	1.98	1.77	1 54	9 48
1921 1922	1.40	1.00	1 88	1, 10	1.80	1.40	1.00	1.65	1.55	1.38	1.38	1.44	1. 40 1. 81
1923	1.72	1. 83	1.87	2.02	1.72	1.94	1.86	1.62	1.70	1.94	1.98	1.78	1:88
1924					1.60			1.98		2. 12			1.84

Division of Statistical and Historical Research.

International Yearbook of Agricultural Statistics and Review of the River Plate.
Conversions to United States currency during 1913 at par of exchange; 1920-1924 at monthly average rates of exchange at New York as quoted in Federal Reserve Bulletins.

Table 127.—Flaxseed, bold 1: Average price per bushel of 56 pounds at Bombay, 1913-1924

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Av
1913 1920	\$1.39	\$1.42	\$1.33	\$1.26	\$1.31	\$1. 23	\$1 30	\$1 42 2 05	\$1 36	\$1.31	\$1.12	\$1.30	\$1. 31 3. 40
1921	1.96	1. 76	1, 78		l								
1922		1.80 2.07	2.09	1.88 2.12	2. 12	2.12	2.21	2. 14 1. 98			2.03		1, 98 2, 08
1924			1.94								2: 43		2 17

Division of statistical and Historical Research.
International Yearbook of Agricultural Statistics, 1923, and Indian Trade Journal. Average for first week of each month.

work of each month.

Conversions to United States currency during 1913 at old par of exchange—i. e., 1 rupes=32.44 cents;
1920-1924 at monthly average rates of exchange at New York as quoted in Federal Reserve Bulletins.

1 So designated in original sources as distinguished from small seed.

LINSEED OIL

Table 128.—Linseed oil: International trade, calendar years, average 1909-1913, annual 1921-1923

[Thousand pounds-i, e., 000 omitted]

Country		rage 1913 ¹	19	21	19	22	1923 pre	limina ry
Constitution	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Exports
PRINCIPAL EXPORTING COUNTRIES								
Argentina Belgium Denmark Netherlands United Kingdom	886 10, 233 (*) 457 58, 018	26, 790 (4) 78, 684 58, 013	437 11, 205 865 2, 124 110	1, 202 25, 628 2, 281 145, 569 123, 764	374 1, 429 819 62 9, 052	2, 038 19, 860 391 157, 920 183, 029	555 1, 197 498 9, 184	1, 144 18, 445 1, 081 116, 317 84, 379
PRINCIPAL IMPORTING COUNTRIES								
Australia			5, 737 1 6, 863	5 5	5, 131	112		
Austria-Hungary Brazil British India Canada	8, 720 3, 480	6, 542 1, 9 6 7	4, 616 1, 953 254	399 58	9, 399 2, 792 1, 058	290 94	2, 001 1, 968	7 48 50
Chile	⁸ 3, 199 3, 647	15	7, 070 3, 307 2, 608	1 320 13	1, 260 1, 629 2, 849 3, 126 2, 695	9	488 6 2, 696 3, 579 4, 438	7
Finland France	3, 382	10, 931	1 .	3, 035	9,062	3,371	11, 931	6, 225
Germany Greece Italy	246 1,042	4, 377 165	99, 000 1, 267 7, 584 1 2, 484	7 2; 022 474	64, 458 915 6, 617	3, 394 196	47, 691 746 2, 357	673· 239
Hungary New Zealand Norway	4, 188 1, 009	⁸ 53	3, 318 8, 104	19	2, 699 5, 672	2	3, 406 4, 344	1
Philippine Islands Sweden Switzerland	7,825	5 16	1, 037 1, 301 8, 189 3, 313	7 396	952 119 8, 584 2, 980	467 29	9, 574 4, 459	2
Union of South Africa United States Other countries	2, 605 7, 562	4, 195 1, 400	4, 092	3, 512 479	144, 137 4, 624	2, 708 203	48, 097 2, 066	8, 01 8
Total	162, 041	188, 075	279, 438	399, 228	292, 344	824, 113	157, 144	282,419

Division of Statistical and Historical Research. Official sources except where otherwise noted. Conversions made on the basis of 7.5 pounds to the gallon.

TABLE 129.-Linseed oil: Average price per gallon at New York, 1910-1924

Year beginning September	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Aver-
1910 1911 1912	\$0.90 .87 .66 .50	\$0.90 .88 .62 .47	\$0. 95 . 84 . 56 . 46	\$0.95 .71 .43 .48	\$0.95 .74 .42 .48	\$0.96 .71 .46 .48	\$0. 96 . 70 . 45 . 50	\$0. 91 . 78 . 44 . 51	\$0.91 .73 .46 .50	\$0.89 .76 .45 .50	\$0.87 .77 .47 .52	\$0. 80 . 66 . 49 . 59	\$0. 91 . 76 . 49 . 50
1914 1915 1916 1917 1918 1919 1920	. 57 . 52 . 70 1. 25 1. 90 2. 04 1. 22	. 49 . 55 . 82 1, 18 1, 83 1, 79 1, 20	. 44 . 60 . 90 1. 15 1. 55 1. 75 . 98	. 45 . 61 . 92 1. 21 1. 58 1. 82 . 82	. 48 . 66 . 94 1. 29 1. 50 1. 77 . 78	. 56 . 72 . 95 1. 29 1. 45 1. 77 . 66	. 55 . 77 . 94 1. 41 1. 48 1. 80 . 66	. 58 . 76 1. 07 1. 57 1. 54 1. 83 . 61	. 62 . 75 1. 21 1. 57 1. 61 1. 69 . 70	. 63 . 67 1. 21 1. 57 1. 81 1. 65 . 75	. 54 . 63 1. 12 1. 64 2. 10 1. 52 . 75	. 50 . 71 1. 18 1. 88 2. 22 1. 41 . 74	. 53 . 66 1. 00 1. 42 1. 71 1. 74 . 82
Av. 1914-1920	1. 17	1.12	1.05	1.06	1.06	1.06	1.09	1.14	1.16	1. 18	1. 19	1. 23	1. 13
1921	. 74 . 88 . 90 1. 02	. 68 . 89 . 94 1. 02	. 67 . 83 . 92 1. 08	.67 .89 .92 1.10	. 72 . 89 . 92	.82 .95 .91	. 82 1. 02 . 93	. 84 1. 16 . 90	. 90 1. 15 . 94	. 84 1. 12 . 94	. 89 1. 04 . 98	. 87 . 97 1. 02	.79 .99 .94

Division of Statistical and Historical Research. Figures for 1910-1915 from Monthly Labor Review; 1916-1918 from War Industries Board Price Bulletin; 1919-1924 from Oil, Paint, and Drug Reporter, average of weekly range.

Table 130.—Linseed oil meal: Average price per ton at New York, 1910-1924

Year beginning September	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Aver- age
1910	\$37. 46 40. 00 35. 38 32. 50	40. 75 35 30	40. 12 34. 38	39. 00 32. 75	39. 65 32. 34	\$35, 50 40, 17 31, 90 31, 35	39. 75 29. 20	38. 80 27. 86	38. 10 28. 12	37 30 28. 25	36. 57 29. 40	35. 50 30. 12	38, 81 31, 25
1914	33. 62 39. 70 89. 50 53. 00 55. 00 81. 58 60. 00	38. 75 42 28 54. 00 56. 00 73. 80	38. 50 45. 45 54. 42 55. 75 78. 75	40 50 47. 50 57. 00 56. 50 80. 75	46 60 48. 50 58 15 62. 15 81. 50	48, 50 58, 50 63, 35 71, 75	36. 63 48. 33 58. 50 65. 50 70. 40	32. 86 47 00 57. 00 65. 50 62. 50	31. 50 49. 44 52 50 70. 50	32 12 49. 25 50. 00 75. 50 60. 00	33. 00 51. 08 52. 80 82. 30 60. 00	53. 50 54. 00 90. 25 60. 00	36. 72 47. 58 54. 99 66. 52 70. 09
Av. 1914-1920	51.77	51. 09	51.77	52. 76	54 00	52. 25	51. 46	49. 48	47. 53	48 05	50. 87	54. 19	51. 27
1921 1922 1923 1924	46. 30 43. 50 45. 00 47. 80	43. 50 45. 62	(1) 48. 88	(1) 45. 00	53. 50 43. 75	51, 62 54, 12 42, 00	46. 30		42. 50	38.00	38. 00	88.00	47. 61 43. 03

Division of Statistical and Historical Research. From Annual Statistical Review of New York Produce Exchange and the Oil, Paint, and Drug Reporter.

Table 131.—Linseed meal, bagged: Average price per ton at 11 markets, 1924

Market	Jan.	Feb.	Mar.	Apr	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Boston_Buffalo	\$47. 70 43. 00 47. 25 48. 10 49. 10 45. 10 50. 50 47. 10 47. 20 48. 50 49. 00	\$45. 10 40. 25 42. 40 46. 25 45. 50 41. 50 47. 60 43. 90 43. 75 43. 75 44. 00	\$45. 25 41. 70 41. 80 44. 80 44. 70 40. 50 45. 70 44. 25 44. 80 44. 20 44. 20	\$44. 40 89. 50 39. 60 41. 60 43. 90 39. 25 44. 25 43. 90 42. 60 42. 40 43. 00	\$48. 90 40. 00 88. 60 41. 70 42. 40 87. 70 43. 20 44. 10 43. 60 39. 80 43. 80	\$44. 90 40. 75 42. 50 44. 40 45. 30 41. 40 45. 20 45. 75 44. 20 44. 25 48. 25	\$47.60 40.75 44.00 45.60 48.50 41.60 47.20 47.90 46.80 45.00 43.00	\$50. 80 47. 60 46. 30 48. 80 49. 40 44. 00 49. 10 50. 80 49. 00 48. 00 45. 75	\$51. 75 46. 50 45. 75 47. 90 48. 40 43. 60 48. 60 51. 10 50. 30 47. 10 47. 00	\$51. 50 47. 10 46. 60 48. 75 49. 90 45. 40 50. 10 51. 10 50. 10 48. 60 46. 75	\$51. 60 45. 25 46. 20 48. 30 49. 40 44. 30 48. 70 50. 50 49. 20 47. 70 48. 00	\$50. 70 45. 75 47. 20 48. 50 50. 90 46. 40 50. 80 50. 10 49. 90 49. 00

Division of Statistical and Historical Research. Compiled from reports of the Hay, Feed, and Seed Division.

¹ Nominal.

RICE

Table 132.—Rice, rough: Acreage, production, value, exports, etc., United States, 1909-1924

Year	Acreage	Average yield per acre	Produc- tion	Average farm price per bushel Dec. 1	Farm value Dec. 1	Value per acre 1	Domestic exports, fiscal year beginning July 1	Net imports, fiscal year beginning
1909	696, 000 723, 000 827, 000 716, 000 694, 000 809, 000 981, 000 1, 119, 000 1, 336, 000 981, 000 981, 000 981, 000	Bush. of 46 lbs. 33. 8 33. 9 32. 9 34. 7 31. 1 36. 1 47. 0 35. 4 4. 5 39. 0 38. 0 38. 0 37. 7 38. 1 7 38. 1 7 38. 1	Bushele 20, 607, 000 24, 510, 000 22, 934, 000 25, 744, 000 23, 770, 000 23, 469, 000 34, 739, 000 52, 006, 000 37, 265, 000 37, 265, 000 33, 956, 000 33, 956, 000 33, 956, 000	Cents 79. 5 67. 8 79. 7 93. 5 85. 8 81. 5 92. 4 90. 6 88. 9 189. 6 191. 8 266. 6 119. 1 152. 7 95. 2 93. 1 110. 2 138. 6	Dollars 16, 892, 000 18, 624, 000 18, 274, 000 22, 000, 000 19, 361, 000 21, 849, 000 26, 212, 000 36, 311, 000 65, 879, 000 74, 042, 000 62, 036, 000 66, 892, 000 35, 802, 000 37, 180, 000 47, 063, 000	Dolls. 26. 87. 22. 99 26. 26 82. 40 26. 71 27. 05 31. 48 32. 64 41. 78 67. 16 66. 19 105. 28 46 43 58. 01 38. 87 36. 55 41. 51 52. 75	Bush-ls 4, 487, 287 5, 134, 355 5, 824, 598 5, 672, 996 5, 871, 289 6, 898, 105 7, 334, 389 9, 506, 099 12, 315, 486 11, 885, 265 12, 892, 196 22, 899, 774 22, 446, 930 14, 183, 306 33, 834, 616 21, 583, 817 21, 545, 060	Bushels 7, 820, 643 7, 292, 960 6, 467, 505 9, 806, 684 7, 785, 400 7, 848, 181 8, 931, 061 6, 180, 934 13, 095, 243 5, 309, 014 8, 001, 362 1, 267, 391 6, 233, 312 721, 411 1, 168, 077 809, 252

Division of Crop and Livestock Estimates. Figures in italics are census returns.

Based upon farm price Dec. 1.

Bureau of Foreign and Domestic Commerce. Domestic exports here include also shipments from the United States to Porto Rico and Hawaii; net imports are total imports minus reexports. Bushels are computed from pounds as reported in original by assuming 1 bushel of rough rice to yield 27½ pounds of cleaned rice.

Preliminary.

Table 133.—Rice, rough: Acreage, production, and total farm value, by States, 1922-1924

State	Thou	sands of	acres	Produc	otion, the	ousands als	pric	alue, basi e, thouse of dollars	ınds
	1922	1923	1924 1	1922	1923	1924 1	1922	1923	1924 1
South Carolina. Georgia. Florida. Mississippi Louislana. Texas. Arkausas. California.	8 3 1 555 191 154 140	8 3 2 1 495 145 135 106	7 3 2 1 495 140 156 88	208 72 75 19 19, 980 5, 959 7, 392 7, 700	200 68 46 18 16, 582 5, 800 5, 332 5, 671	126 45 48 10 17, 078 5, 600 6, 552 4, 497	239 84 98 21 17, 782 5, 363 6, 505 8, 470	240 90 62 21 17, 743 6, 670 5, 972 6, 352	176 63 67 14 23, 226 7, 000 9, 042 7, 465
United States	1, 055	895	892	41, 405	33, 717	33, 956	38, 562	37, 150	47, 053

Division of Crop and Livestock Estimates.

¹ Preliminary.

TABLE 134.—Rice, rough: Yield per acre, by States, 1909-1924

		_		,				-										
State	1909	1910	1911	1912	1913	Av. 1909– 1913	1914	1915	1916	1917	1918	1919	1920	Av. 1914- 1920	1921	1922	1923	1924
South Carolina Georgia Florida Mississippi Louisiana Texas	25. 6 23. 9 25. 0 30. 0 33. 8	21. 0 22. 0 21. 0 30. 0 34. 4 33. 0	11. 7 26. 8 25. 0 36. 0 31. 5	25. 0 25. 0 25. 0 35. 0 33. 5	Bu. 30. 0 32. 0 25. 0 28. 0 29. 0 32. 0	22. 7 26. 9 24. 2 31. 8 32. 4 83. 8	26. 0 28. 0 25. 0 30. 0 32. 1 33. 8	24. 3 29. 3 25. 0 25. 0 84. 2 30. 5	14. 0 20. 0 25. 0 28. 0 46. 0 45. 0	25. 0 30. 0 26. 0 30. 0 31. 0	23. 0 26. 0 24. 0 23. 0 28. 8	24. 0 24. 0 26. 0 29. 1 35. 2 32. 0	25. 0 26. 0 24. 0 31. 0 36. 0	Bu. 23. 0 26. 2 25. 0 28. 0 84. 8 83. 9 44. 7	25. 0 26. 0 22. 0 20. 0 36. 0	26. 0 24. 1 25. 0 19. 0 36. 0 31. 2	25. 0 22. 7 28. 0 18. 0 33. 5	18. 0 15. 0 24. 0 10. 0 84. 5
California		83. 0	40.0	50.0	48.0		53. 3	66. 7	59. 0	68. 0	65. 8	60. 0	51.0	60. 5	54.0	55. 0	58. 5	51. 1

Division of Crop and Livestock Estimates.

Table 135.—Rice, rough: Percentage reduction from full yield per acre, from stated causes, as reported by crop correspondents, 1909-1923

			Adv	erse we	ather	conditio	ons						Other	
Year	Defi- cient mois- ture	Ex- ces- si ve mois- ture	Floods	Frost and freeze	Hail	Hot winds	Storms	Total cli- matic ¹	06.566	Insect pests	Ani- mal pests	De- fec- tive seed	and	Total
1909 1910 1911 1912	P. ct. 4. 6 7. 2 6. 5 3. 1 3. 9	P. ct. 0. 1 1. 7 3. 2 1. 1 14. 8	P. ct.	P. ct.	P. ct.	P. ct. 1. 1 . 1 . 7 . 6	P. ct. 6. 6 1. 0	P. ct. 12. 4 10. 1 10. 6 11. 6 24. 0	P. ct. 2.7 3.4 .7 2.5	P. ct. 0. 9 . 4 . 6 2. 0 . 7	P. ct. 0. 2 1. 2 . 5 . 5	P. ct. 0.1 - (2) 1 6	P. ct. 0. 7 2. 2 2. 0 2. 4 3. 7	P. ct. 17. 0 17. 3 14. 5 19. 6 28. 5
1914 1915 1916 1917 1918	5. 3 7. 0 4. 8 17. 3 7. 2	2.3 .6 .2 .7 7.2	.1 .1 2.5	.3 .3 1.5	(¹) . 2	.6 .4 .8 .1	.6 8.1 .2 .1 1.5	10. 1 16. 7 6. 2 20. 0 18. 8	.1 .4 1.1 .5	1.8 .2 .8 .2 1.1	(1) (1) (1)	(i) :2 :1	5.7 2.1 1.7 4.1 1.5	17. 5 19. 4 9. 5 25. 4 21. 7
1919 1920 1921 1922 1923	1. 0 . 5 4. 5 3. 8 2. 8	12. 8 8. 0 . 2 4. 2 13. 9	1. 1 (2) . 5	.3 .3 .1 1.5		.1 1.2 .2 .1 .1	2.6 .2 .1	18. 4 10. 3 5. 3 8. 2 19. 6	3. 1 1. 7 3. 4 . 7	. 5 1. 6 2. 7 1. 0 1. 0	.7 :1 :1	.1	1.7 2.0 1.4 .6	20. 0 16. 7 11. 8 14. 1 22. 0

Division of Crop and Livestock Estimates.

Table 136.—Rice: Acreage and yield per acre in specified countries, average 1909—1913, annual 1921–1924

			Acreage	9		Yield	per acr	e in ter	ms of ci	eaned
Country	Aver- age 1909- 1913	1921	1922	1923	1924 pre- limi- nary	Aver- age 1909- 1913	1921	1922	1928	1924 pre- limi- nary
NORTHERN HEMISPHERE NORTH AMERICA United States Mexico Hewaii	1,000 acres 716 1162		1,000 acres 1,055 54	1,000 acres 895	1,000 acres 892	Lbs 922 3 605	Lbs. 1, 134	Lbs. 1,090 824		Lbs. 1,057
CEVTRAL AND SOUTH AMERICA AND WEST INDIES Gautemala	37 36		15	14		1, 496 269		917		
Porto RicaTrinidad and Tobago	4 12			8						
France. Spain. Portugal. Italy Yugoslavia. Bulgaria. Russia (northern Caucasia).	358 5 5 7	(6) 113 14 286 5 7	15			1, 806		1,851		3, 534 2, 241
AFRICA French West Africa: French Senegal Upper Volta		222	89	49 79			275	276	139 775	
Sudan Sierre Leone Egypt		400 82 4		850		2, 132		1, 106	632	

¹ Includes all other climatic.

² Less than 0.05 per cent.

¹ Three years only.

² Two years only.

³ Two years only.

⁴ Four years only.

⁵ Total eree estimated from area reported for summer or main crop which was 154,500 acres in 1923 and 31,100 in 1934. This crop in the years 1918 to 1921 averaged 90 per cent of the total area under rice in

TABLE 136.—Rice: Acreage and yield per acre in specified countries, average 1909-1913. annual 1921-1924-Continued

						T				
			Acreage			Yield	per acre	rice	ms of ch	bened
Country	Aver- age 1909- 1913	1921	1922	1923	1924 pre- limi- nary	Aver- age, 1909- 1913	1921	1922	1923	1924 pre- limi- nary
Northern Hemisphere— Continued ASIA Turkey	1,000 acres 3 151	1,000 acres	1,000 acres	1,000 acres	1,000 acres	Lbs.	Lbs.	Lbs.	Lbs.	Lbs.
Turkey India ⁸ Andaman and Nicobar British North Borneo French establishments in India Russia (Asiatie)	67, 004 40 572	81, 662 3 54 43	82, 401 4 55 46	62	• 77, 768	957 657 584	910 437 610	917 754 704		
Japanese Empire: Japan Chosen (Korea) Formosa (Taiwan) Kwangtung French Indo-China	7, 300 2, 905 1, 193 1	7, 680 3, 753 1, 860 2	3, 817 1, 263 1		3, 152 101, 300	1, 133 1, 184	2, 257 1, 189 840	2, 477 1, 226 1, 355		2, 369 1, 278 1, 154
Siam. Federated Malay States Unfederated Malay States Straits Settlements	4, 666 1 118 1 153 93	6, 414 254 455 77	6, 245 197 364 63	5, 919 178 37 4 77	111,500	1, 168 670	662 905 422 663 797	652 953 537 795 937		670
Philippine Islands Ceylon	2, 753 695	4, 135 799	4, 105 850	4, 141 800	800	423 686	620 618			
Country	Aver- age 1909- 1913	1921- 22	1922- 23	1923 24	1924 25	Aver- age 1909- 1913	1921- 22	1922- 23	1923- 24	1924- 25
SOUTHERN HEMISPHERE										
Peru Brazil Paraguay	131	71 2	599	849			1, 052	943 1, 952		
Argentina Belgian Congo Madagascar		27 17	16 18			916	204 813	196		
Java and Madura: Irrigated Nonirrigated	5, 953	6, 472 751	7, 319			1, 206	1, 073	1, 158		
Total Java and Madura Australia Fiji Islands	5, 953 (6) 11	7, 223 (8) 11	8, 178 (6)	8, 164	8, 577					
Total comparable with 1909-1913 Total comparable with	104, 961	1								
1924 13	28, 028	34, 950	35, 434	34, 341	34, 613		<u> </u>			<u> </u>

Division of Statistical and Historical Research. Official sources and International Institute of Agriculture. Yield per acre not calculated when total acreage is below 15,000 acres.

Five-year averages are of the crops harvested during the calendar years 1909-1913 in the Northern Hemisphere and during the crop seasons 1909-10 through 1913-14 in the Southern Hemisphere. For each individual year is shown the harvest in the calendar year in the Northern Hemisphere and the succeeding harvest in the Southern Hemisphere.

¹ Three years only.

Two years only.
One year only.
Four years only.
Less than 500 acres.

[•] Less than 500 acres.
8 In addition it was estimated that rice grown in other tracts in British India for the five-year average ending 1921-22 was 925,000 acres, with a yield of 7,403,200,000 pounds. No recent estimates are made for this area, and it is not included in these figures for India.
9 Estimated area reported in second forecast at 77,763,000 acres, compared with 75,455,000 last year at the same time. Last year the area reported in the second forecast was approximately 96 per cent of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control of the final control

same time. Last year the area reported in the second received as 577,800 acres, compared with estimated from area under rice for first six months, which was reported as 577,800 acres, compared with 562,800 last year. In 1923 this was approximately 44 per cent of the total area under rice.

If Estimated from roports received from Annam, Cochin-China, Laos, and Tonking, which report 7,724,800 acres, compared with 7,462,700 acres in 1923. This includes the area for the first six months only in Annam and Tonking and the total area in Cochin-China and Laos. Last year this area amounted to about 67 per cent of the total reported for Indo-China that year.

India excluded, as only second estimate of acreage for 1924 is available, and this is not comparable with the final revised figures given for the other years.

TABLE 137 .- Rice, in terms of cleaned rice: Production in specified countries, average 1909-1913, annual 1921-1924

[Thousands of pounds-i. e., 000 omitted]

Country	Average, 1909–1913	1921	1922	1928	1924 pre- liminary
Northern Hemisphere					
NORTH AMERICA					
United States	660, 272	1, 044, 778	1, 150, 139	938, 583	943, 222
Mexico	1 98, 016 1 25, 820		44, 489		
CENTRAL AND SOUTH AMERICA AND WEST INDIES	·				
Guatemala	³ 2, 208	2, 651	3, 882	4, 080 13, 611	
SalvadorBritish Guiana	53, 865	67, 072	44, 957	42, 560	66,000
Dutch Guiana	2, 254	12, 041	13, 202	10, 303	
Porto RicoTrinidad and Tobago	1 4, 298			3, 470	
EUROPE					
France	4 2, 017	41	75		
France Spain	299, 703	355, 967	373, 339	330, 097	300, 407
Portugal Italy		14, 650 641, 375	27, 771 631, 985	21, 204 708, 874	748, 488
Yugoslavia	4 2, 586	3, 414	2, 941	3, 377	110, 100
Bulgaria Russia (northern Caucasia)	4 8, 612	9, 972	10, 840	11, 317	4, 053
AFRICA	2,210				
French West Africa:					ļ
French Senegal			109,000		
Upper Volta Sudan				61, 200	
Sierre Leone		241, 973	235, 059	221, 235	
Sierre Leone Egypt Kenya Colony	547,972	471, 903	55, 281	³ 300, 400	⁸ 429, 000
Kenya Colony		464			
ASIA					
IndiaAndaman and Nicobar	64, 144, 192	74, 278, 400 2, 431	75, 523, 840 2, 780	63, 387, 520 2, 478	
French establishments in India	26, 268	26, 250	32, 378	28, 745	
British North Borneo		23, 587	41, 496	44, 621	
Russia (Asiatic)	334, 061				
China Japanese Empire;				50, 056, 000	
Japan	15, 787, 020	17, 335, 796	19, 067, 307	17, 424, 997	18, 264, 834
Chosen (Korea)	3, 292, 776	4, 462, 978	4, 679, 313	4, 724, 513	4, 027, 101
Formosa (Taiwan)	1, 412, 504 1, 074	1, 563, 330 3, 131	1, 710, 832 8, 094	1, 528, 459	6 1, 690, 000
Kwantung French Indo-China	7, 332, 350	7, 931, 000	7, 893, 012	7, 212, 679	7 7, 700, 000
Siam	0 b, 447, 671	5, 805, 552	5, 953, 997	9 6, 026, 000	
Federated Malay States	79, 015	107, 199	105, 712		
Straits Settlements		301, 444 61, 394	289, 400 59, 006		
Philippine Islands	1, 165, 293	2, 564, 881	2, 679, 589	2, 703, 135	2, 683, 878
Ceylon	476, 536	493, 792	522, 706	296, 296	345, 679

¹ Three years only.

¹ Three years only.
¹ One year only.
¹ Two years only.
¹ Two years only.
¹ Estimated for present boundaries.
¹ Total production estimated from production reported for summer or main crop, which amounted to \$86,068,000 pounds in 1924, compared with 270,383,000 in 1923.
¹ Total production estimated from production of first crop, which amounted to \$96,058,000 pounds in 1924, compared with 815,099,000 in 1923. In 1923 this crop amounted to approximately 53 per cent of the total crop of Formosa.
¹ Total production estimated from that reported for Annam, Cochin-China, Leos, and the first crops in Tonking, aggregating 5,525,136,000 pounds, compared with 5,190,408,000 in 1923. In 1923 this aggregate amounted to 72 per cent of the total crop produced in Indo-China.
¹ Production estimated from official average yields for different grades of land as classified for revenue purposes according to fartility. These production figures are probably a little too high, as the area cultivated is always greater than that actually harvested.
¹ Estimated by multiplying 1923 acreage by average yield for last five years.

Table 137.—Rice, in terms of cleaned rice: Production in specified countries, average 1909-1915, annual 1921-1924—Continued

Country	Average 1909–1913	1921-22	1922-23	1923-24	1924-25
Southern Hemisphere					
Peru	1 83, 700	74, 714	66, 000	61,000	
Brazil	89, 798 8, 302	993, 910	1, 169, 050		
Belgian Congo	* 5, 502	3, 463	20, 691 8, 525		
Nyasaland	1, 191	548	319		
Madagascar	1 896, 300	1,014,942			
Java and Madura:				ĺ	1
Irrigated	7, 180, 998	6, 942, 768	8, 474, 364		
Nonirrigated.		418, 133	513, 106		: - : - : - : - : - : - : -
Total Java and Madura	7, 180, 998	7, 860, 901		10 9, 500, 000	10 10, 400, 000
Australia Fin Islands	1 23, 377	4,728	8, 520		
					
Totals comparable with 1909-1913	110, 137, 756				
Totals comparable with 1924	38, 864, 371	44, 303, 745	47, 806, 770	45, 719, 310	47, 602, 662

Division of Statistical and Historical Research. Official sources and International Institute of Agriculture.

Five-year averages are of the crops harvested during the calendar years 1909–1913 in the Northern Hemisphere, and during the crop seasons 1909–10, through 1913–14 in the Southern Hemisphere. For each individual year is shown the harvest in the calendar year in the Northern Hemisphere and the succeeding harvest in the Southern Hemisphere.

1 Three years only. One year only.

1 Two years only.

10 Estimated from incomplete data received.

Table 138.—Rice, in terms of cleaned rice: World production, 1900-1923 [Million pounds--1, e , 000,000 omitted]

				·					
	Produc-		Esti- mated	P	roduction	in chief	producing	countrie	3
Year	countries reporting all years 1900–1923 ¹	Produc- tion as reported	world produc- tion ex- cluding China	India	Japan	Java and Madura		Siam ⁸	Chosen
1900		68, 457 65, 364	79, 000 77, 000	46, 313 48, 041	13, 027 14, 738	6, 570 5, 681			
1902	71, 319	74, 175	85,000	52, 582	11, 602	5, 373		2, 829	
1903	72, 178	75, 548	87,000	49, 199	14, 600	6, 229			
1904	75, 102	79, 117	90,000	50, 228	16, 157	6, 431		1 '	
1905	67, 520	72, 529	84, 000	48, 512	10, 421	6, 268		7,010	
1906	71, 298	75, 988	87,000	47, 907	14, 546	6,630			
1907	67,050	72, 523	84,000	42, 598	15, 410	6, 533			
1908	69, 553	74, 896	87,000	43, 877	16, 315	6, 903			
1909	89,794	99, 328	108,000	63, 869	16, 474	7,066		4,836	2, 343
1910	88,487	99, 935	108,000	64, 552	14, 650	7,084		4, 457	3, 269
1911	90, 164	103, 527	111,000	63, 943	16, 246	7,617		5, 565	3, 634
1912	88, 972	109, 163	111,000	63, 802	15, 778	7, 187	6, 614	6, 101	3, 413
1913	90, 949	111,687	115,000	64, 555	15, 789	7, 951	8, 051	6, 279	3, 804
1914	89, 378	114, 377	116,000	61, 109	17, 909	7,826	9, 521	6, 345	4, 439
1915.	101, 440	124, 877	126,000	73, 315	17, 569	7,964	7, 921	6, 585	4,036
1916	107, 298	129, 166	131,000	78, 521	18, 360	7,912	6, 733	6, 770	4, 377
1917	109, 236	4 131, 559	134, 000	80, 638	17, 143	8,893	6, 813	6, 823	4, 300
1918	83, 142	106, 460	109, 000	54, 526	17, 184	8, 978	6, 302	6, 414	4, 805
1919	103, 280	126, 278	128, 000	71, 743	19, 106	9, 798	6, 532	6, 859	3, 992
1920		4 117, 799	118,000	61, 963	19, 849	8, 347	6, 284	6, 658	4, 675
1921	101, 548	127, 351	128,000	74, 278	17, 336	7, 361	7, 931	5, 806	4, 463
1922	106, 308	131, 523	133, 000	75, 524	19, 067	8, 987	7, 893	5, 954	4, 679
1928	92, 917	4 109, 548	120,000	63, 388	17, 425	9, 527	7, 213	s 6, 026	4, 725

Division of Statistical and Historical Research. The figures for each year include the crop harvested in the Northern Hemisphere within the calendar year and the following harvest in the Southern Hemisphere.

India, Japan, Java and Madura, Formosa, Dutch Guiana, Spain, and Italy.
China would rank among the chief producing countries, but owing to lack of official statistics has been omitted.

Estimated from official average yields for different grades of land as classified, for revenue purposes

according to fertility.

4 In addition there were estimates for China as follows: 70,219 million pounds in 1917; 52,788 million in 1920, and 50,056 million in 1923.

Bestimated.

8f4 Yearbook of the Department of Agriculture, 1984

TABLE 139 .- Rice, rough: Receipts at New Orleans, 1891-1924

Year begin- ning Aug- ust	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Total
1891 1892 1893 1894 1895	37, 781 16, 079 34, 791	340, 274 144, 434 95, 810	315, 056 191, 946 141, 103	Sacks 161, 579 242, 352 160, 388 161, 246 194, 475	121, 864 328, 861 117, 504 119, 857	262, 321 86, 980 92, 877	Sácks 59, 421 87, 839 35, 698 16, 179 51, 300	Sacks 15, 001 66, 185 35, 579 9, 099 22, 590	16, 785 10, 274	Sacks 18, 368 24, 830 12, 051 14, 962 19, 978	6, 034 6, 763	8, 231 13, 526 4, 210 2, 284	Sacks 947, 634 1, 777, 429 827, 658 704, 745 1, 163, 729
1896 1897 1898 1899 1900	69, 421 177, 359	98, 823 134, 125 205, 043	31, 213 125, 864 213, 768	43, 384 53, 359 129, 613 117, 110 91, 934	93, 461 72, 772 52, 689	52, 528 82, 853 32, 683	9, 955 86, 203 22, 508 33, 314 80, 383	1, 597 18, 550 83, 222 18, 781 20, 693	372 13, 828 8, 898 12, 286 16, 684	68 5, 163 8, 219 4, 340 1, 226	46 2, 892 773 1, 249 104	1,072	377, 400 470, 924 684, 827 869, 510 832, 736
1902 1903 1904	108, 476 247, 176 90, 216 182, 693 187, 473	202, 656 359, 071 294, 407	161, 226 281, 521 224, 812	85, 766 189, 304 183, 363	66, 108 206, 676 107, 864	58, 126 71, 120 80, 173	28, 417 56, 620 91, 153	24, 706 11, 547 39, 031 69, 969 24, 114	18, 086 4, 446 29, 849 56, 348 9, 733	9, 338 11, 150 14, 224 27, 559 4, 947		1, 232 8, 413	1, 061, 878 879, 660 1, 353, 846 1, 364, 368 879, 272
1907 1908 1909	138, 199 223, 009 242, 015 283, 974 178, 691	203, 951 214, 484 322, 339	179, 476 207, 152 217, 189	131, 738 131, 066 117, 975	121, 718 131, 481 77, 507	149, 039 92, 948 151, 750	129, 579 116, 533 85, 257	34, 944 96, 895 62, 776	1, 962 11, 831 34, 947	54, 838 857 10, 406 81, 723 64, 059	2, 189 2, 931 65, 093	12, 442 5, 869 8, 817	1, 274, 097 1, 190, 904 1, 263, 611 1, 509, 347 1, 289, 761
1912 1913 1914	114, 011 112, 153 207, 267 195, 206 167, 961	185, 820 156, 916 224, 773	189, 805 116, 727 152, 665	285, 008 196, 066 214, 241	190, 303 146, 384 194, 462	79, 298 149, 057 62, 061	16, 056 105, 964 86, 702	11, 309 45, 058 38, 750	4, 684	3, 868 6, 703 26, 253 3, 575 11, 422	24, 947	20, 507 7, 546 8, 496	1, 156, 678 1, 074, 491 1, 217, 030 1, 195, 737 1, 349, 721
1917	221, 968 160, 843 127, 893 115, 840 172, 155	255, 102 345, 669 268, 561	249, 538 164, 037 207, 085	178, 079 99, 732 111, 712	59, 645 76, 789 153, 265	34, 144 92, 246 129, 527	58, 814 89, 522 60, 616	146, 502 132, 926 51, 048 46, 042 14`962	56, 054 54, 581 52, 098	30, 350 47, 964 44, 786	1, 882 23, 373 54, 554	4, 524 16, 724 32, 960	1, 478, 248 1, 221, 901 1, 189, 578 1, 277, 046 1, 909, 427
1921 1922 1923	95, 959	178, 308	253, 557	83, 941 194, 110 117, 374	136, 372	86, 853	101, 621 51, 284	232, 778 17, 365	85, 551 96, 324				1, 402, 084 1, 212, 679

Division of Statistical and Historical Research. Compiled from annual reports of the New Orleans Board of Trade.

A sack of rough rice contains 162 pounds.

Table 140.—Rice, rough: Stocks at New Orleans as reported at the end of each month, 1905-1924

							~~					
Year beginning August	Aug. 31	Sept.	Oct. 31	Nov. 30	Dec. 81	Jan. 31	Feb. 28	Mar. 31	Apr. 30	May 31	June 30	July 31
1905		84, 818 62, 582 92, 226	32, 204 66, 718 102, 128	76, 843 85, 804 137, 499	170, 208 119, 472 99, 263 159, 217	Sacks 125, 518 106, 526 131, 665 129, 673 276, 499	134, 505 120, 405 102, 268 149, 466	90, 863 110, 904 78, 804 144, 226	96, 616 26, 895 121, 992	30, 290 10, 528 114, 430	17, 302 2, 150 82, 988	19, 860 1, 889 67, 793
1910 1911 1912 1918 1914	42, 523	104, 491 49, 215 30, 342	102, 064 81, 190 21, 008	121, 966 72, 760 33, 491	117, 705 113, 776 70, 882	188, 907 113, 245 116, 737 57, 008 112, 480	137, 887 79, 015 44, 485	79, 367 46, 160 32, 582	74, 114 27, 555 14, 907	77, 982 16, 690 17, 198	07, 568 14, 015 14, 676	47, 564 8, 145
1915 1916 1917 1918 1919	72, 546 69, 303 50, 517 28, 751 38, 307	89, 995 69, 592 128, 751	81, 465 58, 967	101, 784 67, 802 117, 188	78, 098 58, 607 52, 614		62, 966 63, 233 43, 607	62, 880 58, 809 43, 789	27, 776 19, 344 41, 869	8, 887 5, 962 50, 607	4, 419 8, 698 9, 117	1, 162 366 13, 606
1990 1921 1922 1923				35, 825 56, 667	69, 664 43, 668	68, 660 56, 926	66, 778	63, 200	76, 068	67, 151	48, 265	21, 18

Division of Statistical and Historical Research. Compiled from annual reports of the New Orleans Board of Trade.

A sack of rough rice contains 162 pounds.

Table 141.—Rice, clean: Stocks at New Orleans as reported at the end of each month, 1905-1924

Year beginning August	Aug. 81	Sept.	Oct. 31	Nov. 30	Dec. 31	Jan. 31	Feb. 28	Mar. 31	Apr. 30	Мау 31	June 80	July 81
	Pock-	Pock-	eta	eta	Pock-	ets	ets	at e	Pock-		Pock-	Pock
1905 1906	144, 618	157, 420	190, 752	232, 793	191, 609	186, 421	173, 296	188, 885	179, 741	189 798	126, 730	87, 19
1907	55 721	102, 147 98, 545	76 140	66, 347	90,776	160,093	208 261	153, 699	142, 708	154, 664	99, 743	
1908		56, 482	73, 649	116, 412	122, 313	150, 556	144, 158	214, 777	170, 587	194 758	86, 565	49, 91 73, 54
1909	76, 132	94, 908	125, 794	101, 543	111, 286	112, 279	120, 021	92, 395	65, 504	111, 042	109, 505	139, 9
1910	122, 747	92, 394	94, 792	107, 576	106, 429	104, 536	97 634	80 190	AK 870	83 126	78 905	A0 3
1911	70, 200	DU. DOZ	90.387	142. YYU	172. 23 61	208. 1281	240. 708	273 925	257 548	205 144	161 739	202 01
1912	101, 017	123, (01)	179, 323	1/3, 897	197. /44	219, 185	225, 157	191, 090	159, 795	145, 754	93 363	65 25
1919	73, 380	(0V, 120)	38, 589	73, 403	107, 334	118, 686	136, 081	104, 240	113, 723	117, 070	130, 651	88 13
1914	20, 828	78, 427	70, 668	93, 456	129, 561	164, 413	224, 043	205, 858	170, 745	159, 009	140, 687	124, 77
1915	62, 172	77, 563	84, 685	126, 921	183, 242	219, 332	252, 751	257, 194	268, 454	243, 710	241. 344	202. 90
916	143, 190	1117. 8441	157, 7001	243. STU	252. iBH	157. OM21	123 3711	100 122	258 242	205 050	154 g7ni	198 K
917	109, 947	1 96, 790	143, 409	227. 715	270. 364	237, 150	147, 517	126, 814	106 975	72 102	27 618	R Q
918	27, 750	67, 082	76, 091	79, 973	107, 798	117, 487	185, 070	206, 819	199, 396	136, 995	184, 242	111, 4
1919	00, 00%	152, 194	240, 102	243, 800	280, 240	303, 442	421, 258	399, 979	257, 079	248, 667	201, 019	166, 3
920	172, 419	174, 156	175, 928	277, 228	400, 806	359, 321	201, 871	158, 452	142, 796	180, 450	179, 086	88.5
921	114, 635	128, 099	135, 454	114, 594	144. 587	177, 698	180, 096	294, 626	315, 980	244, ROR	308, 557	238, 8
922	123, 463	91, 028	97, 561	124, 710	193, 886	276, 407	172, 764	152, 171	151, 443	158, 965	189, 106	130, 2
923	130, 240	73, 900	95, 516	120, 592	167, 105							

Division of Statistical and Historical Research. Compiled from annual reports of the New Orleans Board of Trade.

A pocket of cleaned rice contains 100 pounds.

Table 142.—Rice, rough: Farm price per bushel December 1, 1909-1924, and value per acre, 1924

State	1909	1910	1911	1912	1913	AV. 1909– 1913	1914	1915	1916	1917	1918	1919	1920	Av. 1914– 1920	1921	1922	1923	1924	Value per acre 19241
S. CGaFlaMissLaTexArkCalif	Cts. 91 87 80 80 79 78 90	Cts. 75 75 72 70 67 68 70 68	Cts. 75 77 75 77 79 80 82 75	Cs. 93 90 90 93 94 94 91	83	Cts 85 82 75 77 80 81 85	89 70 85 93 92	90 88 75 88 90 89	Cts. 90 87 75 80 90 86 96	195 190 190 200 190	175 140 150 195 197 180	275 263 190 271 280 240	225 175 200 110 125 131	140 148 153 146	97 92 97 118 86 101 92	115 117 130 110 89 90 88	132 135 115 107 115 112	140 140 136 136 125 138	21. 00 33. 60 13 60 46 92 50. 00 57. 96
	79. 2				85. 8	81. 2	-	l				267 266. 6	121 119, 1	146 148. 4			112		

Division of Crop and Livestock Estimates.

¹ Based on farm price Dec. 1.

Table 143.—Rice: International trade, calendar years, average 1909-1915, annual 1921-1925

[Thousands of pounds-i. e., 000 omitted]

	Average	1909-1913	19	921	19	22	1928 pre	liminary
Country	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Exports
PRINCIPAL EXPORTING COUNTRIES								-
Brazil British India Chosen (Korea) French Indo-China	17,830	5, 337, 516 130, 446	280, 334 1 5, 919		302, 760 3 54, 919	4, 836, 325 2 827, 989	349, 213	4, 560, 162
ItalySlamSpainUnited States PRINCIPAL IMPORTING		1,928,507 18,063	186 15	2, 799, 953 145, 831	21 86	2, 810, 004 53, 756	18	2, 894, 440 149, 446
COUNTRIES Austria-Hungary Belgium British Malaya Canada	183, 411 180, 830 1, 999, 672 32, 109	² 1, 299, 475	166, 289 1, 118, 737	60, 069 471, 643	69, 620 21, 766, 085	10, 487 937, 536	80, 535	627 1, 549 2, 278
Ceylon	704, 992 262, 207	132, 400	874, 835 259, 067 116, 213	2,8 57	850, 981 1, 576, 640 391, 606 90, 859 1, 377, 099	3, 713	92, 220	5, 193
Egypt	517, 861 913, 772	79, 087	383, 746 688, 589	62, 804 4 65, 960	372, 002 417, 858 2, 614, 836	71, 558 83, 399 2, 816, 167	646, 612 346, 775 2, 994, 872	77, 989 4, 873 2, 645, 730
Hungary Japan Mauritius Netherlands	655, 676 132, 543 778, 682	7 1, 446	531, 793 101, 044 189, 948	27, 889		13, 532 29, 249	1, 157, 700 138, 144 186, 868	6 4, 185 50, 771
Philippine Islands Russia United Kingdom Other countries	250, 461 768, 853	5, 746 90, 564	2 32, 385	18, 606	3 52, 327 305, 281	20, 483	310, 215	
Total	11, 439 , 950	12, 720, 845	9, 468, 694	11, 662, 800	12, 943, 009	15, 690, 340	10, 537, 488	13, 744, 401

Division of Statistical and Historical Research. Official sources except where otherwise noted. Mostly cleaned rice. Under rice is included paddy, unhulled, rough, cleaned, polished, broken, and cargo rice, in addition to rice flour and meal. Rice bran is not included. Rough rice, or paddy, where specifically reported, has been reduced to terms of cleaned rice at the ratio of 162 pounds of rough or unhulled to 100 pounds of cleaned. "Rice, other than whole or cleaned rice," in the returns of the United Kingdom is not considered paddy, since the chief sources of supply indicate that it is practically all hulled rice. Cargo rice, a mixture of hulled and unhulled, is included without being reduced to terms of cleaned, Broken rice and rice flour and meal are taken without being reduced to terms of whole cleaned rice.

¹Three-year average. ²International Institute of Agriculture.

Less than 500.
Java and Madura only.
Eight months, May-December.

Bix months. Two-year average.
One year only.

Table 144.—Rice, rough: Wholesale price per 162 pounds at New Orleans, 1899-1924

Year beginning August	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aver-
1899 1900 1901 1902 1903	3.68	\$2, 20 3, 08 3, 00 2, 68 3, 55	\$2.88 2.70 2.78 2.62 3.08	\$3.08 2.75 2.82 2.70 2.12	\$2, 30 8, 12 8, 00 2, 48 2, 60	\$2. 42 . 3. 20 3. 05 2. 62 2. 42	\$2, 55 3, 08 3, 05 8, 18 2, 25	\$2, 42 3, 42 3, 05 3, 30 2, 28	\$2, 38 3, 65 8, 05 2, 58 1, 95	\$2. 82 8. 65 2. 50 3. 18 2. 05	\$2. 25 8. 65 2. 58 3. 75 2. 00	\$2. 50 2. 25 8. 38 3. 25 2. 40	\$2. 52 3. 14 3. 00 2. 97 2. 55
1904 1905 1906 1907	8. 10 4. 12 4. 13	1. 80 3. 10 3. 58 3. 08 2. 62	1. 90 8. 08 8. 55 2. 72 2. 88	1. 88 8. 45 8. 38 2. 98 3. 08	2. 10 3. 16 3. 05 3. 20 2. 75	2. 25 3. 30 3. 25 3. 32 3. 36	2. 05 8. 38 2. 92 8. 28 8. 50	1.98 8.18 2.68 2.95 3.68	2.00 2.78 2.62 3.62 2.88	2. 08 3. 25 3. 45 3. 88 3. 50	2. 42 3. 60 3. 68 3. 88 3. 48	2. 95 3. 70 8. 85 4. 50 3. 75	2. 14 3. 26 3. 34 3. 46 3. 27
1909 1910 1911 1912 1913	2.80 2.82	2. 98 2. 28 2. 50 3. 38 3. 40	2.80 2.28 2.68 2.66 3.16	2. 75 2. 36 2. 78 3. 20 4. 00	2. 62 2. 43 2. 66 3. 38 2. 75	3. 05 2. 50 2. 92 3. 53 3. 10	2. 75 2. 30 3. 30 8. 59 2. 70	2. 50 2. 46 3. 52 3. 50 2. 20	2.90 2.16 3.92 2.95 2.62	2. 86 2. 35 3. 82 3. 62 3. 12	2. 55 2. 25 3. 55 3. 25 3. 08	3. 90 2. 75 4. 28 3. 42 3. 38	2. 90 2. 41 3. 22 3. 34 3. 10
1914 1915 1916 1917 1918	3. 20 3. 91	3. 90 2. 86 3. 06 6. 50 7. 00	2. 65 2. 66 3. 18 6. 00 6. 25	2, 75 3, 13 3, 44 6, 88 6, 12	3. 38 2. 82 3. 30 7. 10 6. 25	3. 18 2. 78 3. 32 7. 25 5. 88	3. 60 3. 35 3. 53 7. 63	3. 68 3. 56 3. 72 8. 31	3. 75 8. 62 5. 00 7. 70	3. 56 2. 73 6. 33 8. 53 7. 38	3. 55 5. 50 7. 88	3. 38 3. 10 6. 40 7. 12 9. 88	3. 44 4. 2 7. 2
1919 1920 1921 1921 1922 1923	6. 38 3. 52 3. 89	9. 50 5. 88 3. 62 3. 00 3. 96	8. 38 4. 75 8. 58 3. 11 3. 88	8. 48 4. 75 3. 24 4. 00 4. 18	8, 38 3, 58 4, 28	10. 51 4. 11 3. 57	2. 90 3. 58 3. 41	3. 02 4. 01 4. 03	9. 62	8. 88 3. 08 3. 22 3. 25	9, 88 2, 88 3, 65 3, 98		

Division of Statistical and Historical Research.

Compiled from annual reports of the New Orleans Board of Trade, average of monthly range.

Table 145.—Rice, rough: Wholesale price per 162 pounds at Lake Charles, La., 1909-1924

Year beginning August	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.
	Dols.	Dols.	Dols.	Dols.	Dols.	Dols.	Dols.	Dols.	Dols.	Dols.	Dols.	Dols.
1909	2. 22	2. 38 2. 42	2.75 2.28	2. 50 2. 45	2. 40 2. 25	2. 50 2. 25	2. 50 2. 18	2. 30 2. 18	2. 10 2. 25	2. 05 2. 25	2. 18	2 12
1911 1912	2.45	2. 45	2. 58	2. 62	2, 82	3. 16	8. 10					
1913 1914	3. 78	2.65 4.02	2. 98 3. 50	2. 88 3. 00	2. 82 2. 78	2. 90 3. 48	2. 40 3. 75	2. 50 3. 81	2.75	3. 02	3. 22	3. 2
1915	3. 26	3. 26	3.08	8.41	3. 32	3.00	3. 28	8. 32 3. 72	8. 51 4. 90	3. 64	4.00	5. 78
1916 1917 1918	6. 09	2. 99 6. 00	3. 02 6. 72	8. 50 6. 52	8. 42 6. 27	8. 05 7. 00	3. 38 6. 75	0.72	6. 50	5. 55 6. 50	6. 75	7. 5
1919	13.00	11.00										
1920	:-::-		:-:-				2.00	1.75	1.50	2. 50	2.00	2. 5
1921 1922	2.75 4.25	4.00 3.80	4. 25 8. 30	2. 75 3. 25	8. 50 8. 25	3. 05 3. 25	3. 50 3. 20	3. 90 8. 50	4. 00 3. 40	3. 75 3. 10	3, 85 3, 40	4. 0 3. 3
1923 1924	3, 50	4. 21 4. 80	4.00 5.00	4. 00 5. 60	3. 90 5. 90	4. 25	4. 00	4, 25				

Division of Statistical and Historical Research.

Table 146.—Rice: Wholesale price per pound, 1909-1924
NEW YORK (OLEANED, DOMESTIC, FANCY HEAD)

	NEW	IURE	C (OD	LAND	יט, טי	OMINE	110,	FAIT					,
Year beginning August	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау.	June.	July.	Aver- age.
1909	Cents 5. 9 4. 4 3. 9 5. 0 5. 1	Cents 5, 2 4, 6 4, 2 4, 9 5, 1	Cents 5. 1 4. 4 4. 3 4. 9 5. 1	Cents 4. 9 4. 1 4. 2 4. 9 5. 1	Cents 4, 8 4, 1 4, 2 4, 9 5, 0	Cents 5.0 4.2 4.4 4.9 4.9	Cents 4.8 4.0 4.7 4.9 4.9	Cents 4. 6 8. 9 4. 9 4. 9 4. 9	Cents 4. 1 3. 8 4. 9 4. 9 4. 9	Cents 4. 4 3. 8 5. 1 4. 9 4. 9	Cents 4, 4 8, 7 5, 1 4, 9 4, 9	Cents 4, 4 3, 8 5, 1 5, 0 4, 9	Cents 4.8 4.1 4.6 4.9 5.0
Av. 1909-1913	4.9	4.8	4.8	4.6	4.6	4. 7	4.7	4.6	4. 5	4.6	4.6	4. 6	4.7
1914	5. 3 5. 2 5. 2 7. 9 10. 1 14. 3 14. 0	5. 7 4. 9 5. 2 7. 8 10. 1 14. 1 13. 2	5. 6 4. 9 5. 2 8. 2 10. 2 13. 6 11. 1	5. 6 5. 1 5. 2 9. 0 10. 5 13. 8 7. 4	5. 4 5. 1 5. 4 8. 9 10. 5 14. 2 8. 5	5. 2 5. 1 5. 4 8. 9 10. 4 14. 8 7. 5	5. 4 5. 1 5. 4 8. 9 10. 4 14. 8 6. 9	5. 4 5. 1 5. 6 9. 4 10. 4 14. 8 6. 9	5. 4 5. 1 7. 1 9. 6 10. 4 14. 8 6. 5	5. 4 5. 1 8. 8 9. 9 10. 7 14. 8 6. 1	5. 4 5. 1 8. 6 10 0 11. 7 14. 8 6. 5	5. 4 5. 1 8. 4 10. 1 13. 7 14. 4 6 5	5. 4 5. 1 6. 8 9. 0 10. 8 14. 4 8. 4
A v. 191 4-1920	8. 9	8.7	8. 4	8. 1	8. 3	8. 2	8. 1	8.2	8.4	8. 7	8. 9	9. 1	8. 5
1921 1922 1923 1924	7.5	7. 0 7. 5 7. 7 7. 7	7. 0 7. 6 7. 6 7. 5	7. 0 7. 4 7. 6 7. 6	7. 0 7. 4 7. 6 7. 8	7. 0 7. 8 7. 8	7. 0 7. 8 7. 8	7. 0 7. 7 7. 8	7. 0 7. 6 7. 8	7. 1 7. 9 7. 8	7.5 7.9 7.8	7. 5 7. 9 7. 8	7.1 7.7 7.8
	NE	w or	LEAD	H) 81	ONDU	JRAS,	OLE.	AN, F	'ANO	r)			
1909	4.1 8.8 8.6 4.1 4.4	3. 6 3. 6 3. 5 4. 1 3. 8	8. 8 8. 4 3. 3 3. 5 3. 8	3. 7 3. 1 3. 4 8. 8 3. 6	3.7 3.2 3.4 4.1 3.7	3.8 2.9 3.8 4.1 3.9	3. 8 3. 1 3. 9 4. 0 3. 8	3. 4 2. 9 4. 0 3. 9 3. 7	3, 2 3, 0 3, 9 4, 0 3, 6	2.9 4.6 4.1 3.9	3. 5 2. 9 4. 2 4. 1 3. 8	3. 7 3. 6 4. 6 4. 4 3. 7	3. 7 3. 2 3. 8 4. 0 3. 8
Av. 1909-1913		8. 7	3. 6	3. 5	3. 6	3.7	8. 7	8. 6	3. 5	3.8	3. 7	4.0	3.7
1914	4. 1 3. 6 3. 8 6. 1 7. 6 10. 9 10. 6	4. 2 3. 8 3. 5 6. 4 7. 6 12. 2 9. 6	3. 6 3. 8 3. 8 6. 7 7. 5 11. 8 7. 9	3. 4 3. 8 3. 9 6. 6 7. 3 11. 9 6. 9	3. 6 3. 8 3. 9 6. 8 7. 5 12. 3 6. 6	3. 9 3. 5 3. 9 6. 8 7. 8 12. 7 4. 6	4. 1 3. 6 9 7. ` 7. 7 12. 8 4. 7	4. 1 8. 9 4. 1 7. 6 8. 0 12. 5 5. 4	4. 0 3. 8 5. 2 8. 2 7. 9 12. 3 5. 3	4. 1 4. 0 5. 9 8. 3 7. 0 12. 2 5. 5	4. 2 4. 2 6 3 8. 3 9. 2 12. 3 5. 8	4. 2 3. 9 6. 3 8. 4 10. 1 12. 5 5. 6	4.0 3.8 4.5 7.3 7.9 12.2 6.5
Av. 1914-1920	6. 7	6. 7	6. 4	6. 3	6. 4	6. 2	6. 3	6. 5	6 7	6. 7	7. 2	7. 3	6.6
1921	5. 7 6. 6 6. 5 6. 6	5, 4 6, 6 6, 4 6, 6	5, 3 6, 5 6, 3 6, 4	5. 4 6. 5 6. 8 6. 5	5. 7 6. 5 6. 4 6. 9	5. 7 6. 6 6. 4	5. 7 6. 6 6. 5	5, 9 6, 3 6, 3	6. 4 6. 4 6. 4	6. 4 6. 4 6. 5	6, 4 6, 5 6, 6	6. 4 6. 5 6. 6	5. 9 6. 5 6. 4
			HOUS	TON	(HEA	D, CI	EAN	ED)					
1909	5.6 5.2 4.1 5.1 5.5	5.4 4.1 4.1 4.9 5.2	5.2 4.2 4.1 4.2 4.9	4.9 3.9 4.1 4.6 4.8	4.9 3.5 4.1 4.9 4.7	4.1 3.8 4.4 4.8 4.9	4.4 3.5 4.7 4.8 4.9	3.9 8.2 4.8 4.8 4.8	3. 8 3. 4 5. 0 4. 8 4. 1	4.0 3.5 5.0 4.8 4.5	3.9 3.4 4.8 5.0 4.4	4. 0 3. 3 5. 0 5. 2 3. 5	4.5 8.8 4.5 4.8 4.7
Av. 1909-1918	5.1	4.7	4.5	4. 5	4.4	4.4	4.5	4.8	4.2	4.4	4. 3	4. 2	4. 5
1914	4. 7 5. 1 4. 0 7. 2	4. 9 5. 0 4. 1 7. 1 18. 1 7. 8	5. 0 4. 9 4. 5 7. 8	4. 6 4. 9 4. 6 8. 0	4.8 4.9 4.6 8.0	4.6 4.2 4.9 9.1 12.8	4. 6 4. 4 4. 9 9. 1 12. 5	4.6 4.4 5.2 9.1 12.8 8.5	4.7 4.2 6.5 9.1 12.5	4.8 4.0 7.9 9.1 12.0	4.9 4.0 7.6 11.1 11.6	5. 0 4. 0 7. 5 13. 2 11. 2	4.8 4.5 5.5 17.6 2 10.0 12.0
1920 Av. 1914–1920	10.0	7.8 * 7.0	8. 9 * 6. 6	6, 2 8, 5	6, 1 86, 6	4.6 * 6.7	4.2	8. 5 * 6. 6	8, 2 8, 7	8. 4 8. 9	3. 5 * 7. 1	3. 8 * 7. 4	7.1
1921 1922 1923 1924	4.2 4.6 4.4 6.5	4.6 4.5 4.6 6.1	4.8 4.1 5.0 6.0	4.8 4.1 4.8 5.8	4.4 4.1 4.8 6.0	4.2 4.2 4.9	4.4 4.1 5.1	4.5 4.1 4.8	4.9 4.2 4.9	4.8 4.1 4.9	4. 5 4. 1 6. 1	4. 5 4. 2 6. 1	4.6 4.2 5.0

Division of Statistical and Historical Research. Compiled from the New York Journal of Commerce; New Orleans Times-Picayune, averages of daily range; and reports received from the Houston Cotton Exchange.

¹ Average for 5 months.

¹ Average for 7 months.

Average for 6 years.

BUCKWHEAT

TABLE 147 .- Buckwheat: Acreage, production, value, exports, etc., in the United States, 1909-1924

Year	Acreage	Average yield per acre	Produc- tion	Average farm price Dec. 1	Farm value Dec. 1	Value per acre ¹	Domestic exports, fiscal year be- ginning July 1
1900	805 843	Bushels of 48 pounds 20. 5 20. 1 21. 1 22. 9 17. 2 20. 4	1,000 bushels 17, 983 17, 598 17, 549 19, 249 13, 833 17, 242	Cents 70. 2 66. 1 72. 6 60. 1 75. 5 69. 8	1,000 dollars 12,628 11,636 12,735 12,720 10,445 12,033	Dollars 14, 38 13, 53 15, 20 15, 12 12, 98 14, 27	Bushels 158, 160 223 180 1, 347 586 32, 099 413, 643 515, 304
1916. 1917. 1918. 1919. 1920. Average, 1914–1920	828 924 1, 027 700 701 820 680	18. 1 17. 3 16. 5 20. 6 18. 7 18. 1 20. 9 19. 1 18. 9 19. 6	11, 682 16, 022 16, 905 14, 399 13, 142 14, 867 14, 564 13, 965 15, 956	112 7 160 0 166. 5 146. 1 128. 3 124. 5 81. 2 88. 5 93. 3 103. 0	11, 540 12, 889 13, 147 25, 631 28, 142 21, 032 16, 863 18, 507	16. 80 15. 88 27. 74 27. 40 30. 05 24. 06 22. 57 16. 97 16. 87 17. 63 20. 15	260, 102 5, 567 119, 516 244, 785 399, 437 279, 765 484, 763 171, 535 92, 587

Division of Crop and Livestock Estimates. Figures in italics are census returns.

Based on farm price Dec. 1.
 Compiled from reports of Bureau of Foreign and Domestic Commerce. Including buckwheat flour since Jan. 1, 1922.
 Preliminary.

Table 148.—Buckwheat: Acreage, production, and total farm value, by States, 1922-1924

State	Thou	sands of	acres	Produc	tion, the	ousands s	Total v 1 prid dollar	alue, ba ce, thous	sis Dec.
	1922	1923	1924 1	1922	1923	1924 1	1922	1923	1924 1
Maine	8 1 4 1 2	10 1 4 1 2	10 1 4 1 2	216 25 96 21 36	230 22 72 20 32	260 23 88 19 38	238 31 88 29 50	218 22 72 72 23 35	247 25 92 24 41
New York	208	214	248	4, 368	4, 068	5, 363	4, 368	3, 903	5, 417
	10	10	10	220	210	220	253	200	257
	225	227	250	4, 725	4, 880	5, 150	3, 780	4, 441	5, 304
	8	8	7	153	144	118	122	131	120
	9	9	10	185	199	180	159	199	198
Virginia West Virginia North Carolina Ohio Indiana	18	18	19	351	347	348	288	330	- 869
	33	33	83	693	660	627	589	634	702
	7	9	10	140	198	210	136	214	250
	25	23	23	500	460	368	400	432	879
	6	6	7	90	102	112	90	97	115
Illinois	6	6	7	84	90	98	71	91	118
	62	53	61	868	753	964	694	683	925
	25	28	27	360	892	432	313	349	445
	75	49	57	1,050	637	855	840	578	872
	5	5	6	70	75	90	88	70	91
Missouri. South Dakota Nebraska Kentucky Tennessee	1	1	1	13	13	13	16	15	14
	12	9	10	96	126	148	67	106	156
	1	1	1	16	18	15	14	15	18
	9	9	10	144	162	160	130	162	190
	8	3	8	44	57	57	35	62	71
United States	764	739	816	14, 564	13, 965	15, 956	12, 889	13, 029	16, 44

660

TABLE 149.—Buckwheat: Yield per acre, by States, 1909-1924

State	1909	1910	1911	1912	1918	Av. 1909- 1913	1914	1915	1916	1917	1918	1919	1920	Av. 1914– 1920	1921	1922	1923	1924
	Bu.	Bu.	Bu.	Bu.	Bu.	Bu	Bu.	Bu.	Bu.	Bu.	Bu.	Bu.	Bu.	Bu.	Bu.	Bu.	Bu.	Bu
Maine	28.0	32. 5	30. 0	29. 4	32. 0 31. 0	30.4	29. 0	26.0	24.0	21. 5	20.0	24. 0	27. 0 20. 0	24. 5	27. 0 21. 0	27. 0	23. 0	20. 0
New Hampshire Vermont					25. 0	25.0	28 0	27 0	17 5	20. 0	21 0	22 0	21.0	22.4	22. 0	24 0	18 0	22.
Massachusetts	10 3	22.0	21 0	21 0	17. 0	20 1	18 K	18.0	16.0	15. 0	16. 0	20.0	19. 0	17. 2				
Connecticut	19.5	19 5	19. 0	20. 5	17. 0	19. 1	18.5	20. ŏ	19. 0	17. 3	19. 0	18.0	17. O	18.4				
Competitution	1.0.0	100	10.0		1	1 20. 2						1		۔ س۔				
New York	24. 0	23. 0	21. 3	23. 8	14.3	21. 3	23.0	19. 0	12.0	18. 0	15.0	22. 0	20.0	18.4	21. 5	21. 0	19. 0	21. 8
New Jersey	21.8	21. 5	20.0	22.0	22. 0	21. 5	21. 0	21.0	19.0	18. 0	18. 0	18. 0	18. 0	19.0	21. 0	22.0	21.0	22. 0
Pennsylvania	19. 5	19. 5	21. 9	24. 2	18. 5	20.7	20. 5	21. 0	14.0	18. 0	18. 0	21. 6	18.0	18.7	23.0	21. 0	21. 5	20. 0
Delaware	19.8	20. 5	19. 0	16. 0	17. 0	18. 5	19. 0	18. 5	19. 0	20.0	20. 5	18. 0	18.0	19.0	14. 0			
Maryland	16. 6	18. 5	20.0	17. 5	16. 5	17.8	18. 5	20.0	19. 0	21. 0	20.0	23.0	20.0	20.2	19.0	20.6	22. 1	18. (
		l									l	<u>.</u>						
Virginia	18. 0	18. 0	16. 0	21. 0	23. 1	19. 8							21.6		21.0			
West Virginia North Carolina	22. 7	23.0	24.0	24. 0	21. 0	22.9	21. 0	22.0	18. 8	20. 0	TA' 0	ZI. 0	19. 5	20.8	22.0			
North Carolina	19. 8	19. 0	19. 0	17. 0	19. 3	18. 9	18. 0	17. 0	17. 0	17 0	20.0	17. 0	20. 0 20. 9	18. (17. 0 25. 0			
OhioIndiana	17 2	17 7	10 2	10.0	10. 0	19.0	17 K	20. 0	16. 6	15 0	15.0	18 8	20. 0		19. 0			
Indiana	17.0	11. 1	10. 3	10. 0	10. 0	10. 2	17. 0	17. 0	10. 0	10. 0	10.0	10.0	20.0	10.0	18. 0	10.0	17.0	10.
Illinois	18 2	20 0	18 1	22.0	17 0	10 1	17. 7	17.0	17.0	10 0	17.8	18.0	18.0	17.8	17. 4	14 0	15 0	14.0
Michigan	14. 3	15. 3	18.0	17. 0	15. 0	15. 9								13.0	16.0	14. 0	14. 2	15. 8
Wisconsin	12. 3	14. 0	17. 5	17. 0	16. 5	15. 5	17. 5	13. 0	14. 0	12. 2	15. 9	16. 2	16. 0	15.0	14. 9	14. 4	14. 0	16. 0
Minnesota	15. 2	16. 0	18. 0	21. 0	16. 5	17. 3	17. 0	17. 5	15, 0	14. 0	17. 0	19. 0	16.0	16. 5	16.0	14. 0	13. 0	15. (
Iowa	15. 0	14. 9	17. 5	19. 0	14. 0	16. 1	18. 3	13. 0	15.0	12.0	15. 0	14. 0	17. 0	14.9	15.0	14.0	15.0	15. 0
		1	١.	1	1		li .	1	1		١		1.	1	1			1
	21. 0	16. 5	10.0	15.0	11.0	14.7	15. 5	15. 0	14.0	15.0	13. 0	15.0	16.0					
South Dakota	1:2-2	====		1:=-:			ll::-:	====	====					-====	14. 0	8.0	14 0	14. 8
Nebraska	16. 0	20.0	10.0	18. 0	20.0	18. 0	1X. 2	20.0	17.0	19. O	14.0	10.0	10. 0	16. 8	16. 0	16. 0	18. 0	16.
Kentucky Tennessee	1:00	1:2-8	10.0	15.0	15.0	15. 8	00.0	1000	15.0	17.0	100	13.0	10.0	-15-6	20.0	10. 0	18. 0	10.0
1 chinessee	10 0	10. 0	10. 0	18. 0	10.0	10. 8	ZZ. 8	18. 0	15. 0	17.0	15.0	10. 0	10. 0	17.9	15. 0	14. D	19. 0	In (
United States.	20 5	20 5	21 1	22 0	17 2	20.4	21 3	10 6	14 1	17 3	18 5	20 6	18 7	19 3	20.0	10 1	10 0	10.4
Children Braces.	ا .سا	ال المعار	m1. 1	22. 0	12	20. 7	JE 1. 0	10.0	12. 1	4	120.0	100.0	1200	10.0	24. 8	10. 1	10. 8	1,9,6

Division of Crop and Livestock Estimates.

Table 150.—Buckwheat: Farm price per bushel, 15th of month, United States, 1909-1924

Year beginning September	Sept.	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug.	Weight- ed average
1900		68.6 71.3 67.6	66. 0 72. 8 65. 8	66. 0 73. 2 66 4	65. 1 73. 6 68. 1	64. 2 75. 2 68. 2	64. 7 76. 9 67. 6	65. 6 78. 4 69. 8	68. 0 82. 4 71. 1	71. 2 85. 5 71. 8	74. 2 84. 9 72. 6	75. 0 80. 1	67. 5 75. 4 68. 3
Av. 1909-1913	73. 0	71. 1	70. 2	70. 3	70. 8	70. 9	71. 4	72. 6	74. 4	77. 3	78. 3	76. 1	72.0
1914 1915 1916 1917 1917 1918 1919 1920 Av. 1914–1920	79. 2 77. 6 88. 4 159. 4 185. 2 160. 9 167. 8	76. 1 96. 6 154. 3 176. 5 156. 5 145. 2	78. 6 107. 8 157. 1 169. 8 148. 6 129. 6	80. 1 115. 0 161. 4 164. 7 148. 4	81. 1 115 9 162. 3 160. 5 152. 8 122. 0	82. 0 119 7 165. 0 153. 2 155. 3	83. 2 126. 6 169. 2 149. 0 159. 4 112. 8	139. 4 173. 0 148. 4 166. 0 112. 6	86. 0 167. 2 183. 5 156. 4 174. 5 116. 0	90. 0 196. 4 195. 9 163. 2 191. 4 115. 7	91. 0 199. 2 196. 8 163. 4 192. 0 117. 5	87. 7 176. 8 191. 5 162. 8 178. 8 117. 0	81. 5 126. 5 167. 1 164. 7 159. 2 126. 8
1921	110. 2 85. 2 96. 6 118. 8	95. 0 82. 2 94. 2 107. 1	84. 4	82. 4 89. 0 94. 7 104. 6	84. 4 88. 5 92. 7		92. 6		98.4	102. 3	101. 4		

Division of Crop and Livestock estimates. Mean of prices reported on 1st of month and 1st of succeeding month.

Table 151.—Buckwheat: Farm price per bushel, December 1, 1909-1924, and value per acre, 1924

State	1909	1910	1911	1912	1913	Av. 1909- 1913	1914	1915	1916	1917	1918	1919	1920	Av. 1914– 1920	1921	1922	1923	1924	Value per acre, 1924i
Me N. H Vt Mass Conn	Cts. 70 76 76 75 100	Cts. 68 62 70 85 83	85 89	85	80 80	Cts. 67 71 77 88 92	Cts. 60 70 82 84 95	Cts. 70 81 82 95 96	140	183	Cts. 150 200 160 196 210	Cta. 175 156 170 160 200	122 135 140	Cts. 122 130 126 140 154	125	Cts. 110 125 92 138 140	100 115	110 105 125	25. 30 23. 10 23. 75
N. Y N. J Pa Del Md	69 74 68 60 74	65 69 62 65 66	73 75 69 65 67	64 72 64 66 71	81 76 73 69 75	70 73 67 65 71	76 83 76 76 81	80 83 78 75 72	108 111	160 158 163 148 165	175 179 160 143 165	145 150 140 160 155		128 129 121 120 126	83 100 75 75 85	100 115 80 80 86	96 95 91 91 100	101 117 103 102 110	25. 74 21. 22 17. 14
Va W. Va N. C Ohio Ind	76 76 80 78 77	77 77 80 75 70	70 85 80 78 74	75 75 85 70 73	80 78 78 76 75	76 78 81 75 74	84 83 83 76 78	80 80 82 77 80	95 101 85 110 112	150 170 130 153 155	163 173 150 156 160	155 170 140 155 150		124 131 111 119 122	82 82 85 105 100	82 85 97 80 100	95 96 108 94 95	106 112 119 103 103	21. 28 24. 99 16 48
Mich Wis Minn Iowa	80 66 78 71 85	90 62 75 72 83	95 71 75 76 90	65		85 67 73 70 83	95 71 76 70 77	90 72 83 75 80	116 112	174	180 170 165 170 180	137 150 130	109 120 106	140 117 126 114 138	78 75	85 80 87 80 125	84 89 90	120 96 103 102 103	15. 17 16. 48 15. 30
Mo S. Dak Nebr Ky Tenn	90 	87 90 86	105 95 79	90	85 79 75	92 		90 95 76	110	144 150 145 150	180 165 140		100 100	140 126 118	150 80 80 100 95	125 70 85 90 80	86	105 107 100 119 125	15. 84 15. 00 19. 04
U. S	70. 2	66. 1	72. 6	66. 1	75. 5	70. 1	76. 4	78. 7	112. 7	160. 0	166. 5	146. 1	128. 3	124. 1	81. 2	88. 5	93. 3	103. 0	20. 15

Division of Crop and Livestock Estimates.

TABLE 152.—Buckwheat: Average price per 100 pounds

BUFFALO1

Season beginning October	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Average
1914 1915. 1916. 1917. 1918. 1919.	\$1.60 1.50 1.86 8.22 3.84 2.98 2.73	\$1. 55 1. 81 2. 92 3. 50 3. 70 2. 84 2. 52	\$1.75 1.81 3.15 3.52 3.32 3.16 2.51	\$1. 85 1. 85 2. 86 3. 60 2. 93 3. 25 2. 48	\$2. 21 1. 80 3. 00 3. 73 2. 50 3. 45 2. 40	\$2. 07 1. 70 3. 03 4. 50 2. 35 3. 47 2. 60	\$1. 84 1. 74 2. 80 3. 68 8. 11 3. 19 2. 54
Average, 1914-1920	2. 53	2. 69	2.75	2. 69	2. 73	2. 82	2. 70
1921 1922 1923 1924	1, 75 1, 79 2, 20 2, 95	1. 64 2. 04 2. 12 2. 13	1. 78 2. 13 2. 06 2. 27	1. 94 2. 05 2. 02	2. 08 2. 10 2. 06	2. 59 2. 12 2. 25	1.96 2.04 2.12

MINNEAPOLIS:

1923 1 924	\$1.70 2.04 2.37	\$2. 12 2. 17 2. 14	\$2. 20 1. 98 2. 37	\$2.06 1.94	\$2.07 2.05	\$2.03 2.05	\$2. 03 2. 04
				4.01		t -	

Division of Statistical and Historical Research.

Based on farm price Dec. 1.

¹ From the Weekly Northwestern Miller. Average of weekly quotations. 1922–23 and after from Commercial Bulletin, Buffalo Corn Exchange.

¹ From Minneapolis Daily Market Record. Average of daily quotations.

SORGHUMS

Table 153.—Sorghums¹: Acreage, production, and total farm value, United States, 1915-1924

Year	Thousands of acres	Average yield in bushels per acre	Production, thousands of bushels	Average farm price, Nov. 15, cents per bushel	Farm value thousands of dollars
1915 1916 1917 1918 1919 1920 1921 1922 1923 1924;	4, 153 3, 944 5, 153 6, 036 5, 120 4, 635 5, 792 5, 085	27. 6 18. 7 11. 9 12. 1 25. 8 26, 8 24. 6 17. 9 18. 3 22. 5	114, 460 53, 858 61, 409 73, 241 130, 734 137, 408 113, 990 90, 524 106, 835 114, 231	44. 7 105. 9 161. 9 150. 0 127. 0 92. 9 39. 1 87. 8 94. 0 85. 3	51, 157 57, 027 99, 433 109, 881 166, 510 127, 629 44, 575 79, 503 99, 473 97, 406

Division of Orop and Livestock Estimates.

Table 154.—Sorghums: Acreage, production, and total farm value, by States, 1923 and 1924

State		ands of res	in busi	ge yield nels per ere	thous	iction, ands of theis	price, N		Farm thouse dol	nds of
	1923 1924 2		1923	1924	1923	1924 1	1923	1924	1923	19241
Iowa. Missouri. Nebraska. Kansas. Texas. Oklahoma. Colorado. New Mexico. Arizona. California.	6 13 26 1,598 1,891 1,523 360 205 35 135	7 12 25 1, 244 1, 815 1, 340 302 197 35 108	33. 0 21. 0 25. 6 17. 7 22. 0 12. 0 20. 0 18. 0 34. 0 33. 0	22. 0 22. 0 18. 0 21. 4 25. 0 22. 1 10. 0 22. 0 30. 0 31. 0	19a 273 666 28, 285 41, 602 18, 276 7, 200 3, 690 1, 190 4, 455	154 264 450 26, 622 45, 375 29, 614 3, 020 4, 334 1, 050 3, 348	100 100 88 82 105 92 80 90 100	115 115 91 80 87 77 90 100 130	198 273 586 23, 194 43, 682 16, 814 5, 760 3, 321 1, 190 4, 455	177 304 410 21, 298 39, 476 22, 803 2, 718 4, 334 1, 365 4, 520
. Total	5, 792	5, 085	18. 3	22, 5	105, 835	114, 231	94. 0	85. 3	99, 473	97, 405

Division of Crop and Livestock Estimates.

Table 155.—Kafir: Farm price per bushel, 15th of month, United States, 1916-1924

Year beginning November	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Sept. 15	Oct. 15	Weight- ed average
1916	160. 6 150. 5	166. 7 154. 8	170. 8 158. 7	185. 7 156. 9 188. 7	150. 9	204. 0 162. 1	Cts. 188. 0 211. 0 173. 6 154. 5 51. 5	179. 6 174. 1	165. 6 175. 9	177. 2	Cts. 187. 7 181. 0 153. 7 124. 8 54. 9	Cts. 174. 1 175. 9 189. 7 95. 5 48. 3	Cts. 152. 6 182. 3 160. 4 140. 4 68. 6
1921 1922 1928 1924	85. 8 89. 2 94. 1 86. 8	88. 8 89. 3 85. 5 90. 1	41. 4 89. 0 87. 0	48. 0 92. 1 86. 6	60. 5 98. 6 86. 3	68. 2 106. 2 86. 8	61. 2 96. 4 87. 2	68. 8 100. 2 84. 2		87. 7 102. 2 102. 8		85. 6 100. 8 100. 4	54. 8 96. 6 88. 1

¹ Kafirs, milo maize, feterita.

¹ Preliminary.

¹ Kafirs, milo maize, feterita.

² Preliminary.

Table 156.—Kafir, No. 2 White: Weighted average price per 100 pounds of reported cash sales, Kansas City, 1909-1924

Year beginning November	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Weight- ed average ¹
1909	\$1. 20 1. 12 1. 06 . 98 1. 57	\$1. 31 . 96 . 99 . 86 1. 63	\$1. 53 . 96 1. 19 . 85 1. 72	\$1. 42 . 93 (²) . 83 1. 72	\$1. 37 . 94 1. 29 . 81 1. 76	\$1. 32 . 94 1. 43 . 82 (3)	\$1.46 1.06 1.44 .88 2.00	\$1. 50 1. 24 1. 25 1. 11 (2)	\$1. 53 1. 42 1. 63 1. 09	\$1. 81 1. 34 1. 68 1. 41 (³)	\$1. 78 1. 27 1. 36 1. 53 (3)	\$1. 19 1. 21 1 13 1. 51 (2)	\$1.45 1.12 1.31 1.08
Av., 1909-1918	1. 19	1. 15	1. 25		1. 23		1. 37						
1914	1. 04 . 91 2. 34 3. 40 2. 96 2. 67 1. 39	1. 14 . 99 2. 11 3. 25 2. 61 2. 93 1. 17	1. 33 . 99 2. 43 3. 33 2 60 2. 49 . 98	1. 38 . 96 2. 48 3. 69 2. 70 2. 17 . 91	1. 28 . 93 2. 66 3. 84 2. 56 2. 31 . 85	1. 18 1. 06 3. 17 8. 37 2. 67 2. 38 . 80	1. 14 1. 05 3 79 2. 93 2. 97 2. 65 1. 03	1. 20 1. 11 3. 36 2 65 3. 42 2 52 1. 12	1. 16 1. 22 4. 00 3. 03 3. 51 2. 36 1. 21	1. 09 1. 58 4. 48 3. 40 3. 61 2. 43 1. 13	1. 04 1. 71 4. 34 3 40 2. 41 2. 24 1 13	1. 06 1. 84 3. 69 3. 27 2. 34 1. 81 1. 02	1. 17 1. 19 3. 24 3. 28 2. 86 2. 41 1. 06
Av., 1914-1920	2. 10	2.03	2.02	2.04	2.06	2.09	2. 22	2. 20	2. 36	2. 53	2. 32	2.15	2. 17
1921 1922 1923 1924	.85 1.78 (³) 1.64	. 90 1. 68 1. 27 1. 78	. 90 1. 59 (³)	1. 29 1. 60 1. 22	1. 32 1. 66 1. 19	1. 20 1. 72 1. 30	1. 28 1. 76 1. 10	1. 38 1. 67 1. 51	1. 66 1. 50 1. 68	1. 72 1. 48 (³)	1. 98 (³) 2. 01	1.83 (*) 1.59	1. 36

Division of Statistical and Historical Research. Compiled from Kansas City Price Current and Market Review.

Table 157.—Kafir: Monthly and yearly receipts at Kansas City, 1909-1924

[Thousand pounds-i. e., 000 omitted]

Year beginning November	N	ov.	D	ес.	Je	ın.	F	eb.	м	ar.	A	pr.	M	ſay	Ju	ne	J	ly	A	ug.	Se	pt.	o	et.	Т	otal
1909	6 11 24	940 009 300 948 232	16, 18, 36,	050 100 098	12, 14, 84,	550 291 188	10, 22, 18,	050 945 665	10 6	800 718 222	11 8	900 088	10, 7,	000 410	3, 6, 12,	150 776	1, 4, 5,	660 700 189 051 185	2, 2,	420 350 587 616 62	1, 3, 1,	300 050 450 848 493	3, 5, 1,	200 450 790 478 341	68 121 157	, 050 , 644 , 260
Av., 1909-1913	9,	884	15,	205	15,	101	12,	813	6	431	5	162	4,	868	4,	887	2,	357	1,	207	1,	428	2,	652	81	, 994
1914 ¹	20, 1, 4, 2, 1, 6,	433 574 512 928 834 232 283	62, 5, 15, 9, 13,	524 432 585 117 059 652	32, 10, 25, 8, 41, 54,	068 780 995 562 703 886	32, 15, 21, 9, 40, 25,	424 338 560 425 410 934	35, 4 28, 21, 51, 31,	616 004 336 498 519 847	33, 2 18, 18, 25, 16,	376 526 049 418 133 078	30, 2, 5, 21, 30, 16,	352 , 156 , 482 , 006 , 246 , 878	33, 5, 5, 45, 36,	880 493 975 298 769 036	21, 2, 8, 42, 13,	504 431 218 932 997 121	9, 3, 13, 16,	576 431 602 634 182 386	5, 4, 8, 6,	600 308 493 866 932 714	4, 6, 11,	370 497 899 704	319 43 130 118 321 272	, 580 , 719 , 593 , 087 , 081
1921 ¹ 1922	14, 9, 10,	722 425 903 221	19, 24, 19,	589 883 589	26, 23, 28,	365 531	30, 13,	061 059	21,	930 486	17.	494 762	11,	149 250	11, 2,	889 772	8,	378 881	4,		1,	971 047	6,		174 108	944

Division of Statistical and Historical Research. Compiled from Kansas City Annual Statistical Report, Board of Trade, and Grain Dealers Journal.

Average of daily prices weighted by car-lot sales.
 No quotations.

¹ Kafir, mile maize, and feterita included from January, 1915-December, 1921.

FRUITS AND VEGETABLES

APPLES

TABLE 158 .- Apples: Total production in the United States, 1889-1924

Year	Production	Year	Production	Year	Production	Year	Production
1889	Bushels 143, 108, 000 80, 142, 000 198, 907, 000 120, 536, 000 114, 773, 000 134, 648, 000 219, 600, 000 232, 600, 000 163, 728, 000	1898 1899 1900 1901 1902 1903 1904 1905 1908	Bushels 118, 061, 000 176, 597, 000 208, 930, 000 136, 500, 000 212, 330, 000 196, 680, 000 233, 630, 000 136, 220, 000 216, 720, 000	1907	Bushels 119, 560, 000 148, 940, 000 148, 188, 000 141, 640, 000 214, 020, 000 235, 220, 000 253, 200, 000 253, 200, 000 230, 011, 000	1916 1917 1918 1919 1920 1921 1922 1922 1923	Bushels 193, 905, 000 166, 749, 000 169, 625, 000 142, 086, 000 223, 677, 000 99, 002, 000 202, 702, 000 202, 842, 000 179, 443, 000

Division of Crop and Livestock Estimates. Census figures are in italics.

Table 159.—Apples: Total production December 1, by States, 1915-1924
[Thousands of bushels—i. e., 000 omitted]

State	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924 1
Maine New Hampshire Vermont Massachusetts Rhode Island	1,058 972 2,655	5, 040 1, 596 3, 312 3, 450 261	4, 275 1, 035 1, 248 2, 163 195	2, 010 1, 155 990 2, 430 189	4, 829 1, 364 960 3, 187 334	1, 680 1, 200 993 3, 575 390	4, 060 700 600 1, 125 63	1, 250 775 960 3, 010 200	2, 500 935 521 3, 300 450	3, 241 1, 462 924 3, 346 324
Connecticut New York New Jersey Pennsylvania Delaware	25, 585 2, 331	1, 776 35, 334 2, 250 18, 621 432	1, 251 16, 266 2, 058 11, 646 798	999 40, 878 2, 463 16, 080 714	1, 395 14, 350 1, 666 5, 513 606	2, 375 47, 087 2, 942 18, 584 822	758 13, 500 667 2, 208 68	1, 300 36, 000 2, 610 11, 400 1, 414	1, 600 25, 000 2, 203 10, 855 1, 200	1, 700 23, 800 2, 300 7, 267 1, 200
Maryland Virginia West Virginia North Carolina South Carolina	18, 176 7, 540 5, 916	2, 544 13, 299 7, 752 5, 589 1, 179	2, 559 11, 778 4, 320 4, 500 1, 635	2, 084 10, 068 5, 856 3, 588 1, 407	1, 519 8, 943 4, 189 2, 900	2,600 13,744 8,040 6,320 440	225 570 420 593 293	1, 500 8, 960 5, 625 6, 000 388	2, 300 10, 000 8, 320 2, 700 274	1, 749 15, 184 7, 000 6, 500 426
Georgia Ohio Indiana Illinois Michigan	14, 148	1, 623 8, 601 3, 360 4, 848 9, 951	1,713 5,760 4,836 7,518 4,146	1, 713 7, 005 1, 794 3, 459 9, 792	417 2, 976 1, 190 4, 673 5, 844	1, 270 13, 960 4, 596 5, 866 16, 500	698 3, 390 1, 029 2, 381 6, 317	1, 135 7, 298 4, 148 9, 720 11, 850	864 12, 395 5, 035 7, 500 13, 159	1, 388 8, 325 2, 800 6, 200 7, 333
Wisconsin Minnesota Iowa Missouri South Dakota	1, 235 9, 660 18, 860 301	2, 604 1, 266 3, 573 6, 003 348	8, 090 1, 446 3, 795 8, 070 336	2, 811 996 1, 584 4, 245 273	1, 545 1, 336 1, 810 5, 132 168	2, 250 1, 350 4, 410 4, 724 180	1, 050 900 630 480 126	2, 024 1, 020 4, 410 9, 400 263	2, 340 1, 520 4, 350 7, 072 212	1, 378 979 3, 000 5, 3 0 150
Nebraska Kansas Kentucky Tennessee Alabama	6,076	1, 278 2, 268 4, 416 4, 299 1, 116	1, 854 2, 853 5, 802 4, 170 1, 449	525 1, 503 2, 799 4, 050 1, 662	907 1, 835 1, 281 1, 259 577	797 1, 144 5, 022 4, 280 1, 186	125 172 636 754 890	1, 620 8, 280 5, 070 4, 250 1, 098	880 2, 166 2, 625 1, 311 731	1, 162 2, 812 6, 075 4, 500 1, 190
Mississippi Louisiana Texas Oklahoma Arkansas	562 2, 340	468 669 1, 593	857 1, 293 2, 574	273 660 1, 290	218 44 487 1,600 7,164	190 84 274 585 8,900	. 145 35 274 486 120	216 37 264 1, 140 2, 400	120 31 270 1, 240 3, 025	315 45 365 1, 575 3, 630
Montana Wyoming Colorado New Mexico Arizona	1, 040 2, 080 820 120	768 2, 541 459 138	1, 044 2, 190 879 129	792 2, 067 912 138	850 80 8,418 1,100 125	825 18 2, 830 434 80	975 19 8, 200 483 47	610 40 4, 250 750 77	990 35 8, 010 1, 400 128	574 35 3, 024 720 70
Utah	120	738 17, 658 3, 855 6, 930	906 3, 843 19, 830 4, 335 6, 804	786 1, 200 16, 491 3, 384 6, 560	760 53 3, 800 25, 295 6, 921 8, 200	1, 064 86 8, 420 21, 502 4, 158 6, 000	1, 037 24 4, 500 29, 062 6, 667 6, 500	1, 085 35 3, 900 25, 775 6, 300 7, 850	1, 119 56 5, 600 83, 000 8, 000 10, 500	650 35 2, 520 23, 000 6, 500 7, 370
United States	230, 011	198, 905	166, 749	169, 625	142, 086	223, 677		202, 702	202, 842	179, 443

Division of Crop and Livestock Estimates.

1 Preliminary.

TABLE 160.—Apples (commercial crop): Production, by States, 1920-1924 [Thousand barrels-i. e., 000 omitted]

State 1924 1 State Iowa.... 30 N. H.....Vt 160 Mo..... S. Dak Nebr.... 1, 250 375 172 11ŏ 13Ô Mass..... R. I..... 54A 6, 500 848 1, 547 6, 000 552 45 30 Conn...... 8, 738 3, 300 4, 200 470 Tenn.... N. Y.... N. J.... Q5 780 Ala..... 1, 216 1, 266 29 21 Del..... 399 Okla.... 20 80 130 520 Md..... Va..... W. Va..... 2, 520 Ark..... Mont.... 128 70 1, 988 1, 340 1, 400 881 1, 950

145

Colo

N. Mex

Ariz____ Utah____

Idaho.....

Wash....

Oreg..... Calif.....

United States 33, 905

196

5, 734 832

1, 230

1. 034

8, 300 1, 667 1, 352

21, 557

1, 150 7, 341 1, 260 1, 399

31,945

280

1,600

9, 600 1, 750 2, 100

35, 936

6, 650 1, 750 1, 474

28, 701

1,400

, 400

2, 118 136

109

1,369

608 277 1, 033 800

1, 450 1, 699

Division of Crop and Livestock Estimates. Included in "Apples" (preceding table). By commercial crop is meant that portion of the total crop which is sold for consumption as fresh fruit. One barrel is equivalent to three boxes.

N. C.....

Ga..... Ohio.....

Ind

Mich..... Wis..... Minn

Table 161.—Apples: Percentage reduction from full yield, from stated causes, as reported by crop correspondents, 1912-1923

			Adver	se we	ther co	ndition	ns		,			Other	
Year	Defi- cient mois- ture	Excessive moisture	Moode	Frost or freeze	Hail wind		Storms	Total cli- matic 1	Plant dis- ease	In- sect pests	Ani- mal pests	and un- known causes	Total
1912	P.ct. 2 5 10 3 6.5 1 2 5.4 1 7.5 4 3 2 2 5 0 4.1 5.7	P. ct. 0. 9 . 4 . 3 1. 9 3. 2 3. 8 . 7 2. 9 . 8 7 1. 3 . 6	P. ct. 0.3 (t) (2 .2 .1 .2 .1	P. ct. 10. 2 24. 3 6. 4 15. 8 9. 9 15. 3 19. 1 29. 1 21. 6 50. 3 13. 4 16. 9	P.ct. 0.7 .6 .6 .9 .10 .8 .6 .8	P. ct. 0.3 .9 .1 .6 .3 1.0 .6 .2 .3	P. ct. 0 9 . 6 . 6 1. 2 1. 4 1. 1 . 7 . 6 . 7	P. ct. 16 9 39. 2 21 8 22. 8 27. 0 30. 7 39. 1 16. 6 57. 7 21. 3 25. 3	P. ct. 4.2 1.0 .8 5.2 5.4 7 4.2 5.1 4.4 3 0 4.8 5	P. ct. 3. 1 5. 2 5. 0 3. 0 2. 8 2. 7 1. 9 2. 4 2. 7	P.ct. 0.1 (2) .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1	P. ct. 8. 1 7. 4 7. 1 5. 3 7. 1 9. 6 7. 0 5. 7 2. 9 2. 4 1. 7 2. 0	53. 5 28. 2 35. 4 38. 6 44. 2 44. 9 52. 7 25. 9 65. 1 30. 8

Division of Crop and Livestock Estimates.

¹ Preliminary.

¹ Includes all other climatic. ² Less than 0.05 per cent.

TABLE 162 .- Apples: Car-lot shipments, by State of origin, June, 1917-June, 1924

Q			Стор п	ovement s	season 1		
State	1917	1918	1919	1920	1921	1922	1923 1
BOX AREA	Cars	Cars	Cars	Cars	Cars	Cars	Cars
Montana	171	262	500	430	686	351	462
Colorado	2,064	1, 984	3, 225	2, 861	3, 886	3, 385	2, 716
New Mexico	636	407	959	279	615	438	1, 367
Arizona Utah	355	441	199	619	735	14 718	947
Idaho	3, 528	536	3, 943	2, 881	5, 811	4, 230	6, 912
Washington	15, 837 3, 448	16, 232 2, 246	27, 169 5, 443	31,627 3,170	32, 961 6, 543	28, 291 3, 893	37, 649 6, 428
Oregon	1,630	3, 473	4, 153	4, 503	5,055	4, 966	6, 504
	-						
Total box	27, 669	25, 581	45, 591	³ 36, 375	56, 294	46, 286	62, 994
BARREL AREA							
Maine	1, 248	257	2, 343	414	4, 306	278	876
New Hampshire	276	120	507	249	321	187	311
Massachusetts	358	252	407	627	159	284	246
New York	5, 867	22, 900	10, 286	4 33, 860	17, 735	29, 981	20, 357
New Jersey	1,001	936	737	856	179	447	399
Pennsylvania	913 349	1, 794 375	1, 266 498	3, 402 751	226 126	2, 038 1, 751	4, 030
Delaware		714	600	1, 637	138	1, 781	1, 590 2, 179
Maryland Virginia	4, 589	4, 227	7, 075	8, 762	323	6, 975	9, 827
West Virginia		2, 919	2, 849	4, 880	801	2, 240	7, 384
Ohio.	274	448	255	976	615	424	1,044
Illinois	5, 554	\$ 2,676	2, 935	3, 471	445	4, 840	6, 824
Michigan	1,385	2, 862	3, 435	6, 212	5, 992	6,015	9, 237
Missouri	2, 600	1, 167	2, 155	1,725	(6)	3,080	4, 011
Kansas	1, 131	398	535	738	62	1,083	1, 412
Arkansas	1, 545	1,065	4, 553	2,666	(6) 7 592	2, 620	2, 759
All other	1, 931	939	1,008	1,679		2, 630	2, 518
Total barrel	30, 737	8 44, 049	41, 444	4 72, 905	7 32, 020	65, 997	75, 004
Total box and barrel	58, 406	⁴ 69, 630	87, 035	109, 280	7 88, 314	112, 283	137, 998

Division of Statistical and Historical Research. Compiled from data of the Fruit and Vegetable Division. Shipments as shown in car lots include those by boat reduced to car-lot basis.

Preliminary.
Includes 10 cars in July, 1921.
Includes 3 cars in July, 1921.
Includes 2 cars in July, 1919.

Table 163.—Apples: Car-lot shipments, by State of origin, June, 1917-December,

!					Cro	op mov	ement	seasor	1					
State and year	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mai	Apr.	May	June	Total
New York:	Care	Cars	Cars 19	Cars 397	Cars 1, 339	Cars 1, 149	Cars 439	Cars 444	Cars 693	Cars 685	Cars 470	Cars 186	Cars 46	Cars 5, 867
1918		8					2, 388			1, 130				
1919		23	169	978			829							
1920		- 4	747							2, 655	1,074	449	3 92	233, 860
1921		98		3, 064						1,472	970	563		
1922		68	1,360	3, 502	7, 988	5, 711	1,968	2, 193	2, 241	2, 399	1,482			29, 981
1923		4 7	834	1,715	4, 297		1, 201		2,000	2,821	1, 697	993	284	20, 357
1924 3	l	7	583	1, 530	3, 772	2, 808	1, 177							
Pennsylvania:	1	1	l							_		i .)	
19:7			12	36	526	145	62	28	42	18	39	5		913
1918		25				247	124	143		45				1, 794
1919		2	14		699	121	76	93						1, 266
1920		27	27	190	1,379		382	299						3, 402
1921			1	67	109	9	7	7	15	9				226
1922		19	23		840	372	220	177		21				2, 038
1923		20	30		1,611	933	292	303	288	142	19	8	2	4, 030
1924 3		4	5	67	552	299	161							
Virginia:														
1917	6	36			1,887	548	131	131	250	211	156			4, 589
1918		29	100			740	235	283	171	83				
1919		43					394	318						7,075
1920		46			3, 143		811	680					25	
1921			9	126		17	34	16	10	16				323
1922	5	32	300	1,741	2, 349		465		133					
1923		50				1, 482	778	711	309	201	115	98	104	9, 827
1924 3		56	168	1 2, 823	5, 464	2, 375	512				1		l	

¹ The crop movement season extends from June 1 of one year through June of the following year.

² Includes 3 cars in July.

³ Preliminary.

¹ The crop movement season extends from June 1 of one ye, " through June of the following year.
2 Preliminary.
3 Includes 10 cars in July, 1921.
4 Includes 10 cars in July, 1921.
5 Includes 12 cars in July, 1921.
5 Includes 13 cars in July, 1921.

Table 163.—Apples: Car-lot shipments, by State of origin, June, 1917-December, 1924—Continued

	Crop movement season 1													
State and year					Ore	op mov	ement	seasor	11					Total
	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	
West Virginia:	Cars	Cars	Cars	Cars	Cars	Cars	Cars	Cars	Cars	Cars	Cars	Cars	Cars	
1917		23	24 71	231 504	478 1, 254	223 718	98 202	37 78	87 34	66 32		3		1, 280 2, 919
1919		23	90			365	160	95	82	71	61	15		2, 849
1920		63		744	2, 269	874	209	179	118	146	109	84	10	4, 880
1921	10	4	18 75		176 1, 005	19	27	15	42	59 36		2		801
1923	10	28 78	118			310 1, 585	141 340	84 314	37 115	119		25 30	35	2, 240 7, 384
West Virginis: 1917		46	91		1,724	623	126							7,002
		353				204		٠.,	40	-		١.	}	
1917 1918	24	244			3, 001 1, 210	664 219	3 46	· 12	49 100	33 69	37 46	8 39	4 14	5, 554 4 2, 676
1010	38	340	79	807	1.142	131	11	73	90	111		55	13	2, 935
1920	50	528			1, 268	296	34	45	28	113	69	26	. 8	3, 471
1920 1921 1922 1923	35 312	24 526	51		94	492	. 9	33 65	46 85	12 88	7 61	12	1	445
1922	22	481	253 203		1, 557 3, 519	607	58 78	75	61	45				4, 840 6, 824
192/4	37	483		1, 149	2,648		79						20	0, 022
			1	,								•		
1917		88	127 414	271 480	432	511 307	23 27	6 5	5 4	10 4				1, 385
1919		12				175	7	2		i		2		2, 862 3, 435
1920		55	1, 152	1.188	2, 102	1,300	175	51	92	70	26	ī	,	6, 112
1921		516	1, 219	1,772	2, 327 2, 717	112	15			7			.	5, 992
1922		307 39	913 1, 220		3, 851	854 1, 970	95 240				20 83	23	3	6, 015 9, 237
1924 3	i	2	387		1, 335	647	45		142	100				0, 201
Michigan: 1917 1918 1919 1920 1921 1922 1923 1924 3 Washington.	1	·	[l '									
1917		22	150		5, 280	4, 582	1,447	1,043 700	1, 461	967 420				15, 837
1918		35			6, 209 9, 401	4, 481 6, 682	2, 139 1, 875	1,854	814 1,881		211 1, 133		19	16, 232 27, 169
1920		33	111	653	7, 521	l 4. 967	1-2.069	1, 123	1,699	1,498	1, 056	700	8 197	521. 627
1921		33	120	2, 506	12, 758 6, 792	7, 749	1 3 124	I 2 070	2,368	994	636	491	112	32, 961
1922		33 65		2, 187	6, 792 13, 111	0.596	3,298	4, 194 3, 411	3, 007 3, 812	2,004 1,960	780			28, 291 37, 649
Washington. 1917 1918 1919 1920 1921 1922 1923 1924 1928 Oragon:	8	26	192	3, 186	8, 936	5, 515	3, 298 2, 708 2, 047	3, 411	3, 012	1, 500	1,010	010	100	31,010
Oregon:	[1	1							_	j	
1917		2	9	43 59		1, 207 746	627 359	219 126	260 128	335 72				3, 448 2, 246
1919		4	10		1,354	1, 478	781	798	406	232	108			5, 443
Oregon: 1917		i	3	36	961	1,079	452	260	207	116	43	12		3, 170
1921		9			2, 340	1, 897	1,032	496	298	109		6 3		6, 543
1922		1 19	27	98 371	867 2, 241	1, 238	706 635	451 482	314 394	191 186	59			3, 893 6, 428
1924 3			40		2, 375	2, 012 1, 469	640							
California:			١		1	1							١.	
1917	6	112 66	173 468		404 797	216 585	62 501	22 198	34 226	36 81				
California: 1917 1918 1919 1920	5	273	441		908		370	155	148		48	41	. 5	4, 153
1920	6	244	723	967	1.018	765	373	106	84	73	79	56	9	4, 503
		352	690		1,494 918	699	181	120 179	117 103	101 168	107	21 78	30	
1922	61	220 1, 290	998 984		1, 431	887 771	494 219	122	77	122				6, 504
1922 1923 1924 *	16	720	619	942	1, 174		187							
An other.				l	1	l		1		, rc.	050			17 000
1917	36 148	241 642	638 553		7, 919 4, 885	4, 920 1, 321	1, 101 299	420 230		521 127			1 8	17, 903 10, 301
1919	61	592	899	3, 879	10. 381	4, 430	798	378	422	379		61	6	10, 301 22, 424 19, 393
1918 1919 1920 1921	107	854	704	2.465	8.498	3, 861	994	703	486	519	134	50	18	19, 393
1921	6 28	171	295	13 5AR	9,817	2, 748 4, 028	723 1, 371	340 846	364 587	124 466			14	18, 232 23, 644
1922	1 340	1, 358 1, 314	922 873	4, 324	8, 982 12, 477	6, 023	1, 575	1, 128	993	561				29, 758
1923 1924 3	139	969		3, 685	9, 942	4, 222	1,098							
Total:			1				2 000	9 940	5 vav	2, 882	1 847	347	K-	58, 406
1917 1918	54 178	75k	1, 308 2, 350	8 070	28,895	14, 165 13, 563	3, 993 6, 320	2, 362	3, 232 3, 679	ากลา	11 000	1 42C	1 4 20	469, 630
1919	102	1, 347	2, 712		32, 666	15, 854		4, 044 4, 393	4, 419	4, 378	2, 229	1, 276	99	87, 035
1919 1920 1921	163 6 77	1,855	3, 861	11, 043	37, 284	23, 087	8, 875	6, 046	6, 698 4, 756	5, 695	2, 819	1, 495	7 359	7109.280
1921	6 77	1, 207	3, 384	13, 153	35, 057	20 407	5, 991 8, 816	6, 046 4, 199 8, 573	4, 756 6, 611	2, 903 5 FOO	1, 763 207	1, 117	243	688, 314 112, 288
1922 1923	874 153	3, 360	4, 122	12, 259 11, 043 13, 153 14, 970 16, 689 14, 538	49, 876	26, 571	8, 061	8, 320	8, 191	4, 378 5, 695 2, 903 5, 502 6, 337	3, 442	2, 201	675	137, 998
1924	201	2,313	8,072	14,538	37, 922	19, 045	6,070			.,				
			•	_							<u> </u>	l	1	<u> </u>

Division of Statistical and Historical Research. Compiled from data of the Fruit and Vegetable Division. Shipments as shown in car lots include those by boat reduced to car-lot basis.

Preliminary.

Includes 2 cars in July.

Includes 2 cars in July.

Includes 2 cars in July.

Preliminary.
Includes 2 cars in July.
Includes 10 cars in July.

TABLE 164.—Apples, green or ripe: Exports from the United States, by countries, 1900-1924

Total	Barrels 526, 636 883, 673 459, 719 1, 656, 129 2, 018, 262	1, 499, 942 1, 206, 969 1, 539, 267 1, 049, 545	922,078 1,721,106 1,456,381 2,150,132 1,506,669	2,351,701 1,466,321 1,739,997 635,409 1,576,848	1, 050, 598 2, 665, 101 629, 181 1, 394, 934 592, 581 3, 491, 284 2, 032, 241 6, 196, 199
Other coun- tries	Barrels 23, 984 14, 155 12, 081 21, 346 18, 099	18, 089 12, 594 82, 836 21, 918 37, 129	8,23,28,23,28,23,28,23,28,23,28,23,28,23,28,23,23,23,23,23,23,23,23,23,23,23,23,23,	58, 346 50, 691 58, 173 34, 109	46, 906 28, 7777 28, 250 10, 405 189, 529 12, 722 288, 662
Argen- tina	Barrels 2 5	1 3 72 266	3, 7, 239 36, 239 36, 239 36, 239	29, 170 29, 453 29, 176 6, 576	28, 336 14, 907 7, 857 4, 200 13, 063 60, 777 86, 794 86, 716
Brazil	Barrels 1, 724 2, 012 86 3, 394 4, 005	5, 596 4, 354 7, 697 7, 205	9, 462 13, 387 20, 956 14, 172 25, 314	28, 287 28, 486 15, 287 11, 718	28, 557 13, 2877 1, 286 1, 602 39, 550 84, 543
Cubs	Barrels 8, 361 8, 229 5, 424 7, 928 6, 637	11, 505 9, 628 18, 864 13, 580 16, 699	16, 835 21, 928 18, 962 19, 745 13, 764	8,8,8,8,8 8,9,8,2 8,9,8,4 8,8,4 8,8,4 8,8,4 8,8,4 8,8,4 8,8,4 8,8,4 8,8,4 8,8,4 8,8,4 8,8,4 8,8,4 8,8,4 8,8,4 8,8,4 8,8,4 8,8,4 8,8,4 8,8,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,4 8,6,6,4 8,6,6 8,6,6 8,6,6 8,6,6 8,6,6 8,6,6 8,6,6 8,6,6 8,6,6 8,6,6 8,6,6 8,6,6 8,6,6 8,6,6 8,6,6 8,6,6 8,6 8	28, 151 20, 233 20, 523 10, 365 20, 156 24, 537 85, 425
Aus- tralia	Barrels 9, 270 7, 142 10, 836 6, 161 10, 003	7,770 14,204 12,869 11,399 21,120	12, 25 12, 230 14, 246 35, 336	22 22 22 23 24 30 27 343 27 363 27 363	3,756 2,756
Mexico	Barrels 5, 041 5, 041 6, 678 6, 678	12, 278 11, 312 16, 294 10, 834 17, 157	28,889 18,539 21,271 11,080	8,000 10,365 36,686 57,465 33,442	25, 676 46, 500 20, 983 26, 011 4, 414 103, 824 1, 749 126, 223
Canada	Barre 17, 869 17, 869 16, 489 19, 650 18, 451 15, 629	21, 840 20, 900 51, 438 44, 045 65, 920	68, 920 155, 081 206, 857 376, 951 299, 347	318,840 301,986 314,955 457,948 264,665	188, 543 327, 561 44, 824 264, 677 47, 005 347, 919 45, 459 645, 817
Total Europe	Barrels 461, 185 830, 603 406, 149 1, 592, 159 1, 954, 818	1, 422 , 863 1, 135, 997 1, 399, 276 941, 366 730, 794	765, 686 1, 455, 237 1, 138, 631 1, 634, 015 1, 028, 752	1, 841, 565 967, 771 1, 190, 991 2, 907 1, 202, 221	709, 416 489, 324 489, 324 1, 059, 151 495, 916 2, 699, 670 1, 920, 514 4, 880, 813
Other Europe	Barrels 1, 427 1, 381 1, 381 22, 862	4, 314 14, 208 10, 846 3, 072 2, 094	3, 015 4, 810 5, 155 4, 906 13, 010	20, 231 1 7,5 3, 463 2, 176	4, 981 1, 287 1, 287 4, 695 7, 685 267, 690
Den- mark	Barrels 105 4 43 972 6,608	1, 042 1, 314 7, 863 4, 744 10, 655	4, 569 11, 959 10, 626 17, 439 6, 455	47, 437 56, 520 11, 989 31, 455	15, 106 21, 576 9, 031 23, 587 21, 969 26, 428 118, 238
Norway	Barrels (3) (3) (1) (1) 265 11, 265	867 2, 538 1, 781 2, 103	4, 914 14, 914 14, 914 6, 857	26, 323 26, 410 20, 410	76, 382 74, 960 27, 839 57, 534 13, 261 128, 537 30, 244 175, 862
Sweden	Barrels 13, 255 11, 554 12, 024 105 259	155 62 3,488 186 1,226	2, 283 3, 926 1, 236	6, 111 8, 787 3, 573 32, 732	14, 273 13, 039 2, 803 33, 399 1, 180 25, 254 78, 768 179, 274
France	Barrels 3, 346 101 333 3, 556 37, 205	28, 912 1, 336 1, 42 882	7, 421 3, 306 3, 421 3, 374	1, 549 6, 144 2, 125	634 445 445 259 259 1, 258 1, 390 1, 390
Ger- many	Barrels 64, 086 33, 495 21, 873 1156, 717 333, 586	165, 903 167, 752 201, 218 124, 618 36, 463	106, 786 112, 319 122, 823 272, 382 168, 792		1, 498 1, 498 14, 483 42, 568 476, 633
United King- dom	Barrels 388, 966 794, 660 380, 495 1, 428, 242 1, 553, 341	1, 250, 118 925, 087 1, 171, 987 806, 234 677, 371	046, 726 1, 318, 110 994, 551 1, 318, 426 827, 028	1, 747, 396 874, 587 1, 147, 412 1, 766 1, 016, 945	900, 578 2, 001, 622 458, 227 989, 675 480, 437 1, 734, 786 3, 661, 828
Year ended June 30—	1900: 1901: 1972: 1903: 1904:	1906 1906 1907 1908 1909	1910 1911 1913 1913 1914	1915 1916 1917 1918 1919	1920 1921 (bbis 1922 (bbis 1922 (bbis 1924 (bbis

Division of Statistical and Historical Research. Compiled from Foreign Commerce and Navigation of the United States.

¹ Includes Norway.
² Included in Sweden.
³ Six months, January-June. Previous to January, 1922, boxed apples were included with barreled apples.

Table 165.—Apples: Cold-storage holdings in the United States, October 1, 1914-December 1, 1924 1

[Thousands—i e., 000 omitted]
BARRELS

	i .			T					
Season beginning October	Oct. 1	Nov. 1	Dec. 1	Jan. 1	Feb. 1	Mar. 1	Apr 1	May 1	June 1
1914	824 452 570	3, 093 2, 530 2, 558 2, 915 3, 108 3, 516 1, 822 4, 133	4, 213 3, 166 3, 195 3, 280 3, 326 4, 570 1, 979 4, 319	2, 929 3, 743 2, 680 2, 754 2, 582 2, 693 8, 966 1, 742 3, 708	2, 438 3, 324 2, 121 2, 226 1, 704 2, 092 3, 016 1, 424 2, 839	1,716 2,543 1,560 1,575 962 1,385 2,020 996 2,013	896 1, 561 1, 044 978 487 705 1, 027 561 1, 199	299 799 543 856 198 274 449 248 578	61 218 183 101 68 64 170 74
1923	664	4,619	5, 477	4,962	8,993	3, 024	1,925	1, 113	451
1924	543	3, 551	4, 167						
			вохи	8				·	
1914	440	1,789 2,190 2,216 2,513 4,244 2,878 5,464 4,164 6,886 6,620	3, 685 3, 977 4, 483 4, 945 7, 793 6, 651 11, 281 7, 271 13, 866 9, 917	4, 091 3, 210 4, 356 5, 534 5, 137 8, 508 7, 259 11, 061 8, 319 14, 201	3, 441 2, 738 3, 790 5, 192 4, 205 7, 296 6, 266 8, 667 7, 612 11, 550	2, 323 2, 096 2, 646 3, 764 2, 431 5, 331 4, 890 6, 282 5, 593 8, 821	1, 341 1, 268 1, 504 2, 416 1, 410 2, 982 3, 548 4, 107 3, \$45 5, 837	525 709 796 966 545 1, 598 2, 009 2, 088 1, 475 2, 901	142 258 246 172 170 447 826 721 380 949
		BARR	ELS AN	ID BOX	ES:				
1914	971	3, 689 3, 260 3, 296 3, 752 4, 523	5, 441 4, 492 4, 689 4, 928 5, 923	4, 293 4, 813 4, 132 4, 599 4, 294 5, 529	3, 585 4, 236 3, 385 3, 957 8, 105 4, 524	2, 491 3, 242 2, 442 2, 830 1, 772 8, 162	1, 343 1, 984 1, 545 1, 783 956 1, 699	474 1, 035 808 678 380 806	108 304 265 159 125 213
1920 1921 1922 1923 1924	544 792 1, 452 927 820	4, 475 3, 643 5, 521 6, 914 5, 758	6, 787 5, 739 6, 743 10, 099 7, 478	6, 386 5, 429 6, 481 9, 696	5, 105 4, 313 5, 376 7, 843	3, 650 3, 090 3, 877 5, 965	2, 210 1, 930 2, 314 3, 871	1, 119 944 1, 070 2, 080	445 314 277 768

Division of Statistical and Historical Research.

Table 166.—Apples: Farm price per bushel, 15th of month, United States, 1910-1924

Year beginning June	June 15	July 15	Aug. 15	Sept.	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	Weight- ed av.
1910	Cts. 112. 0 135. 4	Cts. 76. 9 94. 8	Cts. 73. 8 73. 0	Cts. 73. 6 70. 2	Cts. 77. 4 65. 8	Cts. 89. 3 73. 1	Cts. 100. 2 86. 1	Cts. 115. 7 92. 7				Cts. 138. 6 128. 8	Cts. 88. 1 76. 6
1912 1913	108. 0 101. 2	82. 5 86. 0	67. 5 75. 2	62. 2 76. 5	61. 8 85. 6	63. 5 94. 4	72. 6 103. 6			82. 4 128 9		94. 0 146. 4	66. 8 93 0
Av. 1910-1913 1914	114. 2 135. 6 90. 8	85. 0 91. 2 78. 4	72. 4 68. 6 61. 8	70. 6 61. 6 58. 0	72. 5 56. 0 66. 1	80. 1 57. 3 72. 4	90. 6 66. 6 77. 0	98. 3 69. 3 86. 1	73. 1 90. 5	73. 4 91. 2	80. 1 94. 8	90. 6 97. 5	81. 1 62. 7 71. 0
1916 1917 1918	104. 9 146. 5	86. 5 125. 1	80. 7 100. 6	75. 6 96. 6	82. 5 105. 1	92. 0 116. 8	103. 4 127. 4	104. 3 132. 9	114. 4 138. 5	126. 9 142. 6	137. 1 143. 9	142. 9 155. 8 220. 8	90, 7 118, 6 137, 5
1919 1920	223. 4 249. 1	187. 6	161. 4	153. 2 134. 8	175. 6 125. 9	184. 9 180. 7	218. 9 143. 2	215. 9 130. 8	229. 2 132. 8	236. 7 134. 7	253. 5 142. 2	285. 8 162. 3	186, 1 184, 4
Av. 1914-1920	156. 8 173. 9	165. 3	105. 7 165. 1 100. 4	99. 8 171. 4 94. 3		215.7		183. 5	206. 7	206. 2	194. 5	165. 1 241. 4 178. 7	113, 7 196, 2 107, 5
1922 1928 1924		166. 7	121. 4		114.0	114.6	114.0					181. 8	117. 8

¹ All apples, except those packed in western-style boxes, are tabulated in terms of barrels, on the basis of 3 bushels to the barrel; since Oot. 1, 1923, apples packed in bushel baskets are also included in this tabulation. Three boxes are considered the equivalent of 1 barrel.

3 In terms of barrels.

Table 167.—Apples: Average 1. c. l. price to jobbers at 10 markets, 1920-1924

N BARRELS

					. B.	BAKKELS								
Market.	September	ber 1	October		Novem-	Decem-	January	February	March		April		May	
September	Range	Average	Range	Average	average	average	average	average	average	Range		Average	Range	Average
New York:			8				* 6		2	S		ş	02 04 00 VA	8
1921	d e	\$ 2					38		25.5	şξ		54		3
1923	5 ~	83.63	8				88	8	62	8	28	8	3.75- 8.50	6. 75
1923	2.00-7.50	2 16	2.00-10.00	88	4. 58 5. 58	7.5	4.46		4 . 56	ä			50-7.	4.23
Chicago:	ń	3	i							:				
1920	8 8 8 8 8 8	28.8	3.50-9.00	888	1,00	20 S	5.36	5. 15	جر م 86 ع	육	88	1.55	5.00- 9.00	8
1922	ತ ಆ	3 28	2 1.										4.00-9.50	9
1923	r c		8 9 8							ģ			g Ri	₹
Philadelphia	Ň		01-0							-	-			
1920	~		50-8 8							3			4.00- 7.50	g 9
1921	ď		00-12				7.38	7.4	7.07	4.25	86	50.		
1922	ó		8 							8			2. S. S. S. S. S. S. S. S. S. S. S. S. S.	200
1024	1.75-7.00	88	- 14 C	3.5	38	2 8 2 8				ş			S S	9 4 %
Pittsburgh:	ó		3								-		; ; ; ; ; ; ; ;	
1920	1 6		8 6							참			4.50-8.50	6.31
1921	5.25-9.00	253	5.00	7.16	9	88	88	7.	7.07		88	88	8	
1972	ي اي ل ل		9 9 9 4							3 %			2.50	# 2
1924	i sci		88 14							,				
St. Louis:	1		;							į			9	•
1920		0.34	4 7 7 7 9	4.6	34	4	4; 8	8	3	٠ او		9	9. 30- IU. 00	8 d
1922	4		75-4:				4.61	4. 53	4.89	-03.	7.50	4.88		
1923	1.75-5.25	4.07	75 5 5			4 15				ř				
Cholmeti.	ė		: }								-	-		
1920			75- 6.							참			5.00- 7.75	6.70
1921	2.00-9.00	8 12	8 8 8							ģ				
1922	4		8 4,				4.46	4.72		8:	38		6.50	883 143
1924			2.50-5.30	69	÷ 4	8.5				8			.	6
St. Paul:														
1920	7.00-12.50	z z	2.50	7 37	7.0	25	16 6	60 ·c	, 0	P		- G .0		
1022			8 8 8				4 50	5.28	4.95	9.	5.50	5. 19	5.00- 5.50	5 46
1923		-	₽							2 5			符	
1924														

3.38	4.4 8.4	2 12 4 2 12 1	# F F F F F F F F F F F F F F F F F F F	8 19 9 1 17 5: 1	11 2 01	3 18 25 26 26
5.25- 6.00 3.25- 3.50	3.00- 6.00	4 00- 00 3.75- 00 2.25- n	\$2 75-\$5 00 2 25- 4 75 1 75- 2 65	2. 50- 4 50 1. 85- 5. 00 1. 75- 3 75	-29	2 25- 4.00 2 25- 3.50 1.75- 4.00
5.39		ი ფი 4 გავი 4 8 10 8 11 8		ର୍ଜ୍ୟ ବ୍ୟ ବ୍ୟ		2 2 2 3 3 6 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
5 00- 6.25 3.50- 7.00	50- 7.50 50- 6.00	3.50-7.50 6.80-9.00 2.00-7.50 7.00-7.50	\$2.50-\$6.00 2.75- 4.75 1.90- 3.75 1.25- 2.50	2 25- 5 25 2 00- 4 50 2 25- 5 00 1 50- 3 75	25-3 75 00-3 25 25-2 50	25-3 75 25-4 50 00-3 50 50-4 00
	5.05 4.74		୍ଲି କ୍ରେସ	20 38 20 30 30 30 30 30 30 30 30 30 30 30 30 30	1888	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
9 26 5 27 5 50	ਵਾਂ ਵਾ	12.4.8 12.4.8	చి బలు కార్యాల్లు కార్యాల్లు			
			සූ ක ශ ශ්			85%5
86 52 57 57 58 50 50 50 50 50 50 50 50 50 50 50 50 50	5 66 4.58 6.15	78.480 22.2485 78.525 78.52	88 64 64 64 88 64 64 68 89 64 64 65	882 883 883 883	4444 244 84 84 84 84 84 84 84 84 84 84 84 84 8	2 2 2 2 2 2 3 2 3 3 3 3 3 3 3 3 3 3 3 3
O 4 12 10	5. 4.4.8 8.30 5.4.30	7.844.7 44.74.8 8.256.78	33 4444 88888	8844 844 844 844 844 844 844 844 844 84	21.192 21.193 577 577	13883
8 5 12 8 8 12 8 8 9 6 8 9	7. 25 4. 33 6. 16	ය ය. ඇ. ඇ. දැ සි පි පි පි පි ආ සි පි පි පි පි	ଞ୍ଜୁଜର୍ଗର	ल बबल क	2 - 2 2 3 3 8 8 6 6 2 3 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	2 2 2 2 2 2 3 10
2. 3. 3. 4. 4. 30 - 8. 6. 6. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7.	5.00-8 3.75-5.00 3.25-5.50 6.00-6.50	3.00-14.00 7.50-11.00 2.00-6.50 3.50-7.50 3.00-8.00	\$2 25-\$5 50 2 00- 6, 50 1.140- 5, 50 1.15- 6, 00 1.50- 4, 50	2 00- 4.75 1 50- 3.75 1.50- 3.75 2 25- 4.50	2.00-4.75 1.38-5.00 1.25-3.50 1.00-3.25 1.75-4.50	3 50- 5 50 2 00- 4.75 1.50- 3 00 2 00- 4 50 2 00- 4 50 Sent 7 1921: Sent
6.30	9. 1. 9. 45 1. 00 5. 62 5. 67	යනුසුයුඩ පිසිසිසිපි පිසිසි	7 4444 6888 8	4.62		2003
6.00-7.50	7. 50-9 00 10. 00-12.00 3. 00-4. 00 4. 00-6.50 3. 25-6. 00	3, 50-7, 50 5, 00-11, 00 3, 00- 5, 75 4, 00- 9, 00 3, 00-10, 00	\$4 co. 45 25 2 25 - 0.0 1.50 - 4.50 1.50 - 4.50 1.75 - 5.00	4.00- 5.25 00- 2.80 50- 4.00 25- 4.25		om Sent. 1 in 1930, 1922, 1922.
1921. 1923. 1924.	1920. 1920. 1921. 1922. 1924.	W esting 1920 1922 1923 1924	New York 1920 - 1920 - 1922 - 1922 - 1922 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 - 1923 -		920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 1920 - 192	Fittsonig 1920. 1921. 1922. 1924. 1924. Dondstims been in Sent. 1

Quotations began on Sept. 1 in 1920, 1922, 1923; Sept. 7, 1921; Sept. 2, 1934, Last reported quotations of season May 28, 1921; May 1, 1922; May 12, 1923; June 18, 1934. Head treet to retailers to September, 1923.

TABLE 167 .- Apples: Average l. c. l. price to jobbers at 10 markets, 1920-1924-Continued

IN BOXE3-Continued

				-	IN BOXE	IN BOXES—Continued	ned						
Market.	September 1	iber 1	October	i k	Novem- ber	Decem-	January	February	March	April		May 1	-
September	Range	Average	Range	Average	атегаде	average	average	average	average	Range	Average	Range	Average
St. Louis: 1921							\$2.70	83	\$2.97				
1922													
Cincinnati:							07.6						
1021						40 04	2. 4						
1923						3							
St. Psul: 1920			22	\$3.50	\$3.34					2	\$3.20	\$3.00-\$3.50	\$3.27
1821	\$2.25-\$3.75	\$2.81	4	3.62	3.56					Š Š	8	20.00	
1058	2 2 2	6 4	1.89 9.89 8.89	85	4.0 2.0 2.0	45	72.52	28	2 4	2. 40- 2. 75	92 2	2.50-2.85	64 c
1834			5	3	3					9	8	4 1	9
Minneapolis:			Ę							6		9 60	8
1921	8		9							9 4		6 5	6
1922	2.40-3.37	2.59	5.00				20	26	88	2.50-3 00	20	2 50-3 00	24
1924	2.75-3.50	3 09	2, 75-4, 50	88	4 %	28 28				36-3		24	2.37
Kansas City:			4			3			2 23	ş		2 50 4 50	8
1261	3.75	3, 75	2.75-4.50						3. 75	8		3	3 :
1922	50-3	2.74	1.27 - 3.50 1.27 - 4.00	68	6, 64 86, 88	2 72	ci ci	2.70	3. 18 2. 28	2 75- 4.00	3 32	2, 75 - 3, 25	es es
1024	1.75-4.00	63	1.75-5.00										
Washington: 1921			2.25- 5.00	3.75						9	5.5		
1922	1						2.62	38	2 39	2 00- 3, 25	2.65		3.05
1628	1 50- 3.50	4 e	1. 25- 3. 75 9. 59- 4. 50	22	88	2,62				₹ 4	2.38	75- 2.	2.36
			3						-	1			

Division of Statistical and Historical Research. Compiled from data of the Fruit and Vegetable Division. Average prices as shown are based on stock of good merchantable quality and condition only; they are simple averages of daily range of selling prices. Since all varieties are included, these figures can be taken only as an index of the changes in the leval of apple prices.

1 Quotations began on Sept. 1 in 1920, 1923, 1923; Sept. 7, 1921; Sept. 2, 1924.

¹ Last reported quotations of season May 28, 1921; May 1, 1922; May 12, 1923, June 8, 1924.

Table 168.—Apples: Average l. c. l. price to jobbers per barrel at New York, September, 1900-December, 1924

Season beginning September	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May
1900	\$1. 93	\$1. 97	\$2.58	\$3. 10	\$2. 75	\$3. 15	\$3 55	\$3. 81	\$3. 72
1901	3. 41	3. 62	4.78	5. 00	5. 00	5. 06	4.90	4. 25	4. 40
1902	1. 91	1. 97	2.20	2. 00	2. 37	2. 59	2.12	2. 00	2. 52
1903	2. 69	2. 43	2.94	2. 71	2. 90	2. 97	3.06	3. 02	2. 91
1904	2. 00	2. 03	1.96	2. 25	2. 38	2. 44	2.75	2. 43	2. 97
1905	3. 18	2. 97	3. 75	3. 75	3. 75	4. 50	4. 82	6. 06	5. 59
	2. 67	3. 32	3. 06	2. 62	2. 88	3. 25	3. 22	3. 66	5. 00
	3. 72	3. 56	8. 55	3. 34	3. 46	3. 52	3. 22	3. 00	2. 60
	2. 68	3. 04	8. 16	8. 50	4. 09	4. 53	4. 68	5. 00	5. 02
1900	3. 72	4. 22	8.81	3. 69	3. 82	3. 21	3. 28	3. 48	8. 71
	3. 50	3. 65	3.75	4. 14	4. 12	4. 50	4. 75	5. 85	5. 31
	2. 55	3. 06	2.71	8. 12	2. 84	2. 96	8. 39	4. 20	4. 00
	2. 66	3. 06	2.75	2. 62	2. 71	2. 78	2. 70	3 12	4. 00
	3. 29	3. 44	3.75	4 00	4. 06	4. 79	4. 75	5. 84	5. 14
Average, 1909–1913	3. 14	3. 49	3. 35	8 51	3. 51	3. 65	3.77	4. 30	4. 43
1914		2. 22	2. 78	3. 12	2 80	2. 91	2 84	3. 56	3. 65
1915		2. 95	3. 12	3. 06	3, 05	3. 19	3. 33	3 12	2. 96
1916		3. 38	4. 18	4. 60	5, 00	5. 38	5. 91	5 53	5. 28
1917		4. 44	4. 94	5. 10	5, 00	4. 88	4 92	5. 75	6. 75
1917		6. 03	5. 98	6. 31	6, 50	7. 88	9. 55	10. 00	10. 80
1918		7. 81	7. 55	7. 50	7, 00	8. 06	7. 50	7. 08	9. 25
1919		5. 23	5 66	4. 71	4, 80	5. 01	6. 01	6. 79	8. 03
Average, 1914–1920	4 07	4. 58	4. 89	4. 91	4. 88	5. 33	5. 72	5 98	6. 67
1921	8 09 3. 53 5. 16 4. 53	7. 72 4. 63 4. 80 5. 82	7. 18 4. 94 4. 58 6. 51	7.82 4.67 4.71 6.21	8. 23 5. 08 4. 46	8. 62 5. 09 4. 59	7. 64 5. 37 4. 50	7. 44 6. 03 4. 82	6. 78 4. 29

Division of Statistical and Historical Research. September, 1900, to May, 1920, compiled from the American Agriculturist, average of weekly range, subsequently, compiled from data of the Fruit and Vegetable Division, average of daily range. Since all varieties are included, these figures can be taken only as an index of the changes in the level of apple prices.

Table 169.—Apples: Average l. c. l. price to jobbers per barrel at New York for October 15, January 1, and March 1, 1881-1924

Season be-	Oct. 15	Jan. 1	Mar. 1	Season beginning	Oct. 15	Jan 1	Mar. 1	Season be- ginning	Oct. 15	Jan. 1	Mar. 1
1881 1882 1883 1884	\$3.00 2.25 2.25 1.38 1.50	\$3.00 2.88 3.25 1.88 1.94	\$2. 75 3. 40 3. 48 2. 85 1. 56	1899 1900 1901 1901 1902 1903	\$2.88 1.88 3.50 1.88 2.50	\$2.62 8.12 5.00 2.25 2.75	\$3, 12 3, 12 5, 25 •2, 25 3, 00	1914 1915 1916 1917 1918	\$2.50 2.88 3.12 4.50 5.38 6.75	\$2. 88 3. 00 4. 88 5. 00 6. 50 6. 50	\$3. 25 3. 00 5. 62 5. 00 9. 25 8. 25
1886 1887 1888 1889	2. 00 1. 68 2. 25 2. 75 3. 00	4. 00 2. 88 1. 88 3. 00 4. 00	3. 00 2. 50 1. 38 3. 25 4. 25	1904 1905 1906 1907 1908	1. 88 3. 00 3. 38 3. 75 3. 25	2 38 3.75 2.55 3.38 3 75	2. 62 4. 62 8. 12 3. 50 4. 75	A verage 1914–1920.	5. 25 4. 34 8 75	4.89	5. 68 5. 68
1891 1892 1893 1894	1. 50 2. 00 2. 25 2. 00 1. 62	1. 50 3. 00 3. 88 2. 50 2. 50	1. 72 2. 50 4. 52 4. 00 8. 02	1909 1910 1911 1912 1913	4, 00 3, 75 3, 25 3, 00 3, 50	4. 12 4. 00 2. 75 2. 75 4. 25	3. 25 4. 50 2. 88 2. 88 4. 88	1922 1923 1924	4, 62 4, 88 6, 12	6. 12 4. 75	6. 38 5. 50
1896 1897 1898	1. 38 2. 88 3. 00	1. 31 8. 75 8. 75	2. 38 8. 25 4. 25	Average 1909–1918.	8. 50	3. 57	8. 68				

Division of Statistical and Historical Research. To March 1, 1920, compiled from the American Agriculturist; subsequently compiled from data of the Fruit and Vegetable Division, average of the daily range. Since all varieties are included, these figures can be taken only as an index of the changes in the level of apple prices.

CITRUS FRUITS

TABLE 170.—Oranges: Production and value, 1915-1924

		Florida		(alifornia	1		Total	
Year	Produc- tion	Average price per box Dec. 1	Farm value Dec. 1	Produc- tion	Average price per box Dec. 1	Farm value Dec. 1	Produc- tion	Average price per box Dec. 1	Farm value Dec. 1
1915 1916 1917 1918 1919 1920 1921 1922 1922 1923 1924	1,000 boxes 6, 150 6, 933 3, 500 5, 700 7, 000 8, 100 7, 300 9, 700 12, 400 13, 400	Dollars 1. 88 2. 05 2. 30 2. 65 2. 50 2. 20 2. 20 2. 30 1. 35 1. 35	1,000 dollars 11,562 14,213 8,050 15,105 17,500 17,820 14,600 22,310 16,740 18,020	1,000 boxes 15,050 17,500 7,093 18,500 15,528 21,600 13,000 20,500 24,190 22,000	Dollars 2. 60 2. 70 2. 75 3. 75 2, 75 2. 18 2. 80 2. 00 2. 00 2. 10	1,000 dollars 39, 130 47, 250 19, 506 69, 375 42, 702 47, 088 36, 400 41, 000 48, 200 46, 200	1,000 boxes 21, 200 24, 433 10, 593 24, 200 22, 528 29, 700 20, 300 30, 200 36, 500 35, 400	Dollars 2, 39 2, 52 2, 60 3, 49 2, 67 2, 19 2, 51 2, 10 1, 78 1, 82	1,000 dollars 50,692 61,463 27,556 84,480 60,202 64,908 51,000 63,310 64,940 64,290

Division of Crop and Livestock Estimates.

¹ Preliminary.

Table 171.—Citrus fruits: ('ar-lot shipments, by State of origin, September, 1917-September, 1924

GRAPEFRUIT

	İ		Crop n	novement :	season 1		
State	1917	1918	1019	1920	1921	1922	1923 *
FloridaToxas	Cars 2, 914	Cars 6, 100	Cars 10, 820	Cars 11, 062	Cars 12, 941	Cars 16, 969 48	Cars 19, 482 99
Arizona California	234	13 353	25 479	51 433	62 4 75	103 552	156 43 0
Total	3, 148	6, 466	11, 324	11, 546	18, 485	17, 672	20, 167
	·	LEM	ons				
Texas		9, 636	8, 948	11, 794	10, 562	8, 488	1 2 12, 740
Total	5, 030	9, 636	8, 948	11, 794	10, 562	8, 489	12, 743
<u> </u>	!	ORANG	JES	!			
Florids. Alabama Mississippi		15, 259 6	16, 912 5	20, 890 71	15, 369 150	22, 639 396	33, 410 600 18
Louisiana Texas Arizona California	21 14, 413	77 33, 905	93 34, 154	48 46, 829	78 28, 372	70 48, 342	8 94 41, 783
Total	21, 854	49, 247	51, 164	67, 838	43, 969	71, 447	75, 906
TOTAL CITRUS I	RUITS (GRAPEF	RUIT, L	EMONS,	AND OR	ANGES)	
Florida	10, 332 2	21, 359 6	27, 732 5	31, 952 71	28, 310 150	39, 608 396	52, 892 • 600 13
Louisiana	21 19, 677	90 43, 894	118 43, 581	99 59, 056	7 140 39, 409	48 174 57, 382	3 103 252 54, 953
Total	30, 032	65, 349	71, 436	91, 178	68, 016	97, 608	108, 816

Division of Statistical and Historical Research. Compiled from data of the Fruit and Vegetable Division. Shipments as shown in ear lots include those by boat reduced to car-lot basis.

¹ Crop movement season extends from Sept. 1 of one year through September of the following year.

3 Preliminary.

TABLE 172.—Grapefruit, Florida: Average auction price per box at New York, 1919-1924

Season beginning October	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aver- age
1919 1920 1921 1922 1923 1924	\$3. 72 5. 31 3. 37 3. 75 2. 89 4. 19	\$3. 67 4. 71 3. 52 3. 84 2. 80 2. 99	\$3. 29 3. 92 3. 86 4. 00 2. 91 2. 39	\$3. 16 4. 86 3. 47 3. 73 3 00	\$3. 28 4. 30 3. 78 3. 96 2. 86	\$3.60 4.71 3.91 3.63 3.15	\$4.05 4.55 4.46 3.98 3.02	\$5 02 4. 54 5 20 3. 48 3. 45	1\$2 61 4. 21 6 18 3. 26 2. 72	1\$6.20 1 4.33 1 5.22 2 96 3 06	*\$3.70 *4.55 *4.03 3.70 2.98

Division of Statistical and Historical Research. Compiled from New York Daily Fruit Reporter. Monthly average obtained by taking simple average of reported averages of all sales of "golden" g Includes all sizes. Yearly average weighted by number of sales reported during each month.

Ten sales or less during month.
 See footnotes to figures used in obtaining this average.

TABLE 173 .- Lemons, California: Average auction price per box at New York, 1919-1924

Season beginning October	Oct	Nov.	Dec.	Jan.	Feb	Mar.	Apr	May	June	July	Aug.	Sept.	Aver-
1919 1920 1921 1921 1922 1923 1924	\$7. 33 4. 73 4. 96 8. 51 4. 40 4. 90	\$3. 79 2. 78 3 40 7. 44 3. 31 6. 80		\$2. 25 3. 39 4 79 5. 01 3. 01	\$6 00 4.11 4.68 5 42 3.37	\$3. 81 3. 14 4. 15 4 20 3 37	\$3 76 2, 91 3, 84 4, 79 3 51	\$3. 12 3. 82 4. 95 6. 12 3 18	\$2, 60 8, 17 4, 50 7, 92 3 40	\$1.87 8.99 3.45 6.07 2.80	\$3. 18 3. 72 4. 37 7. 68 4. 80	\$2.61 5.87 8.52 7.28 4.65	\$3, 59 4, 64 4, 38 6, 25 3, 56

Division of Statistical and Historical Research. Compiled from New York Daily Fruit Reporter Monthly average obtained by taking simple average of reported averages of all sales. Includes all sizes ad grades. Yearly average weighted by number of sales reported during each month

Table 174.—Oranges, California navel: Average auction price per box at New York, 1919-1924

Season beginning December	Decem- ber	Јапиа у	Febru- ary	March	April	May	June	Average
1919 1920 1921 1922 1923 1924	\$5. 80 5. 79 6. 46 5. 00 4. 44 4. 71	1 \$5. 98 4. 96 4. 64 4. 34 3. 50	1 \$6, 39 3, 56 1 4, 81 4, 17 3, 50	\$5. 13 4 20 6. 51 3. 91 3. 23	\$7. 10 4. 41 1 6. 97 4. 60 4 05	\$5 71 5. 01 1 6. 78 4 61 3. 49	\$4. 76 5, 71 4 67 1 4 35	² \$5. 70 4. 63 ² 6. 07 4. 45 ² 3. 67

Division of Statistical and Historical Research. Compiled from New York Daily Fruit Reporter Monthly average obtained by taking simple average of reported averages of all sales of the following-named brands: Paul Neyron, Golden Cross, Glondora Heights, Pinnack, Earlbest, and Big Tree. Includes all sizes. Yearly average weighted by number of sales reported during each month.

1 Ten sales or less during month
2 See footnotes to figures used in obtaining this average.

Table 175.—Oranges, California Valencia: Average auction price per box at New York, 1919-1924

Season beginning May	May	June	July	Aug- ust	Septem- ber	Octo- ber	Novem- ber	Decem- ber	Avér- ago
1919 1920 1921 1922 1923 1924	1 \$6. 03 4. 91 5. 08 7. 86 4. 81 4. 34	\$5. 56 6. 52 5. 76 8. 42 5. 65 4. 97	\$5. 49 7. 05 5. 35 9. 33 4. 77 4. 57	\$5. 90 7. 57 6 24 8. 95 4. 45 5. 81	\$5. 91 7. 88 6. 23 9. 09 5. 56 5. 92	\$6. 63 7. 91 6. 82 8. 45 5. 87 6. 64	\$5, 56 9, 22 6, 31 5, 04 6, 89 6, 53	\$5, 24 1 8, 67 1 5, 90	² \$5, 69 ² 7, 56 6, 09 ² 8, 13 5, 36 ³ 5, 70

Division of Statistical and Historical Research. Compiled from New York Daily Fruit Reporter.

Monthly average obtained by taking simple average of reported averages of all sales of the followingnamed brands: Carmencita, Shamrock, Bird Rocks, Bowman, Advance, and Premium. Includes all
sizes. Yearly average weighted by number of sales reported during each month.

¹ Ten sales or less during month.
² See footnotes to figures used in obtaining this average.

TABLE 176 .- Oranges, Florida: Average auction price per box at New York, 1919-1924

Season beginning October	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aver- age
1019	1 \$3. 16 1 5. 47 3. 06 3 69 1 3. 11	\$2.80 4.65 4.18 3.88 3.55 3.63	\$3. 95 3. 17 4. 29 4 08 2. 68 3. 57	\$4. 22 4. 37 8. 95 4. 53 2. 84	\$6 43 3.94 4.85 4 34 8.02	\$6. 63 4. 20 6. 68 4. 72 3. 16	\$9. 40 4. 82 7. 15 5. 67 3. 51	\$8. 32 5. 56 8. 06 5 47 3. 85	1 \$4. 88 8. 99 4. 45 4. 88	1 \$3. 51 1 9. 79 8 90 1 4. 81	*\$5. 91 * 4, 17 * 5, 44 4, 65 * 3, 27

Division of Statistical and Historical Research. Compiled from New York Daily Fruit Reporter.

Monthly average obtained by taking simple average of reported averages of all sales of "golden" grade.

Includes all sizes. Yearly average weighted by number of sales reported during each month.

OLIVE OIL

TABLE 177 .- Olive oil, including inedible: International trade, calendar years, average 1909-13, annual 1921-1923

[Thousand pounds-i. e., 000 omitted]

	A verage	1909-19181	19	21	19	22	1923 pre	liminary
Country	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Exports
PRINCIPAL EXPORTING COUNTRIES					·			
AlgeriaGreece	974	² 11, 566	288	4, 120	246	20, 830	171	24, 533
Greece.		22, 272	206	25, 004	127	36, 464	77	8, 528
Italy	3 6, 643	75, 130	25, 196	30, 998	9, 321	40, 510	1, 116	94, 557
Spain	80	86, 454	1	75, 768	9	102, 472	1	125, 463
Tunis	2, 020	18, 090	8	b., 822	20	68, 319		
PRINCIPAL IMPORTING COUNTRIES								
Australia	510	11	305	1				
Belgium	1 4, 295	1 582	1,878	186	2, 386	207	2, 495	147
Brazil	8, 409		1, 224		5, 896			
Canada	1, 593				1,744		2, 188	
Chile	7, 255		8,941		5, 635			
Cuba	146		7, 915 157	9	12, 419 186			
Denmark Egypt	4, 803		3, 127	108	3, 213	81	3, 356	79
France	1 42, 502	12, 935	44, 847	10,009	58, 300	18, 742		
Germany	6, 085		1, 332		769	4	937	18
Japan	126		134	1		,	1	
Morocco.	267	375	5.514		3,812			
Netherlands		3 205	151	43	139	24	260	13
New Zealand	68	- 200	54	20	120		148	
Norway	8, 458	33	873	14	4, 434		4, 184	
7101 way	0, 200	90	0,0		2, 202		2, 102	
Peru	¹ 684	1 77	825		481	(3)	1,067	
Philippine Islands	860	• • •	115		177	` ` '	214	
Sweden	889	2	253	5	420	8		
Switzerland	4, 138	71	2, 554	1 9	2, 914		8, 084	
United Kingdom	22, 950	823	9, 854	164	17, 136	190	17, 853	367
United States	89, 908		68, 739		87, 974		117, 795	
UruguayOther countries	4. 249		5, 486		4 8, 664		4 4, 895	
Other countries	102, 014	80, 132	7, 198	824	2, 816	9	1,414	2
Total	264, 653	258, 758	193, 227	234, 984	228, 858	283, 161	210, 900	266, 885

Division of Statistical and Historical Research. Official sources except where otherwise noted. Conversion on basis of 7.5 pounds to the gallon.

Six months.

Ten sales or less during month.
 See footnotes to figures used in obtaining this average.

¹ International Institute of Agriculture, Oleaginous Products and Vegetable Oils.

Four-year average.
Less than 500 pounds.

FRUITS AND NUTS

TABLE 178.—Fruits and nuts: Production and value in California, 1919-1924

_	Produc-	Farm v	alue, Dec. 1		Produc-	Furm va	lue, Dec. 1
Crop and year	tion	Per unit	Total	Crop and year	tion	Per unit	Total
Apples:	Bushels			Grapes (table):	Tons		
1919	8, 200, 000	\$1.45	\$11, 890, 000	1919	200, 000	\$75.00	\$15, 000, 000 14, 250, 000
1920		1.60	9, 600, 000	1920	190, 000	75. 00	14, 250, 000
1921	6, 500, 000	1.85	8, 775, 000	1921	210, 000	75. 00	15, 750, 000
1922	7, 850, 000	. 90	7, 065, 000	1922	308, 000 442, 000	52. 00 35. 00	16, 016, 000 15, 470, 000
1923 1924	10, 500, 000 7, 370, 000	. 75 1. 22	7, 875, 000 8, 991, 000	1923 1924	480, 000	38. 00	18, 240, 000
Pears:	Tona	1. 22	0, 551, 000	Grapes (wine):	200, 000	96.00	117, 2720, 001
1919	115,000	72.00	8, 280, 000	1 1919	400, 000	50.00	20, 000, 000
1920	102, 000	90 00	9, 180, 000	1920	375, 000	75 00	28, 125, 000
1921	86, 000	62. 50	5, 355, 000	1921	310, 000	82.00	25, 420, 000
1922	150, 000	50 00	7, 500, 000	1922	450, 000	65 00	29, 250, 000
1923	133, 000	50 00	6, 659, 000	1923	428, 000	40, 00	17, 120, 00
1924	117,000	65.00	7, 605, 000	1924 Oranges:	350, 000	63 00	22, 050, 00
Peaches:	400 000	60 00	01 000 000	Oranges:*	Boxes	2.75	40 700 00
1919 1920	430, 000 360, 000	76 00	25, 800, 000 27, 360, 000	1920	15, 528, 000 21, 600, 000	2.78	42, 702, 00 47, 088, 00
1921	310,000	41 60	12, 910, 000	1921	13, 000, 000	2.80	36, 400, 00
1922	410, 000	45, 00	18, 450, 000	1922	20, 500, 000	2 00	41,000,00
1923	380, 000	24 00	9, 120, 000	1923	24, 100, 000	2,00	48, 200, 00
1924	285,000	35.00	9, 975, 000	1924 Lemons: 1	22, 000, 000	2, 10	46, 200, 00
Apricots:	,	l	1	Lemons 1		l	1
1919	175, 000	80.00	14, 000, 000	1919	3, 499, 000	2.00	6, 998, 00
1920	110, 000	85.00	9, 350, 000	1920	4, 955, 000	2.92	14, 469, 00
1921	100, 000	50.00	5, 000, 000	1921	4, 050, 000	3. 45 3. 30	13, 973, 00
1922	145, 000	70.00 25.00	10, 150, 000 5, 250, 000	1922 1923	3, 400, 000 6, 732, 000	1, 60	11, 220, 00 10, 771, 00
1923 1924	210, 000 137, 000	46.00	6, 302, 000	1924	6, 100, 000	2 40	14, 640, 00
Prunes:1	137,000	40.00	0, 302, 000	Figs:	Tons	1 10	11,020,00
1919	135, 000	240.00	32, 400, 000	1919	12,000	150, 00	1, 800, 00
1920	97, 250	130.00	12, 643, 000	1920	12, 000 12, 300	90.00	1, 107, 00
1921	100, 000	130.00	13, 000, 000	1921	9, 600	145 00	1, 392, 00
1922	110,000	140 00	15, 400, 000	1922	11,000	120.00	1, 320, 00
1923	130, 000	100 00	13, 000, 000	1923	9, 500	90.00	855, 00
1924	115,000	110 00	12, 650, 000	1924	6,000	100.00	600,00
Plums:	40.000	20.00	0. 200. 000	Olives: 1919	8, 800	160, 00	1 409 00
1919	42, 000 85, 000	60. 00 90. 00	2, 520, 000 3, 150, 000	1920		95, 00	1, 408, 00 760, 00
1920 1921	42,000	53.00	2, 226, 000	1921	8, 200	90.00	738, 00
1922	48,000	50 00	2, 400, 000	1922	10, 000	125.00	1, 250, 00
1923	69,000	30.00	2, 070, 000	1923	17, 000	65 00	1, 105, 00
1924		45.00	2, 400, 000 2, 070, 000 1, 755, 000	1924	5, 500	92 00	506,00
Cherries:	1		1	Almonds:			
1919	12, 400	150.00	1, 860, 000	1919	7, 250	440.00	3, 190, 00
1920	17, 500	200.00	3, 500, 000	1920	5, 500	360 00	1, 980, 00
1921	13,000	125.00	1, 625, 000	1921	6,000	320.00	1, 920, 00
1922	14,000	180.00	2, 520, 000	1922 1923	8, 500 11, 000	290 00 260, 00	2, 465, 00
1923 1924	17,000	160.00 140.00	2, 720, 000 1, 890, 000	1924	9, 200	300 00	2, 860, 00 2, 760, 0
Raisins: 1	13, 500	170.00	1, 000, 000	Walnuts:	8, 200	1,000	٠,٠٠٠,٠٠
1919	182, 500	210.00	38, 325, 000	1919	28, 100	550. 00	15, 455, 00
1920	177, 000	235 00	41, 595, 000	1920	21,000	400 00	8, 400, 0
1921	177, 000 145, 000	190.00	27, 550, 000	1921	19, 500	400.00	7, 800, 0
1922	237, 000	105 00	24, 885, 000	1922	27,000	360.00	9, 720, 0
1923	290,000	70.00	20, 300, 000	1923	25,000	400 00	10,000,00
1924	180,000	80.00	14, 400, 000	1924	21, 500	420.00	9, 030, 00

Division of Crop and Livestock Estimates; California estimates in cooperation with California Department of Agriculture 1924 estimates are preliminary.

¹ Dried basis.

⁸ Representing the commercial crop year beginning Oct. 1; the numbers for 1924, for instance, represent the fruit that set during the season of 1924 and will be picked and marketed from Oct. 1, 1924, to Sept. 30, 1925.

TABLE 179.—Fruit: Production and value in Florida, 1919-1924

Court and succe	and year Produc- tion	Farm vs	alue, Dec. 1		Produc-	Farm value, Dec. 1		
Orop and year				Crop and year	tion	Per unit	Total	
Oranges: 1919 1920 1921 1922 1923 1924 Grape fruit: 1919 1920 1921 1921 1922 1922 1923	Boxes 7,000,000 8,100,000 7,300,000 9,700,000 12,400,000 5,500,000 5,100,000 6,000,000 7,200,000 8,000,000 8,000,000	\$2. 50 2. 20 2. 00 2. 30 1. 35 1. 35 2. 30 1. 70 1. 90 1. 20 1. 30	\$17, 500, 000 17, 820, 000 14, 800, 000 22, 310, 000 16, 740, 000 18, 090, 000 10, 175, 000 11, 730, 000 10, 200, 000 9, 600, 000 11, 180, 000	Limes: 1919 1920 1921 1922 1923 1924 Pineapples: 1919 1920 1921 1922 1922 1922 1922 1922	Boxes 28, 000 28, 000 33, 000 35, 000 40, 000 07 ates 26, 000 47, 000 22, 000 90, 000	\$3. 45 3. 10 2. 75 2. 90 3. 00 3. 25 4. 25 4. 30 5. 00 4. 75 4. 00 2. 50	\$97, 000 81, 000 91, 000 120, 000 120, 000 117, 000 202, 000 55, 000 228, 000 225, 000	

Division of Crop and Livestock Estimates, 1924 estimates are preliminary

CRANBERRIES

Table 180 .- Cranberries: Production and farm value, United States, 1914-1924

Year	Production, thousands of barrels	Average farm price per barrel Dec. 1	Farm value, thousands of dollars	Year	Production, thousands of barrels	Average farm price per barrel Dec. 1	Farnivalue, thousands of dollars
1914	697 441 471 249 352 549	\$3. 97 6. 59 7. 32 10. 24 10. 77 8. 37	2, 766 2, 908 3, 449 2, 550 3, 791 4, 597	1920 1921 1922 1923 1924 1	449 384 560 652 523	\$12. 28 - 16, 99 10. 18 7. 15 9. 88	5, 514 6, 526 5, 702 4, 664 5, 165

Division of Crop and Livestock Estimates.

Table 181.—Cranberries: Production and total farm value, by States, 1923 and 1924

State	Production,		Average farm		Farm value,	
	thousands of		price per barrel,		thousands of	
	barrels		Dec. 1		dollars	
	1923	1924 1	1923	1924	1923	1924 1
Massachusetts New Jersey. Wisconsin	410	280	\$6. 50	\$10.00	2, 665	2, 800
	205	198	8. 00	9.50	1, 640	1, 881
	37	45	9. 70	10.75	359	484
Total	652	523	7. 15	9. 88	4, 664	5 , 165

Division of Crop and Livestock Estimates.

¹ Price Nov. 15.

¹ Preliminary.

¹ Preliminary.

GRAPES

Table 182 .- Grapes: Estimated production, by States, 1923 and 1924

State	1923	1924 1	*State	1923	1924 1
Maine New Hampshire Vermont Massachusetts Rhode Island	37	Tons 46 84 37 440 289	Kansas Kentucky Tennessee Alabama Mississippi	1, 032 735	Tons 2, 925 1, 094 1, 496 825 281
Connecticut	62, 000 2, 244	1, 075 80, 000 2, 338 19, 750 1, 400	Louisiana Texas Oklahoma. Arkansas Colorado.	1, 162 1, 470 960	36 1, 320 1, 875 1, 230 280
Maryland Virginia. West Virginia North Carolina South Carolina	1,092	770 2, 349 1, 539 6, 525 1, 42 5	New Mexico Arizona Utah Nevada Idaho	340 689	520 350 615 170 240
Georgia Ohio Indiana Illinois Michigan	19, 355 3, 990 5, 494	1, 638 20, 400 8, 185 4, 900 51, 000	Washington Oregon California United States	2,000	1, 732 1, 350 1, 550, 000 1, 777, 462
Wisconsin Minnesota Lowa Missouri Nebraska	74 5, 940 6, 000	279 88 4, 658 5, 840 1, 068			

Division of Crop and Livestock Estimates.

Table 183.—Grapes: Car-lot shipments, by State of origin, June, 1917-December, 1924

1	Crop movement season 1										
State	1917	1918	1919	1920	1921	1922	1923	1924 *			
New York Pennsylvania Ohio Michigan Iowa Missouri Washington California All other	Cars 3, 621 801 196 3, 298 85 28 31 13, 251 68	Cars 2, 017 367 50 1, 635 68 21 59 16, 639 59	Cars 3, 751 881 87 3, 783 108 36 37 21, 605 61	Cars 6, 079 1, 245 50 4, 607 106 28 8 26, 974 110	Cars 2, 451 390 68 1, 237 68 4 67 32, 879 38	Cars 7, 728 1, 558 80 6, 020 236 128 47 43, 884 177	Cars 4, 312 847 92 4, 202 217 58 62 55, 342 198	Cars 5, 567 1, 148 24 4, 140 76 109 82 56, 110 1, 089			
Total	21, 379	20, 915	30, 349	39, 205	37, 202	59, 858	65, 330	68, 345			

Division of Statistical and Historical Research. Compiled from data of the Fruit and Vegetable Division. Shipments as shown in car lots include those by boat reduced to car-lot basis.

PEACHES

TABLE 184.—Peaches: Production, United States, 1899-1924

Year	Production	Year	Production	Year	Production
1899	Bushels 15, 453, 000 49, 438, 000 40, 445, 000 37, 831, 000 28, 850, 000 41, 070, 000 36, 634, 000 44, 104, 000 22, 527, 000	1908	Bushels 48, 146, 000 55, 470, 000 48, 171, 000 34, 880, 000 52, 343, 000 54, 109, 000 64, 097, 000 37, 505, 000	1917 1918 1919 1920 1921 1922 1923 1924	Bushels 48, 765, 000 33, 094, 000 53, 178, 000 45, 180, 000 32, 602, 000 55, 852, 000 46, 382, 000 51, 679, 000

¹ Preliminary.

¹ Crop movement season extends from June 1 through December of a given year.

Preliminary.

TABLE 185 .- Peaches: Production, by States, 1915-1924 [Thousands of bushels-i. e., 000 omitted]

-		<u> </u>	,				-			
State	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924 1
New Hampshire Massachusetts Rhode Island Connecticut New York	58 152 29 335 2, 106	24 66 14 134 1, 238	390 4, 823	700	39 213 29 195 1, 262	0 4 3 10 2,600	29 185 9 290 1,700	32 200 28 262 3, 400	205 31 232 1, 700	3 50 29 230 2, 178
New Jersey	1, 275 2, 044 842 1, 248 1, 358	1,069 346 600 660	990 1,848 324 1,038 928	832 720 136 235 510	1, 658 1, 100 227 564 682	2, 134 2, 000 203 692 1, 092	347 350 7 59 52	2, 000 1, 560 320 495 764	2, 642 1, 907 225 631 504	2, 480 1, 504 280 681 1, 218
West Virginia North Carolina South Carolina Georgia Florida	1, 164 1, 955 864 5, 330 177	520 897 545 3, 510 119	900 1, 978 1, 030 8, 668	680 1, 150 998 6, 092	760 575 390 5, 895 148	1,539 882 8,799 150	48 644 566 6, 550 130	715 1, 010 845 4, 900 130	526 260 550 5, 248 120	936 2, 070 912 8, 342 176
Ohio Indiana Illinois Michigan Iowa	2, 448 648 874 2, 360 112	1, 350 888 780 2, 010 64	341 518 461 744	174 85	618 82 450 448 2	8, 288 405 770 1, 500 100	335 26 76 358 30	1, 584 650 1, 100 1, 440 200	1, 386 445 675 1, 125 40	- 660 175 525 464 2
Missouri Nebraska Kaneas Kentucky Tennesseo	3, 300 120 2, 442 1, 320 2, 460	1, 050 30 150 880 900	728 1,100 505	110 833	1, 263 0 214 460 1, 285	1, 427 5 187 988 1, 500	0 0 24 80 320	2, 300 81 630 1, 218 2, 002	1, 040 45 78 450 460	910 281 1, 134 1, 828
Alabama	2, 640 1, 540 456 4, 081 2, 408	1, 110 400 587 2, 860 230	1, 281 1, 728 798	2, 440 2, 333 167	1, 083 776 382 4, 621 2, 924	974 412 269 800 180	1, 230 322 264 2, 200 360	810 375 180 1, 920 2, 070	779 260 175 1, 700 1, 032	1, 425 996 325 3, 000 1, 837
Arkansas	5, 940 650 154 60 212	750 405 40 56 84	1, 824 1, 096 124 1, 365	217 959 34 1,050	3, 340 722 204 140 884	117 670 6 48 471	435 810 8 54 763	2, 040 900 98 128 885	1, 110 750 189 70 802	2, 800 920 34 45 750
Nevada	7 162 566 432 9, 768 64, 097	1 25 415 276 11, 733 87, 505	211 1, 747 273 15, 724 48, 765	51 575 93 11, 920 33, 094	293 1, 545 604 17, 200 53, 178	6 42 155 100 15, 200 45, 620	150 772 105 12, 910 32, 602	6 244 950 300 17, 080 55, 852	282 1, 333 500 15, 830 45, 382	1 102 364 189 11, 875 51, 679

Division of Crop and Livestock Estimates
Preliminary.

Table 186 .- Peaches: Car-lot shipments, by State of origin, May, 1917-October,

- A A			Cro	p movemo	nt season			
State	1917	1918	1919	1920	1921	1922	1923	19243
New York New Jersey Pennsylvania Virginia West Virginia	Cars 7, 308 1, 218 879 125 990	Cars 1, 057 748 257 68 822	Cars 1, 434 1, 148 366 137 425	Cars 4, 666 1, 807 316 370 458	Cars 2, 840 5 45	Cars 6, 862 1, 595 268 265 19	Cars 2, 777 1, 790 615 69 170	Cars 43, 416 1, 463 447 513 312
North Carolina Georgia Michigan T'ennessee	65 4,098 445 10	56 7, 995 76 152	7, 286 270 116	343 5, 663 2, 275 149	589 10, 636 198 218	1, 452 7, 368 1, 650 248	215 8, 701 1, 087 53	1, 657 18, 464 97 752
Texas Oklahoma Arkansas Colorado	825 278 1, 597 1, 347	1, 579 244 190 1, 111	1, 940 866 2, 335 1, 334	62 20 773	964 42 596 1,219	25 155 1, 521 1, 420	102 93 724 1, 254	756 336 2, 872 1, 782
Utah Washington California All other	1, 146 1, 920 2, 858 4 2, 128	577 647 4, 518 817	1, 102 2, 219 7, 846 2, 083	402 204 7, 354 2, 605	839 1,097 7,606 406	1 261 990 9, 085 4, 107	1, 208 1, 645 10, 212 2, 815	1, 110 411 6, 842 2, 848
Total	7 27. 237	20, 409	80, 923	6 26, 967	27, 300	38, 291	33. 525	439.078

Division of Statistical and Historical Research. Compiled from data of the Fruit and Vegetable Division. Shipments as shown in car lots include those by boat reduced to car-lot basis.

¹ Crop movement season extends from May 1 through October of a given year.
2 Preliminary.
3 Includes 2 cars in November.
4 Includes 3 cars in November.
5 Includes 1 car in November.
7 Includes 1 car in November.
8 Includes 1 car in November.
9 Includes 1 car in November.
9 Includes 1 car in November.
9 Includes 1 car in November.
9 Includes 1 car in November.
9 Includes 1 car in November.
9 Includes 1 car in November.
9 Includes 1 car in November.
9 Includes 1 car in November.
9 Includes 1 car in November.
9 Includes 1 car in November.
9 Includes 1 car in November.
9 Includes 1 car in November.
9 Includes 1 car in November.
9 Includes 1 car in November.
9 Includes 1 car in November.
9 Includes 1 car in November.
9 Includes 1 car in November.
9 Includes 1 car in November.
9 Includes 1 car in November.
9 Includes 1 car in November.
9 Includes 1 car in November.

Table 187.—Peaches: Car-lot shipments, by State of origin, May, 1917-October, 1924

G4.4 3			Crop-n	ovement	season 1		
State and year	May	June	July	Aug.	Sept.	Oct.	Total
New York:	Cars	Cars	Cars	Cars	Cars	Cars 3,016	Cars 17, 308
1917 1818				18	4, 292 999	40	1, 057
1919			5	97	1, 289	43	1, 434
1920				22	3,442	1, 202	4, 666
1921				1, 663	1, 173	600	2, 840
1922			8	106	5, 953 2, 166	800 601	6, 862 2, 777
1923 1924 ³				10	2, 309	41, 107	43, 416
Georgia.	.				2,000	2, 20.	
1917	37	1,076	2, 983	2			4, 098
1918	1,036	3, 511	3, 438	10			7, 995
1919		3,073	3, 863	150			7, 236 5, 66
1920		1,315 3,659	4, 157 5, 564	11			10.636
1921		3, 002	3, 681	3			7, 36
1923		2, 238	5, 898	564			8, 70
1924 3		1,714	10, 379	1, 330	13	3	13, 46
Arkans is:		٠,	- 000	40#		}	1 50
1917		10	1,099 179	485 11	3		1, 59
1918 1919.			1,375	956			2, 33
1920	-		1,010	20		~~~~~~	2,00
1921	2	8	591				59
1921		5	1, 264	252			1, 52
1923			198	524			72
1921 3		9	266	2, 596	1		2, 87
Colorado:	ļ	1	1 1	51	922	374	1, 34
1917			5	670	434	2	i.ii
1918 1919				860	470	4	1, 33
1920				62	708	3	77
1921	!			554	659	6	1, 21
1922				455	965 681		1, 42
1923				572 491	1, 285	1 6	1, 25 1, 78
1924 ⁸				401	1, 200	١ .	1,.0
1917	1	154	173	2, 136	361	33	2, 85
1918	1	201	762	2, 396	1, 122	36	4, 51
1918	. 4	205	1, 520	4, 363	1,753	1	7,84
1920	2	222	2, 314	3, 186	1,624	6 8	7, 35 7, 60
1921	'	43	1, 672 127	4, 231 5, 258	1, 652 3, 352	284	9.08
1922		64 110	4, 473	3, 875	1,705	49	10, 21
1924 8	3	65	2,650	2, 899	1, 206	19	6, 84
All other:		"			,	1	1
1917	3	54	894	3,069	5, 453	b 556	5 10, 02
1918	82	309	1,952	2,080	1,070	45	5, 53
1919		235	2, 453 410	4, 996 2, 844	2, 971 4, 754	56 5 430	10, 73
1920		307	1, 560	2, 694 865	1, 632	14	4, 40
1921	13	113	2, 465	5, 812	3, 508	124	12, 03
1923		34	394	4, 212	5, 102	115	9,88
1923 1924 ³		. 85	1, 139	6, 122	3,068	288	10, 70
Total shipments:	1		1		11 001	4 9 070	4 07 00
1917	41	1, 294	t, 149	5,743	11, 031 3, 625	6 3, 979 123	9 27, 23 20, 40
1918	1,119	4,021	6, 336	5, 185 11, 277	6,455	104	30, 92
1919	328 45	3, 513 1, 588	6, 881	6. 284	10, 528	1,641	5 26, 96
1920		4, 012	9, 387	6, 284 7, 324	5, 116	32	27, 30
1922		3, 184	7,540	11.886	13, 778	1, 208	38, 29
1923	1	2, 384	10, 963	9, 757	9, 654	766	33, 52
1924 8	28	1,873	14, 434	13, 438	7, 882	41,423	439,07

Division of Statistical and Historical Research. Compiled from data of the Fruit and Vegetable Division. Shipments as shown in carlots include those by boat reduced to car-lot basis.

¹ Crop movement season extends from May 1 through October of a given year.
2 Includes 8 cars in November
3 Preliminary.
4 Includes 1 car in November.
5 Includes 3 cars in November.
6 Includes 11 cars in November.

^{29283°--} үвк 1924--- 44

TABLE 188 .- Peaches: Farm price per bushel, 15th of month, United States, 1910-

Year	June 15	July 15	Aug.	Sept.	Oct.	Weight- ed average	Year	June 15	July 15	Aug.	Sept.	Oct. 15	Weight- ed average
1910	119. 2	112. 1 130. 5 120. 4 99. 5 109. 1	138. 0 108. 3 126 2 105. 0 85 4 114 9	110. 0 136. 3 202. 2 81 1	Cts 122 8 131 0 105. 0 145. 0 105 3 85 2 112 1 160. 6	Cts. 113. 3 138 2 111 2 131 3 108. 7 88. 2 115. 0 148 0	1920	236. 8 189. 3 172. 0 178. 6	201. 6 226. 9 205. 3 161. 4 181. 4	199. 6 235. 0 216. 3 143. 7 171. 8	219. 8 227. 5 143. 5	Cts. 193. 2 211. 7 244. 2 244. 3 150. 4 183. 0 173. 8	Cts. 178. 6 200. 9 228. 9 213. 5 152. 3 175. 8 153. 7

Table 189.—Peaches: Average l. c. l. price to jobbers at 10 markets, 1921-1924

Market	Pric	e per 6-b	asket ca	rrier			Price pe	bushel		
Season beginning May	May 1	June ¹	July	Aug. 3	May 1	June 1	July	Aug 2	Sept.	Oct.
New York:	Dollars	Dollars 3, 34	Dollars 3 04	Dollars 5, 00	Dollars	Dollars	Dollars	Dollars	Dollars	Dollare
1921 1922 1923 1924	3. 72	3. 05 3. 31 2. 97	2 57 2. 10 2. 25	2. 16 2. 03			2 29 2 18 1 74	1 90 2 16 2 18	1 79 2 48 2 09	1 43 1 94 2 46
Chicago: 1921		2. 47	2. 95	4 23		2. 74	3 20	<u></u> 1 91	:	
1922 1923 1924	.)	2 72 2. 79 1 98	2 65 2 39 1, 88	2. 56 2 07			2 51 2 76 1 86	3.06 2 30	1. 70 2. 11 2 91	1 35 2 25 2.17
Philadelphia 1921 1922	1	2 73 2, 65	2 86 2 44	4. 28 2. 14			2.07	1 88	1 60	1. 67
1923 1924		2 98 2. 56	2. 24 1 94	2. 70 2 41			1 57	2. 12	2.08	2. 18 1. 57
1921 1922 1923	3 50	2. 59 2. 78 3. 15 2. 45	2 87 2. 58 2 22 1. 87	4 29 2. 20 2. 75 2. 32				2. 47 2. 79 2. 41	1 62 2 01 2, 42	1. 84 2. 00 1. 82
St. Louis. 1921 1922 1923		2 84 2 74 2 35	3. 12 2 48 2. 17	3 01		2 50	3. 27 2 59 2 65	1 89 3 39 2 32	1 95 2 46 2 76	1. 5
1924 Cincinnati- 1921		2. 14 2. 27 2. 21	1.86 2.78 2.13		2 50	2 42	1 8 ₂ 3.0 ₂ 2 5 ₉	2 32	1 69	1. 9
1922 1923 1924		2, 55	1. 98 1. 49	2. 20 1. 50			2 28 1.64	3 21 2. 42	2 35 2 75	2. 3 1. 7
8t. Paul. 1921 1922	.	l						2 17		1. 70
1923 1924 Minneapolis:	-									
1921 1922 1923			2. 49		l			2.21	1. 99 2 53	1. 56 2. 20
1924_ Kansas City: 1921	-		1 91	ł		l		2. 50		
1922 1923 1924		2. 60	2. 58 2. 55 2. 17					2. 15 3. 24 1 94	1. 99 2 25 2. 45	1. 0 1. 9
Washington. * 1921		8.04	3. 29 2. 43	4. 75 2. 27				2. 55	2. 30	2.0
1923 1924		3. 90 2. 90	2. 64 2 11	2. 68 2. 27				3 12	2. 48 2 50	2. 2 1. 8

Division of Statistical and Historical Research. Compiled from data of the Fruit and Vegetable Division.

A verage prices as shown are based on stock of good merchantable quality and condition only; they are simple averages of daily range of selling prices.

Quotations began June 3, 1921; May 25, 1922; June 5, 1923, June 3, 1924
 Last reported quotations of season Aug. 9, 1921; Oct 11, 1922, Oct 13, 1923 and 1924.
 Sales direct to retailers to September, 1923.

PEARS

TABLE 190 .- Pears: Production, United States, 1909-1924

Year	Production	Year	Production	Year	Production
1909 1910 1911 1912 1913 1914	Bushels 8, 841, 000 10, 431, 000 11, 450, 000 11, 843, 000 10, 108, 000 12, 086, 000	1915 1916 1917 1918 1919 1920	Bushels 11, 216, 000 11, 874, 000 13, 281, 000 13, 362, 000 15, 006, 000 16, 805, 000	1921 1922 1923 1924 i	Bushcis 11, 297, 000 20, 705, 000 17, 845, 000 17, 961, 000

Division of Crop and Livestock Estimates. Census figures in italics.

TABLE 191.—Pears: Production, by States, 1915-1924

[Thousands of bushels, i. e., 000 omitted]

State	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924 1
Maine	30	36	24	20	14	10	15	14	7	12
New Hampshire	18	25	19	15	17	18	17	24	12	17
Vermont	17	24	14	13	10	10	6	10	6	12
Massachusetts	75	114	71	77	84	83	45	84	58	84
Rhode Island	10	14	7	10	11	11	6	12	10	12
Connecticut	36	46	29	34	57	61	50	60	37	62
New York	1, 375	1, 675	1, 708	1, 352	1, 830	2,700	1,650	3, 200	1,000	2, 100
New Jersey	596	687	590	650	402	690	185	405	662	624
Pennsylvania	494	509	448	518	421	845	220	576	612	629
Delaware	228	164	294	238	98	140	9	158	370	328
Maryland	483	378	525	455	287	421	35	256	374	335
	261	122	194	119	288	438	30	270	200	430
	63	42	33	33	40	66	2	38	41	84
	150	75	150	108	120	208	109	110	65	273
	91	56	100	98	99	120	115	104	88	114
GeorgiaFloridaOhioIndianaIllinois	203	135	140	188	178	173	171	202	192	232
	104	54	46	132	43	24	40	50	35	55
	560	· 376	334	304	157	478	126	450	332	326
	410	351	410	260	107	375	70	300	334	180
	496	354	456	302	375	603	100	510	307	410
Michigan Wisconsin Iowa Missouri Nebraska	550 23 106 294 18	1,007 26 63 164 10	1, 080 82 265 14	704 	405 20 30 431 25	1, 044 24 90 418 22	532 16 5 4 2	1, 500 19 75 450 27	1, 005 16 62 475 24	10 15 40 75 30
Kansas	133	106	140	38	221	41	7	243	134	262
Kentucky	264	160	204	140	55	132	4	150	70	117
Tennessee	195	59	75	112	115	200	65	180	83	250
Alabama	168	90	80	152	163	158	180	176	174	224
Mississippi	160	50	30	136	125	167	167	190	90	187
Louisiana Texas Oklahoma Arkansas Montana	55 301 68 135 12	48 322 11 68 6	52 280 45 102	52 246 38 64 6	59 637 250 123 6	47 338 42 42 6	38 406 36 39 7	48 390 197 100 8	45 840 100 45 8	65 483 235 - 124
Colorado	99	99	320	194	345	386	502	519	400	550
New Mexico	64	36	46	56	67	32	24	18	49	28
Arizona	22	18	21	19	20	12	16	18	18	11
Utah	31	12	48	51	76	87	81	98	64	70
Nevada	4	2	6	6	4	5	3	4	7	6
Idabo	75	50	70	00	49	58	55	72	72	60
Washington	564	551	595	1, 300	1, 781	1, 140	1, 710	1, 740	2, 700	1, 600
Oregon	525	555	600	672	761	760	836	1, 400	1, 580	1, 225
California	1,650	3, 124	3, 523	4, 240	4, 600	4, 080	3, 570	6, 250	5, 542	4, 875
United States.	11, 216	11,874	13, 281	13, 362	15, 006	16, 805	11, 297	20, 705	17, 845	17, 961

¹ Preliminary

¹ Preliminary.

Yearbook of the Department of Agriculture, 1924 684

TABLE 192.—Pears: Car-lot shipments, by State of origin, June, 1917-May, 1924

94-4-			Crop	movemen	nt season 1		
State	1917	1918	1919	1920	1921	1922	1923 2
	Cars	Cars	Cars	Cars	Cars	Care	Cara
New York	1, 748	1, 226	1, 500	3, 962	2,855	5, 418	1, 702
New Jersey Delaware	62 461	52 413	121 55	42 267	20	40	75
Maryland	54	43	18	36		151 36	541 63
Ohio	29	47	5	54	17	96	_ 33
Indiana	45	11	49	78		44	39
Illinois	334	97	324	1, 140		468	318
Michigan	696	343	127	1, 142	610	1, 860	543
Tcxas.	18	127	100	88	96	47	99
Colorado	382	347	524	604	733	774	696
Utsh	27	34	25	75	31	82	65
Washington	1, 700	2, 421	2, 452	1, 906	2, 827	2, 678	4, 274
Oregon	639	799	930	847	974	1, 862	2, 575
California	5, 191	4, 003	8, 661	4, 594	4, 431	6, 461	7, 143
All other	170	208	257	202	142	314	423
Total	11, 616	10, 171	10, 157	15, 037	12, 736	20, 331	18, 589

Division of Statistical and Historical Research — Compiled from data of the Fiult and Vegetable Division. Shipments as shown in car lots include those by beat reduced to car-lot basis.

Table 193 .- Pears: Farm price per bushel, 15th of month, United States, 1910

Year	Aug. 15	Sept.	Oct.	Nov. 15	Dec 15	Weight- ed aver- age.	`´ear	Лид. 15	Sept.	Oct. 15	Nov.	Dec 15	Weight- ed aver- age.
1912 1913 1914 1915	106. 3 109 9 98. 8 80. 8 109 0	Cts. 100. 9 103 8 100 0 119 3 92 8 83 8 102 7 125. 0	Cts. 98. 6 97. 2 83. 1 95. 6 80. 4 82. 7 96. 9 118. 2	85 1 79. 3 93 0 77 5 89 8	Cts. 122. 4 111. 0 92. 8 97 9 82. 5 89. 7 105. 6	Cts. 100 9 109 3 100. 4 111. 2 93. 7 82 5 104 8 127 4	1919 1920 1921 1922 1923	188, 4 195, 5 165, 2 147, 1 168, 3	197 (2	7186 4 116 2 165. 1	79 1 182. 0 170. 1 194. 9 119. 8	Cts. 156. 6 219. 5 164. 5 198 7 118 7 133. 0	Cts. 161. 1 185. 7 194. 1 172. 2 139. 7 165. 5 165. 4

¹ Crop movement season extends from June 1 of one year through May of the following year.

² Preliminary.

STRAWBERRIES

Table 194.—Strawberries, commercial crop: Acreage, production, and total value, by States, 1922-1924

State		Acreage	1	1	roductio	n		alue, bas rice for s	
	1922	1923	1924	1922	1923	1924	1022	1923	1924
				1,000	1,000	1,000	1.000	1.000	1.000
Early:	Acres	Acres	Acres	quarts	quarts	quarts	dollars	dollars	dollars
Alabama	2, 450	3,660	3, 960	5, 116	7, 686	5, 544	870	1,076	832
Florida	2,170	3,810	3, 100	4, 305	8, 382	5, 735	1, 205	1,509	1,600
Louisiana	11, 560	14, 350	14, 280	21,085	18, 655	17, 493	3, 795	4, 664	3,848
Mississippi	790	970	820	1, 593	1, 649	984	271	297	167
Texas	630	900	1, 140	983	1,350	1,368	226	256	356
Second early:			1	}	1	'	}		
Arkansas	18, 360	16, 960	13, 570	30, 845	16, 960	20, 355	3, 393	2, 544	2,850
California (S district)	960	1,580	2,310	2, 258	3, 950	15, G15	384	1,066	2, 102
North Carolina	3, 880	5, 320	5, 690	10, 554	13, 300	15, 363	2, 111	2, 261	2, 151
South Carolina	140	460	540	314	1,030	1, 210	78	237	133
Tennessee	19, 640	21, 210	20, 870	42, 422	33, 936	28, 049	4, 242	3,054	3, 085
Virginia	5,000	6, 500	10, 700	14, 400	14, 300	22, 470	2, 304	1, 144	1, 798
Intermediate:			1		,	,	-,	-,	,
California (other)	2, 340	2, 120	1.800	5, 988	6, 960	5, 593	958	1, 253	951
Delaware	5, 040	6, 100	5, 620	10, 483	14, 640	13, 488	1, 992	1.903	1, 349
Illinois	3, 370	3, 410	3, 250	5, 662	5, 456	6, 500	623	709	780
Indiana		2,000	1,980	3, 204	3, 800	3, 960	384	418	436
Iowa	2, 950	3, 300	3, 330	4, 956	7, 590	5, 661	1,090	1, 214	736
Kansas	300	280	460	504	560	1,012	55	101	10
Kentucky	4, 520	5, 080	3, 680	9, 221	9, 921	4, 593	1, 383	1, 389	64
Maryland		10, 320	10, 200	17,069	20, 640	22, 440	2, 731	3,096	2, 24
Missouri	9, 990	10, 560	9,050	18, 701	10, 560	14, 480	2, 244	1,584	1, 882
New Jersey	5, 650	5, 500	6,000	9,040	7, 700	10, 200	1,356	1, 155	1, 12
Late.	.,	,	0,000	2,020	1,.00	10, 200	1,	2,100	1 -,
Michigan	5, 850	6,000	5, 580	9,828	8, 400	11, 160	1,081	1.092	1, 562
New York	3, 860	3, 900	3, 940	8, 029	10, 530	8, 274	2,007	1, 790	1, 158
Ohio		2,800	2, 660	4, 472	5, 600	5, 320	447	840	692
Oregon		3, 500	3, 640	6, 605	5, 600	5, 824	660	392	815
Pennsylvania		3, 200	3, 780	5, 256	7, 360	6,048	1,051	1, 398	90
Washington	2, 960	3, 770	3, 940	6, 394	8, 294	7, 092	1, 279	1, 576	780
Wisconsin	620	800	860	1, 116	1,600	1, 720	134	240	206
Total_									35, 292

Division of Crop and Livestock Estimates.

Table 195 .- Strawberries, commercial crop: Yield per acre and price, 1918-1924

.			Yie	ld per	acre					Luce	per q	uaıt ¹		
State	1918	1919	1920	1921	1922	1923	1924	1918	1919	1920	1921	1922	1923	192
Early:	Qts.	Qts	Qts.	Qts	Qts.	Qts	Qts.	Dols	Dola	Dols	Dols	Dols	Dols.	Dol
Alabama	1,800	1, 992	1, 440							0 18	0.18	0.17	0 14	0. 1
Florida	1,600	1,856	1, 984	1, 440					. 27	. 24	38	. 28	, 18	. 2
Louisiana	1, 488	2, 088	1,680	2, 040					. 26	. 28	. 27	. 18	. 25	:
Mississippi	1, 320	1,800								. 14		. 17	. 18	١.:
Texas	1, 272	1, 200	1,560						. 12	. 13		. 23	. 19	
econd early:	-,	-,	-,	-,	-,	-,	-,							
Arkansas California (8. dis-	1, 200	1, 800	1, 560	1, 440	1, 680	1, 000	1, 500	. 17	. 19	. 18	. 15	. 11	. 15	
trict)	2, 256	2, 520	2, 400	2, 440	2, 352	2,500	6, 500	. 14	. 16	. 16	. 16	. 17	. 27	١.
North Carolina.	2, 240					2, 500		. 16		. 18	. 26	. 20	. 17	Ι,
South Carolina	1, 600		1, 920					. 28	. 30		. 23	. 25		1.
Tennessee	1. 272	1, 680	1, 680	1,680	2, 160			. 14		. 17	. 20	. 10		١.
Virginia	1,792				2, 880			. 12	. 19	. 20		. 16	. 08	١.
ntermediate:	1,	1, 102	1, 102	- , 100	2, 000	_,	-, 200							1
('alifornia (other)	2, 958	2, 349	2, 066	2, 651	2, 559	3, 283	3, 107	. 14	15	. 16	. 26	. 16	. 18	١.
Delaware	1, 632	1, 920		1, 920			2, 400	.11	. 18	. 16	. 14	. 19	. 13	١.
Illinois	1, 152	1, 680						. 14		. 20	16	. 11	. 13	
Indiana	1, 560		1, 824					. 12	, 15	. 20	. 22	. 12	. 11	
lowa	1, 440		1, 776			2, 300	1, 700	. 13	. 16	. 17	. 21	22	. 16	
	1, 440	1, 920		1, 200	1, 680	2, 000	2, 200	. 13	. 19	. 18	. 17	. 11	. 18	
Kansas		1, 080	1, 560		2, 040		1, 248	. 13	. 24	.21	. 20	. 15		
Kentucky	1,824				1, 920	2, 000	2, 200	. 12	. 19	. 18	. 16	. 16	15	
Maryland	1,600	1,600	1, 000				1, 600	. 18	. 23	. 24	. 17	. 12	. 15	
Missouri	1, 488	1, 992;	1, 488	1, 440		1, 400	1, 700	. 18	. 22	. 22	. 22	. 15		
New Jersey	1,856	1, 920	1,600	1,600	1,000	1, 400	1, 100	. 10	. 44	. 22	. 22	. 10	. 10	١.
.ate			1 000	1, 200	1, 680	1, 400	2,000	. 18	. 23	. 24	. 15	. 11	. 13	١.
Michigan	1,680	1, 920	1, 680		2, 080	2, 700	2, 100	. 15	. 19	. 23	. 23	. 25		
New York	2, 048	1, 920			1, 632		2, 000	. 14	: 17	. 18	. 25	10	. 15	
Ohio	1, 560	1, 800	1, 752											
Oregon	1,800	1,800		2, 160	1, 920	1,600	1,600	. 29 . 21	. 27	. 35	. 20	. 10	. 07	
Pennsylvania	1, 560	1, 440	1, 560	1, 920	1, 800	2, 300	1,600		. 20	. 23	. 25	. 20		
Washington	1,680	1,680	1, 704	2, 280	2, 160	2, 200	1, 800	. 24	. 28	. 28	. 17	. 20		
Wisconsin	1,560				1,800	2, 000	2, 000	. 16	. 16	. 18	. 15	. 12	. 15	I
A verage	1 602	1 703	1 666	1. 731	1. 961	1, 728	1, 819	. 16	. 20	. 21	. 20	. 15	. 15	1

Division of Crop and Livestock Estimates.

¹ Average for season

Yearbook of the Department of Agriculture, 1924 BRB.

Table 196 .- Strawberries: Car-lot shipments by State of origin, January, 1917-December, 1924

			C	rop moven	nent seasor	1		
State	1917	1918	1919	1920	1921	1922	1923	1924 *
New York	Cars 210	Cars	Cars	Care	Cars	Cars	Ca. 8	Cars
New Jersey	829	242 445	112 326	362 559	244 425	328 274	301 187	842 402
Delaware	2, 340	822	430	640	856	940	924	1, 307
Maryland	2, 193	838	611	787	1, 069	1, 646	1, 916	2, 153
Virginia	1, 352	342	208	349	697	1, 670	1, 193	1,919
North Carolina	696	585	484	446	479	1, 101	1, 668	2,046
Florida	193	79	21	153	108	322	1, 038	580
Illinois	847	125	80	98	74	260	224	367
Michigan	475	272	391	439	455	640	408	386
Missouri	673	620	1, 081	318	466	1, 963	872	990
Kentucky	676	410	182	239	387	772	827	467
Tennessee	1, 781 196	1, 234	1,099	1, 182	1, 393	3, 607	3, 279	2, 902
Alabama	180	279	229	147	285	460	698	408
Louisiana	1, 100	556	682	858	1, 531	1, 576	1, 678	1, 865
Arkansas	1, 096	651	1, 034	896	1,094	2, 165	1, 342	1,613
California	245	509	703	569	291	201	226	191
All other	663	443	482	448	541	791	1, 028	844
Total.	15, 065	8, 452	8, 105	8, 490	10, 695	18, 716	17, 804	18, 782

Division of Statistical and Historical Research. Compiled from data of the Fruit and Vegetable Division. Shipments as shown in car lots include those by boat reduced to car-lot basis

Table 197 .- Strawberries: Average l. c. l. price to jobbers per quart at 10 markets, 1921-1924

Market. Season beginning March	Mar 1	Apr.	Мау	June '	Market Season beginning March	Mar.	Apr	May	June,
New York:	Cents	Cents	Cents	Cents	Cincinnati:	Cents	Cents	Cents	Cents
1921	47	41	27	20	1921	33	27	23	
1922	60	37	21	16	1922		18	12	1
1923	65	43	20	18	1923	48	30	15	10
1924	1 00	41	20	13	1924	1 -0	40	17	15
Chicago:		**	~	10	St Paul:		40	٠,	1 10
Chicago: 1921	81	37	24	14	St Paul: 1921	38	44	28	24
1922	45	29	14	12	1922		30	19	16
1966	45	41	20		1923			25	
1923	40			15			44		20
1924		46	22	17	1924		36	25	20
Philadelphia:					Minneapolis:	1			١
1921	33	34	23	13	1921	37	41	81	24
1922	53	32	18	17	1922		29	18	14
1923	55	40	18	15	1923	58	45	26	19
1924	l	41	19	10	1924		45	27	19
Pittsburgh:				i i	Kansas City:				
1921	34	34	26	20	1921	33	36	23	20
1922	50	34	17	18	1922		31	16	13
1923	62	41	22	16	1923	46	40	21	16
1924		49	24	16	1924		40	22	15
St. Louis:		10			Washington:3		10		10
1921	81	33	23	14	1921	50	35	22	15
1922	54	26	14	16	1000	55	27	20	14
1966	49			101	1922 1923	42	34		14
1923	49	40	18	::-		42		17	11
1924		44	20	11	1924		31	17	12

Division of Statistical and Historical Research. Compiled from data of the Fruit and Vegetable

¹ Crop movement season extends from Jan. ¹ through December of a given year. ² Preliminary.

Average prices as shown are based on stock of good merchantable quality and condition only; they are simple averages of daily range of selling prices. In some cases conversions have been made from larger to smaller units or vice versa, in order to obtain comparability.

Quotations began Mar. 17, 1921; Mar. 23, 1922; Mar. 28, 1923; Mar. 31, 1924.
 Last reported quotations of season June 3, 1921; June 6, 1922; June 13, 1923; June 17, 1924
 Sales direct to retailers to April, 1924.

ASPARAGUS

Table 198.—Asparagus for consumption fresh, commercial crop: Acreage, production, and total value, by States, 1922-1924

State		Acreage		F	roductio	n		l value, i price for	
	1922	1923	1924	1922	1923	1924	1922	1923	1924
Early: California Georgia South Carolina	Acres 6, 140 1, 520 1, 600	Acres 8, 100 2, 020 2, 080	Acres 8, 750 2, 660 3, 500	1,000 crates 1 1,044 94 109	1,000 crates 1 1,555 111 125	1,000 crates 1 1,540 120 245	1,000 dollars 4,479 340 358	1,000 dollars 8,055 467 410	1,000 dollars 6,283 540 914
Late: Delaware Illinois lowa Maryland Michigan New Jersey New York Pennsylvania Washington	440 2, 400 140 420 150 3, 750 130 700	510 2, 440 140 440 190 4, 200 140 750 450	720 2, 640 140 900 280 5, 210 160 800 520	28 185 11 23 12 281 7 55	41 220 10 25 17 399 8 49	50 211 10 63 15 365 12 58 30	132 370 19 52 30 1,520 38 396	191 521 20 62 52 994 44 210	244 490 19 214 41 1, 219 60 276
Total	17, 390	21, 460	26, 280	1,849	2, 596	2,719	7,744	11, 140	10, 373

Division of Crop and Livestock Estimates

¹ 24-pound crates.

Table 199.—Asparagus for consumption fresh, commercial crop: Yield per acre and price, 1918-1924

			Yiel	d per	acre			Price per crate ¹						
State	1918	1919	1920	1921	1922	1923	1924	1918	1919	1920	1921	1922	1923	1924
Early:	Crts				Crts.						Dols			
California	160						176		2 19					
Georgia	60 80	56 76	40	60	62	55	45		2 68					4.50
South Carolina	80	76	81	79	68	60	70	2 45	2 60	2. 25	2.87	3 28	3. 28	3. 73
Late ·				l										
Delaware	73	62	66	68	64	80	70				4 12			
Illinois	81	98 70	99	98	77	90	80							2 32
Iowa	68	70	72	76		75	70							1.93
Maryland	62	57	57	59	55	56	70	4.00	3 50	3 00	2 88	2.69	2.48	3.40
Michigan	70	65	68	68	80	90	55	3 86	3.84	2 88	3 12	2, 50	3 06	2.72
New Jersey	78	68	76	70	80 75	95	70	2, 03	1, 90	2 46	5 54	5 41	2.49	3, 34
New York	75	70	72	70	52	60	74	3, 60	4. 32	4. 80	3 00	5, 41	5. 50	4 97
Pennsylvania	81 68 62 70 78 75	70 74	70	68	78	65	72	4.00	6. 50	7. 50	4 25	7, 20	4. 28	4.75
Washington						65 80							3 16	
A verage	105	95	97	104	106	121	103	2. 22	2. 39	2. 48	2. 76	4. 19	4. 29	3.82

Division of Crop and Livestock Estimates.

1 Average for season

Table 200.—Asparagus for canning, commercial crop: Acreage, production, and total value, by States, 1922-1924

State		Acreage		P	roductio	n		alue, bas	
	1922	1923	1924	1922	1923	1924	1922	1923	1924
California New York	Acres 15, 400 70	Acres 20, 480 110	Acres 23, 010 130	Tons 26, 200 100	Tons 38, 900 200	Tons 48, 300 200	1,000 dollars 2,182	1,000 dollars 3, 902 39	1,000 dollars 4,767 42
Total	15, 470	20, 590	23, 140	26, 300	39, 100	48, 500	2, 201	3, 941	4, 809

Division of Crop and Livestock Estimates.

Table 201.—Asparagus for canning, commercial crop: Yield per acre and price, 1918-1924

State		Yield per acre							Price per ton					
State	1918	1919	1920	1921	1922	1923	1924	1918	1919	1920	1921	1922	1923	1924
California New York	Tons 1.3 1.8	Tons 1.7 1.8	1. 5 1. 8	1. 2 1. 8	1.7 1.3	Tons 1.9 1.5	2. 1 1. 7	68. 75 153. 33	85. 58 164. 75	Dols. 106. 00 190. 00 106. 38	70. 00 160. 00	83, 30 187, 50	100. 30 195. 00	98, 70 208, 00

BEANS

Table 202.—Beans, snap, for table consumption, commercial crop: Acreage, production, and total value, by States, 1922-1924

State		Acreage		. P	roductio	n	Total pri	value, a ce for sea	verage son
	1922	1923	1924	1922	1923	1924	1922	1923	1924
Early: Alabama. California Florida. Georgia. Louisiana Mississippi. North Carolina South Carolina Texas.	Acres 1, 150 2, 180 12, 310 230 1, 970 3, 530 1, 910 4, 320 2, 600	Acres 700 1, 980 14, 460 650 1, 840 2, 540 2, 140 4, 600 3, 210	Acres 1,060 2,000 19,780 1,850 2,240 2,660 2,630 4,490 3,030	1,000 ham- pers 1 166 382 1,256 34 154 385 178 540 151	1,000 ham- pers 1 54 697 1,865 68 129 147 340 511 302	1,000 ham- pers 1 52 680 1,484 104 197 149 263 364 361	1,000 dollars 251 1,100 2,839 51 243 404 267 967 151	1,000 dollars 92 2,697 3,581 162 330 184 456 1,175 806	1,000 dollars 109 714 8, 205 104 540 265 189 517
VirginiaLate:	1, 490	3, 100	3, 720	295	223	372	295	502	688
Illinois Maryland New Jersey Tennessee Total	560 4,460 380 37,090	580 3, 830 4, 520 720 44, 870	600 4,070 5,030 2,190 55,350	80 535 38 4, 194	52 806 755 50 5, 499	48 285 865 256 5, 480	120 1, 166 38 7, 887	63 398 1,178 62 11,686	77 382 1, 496 241 9, 231

Division of Crop and Livestock Estimates.

Table 203.—Beans, snap, for table consumption, commercial crop: Yield per acre and price, 1918-

	[Yield	per acr	e				1	Price p	per ha	mper	3	
State	1918	1919	1920	1921	1922	1923	1924	1918	1919	1920	1921	1922	1923	1924
Early:	Hamp.	Hamp.	Hamp.		Hamp	Hamp		Dols.					Dols.	
Alabama	106	112					49	2 50	2 30	2. 75	1.95		1.71	2 10
California	350	267	308	358	175	352	340	1. 25	1 50	1 60	1.54	2, 88	8.87	1 05
Florida	115	106	105		102			1.38	2.00	1 88	2 05	2 26	1.92	2. 16
Georgia	125	120	100	120	150	105	56	1 64	1 30	1 42	1 50	1 50	2, 38	1.00
Louisiana	182	163			78	10	88	2. 23	2 36	2. 23	2. 75	1, 58	2 56	2 74
Mississippi	102	90	74		109			1.44	1.64	1, 40	1 93	1 05	1, 25	1 78
N. Carolina	175	178		128	93	159		1 05	1 58		1.02	1 50	1.34	. 72
8 Carolina	125	96	82		125	111	81	1. 56	1.77	2.07	2. 28	1.79	2.30	1 42
Texas	175	198			58	94	119	2. 25	2.38	2 50	1.75	1 00	2 67	1.95
Virginia	178	178	182	175	198	72	100	1.58	2.04	2. 12	1.81	1 00	2. 25	1.85
Lato:			l i			l	ł	ì	l	l	1	1		1
Illinois						90	80						1. 21	
Maryland	220	144	205	142	142		70	1.40	1 50	1 39	1. 56	1.50	1.30	1 34
New Jersey	175	144			120		172			1.45	1.40			
Tennessee	65	70	100	110	100	70	117	1.02	1 65	1 85	1 80	88	1.25	. 94
A vorage	173	137	154	149	113	123	99	1.37	1. 76	1.74	1.85	1.88	2.13	1.68

Division of Crop and Livestock Estimates.

Table 204.—Beans, snap, for canning, commercial crop: Acreage, production, and total value, by States, 1922-1924

State		Acreage		I	roductic	n		alue, bas rice for s	
Duave	1922	1923	1924	1922	1923	1924	1922	1923	1924
California Colorado Louisiana Maine Maryland Michigan New York Oregon Pennsylvania Tennessee Utah Washington Wisconsin Other States Total	Acres 890 610 380 310 860 930 3, 570 240 420 210 430 1, 590 1, 760	Acres 1,060 750 460 460 950 1,290 4,570 750 480 290 280 2,830 1,900	Acres 1, 220 1, 200 870 640 920 1, 990 1, 040 430 670 380 3, 400 1, 520 20, 040	Tons 4,000 1,500 800 600 1,700 1,100 800 500 800 400 1,800 4,800 3,400 29,300	Tons 3,700 2,600 500 900 2,500 1,000 9,100 1,906 900 600 900 5,700 3,400	Tons 3, 400 3, 600 300 1, 400 2, 200 13, 000 3, 100 1, 600 1, 000 3, 700 2, 300 38, 700	1,000 dollars 250 85 36 30 89 611 49 20 30 19 93 264 1,721	1,000 dollars 247 156 45 130 62 741 119 36 26 28 388 175 2,206	7,000 dollars 212 216 84 61 125 1,110 194 50 80 50 68 263 125 2,653

Division of Crop and Livestock Estimates.

^{1 1-}bushel hampers.

² A verage for season

Table 205.—Beans, snap, for canning, commercial crop: Yield per acre and price, 1918-1924

			Yiel	d per	acre			Price per ton						
State	1918	1919	1920	1921	1922	1923	1924	1918	1919	1920	1921	1922	1923	1924
California	Tons 4. 9 3. 3 2. 7 1. 7 2. 5	4.8 4.1 3.0 2.3 2.2	3.7 2.4 1.8 1.4 2.7	4. 8 3. 3 2. 0 2. 0 2. 5	4. 5 2. 5 2. 0 2. 0 2. 0	3. 5 3. 5 1. 0 2. 0 2. 6	3.0 .8 2.2 1.1	57. 47 53. 67 57. 83 62. 00 63. 80	59. 28 53 33 40 00 61. 67 58. 70	65 00 40 00 60 00 60 83	50, 00 48 00 50, 00 60, 00	56 67 45, 00 50, 00 52, 50	60 00 50, 00 50, 00 52, 12	60 00 50.00 60 00 60.62
Michigan New York Oregon Pennsylvania Tennessee	1 3 2. 8 3. 3 1. 9 2. 3	2. 2	2.0	2.4	2.0 2.5 2.0	2.0 2.5 2.0	2. 2 3. 0 2. 6	66. 88 57 63	51 54 53, 33 57, 09	67 00 58 96 57 49	67. 23 56. 67 57. 43		81. 39 62. 50 40. 00	85 41 62 50 45.00
Utah	2.8 2.8 2.4 2.7	3. 5 3. 1 2. 4 3. 0	3. 2 2. 6 1. 9 1. 8	1.9	4.3 3.0	3. 3 2. 0	2.7 · 1.1	57. 83 57. 83	57.09	45, 00 74, 17	50. 00 73. 00	51 67 55 00	64. 17 62. 86	68. 34 71. 00
A verage	2. 7	2. 5	2. 0	2. 3	2. 4	2. 1	1. 9	56. 90	55. 32	62. 87	60 79	58. 74	64. 31	68. 55

CABBAGE

Table 206.—Cabbage, commercial crop: Acreage, production, and total value, by States, 1922-1924

State		Acreage	·]	Producti	on	Total v	value, ba orice for s	sis, aver- eason
Diate	1922	1923	1924	1922	1923	1924	1922	1923	1924
Early:	Acres	Acres	Acres	Tons	Tons	Tons	1,000 dollars	1,000 dollars	1,000 dollars
California	7, 320	5,300	5,670	43, 900	37, 100	35, 200	1,156	1.581	1,099
Florida		2,050	4, 920	79,000	16, 400	41,800	1,735	764	1,590
Louisiana	1,670	1,640	1,780	10,000	7,400	8,900	200	414	461
Texas	14,880	4,440	10,540	74, 400	22, 200	105, 400	723	710	2, 321
Second early:	1	1	1		1				·
Alabama	2, 200	2, 250	1,200	18, 700	16, 900	7,800	415	841	355
Georgia Mıssissippi	520	220	220	2,600	1, 200	1,300	66	43	50
Mississippi	4,640	4,770	3,090	23, 200	16, 700	13, 300	464	812	699
North Carolina		440	520	2, 100	3, 300 39, 700	2,600 15,300	72 723	2,300	109 696
South Carolina	4,100	3,450	2, 550	30, 800	39, 100	10, 300	123	2, 300	080
Virginia (Eastern Shore and Norfolk)	3, 500	3,750	4,000	28,000	22, 500	32,000	818	622	1,177
Intermediate:	0,000	3, 100	3,000	20,000	 , 000	02,000	1 010	022	1,111
Illinois	1,880	1.400	1,400	15,000	7,000	11.200	96	118	199
Iowa	1,840	1,200	1,200	14, 700	6,600	9,000	138	110	96
Kentucky		300	380	1,800	1,500	2, 300	38	45	56
Maryland	1,930	2,050	2,170	9,600	12, 300	17, 400	141	402	432
Missouri	700	800	750	4,900	4, 800	4,500	147	135	126
New Jersey	4,500	4,100	4,080	36,000	22,600	20,400	785	898	443
New Mexico	400	300	250	3,600	2,100	1,500	81	105	58
New York (Long Island).	4,500	4, 200	4, 200	41,400	29, 400	39, 500	642	486	865
Ohio (Washington				1	١	1			
County)	520	550	580	4, 300	4,100	4, 100	88	132	66
Tennessee	1,500	1,200	1,000	10,500	8,400	5,000	206 207	218	- 97 377
Washington	950	890	1,060	8,600	7,100	8, 500	207	414	011
Late:	5, 240	5, 270	3, 910	62, 900	75, 400	43,000	269	558	408
Colorado		1.300	1,730	11,600	13,000	13, 700	118	177	88
Indiana	3,570	8, 290	3,390	39, 300	32, 200	32, 500	222	300	272
Michigan Minnesota	3,840	8, 340	2,300	34, 600	25, 100	21, 800	199	304	164
New York (except Long	0,010	0,020	2,000	01,000	1 2.0, 200	1,	200	001	-01
Island)	24,900	22,680	23, 380	224, 100	170, 100	266, 500	1.443	2,825	1,564
Ohio (except Washing-	,		10,	,	.,	Γ΄.	1		_,
ton County)	2,350	4,020	4,060	19,500	36, 200	39, 800	295	370	815
Oregon	760	830	920	5, 300	4, 200	6,000	132	148	150
Pennsylvania	2,800	2,750	2,750	22, 400	13, 800	24, 800	341	829	229
Pennsylvania Virginia (southwest)	2,670	2,620	2,750	24,000	18, 300	21,700	422	413	809
Wisconsin	16, 560	13, 480	13, 210	182, 200	128, 100	116, 200	906	1,266	844
Total	133, 830	104, 880	109, 960	1,089,000	805, 700	973, 000	13, 288	17, 939	15, 705

Division of Crop and Livestock Estimates

¹ includes sauerkraut.

Table 207.—Cabbage, commercial crop: Yield per acre and price, 1918-1924 1

			Yie	ld pe	r acre					Price	per to	n 2		
State	1918	1919	1920	1921	1922	1923	1924	1918	1919	1920	1921	1922	1923	1924
Early: CaliforniaFlorida	5. 0		7.1	7.0	Tons 6. 0 7. 0	7.0	6. 2	Dols. 16 42 34. 60					Dols. 42. 62 46. 57	
Louisiana Texas Second early:	3. 0 . 8	4.0	8.2	6.4	6.0	4. 5	5. 0	55.00	52, 50	40 20	13. 42	20, 00	55. 90	51. 75
AlabamaGeorgiaMississippi	7. 8 7. 5 5. 7 5. 0	7. 0 5. 5	7. 8 8. 4	7. 0 6. 0	5.0	5. 5 3. 5	6.0 4.3	51, 00 24, 00	47.00	37. 33 34. 20	35. 50 39. 47	25. 28 20. 00	48, 60	52, 57
South Carolina Virginia (East- ern Shore and	8. 0	7. 5	7. 4	9. 7	7. 5	11. 5	6.0	59. 09	71. 45	53. 52	24. 00	23. 47	57. 93	45. 47
Norfolk) Intermediate: Illinois	7.3 8.0 7.0	5. 0	8.1	5. 0	8. 0	5.0	8.0	11. 75	32. 42 19. 10 86. 00	18. 15	35. 10 28. 64 37. 19	6. 39		17. 76
Iowa Kentucky Maryland Missouri New Jersey New Mexico		8.6 8.0 8.0 7.5	6. 6 5. 8 8. 0 8. 1	6.0 4.8 8.1 6.5	6. 0 5. 0 7. 0 8. 0	5. 0 6. 0 6. 0 5. 5	6. 0 8. 0 6. 0 5. 0	20. 00 20. 00 39. 00 27. 44	25. 00 26. 00 41. 67 29. 37	25. 00 18. 00 43. 57 21. 27	21. 99 24. 70 44. 79 18. 65	21. 00 14. 67 30. 00 21. 80	30. 00 32. 71 28. 12 39. 75	24. 50 24. 83 28. 10 21. 74
New York (Long Island) Ohio (Washing-	9. 5		9.0	7. 8	9. 2	7. 0	9. 4	21. 56	20. 10	17. 16	31. 80	15. 51	16. 53	21. 89
ton County) Tennessee Washington	7. 0 8. 8 7. 2	6.0	4.0	61	7.0	7. 0	5.0	17, 20	50. 00 26. 20 53. 33	37. 40	32, 00	19.60	25. 97	17. 34
Colorado	9. 0 8. 2 10. 2 9. 3	6. 3 6. 8	9.8 10.7	6. 0 6. 5	11.0	10. 0 9. 8	7. 9 9. 6	24. 50 19 18	25. 80 15. 00	25. 75 14. 78	32. 89 22. 73	10. 21 5. 65	9. 33	8. 37
cept Long Island) Ohio (except Washington	9 1	6, 5	11. 6	6. 5	9. 0	7. 5	11 4	16. 12	16. 75	8. 67	25, 24	6 44	16 61	5, 87
County) Oregon Pennsylvania Virginia (south-	7. 0 7. 0 9. 0	11.0	7.7	9.5			6. 5	20,00	32, 50	20.00	30.00	25.00	35. 18	
West)	8. 9 8. 0	7. 5 7. 2			9. 0 11. 0				31, 71 18, 57					
Average	7. 6	6. 7	8. 9	6. 6	8. 1	7. 7	8.8	23 07	25. 48	17 90	24. 60	12. 20	22. 27	16. 14

Table 208.—Cabbage for sauerkraut, commercial crop: Acreage, production, and total value, by States, 1922-1924

State		Acreage		1	Production	on		alue, has	sis, aver- e aso n
2020	1922	1923	1924	1922	1923	1924	1922	1923	1924
Colorado Illinois Indiana Iowa Miohigan Minnesota New York Ohio Washington Wisconsin Other States	Acres 220 910 630 500 1, 880 900 4, 420 1, 800 330 3, 500 520	Acres 380 490 1, 120 1, 970 410 5, 000 3, 090 3, 680 720	Acres 420 440 900 320 1,770 490 4,000 2,780 310 2,760 580	Tons 2, 600 7, 000 5, 000 3, 000 22, 600 9, 000 44, 200 4, 800 88, 500 4, 300	Tons 5, 800 5, 900 12, 300 2, 160 20, 700 3, 000 43, 500 28, 700 3, 100 37, 500 4, 000	Tons 4, 600 3, 500 7, 200 2, 400 17, 500 5, 300 58, 000 27, 800 2, 500 25, 900 5, 000	1,000 dollars 33 52 34 23 145 63 312 105 48 204 42	1,000 dollars 46 55 100 16 178 21 469 305 37 316 39	1,000 dollars 37 24 50 14 111 26 352 208 22 230 47

Division of Crop and Livestock Estimates.

¹ Includes sauerkraut.

² Average for season

Table 209 .- Cabbage for saverkraut, commercial crop: Yield per acre and price per ton, 1918-1924

44-4-			Yiel	d per	acre				-	Pri	ce per	ton		
State	1918	1919	1920	1921	1922	1923	1924	1918	1919	1920	1921	1922	1923	1924
Colorado. Illinois. Indiana Ilowa. Michigan Minnesota New York Ohio. Washington Wisconsin Other States. Average.	Tons 13.4 6 0 6 0 7 3 6 6 6 4 9.7 6 0 10 0 9 1 7 3	11. 4 4. 3 6 0 4 3 5 7 6 2 6 1 5 6 11 2 7 3 7 2	14. 2 7. 0 7 7 7 0 1. 9 7 8 7 1 11 3	11 7 4.8	12. 0 7. 7 8. 0 6. 0 12 0 10. 0 11 0 14 5 11 0 8 2	15. 3 12 0 11. 0 5 9 10. 5 7 4 8 7 9 3 8 0 10 2 5 5	11 0 8 0 7 5 9 9 10 8 14 5 10 0 8.0 9.4 8 7	8. 72 9 95 9 92 10 78 10 53 12 08 13 85 9. 63 10. 97	15 00 14 62 8 00 8 94 8 78 10 50 12 00 12 83 15 15	15 69 7 50 10 96 7 65 10 00 10 46 8 36 12 00 7 64	12 45 7. 16 13 04 14. 34 16. 00 14. 31 16 76	12. 65 7. 45 6 90 7. 62 6. 41 7 00 7 05 5. 29 10. 00 5 30	9. 33 8. 12 7 75 8 59 7. 00 10. 79 10. 61 12. 00 8. 43 9 75	8.00 7.00 7.00 6.00 6.33 5.00 6.07 7.50 9.00 8.89 9.33

Table 210. —Cabbage: Car-lot shipments, by State of origin, December, 1917- April,

		('rop movem	ent season!		
State	1917	1918	1919	1920	1921	1922 1
Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andreas Andrea	Cars	Carx	Cars	Cars	Cars	Car
New York	9, 200	8 6, 181	8, 357	9, 268	10, 268	9, 086
Pennsylvania	183 62	349 254	232 260	304 325	406 448	317 220
MarylandVirginia	1, 924	1. 509	1, 531	3, 603	2, 946	3, 343
South Carolina	1, 867	1, 172	1,085	3, 254	5 3, 235	6 4, 490
Florida	3, 774	1, 539	4, 749	1, 516	2, 991	1, 244
Ohio	576	283	343	335	589	538
Illinois	268	160	148	100	144	289
Michigan	416 3, 411	374 3, 219	369 4, 903	2, 820	908 5,875	735 6, 416
Wisconsin Minnesota	1,018	945	861	533	1, 192	989
Iowa	388	205	378	140	566	390
Kentucky	108	185	128	98	73	85
T'ennessee	117	175	141	176	563	270
Alabama	860	421	265	939	1, 364	1, 564
Mississippi	1, 128 257	566 187	884 237	577 305	1, 629 357	1, 134 7 464
Louisiana	201	101	201	300	301	101
Texas	288	1, 430	8 4, 832	1,670	4, 104	10 1, 429
Colorado	1, 929	2, 313	1,672	2, 564	1,964	3, 174
California	1,078	1,395	1, 247	845	737	683
All other	529	622	535	850	837	998
Total	29, 381	3 23, 484	8 33, 157 :	30, 737	11 41, 196	18 37, 857

Division of Statistical and Historical Research — Compiled from data of the Fruit and Vegetable Division. Shipments as shown in car lots include those by boat reduced to car-lot basis.

¹ Crop movement season for cabbage begins in the South in December and continues for 17 months ending in April with final shipments from northern points

² Preliminary.

³ Preliminary.

⁴ Preliminary.

Preliminary.
 Includes 1 car in May, 1920
 Includes 1 car in May, 1923
 Includes 1 car in May, 1923
 Includes 1 cars in November, 1922
 Includes 12 cars in November, 1922
 Includes 2 cars in November, 1922
 Includes 2 cars in November, 1919
 Includes 2 cars in November, 1921
 Includes 22 cars in November, 1922.
 Includes 32 cars in November, 1921, and 1 car in May, 1923
 Includes 35 cars in November, 1922

692 Yearbook of the Department of Agriculture, 1924

TABLE 211.—Cabbage, Danish: Range and average l. c. l. price to jobbers per 100 pounds, at 10 markets, 1920-1924

Market.	Octob	er	Novem	ber	De-	Janu-	Februs	ıry	Marc	h
Season beginning October	Range	Aver- age	Range	Aver- age	ber, aver- age	ary, aver- age	Range	Aver- age	Range	A ver- age
New York:										-
1920	\$0.88-\$1 00 1 82-2.05		\$0. 75-\$1. 13 1. 78-2. 40	\$0.94 2.08	\$0.76 2.49	\$1.00 2.60	\$0.68-\$0.83 1 75-2 25	\$0.73 2.02	\$0. 68-\$0. 95 1. 75-2. 50	\$0.81 2.11
1922			. 50-1 25			1. 33	1. 60-3. 00	2.08		2. 11 3. 16
1923		1, 33	. 75-1. 40	1.01	1.36	1.66		1 97		
1924			. 70-1. 25	. 92	, 93					
Chicago:										
1920	. 46 63	. 58		. 52 2 47	. 70 2. 59	. 92 2. 21	. 47 83 1. 50-2. 15	. 71 1. 83		. 64
1921	1. 75-2. 25			. 83	1 21	1 51	1. 90-2. 15	2. 40		8. 01
			. 50-1. 20	85	1 13	1.66		1.60	1. 10-5. 00	0. UI
1924										
Philadelphia:										
1920	. 70-1. 00	. 81	. 55-1. 18			. 93	. 55 80	. 69	. 55 83	. 69
1921	1 50-2.00 .75-1.10		1. 50-2. 38 . 35-1. 15	1. 91 . 71	2 42 1.09	2. 39 1. 25	1. 25-2. 25 1. 25-3. 00	1 77 1. 78		2, 22 2, 38
1922		1. 32				1. 63	1. 25-3. 25	2. 14		2, 38
1924	. 50-1.00				. 86	1.00	1. 20 0. 20	2.13	1. 10 0. 20	2.02
Pittsburgh:		· ·			1					
1920	. 88-1. 40				. 69	1.04	. 70~ . 95	. 80	. 55 78	. 66
1921					2 67	2 58	1 90-2.75	2. 21		2. 36
1922 1923		1. 91 1 51		. 86 1 10	1 57 1.34	1. 25 1. 58	1. 25-3 50 1 25-4. 00	2.06 2 14	2. 50-4. 50 1. 75-4. 00	3. 16 2. 40
1924					. 88	1.00	1 20 -3,00	2 17	1. 10-1.00	2. 40
St. Louis:										
1090					91	1. 12	. 75-1 25	. 99		. 96
1921	1 69-2, 75	2. 15	1. 81-2. 50		2 65 1 30	2. 57 1 37	1. 50-2 25 2. 00-4. 25	2 02		3. 32
1922 1923			. 60-1. 50	1 08		2 14		2.84 2.06		
1920	. 65-1. 50	1.00				2 17	1, 00-2, 75	2 00	1.75-5.00	2, 20
Cincinnati:	.00 1.00	1.00	100 1120	1	1					
1920			. 55-1 33		. 72	1.03		1.05		. 82
1921	1. 50-2. 62	2. 14				2, 59		2. 32		
1922					1.3. 1.39	1 46 1.95	1 85-3.50 1.75-3.00	2 31 2 02		
1924					1. 10	1. 90	1. 75-3.00	2 02	1 00-4.00	2, 30
St. Paul:		1			1					
1921						3.34	2 50	2. 50		
Minneapolis:		1	1			0.00				
Kansas City:						3. 32				
1920	Į				1.05	1. 39	. 75-1. 50	1, 05	. 50-1.00	. 78
	1 50-2 50	2.09	1, 75-3, 25	2. 61	3, 15	3, 26	2 00-2.75	2, 43		
1922	. 601. 25	. 90	. 50 85	. 66	1 22	1.62	2 00-4.00	2.85	3. 25-5. 00	3.84
1923	. 90-1. 50			1 07	1 24	2. 22	1. 50-2. 25	1.89	1, 50-2, 25	1.97
Washington 1			. 75-1 25	. 97	1. 37					-
wasnington.,	I	1	1			1, 93	1. 25-1. 50	1.47	1. 00-1. 50	1. 25
1921	2.50-3 00	2 74	2 00-3 00	2, 58	3 03	3 41	2, 50-4 00	3. 01		
1922	1 50-2.25	1.97	1 00-2.00	1 43		1 88		2. 47		
1923					1 68	1.93	2, 00-2, 25	2 06		
1924	1. 25-1. 50	1. 33	. 80~1.25	1. 02	1.34					
	1	ı	J	ı	,				: 1	

Division of Statistical and Historical Research. Compiled from data of the Fruit and Vegotable Division. Average prices as shown are based on stock of good merchantable quality and condition only; they are simple averages of daily range of selling prices. In some cases conversions have been made from larger to smaller units or vice versa, in order to obtain comparability.

¹ Sales direct to retailers to October, 1923.

Table 212.—Cabbage: Farm price per 100 pounds, 15th of month, United States, 1910-1924

Year beginning July	July 15	Aug. 15	Sept.	Oct. 15	Nov. 15	Dec 15	Jan. 15	Feb. 15	Mar 15	Apr. 15	May 15	June 15	Weight- ed average
1910 1911 1912	Dolls. 2 27 2. 93 2. 29 2. 64	Dolls. 1.89 2.47 1.88 2.15	Dolls. 1. 94 1. 94 1. 25 1. 79	Dolls. 1. 58 1. 58 1. 08 1. 69	Dolls. 1. 36 1. 51 1. 04 1. 58	Dolls. 1. 49 1. 83 1. 15 1. 75	Dolls. 1. 56 1. 89 1. 26 1. 87	Dolls. 1. 48 2 24 1. 19 2. 07	Dolls. 1 26 2. 88 1. 03 2 03	Dolls. 1. 33 3 17 1 15 2 24	Dolls 1. 38 2 98 1. 58 2 05	Dolls. 2. 46 2. 67 2. 18 2. 61	Dolla. 1 57 2 23 1 28 1 95
Av. 1910-1913	2. 53	2. 10	1. 73	1. 48	1. 37	1. 56	1. 64	1. 74	1, 80	1 97	2 00	2. 48	1 76
1914	2 66 1, 95 2 15 3, 23	1. 74 1. 61 2 26 2. 19	1. 50 1. 24 2. 17 1. 76	1. 31 1. 00 2. 40 1. 79	1. 14 . 97 2. 61 2. 66	1. 26 1. 07 3. 04 2. 28	1. 36 1. 17 -3. 95 2. 74	1. 41 1. 21 5. 65 3. 26	1. 38 1. 38 6. 77 2. 86	1 99 1 50 7 61 2.98	2. 53 1 93 7. 53 3. 23	2 34 2 27 5 10 8 55	1 60 1 83 4. 45 2. 62
1918 1919 1920	3. 41 4. 23 4. 71	2 96 3, 73 3, 28	2. 45 3. 08 2. 03	2. 16 2. 88 1. 95	1. 99 2. 74 1. 67	2. 05 3. 49 1. 77	2. 19 4. 31 1. 91	2. 33 5. 05 1. 86	2. 71 5 25 1 71	3 79 5. 59 2 03	4. 97 6. 75 3 10	4 68 5 47 4 04	2 83 4. 31 2. 19
Λv. 1914-1920	3 19	2 54	2. 03	1. 93	1. 97	2. 14	2 52	2 97	3 15	3 64	4 29	3 92	2 76
1921 1922 1923 1924	3 95 2 96 3. 85 3 16	3. 16 2 12 3 20 2. 76	2. 61 1. 72 2 90 2 34	2 39 1 55 2 59 2 13	2. 42 1. 46 2. 12 2. 01	2. 77 1. 63 2 30 2. 24	3 05 2.11 2.56	3 09 2.42 2.76	3. 02 3. 00 3. 01	3 10 3 62 3 28	3 68 4 01 3 50	3. 36 4 11 3. 57	2. 92 2 44 2. 84

CANTALOUPES

Table 213.—Cantaloupes, commercial crop: Acreage, production, and total value, by States, 1922-1924

State		Acreage		1	roductic	n		alue, bas	
	1922	1923	1924	1922	1923	1924	1922	1923	1924
David	Acres	Acres	Acres	1,000 crates 1	1,000 crates 1	1,000 crates 1	1,000 dollars	1,000 dollars	1,000 dollars
Early.		26, 100	30, 200	4,386	4,776	5,738	15,833	10,794	8, 377
California (Imperial) Florida	840	2,520	760	84	86	78	268	200	126
Georgia.	8, 410	5,070	2,980	841	223	289	1,295	446	329
Texas (lower valley)	370	1,100	1,050	56	151	105	77	486	353
Intermediate:	0.0	1,100	1,0.2	00	1	100			000
Arizona	2,700	2,000	3,500	486	450	752	656	450	1.030
Arkansas	7,510	3,900	4, 500	488	179	360	834	333	565
California (Turlock and		_,	.,	l	Ĭ	l	1		1
other)	7,380	6,770	7,420	930	1,219	1,410	790	2, 365	1,833
Dolaware	4,080	3, 200	3,300	632	464	317	973	770	539
Illinois.	880	720	640	141	73	54	241	131	74
Indiana	3,300	3,550	3,840	363	327	580	628	458	1,038
Maryland	5,560	4,900	5,500	890	725	550	1,771	1, 791	1,023
Missouri	630	260	160	63	26	16	127	29	19
Nevada	1,400	1,400	900	126	164	99	220	246	148
North Carolina	3,960	2, 290	2, 400	436	229	180	449	234	- 124
Oklahoma	400	100	150	24	4	15	40	6	16
South Carolina	1,510	1,070	500	151	77	52	193	115	45 464
Texas (other)	540	870	3, 790	35	64	265	50	151	303
Late:		6. 400	7 170	1,400	1,078	1,219	2,450	1,822	1,463
Colorado	14,000	8,620 930	7, 170 890	1, 400	1,078	53	123	83	1, 403
Iowa	1,020 50	180	780	1 74	18	98	5	30	135
Kansas	1,500	1,700	1,600	172	223	104	215	301	170
Michigan	3, 360	3,860	4, 360	612	594	698	863	1.307	1, 249
New Jersey New Mexico	1,100	1,400	2,100	138	234	525	200	316	719
	350	880	360	49	132	65	74	317	68
Tennessee	1, 120	770	850	216	146	167	486	320	257
AA SERLINGROUT	1, 120								
Total	103, 300	84, 160	89, 700	12,805	11,745	13, 789	28,861	23, 501	20, 230

Division of Crop and Livestock Estimates.

¹ Standard crate.

Yearbook of the Department of Agriculture, 1924

Table 214.—Cantaloupes, commercial crop: Yield per acre and price, 1918-1924

			Yiel	d per	acre					Price	per o	erate *		
State	1918	1919	1920	1921	1922	1923	1924	1918	1919	1920	1921	1922	1923	1924
Early: California (Imperial) Florida	123	Crts. 209 116	Crts. 182 124	Crts. 173 150	Crts. 140 100	Crts. 183 34	190 102	1.00	2. 17	1.88	1. 68	3.61	2. 26 2. 33	Dols. 1. 46
Georgia Texas (lower valley) Intermediate:	138	122 146	164 162	195 98	100 150	137	97 100	1. 25 2. 75	1. 17 5. 00	1. 45 8. 00	1. 36 2. 00		2.00 3.22	1. 14 8. 86
Arizona Arkansas California (Turlock and	180 74	160 83	170 79	172 87	180 65	225 46	215 80		1.75 1.62	1.75 2.20			1. 00 1. 86	1. 37 1. 57
other) Dolaware Hlinois	182 117 142	162 118 156	170 111 160	156 96 165	126 155 160	180 145 102	96	1.61	1. 21 . 98 1. 08	. 93 . 90 1. 25		1. 54	1. 94 1. 66 1. 80	1. 80 1. 70
Indiana Maryland Missouri	150 174	152 174 166	140 135 150	125 154 147	110 160 100	92 148 100	151 100	1. 45 1. 82	1. 56 1. 25	1. 24 1. 28	1. 48 1. 12	1. 73 1. 99	1. 40 2. 47 1. 11	1. 37 1. 79 1. 86 1. 20
Nevada North Carolina Oklahoma	140	145 126	146 118	80 126 125	90 110 60	117 100 40	110 75 100	1. 80 1. 19	2. 25 1. 70 1. 05	1.03	1. 35 1. 30	1.75 1.03	1. 50 1. 02 1. 44	1.50 .69 1.07
South Carolina Texas (other)	114 156	110 146	100 162	90 60	100 65	72 74	104	. 92 1. 32	1. 00 1. 45	1. 16 1. 62	1. 38	1. 28	1. 49 2. 86	. 87 1. 75
Late: Colorado Iowa Kansas	176 176	165 172	150 135	182 126	100 80 90	125 89 100	170 60 125	1. 50 1. 50	1 25 1.62	1 60 1.50		1.50	1. 69 1. 00 1. 69	1. 20 1. 25 1. 38
Michigan New Jersey New Mexico	145 165 150	166 158 160	140 160 200	125 174 180	115 182 125	131 154 167	65 160	1. 60 . 77 1. 50	. 73	2.00 .84 1.25	. 97	1. 25 1. 41	1. 35 2. 20 1. 35	1. 63 1. 79 1. 37
Tennessee Washington		150 160	158 217	175 194	140 193	150 190	180	1. 25	1. 12	1.38	1. 25	1. 50	2. 40 2. 19	1. 05 1. 54
A verage	157	154	166	149	124	140	154	1.83	1. 53	1. 51	1. 30	2. 25	2.00	1. 47

Division of Crop and Livestock Estimates.

Table 215.—Cantaloupes: Car-lot shipments by State of origin, April, 1917-November, 1924

Security security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the secur			C	rop moven	nent seasor	11	terminative blacks.	
State	1917	1918	1919	1920	1921	1922	1923	1924 1
Delaware Maryland North Carolina South Carolina Georgia	Cars 702 855 1, 106 157 789	Cars 429 490 418 31 551	Cars 590 835 523 100 314	Cars 581 771 359 110 389	Cars 943 1, 206 821 299 640	Cars 843 1, 233 700 270 1, 632	Cars 818 1, 270 620 70 216	Cars 537 699 399 115 586
Indiana Michigan Arkansas Colorado New Mexico	664 42 797 1, 898 227	443 37 699 1, 818 256	462 204 1, 106 3, 132 378	635 209 936 2, 454 937	644 176 1, 501 3, 215 421	894 465 990 4, 420 27 <i>U</i>	681 306 337 2, 195 364	820 113 1,051 2,640 518
Arizona Washington California All other	1, 215 145 8, 258 575	1, 169 110 6, 848 320	1, 832 100 12, 010 453	1, 164 329 13, 100 403	1, 474 209 13, 177 843	1, 558 371 15, 304 962	1, 208 207 15, 449 1, 030	1, 864 298 18, 335 98 0
Total	17, 430	- 13, 619	22, 039	22, 377	25, 569	29, 917	24, 771	28, 955

Division of Statistical and Historical Research. Compiled from data of the Fruit and Vegetable Division. Shipments as shown in car lots include those by boat reduced to car-lot basis.

Average for season.

 $^{^{\}rm 1}$ Crop movement season extends from Apr. 1 through November of a given year. $^{\rm 3}$ Preliminary.

CAULIFLOWER

Table 216.—Cauliflower, commercial crop: Acreage, production, and total value, by States, year beginning October, 1921-1923

State		Acreage	*****	P	rôductio	n		alue, bas ice for se	is, aver- ason .
	1921	1922	1923	1921	1922	1923	1921	1922	1923
California Colorado New York Oregon Virginia	Acres 6, 700 2, 240 310 9, 250	Acres 7, 260 260 3, 500 510 50	Acres 6, 550 400 4, 350 1, 820 70	1,000 crates 2,010 495 84	1,000 crates 2, 105 72 1, 015 117 13	1,000 crates 1,703 112 1,044 637 18	1,000 dollars 3, 960 1, 381 176	1,000 dollars 2, 736 131 2, 223 170 24	1,000 dollars 2,010 202 1,931 924 36

Division of Crop and Livestock Estimates

Table 217.—Cauliflower, commercial crop: Yield per acre and price, year beginning October, 1918-1923

Shada			Yield p	er acro	e			F	rice pe	er crate	, 1	
State	1918	1919	1920	1921	1922	1923	1918	1919	1920	1921	1922	1923
CaliforniaColorado.	Crts 261	Crts. 273	Crts. 268	Crts. 300	Crts. 290 275	Crts. 260 280	Dols. 1 00	Dols. 1. 25	Dols. 1. 00	Dols. 1 97	Dols 1 30 1 82	Dols 1 18 1.80
New York Oregon Virginia	258 240	252 231	274 270	221 270	290 230 265	240 350 250	2. 08 1. 30	1 84 1. 25	2. 00 1. 25	2 79 2.10	2 19 1 45 1 85	1 85 1. 45 2. 00
A verage	260	268	269	280	287	266	1. 26	1. 36	1. 24	2. 13	1. 59	1. 45

Division of Crop and Livestock Estimates.

CELERY

Table 218.—Celery, commercial crop: Acreage, production, and total value, by States, 1922-1924

State		Acreage		F	roductio	on		value, bas	sis, aver- cason
State	1922	1923	1924	1922	1923	1924	1922	1923	1924
Early: California Florida Late: Colorado Michigan Minnesota New Jorsey New York Ohio Oregon Pennsylvania	Acres 4, 520 2, 920 000 4, 090 500 3, 530 780 90 200	Acres 5, 480 3, 200 670 4, 120 100 840 4, 000 800 150 400	Acres 5, 250 4, 000 8, 940 120 1, 300 4, 720 710 160 380	1,000 Crts.1 1,026 1,264 170 871 146 882 156 26 60	1,000 Crts.,1 1, 167 1, 494 179 911 23 280 972 187 43 107	1,000 C7ts 1 1,155 1,680 240 957 26 384 1,407 131 43 91	1,000 dollars 2,698 3,767 325 1,237 293 1,526 471 69 133	1,000 dollars 2,276 6,335 252 1,312 48 395 1,584 349 89 164	1,000 dollars 1,721 8,282 487 1,924 59 708 2,012 296 94 164
Total	17, 230	19, 780	21, 380	4, 601	5, 333	6, 114	10, 519	12, 804	15, 74

¹ Average for season.

¹ Equivalents of New York crate, 21 by 16 by 22 inches.

TABLE 219.—Celery, commercial crop: Yield per acre and price, 1918-1924

	7	Yield	per a	ore					Prio	e per o	rate ¹		
1918	1919	1920	1921	1922	1923	1924	1918	1919	1920	1921	1922	1923	1924
Crt 187 400	Crt. 264 459	Crt. 213 404	Crt. 227 512	Crt. 227 433	Crt. 213 467	Crt. 220 420	Dols. 2.81 4.11	Dols. 2.75 4.45	Dols. 2.86 4.75	Dols. 2.06 4.27	Dols. 2. 63 2. 98	Dols. 1. 95 4. 24	Dols. 1. 49 4. 93
287 185	293 170	267 220	293 240	283 213	267 221 233	300 243 213	2.00 1.00	2.00 1.00	1. 67 1. 16	1. 33 1. 62	1. 91 1. 42	1.41 1.44 2.07	2.03 2.01 2.28
291 220 220	267 200 200	307 230 220	333 215 190 290	293 250 200 293	333 243 196 287	295 298 185 267	1. 73 2. 10 3. 04	1. 75 2. 34 3. 09	1 31 2, 15 3, 51	1. 67 2. 50 2. 45 2. 10	2. 01 1. 73 3 02 2. 67	1. 41 1. 63 2 22 2. 08	1. 83 1 43 2. 26 2. 19
267	320 254	203 246	317 271	300	267	240	3.00	3. 33	4.00	3 00	2. 21	2.40	1. 80 2. 57
	Crt 187 400 287 185 291 220 220 267	1918 1919 Crt Crt. 187 264 400 459 287 298 185 170 291 267 220 200 220 200 267 320	1918 1919 1920 Crt Crt. Crt. 187 284 213 400 459 404 287 298 267 170 220 291 267 307 220 200 230 220 200 220 267 320 203	1918 1919 1920 1921 Crt Crt. Crt. Crt. 187 264 213 227 400 459 404 512 287 293 267 293 185 170 220 240 291 267 307 333 220 200 230 215 220 200 220 190 290	Crt Crt. Crt.	1918 1919 1920 1921 1922 1923 1924 1925 1926 1927 1927 1927 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928 1928	1918 1919 1920 1921 1922 1923 1924	1918 1919 1920 1921 1922 1923 1924 1918 Crt	1918 1919 1920 1921 1922 1923 1924 1918 1919 Crt	1918 1919 1920 1921 1922 1923 1924 1918 1919 1920 Crt	1918 1919 1920 1921 1922 1923 1924 1918 1919 1920 1921	1918 1919 1920 1921 1922 1923 1924 1918 1919 1920 1921 1922	1918 1919 1920 1921 1922 1923 1924 1918 1919 1920 1921 1922 1923 1924 1918 1919 1920 1921 1922 1923 1924 1918 1919 1920 1921 1922 1923 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872 1872

Division of Crop and Livestock Estimates.

Table 220.—Celery: Car-lot shipments, by State of origin, June, 1918-May, 1924

ga		('rop move	ment seaso	n 1	
State	1918	1919	1920	1921	1922	1923 3
New York	Cars	Cars	Cars	Cars	Cars	Cars
	1, 352	1, 682	2, 793	3, 032	3, 248	3, 741
	154	177	108	217	115	219
	199	33	176	225	212	223
	2, 051	3, 007	4, 175	4, 954	6, 398	7, 196
Michigan Colorado California All other Total	458	598	604	1, 013	1, 626	1, 486
	225	212	283	211	222	125
	1,498	1, 966	3, 342	2, 614	4, 337	4, 716
	35	59	71	130	210	336
	5,972	7, 734	11, 552	12, 396	16, 368	18, 042

Division of Statistical and Historical Research. Compiled from data of the Fruit and Vegetable Division. Shipments as shown in car lots include those by boat reduced to ear-lot basis

CORN

Table 221.—Corn, sweet, for canning, commercial crop: Acreage, production, and total value, by States, 1922-1924

State		Acreage		F	roductio	on	Total value, basis, average price for season			
	1922	1923	1924	1922	1923	1924	1922	1923	1924	
Delaware Illinois Indiana Iowa Maine Maryland Michigan Minnesota Nebraska	82, 120 11, 400 20, 900 5, 930 11, 660 3, 530	Acres 5, 210 53, 120 18, 670 45, 610 11, 090 20, 390 8, 200 15, 600 4, 380	Acres 5, 840 60, 560 21, 840 59, 290 13, 420 26, 920 12, 960 20, 900 5, 650	Tons 15,000 88,500 34,300 96,400 28,500 52,200 11,900 23,300 9,200	Tons 14, 600 138, 100 37, 300 118, 600 33, 300 58, 100 13, 100 40, 600 8, 800	Tons 11, 100 103, 000 37, 100 88, 900 37, 600 40, 400 15, 600 41, 800 10, 200	1,000 dollars 150 865 343 694 784 522 136 213 77	1,000 dollars 146 1,671 410 1,059 916 763 163 395 78	1,000 dollars 133 1,390 547 849 1,094 593 220 395	
New Hampshire		960	1, 200	1,900	2, 800	3, 400	43	64	83	
New York Ohio Pennsylvania Vermont Wisconsin Other States	20, 310 2, 260 2, 590	20, 840 23, 150 2, 580 2, 450 10, 800 1, 800	23, 190 25, 930 3, 120 2, 500 13, 720 2, 370	33, 300 44, 700 5, 400 5, 200 21, 300 8, 600	29, 200 55, 600 4, 900 6, 600 23, 800 5, 200	39, 400 36, 300 6, 200 7, 000 17, 800 4, 700	593 389 54 78 225 50	565 593 56 99 249 86	772 386 110 140 212 63	
Total	197, 600	250, 850	299, 410	474, 700	590, 600	500, 500	5, 216	7, 313	7, 100	

¹ Average for season, New York crate basis.

¹ Crop movement season extends from June ¹ of one year through May of the following year, except in Florida, where the season extends through June.

² Proliminary.

Table 222.—Corn, sweet, for canning, commercial crop: Yield per acre and price, 1918-1924

			Yiel	d per	acre					Pr	ice per	ton		
State	1918	1919	1920	1921	1922	1923	1924	1918	1919	1920	1921	1922	1923	1924
Delaware	Tons 2 0 2 1 1 5 1 9 2 5 2 0 1 0 2 5 2 0	2.0 2.2 2.4 2.6 3.5 2.0 2.4 1.5	1.8 2.2 2.5 2.8 3.1 2.6 2.0 2.5 2.0	2.6 2.9 2.8 3 2.5 2.2 2.8 2.9	Tons 2.7 2.2 2.5 3.0 2.5 2.5 2.0 2.6	2.6 2.6 2.6 3 2.6 2.6 2.6 2.6 2.6	1.9 20 1.9 1.5 2.8 1.5 1.2 2.4 1.8	14 09 17 00 12. 13 32. 74 24. 48 16. 18 14. 13 11 75	16 80 13. 80 14. 93 13. 27 34. 62 21. 88 16. 96 14. 19 11. 66	15. 60 19. 75 18 50 15 60 30 00 23. 00 14. 46 15 00 12. 38	9 00 12 67 12 00 8 60 27 60 11. 70 15. 00 10 40 15 00	10. 00 9. 77 10 00 7 20 27. 50 10. 00 11. 41 9 14 8. 33	10. 00 12. 10 11. 00 8. 93 27. 51 13. 14 12. 42 9. 73 8 88	Dols. 12. 00 13. 58 14. 76 9. 51 29. 16 14. 66 14. 76 9. 46
New Hampshire New York Ohio Pennsylvania Vermont Wisconsin Other States Average	1.5 2 0 1.8 2 0 2.0 2.0 1.8	3 0 2.0 2.5 2.2 2.5 2.4 2.1	2 8 2.0 2.0 2.2 2.2 2.0 2.6	2 9 2.3 2.5 2.7 2.3 2.8 2.9	2. 2 2. 0 2. 2 2. 4 2. 0 2. 5 2. 7	2 9 1. 4 2. 4 1. 9 2. 7 2 2 2 9	1: 7 1 4 2. 0 2 8 1. 3 2. 0	19. 61 18. 86 22 40 21. 00 13 50 18. 08	19. 11 16. 37 18. 50 20. 00 14 41 16 17	22, 28 18, 67 17 00 20 00 15 50 15 91	18. 29 10. 29 14 00 15 00 11 22 13 59	10 00 15. 00 10. 54 13. 98	19. 36 10. 66 11. 33 15. 00 10. 46 16. 47	24. 40 19. 50 10. 60 17. 70 20. 00 11. 90 13. 50

Table 223.—Corn, canned: Production in the United States, 1917-1924

State	1917	1918	1919	1920	1921	1922	1923	1924
Maine	Cases 1 566, 498 257, 296 2, 001, 544 1, 200, 131 742, 491 2, 421, 953 165, 492 2, 280, 366 965, 275	Cases 1 1, 112, 912 488, 912 2, 032, 944 1, 584, 064 512, 688 2, 199, 344 372, 924 309, 136 2, 300, 241	Cases 1 1, 652, 000 1, 014, 000 2, 081, 000 1, 360, 000 586, 000 2, 225, 000 456, 000 2, 496, 000	Cases 1 1, 588, 000 829, 000 2, 217, 000 1, 544, 000 861, 000 2, 271, 000 590, 000 643, 000	Cases 1 911, 000 564, 000 1, 130, 000 850, 000 709, 000 1, 711, 000 578, 000 573, 000 1, 190, 000	Cases 1 1, 066, 000 616, 000 1, 944, 000 1, 073, 000 665, 000 1, 939, 000 625, 000 598, 000 1, 959, 000	Cases 1 923, 000 434, 000 2, 256, 000 1, 390, 000 1, 208, 000 2, 833, 000 648, 000 2, 382, 000 2, 382, 000	Cases 1 1, 294, 000 749, 000 1, 707, 000 787, 000 846, 000 2, 310, 000 388, 000 1, 199, 000 1, 764, 000
United States	10,803,015	11,721,860	13,550,000	15,040,000	8, 843, 000	11,419,000	14,106,000	12,131,000

Division of Statistical and Historical Research. Compiled from National Canners' Association data.

Stated in cases of 24 No 2 cans.

CUCUMBERS

Table 224.—Cucumbers for consumption fresh, commercial crop: Acreage, production, and total value, by States, 1922-1924

State		Acreage)	1	roduction	מס	Total value, basis, average price for season			
	1922	1923	1924	1922	1923	1924	1922	1923	1924	
Early: Alabama Florida Georgia Louisiana South Carolina Texas (Southern district).		Acres 1,360 10,760 600 250 2,780 1,720	Acres 2, 540 12, 550 2, 260 300 3, 560 950	1,000 kamp.1 545 3,072 119 532 144	1,000 hamp.1 220 1,463 48 32 473 165	1,000 hamp 1 432 1,017 120 60 605 163	1,000 dollars 763 5,929 258 367 134	1,000 dollars 530 4,535 96 32 970 282	1,000 dollars 488 3, 275 218 106 - 484 302	
Virginia Second early: Arkansas California (southern dis- trict)	830 460	840 450	1, 730 350 420	124 62	130 72	260 35 67	124	195 95	208 45 56	
North CarolinaIntermediate: Delaware	2, 340 700	2, 650 640	3, 500 740	421 105	610 115	875 118	370 62	976 208	718 183	
Illinois (southern) Maryland New Jersey	400 1, 120 1, 480	1, 250 1, 660	520 1,300 2,560	64 234 450	73 231 382	78 202 701	123 204 486	104 434 657	130 265 1, 374	
Late: New York Total	2, 030 29, 870	2, 080 27, 480	3, 400 86, 680	374 6, 246	343 4, 357	544 5, 272	486 9,418	539 9, 653	9, 304	

Division of Crop and Livestock Estimates.

¹ Bushel hamper.

Table 225.—Cucumbers for consumption fresh, commercial crop: Yield per acre and price, 1918-1924

					. ,		•							
			Yie	ld per	всте				I	rice p	per ha	m per	1	
State	1918	1919	1920	1921	1922	1923	1924	1918	1919	1920	1921	1922	1923	1 924
Early:		Hamp.	Hamp.	Hamp.	Hamp.	Hamp.	Hamp.	Dols.	Dols.	Dols.	Dols.	Dols.	Dols.	Dols.
Alabama Florida	158 324			150 280	296	136	81	4.33			0. 70 2. 49	1.93	3 10	3. 81
Georgia Louisiana					180	80 130						2, 17	2.00 1.00	
South Car-	259	280	234	203	115	l	l		1. 39	1. 65	1. 83	. 69	2. 05	. 80
olina Texas	209	200	207	200	113	1.0	1 ***	1	1.00	1.00	1.00			
(southern district)	134	124	124	105	110	96								
Virginia Second Early:	180	205	136	160	150	155	150	1.94	2. 50	2. 50	2.00	1.00	1. 50	
Arkansas							100							1. 28
California (southern			450	100	10.5	100	160	1.80	1. 50	1. 30	1 25	1.80	1. 32	. 83
district) North Car-	190													l
olina Intermediate:	249	276	2 55	226	180	230	250	1. 03	. 79				1, 60	. 82
Delaware	156	164	150	165	150	180	160	. 66	. 84	75	. 70	59	1. 81	1. 55
(southern)	168	164	184			165 185								
Maryland New Jersey.	180 296	202 319	182 266		209 364	230	274							
Late: New York	154	160	152	150	184	165	160	. 96	1, 32	1. 68	1. 21	1 30	1 57	1. 53
Average	243		218		213	159	144	2.4)	2. 32	. 08	1 72	1, 51	2. 22	1.76

Table 226.—Cucumbers for pickles, commercial crop: Acreage, production, and total value, by States, 1922-1924

1922 1923 1924 1922 1923 1924 1922 1923 1924 1922 1923 1924 1922 1923 1924 1923 1924 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925 1925	State		Acreage		F	roductio	n	Total value, basis, average price for season			
California Acres Acres Acres bushele bushele bushele dollars 230 312 185 288 312 185 230 312 185 230 312 185 230 312 185 230 312 185 230 312 185 230 312 185 230 312 185 230 312 185 230 312 185 230 312 185 230 312 185 230 312 185 230 312 185 230 312 185 230 312 185 230 314 347 50 104 36 36 312 185 30 172 105 Michigan 25,050 26,840 36,230 1,002	2340	1922	1923	1924	1922	1923	1924	1922	1923	1924	
	Colorado Illinois Indiana Iowa Michigan Minnesota Missouri New York Ohio Washington Wisconsin Other States	1, 480 3, 080 960 5, 240 25, 050 1, 330 400 1, 950 920 380 7, 310 3, 740	2, 033 3, 250 1, 410 7, 390 3, 530 26, 840 1, 330 400 1, 420 700 480 12, 130 3, 570	2,740 4,260 1,680 11,450 4,760 36,230 3,070 920 1,730 920 1,730 920 17,220 7,500	bushels 185 200 43 210 30 1, 002 66 64 146 69 48 366 232	bushels 268 254 73 377 191 1, 154 72 19 70 32 66 606 132	bushels 312 149 47 298 95 870 52 37 57 29 13 482 345	dollars 185 290 50 206 30 872 66 14 146 69 34 304	dollars 230 394 104 475 172 1, 316 72 13 88 34 66 733 132		

Table 227.—Cucumbers for pickles, commercial crop: Yield per acre and price, 1918-1924

			Yiel	d per	acte			Price per bushel							
State	1918	1919	1920	1921	1922	1923	1924	1918	1919	1920	1921	1922	1923	1924	
California Colorado Illinois Indiana Lowa Michigan Minnesota Missouri New York Ohio Washington Wisconsin Other States Average	Bu. 63 74 53 55 46 51 60 44 60 55 57 66 75	Bu. 64 69 57 50 47 57 63 45 70 55 59 69 46	Bu. 86 81 15 24 22 34 20 45 98 47 110 28 51 38	Bu. 100 75 80 70 70 70 60 70 80 80 80 65 73	Bu. 125 65 45 40 30 40 50 60 75 75 125 50 62 50	Bu. 132 78 52 51 54 43 54 48 49 45 138 50 37	Bu. 114 35 28 20 24 17 40 33 32 30 28 46	Dols. 0.96 .69 1.03 .85 .76 .79 .80 1.00 1.00 1.25 1.01 .89	Dols. 1. 23 .70 1. 07 .94 .79 .79 .88 1. 00 1. 09 1. 25 1. 03 1. 00	Dols. 1. 20 1. 00 1. 26 1. 30 1. 00 . 93 1. 06 . 90 1. 00 1. 25 1. 00 . 79 . 96	Dols. 1. 24 1. 15 1. 26 . 87 1. 63 1. 04 1. 25 1. 00 . 92 . 98 1. 04	Dols. 1. 00 1. 45 1. 17 . 98 1. 00 . 87 1. 00 . 60 1. 00 1. 00 . 71 . 83 . 74	Dols. 0.86 1.55 1.43 1.26 .90 1.14 1.00 .70 1.25 1.05 1.00 1.21	Dols. 1. 00 1. 00 1. 07 1. 30 1. 07 93 1. 25 1. 42 94 1. 48 1. 00 1. 00 1. 29	

¹ A verage for season.

LETTUCE

Table 228.—Lettuce, commercial crop: Acreage, production, and total value, by States, 1922-1924

State		Acreage		F	Production	n	Total value, basis, average price for season				
	1922	1923	1924	1922	1923	1924	1922	1923	1924		
Early. Arizona	Acres 1, 480	Acres 2, 900	Acres 4, 800	1,000 crates 1 493	1,000 crates 1 879	1,000 crates 1 1, 262	1,000 dollars 385	1,000 dollars 1,028	1,000 dollars 1, 426		
California: ³ Imperial Other Florida North Carolina	7, 140 3, 140 1, 180	14, 130 10, 570 3, 780 1, 230	20, 000 12, 780 3, 490 1, 540	1, 925 1, 785 1, 727 354	3, 052 3, 467 1, 361 320	3, 800 3, 233 1, 222 346	3, 446 2, 802 2, 245 924	3, 876 3, 918 1, 674 470	5, 548 8, 330 978 346		
South Carolina Texas Virginia Late:	1,390	1, 980 1, 140 310	1, 310 670 300	394 300 32	287 263 54	236 176 48	843 222 56	359 263 66	271 81 44		
Colorado Idaho Michigan Minnesota	6,000 1,800 370 170	6,710 3,150 380 240	5, 600 1, 420 300 350	1, 260 356 62 31	1, 134 507 61 32	554 223 30 33	1, 802 595 124 41	1, 508 644 130 46	90 24 4 9		
New Jersey New York Oregon Pennsylvania Utah	1, 380 6, 000 500 60 120	1,310 7,150 500 60 200	1,730 6,450 300 70 300	308 1, 200 88 13 36	279 1, 552 80 12 58	368 1, 522 56 7 93	290 1,476 158 16 49	2, 064 90 16 70	2, 02 6 1		
Washington	1, 080 210	2, 000 250 57, 990	1, 400 250 03, 060	409 56	654 66 14, 118	368 76 13, 653	442 70 15, 984	726 82	38 8 16, 58		

Division of Crop and Livestock Estimates

TABLE 229 .- Lettuce, commercial crop: Yield per acre and price, 1918-1924

			Yiel	d per	acre					Price	per c	ate 1		
State	1918	1919	1920	1921	1922	1923	1924	1918	1919	1920	1921	1922	1923	1924
Carly. Arizona California 2	Crts. 274 305	Crts. 273 291	Crts. 297 301	Crts. 287	Crts. 333	Crts. 303	Crts. 263	Dolls. 0. 67	Dolls. 0. 78	Dolls. 0. 60	Dolls. 0. 90	Dolls. 0. 78	Dolls. 1. 17	Dolls.
Imperial Other	552	466	470	190 278 547	175 250 550	216 328 360	190 253 350	1.75 1.48 .80	1. 95 1. 48 1. 10	1.80 1.54 1.19	1. 70 1. 07 1. 32	1. 79 1. 57 1. 30	1. 27 1. 13 1. 23	1.46 1.03
North Carolina South Carolina . Texas	293 295 179	308 294 283	308 266 283	307 300 261	300 225 216	260 145 231	225 189 263	2.31 1.74 .70	3. 26 2. 18 1. 09	8. 11 2. 28 . 79	2.50 2.17 .62	2.61 2.14 .74	1. 47 1. 25 1. 00	1.00
Virginiaate: Colorado	252 297	248 274	273 292 268	312 815 292	250 210 198	175 169 161	99 157	2. 05 2. 92	2. 85 2. 50	2. 55 1. 50 1. 50	2.00 1.25 1.46	1. 75 1. 48 1. 67	1. 47 1. 33 1. 27	1.0 1.6 1.1
IdahoMichiganMinnesota New Jersey	169	241 240 210	144 173 208	200 177 217	167 180 223	160 133 213	100 93 213	1, 11	1. 49 2. 33 1. 83	1. 35 2. 00 2. 33	1. 67 2. 00 2. 35	2.00 1.33 1.25	2. 13 1. 45 2. 03	1.4 2.9 1.6
New York Oregon Pennsylvania	225 190	200	230 175	257 257	200 175 217	217 161 200	236 187 100-	1. 16	1. 26 2. 56	1. 29 2. 05	2.15	1. 23 1. 77 1. 20	1. 83 1. 13 1. 38	1. 3 1. 0 1. 5
Utah Washington Wyoming	292	274	286	487	303 379 268	292 327 263	309 263 303	2. 50	2.08	1.48	1. 67	1. 35 1. 08 1. 25	1. 21 1. 11 1 24	1. 1 . 9 1. 1
Average	815	290	302	286	241	243	217	1. 82	1. 53	1. 55	1. 50	1. 48	1. 24	1.9

¹ Crates of 3 dozen heads each.
2 Crop year beginning October.

A verage for season.
 Year beginning October.

TABLE 230.—Lettuce: Car-lot shipments by State of origin, January, 1917-December, 1924

a	Crop movement season ¹													
State	1917	1918	1919	1920	1921	1922	1923	1924						
New York	Cars 1, 423 215 181 161 1, 116 53 64 2, 013 202	Cars 1, 334 171 226 375 2, 352 17 64 2, 051 369	Cars 1, 761 245 319 395 2, 134 90 41 19 2, 731 283	Cars 2, 138 515 265 366 3, 120 176 165 345 6, 350 388	Cars 3, 361 478 448 448 2, 286 114 166 632 9, 746 802	Cars 3, 167 571 622 987 3, 323 113 678 812 9, 744 2, 223	Cars 3, 817 456 718 577- 3, 146 102 1, 108 1, 081 15, 113 3, 367	Cars 3, 702 416 714 423 2, 199 85 2, 024 683 18, 404 2, 144						
Total	5, 428	6, 959	8, 018	13, 818	18, 616	22, 240	29, 485	30, 794						

Division of Statistical and Historical Research. Compiled from data of the Fruit and Vegetable Division. Shipments as shown in car lots include those by boat reduced to car-lot basis.

ONIONS

Table 231.—Onions, commercial crop: Acreage, production, and total value, by States, 1922-1924

State		Acreage	ı	F	roductie	in.		alue, basi rice per s	
J	1922	1923	1924	1922	1923	1924	1922	1923	1924
Early(Bermuda and Creole) California Louisiana Texas	11, 920	Acres 1, 340 1, 200 12, 680	Acres 1, 540 1, 520 10, 260	1,000 bushels 944 330 2,348	1,000 bushels 398 108 1,661	1,000 bushels 522 190 2,052	1,000 dollars 1,340 498 4,485	1,000 dollars 613 193 3,156	1,000 dollars 773 247 8,263
Total	15, 970	15, 220	13, 320	3, 622	2, 167	2, 764	6, 323	3, 962	4, 283
Intermediate (domestic):	1,320 1,530 6,720 1,900 300 1,250 5,620 4,560 1,750 1,470 7,740	1, 460 1, 000 2, 290 1, 290 1, 500 7, 010 2, 620 300 990 6, 300 3, 360 1, 250 7, 550 600 280 400 940	1, 520 1, 100 1, 980 1, 300 1, 980 4, 650 3, 140 830 6, 910 3, 190 2, 000 1, 540 7, 600 300 300 320 960	612 225 590 297 497 1, 680 532 138 375 2, 321 1, 254 804 514 2, 090 2, 272 264 133 100 360	583 298 444 328 655 2, 103 655 128 228 2, 218 1, 284 646 268 3, 186 268 1, 457 192 56 150 262	578 330 481 280 653 1, 279 848 160 187 1, 728 1, 244 600 419 2, 184 211 98 8147 259	459 286 738 267 211 806 277 104 308 1, 369 878 519 240 1, 250 1, 250 145 90 49 176	629 423 657 387 567 707 142 323 2, 795 1, 913 964 4, 387 2, 098 200 80 80 202 314	590 412 736 273 627 1, 010 517 139 243 1, 244 1, 232 378 328 2, 586 1, 507 160 130 169 189
TotalGrand total	47, 320 63, 290	46, 720 61, 940	46, 580 59, 900	15, 141 18, 763	15, 139 17, 306	14, 863 17, 627	9, 553 15, 876	19, 381 23, 343	12, 468 16, 751

¹ The crop movement season extends from Jan. 1 through December of a given year.

² Preliminary.

Table 232.—Onions, commercial crop: Yield per acre and price, 1918-1924

			Yiel	d per	acre					Price	per bu	shel 1		
State	1918	1919	1920	1921	1922	1923	1924	1918	1919	1920	1921	1922	1923	1924
arly (Bermuda and	_		_	_	_									
Creole):	Bus	Bus.	Bus.	Bus.	Bus.	Bus.	Bus.	Dols.	Dols.	Dols.	Dols.	Dols.	Dols.	Dols
California	333	312	298	245	320	297	839	1 00	2 20	1. 53	1. 28	1 42	1 54	1.4
Louisiana Texas	190 159	160 267	158 256	206 207	800 197	90 131	125 200	1.60	2. 85 2. 01	1 42	. 95	1. 51	1. 79	1.3
1.6x88	109	201	200	207	197	131	200	1 13	2.01	1 42	. 83	1 91	1 90	1. 5
Bermuda and Creole, aver-														
880	173	259	251	213	227	142	208	1. 15	2.09	1.42	. 92	1 75	1 83	1.5
ntermediate (domes- tic):							٠.							
lowa	365	300	350	205	380	365	380	. 95	1. 53	. 60	1. 20	. 75	1 18	1.0
Kentucky	301	300	370	300	225	298	300	1.74	2.05	1 05	. 70	1. 27	1 42	1. 2
New Jersey	320	250	240	250	250	194	243	1. 28	1 72	1. 25	1 15	1 25	1 48	1.5
Virginia	265	250	320	280	225	254	200	1.85	1 78	1. 50	1 13	. 90	1. 18	1.0
Washington	400	400	410	800	320	450	830	1. 32	1. 55	. 93	1.41	. 43	. 74	. 9
ate (domestic):							1							ł .
California	350	375	325	225	250	300	275	. 70	1 65	. 50	1.40	. 48	1 08	.7
Colorado	244	250	340	300	280	250	270	1.00	1. 62	. 72	1 53	. 52	1.08	. 9
Idaho	400	400	485	470	460	425	400	. 80	1.65	. 35	1. 62	.75	1. 11	1.3
Illinois	345	200	350	210	300	289	225	. 75	1 32	.81	1 28	. 82	1. 13	1.3
Indiana	362 475	200 340	398 450	265 280	413 275	352 382	250 390	. 88	1. 32	. 76	1 32	. 59	1 26	1 :
Massachusetts Michigan	320	175	350	225	511	349	300	1. 18	1.45	. 63	1.44	. 58	1 50	1 :
Minnesota	375	275	300	200	350	220	275	1. 20	1 47	. 50	1 27	.43	1 32	1 ::
New York	400	265	340	300	270	418	420	1.00	1. 84	.69	1 60	. 67	1. 39	1 :
Ohio	312	250	340	225	400	253	350	. 59	1. 28	.46	1 53	. 55	1 44	1 :
Oregon	235	300	370	300	300	820	340	1. 36	1 83	.70	1 07	. 55	1 20	
Pennsylvania	283	300	350	270	380	200	325	. 80	1. 62	.32	2 00	. 68	1. 42	1. 8
Utah.	510	500	480	440	400	375	460	1 00	1. 62	.72	1 60	. 49	1 35	lii
Wisconsin	825	195	360	300	350	279	270	1 00	. 85	. 68	1 51	. 49	1 20	. 7
Domestic aver- age	363	280	353	259	320	324	319	. 96	1. 53	. 66	1.41	. 63	1. 28	. 8
Average	301	277	329	248	296	279	294	1.00	1 61	. 81	1 31	.85	1. 35	١.٤

1 Average for season.

Table 233.—Onions: Car-lot shipments, by State of origin, March, 1917-June,

		197	64				
G			Crop r	novement	season 1		
State	1917	1918	1919	1920	1921	1922	1923 2
Massachusetts	Cars 2, 766	Cars 2, 883	Cars 2, 835	Cars 3, 834	Curs 2, 224	Cars 1, 912	Cars 2, 45
New York	2, 104 567 158	2, 784 597 95	2, 702 634 133 1, 913	3, 089 635 181 3, 212	2, 891 427 140	2 812 479 371	5, 497 331 274
Indiana Illinois Michigan Wisconsin	253	2, 008 1, 817 334 590 309	1, 005 123 224 95	3, 448 360 795 406	1, 743 1, 834 253 417 89	4, 492 4, 683 487 1, 867 330	2, 714 4, 616 378 1, 206 273
Minnesota Iowa Kentucky Louisiana Teras ³	626 708 177	822 968 195 450 3, 575	489 488 339 101 2,876	276 870 303 106 5,086	172 411 361 79 4, 208	500 918 258 91 4,629	186 788: 261 8: 8, 021
Colorado Washington Oregon	239 315 196	230 477 238	207 596 202	134 790 19	443 649 347	651 765 263	92 1, 11 39
California ³ All other Total	3, 498 215 21, 041	4, 027 150 22, 549	5, 409 228 20, 549	4, 402 27.7 28, 223	3, 585 434 20, 707	3, 642 609 29, 759	4, 23 68 29, 52

Division of Statistical and Historical Research. Compiled from data of the Fruit and Vegetable Division. Shipments as shown in car lots include those by boat reduced to car-lot basis.

¹ Crop movement season extends from March 1 of one year through June of the following year.

Preliminary.

Shipments from Texas and from the southern district of California were principally Bermudas. For Texas various common varieties comprised approximately 80 cars in 1917, 69 in 1918, 40 in 1919, 101 in 1920, 173 in 1921, 215 in 1922, and 121 in 1923; for the southern district of California they comprised 26 in 1918 178 in 1919, 56 in 1920, 30 in 1921, 13 in 1922, and 8 in 1923.

Table 234.—Onions: Average l. c. l. price to jobbers per 100 pounds, at 10 markets, 1920-1924

		Vari	ious c	omm	on va	rieties	1				Bern	nudas		
Market. Season									A	pr.	М	ay 2	Ju	ne s
beginning August	Aug.1	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Yel- low	Crys- tal White wax	Yel- low	Crys- tal White wax	Yel- low	Crys- tal White wax
New York: 1920 1921 1922 1923 1924	Dol- lars 2. 53 2. 80 2. 08 2. 68	Dol- lars 2. 24 3. 43 1. 52 3. 21	Dol- lars 1.56 5.06 1.72 3.26	Dol- lars 1.55 5.63 2.00 2.75	Dol- lars 1.23 5.45 2.99 2.76	Dol- lars 1.31 7.34 2.83 2.73	Dol- lars 0.98 8.25 2.45 2.33	Dol- lars 0.80 8.21 2.98 2.20	Dol- lars 4.34 7.66	Dol- lars 3.46 6.20	Dol- lars 3.15 4.14 5.31 3.27	lars 3. 79 3. 79 5. 19	Dol- lars 2.93 3.91	lars 3.01 3.5
1924 Chicago: 1920 1921 1922 1923 1924 Philadelphia:	2.17 2.06 2.58 2.12 3.19	1. 89 1. 94 3. 61 1. 61 3. 48	1.59	1. 56 5. 11 2. 22 3. 22 2. 52	1.31 5.62	1.16 7.09 2.56 3.27	. 98 7. 64 3. 44 3. 04	. 93 8. 53 3. 38 2. 79	3. 48 6. 21 5. 96 5. 17	4.37 6.47	2. 79 4. 05 5. 15 3. 37	0. (9)	2. 53 3. 43	3. 2 3. 8
1920 1921 1922 1923 1924	3. 02 2. 19 3. 07 2. 91	2.03 3.80 1.63 3.45		1.51 5.34 1.82 2.73			.98 8.09 2.54 2.21	.87 8.98 8.20 2.11	4.04 7.03 6.03 4.76	3. 88 6. 00	3 26 4.13 3.42	3. 70 4. 04	2. 75 4. 07	2.6
Pittsburgh: 1920 1921 1922 1923	2. 34 3. 05 2. 36 2. 98	2.30 3.82 1.56 3.50	1.74 4.86 1.52	l	1.05 5.57 2.74 2.46	1.26 6.73 2.95 2.34	.89 7.89 2.70 2.08	. 90 8. 89 3. 33 2. 13	4.03 6.81 6.95 5.77	4 58 7.17	3. 22 4. 52 5. 49 3. 40	3 91 5. 29 5. 98 4. 31	2 95 3 54	
1920 1921	2 40 2.95	1.67 3 70	1.55 4.88 1.89 3 45 1.70	1, 55 5, 45 2, 20 3, 23 1, 86			.91 7.00 2.5. 3.39			4. 40 5. 67	2 83 3.17 5 05 2.94	5.20	3.37	
1923 1923 1924 Cincinnati: 1920 1921 1922 1923 1923	2 94	1. 76 3 74 8. 43 1. 85	1.48 5 19 1.78 3.04 1.64	1.45 5.59 1.96 2.60 1.69	1.33 5.45 2.87 2.56 2.42	1 25 6.90 3.08 2.60	1.13 8.29 2.93 2.23	. 85 8 63 3. 94 1. 95	3. 43 5 93 4. 47	4.49 6.44	3 17 4 67 5 38 3.53	3. 95 5. 71 4 53		3.7
1920 1921 1922	2.07 2.85	1.99 3.49									3. 23 4. 39 5 65 3 88	4.05 4 52 6.15 4.67	2 50 3.12	3 8 3.3
Minneapolis: 1920 1921	2. 17 2. 70	2.12 3.34			4.60					4.66	3. 38 4. 62 5. 90 8. 58	4. 11 4. 86 6. 21	2. 49 3. 17	4. 0 3. 5
1923 1924 1924 Kansas City: 1920 1921 1922 1922		2. 61			1, 52 5, 42 2, 56 2, 96 2, 82						2. 78 3. 91	3. 46 4. 46	2. 39 2. 76	
Washington: 1920	2. 62 3. 64 2. 64	2. 61 4. 27 2. 07	1.95 4.98 1.75							7.36		5. 17		
1923 1924	3. 44 3. 38	3. 90 2. 49	3. 62 2. 11	8. 32 2. 06	3.11 2.88	2. 89	2.76	2. 56			4. 22			

Division of Statistical and Historical Research. Compiled from data of the Fruit and Vegetable Division.

Average prices as shown are based on stock of good merchantable quality and condition only; they are simple averages of daily range of selling prices. In some cases conversions have been made from larger to smaller units or vice versa, in order to obtain comparability.

Quotations began Aug. 23, 1920; Aug. 22, 1921; Aug. 7, 1922; Aug. 14, 1923; Aug. 22, 1924.
 Last reported quotations of season June 11, 1921; June 14, 1922; May 29, 1923; June 4, 1924.
 Sales direct to retailers to Sept. 7, 1924.

Table 235.—Onions: Farm price per bushel, 15th of month, United States, 1910-

Year beginning July	July 15	Aug.	Sept.	Oct.	Nov. 15	Dec. 15	Jan.	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	Weight- ed av.
1910	Cts. 104. 5 122. 0 114. 0 101. 7 110. 6 170. 4 93. 0 147. 3 201. 0 162. 6 232. 0	Cts. 99. 8 116. 0 100. 0 105. 1 105. 2 137. 9 80. 3 133. 5 154. 7	Cts 99. 4 104. 0 89. 0 103. 9 99. 1 103 3 82. 8 122 9 142 9 163 3	Cts. 93 2 102 0 85 0 110 2 97 6 88 3 94 8 131 4 157. 5	Cts. 94. 6 103. 0 84. 0 114. 9 99. 1 84 4 94. 8 153 8 174 6 143. 1	Cts 98. 8 113. 0 84. 0 114. 9 102. 7 92. 3 99 6 175. 7 177. 0 131. 7	Cts. 101. 0 117. 0 81. 6 121. 0 105. 2 88. 9 113. 2 208. 4 178. 9 133. 5	Cts 104 0 140.0 77.5 140.7 115 6 97.6 126.3 357.9 183 2 154.7	Cts. 105. 0 167. 0 77. 0 155. 2 126. 0 95. 3 130. 3 476 2 147. 4 199. 8	Cts. 119 0 175 0 79. 0 159. 2 133 0 104. 4 123. 5 495. 6 134 1 202. 1	Cts 129. 0 177. 0 87. 2 152. 6 136 4 102 9 123. 3 898. 0 134. 7 229. 9	Cts. 134 0 155.0 95.6 140 8 131.4 102.9 133.8 308.0 138 7 234 1	Cts. 106 2 129.8 88.2 124.0 112.0 106.1 104.5 241.7 156.7 171.3
1920 A v. 1914-1920 1921 1922 1923 1924	204. 8 173. 0 147. 7 204. 5 207. 7 175. 9	176 4 154. 2 159 1 156. 9 185 2	172. 9 140. 5 168. 5 126. 9 179. 3	158 9 138. 6 186 6 118. 8 185. 6	143 8 143 9 219. 9 123. 6 174. 6	132. 0 150. 6 245. 2 131. 7 178. 4	135. 2 162. 7 263. 8 159. 8 181. 3	131 2 194 0 325. 3 173. 0	114 2 212. 6 365. 7	98. 4 214 6 469 6 196 5	204 7 331. 4 200 7	138 2 188 6 270 9 220 5	145. 6 169. 0 252. 5

PEAS

Table 236.—Peus, green, for consumption fresh; commercial crop: Acreage, production, and total value, by States, 1922-1924

State		Acreage		1	Production	n		alue, bas price for s	
	1922	1923	1924	1922	1923	1924	1922	1923	1924
Early Arizona	Acres	Acres 200	Acres 450	1,000 hamp 1	1,000 hamp. 1	1,000 hamp 1	1,000 dollars	1,000 dollars 20	1,000 dollars 38
California (Imperial) Florida	2, 000 470 3, 180	1, 420 2, 250 1, 920	950 1, 170 2, 240	96 25 270	78 135 108	52 69 152	144 64 500	156 358 215	111 202 214
North Carolina South Carolina	2, 360 650	3, 930 1, 630	4,770 1,720	194 60	295 106	343 71	388 150	732 186	580 163
Virginia (Norfolk) Late ('olorado	1, 720 300	2, 530 380	2, 740 850	194	240 28	233	287 22	382 40	333 128
New Jersey New York	1, 460 1, 650	1, 320 1, 800	1, 700 4, 870	111 129	106 153	119 487	216 204	219 301	278 843
Total	13, 790	17, 380	21, 460	1, 093	1, 262	1,608	1, 975	2, 609	2, 890

Division of Crop and Livestock Estimates.

Table 237.—Peas, green, for consumption fresh; commercial crop: Yield per acre and price, 1918-1924

			Yıe	ld per a	cre				1	Price p	per ha	mper	1	
State	1918	1919	1920	1921	1922	1923	1924	1918	1919	1920	1921	1922	1923	1924
Early:	Hamp.	Dols.	Dols.	Dols.	Dols.	Dols.	Dols. 1. 52							
California (Imperial)	70	70	80	65	48	55							2.00	2. 14
Florida Mississippi North Caro-	70 45 50	70 50 50	80 50 50	65 60 65	48 54 85	60 56	59 68							
lina South Caro-	70	80	70	90	82	75	72	2. 26	2. 25	2. 32	2.40	2.00	2. 48	1. 69
lina Virginia	75		ì			65		2. 33					1. 75	
(Norfolk). Late.	90	100	70	105		95			2.00	2.44	2. 40			1. 43
Colorado New Jersey. New York	50 70	65 60			45 76 78	75 80 85	80 70 100	. 1. 83					2.07	2, 34
Average	65				79	73	75	1. 93	2. 22	2. 19	2. 05	1. 81	2. 07	

¹ 1-bushel hampers.

¹ Average for season

704 Yearbook of the Department of Agriculture, 1924

Table 238.—Peas, green, for canning; commercial crop: Acreage, production, and total value, by States, 1922-1924

State		Acreage		F	roductio	n	Total value, basis, ave age price for season			
	1922	1923	1924	1922	1923	1924	1922	1923	1924	
California Colorado Delaware	Acres 3, 970 2, 940 3, 960	Acres 4, 410 3, 680 3, 880	Acres 7, 640 5, 820 3, 650	Tons 6, 700 2, 100 2, 400	Tons 3, 100 1, 800 2, 300	Tons 5, 300 4, 700 3, 600	1,000 dollars 389 136 144	1,000 dollars 196 124 138 398	1,000 dollars 371 247 243 718	
Illinois Indiana Maine	8, 420 4, 100	10, 190 4, 760 340	11, 410 6, 190 1, 030	6, 700 3, 700	6, 100 3, 800 400	11, 400 6, 200 900	409 182	214 28	718 287 63	
Maryland Michigan Minnesota New Jersey	7,670 8,780 1,410 700	8, 050 10, 530 2, 030 610	9, 530 12, 220 2, 700 830	8, 400 7, 000 1, 100 400	4, 800 4, 200 2, 200 400	9, 500 9, 800 3, 000 800	274 350 46 24	305 210 88 27	653 588 143 51	
New YorkOhioPennsylvaniaUtah Wisconsin Other States	30, 700 4, 530 360 6, 660 72, 050 1, 760	33, 460 5, 300 510 7, 260 91, 160 3, 140	36, 350 5, 830 540 10, 360 102, 100 3, 960	27, 600 3, 200 300 9, 300 86, 500 1, 800	30, 100 4, 800 500 10, 900 82, 000 2, 500	32, 700 5, 800 500 12, 400 122, 500 4, 400	1, 725 189 19 536 4, 858 118	1, 922 283 28 639 4, 707 164	2, 114 348 30 716 7, 104 205	
Total	158, 010	189, 310	220, 160	164, 200	159, 900	233, 500	9, 399	9, 471	13, 881	

Division of Crop and Livestock Estimates

Table 239.—Peas, green, for canning, commercial crop: Yield per acre and price, 1918-1924

State			Yiel	d per	acre					Pri	ce per	ton		
Diane	1918	1919	1920	1921	1922	1923	1924	1918	1919	1920	1921	1922	1923	1924
California Colorado Delaware Illinois Indlana Maine Maryland Michigan Michigan Minnesota New Jersey New York Ohio Pennisylvania Utah Wisconsin Qiber States	Tons 1 1 1.0 .9 1 2 1.0 .9 1.0 .9 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	0 8 .6 .7 .9 .9 1.0 1.0 .9 .7	1 5 . 9 1 1 1 . 8 7	0.6 .8 1.3 .7 1.0 1.0 .8 1 1 1 1 1 .8 1.4 1.9	1 7 .7 .66 .88 .9 .7 .8 .6 9 .7 .8 14 1 2	0 7 .5 .6 .8 .8 1.1 .6 .4 1.1 .6 .9 9 1.0 1 5	0 7 .8 1.0 .8 1.08 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	50 00 77 33 62 09 55 23 76 11 60 00 40 00 62 31 67 88 58 76 60 00 58 74	58 17 60 00 86. 19 65. 68 51 25 72 00 59 82 40. 00 63. 57 58. 76 60 00 64 15 59 02	66. 67 69 00 85 00 63 75 60 00 77 50 61. 88 42 50 70. 00 71. 20 56 67 55 00 64 66	70 00 70 00 62 92 68 90 40 00 62 40 59 00 44 00 65 00 61 70 52 50 60 00 54 12 56 96	65 00 60 00 61 00 49. 26 50. 83 50 00 42 00 60. 00 62 50 59 00 64. 00 57. 68 56. 16	63 33 69 00 60 00 65 17 56 25 70 00 63 57 50 00 67 50 63 84 59 60 55 60 57 40	52. 54 67. 50 63. 00 46. 32 70. 00 68. 70 60. 00 64. 64 60. 00 60. 00 57. 75 57. 99
A verage	1. 1	. 9	1 1	9	1.0	. 8	1 1	61. 54	61. 48	66 84	58. 76	57. 24	59 23	59. 31

TABLE 240 .- Peas, canned: Production in the United States, 1916-1924

State	1916	1917	1918	1919	1920	1921	1922	1923	1924
New York		721, 160 321, 624 522, 532 421, 213 604, 470 3, 569, 185 754, 673 349, 910	331, 869 683, 007 441, 842 454, 229 978, 434 476, 650 4, 519, 934 491, 963 252, 836	509, 000 306, 000 381, 000 433, 000 425, 000 4, 317, 000 895, 000 205, 000	549, 000 096, 000 282, 000 271, 000 460, 000 549, 000 5, 804, 000	345, 000 533, 000 241, 000 182, 000 317, 000 4, 063, 000 376, 000 84, 000	153, 000 489, 000 225, 000 268, 000 516, 000 7, 042, 000 751, 000 496, 000	199, 000 591, 000 384, 000 367, 000 586, 000 392, 000 6, 961, 000 254, 000 918, 000 239, 000	873, 000 430, 000 483, 000 697, 000 710, 000 10, 390, 000 470, 000 830, 000 282, 000
United States	6, 586, 000	9, 820, 153	10. 898. 213	8, 685, 000	12, 317, 000	8, 207, 000	13.042.000	13, 948, 000	19. 815. 000

Division of Statistical and Historical Research. Compiled from National Canners' Association data.

POTATOES

Table 241 .- Potatoes: Acreage, production, value, exports, etc., United States, 1909-1924

Year	Acre- age	A ver- age yield per acre	Produc- tion	A vorage farm price per bushel Dec. 1	Farm value Dec. 1	Value per acre 1	Dece	cago ir hund ir to fa mber High	Follo		Domestic exports, fiscal year be- ginning July 1	Imports, fiscal year be- ginning July I
1909 1910 1911 1912	1,000 acres 3 669 3,720 3,619 3,711 3,668	Bush els 107. 5 93. 8 80 9 113 4 90 4	1,000 bushels 394,553 349,032 202,737 420,647 331,525	Cents 54. 2 55. 7 79 9 50 5 68. 7	1,000 dollars 213,679 194,566 233,778 212,550 227,903	Dollars 58. 24 52 30 64 60 57 28 62. 13	Cts 33 50 117 67 83	Cts 97 80 167 108 117	Cts 27 58 150 55 100	Cts. 57 125 333 117 150	Bushels 999, 476 2, 383, 887 1, 237, 276 2, 028, 261 1, 794, 073	Bushels 353, 208 218, 984 13, 734, 695 837, 230 3, 645, 993
A verage 1909-1913.	3, 677	97. 3	357, 699	60 5	216, 495	58 87	70	114	78	156	1, 688, 595	3, 658, 022
1914 1915 1916 1917	3, 711 3, 734 3, 565 4, 384	110 5 96.3 80.5 100 8	409, 921 359, 721 286, 953 442, 108	48. 7 61. 7 146 1 122. 8	199, 460 221, 992 419, 333 542, 774	53. 75 59 45 117 62 123 81	50 88 208 155	110 158 317 225	57 133 333 80	250 183 625 250	3, 135, 474 4, 017, 760 2, 489, 001 3, 453, 307	270, 942 209, 532 3, 079, 025 1, 180, 480
1918 1919 1920	4, 295 3, 542 3, 657	95 9 91, 2 110. 3	411, 860 322, 867 403, 296	119. 3 159. 5 114. 5	491, 527 514, 855 461, 778	114. 44 145. 36 126. 27	90 280 120	225 360 225	125 685 40	250 925 500	3, 688, 840 3, 723, 434 4, 803, 159	3, 534, 076 6, 940, 930 3, 423, 189
A verage 1914–1920	3, 841	98 1	376, 675	108 2	407, 388	106.06	142	231	208	426	3, 615, 85 4	2, 662, 596
1921 1922 1923 1924 ⁸	3, 941 4, 307 3, 816 3, 662	91 8 105 3 109 0 124. 2	361, 659 453, 396 416, 105 454, 784	110. 1 58. 1 78 1 64 3	398, 362 263, 355 324, 889 292, 481	101 08 61 15 85 13 79 87	100 75 80 80	245 175 200 220	190 90 105	235 700 525	2, 327, 147 2, 979, 951 3, 074, 946	2, 109, 587 572, 147 564, 046

Division of Crop and Livestock Estimates; figures in Italics are census returns.

Stated in cases of 24 No. 2 cans.
 Includes Delaware
 Included in all other.

Based on farm price Dec. 1.
 Burbank to 1910.
 Preliminary.

706 Yearbook of the Department of Agriculture, 1924

Table 242.—Potatoes: Acreage, production, and total farm value, by States, 1922-1924

State	Thou	sands of	acres	Produc	ction, the	ousands s	Total 1 1 pri dolla	value, ba ce, thou rs	sis Dec. sands of
	1922	1923	1924 1	1922	1923	1924 1	1922	1923	1924 1
Maine	135	124	135	25, 245	31, 992	41, 175	11, 360	22, 394	17, 705
	14	13	14	1, 400	2, 470	2, 520	1, 470	2, 840	2, 117
	25	24	26	3, 000	4, 800	4, 290	2, 790	4, 800	3, 646
	29	26	28	2, 610	4, 680	4, 340	2, 480	6, 318	4, 166
	3	2	3	270	330	420	243	429	399
Connecticut New York New Jersey Pennsylvania Delaware	24	22	25	3, 360	3, 520	3, 425	3, 360	5, 174	3, 425
	340	323	333	37, 400	39, 729	46, 620	22, 440	37, 743	26, 573
	95	82	74	16, 435	7, 790	11, 544	11, 833	8, 569	7, 734
	254	249	244	27, 432	26, 145	28, 792	20, 574	27, 452	23, 034
	10	10	9	960	800	819	672	816	655
Maryland Virginia West Virginia North Carolina South Carolina	51	49	46	5, 151	3, 920	3, 818	3, 091	3, 920	3, 093
	155	152	160	16, 585	14, 136	19, 200	10, 780	12, 298	15, 744
	49	49	47	4, 851	5, 880	4, 841	4, 220	6, 174	4, 744
	50	50	59	4, 700	4, 300	6, 195	4, 747	5, 160	6, 938
	33	32	35	2, 508	3, 296	3, 885	3, 210	5, 274	5, 633
Georgia Florida Ohio Indiana Illinois	25	22	24	1, 700	1, 540	1,608	2, 380	2, 464	2, 412
	28	19	29	2, 860	1, 748	2,900	5, 005	3, 321	4, 785
	128	126	125	11, 214	12, 348	11,500	10, 093	12, 348	10, 235
	74	75	73	5, 624	7, 875	7,227	4, 724	6, 772	5, 782
	107	104	104	6, 741	9, 568	11,960	6, 067	8, 420	8, 970
Michigan Wisconstin Minnesota Lowa Missouri	357	314	292	37, 842	35, 796	38, 252	12, 866	15, 750	13, 388
	328	272	242	40, 672	26, 112	31, 460	13, 422	12, 273	11, 326
	486	399	336	43, 740	40, 698	44, 352	15, 309	15, 872	11, 975
	85	81	79	8, 925	6, 804	10, 744	5, 980	5, 239	5, 909
	90	93	102	5, 400	9, 300	10, 200	4, 968	8, 184	8, 364
North Dakota	210	158	130	18, 900	13, 114	11, 960	5, 859	4, 590	4, 664
South Dakota	110	88	71	8 580	7, 744	5, 822	3, 775	3, 407	2, 795
Nebraska	139	111	89	11, '76	8, 880	7, 743	5, 488	6, 216	4, 801
Kansas	65	55	54	4, 1.7	4, 730	5, 130	3, 827	4, 683	4, 668
Kentucky	59	58	60	4, 720	4, 930	5, 700	4, 720	5, 916	5, 814
Tennessee	32	32	35	2, 560	2, 880	3, 500	2, 816	3, 226	3, 920
Alabama	48	44	33	3, 840	3, 520	2, 970	5, 760	5, 280	4, 604
Mississippi	16	15	16	1, 360	1, 110	1, 296	2, 176	1, 709	2, 125
Louisiana	27	26	28	1, 755	1, 638	1, 904	2, 632	2, 457	2, 856
Texas	39	35	39	2, 418	1, 925	2, 223	3, 869	3, 080	3, 779
Oklahoma	40	42	43	2, 720	2, 772	3, 225	3, 346	3, 548	4, 192
Arkansas	35	33	36	2, 380	1, 947	2, 664	8, 094	2, 648	3, 410
Montana	45	36	87	5, 670	3, 960	3, 256	2, 268	2, 574	2, 833
Wyoming	22	18	16	2, 420	1, 800	1, 520	1, 210	1, 674	1, 322
Colorado	142	110	97	18, 460	13, 530	11, 640	6, 830	7, 171	6, 984
New Mexico	4	3	3	200	150	210	290	240	218
	6	4	4	510	240	260	459	336	390
	21	16	14	4, 137	2, 688	2, 184	1, 655	1,882	1, 616
	5	5	4	870	870	620	522	914	657
Idaho	81	67	65	14, 985	12, 060	10, 725	4, 645	6, 030	5, 792
	65	52	49	9, 425	8, 060	6, 615	4, 241	5, 642	5, 628
	49	44	45	5, 145	4, 180	8, 780	2, 675	2, 926	3, 591
	76	52	50	9, 880	7, 800	7, 750	7, 114	8, 736	7, 075
United States	4, 307	3, 816	8, 662	453, 896	416, 105	454, 784	263, 355	324, 889	292, 481

Division of Crop and Livestock Estimates.

¹ Preliminary.

Table 243 .- Potatoes: Yield per acre, by States, 1909-1924

State	1909	1910	1911	1912	1913	Av. 1909- 1913	1914	1915	1916	1917	1918	1919	1920	Av. 1914– 1920	1921	1922	1923	1924
Me N. H Vt Mass	Bu. 225 130 155 125	Bu. 220 150 130 125	125	Bu. 198 140 140 130		Bu. 209 133 131 116	Bu. 260 159 168 155	Bu. 179 95 108 120	Bu. 204 120 112 91	Bu. 125 107 100 115	Bu. 200 140 130 133	102	Bu. 177 127 130 125	Bu. 196 121 121 118	Bu 298 160 150 115	Bu. 187 100 120 90	Bu. 258 190 200 180	Bu. 305 180 165 155
R. I	125	136	110	113	130	123	165	110	74	135	130	100	110	118	115	90	165	140
Conn N. Y N. J Pa Del.	120 120 90 78 96	125 102 105 88 103	85 74 73 56 60	107 106 108 109 100	92 74 95 88 87	106 95 94 84 89	140 145 108 105 80	95 62 130 72 95	95 70 122 70 90	110 95 114 92 95	95 98 92 80 87	75 109 96 100 83	115 125 156 115 106	104 101 117 91 91	103 103 95 86 50	140 110 173 108 96	160 123 95 105 80	137 140 158 118 91
Md Va W. Va N. C 8. C	80 92 98 74 85	95 98 92 89 90	45 45 48 70	112 87 112 85 90	87 94 83 80 80	84 83 86 75 83	78 65 54 52 70	97 125 117 90 80	95 130 88 95 75	100 99 115 90 96	80 94 87 95 102	94 114 90 80 85	102 120 120 91 100	92 107 96 85 87	65 108 85 88 88	101 107 99 94 76	80 93 120 86 103	83 120 103 105 111
Ga Fla Ohio Ind Ill	81 95 93 95 91	82 90 82 84 75	72 90 65 58 50	78 93 112 114 101	81 76 64 53 46	79 89 83 81 73	60 80 95 80 60	65 80 82 95 110	60 74 45 44 58	84 91 100 92 90	70 100 69 80 72		74 105 100 96 65	69 87 79 76 72	75 92 58 51 53	68 110 89 76 63	70 92 98 105 92	100 92 99
Mich Wis Minn Iowa Mo	105 102 115 89 85	105 95 61 72 86	94 116 115 74 27	105 120 135 109 84	109	101 108 107 78 64	121 124 114 86 45	105	48 47 60 42 60	95	110 105	94 87 46	108 99 110	86 98 98 79 73	43	124 90 105	96 102 84	130 132 136
N. Dak S. Dak Nebr Kans Ky	110 80 78 79 92	44 60 57	22	128 105 80 82 101		97 76 64 56 75	109 90 80 62 45	115 105 83	93 66 73 71 84	43 90 85 57 96	86 53	50 55 76	79 106 99 85 99	82 87 83 70 85	96 61 80 64 65	90 78 84 64 80	83 88 80 86 85	95
TennAlaMissLaTex	75 80 87 75 50	80 80 85 55 51	41 78 83 69 57	88 81 89 73 63	64 84 80 70 52	70 81 85 68 55	43 79 80 70 61	88 80 90 51 65	82 90 65 65 50	94 72 78 64 60	70 80 80 79 55	67 80 85 64 73	83 67 87 65 52	75 78 81 65 59	52 75 68 67 56	80 80 85 65 62	90 80 74 63 55	100 90 81 68 57
Okla Ark Mont Wyo Colo	70 70 180 160 160	60 84 120 100 100	18 55 150 42 35	60 70 165 140 95	60 72 140 140 115	54 70 151 116 101	70 60 140 108 120	85 90 155 150 135	53 65 125 130 138	69 80 95 155 160		75 73 60 80 115	74 78 110 125 130	66 71 117 128 137	58 55 115 108 132	68 68 126 110 130	66 59 110 100 123	75 74 88 95 120
N. Mex Ariz Utah Nev	85 90 180 180	47 92 142 150	80 95 140 160	100 125 185 178	68 75 180 160	76 95 165 166	100 110 140 130	100 95 125 172	102 115 180 190	116 105 189 207	100 85 180 171	58 70 136 135	75 90 189 135	93 96 163 163	60 115 161 148	50 85 197 174	50 60 168 174	70 65 156 155
Idaho Wash Oreg Calif	200 170 160 130	142 131 105 130	180 160 130 135	185 167 155 130	170 123 135 119	175 150 137 129	155 128 97 138	125 135 115 130	150 165 150 141	156 125 108 145	185 132 110 143	155 125 94 130	180 155 130 140	158 138 115 138	185 135 90 140	185 145 105 130	180 155 95 150	135 84
U. S	107. 5	93. 8	80. 9	113. 4	90. 4	97. 2	110. 5	96. 3	80. 5	100. 8	95. 9	91. 2	110. 8	97. 9	91.8	105. 8	109. 0	124, 2

Table 244.—Potatoes, early and second early, commercial crop: Acreage, production, and total value, by States, 1922-1924

Table 245.—Potatoes, early and second early, commercial crop: Yield per acre and price, 1918-1924

			Yiel	d per	acre					Price	per bu	ıshel 1		
State	1918	1919	1920	1921	1922	1923	1924	1918	1919	1920	1921	1922	1923	1924
Carly:	Bus.	Bus	Bus	Bus	Bus	Bus.	Bus.	Dols.	Dols.	Dols.	Dols	Dols.	Dols.	Dols
Alabama	82	82	96	110	110	87	113	1.16	1 56	2 68	1 20	1. 28	1 53	1. 19
California	110	124	124	124	132	118	92	1.64	2 28	3 48	1.08	. 80	1.28	1.3
Florida	116	82	96	96	110	92	100	1 40	2 04	3 08	2 20	1.98	2 80	2.4
Georgia	96	96	82	69	116	100	104	2.00	2 00	2 00	1 20	1.33	1. 91	1 40
Louisiana	124	82	69	82	96	90	80	.72	. 60	2. 16	1. 32	1 29	1.44	1. 19
Mississippi\	110	82	69	82	110	84	80	1.76	2.00	2. 52	1.00	1 41	. 87	. 8
North Carolina	124	110	124	124	124	108	140	1.60	1.56	2 36	1.08	1.31	1. 29	1.0
South Carolina	124	96	165	165	138	138	138	1.40	1 88	3. 36	1 20	1.56	1 85	1 30
Texas	96	82	69	82	63	50	68	1.88	1.72	2, 28	2.04	1. 21	2. 20	1.9
Virginia	121	124	110	124	110	100	159	1.44	1.80	2.88	. 88	1.23	1. 54	. 94
second early:											ì		1	
Arkansas	55	82	96	55	116	60	75	1, 44	1.64	2. 52	1 48	1 14	1.11	10
Kansas (Kaw	١				ł	i					İ			
_Valley)	82	96	138	96	91	105	168	1. 20	1 04	2. 56	88	. 75	. 96	. 70
Kentucky	82	82	96	69	110	105	95	. 92	1.00	1.40	1 00	1. 22	1 47	. 6
Maryland	96	110	138	124	138	96	95	1.08	1 40	2. 28	. 92	1. 01	1 54	. 70
Missouri (Orrick)	96	110	110	82	82	95	110	1.00	1. 52	2.64	. 76	1 00	95	. 61
Nebraska (Kear-														_
ncy_l)istrict)	-===-	110	120	94	108	68	75	-:-::-	1 74	3 43	1.35	. 82	1 00	. 7
New Jersey	124	124	138	124	155	60	176	1.48	1 52	1 72	1. 32	. 69	1.69	. 8
Oklahoma	55	96	82	41	96	85	80	2. 24	1.88	2.64	1.56	1.14	1 52	. 94
A verage	113	109	114	114	116	93	134	1.41	1.67	2. 57	1, 13	1 17	1 59	1.0

Division of Crop and Livestock Estimates.

¹ Average for season.

Table 246.—Potatoes: Percentage reduction from full yield per acre, from stated causes, as reported by crop correspondents, 1909-1923

			Adve	rse wes	ther c	ondition	18							
Year	Defl- cient mois- ture	Ex- ces- sive mois- ture	Floods	Frost or freeze	Hail	Hot winds	Storms	Total eli- matic ¹	Plant dis- ease	ln- sect pests	Ani- mal pests	De- fect- ive seed	Other and un- known causes	Total
1909 1910 1911 1912	P. ct 11. 3 16. 7 27. 1 5. 9 22. 0	P. ct. 2. 8 1. 3 1 4 3. 1 1. 1	P. ct. 0.3 .2	P. ct. 1. 8 1. 2 1. 2 . 6 1. 8	P, ct 0. 2 . 1 . 1 . 1	P. ct. 0. 2 . 4 2. 9 . 2	P. ct. (?) (?) (?) (?) (?)	P. ct. 16. 7 20. 3 33 3 10. 8 26. 6	P. ct. 1 7 3 0 2 6 5 5 1 4	P. ct. 1. 7 4. 8 2. 6 3. 6 3. 8	P. ct. 0 1 . 2 . 1 . 1	P. ct. 0 2 .3 .5 .3	P. ct 0.9 .9 3.1 1 1 1 8	P. ct. 21. 3 29 5 42. 2 21. 4 34. 1
1914 1915 1916 1917 1918	17. 1 2. 2 19. 7 8 8 14 7	1 4 8. 7 6. 5 3. 5 1 0	.1 .5 .4 .2 .2	.7 2.2 1.9 3.0 1.5	.1 .1 .2 .2 .1	.5 .1 1.4 .3 .6	(3) .1 (2)	20. 2 14. 0 31. 5 16. 3 18. 4	1 3 13 0 5, 6 4 1 5, 3	3 2 2.4 4.5 2 4 3 3	(2) (2) (2) (2) (2)	.2 .1 .2 .1	1. 7 . 9 1. 8 . 9 1. 0	26, 6 30, 4 43, 6 23, 8 28, 3
1919 1920 1921 1922 1923	16 3 6 7 21. 7 10. 6 11 7	5. 0 2. 2 1. 0 2 8 1 6	.4 .3 .1 .4 .2	.7 .6 1 2 3 1 2	.1 .2 .2 .3 .3	.7 .2 1.8 .2 .3	(3) (3) (3) (3)	23. 6 10 2 26. 1 14. 7 15. 4	8.8 8 1 5.7 5 7 3 4	4. 7 2. 8 3 5 2. 6 2. 7	(2) .1 .1 (2) (2)	.3 .3 .2 .2	.7 .4 .5 .2 .4	38. 1 21. 8 36. 2 23. 4 22. 0

Table 247.—Potatoes: Acreage and yield per acre in specified countries, average 1909-1913, annual 1921-1924

			Acreage	9			Yi	eld per	acre	
Country	Aver- age 1909- 1913	1921	1922	1923	1924	A ver- age 1909- 1913	1921	1922	1923	1924
NORTHERN HEMISPHERE										
NORTH AMERICA	1,000 acres	1,000 acres	1,000 acres	1,000 agres	1,000 acres	Bush	Bush	Bush	Bush.	Bush.
Canada United States	483 3, 677	702 3, 941	684 4, 307	561 3, 816	572 3, 662	161 2 97. 3	152 9 91 8	135 8 105 3	164 9 109. 0	169. 2 124. 2
Total North	4, 160	4, 643	4, 991	4, 377	4, 234			<u></u>		
EUROPE										
United Kingdom: England and Wales Scotland	434 144	558 154	561 157	467 137	452 138	230. 2 240 8	197. 9 252 1	267. 0 283 2	220 5 223 7	222. 8 228. 6
Ireland Norway	588 102	568 130	570 126	548 113	113	203. 9 242. 9	168. 0 200. 0	224. 7 259 5	158 9 298, 2	199. 2
Sweden	377	363	400	392	388	152. 7	177 8	187. 0	153. 7	152. 5
Denmark	411	208 441	204 477	204 398	177 402	202. 7 253. 2	241. 2 243. 4	241 4 340 3	223. 0 225 9	246. 2
Belgium	36	419 35	445 37	377 38	392 37	274. 3 178 9	170. 7 75. 5	324. 6 189. 4	275. 1 182. 9	222. 8 178. 8
FranceSpain	1 4, 066 2 642	3, 595 789	3, 619 810	3, 586 757	3, 566 779	129. 6 176. 0	84. 9 129. 6	128 4 130. 1	101. 6 126. 2	156. 7 11 4. 6
Portugal		45	67				134. 6	97. 2	==-=-	
Italy Switzerland	1 759 8 115	763 113	861 112	860 111	865 111	89. 0 214. 5	76. 5 224 5	62 4 221. 6	76. 7 209. 8	178.8
Germany	1 6, 775	6, 541	6, 725	6, 738	6, 821	202. 7	146. 9	222, 2	177.7	195.8
Austria	1 436 1 1, 849	327 1, 574	403 1, ենժ	373 1, 573	1, 566	122. 4 132. 6	93. 6 101. 1	127. 5 207. 5	140. 5 145. 4	145.7
Hungary	1 619 1 458	665 516	635 532	646 527	624	114. 9 102. 0	69. 0 50. 7	76. 4 58. 5	75. 9 80. 9	112.6
Bulgaria	1 11	20	20	23	24	48. 4	52, 0	68.0	53.0	75.8
Hungary Yugoslovakia Bulgaria Rumania Poland	1 4 343	409 4, 796	355 5, 409	430 5, 632	466 5, 760	122, 1 156, 2	121.3 128.7	106. 2 225. 7	158. 0 172. 8	174.4

¹ Estimated for present territory. 1 Two year average. 1 Three year average. 4 Four year average.

¹ Includes all other climatic.

¹ Less than 0.05 per cent

Table 247.—Potatoes: Acreage and yield per acre in specified countries, average' 1909-1915, annual 1921-1924.—Continued

			Acreag	8			Yi	eld per	acre	
Country	Aver- age 1909- 1913	1921	1922	1923	1924	Aver- age 1909- 1913	1921	1922	1928	1924
Southern Hemisphere—Continued EUROPE—continued Lithuania. Latvia. Esthonia. Finland. Russia, including Ukraine and Northern Caucasia.	1,000 acres 1 403 1 209 1 190 5 181	1,000 acres 326 146 168 5,866	1,000 acres 326 171 187 167 8, 762	1,000 acres 353 194 179 168 7, 293	1,000 acres 436 185 167 169	Bush. 101. 4 120. 7 144. 9 101. 9	Bush. 156. 2 169. 6 136. 3 128. 7	Bush. 208. 3 145. 1 141. 0 95. 9	Bush. 169. 7 109. 6 140. 1 94. 0	Bush. 168. 6 169. 7 156. 7 119. 6
Total Europe comparable with 1909- 1913. Total Europe comparable with 1924.	32, 174 23, 924		33, 677 23, 410	32, 117 23, 376	23, 638					
AlgeriaTunis	44	46 2	47 3	46 2	47 3	42.0	68. 5 73. 5	55. 0 55. 0	26. 0 73. 5	27. 4 47. 0
Total Africa com- parable with 1909- 1913. Total Africa com- parable with 1924.	44	46 48	47 50	46 48	47 50					
ASIA Russia (Asiatic)	445 169 9 65	300 256 187	237 247 186	254		79. 3 146. 4 107. 1	87 0 154. 3 98. 2	110. 1 136. 2 97. 4		
Total Asia	679	743	670			107.1	90. 2			
parable with 1909- 1913. Total Northern Hemisphere com- parable with 1924.	37, 057		39, 385 28, 451	27, 801	27, 922					
Country	Aver- age 1909-10 to 1913-14	1921-22	1922-23	1923-24	1924-25	A ver- age 1909-10 to 1913-14	1921 -22	1922-23	1923-24	1924-25
SOUTHERN HEMISPHERE Chile	69 217 4 62 144 28	83 9 836 102 3 149	80 8 361 2 136 20	87 12 402		123. 3 140. 6 49. 5 100. 5 206. 8	139. 6 21. 9 94 5 42. 5 30. 7 98. 8 220. 3	141. 5 24. 6 92. 6 53. 0 91. 6 213. 8	149. 2 28. 8 87. 7	
Total Southern Homisphere com- parable with 1909- 1913 World total com- parable with 1909- 1913 World total com- parable with 1924	520 87, 577	689	28, 451	27, 801	27, 922					

Division of Statistical and Historical Research. Official sources and International Institute of Agriculture unless otherwise stated. For each year is shown the production during the calendar year in the Northern Hemisphere and the succeeding harvest in the Southern Hemisphere.

¹ Estimated for present territory.

²Two year average.

One year only.

Table 248.—Potatoes: Production in specified countries, average 1909-1913, annual 1921-1924

[Thousands of bushels-i. e , 000 omitted]

Country	A verage 1909-1913	1921	1922	1923	1924
NORTHERN HEMISPHERE					
NORTH AMERICA				}	
CanadaUnited States	77, 843 357, 699 1 540	107, 347 361, 659	92, 908 453, 396	92, 495 416, 105	96, 782 454, 784
Mexico	1 540	1, 552	927	962	1,020
Total North America	436, 082	470, 558	547, 231	509, 562	552, 595
EUROPE	,				
United Kingdom: England and Wales	99, 893	110, 432	149, 781	102, 965	100, 688
Scotland	34, 674	38, 827	44, 464	30, 651	31, 547
Ireland	119, 874	95, 424	128, 091	87, 099	
Irelaud Norway Sweden	24, 780 57, 581	25, 995 64, 543	32, 699 74, 788	33, 702 60, 234	22, 509 59, 187
					00, 201
Denmark	2 32, 642 104, 051	50, 173 107, 346	49, 249 162, 328	45, 488 89, 921	98, 970
Belgium	³ 110, 830	71, 534	144, 453	103, 697	87, 343
Luxemburg	6, 439	2, 644	7,007	6, 952	6, 614
FranceSpain	² 526, 793 ⁸ 112, 997	305, 324 102, 224	464, 661 105, 351	364, 446 95, 496	588, 940 89, 266
	112, 881	1	1	95, 490	89, 201
Portugal		6, 058	6, 512		
Italy Switzerland	4 67, 514 4 24, 664	58, 359 25, 371	53, 689 24, 820	65, 984 23, 292	19, 842
Germany	21,373,609	960, 889	1, 494, 181	1, 197, 095	1, 335, 615
Austria	² 53, 373 ² 245, 210	30, 607	51, 378 333, 231	52, 403	2,000,010
Austria. Czechoslovakia.	2 245, 210	159, 068	333, 231	52, 403 228, 701	228, 169
Hungary	² 71, 118 ² 46, 288 ² 532	45, 898	48, 490	49, 024	70, 284
Hungary Yugoslavia	² 46, 288	26, 184	31, 100	42, 638	
Bulgaria	2 4 41, 868	1,040	1, 360	1, 220 67, 921	1, 819
Rumania. Poland	2 889, 531	49, 606 617, 272	37, 691 1, 226, 576	973, 487	1, 004, 330
Lithuania	1 40, 864	50, 926	67, 902	59, 899	71, 306
Latvia	25, 217	24, 758	24, 806	21, 253	29, 541
Esthonia	27, 526		26, 372	25, 073	26, 171
Finland Russia, including Ukraine and northern Caucasia	18, 443 2 704, 994	22, 891 754, 708	16,009 809,456	15, 800	20, 209
Total Europe comparable with 1909-1913			5, 603, 933		
Total Europe comparable with 1924	3, 795, 740		4, 443, 279	3, 482, 908	3, 892, 355
AFRICA					
Algeria	1,847	3, 150	2, 587	1, 194	1, 286
Tunis		147	165	147	141
Total Africa comparable with 1909-1913	1,847	3, 150	2, 587	1, 194	1, 286
Total Africa comparable with 1924		8, 297	2, 752	1, 341	1, 427
AIRA					
Russia (Asiatic)	35, 296	26, 088	26, 088		
Japanese Empire:			1		
Japan	24, 738 3 6, 960	39, 506	33, 635~ 18, 110		
Chosen	• 0, 900	18, 371	18, 110		
Total Asia comparable with 1909-1913	66, 994	83, 965	77, 833		
Total Northern Hemisphere comparable 1909-					
1913	5, 366, 228		6, 231, 584		-2-222-22
Total Northern Hemisphere comparable 1924			4, 993, 262	3, 993, 811	4, 446, 377

One year only.
 Estimated for present territory.
 Two-year average.
 Four-year average.

TABLE 248.—Potatoes: Production in specified countries, average 1909-1915, annual 1921-1924-Continued

Country	Average 1909-10 to 1913- 14	1921-23	1922-23	1923-24	
SOUTHERN HEMISPHERE Chile	8, 510 30, 515 1 3, 071	11, 587 197 31, 746 4, 331 92	11, 320 197 33, 446	12, 978 345 35, 273	
Australia. New Zealand	14, 469 5, 763	14, 721 4, 185	12, 455 4, 276	3, 941	
Total Southern Homisphere comparable with 1909–1913 World total comparable with 1909–1913 World total comparable with 1924	62, 328 5, 427, 556	66, 570	4, 993, 262	3, 993, 811	4, 446, 377

Division of Statistical and Historical Research. Official sources and International Institute unless otherwise specified. Estimates given are for crops harvested during the calendar year in the Northern Hemisphere and the succeeding harvest in the Southern Hemisphere.

Table 249.—Potatoes: Car-lot shipments, by State of origin, April, 1917-December,

Crop-movement season 1 Quarters, 1924 2 State 1917 1918 1919 1920 1921 1922 1923 Apr.-July-June Sept. Dec. Cars Cars Car 8 Cars Cars Cars Cars ('ars Cars Cars 23, 444 12, 817 10, 409 3, 742 2, 159 17, 817 16, 502 17, 147 6, 489 3, 105 24, 401 19, 291 18, 335 5, 751 3, 783 19, 026 10, 089 5, 889 2, 119 14, 794 10, 110 88, 037 18, 988 34, 721 18, 625 2,873 13, 852 1,814 7,856 7,054 10, 47**6** 6, 352 4, 092 2, 694 11, 709 3, 727 2, 933 597 7 1, 757 2, 579 2, 431 Maryland.... 82 18, 722 3, 807 5, 048 5, 193 375 Virginia. 12, 194 3, 306 1, 217 20, 440 11,929 16, 630 19,564 18, 747 15,931 North Carolina.... 4, 713 2, 440 4, 294 5, 605 2, 812 3, 513 3, 070 3, 351 3, 597 2, 509 2, 344 4, 144 4, 345 5, 046 3, 480 4, 210 3, 498 20, 405 1, 503 11 75 Florida.... 4, 396 4, 839 Michigan.... 11,062 17, 119 15, 222 19, 836 1,679 4.860 21, 766 28, 931 843 Wisconsin.... 20, 655 21, 975 18, 661 17,008 771 4. 839 13, 852 11,045 29, 568 3, 270 22, 058 251 23, 214 922 13, 600 23, 515 943 Minnesota..... 16, 477 462 33, 584 271 Iowa North Dakota 91 179 284 2, 530 2, 229 1, 846 1, 926 8, 351 2, 702 2, 750 1, 497 330 South Dakota..... 963 1, 291 689 3, 345 3, 858 5, 564 2, 433 486 3, 823 1, 661 5, 331 2, 380 Nebraska.... 2,026 3,071 4, 821 494 831 1, 132 1, 982 1, 132 308 4, 702 Kansas Kentucky 824 3, 565 1, 241 35 805 866 641 1, 535 2, 902 Alabama..... 579 1,925 18 887 825 1, 365 ï Louisiana.... 1,076 4,032 559 1, 162 1,083 58 1, 693 2, 312 4 1, 107 808 738 1, 432 801 18 Texas Okiahoma.... 665 350 677 592 281 1,000 1, 035 1,022 183 14 371 280 186 352 236 138 231 751 375 49 Arkansas..... Montana.... 949 1, 834 958 355 771 1,412 151 Wyoming..... 230 407 265 545 1,037 684 185 265 Colorado.... 11, 345 12, 462 13, 647 8, 810 17,844 15, 468 13, 867 2,908 4.371 Utah..... Nevada.... 816 563 415 1, 074 465 2, 037 744 1, 015 700 531 426 726 Idaho..... 7, 727 6, 853 8, 143 14,670 16, 213 15, 616 2, 168 4, 176 6, 194 1, 386 3, 098 786 8, 487 1, 123 8, 765 1, 756 10, 090 1, 336 5, 061 1, 842 7, 765 2, 062 2, 630 1, 903 7, 864 1, 015 Washington.... 2, 924 6, 173 2, 646 1, 615 5, 727 2, 584 Oregon California 1, 628 10, 351 354 186 2, 458 1, 778 1, 837 230 9, 241 All other 1, 980 1, 667 1, 593 702 Total.... 26, 882 161, 596 176, 552 167, 870 199, 165 1238,546 3254,177 241, 747 60, 645 66, 669

¹ One year only.

Division of Statistical and Historical Research. Compiled from data of the Fruit and Vegetable Division. Shipments as shown in car lots include those by boat reduced to car-lot basis.

¹ Crop-movement season extends from Apr. 1 of one year through July of the following year, except in Florida, where the season begins in March.

Preliminary.

Includes 8 cars in August, 1923.

Includes 20 cars in March, 1921.

Table 250.—Potatoes: Car-lot shipments, by State of origin, April, 1917-December, 1924

Maine: Cars 1917 1918 1919 1920	r. May							•									
Maine: Car 1917 1918 1919 1920 1921			June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Total
1917 1918 1919 1920 1921	Cars	_	Cars	Cars	Cars	Cars	Cars	Cars	Cars	Cars	Cars	Cars	Cars	Cars	Cars	Cars	Cars
1918 1919 1920 1921					. F.	900	980	33	300	90	2	000	1.530	895	445	18	7
1919- 1920- 1921- 1922-					- 16	2.076	2,466		1,700	979	1,417	2, 471	2,281	1.618	1.271	8	19,028
1920 1921 1922			-	-	740	9.511	333	2,543	9 465	2 837	474	2 796	3, 493	208	132		23.44
1921	-	-	<u>!</u>	:	- 6	1.126	2,170	2.046	478	2,478	2,036	2, 495	1.7.8	. 643	458	œ	17.81
1922		-	!	:	570	4 452	681	688	2,789	200	386	4.473	4 814	4.59	1 918	2	8
1000		-	-		96	0 1 1	120	2,675	2,350	91.	2,5	2	2.589	1,533	1,137	34	2,5
					200	2,050	1	4	3,000		0	100	200	36	Š	2 -	34.79
109.4.2		-			3.5	900	2 4	000	9,00	4, 321	9	3 *	0, 140	3	9	-	5
TAME OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY			-		Š	8	0, 800	£, 021	o, 0/6 .					-			
TOTAL OF R.				96	100	520		1 040	94	610	1145	107	100	412	7		10 11
1707				88	38	1,007		3 8	010	976	1, 130	100	160	716	# <u>9</u>		90
TATO		1		3	9	T, 109		36	000	200	Ž.	1,012	170	7 6	917	- 6	
TATA			-	117	787	916		2, 071	788	. 288	1, 153	1, 929	21/	717	2	100	7,0
0261				8	388	8		2, 636	1,008	1,316	1, 787	2, 317	2,063	1, 429	192	673	5
1921	-		-	88	1,380	2, 121		1,946	1,356	2, 138	1,517	1,818	1, 129	28	22	_	85 85
1922	-			88	815	1,770		2,656	1.838	2 207	2,058	2,851	1, 159	354	16	60	19,2
1923			9	22	1.866	1,716	2,346	1,903	1.070	1,771	1,839	2, 321	2, 143	1,396	28		8,6
1924 2	-	_		25	428	1.363		2,600	1.666	-						-	
New Jersey:	_	_								-	-	_	`			_	
1917				112	4.669	3, 919	1.979	263	78	22	35	105	111	Ŋ	2		11.7
1918			2	303	3, 075	1.641	368	223	110	22	32	48	41	133	•		5,889
1919	_		1	97.9	4. 971	3, 292	026	410	\$	32	64	8	60	10			10.4
1920					5, 242	6.282	2, 747	898	128	34	75	601	37	15			17.1
1921		-	-	201.6	5 854	1 634	377	287	40	8	22	12	18	6			10.4
1022	-	<u> </u>	1		202	4 756	0.7	9	F	3	•	174	2	ā			80
1022	-	:	•		000	9	343	187	×	2 2	<u>a</u>	8	25	10			4
1924.3	-	-		3	4,00	3,635	517		24	3	2	}	1	•			,
Dennevivenia		-		1		} •	;	}	;	-							
1917	-				4	37.	1.051	578	257	347	200	588	377	125	8		щ [-
1918			_	:	4	264	489	308	· ·	175	158	192	240	116	~	-	2,
0101	, , , , , , , , , , , , , , , , , , , ,	-	:	-	: 5	549	743	795	333	25.	238	274	151	7	65		60
1000			:	-	-18	2	1.316	1.879	418	9	307	717	264	201	15	m	9
1001		-		 !	69	426	1, 182	578	241	412	982	211	121	88	-		е. 2
1022	_				124	883	1, 432	1.176	444	492	230	496	318	74	10	CI	5, 751
1023		-			31	178	25	26	288	534	393	428	470	257	45		4,
1001		-	-	۲.	1	372	738	069	320	:						,	

Table 250.—Potatoes: Car-lot shipments, by State of origin, April, 1917-December, 1924.—Continued

	Total	Cars 20, 440 11, 929 16, 630 19, 630 15, 831	4,4%,6%,4%, 50,8%,4%, 50,8%,4%, 141,4%,	44, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	4,4,839 4,839 7,2,2,75 7,3,351 8,4,98	9, 431 11, 062 12, 237 17, 119
	July	Care			1	30 ± 88
	June	Cars 13				231 28 28 28 718
	May	Cars 16 13 13 13 29 24 44 6 6				1, 291 1, 291 2, 543 1, 414
	Apr.	28 28 25 25 25 25 25 25 25 25 25 25 25 25 25	11 47.88			1, 326 1, 725 1, 134 2, 174 1, 522
	Mar.	Cars 65 74 11 131 131 122	89 818	9	8	938 1, 154 1, 714 1, 657 2, 041
	Feb.	20 20 20 21 21 22 23 36 36 36 36 36 36 36 36 36 36 36 36 36	8 -8-		ro (co	751 592 1, 011 990 1, 240
eason 1	Jan.	22 22 22 23 25 25 25 26 36 36 36 36 36 36 36 36 36 36 36 36 36	8-1-089	-604-	mm C1 mm	458 790 1, 099 1, 630 1, 516
Crop movement season	Dec.	Cars 135 135 171 171 88 86 80 88	1 1 1 1		24.80	258 1, 043 1, 253 880
Crop me	Nov.	Cars 207 4110 4119 784 397 286 286 129		Q	0 -	1, 298 2, 072 2, 329 3, 116 1, 886
	Oct.	Cars 110 113 123 123 123 61 61 286				1, 572 1, 547 2, 687 2, 210 3, 210
	Sept.	238 238 236 236 236 236 247 247 248 248 248 248 248 248 248 248 248 248	1222631		a	388 328 501 775
	Aug.	2,028 3,028 836 1,830 1,801 6,68 6,51 3,451	212 25 21 21 21 21 21 21 21 21 21 21 21 21 21		· ·	28280
ļ	July	Cars 11, 487 7, 570 7, 311 8, 220 7, 993 9, 142 9, 142	1, 421 1, 421 152 152 382 1, 248	88. 04415	4 % G & & &	8
	June	0 4 6 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	64464444 644444444 6444444444444444444	1, 2, 1, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,	92428 388 388 388 388 388 388 388 388 388 3	
	May	Cars 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	gg. 8352 x 8	1,770 800 341 3,285 1,52 1,52 1,52	441,4 444, 838,486, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,067, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84,077, 84	
	Apr.	Cars	8	8	1,1,2,4,1,2,4,1,4,2,1,2,2,2,2,2,2,2,2,2,	
Otate and year	THE DAMES	Virginis: 1917 1918 1919 1920 1921 1922 1923 1923		South Caronina: 1917 1918 1920 1921 1922 1924		Michigan: 1917 1918 1919 1920

20, 405	23, 852 28, 852 27, 975	18, 661 11, 046 21, 766 17, 008	5,4,4,4,4,4,8,8,8,1,4,4,4,4,4,4,4,4,4,4,4	4.2.4.4.7.7.4. 8.28.10.10.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2	2,2,2,2,2,2,2,2,2,2,2,2,2,2,2,2,2,2,2,	7, 120 7, 727 6, 853 8, 14, 670 16, 213 15, 616	
11 149	10	പയയ്ക	6 16 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		64 160	9 10	8 <u>8</u> 8
1,630	748 882 788	25.22.00 2.22.00	22 24 24 28 28 28 28	-11 -1248	771 270 3 8 14 188 198	822 2828 28288	36 cars in March, 1923. 109 cars in March, 1924. 8 cars in August, 1923.
2, 321	1,011 883 44	1,592 755 1,735 1,678	625 1,018 262 863 1,080 1,390 1,008	17 87 11 184 210 114	74 828 47 211 997 963	615 525 16 107 1, 887 1, 430 740	6 cars in 109 cars in 5 cars in A
2, 924 2, 880	1,452	2, 234 1, 166 2, 716 1, 860	1, 328 1, 612 1, 027 1, 133 2, 514 2, 524 2, 526	\$56.88 22 18 35 ct	1, 537 909 92 527 1, 821 1, 326 739	1.27 2.88 2.89 2.44 4.44	P Includes 3 10 Includes 1 11 Includes 8
2, 170 2, 567	1, 643	2, 2, 385 2, 993 2, 992 2, 992	2, 2, 1, 4, 4, 8, 119 000 000 000 000 000 000 000 000 000	190 320 71 71 261 456 464	1, 674 1, 857 1, 851 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	911 922 982 982 986 986 994 994	• 2 1
1,419	1,461	2,1,1,20 2,906 2,906	1, 510 1, 359 1, 162 1, 723 1, 532 3, 845	224 204 284 342 342 817	980 1, 083 512 893 1, 510 1, 627 1, 638	988 888 888 888 888 888	ź
1, 474	2, 460 2, 137	2,337 1,367 1,964 1,964	1, 261 1, 839 1, 875 1, 469 1, 724 1, 724 2, 560	98 370 173 306 495 777	1, 065 1, 380 1, 278 1, 981 1, 9875 2, 071	888 846 1,094 1,320 1,641	Includes I car in March, 1920. Includes 95 cars in March, 1921. Includes I car in February and 221 cars in March, 1922.
1,380	575 1, 545 1, 567	1, 214 1, 626 1, 102 1, 108	675 758 693 934 892 1, 095 1, 208	25.5 25.5 25.5 27.6 27.6 27.6 27.6 27.6 27.6	824 455 455 702 1, 123 1, 002 1, 002	2, 288 1, 384 1, 049	1 cars in
2, 477	1, 383 2, 464 2, 810	2,876 2,719 2,018 1,476 1,491	1,1,1,2,2,2,2,2,2,2,2,2,2,2,2,2,2,2,2,2	257 709 800 800 800 800 274	1, 254 1, 259 1, 259 1, 394 1, 120 1, 523	4 444444 24888888888888	h, 1920. ry and 22
2, 490 2, 218		2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2	4, 4, 4, 6, 6, 8, 8, 17, 17, 10, 10, 10, 10, 10, 10, 10, 10, 10, 10	1, 984 1, 286 1, 286 1, 286 348	44444-1-1-1-28-28-28-28-28-28-28-28-28-28-28-28-28-	1,1,2,1,1,1,1,2,1,1,1,2,1,1,1,2,1,1,1,2,1,1,1,2,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1	in March s in Marc In Februs
1, 216 878 1, 642	1, 158 2, 768 3, 250	450 1,377 1,294 769	1, 918 5, 5, 573 6, 1, 167 9, 1, 167	25 182 28 28 24 24 25 25 25 25 25 25 25 25 25 25 25 25 25	1,44,1,4,4,1,4 46,64,1,4,4,1,4,4,1,4,4,1,4,4,4,4,4,4,4,	44 4444 888 4444 988 688 988 688 988 688 988 688 988 688 988 688 688	ides 1 car ides 95 car ides 1 car
76 46 37	118	286.28	1, 2, 3, 1, 1, 2, 3, 2, 3, 3, 4, 4, 3, 4, 4, 4, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5,	88 11 84 67 67 67 1 87 1 87 1 87 1 87 1 87 1 87	286 880 1, 010 1, 086 1, 089	1, 945 1, 784 1, 784 1, 763 1, 763	Finch Finch Finch
	1		2882 828	267 267 51 12 6	25 74 915 10 28 25 24 24 25 25 25 25 25 25 25 25 25 25 25 25 25	~~4828 8	
						•	farch, 1917. March, 1918.
							in Marci s in Marc
							Preliminary. Includes 1 car in M Includes 5 cars in B
1922 1928 1924 s	ä		mesota: 1917 1918 1919 1920 1922 1922 1924 7			1917 1918 1919 1920 1921 1922 1924	Prel
22.52	Wisconsin: 1917 1918	1920 1920 1920 1920 1920 1920 1920 1920	Minnesota: 1917 1918 1918 1920 1921 1922 1923 1924	Nebraska: 1917 1918 1919 1920 1921 1922 1923	1917 - 1918 - 1918 - 1918 - 1918 - 1918 - 1922 - 1922 - 1922 - 1922 - 1922 - 1922 - 1922 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 1924 - 19	1917- 1917- 1919- 1930- 1921- 1922- 1923- 1924-1	

Table 250.—Potatoes: Car-lot shipments, by State of origin, April, 1917-December, 1924—Continued

State and year								Crop 1	Crop movement season	зеазоп							
	Арт.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Total
Washington:	Care	Cars	Cars	Cars	1	1	Cars	Cars	Cars	Care	ļ	Cars	Cars	Cars		Cars	Cars
1918				8 -	3 8	3 2	3/2	200	191		375	23	883	961 25	119	25	7, 88,
1919		-		133			138	587	25	88		36.	210	98		5	 6
0661		-		3			738	736	157	150		418	88	210			3,766
1092		-		88.8			1,201	20 5	38	575		92	595	88			6, 194 194
1923				3			8	1.08	5	7.5		88	1 86	2			6.173
1924 1		+		200			1, 282	88	478		- 1	-		-	- !		
1917		138	1.534	2865	88	59	\$	9	455	25	8	15.4	350	6	84		7 884
1918		8	3	2,065	1,089	1,098	1,18	1,054	368	917	417	5	178	27	22	-	10,351
Alar		3;	250	1,556	988	1, 110	971	813	25	200	374	83	6	46	~i		8, 487
1921		2	182	7.75	1 2	1,00	88	., 25, 55	200	3.2	3 §	33	25.5	12) (0) (0) (0) (1) (1)
1928		9	8	1.43	7	28	218	12	283	200	3	8	88	42			7, 785
1928		110	787	717	637	72	200	888	470	437	258	153	2	18			5, 727
All other		88	240	25	88	Z	88	22	8			-	-	-			
	11		2,642	2.242	1.900	821	2.237	1.532	583	521	916	22	252	400	135	7	17 507
1918	22	2, 187	7.01	2,308	1,276	1,580	200	1,0	E	8	8	3	1,281	8	3	-	8
1919	45	38	288	60°	200	1,451	56	268	452	98	88	200	: :	88	8:		13,287
1921	13 278	5 9	4	3.5	2, 2	38	900	8,	35	260	200		1,023	25 25	5 5	-	19,238
200	88	2, 574	8	4, 574	73	3,16	88		88	973	745	12,	2,5	35	38	r -	33, 513
1928	3.8	1,068	3, 172	5, 471	4, 131	3,276	28	028	228	1,000	1, 481		1,77	\$	8	m	33,687
Total:	23	\$ 018	4, 5, 5,	200 to	1, 902	7, 201	3,	1, 143	28		÷	<u> </u>	-	+			
1917	1,483	6,835								9, 555	11,009		10, 212	6, 714		36	
1018	1,321	_								12, 753	866		12, 653	7, 657	3, 596	17.	
1920	26	_								12,883	627, 125	1,47	3,359	2,0	2442	ထ ဋ	167,870
1921	2									16, 705	13, 717		17,489	11, 910	19	35	
1922	\$ 2, 780									12,281	14, 606		22,043	10,989	0, 520	33	
1823	1,183	5,311	14, 774	16, 450	16, 727	2, 2, 2, 2, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3,	88. 88. 88. 88. 88. 88. 88. 88. 88. 88.	26,732	11, 977	19, 730	20,688		17, 780	11, 110	3, 171	23	
	## T* OBB	_										-	·				
Division of Statistical and H	tistical ar	d Historic	istorical Research.		piled from	n data of	the Fruit	and Veg	Compiled from data of the Fruit and Vegetable Division.	ŀ	Shipments as shown in car lots include those by boat reduced to	as shown	in carl	ots includ	e thoge b	y boat re	duced to

¹⁹ Includes 115 cars in March, 1921.
¹⁹ Includes 1 car in February and 221 cars in March, 1922, and 8 cars in August, 1923. Fincludes 1 car in February and 221 cars in March, 1922.
Pincludes 36 cars in March, 1923.
Includes 100 cars in March, 1924.
Includes 8 cars in August, 1923.
Fincludes 8 cars in August, 1922.

Prelimhary.

I Includes I car in March, 1917.

Includes Cears in March, 1918.

Includes Cears in March, 1919.

I Includes I car in March, 1999.

Table 251.—Potatoes: International trade, calendar years, average 1911-1913, annual 1921-1923

[Thousands of bushels-i. e., 000 omitted]

	Average,	1911-1913	19	21	19	22	1923, pre	liminary
Country	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Exports
PRINCIPAL EXPORTING COUNTRIES								•
Argentina Belgium Canada	1, 337 4, 921 525 36	543 8, 692 1, 207 288	36 10, 946 466	936 677 3, 258 272	6, 769 347	1, 243 3, 035 3, 609 468	3, 197 375	1, 179 6, 494 2, 976 201
China Czechoslovakia	40	200	283	1 65	319	2, 834	358	2, 036
Denmark Esthonia	40	928	55	2, 322 1 719	121	2, 244 1 1, 712	217	506
Italy	242	3, 975 440	706	4, 260 240	3	4, 526 1 235	39	6, 114
Japan Netherlands Poland	1, 952	16, 451	350	18, 321	735 62	11, 538 5, 252	747 17	13, 399 6, 068
Portugal	273 309	500 7, 762	1 469					0,000
Spain United States	5, 707	1,835 1,814	2, 018	899 3, 500	506 1,775	1, 346 2, 897	² 1, 202 732	² 1, 399 2, 696
PRINCIPAL IMPORTING COUNTRIES		,						
Algoria	1, 218	931	994 4, 148	720 24	1, 200 1 3, 666	614 2	993 2, 979	955 94
Austria-Hungary Brazil British India	4, 070 939	1, 451 (³)	80 769	18 10	94 874	3 12	1, 193	23
Cuba Egypt	2, 001 599	2 4 28	4, 340 622	13	3, 755 593	1 219	763	53
Finland France Germany	479 7, 143 29, 180	8, 683 12, 412	139 5, 870 9, 728	8, 667 8 2, 148	527 13, 544 6, 158	5, 167 2, 468	1, 167 10, 876 6, 394	8, 062 743
Hungary	215	60	1 12 499	1 767 21	1 403 398 300	1 1 77	8	15
Philippine Islands Sweden Switzerland	334 700 3, 172	64 42	352 657 1, 082	3 51	78 2, 260	750 19	364 1, 461	7
Tunis United Kingdom	6 294 11, 382	6, 246	313 5, 678	2, 825	320 6,397 1 1,325	5, 433	9, 087 7 406	2, 412
UruguayOther countries	4 768 931	779	955 2, 196	940	1, 566	630	904	116
Total	78, 767	75, 151	53, 763	51, 695	54, 132	56, 340	43, 515	55, 548

Division of Statistical and Historical Research. Compiled from official sources except where otherwise noted.

Eight months, May—December.
Two-year average.
Six months

Table 252.—Potatoes: Farm price per bushel, 15th of month, United States, 1909-1924

Year beginning	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	Weight-
July	15	15	15	15	15	15	15	15	15	15	15	15	ed av.
	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cis.	Cts.	Cts.	Clar	Cts.	Cts.	Cta.
1909	88 0	78. 3		61 0		55.0	56. 1	55.4	51.0			38 8	57.9
1910	52 5			61.8	55.7	54. 9		55. 2	55. 4	59.0	62 9	79.8	61.3
1911	116. 2	124.8	101.0			82. 2		98 2	109. 6		123. 5	111.6	99. 6
1912	95.0	75. 8						52.6				52. 5	55.6
1918	59. 5	72 2	74. 6	71.8	69. 2		69 0				71.4	76.4	70, 6
Av. 1909-1913	82. 2	84.0	74.4	65.0	61. 4	62. 3	64. 2	66. 3	67.5	68.8	69 5	71.8	69.0
	84. 3	81.0	69. 8	58.8	50.8	49. 2	50.0	50. 4	49. 1	49. 2	50, 6	51.4	58. 0
1914	54. 2	53.4											
1915	98.8	102. 4	110.6										
1917	209. 4	155. 0					122.0						
1918	118. 2	145. 2										124.9	125.6
1919	160.6	190. 2											223. 8
1920	844. 4										67. 6	68. 5	131. 5
Av. 1914-1920	152.8	138. 7	120. 3				117. 9	128. 9	135. 3	145. 5	156. 7	156. 5	128. 4
WA. 1814-1850													
1921	103. 4	152. 8		130.6									121. 3
1922	109.0												
1928	102.9						86.4	88. 1	87.8	91. 1	91. 3	100.7	94.2
1924	109.0	111.3	81.0	68.8	68.5	64. 1							

Division of Crop and Livestock Estimates. Mean of prices reported on 1st of month and 1st of succeeding month.

¹ International Institute of Agriculture.
2 Ten months
5 Less than 500 bushcls.
4 One year only.

718. Yearbook of the Department of Agriculture, 1924

Table 253.—Potatoes: Farm price per bushel, by States, December 1, 1909-1924, and value per acre 1924

State	1909	1910	1911	1912	1913	Aver- age 1909- 1913	1914	1915	1916	1917
Maine New Hampshire Vermont Massachusetts Rhode Island	Cents 47 64 44 79 80	Cents 42 52 45 70 69	Cents 77 87 79 96 106	Cents 55 61 55 75 77	Cents 53 83 72 85 90	Cents 55 69 59 81 84	Cents 33 60 47 71 70	Cents 70 95 81 94 92	Cents 142 166 139 175 185	Cents 130 167 140 175 175
Connecticut New York New Jersey Pennsylvania Delaware	83	70	105	78	87	85	85	96	175	164
	50	48	90	58	80	65	44	82	158	130
	82	65	105	66	82	80	61	75	155	141
	65	52	93	57	80	69	58	75	148	135
	72	60	96	70	75	• 75	70	75	125	130
Maryland	66	54	91	58	67	67	80	62	133	119
	70	58	96	65	80	74	77	61	137	125
	68	67	104	62	90	78	81	65	158	132
	81	73	108	76	82	84	92	73	140	143
	115	105	122	112	130	117	125	115	175	210
Georgia	100	105	110	87	105	101	105	99	175	195
Florida	120	100	145	110	117	118	113	115	200	205
Ohio	56	51	84	53	85	66	53	70	182	143
Indiana	52	50	87	50	84	65	56	56	177	139
Illinois	61	59	90	60	89	72	61	59	179	152
Michigan	35	31	71	41	53	46	30	56	160	105
Wisconsin	38	38	62	34	54	45	30	45	147	90
Minnesota	35	64	58	28	52	47	32	39	130	91
Iowa	55	60	73	46	82	63	59	54	175	131
Missouri	67	68	102	69	93	80	73	60	180	137
North Dakota	45	91	55	28	56	55	42	41	115	130
South Dakota	63	85	70	36	53	63	47	35	137	111
Nebraska	60	84	92	51	77	73	54	42	150	107
Kansas	79	90	106	73	91	88	77	74	165	152
Kentucky	64	62	107	67	102	80	84	55	142	140
Tennessee	71	65	108	70	97	82	91	63	149	126
	98	94	118	90	105	101	101	90	169	182
	95	94	115	90	100	99	95	84	160	168
	91	90	100	83	96	92	97	95	167	184
	106	110	126	105	112	112	104	105	190	210
OklahomaArkansasMontana	95	100	124	93	105	103	90	84	195	180
	92	85	115	92	100	97	97	76	190	157
	51	85	74	40	67	63	64	50	120	102
	63	82	140	60	65	82	70	60	128	104
	57	55	99	41	65	63	50	55	135	91
New Mexico	101	104	100	65	140	102	95	95	175	165
Arizona	130	126	140	125	135	131	120	100	180	150
Utah	43	59	85	49	58	59	60	63	130	78
Nevada	85	80	93	60	68	77	70	70	130	120
Idaho	48	65	65	29	50	51	48	56	127	79
Washington	47	73	68	36	60	57	55	53	98	92
Oregon	60	70	67	31	58	57	60	60	90	80
California	77	85	90	65	70	77	70	75	140	150
United States.	54, 2	55. 7	79. 9	5 0. 5	68. 7	61 8	48 7	61. 7	146. 1	122.8

Table 253.—Potatoes: Farm price per bushel, by States, December 1, 1909-1924, and value per acre 1924—Continued

State	1918	1919	1920	A ver- age 1914- 1920	1921	1922	1923	1924	Value per acre 1924
Maine	Cents 120 145 138 170 173	Cents 140 175 157 190 180	Cents 125 155 155 125 150 160	Cents 109 138 118 146 148	Cents 85 135 104 152 160	Cents 45 105 93 95 90	Cents 70 115 100 135 130	Cents 43 84 85 96 95	Dollars 131. 15 151. 20 140. 25 148. 80 133. 00
Connecticut New York New Jersey Pennsylvania Delaware	165	195	150	144	150	100	147	100	137. 00
	122	145	118	114	108	60	95	57	79. 80
	170	169	125	128	142	72	110	67	104. 52
	151	154	124	121	133	75	105	80	94. 40
	140	125	100	109	110	70	102	80	72. 80
Maryland	120	130	95	103	110	60	100	81	67. 23
Virginia	120	157	95	110	110	65	87	82	98. 40
West Virginia	160	175	135	129	163	87	105	98	100. 94
North Carolina	135	163	142	127	143	101	120	112	117. 60
South Carolina	193	200	180	171	150	128	160	145	160. 95
Georgia	185	217	208	169	165	140	160	150	100. 50
Florida	200	210	200	178	190	175	190	165	165. 00
Ohio	150	192	135	132	155	90	100	89	81. 88
Indiana	135	195	133	127	145	84	86	80	79. 20
Illinois	148	196	145	134	140	90	88	75	86. 25
Michigan Wisconsin Minnesota Lowa Missouri	89	135	92	95	95	34	44	35	45. 85
	80	140	86	88	95	33	47	36	46. 80
	75	153	80	86	90	35	39	27	35. 64
	133	192	122	124	140	67	77	55	74. 80
	153	184	151	134	135	92	88	82	82. 00
North Dakota	73	160	98	94	70	31	35	39	35, 88
	93	190	97	101	107	44	44	48	39, 36
	118	190	120	112	120	47	70	62	53, 94
	144	190	150	136	135	92	99	91	86, 45
	165	210	150	135	165	100	120	102	96, 90
Tennessee	165	172	160	132	165	110	112	112	112. 00
Alabama	181	215	200	163	170	150	150	155	139. 50
Mississippi	165	185	200	151	200	160	154	164	132. 84
Lousiana	150	220	203	159	180	150	150	150	102. 00
Texas	200	210	220	177	190	160	160	170	96. 90
Oklahoma Arkansas Montana Wyoning Colorado Colorado	195	205	180	161	185	123	128	130	97. 50
	184	205	175	155	180	130	136	128	94. 72
	80	160	105	97	80	40	65	87	76. 56
	85	190	120	1 08	118	50	93	87	82. 65
	99	170	80	97	73	37	53	60	72. 00
New Mexico	160	190	210	156	180	145	160	104	72. 80
	205	195	190	163	140	90	140	150	97. 50
	97	137	80	92	85	40	70	74	115. 44
	123	150	156	117	120	60	105	106	164. 30
Idaho	81	151	68	87	77	31	50	54	89. 10
	101	145	95	91	99	45	70	85	114. 75
	100	150	80	89	109	52	70	95	79. 80
	120	171	150	125	130	72	- 112	90	139. 50
United States	119. 3	159. 5	114. 5	110. 4	110. 1	58. 1	78. 1	64. 3	79.87

¹ Based upon farm price Dec. 1.

Yearbook of the Department of Agriculture, 1924 720 *

Table 254.—Polatoes: Average l. c. l. price to jobbers, per 100 pounds, at 10 markets, 1919-1924

Market. Sea- son beginning April 1	Apr	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec	Jan.	Feb.	Mar.	Apr.	Мау
New York	Dols	Dols	Dols	Dols	Dols.	Dols.	Dols.	Dols.	Dols.	Dols	Dols.	Dols.	Dols.	Dole.
1919	6. 25	4. 20	4. 37	3. 43	3. 39	2. 79	2. 57 1. 93	2. 63 1. 96	3.09	4. 23	4. 49			7. 19
1920 1921 1922	4 41	9. 03 4. 18	6. 93 1 90	5 54 2. 23	2. 56 2. 90 1. 04	1.83 2 11	1. 93 2. 09	1. 96	1.82	1 80 2.33	1. 31 2. 18	1. 51	1 28 1.79	1. 2: 1. 5
1922	4.07	3. 27	3 03	1. 81	1.04	. 95	. 96	1. 22	2.07 1.36	1.39	1. 44	2. 03 1. 87	2.09	1.7
1923	7. 24	4. 13	3.08	3.08	2. 57	1.49	1.85	1. 67	1. 59	1 96	2 01	1.96	2. 12	1. 7
1924	5 92	. 4 12	2 34	1.48	1.41	1. 37	1.33	1. 22	1, 26					
bicago: 1919	6. 40	5. 32	4. 25	4. 18	2 3. 99	2 2.73	2 2 40	1000	3. 83	5 54	4. 80	8 00	2 6. 98	27 4
1020		9. 14	0 20	20 44	2 2 40	2. 78 2. 40 2. 65 2. 1. 17 2. 1. 70 2. 1. 32	2 2. 40 1. 85 2 2. 00	2 2. 13	³ 1. 58	2 1. 29	3 1. 15	1 1 25	2 98	2 . 8
1921	4.83	4.50	2 2. 42 3 03	2. 33	3 8. 11 3 1. 63 2 2. 18 2 1. 40	2 2.65	1 2.00	2 1. 75	1.83	1 1 NO	2 1 96	² 1. 80 ² 1. 35	3 1.69	3 1. 70
1922	4. 16	3. 57	3 3 03	2.29	1.63	2 1. 17	1 00 1 1.14 2 . 97	1.05	3 .96	1.02	2 1.07	2 1.35	1. 53	2 1. 1.
1923	E 00	4. 80 4. 69	² 3. 15 2. 65	2.76	2.18	1.70	3 1. 14 3 07	4 1. 24 2 1 21	2 1 26	2 1. 58	* 1.71	² 1.75	1.79	2 1 50
hiladelphia:	5. 68	4.09	2.00	- 1. 70	· 1. 40	- 1. 02	97	- 1. 31	- 1, 50					
1010	5. 31	4. 77	4. 11	3. 61	3.48	2. 51	2.48	2. 04	3. 25	4.07	4. 35	5. 24	6 74	7. 13
1920	11.00	8 39	6. 87	5. 58 2. 11 1. 77	2. 59 3 07	1.89	1.87	2.09	1. 48 2. 00	1. 65	1 20	2 1 07	1.05	1.03
1921	3.96	4. 14	1.93	2. 11	3 07	2. 41	2. 19	2.01	2.00	2 29 1 36	2. 23 1. 36	1.98	1.69	
1922	3. 76 7 21	3. 13	2 89 3 02	1.77	1. 10	1.00	1.09	1. 25 1. 66	1.32 1.73	1.98	2.00	1.79 1.86	2. 17 1. 92	1.61
1923 1924	5. 16	4.03 4.20		3. 24 1. 43	2 84 1. 27	2.06 1.39	1.96 1.35	1. 22	1. 73	1.98	2.00	1.80	1. 92	1. /1
Pittsburgh:	0. 10	7. 20	2 20	2.10	٠٠. ٣٠	1.00	1.00		1.01					
Pittsburgh: 1919	6. 59	4.99	4. 56	4.07	4. 10	3. 18	2.74	2.80	3. 33	4 .51	4. 52		7.00	7. 66
1920		9. 54	7.48	5.98	3.01	2. 31	2. 33 2. 30	2.48	1. 84	1.60	1. 36	1.48	1. 11	1.08
1921	4.50	4. 37	2, 28 3, 19	2.73 2.20	8. 43	2.71	2.30	2. 10	2.01	2. 26	2. 13	2.01	1.85	1.61
1923	4. 36 7 30	8. 47 4. 44	3.19	3, 44	1. 43 3. 13	1.39	1. 33	1. 30 1. 46	1. 11 1. 33	1. 16 1. 67	1. 20 1. 65		1.60 1.74	1. 36 1. 55
1924	6. 23	4. 23	3. 35 2 64	1.86	1. 58	2. 38 1. 59	1. 67 1. 35	1. 24	i. 18	1.07	1.00	1 00	1.77	1.00
1924 St. Louis:	U. 20													
1919	5.98	5. 62	3 33	3. 62	3. 12	2.90	2.71	2.99		4.61	4.49		7. 55	7. 57
1920		10.75	8. 35	6. 60 2. 84	3. 69 3. 16	2. 71 2. 83	2 25 2.28	2. 33 1. 89	1.87 1.93	1. 58	1 39 2.14	1.48	1. 23 1. 89	1. 22
1921	5. 76	3. 49 3. 81	2. 77 2. 96	2. 64	1. 73	1. 53	1. 26	1. 20	1. 10	2. 27 1. 16	1 18	1. 98 1. 44	1. 59	1. 91 1. 45
1919 1920 1921 1922 1923	5. 87 7. 32	5. 56	3 05	2. 10	1. 10	1. 94	1. 3	1. 40	1. 44	1. 73	1.71	1.71	1 77	1.50
1924	5.60	3. 91	2. 48	1, 86	1.31	1.54	1. 27	1. 25	1. 38					
Dincinnati:														
1919	5. 54	4 71	4. 33	3 87	3 83	3, 12	2.94 2 19	2.97	3. 29	4.60	4. 51	5. 51	7 28 1 22	
1920	4, 12	8. 65 4. 10	7. 59	6. 49	3. 41 3. 52	2. 57 2 96	2. 46	2.60 1 93	1 92 1. 97	1. 68 2. 30	1. 58 2 16	1. 77 2. 06		
1922	3. 96	3. 28	2 49 3. 01	2 65 2.44	1.74	1.48	1. 30	1. 17	1 15	1. 20	1. 21	1.46	1 45	1, 27
1923	6. 62	4 43	3 33			1.85	1.36	1. 24	1. 26 1. 29	1.69	1 65	1 61	1 65	1.56
1920	5. 35	3, 93	2.48	1. 97	1.58	1.59	1. 24	1. 19	1. 29					
St. Paul:			4 19	4 15										
1919			8 80	8. 44										
1921			3.06	3.05	3.49									
1922			3.46											
St. Paul: 1919 1920 1921 1922 1923 1924 Minneapolis: 1919 1920 1921 1922 1923 1924 1922 1923			3, 55	3. 18										
Minnoanolie:														
1919			5 4, 73	4, 13										
1920			9.02	8. 29										
1921			3.05	2.90	3. 43									
1922			3 36	2 86										
1923			3. 3/	3. 04 2. 52							• • • • • •			
Kansas City:				2.02										
1919	8. 11	7.01	8. 32											
.920			8.77		2.81	2.69	2.06	2. 27					2 1. 37	2 1. 20
Kansas City: 1919 1920 1921 1922 1923 1924	6. 36	3 93	3.06		8.09	2.63	1.97	1.51	1.65	2 04	1.99	1.88 1.24 1.65	1.77	1.84
1922	5. 62	3. 93 6. 14	2. 87 2. 99		3 1 70	1.20	2 1 18	3 1 30	3 1 30	2 1.05 2 1 69	2 1 57	3 1 AK	1 1 80	3 1 70
1924	5. 99	4. 50	2. 55		2, 10	1. 40	1.05	1. 10	1. 43				2.00	
1924 Washington: 6 1919														
1919	6.45	5. 33	4. 56	3.88	3.98	8.03	2.86	2.96	3.44	4. 59	4. 81	5. 54	7.48	7. 9
		9. 05	6. 81	5. 82	3. 26 3. 27	2. 23	2. 22	2. 52	2. 32	2. 12 2. 62	1.69	1.71	1. 53 2. 27	1.26 2.18
1920	4													
1920	4.73	4. 32 3. 80	2. 11	2 21	1 40	1 37	1 30	1.40	1 49	1.49	1 41	1.72	1.90	1. AC
1920 1921 1922	4.48	8. 60	2. 11 2. 91 3. 25	2. 21 3. 64	1.49	2. 23 2. 83 1. 37 2. 43	2. 22 2. 61 1. 39 1. 83	2. 48 1. 49 1. 54	2. 32 2. 28 1. 48 1. 70	1. 48 2. 04	2. 58 1. 41 1. 95	2. 44 1. 73 1. 84	1. 99 1. 89	1. 69
1920	4. 73 4. 48 7. 78 6. 29	4. 32 8. 60 4. 67 4. 76	3. 25	5. 82 2. 39 2. 21 3. 64 1. 69	1. 49 8. 44 1. 57	1. 37 2. 43 1. 63	1. 39 1. 83 1. 56	1. 49 1. 54 1. 35	1. 48 1. 70 1.42	1.48	1.41	1. 73 1. 84	1. 99 1. 89	1.69

Division of Statistical and Historical Research. Compiled from data of the Fruit and Vegetable Division. Average prices as shown are based on stock of good merchantable quality and condition only; they are simple averages of daily range of selling prices. In some cases conversions have been made from larger to smaller units or vice versa, in order to obtain comparability.

¹ Crop movement season for each crop extends from April of one year through May of the following year, with irregular quotations continuing through June and July.

2 Car-lot sales.

3 Eight direct to retailers.
4 Sales direct to retailers to September, 1923.

4 Bulk only.

Table 255.—Potatoes, "Maine" and "State and Western": Average l. c. l. price to jobbers per bushel at New York, September, 1900-December, 1924

Season beginning September	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May
1900	Dols. 0. 50 . 76	Dols. 0.45 .72 .62	Dols. 0.46 .76	Dols. 0. 56 . 78 . 60	Dols. 0. 56 . 76 . 66	Dols. 0. 52 . 75 . 68	Dols. 0.48 .84 .68	Dols. 0.48 .85	Dols. 0. 61 . 75 . 67
1903 1904	. 48	.60 .51	. 59 . 51	. 74 . 50	. 81 . 49	. 94 . 46	. 96 . 42	1. 16 . 36	1. 02 . 30
1905	. 62 . 55 . 56 . 74	. 67 . 58 . 63 . 69	. 74 . 51 . 58 . 79	. 68 . 48 . 64 . 79	. 66 . 48 . 70 . 79	. 60 . 57 . 81 . 81	. 68 . 60 . 88 . 88	. 80 . 56 . 84 . 92	. 76 . 74 . 80 . 91
1909 1910 1911 1912 1913	. 65 . 55 . 81 . 60 74	. 56 . 55 . 79 . 59 . 69	. 56 . 51 . 90 . 64 . 71	. 56 . 49 . 95 . 68 . 70	. 58 . 52 1. 12 . 63 . 80	. 54 . 49 1. 14 . 67 . 83	. 49 . 47 1. 28 . 62 . 81	. 40 . 62 1. 38 . 66 . 85	. 39 . 57 1, 25 . 77 . 85
Average 1909-1913	. 67	. 64	. 66	. 68	. 73	. 73	. 73	. 78	.77
1914	. 62 J 18 1 20 1. 58 1. 51	. 56 . 78 1 25 1 62 1 44 1 37 1, 26	. 54 . 76 1. 69 1. 37 1. 37 1. 57 1. 58	. 51 . 90 1 61 1. 39 1. 50 1. 79 1. 27	. 51 1 22 1 98 1. 66 1. 42 2. 31 1. 16	. 48 1 21 2 67 1. 47 1. 26 2. 64 . 88	. 47 1. 23 2. 67 1. 14 1. 11 3. 33 . 88	. 50 1. 14 3 00 1 11 1. 43 4. 28 . 78	. 46 1. 12 3. 18 . 82 1. 49 4. 17
A verage 1914-1920		1, 18	1. 24	1. 28	1. 47	1, 52	1, 55	1 75	1. 70
1921 1922 1923 1924	1 37 . 86 1 46 . 91	1. 16 . 78 1. 13 . 72	1. 25 . 82 1. 06 . 70	1. 23 . 86 1. 05 . 73	1. 43 . 93 1. 20	1 35 . 96 1, 20	1 25 1 21 1, 17	1, 12 1 25 1, 19	. 90 1 10 1. 17

Division of Statistical and Historical Research. Compiled from Friday or Saturday issues, New York Producers' Price Current, average of weekly range.

SPINACH

Table 256.—Spinach for consumption fresh, commercial crop: Acreage, proauction, and total value, by States, year beginning October, 1922-1924

State		Acreage		P	roductio	'n		alue, bas	sis, aver- eason
	1921-22	1922-23	1923-24	1921-22	1922-23	1923-24	1921-22	1922-23	1923-24
	Acres	Acres	Acres	1,000 bushels	1,000 bus he is	1,000 bushels	1,000 dollars	1,000 dollars	1,000 dollars
California	1, 330	1,420	2,070	1,064	1,065	1,784	543	362	375
Illinois		400	550		150	192.		142	236
Maryland	880	1,980	2, 190	358	842	1, 183	150	379	592
Missouri		640	820		234	287		105	103
New York		50	110		11	28		10	26
North Carolina	360	150 1, 200	200 1,500	162	58 480	80 384	249	44 475	58 173
		9, 440	8,410	2. 299	2, 549	2, 649	1, 517	1, 274	2, 119
Texas	8, 210 5, 500	6, 250	8,000	1,760	2, 188	3, 296	1,514	1, 553	2, 340
Virginia	0,000	0, 200	0,000	1, 700	£, 100	0, 200	1,014	1,000	2, 340
Total	16, 280	21, 530	23, 850	5, 643	7, 577	9, 883	3, 973	4, 344	6, 022

¹ First two weeks of October, 1920, are quotations on Jerseys.

722 . Yearbook of the Department of Agriculture, 1924

Table 257.—Spinach for consumption fresh, commercial crop: Yield per acre and price, year beginning October, 1918-1924

		•	Yield p	er acr	8			Pı	rice pe	r busho	1 1	
State	1918- 19	1919- 20	1920- 21	1921- 22	1922- 23	1923- 24	1918- 19	1919– 20	1920- 21	1921- 22	1922- 23	1923- 24
CaliforniaIllinois.	Bus. 883	Bus. 817	Bus. 893	Bus. 800	Bus. 750 375	Bus. 862 350	Dols. 0.46	Dols. 0 49	Dols. 0 66	Dols. 0. 51	Dols. 0. 34 . 95	Dols. - 0. 21 1 23
Maryland	380	344	481	407	425 365 225	540 350 250	. 20	. 50	. 70	. 42	45 . 45 87	. 50 . 36 . 93
North Carolina South Carolina Texas	325	300	550 253	450 280	390 400 270	400 256 315	.96	.81	1.00 .55	1 54 . 86	.75 .99 .50	. 73 . 45 . 80
Virginia	288 357	482 392	378	320 347	350 352	412	. 60	. 60	. 68	. 86	. 71	. 71

Division of Crop and Livestock Estimates.

Table 258.—Spinach for canning, commercial crop: Acreage, production, and total value, by States, 1922-1924

State		Acreage		I	roductio	on .		l value, i	
	1922	1923	1924	1922	1923	1924	1922	1923	1924
California Maryland	Acres 5, 660 1, 820	Acres 8, 290 730	Acres 8, 290 1, 460	Tons 29, 400 4, 600	Tons 48, 100 2, 200	Tons 41, 400 4, 700	1,000 dollars 575 173	1,000 dollars 979 84	1,000 dollars 729 226
Total	7, 480	9, 020	9, 750	34, 000	50, 300	46, 100	748	1,063	955

Division of Crop and Livestock Estimates.

Table 259.—Spinach for canning, commercial crop: Yield per acre and price, 1918-1924

Clark-			Yiel	d per	acre		•	-		Pri	ce per	ton	-	
State	1918	1919	1920	1921	1922	1923	1924	1918	1919	1920	1921	1922	1923	1924
California Maryland	Tons	Tons 4. 9 3 6	5.4	4.5	5. 2	5.8	5.0	Dols.		Dols. 24. 92 49. 44	19, 71	Dols. 19. 56 37. 60	Dols. 20. 35 38 38	
Average		4. 3	4. 5	3. 9	4. 5	5. 6	4. 7		26. 45	34. 59	23. 40	22. 00	21. 13	20. 72

¹ Average for season.

SWEET POTATOES

Table 260.—Sweet potatoes: Acreage, production, and value, United States, 1909-1924

Year	Acreage	Average yield per acre	Produc- tion	Average farm price per bushel Dec. 1	Farm value Dec. 1	Value per acre 1
	1,000 acres 641	Bushels	1,000 bushels 57, 764	Cents 68. 5	1,000 dollars 39, 585	Dollars 61. 76
1910	641 . 605 583 625	93. 5 90. 1 95. 2 94. 5	59, 938 54, 538 55, 479 59, 057	67. 1 75. 5 72. 6 72. 6	40, 216 41, 202 40, 264 42, 884	62. 74 68. 10 69. 06 68. 61
Average, 1909-1913	619	92. 7	57, 355	71. 2	40, 830	65. 96
1914	603 731 774 919 940 941 992	93. 8 103. 5 91. 7 91. 2 93. 5 103. 2 104. 8	56, 574 75, 639 70, 955 83, 822 87, 924 97, 126 103, 925	73. 0 62. 1 84. 8 110 8 135. 2 134. 4 113. 4	41, 294 46, 980 60, 141 92, 916 118, 863 130, 514 117, 834	68. 48 64. 27 77. 70 101. 11 126. 45 138 70 118. 78
Average, 1914-1920	843	97. 6	82, 281	105. 7	86, 935	103. 14
1921 1922 1923 1924 ²	1, 066 1, 117 993 938	92. 5 97. 9 97. 9 76. 6	98, 654 109, 394 97, 177 71, 861	88 1 77 1 97 9 128 4	86, 894 84, 295 95, 091 92, 290	81 51 75. 47 95. 76 98. 39

Table 261.—Sweet potatoes: Acreage, production, and total farm value, by States, 1922-1924

State	Thou	sands of	acres	Produ	ction, th	ousands s	Total v I pri	alue, basee, thous dollars	sis Dec. ands of
	1922	1923	1924 1	1922	1923	1924 1	1922	1923	19241
New Jersey Pennsylvania Delaware Maryland Vnginia	20 2 11 10 46	18 2 9 9	17 2 10 9 45	3, 500 280 1, 716 1, 530 6, 210	2, 196 260 1, 008 1, 170 5, 280	2, 431 234 1, 300 1, 170 5, 175	2, 520 311 858 765 5, 403	3, 184 364 1, 159 1, 346 5, 544	3, 768 351 1, 638 1, 486 5, 692
West Virginia North Carolina. South Carolina. Georgia Florida	3 110 104 152 32	3 100 94 137 30	3 101 89 128 35	402 12, 430 9, 568 12, 616 2, 720	390 10, 500 9, 118 11, 508 2, 940	360 9, 292 6, 230 8, 704 3, 150	563 9, 944 6, 793 7, 696 2, 557	577 10, 290 7, 841 8, 746 3, 410	508 9, 664 6, 479 8, 704 4, 095
OhioIndianaIllinois	3 3 9 4 14	3 3 8 4 14	8 8 3 14	360 375 855 312 1,330	336 354 880 280 1, 512	336 345 864 240 1,400	486 450 898 437 1, 396	504 442 968 420 1,633	548 490 1, 201 456 1, 750
Kansas Kentucky Tennessee Alabama	4 20 44 142	3 20 85 113	3 19 34 85	416 2,020 4,180 13,490	321 2, 060 3, 850 11, 752	339 1, 748 3, 230 6, 205	437 2, 222 3, 260 10, 118	401 2, 472 8, 850 9, 754	458 2, 237 4, 522 7, 756
Mississippi Louisiana Texas Oklahoma	109 85 105 27	101 78 86 30	88 78 89 27	11, 445 7, 820 8, 715 2, 052	9, 898 7, 020 6, 880 2, 700	4, 400 3, 900 4, 450 2, 430	7, 897 4, 770 7, 408 2, 421	9, 007 6, 669 7, 843 3, 051	7, 612 6, 162 7, 631 3, 645
Arkansas	47 1 2 8	40 1 2 6	36 1 2 6	3, 760 112 300 880	3, 800 134 340 690	2, 880 120 250 678	3, 346 224 525 590	3, 496 268 714 1, 138	3, 658 306 595 1, 478
United States	1, 117	993	938	109, 394	97, 177	71, 861	84, 2 95	95, 091	92, 290

Division of Crop and Livestock Estimates.

¹ Based on farm price Dec. 1.

Preliminary.

¹ Preliminary.

Yearbook of the Department of Agriculture, 1924

TABLE 262.—Sweet potatoes: Yield per acre, by States, 1909-1924

State	1909	1910	1911	1912	1913	Av. 1909- 1913	1914	1915	1916	1917	1918	.1919	1920	Av. 1914– 1920	1921	1922	1928	1924
New Jersey Pennsylvania Delaware Maryland Virginia	Bu. 123 88 125 115 100	140 105 115 110	121 140 115	120 120 125	110 135 141	Bu. 130 109 127 121 98	105 120 125	Bu 155 105 135 130 110	100 125 126	110 112 118	120 120 130	140 138	138 128	Bu. 123 117 125 128 118	Bu. 110 124 100 100 95		130 112 130	117 130 130
West Virginia North Carolina South Carolina Georgia Florida	100 99 95 93 105	105	86 84 81	90 165 90	91 100 92 87 110	103 96 93 87 109	92 90 85 85 120	110 105 105 85 112	140 107 86 80 100	140 95 95 93 95	110 95 92	115 107 90 92 100	119 104 105 93 95	117 103 94 89 105	115 101 95 85 85	134 113 92 83 85	130 105 97 84 98	92 70 68
Ohio Indiana Illinois Iowa Missouri	110 101 110 110 90	98 104 110 98 102	114 89 105	116 98 90	90 78 70 80 56	106 103 95 97 85	110 100 84 100 84	95 104 110 95 100	99 100 90 91 70	95 106 97 90 112		100 105 95 67 104	103 120 97 104 110	100 106 94 91 96	107 132 110 104 100	120 125 95 78 95	112 118 110 70 108	115 108 80
Kansas Kentucky Tennessee Alabama	96 88 87 80	85 85	96 85	90	50 75 80 95	84 87 85 91	110 105 100 93	110 105 105 90	92 90 100 74	92 95 95 90	95 98	109 105 112 94	135 105 102 97	104 100 102 91		104 101 95 95	103 110	95
Mississippi Louisiana Texas Oklahoma	82 90 50 70	70	90 71 75	84 75 92	98 85 80 64	91 88 66 74	102	110 92 98 115	82 90 89 74	78 90	95 75 58 65	105 90 110 110	110 101 105 115	94 88 - 91 96	82 98	105 92 83 76	98 90 80	50 50 90
ArkansasNew Mexico ArizonaCaliforma	58 180 163 160	100 120 160	150 200 140	141 140 156	90 125 135 170	85 139 152 157	95 143 200 161	130 160 150 135	91 125 160 160	118 150 167	125 135 170	100 120 150 130	105 118 125 127	103 130 153 150		80 112 150 110	95 134 170 115	120 125 113
United States	90. 1	9 3 5	90 1	95. 2	94 5	92. 7	93. 8	103 5	91.	91 2	9 3. 5	103. 2	104. 8	97. 4	92 5	97. 9	97. 9	76 6

Table 263.—Sweet potatoes: Car-lot shipments, by State of origin, July, 1917– December, 1924

			Crop m	ovement	season 1			Quarter	rs, 1924 ²
State	1917	1918	1919	1920	1921	1922	1923	July- Sept.	Oct Dec.
New Jersey Delaware Maryland Virginia North Carolina South Carolina Georgia Tennessee Alabama Louisiana Texas Arkansas California	Cars 1, 955 670 607 5, 615 463 152 114 225 51 186 189 314	Cars 1, 785 1, 377 441 3, 024 708 525 545 342 150 329 149 800	Cars 2, 237 1, 212 1, 179 5, 740 750 481 1, 212 401 211 506 355 640	Cars 2, 948 1, 799 1, 473 5, 533 884 58 966 901 482 647 622 498 708	Cars 2, 212 1, 722 1, 325 5, 120 1, 015 135 1, 375 1, 508 680 912 752 578 998	Cars 2, 858 2, 632 1, 750 6, 633 679 235 781 1, 495 537 1, 033	Cars 1, 527 1, 549 1, 121 5, 371 563 155 609 726 382 463 526 526 686	Curs 335 4 114 2, 358 419 7 121 115 328 167 21	Cars 990 612 679 2,818 102 25 286 311 108 229 99 145 296
All other	146	365	561	415	918	734	576	94	336
Total	10, 657	10, 540	15, 485	17, 934	19, 310	21, 563	14, 526	4, 243	7, 985

Division of Statistical and Historical Research. Compiled from data of the Fruit and Vegetable Division. Shipments as shown in car lots include those by boat reduced to car-lot basis.

¹ Crop movement season extends from July 1 of one year through June of the following year.
² Preliminary.

Table 264.—Sweet potatoes: Farm price per bushel, 15th of month, United States, 1910-1924

Year beginning July	July 15	Aug. 15	Sept.	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	Мау 15	June 15	Weight- ed av.
	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts	Cts.
1910	73. 5 104. 1	82, 9	79. 5		67.8	70.9	79. 1	81. 6	87. 3		103.6	93.8	78.7
1912	113. 0 89. 4	102. 5	88. 9	79 9	73.7	77. 2	83. 7 82. 5	87 0	90.8	94 3	93 2	90.8	85. 6
Av. 1910-1913	95. 0						83. 0	87. 0					85. 1
1914	94. 5			79 3						100. 8			
1915 1916	93. 1 87. 5	97. 2	80.0		62. 9	65.0	- 72.7	76. 4 100 0	80 1	81 0	78 9	83. 9	75. 4
1917 1918	124 4 142 1	126. 3 151 6	120. 3		105. 6	110.8	123. 1	129 8	149 2	158 1	158 2	134.0	122, 3
1919	159. 7 200 7	195, 4 210, 8	174. 6	150 9		135. 6	151.1	163. 6		193 9		205. 2	161.7
	128 9						112, 1						
Av. 1914-1920		139 8									===		
1921 1922			106 0	90 4	79 0	84.8	92 5	96 9	100 1	103.8	107.9	107 4	97.4
1923 1924	112. 1 130. 7	151 3 151 4	133. 6 157. 0		101 0 130. 3		112. 5	123. 7	129. 0	140 4	139 2	138 9	121. 7

Table 265.—Sweet potatoes: Farm price per bushel, by States, December 1, 1909–1924, and value per acre 1924

State	1909	1910	1911	1912	1913	Av. 1909– 1913	1974	1915	1916	1917
New Jersey Pennsylvania Delaware Maryland Virginia	Cents	Cents	Cents	Cents	Cents	Cent#	Cents	Cents	Cents	Cents
	79	61	100	84	78	80	95	70	120	160
	89	75	105	75	90	87	86	75	135	140
	60	55	70	68	60	68	70	62	81	120
	68	58	75	63	60	65	70	70	88	100
	70	63	74	75	70	70	76	65	90	110
West Virginia	85	88	100	90	100	93	98	92	126	140
North Carolina	57	55	63	62	61	60	65	56	75	105
South Carolina	63	64	72	68	75	68	70	65	85	104
Georgia	62	65	73	66	68	67	69	61	81	105
Florida	71	75	83	73	75	75	80	68	86	115
Ohio	84	86	100	87	106	98	96	98	150	175
Indiana	84	83	96	89	103	91	90	90	150	165
Illinois	84	89	110	95	106	97	95	82	125	150
Iowa	92	105	110	108	150	113	127	108	192	210
Missouri	88	83	105	95	105	95	96	82	150	141
Kansas	107	103	130	103	110	111	106	100	150	160
Kentucky	73	75	88	85	94	83	77	70	100	125
Tennessee	68	69	75	72	80	73	69	59	87	- 105
Alabama	68	65	68	71	67	68	65	57	74	92
Mississippi. Louisiana Texas Oklahoma	69 59 99 114	60 65 108 110	62 60 104 125	62 65 104 109	62 70 95 104	63 64 102 112	63 64 87 89	55 50 70 73 61	67 66 90 135	97 104 140 160
Arkansas	90 120 140 90	73 118 140 95	82 144 160 110	105 150 94	130 170 100	123 152 98	113 150 87	120 150 80	180 185 100	96 205 227 150
United States.	70. 8	67. 1	75. 5	72.6	72. 6	71.7	73. 0	62. 1	84.8	110.8

Table 265.—Sweet potatoes: Farm price per bushel, by States, December 1, 1909-1924, and value per acre 1924—Continued

New Jersey	State	1918	1919	1920	Av. 1914– 1920	1921	1922	1923	1924	Value per acre 1924 i
Delaware	New Jersey	190	220	155	144	170	72	145	155	Dolls. 221. 65 175. 50
West Virginia 204 210 150 146 180 140 148 141 North Carolina 132 138 114 98 97 80 98 104 South Carolina 142 148 117 104 90 71 86 104 Georgia 125 110 97 93 63 61 76 100 Florida 125 140 120 106 96 94 116 130 17 Piorida 175 215 175 155 178 135 150 163 163 163 164 160 163 163 163 163 164 160 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163	Delaware Maryland	125 150	110 133	100 115	95 104	110 140	50 50	115 115	126 127	163, 80 165, 10 126, 50
South Carolina	West Virginia	204	210	150	146	180	140	148	141	169. 20 95. 68
Ohio	South CarolinaGeorgia	142 125	148 110	117 97	104 93	90 63	71 61	86 76	104 100	72. 80 68. 00 117. 00
Illinois	Ohio	175	215	175	155	178	135	150	163	182, 56 163, 30
Kansas 222 185 160 155 115 105 125 135 I Kentucky 175 160 150 122 115 110 120 128 1 Tennessee 136 117 123 99 95 78 100 140 1 Alabama 115 113 100 88 73 75 83 125 Mississippi 104 112 105 86 74 69 91 173 Louisiana 128 115 93 89 65 61 95 158 Texas 175 150 130 120 85 85 114 158 Oklahoma 220 180 132 141 106 118 113 150 150 Arkansas 138 115 105 97 82 89 92 127	IllinoisIowa	175 210	175 250	135 247	134 192	90 175	105 140	110 150	139 190	150. 12 152, 00 125, 00
Tennessee 136 117 123 99 95 78 100 140 1 Alabama 115 113 100 88 73 75 83 125 Mississippi 104 112 105 86 74 69 91 173 Louisiana 128 115 93 89 65 61 95 158 Texas 175 150 130 120 85 85 114 158 Oklahoma 220 180 132 141 106 118 113 150 1 Arkansas 138 115 105 97 82 89 92 127 1	Kansas	222	185	160	155	115	105	125	135	152. 55 117. 76
Louisiana 128 115 93 89 65 61 95 158 Texas 175 150 130 120 85 85 114 158 Oklahoma 220 180 132 141 106 118 113 150 1 Arkansas 138 115 105 97 82 89 92 127 1	Tennessee.				99 88					133. 00 91. 25
Oklahoma 220 180 132 141 106 118 113 150 1 Arkansas 138 115 105 97 82 89 92 127 1	Louisiana	128	115	93	89	65	61	95	158	86, 50 79, 00 79, 00
	Oklahoma	220	180	132	141	106	118	113	150	135. 00
	New Mexico	250	225	220	188	260	200	200	255	101, 60 306, 00 297, 50
	California	150	179	160	129	125	67	165	218	246, 34 98, 39

¹ Based upon farm price Dec. 1.

Table 266.—Sweet potatoes: Average l. c. l. price to jobbers per bushel at 10 markets, 1920-1924

Market. Season	Augu	13¢ 1	September 1	per 1	Octo	Novem-	Decem-	January	Fehruary	March	April 2	112	May	
beginning August	Range	Average	Range	Average	average	average	average	average	втегаде	атегаде	Range	Average	Range	Average
New York:	Dollars	·	Dollars		Dollars	Dollars	t	Dollars		Dollars	Dollars	Dollars	Dollars	Dollare
1921	1.23-3.08	1.51	1.04-2.77	1. 76	 88 88	2 8	1.56	1.76 02.02	28.5	2.40	1 50-2 75	222	2.00-3.00	96
1922			50-1.75		2	22.		88		3.	75-2 00		3	1
1924			1.08-3.25		25.	-i		3 5 24		3. 62	3, 40 4, 50	88 eri		
Chicago:			3		 ; ;	3								
1920	2.00-3.00	2,61	1, 35-2, 85			86.5					15.53		1. 75-2. 50	2.13
1922	1. 15-4.0	4	69-2-75	5.4	7.00	1 22	38	 . 8	3 4	25.4	1.00-2.50	38	. 75-2. 40	1.2
1923			1.08-2.35		1. 52	2 03					Ž			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Philadelphia			1.38.4.88		1.88	2.4 28.				-				
1920	1.28-2.77	2	. 85-2.31	1.40	8	36					25-2	\$	80-1 90	-
1921		1.33	. 92-1.36	1.14	1.02	188	1.43		1.65		1.00-1.80	1.42		
1922			88.	88	. 57	7.	88.8	8.	38.5	9.6		92.		
1924			1.62-1.62	88	8	1. 18	8 8		A					
Pittsburgh:			1	 !	3	i :	3							-
026	2.31	2.31	1. 31-3. 00	1.95	1. 49	1 38	1.95			2.03	40-2	1.89	1.50-2.15	1.92
1921		-i	1. 14-2.25	1.62	1.49	3.5	1.69	88:	25	1.82	1. 25-2.00	L	. 75-2 00	
1923			20-21	1.15	1.43					3 01		35		
			1.08-3.35	1.97	1.80	1.99	2 49				5	5		
St. Louis:		(,						i				
1001	1.00-1	38	26-2-36	88	91.1	1 61	1.40		1.85	200	1.50-2.10	18.1	1.80-1.90	
1922		-	88		5.3	80			1.00	3				
1923			8 .	5	5	1 49			. 6	88				
1924	٠.		2 00-2 35	2.17		2.03	2 18		4	3	3			
Cincinnati:				:										
1920	1.77-2.35	88	1.00-2.19	1.63	1.31	1.15	1.55			1.78	1.31-3.00		1 35-2 10	1.88
1022			. 5 1-1-6 1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	1.21	1.1	8 %	1.27		3.5		. 75-1. 15	e:-		95
1923			1.08-1.15	1.12	. 1		2.08			3.5	2.25-3.25			

1 Quotations began Aug. 23, 1920 and 1921; Sept. 1, 1922, Sept. 18, 1923; Sept. 2, 1924.

* Last reported quotations of season May 26, 1921 and 1922; May 4, 1923; April 15, 1924.

Table 266.—Sweet potatoes: Average l. c. l. price to jobbers per bushel at 10 markets, 1920-1924—Continued

Market. Season	Augu	rust	September	nber	Octo	Novem-	Decem-	January	February		April	-	May	À
beginning August	Капде	Average	Range	Average	average	average	oer average	втегаде	average	average	Range	Average	Range	Average
St. Paul: 1920	Dollars	Dollars	Dollars	Dollars	Dolla	Dollars	Dolla	Dollars	Dollars	Dollars	Dollars	Dollars	Dollars	Dollars
1921			1.50-3.00	882	312	328		12.0	888	282	1.15-2.25	38	1.00-2.00	1.35
1923			1.38-2.50	181	i	1.97	ંલ	2.61	388	3.12				
Minneapolis: 1920	3.08-3.25	3.19	Z Z			1.99		2.25			2.25			
1922	2.15-3.25							2 19	8.8	8 S	1.25-2.75	1.76	. 25-2.00	8 .
1923			1.38-2.50 1.85-3.25	28.82	1.83	2, 2, 3, 38	44 88	2 91			8			
Kansas City: 1920	2 00-2 25	2 15	9			1.62	1.48	1.59	1.64	98	1. 75-2.25	1 92	1 85-2.25	202
1923	3	3	. 75-1.00	38.		28.	12.	8128	3228	383	8.5 1.1.5 3.5.5	202		25.
1924 Wathington: 8						1.99	2 12	20 17	8	4	80.00.00	6.13		
1920	2.15-2.62 1.27-1.62	1.40	1.08-2.46	1.08	1.17	8.8	1.1. 88	1. 1. 58	1.73	1. 68	1.38-2.00	1.59	1.62-2.50	1.89
1928			. 46 . 38 . 77-1.38 1.23-2.00	. 1. 882	8.8.5	1.19	.1.88 8.21 8.21	2.14		.4 8.2	.62-1 25 1.85-2 77	2.86		

* Sales direct to retailers to November, 1923.

In some cases conversions Division of Statistical and Historical Research Compiled from data of the Fruit and Vegetable Division.

Average prices as shown are based on stock of good merchantable quality and condition only; they are simple averages of daily range of selling prices. have been made from larger to smaller units or vice versa, in order to obtain comparability.

TOMATOES

Table 267.—Tomatoes for consumption fresh, commercial crop: Acreage, production, and total value, by States, 1922-24

State		Acreage		P	roductio	n		value, l	
	1922	1923	1924	1922	1923	1924	1922	1923	1924
Early:				1,000	1,000	1,000	1,000	1,000	1.000
California (Imperial	Acres	Acres	Acres	bushels	bushels	bushels	dollars	dollars	dollars
County)Florids	1, 130	1, 200	950	116	2 26	142	871	981	616
Florida	83, 910	36, 480	50,070	3, 934	4, 159	3,4 55	9,914	13, 558	9, 294
Georgia Mississippi South Carolina	400	460	2,000	80	37	66	71	57	107
Mississippi	11, 180	11, 190	13, 780	1, 476	940	1,516	1,653	1,861	2, 426
South Carolina	1, 100	1,600	1,900	58	168	173	88	235	277
1.6749	12, 250	6,600	9, 540	956	574	868	1, 893	1,401	1,979
Intermediate:									
Illinois (Union County)	520	480	560	.68	60	73	108	173	185
New Jersey	11,070	10, 730	11, 340	2,092	1, 953	1,939	8, 954	8, 476	3, 723
Ohio (Washington									
County)	620	560	800	112	57	96	293	142	219
Tennessee	2, 360	1, 880	2, 690	309	233	336	803	582	753
Late:	ŀ	}				1	i	1	l
California (except	l								
Imperial County)	6,040	11,900	11, 470	1,619	3, 403	1,480	5, 165	8,882	3, 212
Colorado	490	970	830	148	208	75	191	866	130
Delaware	1, 260	3,090	1,910	135	550	252	240	962	454
Illinois (except Union							l		
County)	7, 190	3, 390	3, 750	1, 280	485	802	2, 406	1, 339	2, 133
Indiana	2,800	3, 470	8, 290	549	618	1,094	763	742	1,433
Iowa	820	400	700	57	86	85	74	96	85
Kentucky Maryland	3, 530	3,740	4, 470	505	535	796	990	802	1,146
Maryland	4, 130	4,910	7, 340	516	702	918	1, 352	1, 523	1,900
Michigan	2,550	1, 170	980	454	167	210	549	219	815
Missouri	2, 630	2, 250	6, 580	329	241	632	494	402	1,428
New York	2, 940	3, 640	3, 070	841	648	866	1, 463	752	935
Ohio (except Washing-	4 000	1		1			1		
ton County)	4,870	8, 460	10, 170	1,042	644	2, 105	1,667	1, 307	2,736
Pennsylvania	2, 140	1,680	2, 630	458	240	489	806	480	699
Virginia	1, 070	3, 130	1, 460	103	448	272	174	748	386
Total	116, 500	118, 380	156, 780	17, 187	17, 377	18,740	35, 482	41,086	36, 571

Division of Crop and Livestock Estimates.

Table 268.—Tomatoes for consumption fresh, commercial crop: Yield per acre and price, 1918-1924

					,									
State	l		Yiel	d per	acre			1		Price	per bu	shel 1		
State	1918	1919	11920	1921	1922	1923	1924	1918	1919	1920	1921	1922	1923	1924
Early:														
California (Im-	Bus.	Bus.	Bus.	Bus.	Bus.	Bus.	Bus.	Dols.	Dols.	Dols.	Dols.	Dols.	Dols.	Dols.
perial County).	165	145	160	150	103	188	150	2, 95	3. 15	3.05	3.00	3. 20	4.34	4, 34
Florida	106	115	103	144	116	114	69	1. 70	1.88	1. 92	2. 26	2. 52	3. 26	2. 69
Georgia	67	100	83	117	75	80	33	2.00	1.89	1.48	1.86	2 37	1.53	1, 62
Mississippi	99	103	87	112	132	84	110	1.45	1. 27	1. 52	1. 27	1. 12	1.98	1.60
South Carolina	67	100	88	104	53	102	91	1.83	2.02	1.70	2.04	1. 51	1.44	1.60
Texas	134	137	83	85	78	87	91	1. 55	1. 37	1. 36	1. 58	1.98	2.44	2.28
Intermediate:		i	j						}	ļ		l	1	
Illinois (Union	100		1.0.			100	100			1	1 00		2.88	
County)	106	120	131	117	130	125 182	130	1.75	1.65 1.34	1.80	1.86 1.27	1.59	1.78	2. 54 1. 92
New Jersey	178	107	178	178	189	182	1/1	1.09	1.04	1, 39	1.27	1.89	1. 78	1.92
Ohio (Washing-	120	169	182	158	180	102	120	1.76	1. 52	2.00	1.98	2.62	2.50	2.28
ton County)	120	109	102	100	100	102	120	1.70	1.02	~~~	1. 80	202	2.00	4.40
Tennessee (Gib-	117	110	106	89	181	124	125	2.17	2, 21	2.14	1, 98	2.60	2.50	2.24
son County) Late:	22.0	110	100	00	101	122	120	2.11			1.00	2.00		
Calif. (except Im-	l	i	1	l	١.	l	1	i	1		1	}		
perial County).	214	250	214	196	268	286	129	1.84	1.55	2.01	2.60	3. 19	2.61	2.17
Colorado	286	321	250	250	303	214	228	1. 60	1. 29	1.60	1. 65	1. 29	1.76	1.74
Delaware	143	71	161	161	107	178	132	1. 65	1. 12	1.60	1.35	1.78	1.75	1.80
Illinois (except	1					l	1	1	!					
Union County).	125	129	178	125	178	143	214	1.71	1. 50	1.69	1.34	1.88	2.76	2,66
Indiana	161	150	161	178	196	178	132	1.43	1. 30	1.41	1. 19	1. 39	1. 20	1.31
Iowa	143	161	178	125	178	214	121	1. 30	1. 50	1.58	1. 38	1. 29	1. 12	1.00
Kentucky	107	161	150	125	143	143	178	1. 56	1. 51	1.42	1. 69	1. 96	1. 50	1.44
Maryland	161	71	125	125	125	143	125	1.08	. 98	1.10	1. 82	2.62	2.17	2.07
Michigan	161	143	196	200	178	143	214 96	1. 10 1. 27	1. 20	1. 31	1. 02	1. 21	1. 31	1.50
Missouri	89	89	125	107	125 286	107 178	282	.96	1.37	1. 60 1. 96	1.74	1.50 1.74	1. 67 1. 16	2,26 1,08
New York	250	268	303	286	200	1/8	202	. 80	1. 98	7. 80	1. 22	1. /2	1. 10	1.00
Ohio (except		1	1			ĺ		ł	1			1	1	1
Washington	143	196	214	196	214	186	207	1. 29	1. 25	1.45	1.55	1.60	2.03	1.80
County)	125	129	178	178	214	143	186	1.81	1.41	1. 69	1.09	1.76	200	1.48
Pennsylvania Virginia	125	107	125	107	96	148	186	2.00	1.83	1. 94	1.65	1.69	1.67	1.42
							120							
Average	143	186	153	146	148	147	120	1. 51	1. 51	1. 67	1.76	2.06	2.36	1.95

¹ Average for season.

Table 269.—Tomatoes for manufacture, commercial crop: Acreage, production, and total value, by States, 1928-1924

State		Acresge		F	roductio	n		alue, bas rice for se	
2.2.1	1922	1923	1924	1922	1923	1924	1922	1923	1924
Arkansas. California. Colorado Delaware. Illinois. Indiana Lowa. Kentucky. Maryland Michigan.	Acres 5,780 24,140 2,200 12,000 4,790 53,240 2,860 5,290 37,170 2,550	Acres 7, 920 30, 760 2, 860 18, 690 5, 400 66, 020 3, 580 5, 610 44, 230 2, 730	26, 760 1, 880 17, 190 5, 620 74, 600 3, 940 6, 700	164, 200 18, 000 48, 000 20, 100 308, 800 19, 700 20, 100 183, 800	190, 700 14, 300 102, 800 16, 200 191, 500 19, 300 9, 000 243, 300	152, 500 13, 500 51, 600 23, 600 253, 600 11, 000 30, 200 137, 200	1,000 dols. 248 2,483 156 683 244 3, 236 264 221 1,962 123	1,000 dols. 207 2,775 129 1,514 190 1,974 236 104 3,708	1,000 dols. 385 2,568 138 944 324 3,147 141 407 2,675 228
Missouri New Jersey New York Ohio Pennsylvania Tennessee Utah Virginia Other States Total		13, 860 3, 520 7, 270 4, 890 12, 520 3, 490	29, 000 12, 280 15, 250 4, 890 9, 890 5, 480 13, 150 4, 050	86, 400 92, 700 59, 100 11, 600 24, 000 38, 200 43, 400 7, 800	115, 000 51, 700 63, 800 16, 900 16, 900 43, 000 52, 600 13, 300	101, 500 78, 600 82, 400 22, 500 30, 700	507 1, 270 1, 272 650 130 340 330 593 99	551 1, 786 778 748 215 207 430 755 178	859 2, 067 1, 264 953 337 429 206 725 183

Table 270.—Tomatoes for manufacture, commercial crop: Yield per acre and price, 1918-1924

		7	Yield	per ac	re					Pri	ce per	ton		
State	1918	1919	1920	1921	1922	1923	1924	1918	1919	1920	1921	1922	1923	1924
Arkansas	Tons 8. 0 5. 0 8. 0 4. 0 3. 5	2. 8 7. 0 9. 1	3. 3 5. 5 6. 3 4. 5	5. 4 6. 0 5. 0	4.0 6.8 8.2 4.0	5. 0 5. 5	2. 9 5. 7 7. 2 3. 0	14, 29 18, 03 15, 12 26, 70	Dols. 14. 57 18. 35 12. 90 24. 08 17. 03	15, 00	12. 58 9. 00 18. 63	15. 12 8. 67 14. 23	14. 55 9. 00 14. 73	16. 84 10. 25 18. 80
Indiana Iowa Kentucky Maryland Michigan	4.5 4.0 8.0 4.5	4, 5 4, 8 5, 5 1, 5	4.6		5. 8 6. 9 3. 8 3. 6	2.9 5.4 1.6 5.5	8.4 2.8 4.5 3.3	15. 85 13. 58 14. 20 29. 13	15. 38 14. 50	16. 01 17. 00 13. 26 21. 98	9. 68 12. 00 10. 00 12. 15	10. 49 13. 38 11. 00 14. 66	10. 31 12. 23 11. 52 15. 24	12. 41 12. 80 13. 48 19. 50
Missouri New Jersey New York Ohio Pennsylvania	2. 5 5. 0 7. 0 4. 0 3. 5	2. 0 3. 0 6. 5 6. 0 3. 6	8. 0 6. 0	2.9 5.0 8.2 5.5 4.8	8. 1 5. 2 7. 9 5. 2 5. 4	4.6	5.4	26, 66 19, 22 19, 50	15. 30 24. 78 18. 64 16. 51 20. 86	25. 37 21. 32	11, 26 13, 65 11, 00	14. 70 13. 72 11. 00	15, 58 15, 06 11, 78	20. 36 16. 06 11. 57
Tennessee	3. 5 10. 0 3. 5 3. 2	3. 3 9. 5 2. 7 4. 1	3. 2 9. 6 8. 5 4. 0	3. 0 12. 3 8. 0 4. 1	3. 5 10. 0 4. 5 4. 2	2.2 8.2 4.3 8.8	8.1 5.4 8.4 8.0	15. 00 24. 06	19, 12 18, 71 22, 38 18, 68	25, 12	11. 38 8. 00 14. 92 15. 50	8. 63 13. 66	14, 85	10.00 16.22
Average	4.4	3.8	4.7	4.9	5. 1	4. 2	3. 8	21, 72	18. 14	19. 71	11.46	12, 59	18. 40	18. 12

Table 271.—Tomatoes: Car-lot shipments by State of origin, January, 1917-December, 1924

	Crop movement season ¹									
State	1917	1918	1919	1920	1921	1922	1923	1924 1		
New York New Jersey New Jersey Delsware Maryland Florida Ohio Indiana Illinois Tennessee Missisaippi Texas California All other Total	Care 143 2, 239 877 237 4, 695 628 524 487 947 1, 063 1, 278 519 478	Care 381 2,006 1,130 200 3,700 799 1,150 398 654 1,379 1,123 1,514 1,042	Care 457 1, 012 502 502 206 4, 501 489 948 234 368 1, 388 1, 205 2, 186 1, 007 14, 503	Cars 845 2, 356 153 138 3, 749 340 805 1, 363 1, 286 1, 968 1, 556	Cars 1,098 2,130 189 128 5,774 351 528 155 357 1,961 1,954 1,714 860	Cars 1, 902 1, 930 413 278 10, 288 557 1, 303 229 920 8, 441 1, 844 2, 305 1, 258 26, 668	Cars 1, 261 1, 648 327 271 9, 791 956 1, 185 250 2, 144 1, 091 8, 296 1, 284 24, 005	Cars 953 2, 010 9, 153 1, 020 1, 470 255 990 3, 771 1, 687 2, 363 2, 363 26, 126		

Division of Statistical and Historical Research. Compiled from data of the Fruit and Vegetable Division. Shipments as shown in car lots include those by boat reduced to car-lot basis.

Table 272.—Tomatoes: Farm price, per bushel, 15th of month, United States, 1913-1924

Month	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
JulyAugustSeptemberOctober	Cents 161. 4 95. 8 68. 0 73. 0	Cents 167. 4 92. 5 63. 0 60. 3	Cents 141. 4 66. 4 56. 9 67. 9	Cents 161. 5 88. 4 75. 6 82. 1	Cents 194. 3 124. 3 109. 5 117. 6	Cents 219. 1 133. 1 103. 0 108. 6	Cents 240. 3 177. 0 137. 2 117. 7	Cents 324. 4 168. 4 104. 4 98. 9	Cents 319. 6 142. 4 103. 6 113. 5	Cents 270. 0 102. 0 79. 6	Cents 310. 7 165. 2 106. 6 122. 8	Cents 196. 7 134. 7 111. 6 122. 5

Division of Crop and Livestock Estimates.

TABLE 273.—Tomatoes: Average l. c. l. price to jobbers at 10 markets, 1921-1924

Market. Season	4-baske	t carrier	6-basket	Market, Season	4-baske	6-basket carrier.	
beginning June	June 1	July 2	carrier, June ¹	beginning June	June 1	July ;	June 1
New York:	Dollars	Dollars	Dollars	Cincinnati:	Dollars	Dollars	Dollars
1921	1 70	1 20	2.96	1921	1. 52	1.05	2.63
1922	1. 14		2.03	1922	. 88		2.01
1923	2. 32		4.23	1923			3.83
1924	. 98	1.45	1.85	1924	. 93	1.47	1,70
Chicago:				St Paul:		ļ	
1921	1, 59	1.05	3.29	1921	1.60	1	l
1922	1. 18		2.98	1922	1. 23		
1923	2. 13			1923	2. 11		
1924		l	3. 76	1924			l
Philadelphia:				Minneapolis:			1
1921	1.41		2.58	1921	1. 83		
1922	1.06		1. 77	1922	1.30		
1923	2. 11		3, 46	1928	2, 20		
1924	. 88	1.60	1.43	1924	1.05	1. 15	
Pittsburgh:				Kansas City:			
1921	1.58	1. 22	3. 19	1921	1.68	. 67	
1922	1. 16		8,63	1922	1. 87		
1923	2, 15		8, 82	1928	2.34		
1924	1. 01	1.60	1.65	1924	1, 49	1, 35	
St. Louis:		200	1 2	Washington 3:			
1921	1.61	.71		1921	1. 53	1.82	8.08
1922		l		1922	1, 21		8. 21
1923	2.15			1923	2, 19		4. 31
1924	1. 20	1,40		1924	1.01	1.68	

Division of Statistical and Historical Research. Compiled from data of the Fruit and Vegetable Division.

Average prices as shown are based on stock of good merchantable quality and condition only; they are simple averages of daily range of selling prices.

¹ Crop movement season extends from Jan. 1 through December of a given year.
3 Preliminary.

¹ Quotations began June 3, 1921; June 1, 1922; June 7, 1923; May 28, 1924.
2 Last reported quotations of season July 16, 1921; June 80, 1922; July 5, 1923; July 9, 1924.
3 Sales direct to retailers to May, 1924.

Yearbook of the Department of Agriculture, 1924

TABLE 274.—Tomatoes, cannod: Production in the United States, 1915-1924

State	1915	1916	1917	1918	1919
New York New Jersey Delaware Maryland	Cases 1 256, 000 325, 000 711, 000 3, 084, 000	Cases 1 174, 000 712, 000 1, 199, 000 6, 042, 000	Cases 1 552, 830 380, 116 1, 380, 805 5, 983, 239	Cases 1 395, 904 667, 063 879, 070 6, 649, 475	Cases 1 436, 509 59, 678 188, 990 2, 528, 927
Virginia ³ Ohio Indiana. Missouri	969, 000 157, 000 419, 000 252, 000	928, 000 186, 000 760, 000 211, 000	1, 170, 504 107, 491 398, 327 704, 347	1, 547, 291 357, 283 968, 219 352, 821	882, 991 172, 867 875, 598 438, 720
Utah California All other	329, 000 1, 281, 000 686, 000	373, 900 1, 635, 900 922, 900	512, 546 2, 603, 019 1, 332, 850	952, 539 1, 789, 904 1, 322, 803	594, 066 3, 051, 688 1, 510, 106
United States	8, 469, 000	13, 142, 000	15, 076, 074	15, 882, 372	10, 709, 660
State	1920	1921	1922	1923	1924
New York New Jersey Delaware Maryland	Cases 1 515, 000 517, 000 553, 000 3, 347, 000	Cases 1 214,000 116,000 176,000 1,656,000	Cases 1 340, 000 337, 000 590, 000 3, 206, 000	Cases 1 266, 000 412, 000 1, 216, 000 5, 722, 000	Cases 1 825, 000 186, 000 803, 000 8, 825, 000
Virginia ² Ohio	1, 162, 000 142, 000 778, 000 715, 000	217, 000 71, 000 530, 000 136, 000	891, 900 179, 000 1, 312, 000 775, 000	963, 000 174, 000 717, 000 839, 000	1, 116, 000 133, 000 1, 050, 000 871, 000
Utah California All other	444, 000 1, 773, 000 1, 422, 000	132, 000 339, 000 430, 000	664, 000 1, 701, 000 1, 544, 000	584, 000 2, 397, 000 1, 382, 000	417,000 1,76 7,00 0 2, 026,00 0
United States	11, 368, 000	4, 017, 000	11, 538, 000	14, 672, 000	12, 519, 000

Division of Statistical and Historical Research. Convoled from National Canners' Association data.

1 Stated in cases of 24 No. 3 cans.

1 Includes West Virginia.

WATERMELONS

Table 275.—Watermelons, commercial crop: Acreage, production, and total value, by States, 1922-1924

State		Acreage		P	roductio	n		alue, bas	sis, aver- eason
, bank	1922	1923	1924	1922	1923	1924	1922	1923	1924
Early: Alabama. Arizona. California (Imperial). Florida. Georgia. Mississippi. North Carolina. South Carolina. Texas.	740 5, 100 15, 710	Acres 7, 130 900 3, 400 30, 880 42, 410 750 4, 730 11, 200 24, 926	Acres 8, 500 1, 000 3, 800 28, 330 44, 950 4, 600 11, 550 30, 800	Cars 1 3, 956 408 2, 322 14, 470 20, 630 248 1, 632 4, 713 8, 542	Cars 1 1, 697 288 2, 040 5, 404 7, 973 202 1, 745 4, 200 9, 195	Cars 1 1, 998 150 1, 995 6, 941 16, 407 184 690 4, 909 5, 930	1,000 dollars 427 61 418 2,113 3,425 41 261 815 1,076	1,000 dollars 180 50 979 1,762 1,818 40 379 886 2,161	1,000 dollars 244 33 491 2,263 2,051 34 99 407 1,040
Late: Arkansas California (central) Colorado Delaware Idabo Illinois Indians Iowa Maryland Missouri New Jersey Okishema Virginia Washington	2,710 2,850 2,710 2,850 2,240 2,100 11,670 1,060 4,520	780 5, 090 400 920 1,70 1, 870 2, 900 1, 850 6, 420 1, 160 3, 850 2, 480	950 5, 070 300 1, 180 170 2, 400 2, 600 2, 700 6, 800 1, 960 1, 960 3, 800 8, 040	415 2, 612 231 345 66 881 998 784 735 3, 618 450 1, 582 1, 190	228 2, 032 140 350 61 720 854 660 703 1, 928 454 962 962 240	276 2,028 90 380 42 600 780 742 540 1,700 588 950 608 287	75 481 42 61 100 106 141 114 96 619 79 277 202	51 534 23 64 14 168 235 116 163 466 170 192 149 45	51 383 12 54 6 85 225 176 78 343 94 180
Total	211, 980	157, 850	168, 230	71, 128	42, 784	49, 765	10, 991	10, 645	8, 502

Division of Crop and Livestock Estimates.

¹ Cars of 1,000 melons.

TABLE 276.—Watermelons, commercial crop: Yield per acre and price, 1918-1924

64.4 .		Yield per acre					Price per car !							
State	1918	1919	1920	1921	1922	1923	1924	1918	1919	1920	1921	1922	1923	1924
Early:	No.	No.	No.	No.	No.	No.	No.	Dols.						
Alabama	338	292	283	328	810	238	235	76	114	123	156	108	106	122
Arizona	250	405	405	360	340	320	150	160	150	150	155	150	175	222
California (Im-										l	i	1		l
perial)	540	850	960	640	540	600	525	215	275	300	215	180	480	246
Florida	323	815	374	360	380	175	245	182	215	239	241	146	326	320
Georgia	850	328	373	499	810	188	865	127	129	141	221	166	228	12
Mississippi	869	310	830	875	335	270	245	150	175	170	150	165	200	187
North Carolina	400	824	400	364	820	369	150	119	131	145	177	160	217	143
South Carolina.	487	468	565	500	300	375	425	83	108	119	107	173	211	81
Texas	350	270	364	273	835	369	225	146	211	240	168	126	285	150
Late: Arkansas	040	070	200		010	~~~	200	100	001	100	100	101	~~-	
	243	279	350	330	310	290	290	188	201	187	125	181	225	188
California (Cen-		400		410	400	400	400	200	020	070		104	000	
tral) Colorado	575	480	500	410	420	400	400	300	250	250	233	184	263	189
	360 425	375 480	315 431	375 416	350 250	350 380	300 280	150	175 200	150	200	180	167	138
DelawareIdaho	350	370	325		300	360	250	145		200	157 115	176	184	164
IdahoIllinois	351	274	349	370	325	385	250	212	238	250		150	225	130
Indiana	346	320	340	375 365	350	280	300	175 164	155 196	139 184	138 148	120 141	233 275	14: 28
Iowa	342	382	360	392	350	300	275	118	125	112	190	146	176	23
Maryland	380	350	378	400	850	380	250	165	174	111	150	130	232	14
Missouri	360	382	407	385	310	800	250	109	146	160	190	171	242	20
New Jersey	400	450	430	400	425	391	800	200	250	150	200	175	375	16
Oklahoma	292	338	382	330	350	250	250	175	160	275	100	175	200	19
Virginia	375	364	366	375	350	267	200	162	233	218	150	170	225	18
Washington	400	425	400	350	400	300	350	63	75	138	125	171	188	15
		-200				-550							100	
Average	365	344	391	397	337	272	296	142	169	185	191	155	249	17

Table 277.—Watermelons: Car-lot shipments, by State of origin, April, 1917– December, 1924

.	Crop movement season ¹									
State	1917	1918	1919	1920	1921	1922	1923	1924 3		
Delaware Maryland Virginia North Carolina South Carolina	Cars	Cars	Cars	Cars	Cars	Cars	Cars	Cars		
	511	303	327	177	499	289	245	259		
	1, 019	388	515	458	763	379	566	427		
	728	244	263	312	364	156	166	103		
	1, 201	727	891	799	1,530	987	1,542	664		
	4, 107	2, 787	2,673	4,735	4,427	4,677	4,009	4, 900		
Georgia	9, 530	6, 782	8, 984	11, 103	16, 140	12, 973	7, 222	16, 320		
Florida	3, 622	2, 179	3, 878	6, 807	5, 772	11, 337	4, 317	36, 366		
Indiana	630	191	581	661	742	542	484	372		
Illinois	386	68	190	251	459	289	433	164		
Iowa	228	132	321	348	867	665	586	49		
Missouri	2, 533	1, 196	3, 516	8, 012	8, 188	2, 752	1, 783	1, 453		
Alabama	1, 634	806	708	1, 160	1, 486	1, 941	1, 256	2, 278		
Texas	2, 871	2, 290	3, 007	4, 845	4, 298	4, 131	5, 317	6. 354		
Oklahoma	505	189	870	465	566	308	66	205		
Arkansas	449	93	268	314	577	325	190	360		
California	1, 137	1, 689	3, 300	3, 276	3, 796	4, 289	4, 054	4, 317		
All other	402	328	568	532	989	1, 026	793	876		
Total	81, 503	20, 392	30, 860	39, 255	46, 463	47, 066	33, 029	³ 45, 467		

Division of Statistical and Historical Research. Compiled from data of the Fruit and Vegetable Division. Shipments as shown in car lots include those by boat reduced to car-lot basis.

¹ Average for season.

Crop movement season extends from April through December of a given year.
 Preliminary.
 Includes 2 cars in January and 4 cars in March.

TRUCK CROPS

Table 273.—Truck crops, commercial crop: Acreage and production, United States, 1919-1924

ACREAGE

Crop	Number of States produc- ing	1919	1920	1921	1922	1923	1924
Asparagus Beans (snap) Cabbage Cantaloupes Carrots Cauliflower Calory Corn (sweet) Cucumbers Eggplant	285 223 8 5 10 20	Acres 28, 290 38, 560 92, 020 72, 950 8, 640 13, 760 250, 030 64, 810	Acres 31, 440 34, 550 119, 210 74, 530 8, 200 15, 790 261, 580 66, 460	Acres 32, 140 34, 830 104, 580 77, 450 8, 510 16, 250 120, 280 80, 610 2, 420	Acres 32, 860 49, 560 133, 830 103, 300 9, 250 17, 230 197, 600 82, 200 2, 210	Acres 42,050 61,280 104,880 84,160 9,770 11,580 19,760 250,860 91,960 2,470	Acres 49, 420 75, 390 109, 960 89, 700 10, 720 13, 190 21, 380 299, 410 129, 580 2, 390
Contons Peas (green) Peappers Potatoes (early Irish) Spinach Strawberries Tomatoes Watermelons	22 23 4 19	18, 360 52, 520 135, 430 225, 450 86, 910 876, 260 122, 310	31, 930 64, 940 149, 840 262, 750 93, 410 333, 560 149, 640	31, 240 57, 070 133, 850 7, 530 265, 920 22, 810 109, 590 180, 010 155, 660	44, 900 63, 290 171, 800 7, 860 311, 930 23, 760 132, 800 345, 420 211, 060	57, 990 61, 940 206, 690 8, 030 281, 740 30, 550 148, 360 409, 890 157, 350	63, 060 69, 900 241, 620 10, 320 307, 540 33, 600 146, 750 469, 860 168, 230

PRODUCTION

	1919	1920	1921	1922	1923	1924
Asparagus crates Beans (snap) tons Cabbage do Cantaloupes crates Carrots bushels	3, 669, 000 76, 500 613, 800 10, 188, 000	3, 842, 000 64, 200 1, 062, 300 10, 508, 000	3, 287, 000 66, 800 687, 000 11, 549, 000	4, 041, 000 79, 600 1, 089, 000 12, 805, 000	5, 854, 000 100, 300 805, 700 11, 745, 000 3, 184, 000	6, 761, 000 104, 500 973, 000 13, 789, 000 3, 804, 000
Cauliflower crates Celery do Corn (sweet) tons Cucumbers bushels Eggplant do Corn	2, 245, 000 2, 732, 000 587, 400 6, 629, 000	2, 190, 000 3, 345, 000 594, 900 5, 385, 000	2, 293, 000 4, 401, 000 360, 600 8, 267, 000 882, 000	2, 589, 000 4, 601, 000 474, 700 8, 867, 000 856, 000	3, 322, 000 5, 333, 000 590, 600 7, 671, 000 850, 000	3, 514, 000 6, 114, 000 500, 500 8, 058, 000 640, 000
Lettuce crates Onions bushels Peas (green) tons Peppers bushels Potatoes (early Irish) bushels	5, 517, 000 14, 548, 000 124, 700 	9, 425, 000 21, 343, 000 169, 300	8, 931, 000 14, 165, 000 125, 800 2, 874, 000 30, 193, 000	10, 829, 000 18, 763, 000 181, 700 2, 654, 000 36, 198, 000	14, 118, 000 17, 306, 000 180, 100 2, 953, 000 26, 245, 000	13, 653, 000 17, 627, 000 259, 200 3, 500, 000 41, 178, 000
Spinach tons. Strawberries quarts. Tomatoes tons. Watermelons number.	155, 800, 000 1, 436, 000 41, 364, 000	155, 588, 000 1, 532, 800 57, 521, 000	61, 700 189, 670, 000 724, 200 61, 774, 000	67, 900 280, 403, 090 1, 658, 000 71, 128, 000	95, 800 256, 409, 000 1, 723, 200 42, 734, 000	105, 409 266, 951, 000 1, 718, 900 49, 765, 090

VEGETABLE SEED

Table 279.—Vegetable seed: Commercial acreage, average yield per acre, and production, United States, 1917-1923

COMMERCIAL ACREAGE PLANTED FOR SEED

Kind of seed	1917	1918	1919	1920	1921	1922	1923 1
•	Acres	Acres	Acres	Acres	Acres	Acres	Acres
Beans, dwarf, snap	63, 524	70, 867	48, 658	80, 059	12, 625	33, 488	42, 128
Beans, garden, pole 3	4,029	6, 297	7, 957	11, 573	3,911	4, 430	5, 284
Beet, garden	826	2,748	2,666	400	380	633	699
Beet, mangel	20	424	619	123	(1)	112	
Beet, sugar	4, 638	6, 014	11, 139	7, 919	3, 699	1, 129	
Cabbage	737	974	1, 978	1, 135	636	730	1, 167
Carrot	1, 965	4, 622	3, 465	538	196	493	750
Celery	84	176	135	60	100	70	115
Corn, sweet	12, 975	14, 759	14, 565	12, 024	4, 064	7, 405	8, 690
Cucumber	4, 694	3, 053	3, 582	3, 598	8, 577	4, 180	5, 037
Kale	18	71	106	61	39	132	108
Lettuce	1, 979	2, 291	2, 283	2, 010	1, 185	1, 929	2, 200
Muskmelon	1,827	1, 671	1, 467	1,898	2, 223	1, 935	2,720
Watermelon	8, 929	10, 507	5, 508	5, 914	6, 558	9, 480	8,450
Onion, seed	3, 782	7, 260	6, 730	2, 392	1, 108	1, 295	2, 138
Onion, sets	2, 637	3, 818	3, 708	3, 998	3, 225	3, 183	2,758
Parsley	109	155	146	186	90	84	80
Parsnips	137	267	303	111	48	121	147
Peas, garden	110, 129	102, 095	104, 172	113, 844	35, 680	54, 462	86, 659
Pepper	686	720	160	431	1, 308	671	508
Pumpkin	1, 512	1, 380	1, 156	2, 164	905	992	349
Radish	3, 521	8, 760	10, 870	3, 396	1, 717	2, 485	3, 400
Balsify	131	124	205	52	9	83	
Spinach	1, 415	4, 259	1, 139	141	32	655	234
Squash, summer	836	1,004	1, 153	1,000	1, 128	612	664
Squash, winter	1, 328	2, 539	2, 912	2, 109	1, 310	836	1, 525
Tomato	3, 204	3, 832	3, 604	2,711	1, 296	8, 824	2, 592
Turnip, English	24	936	1, 207	239	336	200	
Turnip, Swede	21	279	205	136	(4)	90	75

AVERAGE YIELD PER ACRE

			1	1			
	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds
Beans, dwarf, snap	233	412	516	501	712	585	673
Beans, garden, pole	315	820	552	474	660	920	816
Beet, garden		913	697	295	474	678	934
Beet, mangel	1,500	677	1,003	561	(3)	911	
	1,094	981	7,601	855	966	935	
Beet, sugar	1,000	201	001	000	•••	•	
Cabhage	396	166	699	138	352	504	384
Carrot	575	460	451	541	388	371	287
Celery	888	227	400	467	460	471	36!
Corn, sweet	640	807	902	1,070	1, 029	1, 181	1.016
Commission	219	179	214	161	136	7 169	260
Cucumber	210	1,10		102	100	100	•••
Kale	278	239	406	180	769	341	398
Lettuce	456	326	298	292	262	444	178
Muskmelon	160	117	102	89	.178	186	184
Watermelon	71	91	91	104	112	127	84
	259	232	389	885	801	347	481
Onion, seed	~~		1	1			
Onion, sets	11,850	12,066	5,906	11, 106	8,304	9,802	8, 427
Paraley	771	471	767	629	811	524	315
Parmips	496	625	788	622	542	702	40
Para gordon	444	569	460	767	762	855	76
Peas, garden	81	78	75	63	76	70	8
Pepper	91	′°	,,,	1 ~			
Pumpkin	71	96	95	114	117	120	180
Radish	176	221	283	181	150	299	170
	427	250	454	308	888	455	
Salsify	212	387	317	716	781	479	84
Spinach	145	99	198	181	166	185	17
Squash, summer	140		100	1 201	100	100	1
Squash, winter	70	50	152	121	110	79	111
Tomato	71	80	67	80	62	62	
Turnip, English	125	215	878	142	176	75	l
Julyib' wikney	429	97	600	287	(1)	511	30
Turnip, Swede	120	•••	1		1 17	1 011	
	1	1	1	J	1	1	1

¹ Preliminary.

¹ Not including Lima beans.

¹ Not reported for 1921.

Table 279.—Vegetable seed: Commercial acreage, average yield per acre, and production, United States, 1917-1928—Continued.

PRODUCTION

[Thousand pounds-i. e., 000 omitted]

Kind of seed	1917	1918	1919	1920	1921	1922	1923 1
Beans, dwarf, snap Beans, garden, pole s Beet, garden Beet, mangel Beet, sugar	Pounds 14, 809 1, 268 464 30 5, 076	Pounds 29, 216 5, 166 2, 509 287 5, 900	Pounds 25, 098 4, 395 1, 858 621 6, 700	Pounds 15, 069 5, 480 118 69 6, 770	Pounds 8, 985 2, 582 180 (3) 3, 575	Pounds 19, 600 4, 074 429 102 1, 056	Pounds 28, 333 4, 310 653
Cabbage	292 1, 129 28 8, 303 1, 026	162 2, 125 40 11, 917 548	1, 383 1, 562 54 18, 143 766	157 291 28 12, 870 580	224 76 46 4, 183 487	368 183 83 8, 749 707	448 215 42 8, 825 1, 312
Kale	5 903 293 633 980	17 747 196 960 1, 685	43 680 150 500 2, 618	11 587 169 614 801	30 310 395 732 334	45 856 359 1, 200 450	43 380 501 711 985
Onion, sets	31, 249 84 68 48, 868 21	46, 069 73 167 58, 127 56	21, 900 112 222 47, 968 12	44, 402 117 69 87, 310 27	26, 780 28 26 27, 197 99	31, 200 44 85 46, 588 47	23, 200 25 73 66, 300 27
Pumpkin Radish Salsify Spinach Squash, summer	108 621 56 300 121	133 1, 935 31 1, 650 99	110 2, 537 93 361 223	247 614 16 101 131	106 258 3 25 187	119 743 15 314 114	47 600 197 116
Squash, winter	93 227 3 9	128 308 201 27	443 243 456 123	255 218 34 39	144 81 59 (³)	66 238 15 46	182 150 23

Division of Statistical and Historical Research. Compiled from data of Hay, Feed, and Seed Division.

1 Preliminary.

2 Not including Lima beans.

3 Not reported for 1921.

Table 280.—Vegetable seed: Imports into United States, 1910 to 1923

[Thousand pounds-i. e., 900 omitted]

				Year e	nded J	une 3 0					Cal	endar :	year	
Kind of seed	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923
Beet, sugarBeet, all other CabbageCarrotCauliflower	10, 309 624 162 176	639 261	872 311 97	887	1, 077 255	425	786	108	448 83	161 169	391 69	257 253	272 181 37	181 42
Collard	1 7 3 17 50	1 10 1 25 17	(1) 8 2 39 11	2 32	6		5 2 40	(1) 4 1 16 9	(1) 2 2 8 17	19	`14	1 40	25 10	35 16
Mushroom spawn Onions:	368	423	168	240	195	124	66	48	17	23	19	23		118
Paraley Paranip Pepper	75 89 16	57	55	129 117 10	255 180 12	139 100 15	70 100 15	65		53 44 6			40	68 19
Radish Spinach Turnip Rutabaga	470 935 1, 234	581 972 1, 759	378 1, 218 2, 868	1,698	527 1, 386 1, 581	550 1, 136 2, 112	309 838 1, 816	684	805	367	1, 139	213 1, 222 2, 242	1, 927	2, 017
Mangel - wur-														125

Hay, Feed and Seed Division.

¹ Less than 500 pounds. 1 Not shown separately prior to 1923. 2 Included with turnip prior to 1923.

Table 281.—Average wholesale price per pound of standard varieties of vegetable seeds in United States, 1917-1924

Kind of seed	1917	1918	1919	1920	1921	1922	1923	1924
Beans, dwarf snap Beans, garden. pole ¹ . Beet, garden Beet, mangel Cabbage	\$0. 18 . 14 . 90 . 35 1. 90	\$0. 26 . 24 1. 45 . 90 3. 80	\$0. 21 . 23 1. 07 . 68 8. 00	\$0. 16 . 21 . 64 . 36 2. 75	\$0. 15 . 19 . 48 . 31 2. 40	\$0. 13 . 15 . 38 . 27 2. 00	\$0. 15 . 15 . 52 . 29 1. 90	\$0. 15 . 16 . 48 . 29 1. 65
Carrot	1. 00 1. 50 10. 00 . 54 . 65	1. 75 2. 25 10. 00 . 83 . 85	. 90 1. 85 5. 00 . 85 . 90	. 50 1. 60 4. 00 . 86 . 72	. 50 2. 00 4. 00 . 80 . 76	. 40 1. 60 8. 00 . 81 . 76	. 56 1. 60 3. 00 . 60 . 74	. 65 . 67 . 78
Muskmelon	. 54 . 42 1. 90 . 35 . 30	. 78 . 70 4. 50 . 60 .	. 81 . 54 2. 65 1. 00 1. 00	. 73 . 46 1. 80 . 60 . 40	. 79 . 45 1. 60 . 60 . 35	. 76 . 46 1. 20 . 50 . 35	. 77 . 44 1, 50 . 50 1, 00	.74 .45 1.55 .47
Peas, garden Radish Spinach Squash, summer Squash, winter Squash, winter Squash, winter Squash, winter Squash, winter Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squash Squ	. 12 . 40 . 60 . 65 . 55	. 19 1. 60 2. 00 . 80 1. 00	. 19 1. 30 . 75 1. 05 1. 10	. 24 . 60 . 35 1. 00 1. 10	. 19 . 50 . 20 . 90 1. 00	. 14 . 50 . 20 . 75 . 80	. 13 . 45 . 21 . 67 . 67	. 14 . 46 . 19 . 68
Sweet cornTomatoTurnip, EnglishTurnip, Swede	. 20 2. 75 . 35 . 32	. 25 3. 60 1. 75 1. 50	. 17 4. 00 1. 35 1. 25	. 15 8. 25 . 65 . 45	. 15 3. 10 . 50 . 37	. 10 2. 80 . 35 . 27	. 11 2. 70 . 46 . 40	. 14 2. 90 . 40 . 35

Division of Statistical and Historical Research. Compiled from reports of Hay, Feed, and Seed Division. ¹ Not including Lima beans.

Table 282.—Vegetable seed: Average yearly import price, per pound, 1910-19231

Kind of seed	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923
	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.
Beet, garden	9 4	10.3	16.4	15. 7	15 0	11.0	12.0	17. 2	49. 2	67. 2	21. 1	14. 2	18.0	17.7
Beet, sugar	6 5	6.6	97	7. 2	7.6	8.8	11 2	11.6	l		22. 2	19.6		9.8
Cabbage	22. 9	34 1	37. 6	47 6	49.0	35 0	42. 2	44. 4	170.8	211 8	76 6	57. 0	61.0	46.7
Carrot	15 2	17 0	86 3	25 1	30. 6	25. 0	34 0	45. 4		120. 4	22.6	27 0	31.3	29. 5
Cauliflower	534 0	400.0	562. 0	537. 0	381. 0	343. 0	524. 0	601. 0	458. 7	382 3	820. 9	813. 4	688. 2	645.0
		1	1	j	1		l l	l	j	į	i	l	1	1
Collard	19.6	12. 4	14. 3	13. 1	17.0	13. 4	24.0	77. 0			26 0	23. 1		
Corn salad	15.6	12.7	20. 7	14.6	12 6	13 5	15 0	16.8	38. 1	49 1	44. 9	47. 3		
Eggplant	78. 6	71.9	61. 1	80.8	80.6	80 5	86. 2	68. 7		219.7	187. 6	143. 5		
Kale	22. 9	15. 5	14.8	19.3	25. 8	20.9	17. 3	27.1	75. 3	63 9	26. 7	29. 2	29. 2	27. 2
Kohl-rabi	11.0	18. 9	28.0	28 0	35. 2	28.0	28. 4	40.6	78. 1	98 5	52.8	46.7	54.0	46.3
W1		1 00							1			۔ ۔ ا		
Parsley	8.5	90	19. 2	28 1	18.6	11.0	12.2	14. 4	19.7	39.3	11. 9	12.5	12.7	13. 3
Paranip	7. 2	7.6	10.4	8 6	8 2	7.0	8.1	8.4	49 2	60 4	21. 9	13. 2	27. 0	18.7
Pepper Radish	42.3 11.6	41 4	40 9	144 0 13.4		41 0	41. 0 13. 2	57. 0 17. 8	88. 4	151. 9 57. 5	109. 5	68. 3	105. 8	88.1
		12. 3	13.0	5. 2	14.5	12. 4	8.0	12.6	67. 6 33. 2	21. 9	24.0	21. 8 9. 7	20. 0 9. 2	19.4
Spinach	46.0	5.0	5.7	0.2	4.6	4.8	0.0	12.0	00. 2	21. 9	11.6	9.7	9. 2	9.1
Turnip	8.5	8.6	7. 9	9.3	9. 1	8.7	8.9	11.8	81. 5	36. 9	22. 8	14.6	16.8	18.9
Rutabaga		1 60	1 23	1 60	1 70	(a)		1 700				1750		12.8
Mangel-wurzel) a(1 28	1 24	l X	1 24) X	1 X	1 28	1 24	1 24	1 28	1 28	X	11.8
Onion	(2) (8) (3)	(3)	(2)	(3)	(2)	8	8		(3)					103.0
V44V4	(3)	(3)		1 3	1	1	(°	l ''	1 '	(''	()	· · ·	1 17	200.0

¹ Bureau of Foreign and Domestic Commerce, U. S. Department of Commerce. All prices are f. c. b. port of origin and not including duty.

² Included with turnip prior to 1923.

³ Not segregated prior to 1923.

FRUITS AND VEGETABLES

Table 283.—Fruits and vegetables: Unloads of 10 commodities at 12 markets in car lots, 1917-1924 1

Commodity and year	New York	Chicago	Philadel- phia	Pittsburgh	St. Louis	Cincinnati	St. Psul	Minneapolis	Kansas City	Washington	Cleveland	Detroit	Total
Apples: 1917 2 1918 1919 1920 1921 1922 1923 1924 Cabbare:	Cars 7, 996 8, 944 10, 037 10, 528 11, 984 12, 764 15, 538 14, 468	Cars 4, 335 4, 458 5, 985 7, 080 6, 634 6, 575 10, 364 6, 605	Cars 2, 343 2, 701 2, 842 3, 198 3, 416 2, 539 3, 211 2, 996	Cars 2, 498 2, 951 2, 216 2, 792 2, 808 3, 020 3, 005 2, 799	Cars 2, 117 1, 540 1, 379 1, 975 1, 856 2, 111 2, 736 1, 960	Cars 636 1, 130 1, 450 1, 617 1, 810 1, 257 1, 659 1, 531	Cars 284 410 227 401 351 496 428 . 525	Cars 586 568 348 464 422 712 681 748	Cars 988 709 674 1, 006 1, 002 775 1, 507 701	Cars 333 633 387 561 369 154 674 556	Cars 564 1, 192 1, 402 1, 698 1, 184 1, 901 1, 861 1, 614	673 1, 515 963 1, 080 1, 402	Cars 23, 528 25, 909 28, 462 32, 283 32, 916 34, 006 43, 446 35, 737
1917 ² 1918 1919 1920 1921 1922	2, 027 2, 472 2, 215 2, 226 3, 030 8, 333	1, 141 1, 322 1, 837 1, 355 1, 780 1, 697 1, 685	1, 325 1, 936 1, 662 1, 906 1, 962 2, 166 2, 233 2, 217	896 1, 670 1, 172 1, 297 1, 105 1, 219 1, 274 1, 191	1, 001 858 746 864 1, 049 1, 121 1, 018 1, 230	425 577 557 596 669 781 729 762	46 54 58 74 68 102 78 90	81 57 49 121 75 104 81 123	375 580 421 399 400 515 503 471	186 371 287 393 386 468 390 471	222 636 503 617 505 576 536 732	223 205 290 262 392 401	7, 959 10, 756 9, 707 10, 138 11, 291 12, 474 12, 909 13, 845
1923 1924 Cantaloupes: 1917 ⁷ 1918	3, 365 2, 237 3, 701 3, 788 4, 781 5, 535 4, 521 5, 732	793 1, 045 1, 924 2, 035 2, 308 2, 800 2, 237 2, 508	815 493 958 1,057 1,258 1,542 1,226 1,416	1, 140 1, 068 1, 702 1, 275 1, 322 1, 244 1, 203 1, 203	285 286 305 452 539 618 512 728	418 389 597 554 640 676 461 813	85 88 92 60 115 122 76 97	142 118 171 94 166 214 199 260	360 128 448 396 452 422 309 409	99 126 230 266 242 306 253 306	381 748 657 733 912 749 906	275 501 552 557 584 536 686	7, 577 6, 584 11, 377 11, 186 13, 113 14, 975 12, 282 15, 064
Colery: 1917 1 1918 1 1919 1 1920 1 1922 1 1922 1 1924 1 Onions:	972 1, 175 1, 002 1, 276 1, 691 1, 981 2, 507 2, 998	1, 561 766 583 979 1, 479 1, 689 1, 818 1, 681	560 707 428 753 951 814 850 1, 186	466 579 337 529 665 677 830 822	240 166 177 217 354 350 386 441	151 '45 166 207 316 331 370 382	30 49 40 47 52 53 115 121	65 73 102 89 126 152 214 244	207 202 154 220 304 321 382 314	98 152 126 194 197 214 241 257	120 112 144 243 217 340 361	105 75 72 154 264 321 466 574	4, 209 3, 299 4, 800 6, 642 7, 120 8, 519
1917 *	4, 666 4, 073 4, 364 8, 723 4, 429 4, 933 8, 338 8, 118	1, 146 677 1, 393 1, 237 1, 545 1, 673 1, 951 1, 955	1, 606 1, 542 1, 398 1, 554 1, 482 1, 698 1, 790 2, 067	1, 178 1, 208 976 1, 115 922 951 941 1, 023	753 549 438 687 559 672 664 788	286 276 226 283 314 400 394 480	50 25 61 40 71 65 64 77	149 75 83 107 91 115 95 142	407 389 284 426 345 453 454 538	108 220 174 226 196 235 247 292	133 417 422 593 498 548 662 745	382 516 654 558 675 732	10, 933 9, 833 10, 335 10, 645 11, 010 12, 418 16, 332 17, 020
1917 2 1918	3, 620 2, 687 2, 989 2, 406 4, 143 4, 617 3, 496 4, 686	1,067 1,060 1,347 1,267 1,326 2,107 1,404 1,845	827 892 888 837 1,056 1,016 778 1,093	1, 167 1, 010 1, 221 849 759 1, 071 744 841	348 188 334 347 481 438 542 777	495 415 631 481 600 609 649 762	69 97 128 36 77 161 136 130	190 83 112 64 101 192 158 238	292 205 285 158 268 331 320 338	120 138 158 190 148 294 220 226	11 452 584 477 532 850 692 1, 146	619 555 996 774	8, 261 7, 670 9, 340 7, 731 10, 046 12, 683 9, 913 13, 200
1917 2 1918	20, 601 18, 773 16, 703 15, 002 17, 986 20, 100 21, 330 22, 726	9, 609 12, 477 12, 145 11, 302 13, 077 18, 912 14, 436 15, 664	6, 441 6, 823 7, 668 7, 130 7, 460 8, 023 8, 519 8, 272	5, 185 6, 516 7, 326 5, 614 5, 396 5, 009 4, 906 4, 033	2, 904 2, 789 2, 756 2, 512 8, 592 4, 290 3, 012 2, 905	1, 573 1, 588 2, 047 2, 189 2, 857 8, 447 2, 942 2, 698	410 125 150 487 594 351 263 279	1, 196 397 498 756 845 717 735 520	2,438	489 1, 213 1, 000 873 1, 153 1, 628 1, 646 1, 784	786 3, 101 8, 135 3, 109 3, 175 3, 506 3, 105 3, 499	2, 811 2, 928 2, 695 2, 203 2, 948 2, 818	53, 589 59, 115 58, 877 53, 764 60, 595 66, 359 66, 129 67, 353
Straw berries: 1917 J 1918	2, 771 706 476 728 1, 101 2, 193 2, 507 2, 587	910 840 702 767 1, 499	679 304 159 268 300 568 750 691	435 271 166 185 321 497 516 458	89 77 45 85 132 265 277 229	287 255 232 80 356 474 559 856	82 52 58 49 72 160 130 152	246	173 100 50 68 180 262 129 146	62	99 138 239 342 393	171 225 552 548	8, 028 2, 241 2, 657 4, 622 7, 431 7, 813

See Table 284 for l. c. l. unloads converted to car-lot equivalents.
 Reports incomplete.

Table 283.—Fruits and vegetables: Unloads of 10 commodities at 12 markets in car lots, 1917-1924—Continued

Commodity and year	New York	Chicago	Philadel- phia	Pittsburgh	St. Louis	Cincinnati	St. Paul	Minneapolis	Kansas City	Washington	Cleveland	Detroit	Total
Sweet potatoes: 1921 1922 1923 1924	Cars 1, 592 1, 625 1, 255 1, 286	1, 815 1, 497	409	944	Cars 194 127 136 106	Cars 368 461 413 859	Cars 38 65 58 68	Cars 91 141 133 116	102	Cars 197 183 180 146	543 606	Cars 286 293 389 317	6, 240 6, 122
Tomatoes: 1917 1 1918	3, 310 1, 589 2, 022 1, 783 2, 872 3, 974 3, 981 4, 628	996 982 1, 183 1, 588 1, 918 1, 652	698 931 810 1, 105 1, 382 1, 436	1, 016 993 765 919 1, 219	237 64 178 220 327 444 309 443	847 191 202 218 287 438 339 345	27 39 24 15 34 75 34 41	75 64 50 49 58 121 106 158	185 235 214	105 115 158 149 193 254 226 248	155 170 152 146	425	5, 271 6, 134 5, 732
Total (10 commodities): 1917 1 1918 1919 1920 1921 1922 1922 1924 1924 1924 1924 1924	42, 656 43, 509 41, 460 53, 609 61, 055 67, 454	23, 641 26, 898 27, 205 32, 467 35, 405 38, 740	16, 096 16, 934 17, 513 19, 430 20, 126 21, 202	16, 109 14, 421	6, 467 6, 358 7, 359 9, 083 10, 436 9, 592	4, 916 6, 108 6, 225 8, 217 8, 874 8, 515	889 833 1, 159 1, 472 1, 650	1, 554 1, 514 1, 828 2, 122 2, 819 2, 648	5, 100 5, 072 5, 032 5, 650 5, 989 6, 425	2, 986 2, 570 2, 886 3, 131 4, 079 4, 139	6, 615 7, 175 7, 585 7, 818	5, 166 6, 692 6, 272 6, 198 8, 633 8, 871	129,438 132,375 139,772 138,945 164,322 184,601 193,827 195-761

Division of Statistical and Historical Research. Compiled from data of the Fruit and Vegetable Division. Unloads as shown in car lots include those by boat reduced to car-lot basis.

Table 284.—Fruits and vegetables: l. c. l. unloads, converted to car lots, of 10 commodities at four markets, 1918–1924

State and year	Apples	Cab- bage	Can- ta- loupes	Cel- ery	Onions	Peaches	Pota- toes	Straw- ber- ries	Sweet pota- toes	To- ma- toes	Total
New York: 1918	Cars 2, 392 564	Cars 408 86	Cars 792 166	Cars 196 119	Cars 892 437	Cars 998 946	Cars 557 1, 675	Cars 500 422	Cars	Cars 1, 640 964	Cars 7, 873 5, 379
1920 1921 1922	530 152 558	80 58 65	425 152 292	85 81 45	849 306 465	1, 100 74 1, 385	2, 422 1, 754 751	474 822 650	1, 624 1, 368	1, 370 512 814	6, 835 5, 480 6, 393
1923 1924 Chicago:	316 259	101 96	280 236	53 59	239 335	1, 182 933	689 308	522 749	1, 301 949	1, 156 851	5, 839 4, 775
1918 1919 1920	78 84 22		14 12 26	68 356 494	18 10	10	13	36 544 142		12 38 16	226 1,067 700
Philadelphia: 1919 1920	22 19		91 34	50 24		56 10	60	.84 23		12 16	315 186
Washington:	29			` 		73	12	41	-	31	186

Division of Statistical and Historical Research. Compiled from data of the Fruit and Vegetable Division.

^{*} Report incomplete.

CROPS OTHER THAN GRAINS, FRUITS, AND VEGETABLES

BEANS

Table 285.—Beans, dry: Acreage, production, and total farm value, United States, 1914-1924

Year	Thousands of acres	Average yield in bushels per acre	Production, thousands of bushels	Average farm price per bushel Nev. 15	Farm thou of de
1914 1915 1916 1917 1918 1919 1919 1920 1921 1922 1923 1924 1	875 928 1, 107 1, 821 1, 744 1, 069 847 777 1, 079 1, 323 1, 383	18. 2 11. 1 9. 7 8. 8 10. 0 12. 6 10. 8 11. 8 11. 9 12. 1	11, 586 10, 321 10, 715 16, 045 17, 397 13, 349 9, 185 9, 150 12, 793 16, 087 13, 411	\$2. 26 \$2. 59 5. 10 6. 50 6. 28 4. 26 2. 95 2. 67 3. 74 3. 65 8. 71	26, 28, 54, 104, 91, 56, 27, 24, 47, 58,

Division of Crop and Livestock Estimates.

Table 286.—Beans, dry: Acreage, production, and total farm value, by States, 1923 and 1924

State		sands cres	in bu	ge yield shels acre	thou	uction, sands mhels	price pe	ge farm r bushel 7. 15	thou	value, sands ollars
	1923	1924 1	1923	1924	1923	1924 1	1923	1924	1923	1924 1
New York Michigan Wisconsin Montana Wyoming Colorado New Mexico Arizona Idaho Colifornia	130 568 10 223 3 170 69 6 45 209	140 557 10 34 7 290 110 5 69 161	13. 0 11. 5 9. 0 11. 5 11. 0 8. 0 5. 0 6. 5 22. 0 15. 7	13. 0 10. 5 8. 5 12. 0 12. 0 8. 4 5. 0 6. 0 19. 5 14. 0	1, 690 6, 532 90 264 33 1, 360 345 39 990 4, 694	1, 820 5, 848 85 408 84 986 550 30 1, 346 2, 254	\$3. 90 3. 30 4. 00 3. 70 3. 30 3. 70 4. 20 3. 90 3. 60 4. 00	\$3. 80 3. 15 3. 40 3. 30 3. 55 3. 10 3. 80 4. 50 4. 10 5. 20	6, 591 21, 556 360 977 109 5, 032 1, 449 152 3, 564 18, 776	6, 916 18, 421 289 1, 346 298 3, 057 2, 090 135 5, 519 11, 721

Division of Crop and Livestock Estimates.

Table 287 .- Beans, dry: Car-lot shipments by State of origin, 1918-1924

State	1918	1919	1920	1921	1922	1923	1934 1
New York	Cars 69 833 763 133 177 2,080 89	Care 144 1, 765 478 422 232 4, 681 69	Cars 351 2, 128 186 621 147 3, 481 86	Cars 1, 305 5, 855 524 974 145 3, 759	Cars 1, 599 4, 985 483 288 236 3, 821 84	Cars 1,775 5,998 1,091 85 51 3,284 153	Cars 1, 863 8, 489 1, 421 275 924 2, 195 230
Total	4, 144	7, 791	6, 995	12, 714	11, 466	12, 437	15,397

Division of Statistical and Historical Research. Compiled from data of the Fruit and Vegetable Division.

Shipments as shown in car lots include those by boat reduced to car-lot basis.

¹ Preliminary,

Preliminary.

¹ Preliminary.

Table 288.—Beans, dry: Farm price per bushel, 15th of month, United States, 1910-1924

Year beginning September	Sept.	Oct. 15	Nov.	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Weight- ed av.
1910 1911 1912 1913	\$2. 28 2. 26 2. 38 2. 08	\$2. 25 2. 27 2. 34 2. 25	\$2. 14 2. 34 2. 25 2. 20	\$2, 20 2, 42 2, 81 2, 12	\$2. 20 2. 38 2. 26 2. 17	\$2. 23 2. 38 2. 19 2. 09	\$2, 17 2, 42 2, 10 2, 05	\$2. 20 2. 37 2. 11 2. 11	\$2. 17 2. 52 2. 18 2. 31	\$2. 19 2. 62 2. 23 2. 23	\$2. 23 2. 47 2. 22 2. 22	\$2. 20 2. 40 2. 11 2 54	\$2, 21 2, 37 2, 25 2, 17
Av. 1910-1913	2 25	2. 28	2. 23	2. 26	2. 25	2. 22	2. 18	2. 20	2. 30	2. 32	2. 28	2 31	2 25
1914 1915	2. 46 2. 70	2. 17 2. 93	2. 28 3. 03	3. 30	2.63 3.47	3. 02 3. 43	2. 89 3. 34	3.42	2, 93 3, 56	3.72	2.75 5.09	2. 67 4. 59	2. 56 3. 27
1916	4. 60 6. 69	4. 47 7. 48	5. 58 7. 33	5. 77 7. 00	5. 71 7. 00	6. 07 7. 08	6. 49	7. 37 6. 95 4. 44	8. 94 6. 67	8. 99 6. 28 4. 39	8. 07 5. 88 4. 25	7. 29 6. 11 4. 30	5. 92 7. 04 4. 98
1918	5. 67 4. 36 8. 83	5. 52 4. 27 3. 46	5. 46 4. 42 3. 27	4. 86 4. 41 2. 99	4. 98 4. 70 2. 95	4. 52 4. 47 2. 85	4. 40 4. 32 2 89	4. 41 2. 69	4. 19 4. 36 2. 73	4. 49 2. 82	4. 47	4. 17 2. 83	4. 41 3. 12
1920 Av. 1914-1920	4. 33	4. 33	4, 47	4. 39	4. 49	4. 49	4.47	4 58	4 77	4 79	4.75	4. 57	4, 47
1921 1922	2. 99 8. 22	2. 87 3. 36	2. 85 3. 71	2. 83 3. 91	2, 86 4, 24	3. 04 4. 42	3. 64 4. 30	3. 77 4 32	4. 02 4. 26	4 48 4.05	4. 29 3. 94	4. 09 3. 62	3. 18 3. 88
1923 1924	3. 78 3 72	3. 87 3. 72	3. 83 3. 81	3. 44 3. 91	3. 49	3. 56	3. 47	3 50	3. 48	3. 38	3 28	3. 52	3. 63

Table 289.—Beans: Wholesale price per 100 pounds, 1914-1924

Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High Average Low High High Average Low High High High Average Low High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High High	Year	В	oston, pe	8.	C	hicago, p	ca	Sa:	n Francis mall whi	ico, te
1915	7 001	Low	High		Low	High		Low	High	Aver- age
1914-1920	1915	2. 85 3. 80 6. 50 9. 00 6. 00	4. 10 7. 25 15. 00 14. 00 10. 00	3. 36 4. 96 9. 24 12. 08 7. 74	2. 40 3. 00 6. 40 8. 25 6. 50	4. 10 8. 00 14. 50 15. 00 9. 50	3. 19 4. 24 9. 09 11. 49 7. 92	4. 50 6. 25 10. 50 8. 90 5. 75	6. 40 11. 50 16. 00 12. 75 8. 90	\$4. 98 5. 39 8. 05 13. 20 11. 64 7. 05 5. 72
1924 6.75 7.35 7.06 5.80 5.30 5.30 5.75 6.35 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30 5.30	1914-1920	4. 25 5. 00 6 75	5. 50 10. 50 8. 00	4. 83 7. 60 7. 44	1. 60 3. 60 4. 60 5 30	5. 50 11. 15 9. 00	4. 61 7. 46 7. 04	3. 20 4. 75 5. 75	4. 90 7. 75 7. 75	7. 99 4. 03 6. 18 6. 67 6. 81
	January February March April My June July August September	6. 75 7. 25 7. 25 7. 25 7. 00 7. 00 7. 00 7. 35 8. 00	7. 35 7. 50 7. 35 7. 35 7. 25 7. 25 7. 25 7. 35 8. 00 8. 25	7. 06 7. 40 7. 30 7. 28 7. 12 7. 12 7. 16 7. 68 8. 04	5. 30 5. 30 5. 10 5. 10 4. 90 4. 90 5. 00 6. 00	5. 30 5. 40 5. 40 5. 25 5. 10 5. 00 6. 00 6. 50	5. 30 5 36 5. 23 5. 17 4. 93 4. 96 5. 00 5. 48 6. 31	5. 75 6. 00 5. 90 5. 90 5. 90 6. 90 7. 00 7. 50	6. 35 6. 35 6. 15 6. 15 6. 25 7. 10 7. 15 7. 75 8. 00	5. 92 6. 18 6. 03 6. 02 6. 04 6. 29 7. 04 7. 29 7. 86 8. 00

Division of Statistical and Historical Research. Compiled from reports of the Boston Chamber of Commerce, average of weekly range; Chicago Daily Trade Bulletin and San Francisco Daily Commercial News, average of daily range.

SOYBEANS

Table 290.—Soybeans: Farm price per bushel, 15th of month, United States, 1915-

Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feo. 15	Weighted average
\$1.96	\$1. 57	\$1.72	\$1.96	\$1.80	\$1.76
					2. 18 2. 11
2. 18	2, 13	2. 18	2. 20	2.45	2, 16
					8, 05
	3. 20 3. 35	3. 29 3. 44			8. 23 3. 45
8. 41	8.00	2. 28	2.18	2. 17	2.80
1. 89	2.06	1. 97	2.07	2.13	2.17
2.09 2.23	2.11 2.16	2. 11 2. 36	2. 23	2. 26	2 1
	\$1. 96 2. 08 1. 88 2. 13 2. 73 3. 36 3. 34 3. 41 2. 20 1. 89 2. 09	\$1. 96 \$1. 57 2. 08 2. 15 1. 88 2. 08 2. 18 2. 13 2. 78 2. 86 3. 36 3. 20 3. 34 3. 35 3. 41 3. 35 3. 41 3. 20 2. 20 2. 22 1. 89 2. 20 2. 00 2. 21	\$1.96 \$1.57 \$1.72 2.08 2.15 2.24 1.88 2.08 2.23 2.18 2.18 2.18 2.18 2.78 2.86 3.33 3.36 3.20 3.29 3.34 3.35 3.44 3.41 3.00 2.28 2.20 2.22 2.08 1.89 2.06 1.97 2.09 2.11 2.11	\$1.96	\$1.96

TABLE 291.—Soybeans: Acreage, yield per acre, and production, by States, 1923 and 1924

² Shelled, or equivalent bushels in the pod.

Preliminary.

		Equ	livalent	solid s	Equivalent solid acreage utilized	tilized					Ã	Beans gathered	hered ?					Нву	ь	
									Yield per	d			Production	tion			V.C.			
	Primarily for beans	tily fus	Primarily for hay	ay ay	Primarily for grazing, hogging, etc.	rily ring, ng,	Total	ਰ	acra from acreage grown primarily for beans	rom range sans	From acreage grown primarily for beans		From acreage utilized primarily for other	reage ed rily her	Total	7	ried per acre from acreage primarily for hay	2	Production from acreage primarily for hay	reage reage rrlly ay
	923	1924 1	1923	1924 3	1923	1924 3	1923	1924 3	1923	1924	1923	1924 1	1923	1924	1923	1924 1	1923	1924	1923	1924 1
	7 200 1 200 1 21 1 123	1,000 acres 9 6 133	1,000 acres 12 12 48	1,000 acres 10 20 41	1,000 acres 1 1 10	1,000 1,000 1 5 9	1,000 deres 14 24 73 73	1,000 acres 31 33 83 83 255	Bush. 15.4 17.5 19.0 15.0	Bush. 10 5 14 0 14 0 14 0 14 0	1,000 bush. 154 122 285 15 2,125	1,000 bush 94 84 182 182 1,920	1,000 bush. 95 1 550	1,000 bush. 60 60	1,000 bush. 154 122 380 16	1,000 bush. 242 242 255 250	Short tons 1.40 1.50 1.80	Short font 1.70 1.83 1.00 1.15	1,000 short tons 18 18 86	1,000 ehort 17 37 41
	10 C C C C C C C C C C C C C C C C C C C	82228	~884E	18284	15 8 8 8 a	10818	21 82 172 172 655	50 50 210 747	11.00 11.00 14.00 000 000	12.00 10.00 10.00 10.00	1,288 1,288	198 190 1,080 1,080	81 52	96 130	1,724838 2,724838	1, 52, 28, 88, 52, 54, 54, 54, 54, 54, 54, 54, 54, 54, 54		25.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25 26.25	8 55 7 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	*****
	041-50	8 8 10 131 7	447-88	845 <u>8</u> 6	485122 2122	48 32	41 48 250 250 65	828 3 5	11.0 8.0 17.0 12.0	9.7 9.6 12.5 12.5 5	85.11.33.8 8.19.23.8	78 72 1,173 88	8.2	86	985 178 178	78 1,370 187	71111 38 83 3	11211 53888	55 E E E	22 83 2
	1 8 22	1 28 24 1	55 25 25 25 25 25 25 25 25 25 25 25 25 2	140 75 66 17	1,288	20 27 16 16	157 106 45 8	167 128 110 110	9.0 9.0 14.5 16.0	8.0 11.0 12.5 12.0	225 116 16	350 350 12	54 120 116 13	220 188 10 10	13 % S	8888	1.33	1.38 1.38 1.38 1.38	85.42 E. &	888 82
i	492	613	731	1,021	1,014	832	2, 237	2,586	14.5	11.9	7, 131	7,304	1,813	2, 263	8,944	9, 567	1.46	1.33	1,064	1,300

Division of Crop and Livestock Estimates.

1 Interplanted acreege is included as its equivalent solid acreegs.

Preliminary.

'Shelled, or equivalent bushels in the pod.

COWPEAS

Table 292.—Coupeas: Acreage, yield per acre, and production, by States, 1923 and 1924

			It Dec	5 2225	5884	8822	200
b !	~a ∣	- 1	1,000 short tons 22 153 160	22 22 25 25 25 25 25 25 25 25 25 25 25 25	528 24 25 24	ទីខងដ	57
Нау			50.1. 1.82 1.83 1.83 1.83 1.83 1.83 1.83 1.83 1.83	9888	8888	8588	8
ı	per : ecre maril for hay		200 200 200 200 200 200 200 200 200 200	1.583	0111.0	11.11	1.01
			84.885 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 88.55 86 86 86 86 86 86 86 86 86 86 86 86 86	1, 2,03 2,03 2,03 2,03 2,03 3,03 4,03 4,03 5,03 5,03 5,03 5,03 5,03 5,03 5,03 5	7 5888 5	1,588 888 888 888 888	14, 352
			7.7. 28.8. 7.966.52.88.	4 55 52 52 52 52	314 270 2, 175	2, 180 1, 128 781 832	5, 618 19, 090 14, 352
	acreage pri-		57 060 827	6888	841 118 118	38 38 30 30 30	5, 618
.,	_ & # A		800 960 960	888	107 150 150 974	1, 025 508 121 400	6, 700
1	(81	28. 28. 28. 28. 28. 28. 35. 35. 35.	2008 2012 2012 2012	192 116 66 1,520	90 272 80 478 90 90	8, 734
•	grown rily fol		28 28 3, 960 3, 040	1,538 253 170 428	207 120 1, 522	1, 155 621 621 660 432	12, 390
	೪೪ ದ್ದ		743h. 10.0 11.0 11.5 6.0	24 24 20 20 20	8.0 11.6 6.0 8.0	7.5 10.0 8.5 10.0	8.0
	Yield pe from ac grown p rlly for		Bush 14.0 13.0 12.0	8.11.0 10.0 9.5	9.0 12.0 7.0 8.5	7.5 13.5 9.0	8.7
			1,000 acres 16 25 98 338 338	178.83	138 189 525	366 183 156 120 120 120 120 120 120 120 120 120 120	4, 104
:			\$ 5 8 8 ¥ 8 8	22 22 25 25 25 25 26 25 25 26 25 25 26 25 25 26 25 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 25 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 26 br>26 26 26 26 26 26 26 26 26 26 26 26 26 26 2	150 215 515 515	25 25 25 28 28 28	4, 381
į	Primarlly for grazing, hog- ging, etc.		3212183	3313	28 28 28	8888	1, 100
	Prims grazin ging		1,000 acres 1 4 14 98 98	26 28 11 13		\$2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1, 102
	pay : Day :	A I	1,000 1,000 113 128 128 280	8848	8888	8 2 2 8	1,901
Equi .	ga -		1,000 acres 17 20 20 95 160 160 283	2225	2888	28 28 31	2,006
Ħ	y for		1,000 1,000 2,3 130 130 130	3 2 2 2 2 2 3 3 4 7 7 8	% 25.5	<u>2</u> 248	1, 094
			1,000 acres 2 2 150 304	18 18 18 18 18 18 18 18 18 18 18 18 18 1	8228	<u> </u>	1, 273
ĺ			virgin North Breeth	ords disna inots	Second entucky ennesso schems.	Sectority of published by the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority of the sectority	Total

Division of Crop and Livestock Estimates.

1 Interplanted screage is included as its equivalent solid acreage.

Yearbook of the Department of Agriculture 1924

TABLE 293 .- Cowpeas: Farm price per bushel, 15th of month, United States, 1915-

Year beginning Aug.	Aug. 15	Sept.	Oct. 15	Nov 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Weight- ed average
	Cts.	Cto.	Cts.	Cto.	Cts.	Cts.	Cts.	Cts.	Cts.	Cte.	Cts.	Cts.	Cts.
1915	174. 4			151. 4			157. 2		150. 2				151.9
1916	141. 3		148. 1	161. 6			210.0				309. 1	303. 2	
1917	265. 4	217. 0			237. 5							248.4	236.2
1918	241. 3				237 6	238.9				292.3	343. 9	342.8	254. 3
1919	310. 3	269. 4	260. 9	270. 7	280. 6	312, 9	872. 4	394. 0	421. 4	484. 4	483.7	470.8	319.4
1920	422.7	368. 8	273. 7	242.4	229.0	197. 2	204. 2	204. 7	215. 5	242.7	265. 1	287. 2	273.8
1921	240.9	199. 7	201. 2	184. 8									
1922	166. 5	157. 4			167. 4								
1923	208. 1	187. 2	195. 4		200. 9							285.6	
1924	255. 6	240.7	231. 5		256. 2								2.0.0

Division of Crop and Livestock Estimates.

VELVET BEANS

TABLE 294.—Velvet beans: Acreage, yield per acre, and production, 1923 and 1924

	Equ	ivalen	t solid	acreae	e utili	zed 1			В	eans g	athered	1 2		
							Yiel	d per			Produ	action		
State		narily seans	for g	narily razing, ging, tc. 3	т	otal	acre acre grow mari	from eage n pri- ly for ans	age g	acre- rown arily eans	age up prim for c	acre- tilized arily ther poses	То	tal
	1923	1924*	1923	19244	1923	19244	1923	1924	1923	19244	1923	19244	1923	19244
North Carolina South Carolina Georgia Florida		1,000 acres 4 50 208 60	1,000 acres 31 195 510 205	1,000 acres 27 178 467 185	1,000 acres 36 245 728 250	1,000 acres 31 228 675 245	Short tons 0.50 .59 .54	Short tons 0. 50 . 55 . 45 . 55	1,000 short tons 2 30 118 27	1,000 short tons 2 27 95 33	1,000 short tons 3 22 45 12	1,000 short tons 2 32 40 13	1,000 short tons 5 52 163 39	1,000 short tone 4 50 135 46
Alabama	225 38 30	280 40 23 8	336 205 119 42	288 180 112 38	561 243 149 51	568 220 135 46	.50 .55 .39 .41	. 45 . 43 . 49 . 27	113 21 12 4	127 17 11 2	45 8 9 3	41 16 14 2	158 29 21 7	168 33 25 4
Total	620	673	1, 643	1, 475	2, 263	2, 148	. 52	. 47	327	314	147	160	474	474

Division of Crop and Livestock Estimates.

BROOMCORN

TABLE 295 .- Broomcorn: Acreage, production, and total farm value, United States, 1915-1924

Year	Acreage	Average yield per acre	Production	Average farm price per ton Nov. 15	Farm value
1915 1916 1917 1918	Acres 220, 100 235, 200 345, 000 366, 000 352, 000	Pounds 454. 1 329. 3 382. 8 340. 4 363. 4	Short tons 52, 242 38, 726 57, 400 62, 800 53, 400	Dollars 91. 67 172. 75 292. 75 233. 87 154. 57	1,000 dollars 4,789 6,690 16,804 14,570 8,254
1920 1921 1922 1923 1924	275, 500 228, 090 275, 069 536, 600 442, 006	285.0 344.2 271.8 302.8 363.1	36, 500 38, 200 37, 300 81, 153 75, \$32	126. 16 72. 20 219. 46 160. 06 94. 21	4, 605 2, 758 8, 186 12, 989 7, 144

¹ Interplanted acreage is included as its equivalent solid acreage.
² Shelled, or equivalent tons in the pod.

Includes hay acreage.
 Preliminary.

Table 296.—Broomcorn: Acreage, production, and total farm value, by States, 1923 and 1924

State	Acr	eage		e yield acre	Produ	uction	Averag price r Nov		Farm	value
er.	1923	1924 1	1923	1924	1923	1924 1	1923	1924	1923	1924 1
Illinois Missouri Kansas. Texas. Oklahoma. Colorado. New Mexico	Acres 40, 000 4, 000 70, 000 51, 000 273, 000 48, 000 50, 000	Acres 42,000 4,000 45,000 23,000 246,000 34,000	Pounds 500 500 370 365 240 365 255	Pounds 430 300 295 418 369 170 270	Tons 10,000 1,000 12,950 9,308 32,760 8,760 6,375	Tons 9,030 600 6,638 4,807 45,887 2,890 6,480	Dols. 235 188 118 150 170 145 108	Dols. 150 160 95 100 85 60 85	1,000 dollars 2,350 188 1,528 1,396 5,569 1,270 688	1,000 dollars 1,354 96 631 481 3,858 173 551
Total	536, 000	442,000	302.8	343.1	81, 153	75, 832	160.06	94. 21	12, 989	7,144

Table 297.—Broomcorn: Farm price per ton, 15th of month, United States, 1910-1924

Year.	Jan. 15	Feb. 15	Mar. 15	Apr.	May 15	June 15	July 15	Aug. 15	Sept.	Oct.	Nov.	Dec. 15
1910 1911 1912 1913	\$190 81 100 49	\$197 80 86 56	\$200 78 99 57	\$204 74 101 58	\$199 81 83 53	\$151 69 79 61	\$180 68 85 57	\$142 72 88 91	\$139 92 77 106	\$108 121 70 102	\$96 124 69 100	\$93 108 57 92
Av. 1910-1913.	105	106	108	109	104	90	98	97	104	100	97	88
1914	94 66 104 184 249 169 163	95 78 104 201 254 141 123	91 68 104 212 242 174 180	89 71 96 227 222 149 145	85 75 101 252 206 152 146	88 77 102 223 222 106 145	88 79 103 194 235 119 113	91 83 120 308 232 124 142	77 75 129 240 300 154 125	67 86 168 270 265 162 126	86 92 173 296 205 161 123	58 101 172 280 172 163 88
1921 1922 1923 1924	70 71 229 131	71 88 256 114	72 80 242 110	69 76 254 196	66 82 223 107	76 87 233 107	75 84 214	67 122 195 171	68 175 169 156	72 193 197 139	68 217 161 94	86 238 172 94

Division of Crop and Livestock Estimates.

29283°-- үвк 1924----48

¹ Preliminary.

COTTON

TABLE 298 .- Cotton: Acreage, production, value, exports, etc., United States, 1909-1924

	Acre	Aver-	Pro-	Aver- age	Farm	Value	DI OI	Y You loss I mid nd.	k ele er pe dling	sing und up-	Domes- tic ex- ports.	Im- ports,
Year	age picked	yield per	duo- tion	price per	value, Dec. 1	per acre. 1		er er		low- May	fiscal year be-	year begin-
		acre		pound, Dec. 1			Low	High	Low	High	ginning July 1	ning July 1
1909 1910 1911 1912	86, 045	170. 7 207. 7 190. 9	11, 609 15, 698 15, 703	8.8 11.9	820, 407 687, 888 817, 055	19.08 23.83	14. 65 14. 80 9. 20 12. 75	Cts. 16. 15 15. 25 9. 65 13. 20 13. 50	14, 50 15, 35 11, 30 11, 80	16. 05 16. 15 11. 90 12. 10	11, 070, 251 9, 124, 591	Bales. ² 172, 076 227, 587 219, 560 243, 704 246, 694
Av. 1909-1913	84, 152	182. 5	15, 053	12. 5	777, 148	22. 76	12.78	18. 55	13, 17	14. 14	8, 839, 604	221, 914
1914 1915 1916 1917 1918 1919	31, 412 34, 985 33, 841 36, 008	170, 8 156, 6 159, 7 159, 6 161, 5	11, 198 11, 450 11, 302 12, 041 11, 481	19. 6 27. 7 27. 6 35. 6	631, 460 1, 122, 295 1, 565, 198 1, 663, 633 2, 084, 658	20. 10 82. 08 46. 28 46. 20 60, 62	11. 95 16. 20 29. 85 27. 50 88. 00	7. 80 12. 75 20. 80 31. 85 33. 00 40. 25 16. 70	12, 30 19, 60 25, 70 25, 90 40, 96	18. 35 22. 10 30. 10 34. 00 43. 00	6, 168, 140 6, 176, 162 4, 641, 028 5, 525, 894 7, 087, 487	465, 602 294, 123 206, 651
Av. 1914-1920	34, 646	171.6	12, 426	20. 4	1, 214, 420	35.05	20. 75	23. 24	20. 78	23. 73	6, 289, 806	355, 211
1921 1922 1923 1924 3	88, 036 87, 123	141. 8 130. 6	9,76% 10,140	28. 8 31. 0	1, 161, 946 1, 571, 815	85, 17 42, 34	24. 55 84. 35	19. 45 26. 80 37. 65 24. 90	25. 80 80. 05	28, 90	6, 717, 757 5, 258, 464 5, 898, 713	472, 185

Division of Crop and Livestock Estimates; figure. in italics are census returns; acreage revised on census basis.

TABLE 299.—Cotton: Acreage harvested, by States, 1915-1924

[Thousand acres-i. e., 000 omitted]

State	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924 1
Virginia North Carolina South Carolina Georgia Florida	34 1, 282 2, 516 4, 825 198	42 1, 451 2, 780 5, 277 191	50 1, 515 2, 837 5, 195 183	44 1, 600 8, 001 5, 841 167	42 1, 490 2, 835 5, 220 103	42 1, 587 2, 964 4, 900 100	34 1, 403 2, 571 4, 172 65	55 1,625 1,912 3,418 118	74 1, 679 1, 965 8, 421 147	89 1, 901 2, 236 3, 183 81
Alabama Mississippi Louisiana Texas Arkansas	3, 340 2, 785 990 10, 510 2, 170	3, 225 3, 110 1, 250 11, 400 2, 600	1, 977 2, 788 1, 454 11, 092 2, 740	2, 570 3, 138 1, 688 11, 233 2, 991	2, 791 2, 848 1, 527 10, 476 2, 725	2, 858 2, 950 1, 470 11, 898 2, 960	2, 235 2, 628 1, 168 10, 745 2, 382	2, 771 3, 014 1, 140 11, 874 2, 799	8, 079 8, 170 1, 405 14, 150 8, 026	3, 073 2, 997 1, 560 16, 198 3, 150
Tennessee Missouri Oklahoma California ³ Arisona	772 96 1, 895 39	887 133 2, 562 52	882 153 2, 783 136 41	902 148 2, 998 173 95	758 125 2,424 185 107	840 136 2, 749 275 230	634 103 2, 206 140 90	985 198 2, 915 202 101	1, 172 355 3, 197 233 127	986 410 8, 791 270 184
All other	15 31, 412	25 84, 985	15 88, 841	12 86, 008	10 88, 566	24 35, 878	30, 509	83, 086	78 87, 123	146 40, 115

Division of Crop and Livestock Estimates.

¹ Based on farm price Dec. 1.

¹ Bales of 500 pounds gross weight.

³ Preliminary.

Preliminary.
 Lower California (140,000 acres in 1924, 150,000 acres in 1923, 135,000 in 1922, 85,000 in 1921, 125,000 in
 1930, and 100,000 in 1919) included in California figures but excluded from United States totals.

Table 300.—Cotton: Yield per acre, by States, 1909-1924

.

1924	Pounds 161 192 160 160	130 172 147	141 167 170 170	280 280 280 280 280	156.8
1923	Pounds Po 825 290 187 82	\$258 125	147 98 92 171	88888 80 80 80 80 80 80 80 80 80 80 80 8	130.6
1922	Pounds 230 250 123 100				141.3
1921	Pounde 230 264 264 140 90	80 124 148	86 55 85 87 85 87 85 87 85 88 88 88	104 258 242	124. 5
Av. 1914- 1920	Pounds 248 253 227 178	106 137 157	150 180 183 723	173 332	170.8
1920	Pounds 230 275 280 138	8 1.55 1.28	174 195 185 275	88 88 88 88	178.4
1919	Pounds 255 266 240 152				161.5
1918	Pounds 270 268 250 190	85 149 187 167	115 158 175 200	22.62	159.6
1917	Pounds 180 194 208 173	100 125 155 210	135 170 130 190	165 242 285	159.7
1916	Pounds 310 215 160 165	55 55 57 57 57	157 208 225	151	156.6
1915	Pounds 225 280 280 215 189	120 146 167 165	147 180 188 240	162 380	170.3
1914	Pounds 265 290 255 255 239	25 28 28 28 28 28 28	250 250 250 250 250 250 250 250 250 250	212	209. 2
Av. 1909- 1913	Pounds 244 252 230 230	128 174 178 157	162 200 292	164	181. 1
1913	Pounds 240 239 235 208	150 170 170	88 55 EE	500	182.0
1912	Pounds 250 267 200 159	27. 27. 28.	2000 2000 2000 2000 2000 2000 2000 200	183	190.9
1911	Pounds 330 315 280 240	130 . 204 172	186 190 257 360	390	7.702
1910	Pounds 212 227 227 216 173	1828	145 175 207 285	335	170.7
1909	Pounds 190 210 210 184	110 142 157 130	125 153 158 271	147	154.3
State	Virginia North Carolina South Carolina Georgia	Florida Alabama Missisppi Lonisiana	Texas Arkansas Tennessee Missouri	Oklahoma California Artzona New Mexico	United States

Division of Crop and Livestock Estimates.

Yearbook of the Department of Agriculture, 1924 748

Table 301.—Cotton: Production of lint (excluding linters) in 500-pound gross-weight bales, by States, year beginning August 1, 1915-1924

[Thousand	heles a	000 am	ltta41
I I HOUSELIIG	DELICE1. e	000 000	itten i

State	1915	1916	1917	1918	1919	1920	1921	1922	1923	19241
Virginia North Carolina South Carolina Georgia Florida	16 699 1, 134 1, 909 48	27 655 932 1,821 41	19 618 1, 237 1, 884 38	25 898 1, 570 2, 122 29	23 830 1, 426 1, 660 16	21 925 1, 623 1, 415 18	16 776 755 787 11	27 852 492 715 25	51 1, 020 770 588 12	30 765 750 1,000 22
Alabama Mississippi Louisiana Texas Arkansas	1, 021 954 341 3, 227 816	533 812 443 3,726 1,134	518 906 639 3, 125 974	801 1, 226 588 2, 697 987	713 961 296 8,099 884	663 895 388 4,345 1,214	580 813 279 2, 198 797	823 989 343 3, 222 31, 018	587 604 368 4, 342 628	990 1, 080 480 4, 770 1, 100
Tennessee	303 48 640 29	382 63 824 44	241 61 959 58 22 6	330 62 577 67 56 6	310 64 1,016 56 60	825 79 1,836 75 103	302 70 481 34 45 9	891 143 627 28 47	228 121 656 54 78 34	330 146 1,450 71 100
United States	11, 192	11, 450	11, 302	12, 041	11, 421	18, 440	7, 954	9, 762	10, 140	13, 153

Division of Crop and Livestock Estimates. Compiled from reports of the Bureau of the Census.

Table 302.—Cotton (linters): Production, United States, 1899-1923

Year beginning August	Production, in 500-lb. gross-weight bales	Year beginning	Production, in 500-lb. gross-weight bales	Year beginning	Production, in 500-lb. gross-weight bales
1899 1900 1901 1901 1902 1903 1904 1905 1906 1907 1908	114, 544 143, 500 166, 020 196, 223 194, 486 241, 942 229, 539 321, 689 268, 282 345, 507 310, 433	1910	397, 072 557, 575 609, 594 638, 881 502, 711 856, 900 931, 141 1, 330, 714 1, 125, 719	1918	929, 516 607, 969 440, 313 888, 896 397, 752 607, 779 668, 600

Division of Crop and Livestock Estimates. Compiled from reports of the Bureau of the Census.

¹ Preliminary estimate of the Department of Agriculture.

² Arkansas figure includes 6,000 net bales Missouri cotton estimated to have been ginned in Arkans.

TABLE 303.—Cotton ginned to specified dates and throughout the season, United States, 1908-1924

				3	Cotton ginned to-	1			44	Total 1
Season beginning September	Sept. 1	Sept. 25	Oct. 18	Nov. 1	Nov. 14	Dec. 1	Dec. 13	Jan. 1	Jan. 16	gluned
ion	Bales	Bales	Bales	Bales	Bales	Bales	Bales 9 ook 505	Bales	Bales	Bales 250
1903			3, 706, 248		815, 786,		8, 526, 244		1	9, 819, 900 13, 461, 887
1906 1906	476, 655	2, 057, 283	4, 990, 568	6, 906, 395	7, 501, 180 8, 562, 242	8, 689, 668 10, 027, 868	11, 112, 789	11,725,456	12, 176, 199	10, 495, 105 12, 983, 201
1907 1908			4, 420, 258 6, 296, 166	퓛호	8 8 8 8	3,8	11, 904, 269	₹ .	8,8	11, 057, 858 13, 08 6, 00 6
1900		85.5	5,5	017,	212	878 978	35	28	£,52	23
1101	771, 297	3,076, 394 1076, 394	7, 758, 621	9,970,905	11,313,236	12,816,807	13, 770, 727	14, 317, 002	13, 516, 799	15, 558, 073
1913		ž,	8	8	‡	8	720	347	582	28
A verage 1909-1913	608, 507	2, 962, 149	6, 512, 188	8, 406, 865	9, 790, 529	11, 155, 272	11, 838, 144	12, 260, 794	12, 445, 501	12, 933, 096
1914		86			38	E. E.	2,5	3,5	15,	ફ્રેફ્ર
1916			Š		615,	3,52	88.5	8 4	25	8
1918 1919	1,038,078	3,770,611	6, 811, 351 4, 929, 104	6,305,054	8, 706, 420 7, 604, 320	9, 571, 414	10, 281, 130 9, 396, 646	10, 773, 868 10, 008, 920	11, 048, 652	11, 906, 480 11, 325, 588 13, 325, 588
Average 1914-1920		£ 8	1 2		, iž	188	8	Z Z	. S.	8
1921		2, 920, 392	497, 978,	8.3	258	88,6	7, 790, 656	7, 882, 356 9, 597, 330	7, 912, 452 9, 648, 261	7, 977, 778 9, 729, 306
1923 1924 *	1, 142, 660	ន្ត១	6, 409, 391 7, 615, 761	7,556,042	8, 369, 498	9, 243, 380	<u>ස</u> ී දි	8	<u>4</u> 8	10, 17 0, 694 13, 630, 608

Division of Crop and Livestock Estimates. Compiled from reports of Bureau of the Census, quantities are given in running bales, except that round bales are counted as half bales. Linters not included.

¹ Includes cotton ginned after Jan. 16 and estimated quantities not ginned on Mar. 1. Quantities in Table 298 converted from running bales, average weight, by deducting areage weight, by deducting a Preliminary Froliminary and ties, by States.
² Preliminary Preliminary to Aug. 16, 148,045 bales; to Sept. 16, 2,666,501 bales; to Oct. 1, 4,527,671 bales.

750 Yearbook of the Department of Agriculture, 1924

Table 304.—Cotton: Percentage reduction from full yield per acre, from stated causes, as reported by crop correspondents, 1909-1928

			Adver	se wea	ther co	,				041				
Year	Defi- cient mois- ture	Ex- ces- sive mois- ture	Floods	Frost or freeze	Hail	Hot winds	Storms	Total cli- mat- ic ¹	Plant dis- case	In- sect pests	Ani- mal pests	De- fec- tive seed	Other and un- known causes	Total
1909 1910 1911 1912 1913	P. a. 14. 9 12. 2 9. 8 8. 1 15. 2	P. ct. 6. 0 5. 1 2. 6 7. 6 2. 0	P. ct. 1.1 .9 (7) 1.2 .8	P. ct. 1. 0 2. 1 . 8 1. 0 1. 1	P. ct. 0. 6 . 3 . 1 . 6	P. ct. 8. 0 1. 6 1. 6 1. 2 2. 4	P.ct. 1.4 .1 .3 .2	P. ct. 28. 6 22. 6 15. 4 20. 7 28. 1	P. d. 4.2 4.8 .5 4.8	P. ct. 7.9 7.5 7.9 6.5 8.9	P. ct. (*)	P. ct. 0.1 .8 .2 .8	P. ct. 1. 2 . 9 2. 1 . 8 . 8	P. ct. 42. 0 85. 6 26. 1 32. 7 33. 7
1914 1915 1916 1917 1918	7. 9 6. 8 9. 2 15. 1 23. 8	2.9 5.7 9.1 1.7	1.9 3.1 .5	.6 .5 6.0	.4 .7 .7 1.0	.6 1.1 .6 .7 2.8	2.0 2.0 .2 .3	13. 8 19. 4 25. 2 25. 5 20. 2	1. 9 1. 8 1. 8 2. 0	9. 8 12. 2 15. 8 12. 8 8. 0	333333	.2 .1 .1 .1	1. 4 3. 2 . 4 . 7 1. 0	25. 4 36. 8 42. 4 39. 9 40. 3
1919 1920 1921 1922 1923	2. 7 2. 2 8. 6 10. 2 7. 2	15.8 8.8 4.3 4.9 8.0	1.6 .8 .7 .8 .9	.3 .8 .4 .1	.2 .2 .3 .6	.4 .1 .6 1.0	.5 .2 1.2 .1	21. 2 18. 1 16. 0 17. 5 18. 0	1. 8 1. 1 1. 0 . 8 . 7	18. 8 24. 0 85. 4 26. 7 26. 6	(*) .2 (*)	.2 .1 .1	:4 :4 :1	41. 9 89. 0 52. 9 45. 2 45. 5

Table 305.—Cotton: Percentage reduction from full yield per acre, due to boll weevil, as reported by crop reporters, 1910-1923

State	1910	1911	1912	1918	1914	19.5	1916	1917	1918	1919	1920	1921	1922	1923
North Carolina	P. ct.	P. ct	P. ct.	P. ct.	P. ct.		l			l		3. 58	12.27	12, 97
South Carolina			0.30	0. 10 11. 80		. 28	8. 44	9.06	10.78	19.36		45, 12	44. 28	26. 95 36. 62 32. 53
Tennessee				. 10	0. 08	. 04	1. 23	1. 74	. 37	. 17	. 57	7. 21	8. 84	20.75
Alabama	14.66	5. 10 11. 40	18. 00 13. 70	33, 90 25, 10	24. 14 17. 66	24. 68 19. 85	31.78 24.31	22. 22 11. 89	10. 41 9. 79	19. 56 24. 84	32. 25 25. 99	30. 38 34. 80	27. 65 24. 61	32, 52 30, 82 23, 25
Texas Oklahoma Arkansas	6. 52 1. 27 7. 23	. 20	. 50	. 40	.79	2.70	3.70	4.85	1. 30	1.48	8. 81	41. 36	25, 69	9. 96 19. 88 15. 87
U. S. average 1			3. 26		5. 91			9. 34						19. 50

Division of Crop and Livestock Estimates.

¹ Includes all other climatic.

¹ Less than 0.05 per cent.

¹ A varage is weighted and includes cotton States in which there was no damage by boll weevil.

Table 306.—Cotton: Acreage and yield per acre in specified countries, average 1909-10. to 1913-14, annual 1921-22 to 1924-25

	Year beginning about Aug. 1												
			Acreage			Average yield per acre							
Country	Aver- age 1909-10 to 1913-14	1921-22	1922-23	1923-24	1924-25	Aver- age 1909-10 to 1913-14	1921-22	1922-23	1923-24	1924-25			
United StatesIndiaEgypt	1,000 acres 34, 152 22, 503 1, 743	1,000 acres 30, 509 18, 451 1, 341 4, 284	1,000 acres 33,036 21,792 1,868 3,947	1,000 acres 37, 123 23, 088 1, 649	1,000 acrés 1 40,115 2 24,707 1,856	Pounds 182 76 398	Pounds 125 97 315	Pounds 141 93 299	Pounds 131 88 352	Pounds 157 317			
Brazil	4 504 1, 490 6 245 6 146	1, 420 296 230 362	1, 512 174 242 370	1, 966 557 5 279 378	\$ 1, 196 \$ 511 408	306 57	170 74 122	175 70 133	175 140				
Uganda Peru Anglo-Egyptian Su- dan Argentina	58 7 163 44 6	170 283 84 39	334 291 62 56	419 4 320 101 155	5 578 5 352 5 225	169 136 243	112 200	111 181 230	107 192 227				
Total countries re- porting 1909-1923	61, 054	53, 185	59, 737	66, 035									
Estimated world total	67, 300	58, 400	64, 600	71, 000	76, 000								

Division of Statistical and Historical Research. Official sources and International Institute of Agriculture except as otherwise stated. Data for crop year as given at the head of the table are for crops harvested between about Aug. 1 and July 31 of the following year. This applies to both Northern and Southern Hemishperes. For the United States prior to 1914 the figures apply to the year beginning Sept. 1. Hemishperes.

Table 307.—Cotton production in specified countries, average 1909-10 to 1913-14, annual 1918-19 to 1924-25

[Bales of 478 pounds net]

Year beginning about Aug. 1 Country 1924-25 prelimi-Average 1909-10 to 1918-19 1919-20 1920-21 1921~22 1922-23 1923-24 1913-14 nery NORTHERN HEMI-SPHERE NORTH AMERICA Bales Bales 9, 762, 069 10, 139, 671 178, 243 138, 000 Bales Bales Bales BalesBalesBales 13, 033, 235 12, 040, 532 11, 420, 763 13, 439, 603 193, 000 23 203, 000 23 199, 000 23 188, 000 13, 153, 000 213, 000 7, 953, 641 147, 302 United States 1 Mexico.... Total North American countries reporting 1909-1923-----13, 226, 235 12, 243, 532 11, 619, 763 13, 627, 603 8, 100, 943 9, 940, 312 10, 277, 671 13, 306, 000

 ¹ Estimate of area planted; for other years area harvested.
 2 Third estimate. In the past 12 years the third estimate has averaged 95 per cent of the final estimate.
 3 Chinese Economic Bulletin quoting the Chinese Cotton Mill Owners' Association which represents the most important cotton growing area where the commercial crop is grown.

⁴ For the year 1915-16. From an unofficial source.

A verage for four years.
A verage for 1914-15 to 1918-19

¹ Linters not included.

From an unofficial source.
Laguna district and Lower California.

Table 307.—Cotton production in specified countries, average 1909-10, to 1913-14, annual 1918-19 to 1924-25—Continued

			Yea	r beginning	g about Au	g. 1		
Country	Average 1909–10 to 1913–14	1918-19	1919-20	1920-21	1921-22	1922-23	1923-24	1924-25 prelimi- nary
Northern Hemi- sphere—Contd.								
CENTRAL AND SOUTH AMERICA AND WEST INDIES								
Venezuela	Bales 10, 000	Bales	Pales	Bales	Bales	Bales	Bales	Bales
Guatemala	144	7 202	A 15 000	40 190	215	194	125	
Haiti Dominican Republic	8, 910 1, 066	7, 393 239	6 15, 229 411	6 9, 132 150	6 21, 553 405	6 16, 000 374	448	
Porto Rico	4 1, 319	368	2, 201	1, 400	920	1, 046		
San SalvadorBritish West Indies								20,00
Montserrat	657	917	1, 147	826	768	837	1,004	
St. Kitts-Nevis Grenada	1, 347 703	1, 186 644	1, 158 785	1, 615 688	732 534	879 691	523	
St. Vincent	1, 026	988	1, 161	1, 363	523	1, 213	³ 1, 200 ³ 837	² 1, 30
Barbadoes	1,061	238	211	185	419	832	∮ 837	
Total Central and South American countries and West Indics reporting								
1909-1923	5, 157	3, 568	4, 088	4, 139	2,847	4, 135	4,012	
EUROPE								
Italy	5, 212					4, 603	5,000	
Yugoslavia	922			1,087	798	858	669	
Greece	4 12, 614 1, 078	8, 603 1, 163	10, 224 993	6, 840 1, 212	5, 986 1, 840	² 9, 868 3, 600	³ 13, 250 1, 799	² 10, 800 2, 440
Malta	433	263	287	238	485	167	98	
Spain						694	1,088	
Total Euro- pean coun- tries report- ing 1909-1923	14, 120	10, 029	11, 504	8, 290	8, 311	13, 635	15, 147	
WODER A #70104								
NORTH AFRICA	• 1, 370		371	1, 107	293	397	795	1, 730
Algeria Dahomey	664	6 1, 621	616	6 668	6 1, 946	6 1, 273		J, 704
French Guinea •	4 230	. 3	46	177	114	172		
Ivory Coast French Sudan 6	4 28 7 235	2, 002	1, 551	951	94 143	109 647		
French Togo Italian Somaliland	67 2, 312 6 510	719	5, 050	4, 552	4,603	4, 612		
Italian Somaliland Eritrea	510 1,022	6 415 6 319	6 395		95 179	1, 192 690	1, 757 1, 381	
Egypt	1, 453, 000	999,000	1, 155, 000	1, 251, 000	902, 000	1,170, 000	1, 213, 000	1, 322, 000
Anglo-Egyptian Su-		·		1				
dan	12, 552 104	10, 469 84	18, 525 6 53	23, 506 4 40	19, 707 • 12	23, 4 52 77	40, 607 2 837	45, 30
Kenya	519	167	88	831	418	± 60	3 1,004	
Nigeria	9, 050 20, 338	5, 104 30, 569	15, 264 30, 568	26, 360 68, 071	13, 578 31, 381	16, 388 77, 678	04 149	
Uganda	20, 000	50, 500	00,000		01,001			
Total African countries re-								
porting 1909-	1, 486, 518	1, 040, 289	1, 204, 229	1, 342, 700	953, 518	1, 271, 667	1, 849, 590	
·	-,							
ASIA	1 000			المماد		, , , , ,		
Dyprus Furkey, Asiatic India	1, 938 138, 000	1, 135	1,097	2, 024	1, 444 30, 000 8, 758, 000	1, 276 2 50, 000 4 247 000	1, 674 1 60, 000 4 247 000	K 089 000

From an unofficial source.
For one year.
'Average for three years.
Exports.
'Average for four years.
'The official estimate is 1,015,000 bales, but receipts into Alexandria and exports indicate a larger crop.
'The commercial crop of India, according to figures compiled by the United States Department of Commerce, was 3,448,000 bales in 1921-22, 4,048,000 bales in 1922-23, and 3,811,000 bales in 1923-24.

Table 307.—Cotton production in specified countries, average 1909-10, to 1913-14, annual 1918-19 to 1924-25—Continued

	,							
			Year	be ginnin	s about Au	g. 1.		
Country	A verage 1909–10 to 1913–14	1918-19	1919–20	1920-21	1921–22	1822-23	1923-24	1924-25 prelimi- nary
NORTHERN HEMI- SPHERE—Contd.			,					
AMA—continued	Bales	Bales	Bales 2	Bales 8	Bales 157	Bales 189	Bales 189	Bales
Iraq				. 96	241	830	3, 138	
Russia, Asiatic Persia China 16	953, 000 136, 000 3, 473, 000	161, 000 6 89, 000 8, 053, 000	81, 000 94, 000 2, 599, 000	58, 000 105, 000 1, 888, 000	43, 000 1, 517, 000	55, 000 2, 318, 000		438, 000 1, 952, 000
Japanese Empire: Japan		8, 926	3, 976	4, 784		2, 028	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	_,,
Chosen (Korea)	4, 704 7 17, 387	68, 534	88, 469	100, 672	8, 447 92, 448	103, 347	111, 088	119, 602
French Indo-China	14, 3 37 6 3, 653	8, 379 6 1, 121	12,598 • 1,778	14, 921 872	11, 665 3, 648	11, 0 88 4, 9 65		
North Borneo	125	59	121	232	112	222	195	
Total Asiatic countries re-	'							
porting 1909-	0.000.400		w ann ann	r ore one	× 107 101	A 200 ANA	0 400 140	
1923	8, 030, 467	6, 611, 730	7, 622, 689	5, 056, 936	6, 407, 101	6, 720, 034	6, 466, 146	
Total North- ern Hemi- sphere coun-								
tries report- ing 1909-1923.	22, 762, 492	19, 909, 148	20, 462, 273	20, 039, 668	14, 472, 780	17, 954, 783	18, 112, 566	
Southern Hemi- Sphere								
Peru	110,000	141, 533	154, 774	163, 732	182, 410 2 3, 606	187, 032 4, 311	197, 000 3 11, 080	³ 17, 40 0
Brazil	322,000		505, 820	369, 841	505, 000	552, 857	719,000	
Paraguay	3, 045	16, 297	460 16, 450	1, 200 24, 650	2, 610 17, 282	¹ 5, 803 26, 892	16, 260 73, 703	³ 28, 000
Belgian Congo		2, 075		4, 151	4, 520	4, 603	1 6, 800	
tory	7 7, 971	3, 462	3, 410	2, 402	6, 132	6, 004	8, 400	
Nyasaland Union of South Africa	4, 536 76	2, 107 1, 599	1,651 2,290	2, 900 2, 245	3, 285 1, 778	4, 601 3, 138	2, 322 2, 021	
Angola	510 6 766	1,058	904 954	2, 349 997	2, 067 1, 041	2, 200	6, 248	
Mozambique Dutch East Indies	13, 981	9, 642	10, 769	14, 046	12, 333			
New Hebrides	4 6 303	\$ 2, 219 71	* 2, 282 19	1,796 656	3, 124 2, 720	2,812 7,531	1, 828 8, 787	
Total Southern Hemisphere							•	
countries re- porting 1909- 1923	448, 788	507, 022	687, 650	549, 219	7 2 2, 772	793, 067	1, 022, 309	
Total all coun-								
tries report- ing 1909-1923.	23, 211, 280	20, 416, 170	21, 14 9 , 9 23	20, 608, 887	1 5, 19 5, 5 5 2	18, 747, 850	19, 134, 875	
Estimated			01 804 000	~ ~ ~	15, 330, 000	18 000 000	10 200 000	•

Division of Statistical and Historical Research. Official sources and International Institute of Agriculture except as otherwise stated. Data for crop year as given at the head of the table, are for crops harvested between about August 1 and July 31 of the following year. This applies to both Northern and Southern Hemispheres. For the United States prior to 1914 the figures apply to the year beginning September 1

From an unofficial source.
For one year.
Average for five years.
Exports.

¹A verage for four years.

10 Chinese Economic Bulletin quoting the Chinese Cotton Mill Owner's Association, which represents the most important cotton producing provinces where the commercial crop is grown. Cotton grown in other provinces is used for home hand-loom consumption. Various estimates made from time to time of the total production of China range from 2,000,000 to 7,000,000 bales, but are considered unreliable. The commercial crop for China, according to figures compiled by the United States Department of Commerce, was 1,175,000 bales for 1921-22, 1,300,000 bales for 1922-23, and 1,450,000 bales for 1923-24.

TABLE 308.—Cotton: World production, 1900-1924

97 1 1 1 1	Production in countries	Production		Three princi	pal producing	countries
Year beginning about Aug. 1—	reporting all years 1900–1923	as far as reported	Estimated world totals	United States	India	Egypt
1900	14, 019, 482 15, 478, 087 14, 768, 468 19, 001, 958 15, 807, 112 20, 15C, 589 16, 166, 459	Bales 14, 909, 578 14, 226, 730 16, 823, 834 16, 187, 114 20, 007, 125 16, 856, 569 21, 259, 290 17, 357, 753	Bales 15, 931, 000 15, 292, 000 16, 948, 000 16, 253, 000 20, 079, 000 16, 925, 000 21, 357, 000 17, 458, 000	Bales 10, 123, 027 9, 309, 745 10, 630, 945 9, 851, 129 13, 438, 012 10, 575, 017 18, 273, 809 11, 107, 179	Bales 2, 471, 000 2, 297, 000 2, 818, 000 2, 645, 000 3, 172, 000 2, 859, 000 4, 129, 000 2, 613, 000	Bales 1, 126, 000 1, 320, 000 1, 210, 000 1, 349, 000 1, 308, 000 1, 235, 000 1, 440, 000 1, 449, 000
1908 1909 1910 1911 1912 1918	18, 908, 812 16, 304, 695 17, 943, 268 21, 400, 223 20, 512, 458 21, 626, 719 23, 624, 294	21, 144, 006 19, 289, 657 21, 873, 607 25, 322, 338 24, 994, 921 26, 214, 631 28, 556, 341	21, 267, 000 19, 829, 000 21, 915, 000 25, 856, 000 26, 259, 000 28, 687, 000	18, 241, 799 10, 004, 949 11, 608, 616 15, 692, 701 18, 703, 421 14, 156, 496 16, 134, 930	3, 090, 000 3, 998, 000 3, 254, 000 2, 780, 000 4, 702, 000 4, 239, 000 4, 359, 000	1, 399, 000 1, 036, 000 1, 555, 000 1, 580, 000 1, 554, 000 1, 588, 000 1, 337, 900
1915	17, 219, 729 17, 865, 864 17, 141, 010 17, 099, 602 18, 251, 935	17, 605, 635 19, 768, 309 19, 598, 564 20, 550, 419 21, 319, 375	20, 689, 000 19, 845, 000 19, 675, 000 20, 613, 000 21, 384, 000	11, 191, 820 11, 449, 930 11, 302, 375 12, 940, 592 11, 420, 763	3, 128, 000 3, 759, 000 3, 393, 000 8, 328, 000 4, 853, 000	989, 000 1, 048, 000 1, 304, 000 099, 000 1, 155, 000
1920	13, 844, 701 16, 020, 556	20, 801, 878 15, 314, 754 18, 881, 044 19, 062, 239	20, 875, 000 15, 330, 000 18, 900, 000 19, 300, 000	13, 439, 603 7, 953, 641 9, 762, 069 10, 128, 478 13, 153, 000	3, 013, 000 3, 753, 000 4, 247, 000 4, 247, 000 5, 069, 000	1, 251, 000 902, 000 1, 170, 000 1, 213, 000 1, 322, 000

Division of Statistical and Historical Research. Bales of 478 pounds net. Data for crop year as given are for crops harvested between about Aug. 1 and July. 1 of the following year. This applies to both Northern and Southern Hemispheres. For the United State. prior to 1914 the figures apply to the year beginning Sept. 1.

Table 309.—Cotton: Estimated monthly marketings by farmers, 1912-1923

					Per	centag	e of ye	ar's sa	les 1				
Year beginning August	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Sea- son
1012	1. 2 2. 7 3. 9 2. 5	17. 2 18. 2 6. 8 11. 3 14. 6 11. 3	25. 8 24. 4 14. 8 19. 3 23. 0 28. 0	20. 8 19. 7 18. 0 20. 4 21. 6 22. 7	12.8 18.8 16.1 16.4 15.0 16.2	8.0 8.8 11.0 8.4 6.4 8.2	5.2 5.8 8.3 5.4 4.0 5.8	4.5 4.4 7.7 5.2 8.9 4.5	26 27 6.1 8.9 8.0 2.6	1.5 1.5 2.5 3.6 2.5 1.3	1. 1 1. 2 27. 5 3. 4 1. 6 1. 0	2 1. 0 7 1. 0 .5 .9	100 100 100 100 100 100
1918 1919 1920 1921 1922	8.8 1.4 3.1 8.6 5.2 4.1	10. 9 9. 5 10. 0 14. 0 16. 8 16. 8	18. 1 21. 0 16. 2 22. 8 25. 8 24. 6	16. 4 22. 2 15. 7 17. 1 19. 8 24. 9	13. 6 17. 4 11. 0 12. 1 12. 8 13. 3	& 4 8.8 6.4 5.9 5.8	4.4 5.6 5.6 4.8 4.4 8.1	4.6 4.9 6.0 4.6 8.7 2.4	4.6 8.2 6.7 4.6 2.0 1.7	7.5 2.7 6.9 5.9 1.0	6.8 1.7 6.8 3.0 1.5	4.4 1.6 5.6 2.6 1.6	100 100 100 100 100 100
Average	2. 6	18. 1	21. 5	19. 9	14. 2	7.4	5.1	4.7	8. 6	8. 2	8.0	1.7	190

Division of Crop and Livestock Estimates.

¹ As reported by about 7,500 cotton growers, supplemented by records of State weighers, cooperative so ciations, and cotton dealers.

² Includes August.

³ Includes July.

TABLE 310.—Cotton: International trade, calendar years 1909-1923 [Thousand bales-i e., 000 omitted]

Country		rage, -1913	19	21	19	22	19 23, pr e	liminary
,	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Exports
PRINCIPAL EXPORTING COUNTRIES British India Egypt. Persia. Persi	(!) (!)	83 1,966 1,442 109 87	(1) 130 (1)	90 2, 240 993 8 168	(¹) 73 (¹)	157 2,447 1,343	71 (¹)	88 2, 955 1, 549
United States PRINCIPAL IMPORTING	`215	9,008	291	6, 678	390	6, 307	392	5, 486
Austria-Hungary	906	12	116	11	128	17	122	18
Belgium Canada China	496 137 43	159 240	428 182 469	227 170	283 232 497	(1) 235	308 235 450	58 272
Czechoslovakia France Germany Hungary Italy	1, 435 2, 258 896	316 232 (¹)	423 976 1, 533 14 728	8 100 3 76	321 1, 213 1, 314 10 820	112 160 (1)	368 1, 206 998 14 855	16 125 133 1 3
Japan Netherlands Norway Poland Russia	277	145 (¹)	2, 420 120 7 2 158 2 2	2	2 824 117 11 265 2 1	(1)	1 1, 168 115 12 240	3
Spain	382 93 113 4, 164 220	1 1 155	380 59 114 2, 137 223	269	382 84 99 2,823 194	(1) 233	385 87 121 2,487 78	65
Total	14, 005	13, 956	10, 901	11, 038	10, 081	11, 267	9, 712	10, 974

Division of Statistical and Historical Research. Official sources except where otherwise noted. Bales of 500 pounds gross weight, or 478 pounds net. The figures for cotton refer to ginned and unginned cotton and linters, but not to mill waste, cotton batting, scarto (Egyptian and Soudan). Wherever unginned cotton has been separately stated in the original reports, it has been reduced to ginned cotton in this statement at the ratio of 3 pounds unginned to 1 pound ginned.

TABLE 311.—Cotton: Farm price per pound, 15th of month, United States, 1909-1924

Year beginning August	Aug. 15	Sept.	Oct. 15	Nov.	Dec. 15	Jan. 15	Feb. 15	Mar. .15	Apr. 15	May 15	June 15	July 15	Weight- ed av.
1909	Cts. 11. 5 14. 4 12. 5 11. 6 11. 6	Cts. 12. 2 13. 8 11. 0 11. 2 12. 6	Cts. 13. 2 13. 6 9. 6 11. 0 13. 2	Cts. 13. 8 14. 0 8. 8 11. 4 12. 6	Cts. 14. 2 14. 2 8. 6 12. 0 12. 0	Cts. 14. 3 14. 4 8. 7 12. 0 11. 8	Cts. 14. 0 14. 1 9. 4 11. 8 12. 2	Cts. 14. 0 13. 9 10. 0 11. 8 12. 2	Cts. 14. 0 14. 0 10. 5 11. 7 12. 0	Cts. 14. 1 14. 4 11. 0 11. 6 12. 3	Ct* 14. 0 14. 5 11. 1 11. 6 12. 4	Cta. 14. 1 13. 8 11. 6 11. 6 12. 4	Cla. 13. 6 14. 0 9. 7 11. 5 12. 5
Av. 1909-1913	12. 3	12. 2	12. 1	12. 1	12. 2	12.2	12. 3	12. 4	12. 4	12. 7	12 7	12 7	12. 8
1914	10. 6 8. 3 13. 6 23. 8 30. 0 31. 4 34. 0	8. 2 9. 8 15. 0 23. 4 32. 0 30. 8 28. 3	7. 0 11. 4 16. 8 25. 3 30. 6 83. 9 22. 4	6. 6 11. 4 18. 8 27. 5 28. 4 36. 0 16. 6	6. 7 11. 4 18. 4 28. 3 28. 2 35. 8 12. 7	7. 0 11. 4 17. 0 29. 3 26. 8 36. 0 11. 6	7. 4 11. 3 16. 4 30. 0 24. 4 36. 2 11. 0	7. 8 11. 3 17. 0 31. 0 24. 2 36. 8 9. 8	8. 6 11. 5 18. 4 80. 2 25. 2 37. 5 9. 4	8. 8 11. 8 19. 6 28. 0 27. 8 37. 4 9. 6	8. 6 12. 4 22. 4 28. 0 30. 3 37. 3 9. 7	8. 4 12. 6 24. 5 28. 2 31. 8 37. 1 9. 7	7. 4 11. 2 17. 7 27. 2 28. 8 36. 0 17. 2
Av. 1914-1920	21. 7	21, 1	21. 1	20.8	20. 2	19. 9	19. 5	19. 7	20. 1	20. 4	21. 2	21. 8	20. 6
1921	11. 2 20. 9 23. 8 27. 8	16. 2 20. 6 25. 6 22. 2	18. 8 21. 2 28. 0 23. 1	17. 0 23. 1 29. 9 22. 5	16. 2 24. 2 82. 1 22. 0	15. 9 25. 2 32. 5	15, 7 26, 8 81, 4	16. 0 28. 0 27. 7	16. 0 27. 6 28. 7	17. 8 26. 2 28. 1	19. 6 25, 9 27. 8	20. 6 24. 8 27. 8	16.9 23.5 . 29.0

Division of Crop and Livestock Estimates. Mean of prices reported on 1st of month and 1st of succeeding month.

Less than 500 bales.
 International Institute of Agriculture.

³ Eight months, May-December.

Table 312.—Cotton: Farm price per pound, December 1, by States, 1908-1924, and value per acre, 1924

State	1909	1910	1911	19 12	1913	Av. 1909– 1918		1915	1916	1917	1918	1919	1920	AV. 1914– 1920		1922	1923	1924	Value per acre 1924
	13. 2 13. 9 14. 1 14. 2	14. 2 14. 2	9. 0 8. 8 8. 8 8. 9	12. 2 12. 4 12. 4	Cts. 13, 1 12, 6 12, 7 12, 8 17, 0	12. 3 12. 4 12. 5	7.3 6.9 6.9 6.9	11. 4 11. 2 11. 3 11. 4	19. 4 19. 4 19. 6 19. 9	27. 8 27. 7 28. 4 28. 8	26. 4 27. 6 27. 5	35. 0 35. 2 35. 7 35. 8	Cts. 15. 0 14. 5 14. 5 15. 3 17. 0	20. 2 20. 6 20. 8	16. 4 16. 4 16. 0 16. 6	23. 0 24. 5 24. 8 23. 9	32, 0 30, 8 32, 0 32, 0	22. 6 22. 1 22. 4	43. 39 35. 36 33. 60
Mississippi Louisiana Texas	14. 2 14. 3 13. 7 13. 6 14. 0	14. 4 14. 4 14. 0	9. 2 8. 9 8. 6	12. 3 11. 5 11. 5	12. 7 12. 6 11. 7 11. 5 11. 6	12.0 11.8	6.8 6.9 6.8	11. 5 11. 2 11. 1	20. 5 19. 1 19. 4	28. 5 26. 7 26. 7	27. 8 27. 5 28. 2	37. 5 35. 0 35. 0	15. 0 15. 8 14. 2 13. 2 13. 3	21. 1 20. 1 20. 1	16. 6 15. 0 16. 1	24. 1 24. 0 23. 5	32, 5 30, 3 30, 4	23. 7 22. 4 22. 4	31. 58
	13. 6 13. 5 13. 0	13.0	8. 8 8. 0	11. 3 11. 3	12. 7 11. 5 11. 4 13. 0	11.6 11.4	6. 5 6. 5	11. 0 11. 8	19. 0 19. 0	27. 5 26. 5	27. 0 25. 5 30. 0	34. 0 35. 2 43. 0	13. 0 13. 5 10. 5 80. 0 30. 0	19.8 19.2 24.2	15. 0 15. 4	21. 5 23. 0 26. 0	32. 5 29. 6 32. 0	23. 0 22. 2 24. 0	39. 10 40. 63 62. 64
U. 8	13. 9	14. 1	8. 8	11. 9	12, 2	12. 2	6. 8	11. 3	19. 6	27. 7	27. 6	35, 6	13. 9	20. 4	16. 2	23. 8	31 0	22. 6	37. 07

Table 313.—Cotton, middling: Average spot price per pound at New Orleans, 1900–1924

Year beginning August	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	July	A ver- age
1900	8. 28 8. 43	8. 43 10. 72	7. 99 8. 22 9. 66	10 72	7. 93 8. 14 12. 52	9. 52 7. 88 8. 66 14. 06	8. 08 9. 36 14. 38	8. 49 8. 54 9. 73 15. 07	9. 13 10. 05 14. 45	7. 69 9. 39 11. 14 13. 41	8. 05 9. 15 12. 71 11. 38		8. 4 9. 6 12. 4
1905	9.99	9. 24 12. 41	10.76 11.19	10.39 10.84	11. 54	10. 46 11. 84	10. 49 11. 63	10.83 10.93	10. 79 10. 20	11.85 10.86	12. 81 11. 59	12.89 10.81	10. 9 11. 4
1909	12. 28 14. 92 11. 96 12. 07 12. 02	13. 49 11. 29 11. 37	14. 21 9. 61 10. 95	14. 50 9. 35 12. 15	14. 85 9. 17 12. 81	14. 95 9. 53 12. 58	10.31 12.51	14. 54 10. 65 12. 45	11.61 12.44	15. 48 11. 72 12. 29	12.07 12.44	14. 30 12. 93 12. 34	14.6 10.8 12.2
Average 1909-1913.	12. 65	12. 38	12. 40	12. 73	12. 95	13. 04	13. 04	13. 07	13. 30	13, 55	13. 68	13. 57	13. 0
1914	8, 94 14, 26 25, 07 30, 23	15. 27 21. 68 83. 22 30. 38	11. 95 17. 24 26. 76 81. 18 35. 28	11. 50 19. 45 28. 07 29. 75 39. 58	11. 89 18. 34 29. 07 29. 44 39. 89	12. 04 17. 33 31. 07 28. 84 40. 28	11. 45 17. 14 30. 91 26. 97 39. 39	11. 73 17. 94 32. 76 26. 84 40. 69	11. 88 19. 51 83. 05 26. 70 41. 41	12.61 20.06 28.90 29.22 40.31	12, 80 24, 18 30, 71 32, 09 40, 49	13. 03 25. 41 29. 50 33. 93 39. 41	11, 60 18, 84 28, 90 29, 81 88, 21
Average 1914-1920 .		20. 98	21. 48	21. 92	21. 49	21.71	20. 96	21. 34	21.88	21.71	2 2 92	23. 07	
1921 1922 1923 1924	21. 55	20.74 27.71	22, 05 29, 18	25. 34 33. 68	84. 88	27. 51	28.78	30.43	28. 42		28, 61	25. 73	25. 9

Division of Statistical and Historical Research. Prior to Aug. 16, 1915, compiled from quotations in Market Reports of the New York Cotton Exchange, except Sept. 23 to Nov. 16, 1914, when the Exchange was closed, quotations for which time were taken from the New York Commercial and Financial Chronicle; from Aug. 16, 1915, compiled from daily reports of the Cotton Division; average of daily closing quotations.

¹ Based on farm price December 1.

¹ Market closed.

³ No quotations prior to Sept. 23. Average for 7 days' business.

TABLE 314.—Cotton, middling: Average and price per mound at nine markets.

CABLE 314.—Co	tto n ,	mid	lling:	Ave 1	rage 914–:	apot 1924	price	per	pour	ed at	nine	ma	rkei
				1	OBF	OLK							
Year beginning August	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Ave
	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cen
914							7.89	8, 33	9. 38	9, 12	8. 97	8. 43	
915	8.77	10.80		11. 39 19. 37	11. 76	11. 92	11. 53	11.63	i 11. 78	12.61	12. 83		
986	14. 32	15.89	17.40	19.87	17.87	17. 50	16.54	18.41	19.73	20.09	24. 33	25, 21	18.
018 066 017	25. 38 31. 51	21. 92 33. 28	26, 99 30, 23	28.35	29. 18 27. 88	30. 47 36. 28	30, 36 54, 38	18. 41 82. 42 25. 27	32. 90 35. 87	29. 26 28. 32	28. 95 31. 18	29. 59 33. 18	28.
			33, 70	1	27 00	38. 84	38. 60	•	•	40. 50	40. 50	40, 50	37.
20	87.00	29.06	21, 23	17. 84	14. 46 17. 28 25. 44 84. 18	14.86 16.96	12.89	11.87	11. 20	11. 60	10. 76	11.81	16
21	12.67	19.10	18. AB	17. 12	17. 98	16.96	16.88	17. 97	17. 12	19. 46	21 44	22.17	
99	21 50	20 00	22 48	95 40	25.44	97 50	98 75	20 08	28, 18	26. 22	27. 89	25.96	
22	24 20	27 79	98 AK	22 18	24 18	90 85	28. 75 31. 79	28, 41	80. 87	80. 87	29. 31	29. 91	
19	27 31	23.08	28. 56	23.85	28. 59	00.00	01. (8	20. 31	50. 57	6 0. 81	20.01	20. VI	- OU.
	-	·			AUGU	STA							<u> </u>
	Ī								1	1			_
14 15 16 17							7. 90	8. 27	9.40	9. 17	8. 92	8. 56	
15	8.55	10. 22	11.88	11.47	11.73	11.95	11.49	11.66	11.74	12 54	12.65	12.79	11.
l6	14. 18	15. 31	17.70	19.61	18.64	17.76	16.46	18 74	20.08	20.41	24. 60		19
17	24. 59	21.63	26.93	28. 42	29.37	81. 16	81.15	83. 44	83.08	28. 61	30. 45	29. 34	29
18	81.14	32.88	30.48	27. 98	28. 24	27. 33	25. 43	26.17	26. 78	28.96	31. 55		29
	1	1 30	10	1		1	}		1 -50	1 50	1 30	1 -3.06	- ا
9	80. 72	90 41	84. 72	99 94	38. 46	39. 67	38. 48	40.04	41.06	41 44	42. 13	40 0=	37
	35. 03	29. 41 28. 17	01.02	38. 34 17. 75	14 40	16.77	10.70	10.03			74. 10		
20 21 22 23	00.00	20.11	21.60	17. 10	14. 62 17. 17	14. 46 16. 74	12.67	10.82	11.00	11.36	10.62	11. 29	16
ŋ 	12.83	19. 49	18.74	16.98	17. 17	16.74	16. 60 28. 78	17.09	16.88	19. 30	21.49	22. 38	17
2	21. 55	20.93	22.88	25. 18	1 35.40	H 277.66	28.78	80.07	28. 14	26, 84	28. 15	25. 64	25
3	24. 63	27. 76	22. 88 28. 75	88. 16	34. 28	33. 55	81.61	28.73	30.08	80.06	29. 19	28. 94	80
4.	27.08		23, 29	28.77	28, 44	1	1	70.10	1	1			
/**					200 23								
	!	<u> </u>	<u> </u>	!				<u> </u>	<u> </u>	<u> </u>			<u>' </u>
				S	AVAN	TNATE							
	1			1	I .	I	1	·	1	1			
14	}	1	1	i	1	1	8.14	8, 36	9. 29	9. 36	9 03	8. 66	l
6	8. 62	10 24	11.95	11.60	19 11	12. 20 18. 45	11 70	11 00	11. 90		12.75		175
0	74 01	10.00	17. 50	10.00	10 07	10 45	11. 10	10.00	00.15	12.01	14 10		
0	14. 21	15. 40		19.69	19. 27	10.50	-=====	10. 62	20.15	20.02	24. 83 30. 24	2 5. 95	
Z	25. 20	21.87			29. 28	81.12	30. 94	32. 53 27. 04	83. 42	31.60	30. 24	80. 10	20
8	31. 33	32, 91	80. 53	29.48	249.532	81.00	27.00	27.04	26.96	29. 11	31.92	88. 61	a 0.
					l		1		l		1		
9	31.64	29.66	84. 56	38. 45 18. 38 17. 17	38. 91	89 89	89. 43	40. 81	41. 60 11. 48 17. 04	41. 53	41.74	40.87	38.
20	84, 69	28, 74	22. 12	18. 38	15.68 17.39	15. 62	18.95	11.75	11.48	11.83		11. 31	17.
1	19 74	19. 64	10 90	17 17	17 20	17 08	18 79	17 26	17 04	19.39			
	20. 12	10.02	19.30 22.37	2. 10	17.00	11.00	10. 12	17.00	14. 12	13. 00		22. 09	
2	21.20	20.88	32. 87	25. 19	25. 61	17.06 27.58	16. 72 28. 75	80.11	28.16	26. 44		25.74	
3	24.45	27.85	28.77	83.09	84. 18	33.38	81. 54	80. 11 26. 27	80.08	80. 14	29. 13	29. 12	80.
9 10 21 12 13	26, 74	22, 89	23. 59	24.00	28.70								
	·	·		MO	NTGO	MER	Y	·	·	· • • • • • • • • • • • • • • • • • • •	 		
		1	1	1	1	1			T	1			<u> </u>
14			-====	-====			7. 70	8.04	9.04			8. 38	
D	8. 42	10.02	11.74	11. 27	11.65	11.75 17.78	11. 32	11. 37	11. 52			12.69	11
6 	13. 92	15. 21	17. 43	19.34	18. 33	17. 78	16.81	18. 64	19.88	20. 14	24.06	24.82	18
7	24. 67	01 47	26.98	28.43	29. 49	1 31.28	31. 30	83, 36	33.88	29. 48	29 80	29.63	29
8	30.75	32, 39	30. 24	28. 43 28. 56	28. 19	28.48	27.00	33. 36 25. 98	33. 88 26. 81	28. 54		33, 36	29
		J 00	55.52	**							1 22. 20	JU. 50	
0	90 80	00 00	94 94	90 14	90 94	89. 29	38. 89	90 41	40.98	40.67	40.88	40. 15	87.
	30. 68 36. 88	29. 20 27. 84	34. 26 31. 34	38. 16 17. 97	38. 26 14. 40 16. 92	00. 20	90.00	39. 41 10. 39 16. 55	40.50				01.
iy	36. 38	27. 54	31. 34	17. V7	14. 40	18. 86	12.82	N. 39	10. 58	10.89	10.00	10. 53	1.5
M 	11.89	18.73	18.46	1 16. AR	10.92	16. 46	16. 18	16. 55	16. 15	18.66	21.08	22.05	16.
2	21. 28	20. 17	21.75	24, 86	25. 02	27.05	28. 61	29. 81	27.85	25. 97	27.86	25. 70	25.
9 0 11 12	24. 23	27. 61	26.68	82.87	84.00	27.05 88.84	81. 50	29. 81 28. 84	20.81	29.78	28. 95	28. 67	25
4	26. 35	22.06	22. 67	24. 86 82. 87 28. 09	25. 02 84. 00 22. 76								
	53												
					MER	PHIS							-
					ATA 24 AT		1				1		
							7.87	8. 26	9. 34 12. 00 19. 97	9. 17	8.99	8.69	_1_
5	8. 91	10. 32	12 16	11. 55	12 12	12. 29	11.79	11.82	12.00	12.81	12 07	18. 15	11.
v			12. 15 17. 40	10 40	12. 12 18. 96	17 00	17 00	18. 17	10 07	20. 34	18. 07 24. 02	25. 78	19.
6	14. 35	15. 56	14. 30	19. 60 28. 91	TO' AO	17. 88 31. 07	17. 00 81. 86	10. 1	10. 5/	20.09	30.00		10.
7 	25. 96	22. 97	27. 54	48. 91	29. 57	81.07	or. 90	32. 82	88 57	30.08	5U. UU	30.00	29.
8	30.98	33. 89	81. 56	80. 17	29. 42	29. 29	27. 18	26.86	26, 90	29.08	82. 16	38. 80	30.
				- 1]		1					1	
9	38. 48	30.96	85, 94	41. 17	39.88	40. 35	39. 22	40.04	41. 69	41. 31	40.73	89, 60	88.
9	36. 35		21. 68	10 20	14.75	14 44	18. 48	11.65	11. 25 17. 00 29. 02 30. 35	11.63	11.06		17.
W		81.00		18. 28 18. 27 25. 31	12 (0	14.46 17.80 27.68	17 01	17. 28	17 00	10 10	44. 00	10.82	11.
ii	12. 17	19. 46	19. 71	10. 3/	18. 15	11. 00	17. 01 28. 74	11. 20	11.00	19, 19	21, 79 28, 58	22.72	16.
2	22.07	21. 19	22.09	25. 31	25. 80	21. 08	25. 74	30. 68	29. UZ	26.89	35. 58	26. 51	18.
3	24.08	21. 19 27. 78	29. 28	23. 241	84. 67 28. 61	84. 07	82. 81	28. 92	80. 85	80.64	80.05	29. 42	80.
A	27. 37	28, 10	23, 24	23, 55	28, 61								l
													·

TABLE 314.—Cotton, middling: Average spot price per pound at nine markets, 1914-1924.—Continued

LITTLE ROCK

						1.00								
Year beginning August	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aver- age	
1914		Cents 10. 08 15. 26 22. 14 88. 99	Cents 12. 32 17. 33 26. 72 31. 70	Cents 11, 68 19, 58 28, 26 30, 11		17. 70	Cents 7. 67 11. 94 16. 81 80. 96 26. 45	17. 89 82. 58	Cents 9. 04 12. 25 19. 71 38, 32 26. 40	Cents 9. 07 12. 80 19. 99 30. 00 28. 33	Cents 8. 89 12. 96 23. 90 29. 28 81. 84	Cents 8. 58 13. 07 25. 42 29. 35 33. 55.	Cents 11. 84 18. 89 29. 05 29. 75	
1919	31. 73 34. 89 11. 81 21. 47 24. 20 27. 11	30, 31 28, 28 19, 60 20, 76 27, 64 22, 55	85, 82 21, 88 19, 75 21, 80 29, 10 23, 24	33. 55	39, 94 14, 96 17, 84 25, 58 84, 41 23, 84	39, 98 14, 45 17, 57 27, 15 33, 94	39. 10 18. 85 16. 90 28. 46 81. 76	40. 19 11. 49 16. 89 30. 02 28. 70	42. 57 10. 68 16. 87 98. 94 80. 15	41. 45 11. 85 18. 90 26. 41 80. 20	21. 17 27. 88	39, 60 10, 58 22, 07 26, 39 29, 48	38. 38 16. 69 18. 12 25. 78 30. 22	
DALLAS														
1914	14. 14 24. 86	10. 17 14. 83 21. 88 33. 84	11, 72 16, 81 26, 16 30, 89	27. 46	11. 78 17. 63 28. 53 29. 38	11. 84 17. 17 30. 74 27. 72	80.71	8. 25 11. 63 17. 77 32. 56 25. 68	9. 15 11. 78 19. 09 81. 32 27. 02	8. 71 12. 47 19. 58 28. 85 29. 75	8. 57 12. 72 24. 17 29. 76 32. 10	8. 25 13. 04 25. 04 28. 79 34. 16	11, 51 18, 43 28, 47 29, 64	
1919	\$1.05 \$2.74 12.11 21.19 23.49 27.88	30. 60 26. 40 19. 25 20. 14 27. 05 22. 11	36. 65 20. 69 19. 17 21. 67 28. 51 22. 73	40. 58 17. 06 17. 10 24. 75 82. 92 22. 95	41. 11 13. 70 17. 12 24. 79 83. 94 22. 74	42. 06 18. 63 16. 75 26. 68 83. 25	41. 26 12. 16 16. 44 27. 86 81. 14	42. 79 10. 64 16. 93 29. 88 27. 89	42. 78 10. 58 16. 70 27. 79 29. 84	40. 60 11. 20 19. 08 25. 87 29. 88	39. 64 10. 23 21. 37 27. 72 28. 84	38. 30 10. 50 22. 05 25. 34 29. 20	38. 95 15. 79 17. 84 25. 31 29. 66	
			!	! E	ious:	ron]					
1914		10, 56 15, 39 22, 62 83, 70 81, 86	12. 11 17. 42 26. 62 82. 05	11, 62 19, 80 27, 87 80, 01 40, 79	12. 27 18. 10 28. 77 80. 26 40. 74	12. 36 17. 64 81. 25 28. 56 41. 72	3. 83 11. 82 16. 05 30. 91 27. 00	32. 94 26. 48 41. 58	9. 82 12. 27 19. 43 31. 80 27. 33	9. 21 12. 99 20. 13 28. 06 30. 18 40. 67	9. 06 13. 26 24. 60 30. 91 32. 04	25. 54 28. 75 34. 24 38. 10	12.00 18.92 28.85 30.26 38.78	
1919	82. 94 13. 06 21. 59 24. 28 27. 69	27. 88 20. 02 20. 69 27. 78 23. 08	20. 98 19. 64 22. 20 29. 00 23. 58	17. 56 17. 65 25. 33 83. 46 28. 92	14. 16 17. 78 25. 45 84. 68 28. 55	18. 95 17. 20 27. 51 88. 85	12. 62 17. 05 28. 71 81. 79	10. 95 17. 51 30. 54 28. 60	10. 89 17. 24 28. 59 80. 55	11. 85 19. 67 26. 65 80. 61	11. 02 22. 18 28. 42 29. 55	11. 69 22. 51 25. 62 29. 29	16. 83 18. 46 25. 94 80. 28	
				G.	LVE	TON								
1915		10, 59 15, 48 22, 66 84, 19 81, 58	12. 20 17. 48 26. 82 82. 25 87. 10	11. 66 19. 82 28. 07 80. 30 41. 32	12. 30 18. 43 29. 11 30. 64 41. 87	12, 39 17, 79 81, 28 29, 45 42, 58	11. 99 16. 30 81. 10 28. 26 41. 09	12. 14 18. 31 83. 06 26. 94 42. 56	12. 30 19. 63 82. 23 27. 63 42. 99	12. 98 20. 18 28. 40 80. 59 41. 64	13. 36 24. 58 30. 89 32. 87 39. 83	13. 71 25. 99 29. 37 34. 62 38. 59	12.06 19.06 29.06 30.78 39.41	
1920	83. 78 18. 38 21. 79 24. 44 28. 01	28. 15 20. 33 20. 77 27. 80 23. 12	21. 98 20. 05 22. 28 29. 11 23. 56	18. 10 17. 99 25. 37 88. 62 28. 92	15.00 17.92 25.48 84.70 23.59	14. 38 17. 32 27. 54 38. 95	12.99 17.10 28.81 31.92	11. 76 17. 58 30. 52 28. 85	11. 47 17. 40 28. 63 30. 91	12. 01 19. 75 26. 75 80. 82	11. 27 22. 28 28. 57 29. 74	11. 80 22. 67 25. 87 29. 94	16, 99 18, 64 26, 03 30, 48	
DI-1-1 A CA-AI-AI-		***	m .		~		4		-44	A-44	. TI-4			

Division of Statistical and Historical Research. Compiled from reports of the Cotton Division, average of daily closing quotations.

Table 315.—Cotton, middling: Monthly average spot price per pound, New York, 1889-1924

Year beginning August	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aver
899	8.05 7.24	Cents 11. 32 10 58 8. 60 7. 31 8. 17		9.20	Cents 10. 25 9. 34 7. 97 9. 77 7. 91	Cents 10. 62 9. 37 7. 54 9. 66 8. 07		11. 41 8. 98 6. 86 9. 00	11. 69 8. 93 7. 05 8. 13	8. 91 7. 33 7. 76	12. 17 8. 55 7. 55 7. 93	12. 16 8. 23 7. 32 8. 07	9.4 7.6 8.4
894	7. 58 8. 10	6. 75 8. 39 8. 56 7. 13 5. 63	6. 02 9. 01 8. 02 6. 30 5. 41		5. 74 8. 41 7. 31 5. 89 5. 77	5. 71 8. 26 7. 26 5. 92 6. 14	5. 62 8. 04 7. 20 6. 17 6. 50	7.80 7.30 6.18	7.45 6.28	7. 00 8. 23 7. 73 6. 42 6. 22	7.68 7.75 6.47	7. 06 7. 28 7. 94 6. 15 6. 17	8. 1 7. 7 6. 4
899 900901 902903	9.85	6. 48 10. 57 8. 40 8. 96 11. 99	7. 30 10. 18 8. 35 8. 77 9. 94	9.89 7.95 8.45	7. 66 10. 10 8. 45 8. 64 12. 83	7, 78 10, 32 8, 28 8, 95 14, 42	8. 75 9. 52 8. 64 9. 65 14. 87	8. 62 9. 06		9, 65 8, 15 9, 55 11, 46 13, 50	8. 50 9. 38 12. 40	10. 06 8. 47 9. 22 12. 74 10. 92	9.8 8.7 9.9
904	10. 89 10. 31 13. 33 10. 29	11. 02 10. 85 9. 77 12. 57 9. 89	10. 26 10. 35 10. 93 11. 50 9. 26	11. 45 10. 77 11. 03	7. 90 12. 13 10. 71 11. 89 9. 28	11.73	11.04 11.58	8. 03 11. 35 11. 20 11. 01 9. 77	11.72 11.12 10.17	8. 26 11. 87 12. 04 10. 93 11. 31	11.06 13.02 11.63	10.89	11. 11. 11.
909 910 911 912 918	12. 75 16 27 12. 53 12. 04	13. 00 18. 96 11. 31 11. 73 13. 44	13. 99 14. 48 9. 63 11. 12 14. 08	14.77 9.43 12.86	15. 25 15. 07 9. 37 13. 01 13. 04	14. 90 9. 55 13. 07	14. 30 10. 34	14. 51 10. 68 12. 61	14.87 11.57 12.29	15. 80 11. 62 11 98	11.65 12.25	13. 99 12. 57	14. 10. 12.
Average 1909-1913.	13. 15	12.69	12.66	13. 00	13. 15	13. 02	13. 02	13. 21	13. 41	13. 66	13. 59	13. 55	13.
914	9. 41 14. 64 25. 49 38. 88	15. 79 23. 05 85. 09	17. 99 28. 02 82. 42	29. 78 29. 69	18. 29 30. 74 30. 22	8. 28 12. 33 17. 59 82. 26 29. 10 89. 26 16. 63	8. 54 11. 78 15. 90 81. 76 26. 27 88. 77 18. 44	11. 90 18. 46 33. 74 27. 74 41. 20	12.05 20.38 31.85	9. 81 12. 94 20. 74 27. 57 80. 58 41. 25 12. 84	12. 97 25. 33 80. 89 32. 96	9. 22 13. 05 26. 30 31. 54 35. 83 41. 20 12. 41	11. 0 19. 2 29. 6 81. 6
Average 1914–1920.				22. 45	22. 00	22. 21	20. 92	21. 97	22. 54	22 25	23. 23	24. 15	
921 922 923 924	21.86	21. 35 29. 06	19. 63 22. 73 80. 06 24. 51	34. 78	35. 92	17. 94 27. 55 84. 19	28, 63	18. 32 30. 55 28. 39	28, 88	20. 75 27. 20 31. 54	28, 52	26, 26	26.2

Division of Statistical and Historical Research. Prior to September, 1900, compiled from the New York Commercial and Financial Chronicle; September, 1900, to date compiled from Market Reports of the New York Cotton Exchange, average of daily closing quotations.

Table 316.—Cotton: Average closing price per pound for future delivery, New York, 1901-1924

Year and		Prices	for del	ivery (iuring	_	Year and		Prices	for del	ivery d	luring-	<u>:</u>
month	Jan.	Mar.	May	July	Oct.	Dec.	month	Jan.	Mar.	Мау	July	Oct.	Dec.
1901 January February March April May June July August September October November	7. 34 7. 26 7. 05 7. 89 7. 53 7. 70 7. 53 8. 08	7. 35 7. 62 7. 56 7. 72 7. 84 7. 80		7.47		7.43 7.25 7.08 7.29 7.56 7.50	January February March April May June July August September October November	Cents 7 94 8, 10 7, 99 7, 82 7, 76 8, 56 8, 56 8, 42 8, 42	8. 04 8. 47 8. 87 7. 84 7. 76 7. 82 8. 89 6. 44 8. 10	8.41 8.75 9.19 9.21 7.91 8.41	8. 15 8. 40 8. 79 9. 10 9. 03 8. 66 8. 62	7. 64 7. 88 8. 69 8. 19 7. 88 7. 85 7. 92 8. 54	7.98 8.60 7.98 7.81 7.76 7.84 8.54

¹ Cotton Exchange closed on account of the war.
2 Cotton Exchange opened on Nov. 16. Quotations cover only half month.

Table 316.—Cotton: Average closing price per pound for future delivery, New York, 1901-1924—Continued

Year and	Prices for delivery during—						V		Prices	for del	ivery o	luring-	
month	Jan.	Mar.	May	July	Oct.	Dec.	Year and month	Jan.	Mar.	May	July	Oct.	Dec.
1903 January February March April May June July August September October November December	8. 96 9. 75 9. 65 9. 88 9. 70 9. 63 11. 00	9. 46 9. 84 9. 84 9. 63 9. 63 9. 87 9. 70 9. 67 11. 06	8. 77 9. 49 9. 82 10. 29 11. 17 9. 69 9. 71 11. 07	9. 63 9. 89 10. 70 12. 14 12. 49 9. 70 9. 73 11. 07	8. 54 9. 08 10. 04 9. 89	8. 43 8. 42 8. 96 9. 76 9. 67 9. 87 9. 65 11. 01 12. 45	1909 January February March April May June July August September October November December	Cente 9. 33 9. 22 9. 16 9. 85 10. 57 10. 97 12. 18 12. 22 12. 74 13. 75 15. 03	9. 45 9. 87 10. 57 10. 98 12. 19 12. 24 12. 81	9. 41 10. 17 10. 98 11. 10	9. 33 10. 13 10. 75 11. 00 12. 12 13. 15 13. 80 14. 86	12, 17 12, 22 12, 71	Cents 9. 01 9. 24 9. 18 9. 98 10. 62 11. 01 12. 20 12. 27 13. 74 14. 42 14. 88
January February March April May June July September October November December	11. 62 11. 05 9. 72 9. 59 9. 98 10. 48 9. 97 9. 68	9. 63 10. 08 10. 56 10. 06 9. 80	14. 39 15. 28 14. 06 13. 12 10. 13 10. 60 10. 11 9. 91	16. 34 14. 30 13. 27 11. 10 10. 49	11. 79 12. 31 11. 76 11. 15 9. 74 9. 60 10. 00 10. 39 9. 78	9. 69 9. 56 9. 96	January February March April May June July August September October November December	12. 67 12. 35 12. 59 12. 23 12. 83 13. 49	14. 69	14, 82	14. 60 14. 50 15.03 15. 06 15. 76 13. 59 13. 28 14. 57 14. 78	12, 45 18, 04 13, 62 13, 21	12. 26 12. 87 13. 52 13. 19 14. 36 14. 57
1905 January February March April May June July September October November December	8. 83 10. 86 10. 86 10. 62 10. 18 11. 11	8. 89 10. 97 10. 94 10. 72 10. 34 11. 32	7. 38 7. 61 7. 48 7. 81 9. 18 11. 02 10. 99 10. 79 10. 43 11. 42	7. 48 7. 55 7. 41 7. 77 8. 52 10. 63	8.68	7. 63 7. 70 7. 63 7. 97 8. 79 10. 86 10. 80 10. 57 10. 09 10. 96 11. 51	1911 January February March A pril May June July A gust Sep ember October November December	12. 45 12. 77 12. 99 13. 30 12. 30 11. 26 10. 99 9. 28 9. 01 8. 76	14. 07 14. 27 12. 90 13. 06 13. 36 12. 37 11. 35 11. 11 9. 41 9. 11 8. 87	14. 25 14. 42 14. 74 15. 60 13. 41 12. 46 11. 44 11. 22 9. 54 9. 20 8. 98	14. 26 14. 24 14. 72 15. 69 15. 18 13. 75 11. 49 11. 22 9. 61 9. 26	12. 97 12. 61 12. 89 13. 09 13. 32 12. 33	12. 86 12. 50 12. 79 13. 00 13. 31 12. 33 11. 31 11. 03 9. 44 9. 23
1906 January February March April May June July August September October November December	10. 36 10. 52 10. 64 10. 45 10. 41 9. 60 9. 26 10. 67 10. 07	10. 58 10. 58 10. 53 10. 52 9. 71 9. 41 10. 83 10. 24	10. 78 10. 79 11. 15 11. 32 9. 69 9. 52 10. 90	10. 90 10. 85 11. 04 11. 09 10. 45 10. 13	10. 30 10. 30 9. 39	10, 34 10, 32 10, 48 10, 60 10, 41 10, 37 9, 52 9, 18 10, 61 10, 01 9, 55	January February March April May June July August September October November December			200	10. 27 10. 55 11. 29 11. 24 11. 22 12. 06 11. 69 10. 99 12. 19 12. 56	11. 89 11. 46 12. 31 11. 55 11. 26 10. 43 11. 59 11. 79	10. 71 11. 96 12. 53
December	10.66 10.26	9. 53 9. 29 9. 56 10. 31 11. 20 11. 86 12. 08 12. 32 11. 75 10. 71 10. 33 10. 91	9. 65 9. 46 9. 70 9. 68 10. 73 12. 11 12. 40 11. 83 10. 76 10. 39 10. 96	9. 73 10. 80 11. 73 11. 94	9. 70 9. 82 10. 03 9. 97 10. 93 11. 64 11. 86 12. 02 11. 45 10. 67	9. 90 10. 11 10. 05 10. 99 11. 67 11. 91 12. 14 11. 57 10. 84 10. 64 11. 34	January February March April May June July August September October November December	12. 72 11. 52 11. 41 11. 34 11. 00 11. 31 11. 28 11. 23 13. 09 18. 87 13. 10 12. 48	12. 84 12. 29 12. 28 11. 21 11. 09 11. 42 11. 36 11. 32 18. 18 18. 40 13. 17 12. 67	12. 27 12. 12 11. 94 11. 79 11. 48 11. 56 11. 40 11. 36 13. 24 13. 13 12. 63	12. 20 12. 05 11. 86 11. 79 11. 57 11. 94 12. 04 13. 30 13. 04 12. 57	11. 50 11. 52 11. 44 11. 34 11. 03 11. 38 11. 40 11. 38 13. 25 13. 74	11. 44 11. 52 11. 45 11. 37 11. 04 11. 37 11. 34 11. 33 13. 19 13. 59 13. 31 12. 68
1908 January Jebruary March April May June July August Beptember October November Desember	10, 92 8, 99 8, 98 9, 23 9, 09 8, 85 8, 56 8, 61 8, 97 8, 66	9. 21 9. 10 8. 92 9. 21 9. 10 8. 92 8. 59	11. 10 10. 81 10. 19 8. 93 9. 45 8. 64 8. 52 8. 92 8. 78	10. 97 10. 61 10. 05 9. 02 9. 50 10. 18 9. 49 8. 49 8. 86 8. 75	10, 29 10, 02 9, 71 8, 97 9, 04 9, 42 9, 31 9, 09 8, 84 8, 97 8, 65 8, 54	10.00 9.78 8.98 8.99 9.27 9.15 8.67 8.77 9.15 8.99	January February March April May June July August September October November December	1				1	

Table 316.—Cotton: Average closing price per pound for future delivery, New York, 1901-1924—Continued

		Delone	lan dali		uring-		<u> </u>	l .	Delasa	en del			
Year and		PT1088	or den	very a	uring-	-	Year and		rrices	ior der	very	uring-	
month	Jan.	Mar.	Мау	July	Oct.	Dec.	month	Jan.	Mar.	May	July	Oct.	Dec.
January February March April May June July August September November	Cents 8. 04 9. 40 9. 85 10. 83 10. 13 9. 60 9. 82 11. 27 12. 56 11. 83 12. 16	Cents 8. 35 8. 48 8. 61 11. 03 10. 37 9. 85 10. 06 11. 53 12. 79 12. 07 12. 44	Cents 8. 57 8. 73 9. 02 9. 98 9. 34 10. 58 10. 06 10. 29 11. 75 12. 94 12. 23 12. 66	Cents 8, 76 8, 92 9, 28 10, 26 9, 52 9, 43 8, 84 10, 49 11, 86 12, 97 12, 30 12, 78	Cents 8. 98 9. 17 9. 58 10. 61 9. 88 9. 25 9. 41 10. 75 12. 27 12. 01 12. 42	Cents 9. 13 9. 82 9. 77 10. 79 10. 10 10. 07 9. 51 9. 70 11. 12 12. 41 11. 68 12. 11	1920 January February Merch April May June July August September October November December	28, 78 30, 24 33, 73 84, 08 82, 91 31, 00 27, 53 23, 86 20, 28	36. 32 36. 09 39. 78 33. 02 33. 55 32. 40 30. 35 27. 24 23. 29 20. 10	34. 58 83. 71 87. 25 41. 03 40. 81 131. 88 29. 68 26. 91 22. 86 19. 90	31. 55 34. 48 38. 74 38. 16 37. 61 40. 58 126. 68 22. 44 19. 59	30. 23	29, 68 28, 84 30, 78 34, 46 34, 73 33, 55 31, 74 28, 38 24, 84 20, 71 17, 92
January February March May June July August September October November							January February March April May June July August September October November December	16. 71 2 14. 61 3 13 13 2 13. 58 14. 03 13. 22 13. 06 14. 18 19 68 18. 94 17. 45 17. 86	15. 17 13. 11 11. 25 13. 83 14. 33 13. 52 13. 35 14. 38 19. 58 18. 76 17. 41	15, 25 13, 56 11, 89 11, 93 12, 54 13, 80 13, 46 14, 47 19, 41 18, 36 17, 19	15. 43 13. 95 12. 34 12. 49 12. 92 11. 84 12. 16 14. 69 19. 12 17. 90 16. 76	15. 52 14. 35 12. 83 13. 06 13. 57 12. 64 12. 62 13. 77 19. 56 19. 66	1 15. 59 14. 54 13. 06 13. 45 13. 93 13. 12 13. 05 14. 17 19. 79 19. 20 17. 61
January February March April May June July August September October November December	17. 46 15. 97 17. 39 18. 74 19. 89 24. 74 24. 91 23. 97 21. 55 26. 30 27. 72	17. 55 15. 81 17. 98 18. 87 20. 06 24. 92 25. 08 24. 12 21. 71 26. 16	17. 77 15. 92 18. 14 20. 03 20. 10 25. 05 24. 25 21. 83 26. 12 27. 16	17. 77 15. 96 17. 99 19. 73 20. 31 24. 93 26. 20 23. 96 21. 88 26. 06 26. 92	16. 62 15. 55 17. 27 18. 65 19. 78 24. 57 24. 13 21. 88 27. 16	16. 71 15. 68 17. 36 18. 71 19. 86 24. 69 24. 90 23. 98 21. 63	January February March April May June July August September October November December	17. 99 16. 04 16. 46 17. 27 19. 54 21. 17 21. 68 21. 18 22. 52	17. 57 17. 59 18. 14 17. 29 19. 49 21. 04 21. 59 21. 51 21. 26 22. 63 25. 34	17. 21 17. 30 17. 86 17. 90 20. 26 20. 91 21. 40 21. 40 22. 56	16. 76 16. 79 17. 25 17. 45 19. 80 21. 58 22. 19 121. 25 121. 00 22. 36 24. 86	16. 11 16. 22 16. 78 17. 36 19. 72 21. 50 22. 02 21. 60 22. 01	1 15. 86 1 16. 12 16. 61 17. 34 19. 68 21. 33 21. 90 21. 63 21. 83 22. 72 25. 49
January February March April May June July August September October November December	30. 09 28. 31 24. 08 23. 79 24. 14 30. 39 32. 80 30. 03 27. 35	30. 54 32. 51 27. 11 23. 75 24. 09 30. 31 32. 69 29. 76	30. 08 32. 08 30. 32 25. 52 24. 20 24. 09 30. 28 32. 62 29. 61 26. 57	29. 58 31. 55 29. 87 25. 17 26. 32 27. 78 32. 76 32. 56 29. 49	28. 39 30. 45 7 28. 70 7 24. 33 8 24. 33 8 24. 84 8 31. 01 8 33. 55 9 31. 60	28. 15 30. 23 28. 43 24. 20 23. 94 24. 30 30. 50 32. 96 30. 48 28. 10	January February March April May June July August September Outober November December	27, 18 25, 06 26, 42 24, 22 22, 91 23, 66 22, 58 27, 35 28, 61 33, 72 34, 62	27, 48 28, 52 80, 73 24, 06 22, 89 23, 61 23, 65 27, 34 28, 64 33, 92 34, 96	27. 66 28. 74 30. 46 28. 56 28. 56 23. 56 23. 66 27. 22 28. 68 34. 00 35. 16	27. 36 28. 32. 56 29. 56 27. 78 27. 25. 77 27. 25. 77 27. 25. 77 27. 25. 77 27. 26. 46 28. 66 3 26. 77 3 28. 66 3 33. 44 3 34. 32	25. 56 25. 56 26. 24. 97 26. 24. 97 27. 28. 07 28. 07 28. 14 28. 42	25, 28 25, 26 25, 70 24, 51 23, 20 23, 94 22, 83 3, 23, 86 7, 27, 79 3, 29, 12 34, 19 85, 19
1919 January February March Apeil May June July August September October November December	26. 86 19. 22. 60 26. 33. 6 34. 33. 6 34. 33. 8 35. 86 86. 86	24. 65 22. 65 22. 94 22. 38 2 26. 14 7 30. 50 2 34. 22 3 30. 50 3 33. 60 3 34. 60	23. 48 21. 63 23. 76 26. 86 28. 96 30. 33 34. 16 31. 76 30. 57 33. 44 33. 44 32. 76	22. 63 20. 98 22. 82 25. 02 28. 56 31. 66 31. 69 31. 69 32. 63 31. 24	3 20. 71 5 19. 65 2 20. 78 3 23. 27 3 27. 07 5 31. 10 3 4. 47 6 30. 06 3 30. 06 3 30. 06 3 29. 12 4 28. 64	19. 29 19. 42 20. 48 22. 83 26. 58 80. 86 34. 48 31. 79 30. 35 34. 16 37. 06 38. 29	January. February. March. April May. June. July. August Beptember October November	23. 65 1 26. 44 2 24. 47 2 4. 04 2 4. 38 2 4. 81 2 5. 52 2 5. 94 2 3. 59 2 3. 59 2 3. 42	33, 80 31, 56 28, 35 124, 06 124, 95 25, 75 26, 20 23, 32 23, 90 24, 25 23, 81	34. 02 31. 86 28. 32 29. 96 30. 82 24. 96 25. 86 26. 38 24. 11 24. 54	32. 91 30. 76 27. 65 28. 56 28. 76 30. 6. 1 25. 68 2 23. 75 2 4. 40 2 4. 29	28. 13 27. 17 25. 17 24. 91 25. 44 26. 52 26. 52 23. 59 23. 59	27. 68 20. 74 24. 82 24. 86 25. 04 25. 64 25. 64 23. 49 23. 74 23. 12

Division of Statistical and Historical Research. Compiled from Market Reports of the New York Cotton Exchange, average of daily closing quotations.

¹ Based on nominal quotations.

² Quotations largely nominal.

Table 317.—Cotton: Average spot price per pound in specified foreign markets 1912-1924

LIVERPOOL, EGYPTIAN UPPERS, GOOD 1

Year	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Aver- age
1912	Cts. 18. 0 19. 9	Cts. 16. 9 20. 1	Cts. 17. 6 20. 2	Cts. 19. 3 20. 3	Cts. 19. 5 20 2	Cts. 21. 3 19. 7	Cts. 21. 3 19. 0	Cts. 20. 2 18. 8	Cu. 19. 1 20. 0	Cts. 18. 3 20. 2	Cts. 18. 9 20. 0	Cts. 19. 3 19. 5	Cts. 19. 1 19. 8
1914	12. 2 21. 9 89. 7 53. 8	17. 9 12. 8 22. 5 41. 9 51. 5 50. 0 105. 0	17. 8 14. 0 22. 4 44. 5 54. 9 49. 3 108. 7	17. 9 15. 5 21. 6 50. 5 56. 3 48. 8 107. 6	18. 1 14. 5 22. 4 52. 0 54. 0 48. 8 97. 1	16. 2 14. 4 23. 5 55. 4 52. 6 48. 4 81. 3	17. 6 18. 8 28. 7 60. 8 54. 4 46. 4 71. 6	16. 5 14. 1 28. 7 60. 9 55. 8 48. 8 68. 6	16. 1 15. 4 27. 2 52. 0 55. 4 48. 8 53. 4	13. 5 18. 1 31. 2 46. 7 54. 3 53. 4 37. 0	12. 6 17. 9 89. 5 51. 6 51. 7 67. 0 29. 4	12, 2 18, 6 39, 6 54, 4 50, 4 76, 8 23, 4	16. 4 15. 1 26. 6 50. 8 53. 8 52 9 73. 1
Average 1914-1920 .	41.5	43. 1	44. 4	45. 4	43.8	42. 0	41.1	41, 2	38. 3	36. 3	38. 5	39. 3	41. 2
1921 1922 1923 1924	24. 6 28. 8 81. 9 89. 7	20. 8 27. 4 82. 5 89. 0	19. 6 28. 4 33. 9 37. 5	21. 5 26. 8 83. 0 41. 2	18. 8 28. 1 30. 4 43. 9	18. 8 29. 7 31. 9 43. 3	18. 0 29. 4 31. 0 43. 6	18, 6 28, 1 31, 5 45, 6	29. 3 27. 4 33. 4 35. 5	33. 8 27. 8 33. 5 34. 3	28. 3 30. 7 89. 6 35. 4	29. 4 31. 2 41. 5 37. 5	23. 4 28. 6 38. 7 39. 7
	L	IVER	POOL	, NO.	1 00 M	IRAS,	FUL	LY GC)OD 1				
1912 1913	10.8 12.7	10.8 12.8	10. 9 12. 7	11.3 12.5	11.6 12 2	11.7 11 9	12. 3 11. 8	12. 2 11. 6	11. 9 12. 9	11. 6 12. 9	12. 1 12. 8	12 5 12 5	11. 6 12. 4
1914	12.6 16.9 88.2	11. 5 8. 4 12. 4 17. 3 37. 6 32. 6 80. 0	11. 5 8. 5 12. 1 20. 2 38. 2 27. 7 32. 3	11. 5 9. 2 11. 9 21. 0 38. 2 28. 9 31. 8	11. 4 8. 9 13. 0 22. 1 35 2 30. 1 30. 2	11. 0 9. 1 12. 8 31. 2 36. 8 '2. 4 2. 1	10. 6 8. 9 12. 9 33. 4 86. 8 32. 2 26. 1	9. 7 9 1 14. 2 84. 2 37. 8 30. 7 23. 8	9. 1 9 7 15. 0 31. 9 44. 1 29. 0 21. 6	8. 8 10 9 15. 8 36. 9 42. 4 30. 5 18. 5	7. 9 10. 7 17. 6 37. 6 37. 5 32. 1 15. 7	7. 7 11 9 16. 6 37. 2 34. 3 32. 0 12. 0	10. 2 9. 5 13 9 28 3 38 1 31. 1 25 3
A verage 1914–1920	22. 3	21.4	21. 5	26.8	21. 6	23. 9	23, 0	22.8	22. 9	23. 3	22. 7	21. 7	22. 4
1921 1922 1023 1924	15. 3	10. 6 14. 9 22. 2 25. 2	9. 2 15. 4 21. 7 22. 4	9. 4 16. 0 20. 7 24. 0	9. 8 15. 7 19. 4 22. 9	9. 2 18. 9 20. 8 22. 6	9. 3 19. 7 20. 2 22. 0	10. 5 19. 8 19. 6 23. 4	16 0 18 9 21. 8 19. 7	16. 9 18. 8 22. 0 22. 3	15. 3 20 6 25. 9 23. 3	15. 4 20. 5 27. 7 23. 5	12. 0 17. 9 22. 0 23. 1
CONTRACTOR OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF	ALE	KAND	RIA,	EGYI	PT, E	GYPT	IAN	UPPE	RS, G	00D	1		
1912	15. 8 18. 6 17. 4 11. 1 19. 2 35. 1	16. 6 18. 7 17. 0 11. 9 21. 1 37. 3	16. 8 19. 0 16. 4 13. 0 21. 0 39. 6	17. 6 19. 4 17. 0 14. 3 20. 3 48. 7	18. 1 19. 0 16. 8 13. 2 20. 6 49. 3	18. 9 18. 5 16. 7 13. 1 21. 4 51. 7	19. 4 18. 2 16. 3 12. 5 20. 7 60. 1	18. 5 17. 8 (³) 12. 6 20. 6 45. 1	17. 2 18. 5 (3) (4) 23. 3 29. 6	15. 8 18. 6 9. 6 (4) 27. 5 82. 4	17. 0 18. 6 11. 2 16 2 34. 5 35. 6	18. 1 18. 0 10. 5 (3) 35. 4 38. 5	17. 5 18. 6 14. 9 13. 1 23. 8 41. 9
1918 1919 1920 1921 1922 1923 1924	85, 2 19, 9 25, 3	36. 6 (a) 94. 6 15. 1 23. 3 30. 0 37. 9	38. 0 (*) 87. 2 16. 3 22. 9 31. 3 35. 2	38. 3 (³) 94. 0 16. 3 22. 7 30. 4 39. 2	36. 5 (3) 82. 7 15. 3 24. 7 28. 2 41. 8	37. 6 (*) 69. 8 14. 2 26. 7 30. 1 39. 4	40. 5 (1) 61. 2 14. 9 26. 1 29. 4 38. 1	(*) 47. 1 54. 9 14. 9 25. 0 29. 2 35. 8	(3) 42. 6 41. 9 25. 7 23. 8 80. 0 28. 1	(3) 45. 6 82. 5 80. 9 24. 1 80. 4 29. 2	(8) 60, 5 24, 2 26, 0 26, 7 85, 8 31, 2	(3) 71.9 19.5 27.8 27.0 38.4 33.9	62. 3 19. 7 24. 8 30. 1 35. 7

¹London Economist, average of weakly quotations.

²Monthly Agricultural Statistics, Ministry of Finance, Cairo, Egypt.

³No quotations.

Table 317.—Cotton: Average spot price per pound in specified foreign markets, 1918-1924—Continued

LIVERPOOL, AMERICAN MIDDLING

Year	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Aver- age
1912 1918	14. 06	11.90	12. 34 13. 97	13. 09 14. 00	13, 03 13, 58	13. 37 13. 67	14. 46	13. 38	13. 55	12, 59	13. 82	14. 31	Cts. 13, 12 14, 20
1915	14. 34 9. 77	14. 25 10. 06 15. 61 21. 34 45. 88 34. 53	14. 28 10. 46 15. 48 24. 07 47. 19 30. 39	15. 02 11. 37 15. 47 25. 23 46. 52 33. 24	15. 20 10. 42 16. 77 26. 17 42. 28 35. 70	15. 71 10. 47 16. 47 34. 07 43. 89 38. 25 44. 48	14. 74 10. 32 15. 94 37. 65 43. 09 38. 33	13. 23 10. 79 17. 54 38. 21 45. 26 34 06	12, 24 18, 99 35, 96 48, 44	13. 90 20. 69 34. 85 46. 46 38. 06	23, 05 43, 38 43, 97	15. 03 22. 16 44. 25 42. 30 40. 92	13, 14 11, 55 17, 85 32, 24 45, 12 36, 28 35, 94
Average 1914-1920.	27. 04	26. 18	26. 72	27. 29	27. 01	29. 05	28. 84	28. 20	27. 34	26, 99	27. 79	26. 90	27. 45
1922 1923	18. 12 30 64	17. 75 30. 93		18, 89 30, 29	21. 42 28. 43	11, 66 23, 46 31, 53 30, 74	24. 98 29. 28	24. 90 28. 18	23. 98 31. 99	24, 55 31, 96	27. 96 35. 74	28. 26 30. 00	15. 02 22. 79 31. 37 29. 79

Division of Statistical and Historical Research. Conversions at monthly average rates of exchange as quoted by International Institute of Agriculture Annual, 1921, and Federal Reserve Board.

'International Yearbook of Agricultural Statistics, 1921, p. 443. London Economist, 1922 to date. Average of weekly quotations.

TABLE 318.—Cottonseed: Production, 1874-1924

[Thousand short tons-i. e., 000 omitted]

Year beginning August	Produc- tion	Year beginning August	Produc- tion	Year beginning August	Produc- tion
1874	1, 687	1891	4, 274	1908	5, 904
1875	2.057	1892	3, 183	1909	
1876.		1893	3, 579	1910	5, 175
1877		1894	4, 792	1911	6, 997
1878	2, 268	1895	3, 416	1912	6, 104
	2,200	10001	0,	1010	0, 101
1879	2, 616	1896	4,070	1913	6, 305
1880	3, 039	1897	5, 253	1914	7, 186
881	2, 455	1898	5, 472	1915.	4, 992
882	3, 266	1899	4, 668	1916	5, 113
	0,200	1	2,000	1	0,110
1883	2, 639	1900	4, 830	1917	5,040
1884	2, 625	1901.	4, 630	1918	5, 360
885	3,045	1902	5, 092	1919	5, 074
886	3,018	1903	4, 716	1920.	5, 971
, , , , , , , , , , , , , , , , , , , ,	0,010	1	2, 120	1020	0,011
1887	3, 291	1904	6, 427	1921	3, 531
1888	3, 310	1905	5,060	1922	4, 336
889	3, 495	1906	5,913	1923	
1890	4, 093	1907	4, 952	19241	5, 840

Division of Crop and Livestock Estimates. Compiled from reports of Bureau of the Census.

¹ Preliminary estimate by Department of Agriculture.

764

TABLE 319.—Cattonseed: Production, and farm value, by States, 1920-1924

	Prod	uction, 3	ear begi	nning At	ugust	Tota	value,	year begi	nning At	1gust
State	1920	1921	1922	1923	1924 1	1920	1921	1922	1923	1924 1
Virginia. North Carolina South Carolina Georgia Florida	1,000 short tons 9 410 720 628 8	1,000 short tons 7 344 334 349 5	1,000 short tons 12 378 218 317	1,000 short tons 22 452 841 261 6	1,000 short tons 13 340 333 444 10	1,000 dollars 230 10,550 16,620 16,640 220	1,000 dollars 220 11,420 11,510 11,070	1,000 dollars 480 15,600 9,230 12,520 380	1,000 dollars _980 20,100 15,450 12,340 250	1,000 dollars 481 12,042 11,768 15,931
Alabama Mississippi Louisiana Texas Arkansas	294 397 172 1,934 540	257 361 124 978 354	366 439 152 1,433 452	260 268 163 1, 932 278	440 480 213 2, 118 488	7, 840 9, 570 4, 490 41, 350 12, 400	7, 890 10, 830 3, 400 27, 430 9, 990	13, 310 14, 940 4, 760 45, 370 14, 910	11, 980 12, 540 6, 660 75, 640 12, 370	15, 374 16, 536 6, 494 65, 425 16, 148
Tennessee	145 35 594 85	134 31 214 89	174 63 279 41	101 54 291 78	147 65 644 107	3,700 790 11,210 1,380	4, 090 970 5, 300 780	6, 680 2, 310 8, 780 1, 130	4, 780 2, 710 11, 520 2, 670	5, 121 2, 612 20, 460 3, 347
United States.	5, 971	3, 581	4, 336	4, 502	5,840	136, 990	104, 560	150, 400	190,050	192, 107

Division of Crop and Livestock Estimates. Compiled from reports of the Bureau of the Census.

TABLE 320.—Cottonseed, and cottonseed products: Production, 1900-1924

	Cotton-	Crude o	eottonseed ucts	i prod-		Cotton-	Crude	eottonsee ucts	d prod-
Year ended July 31—	seed crushed	Oil	Cake and meal	Hulls	Year ended July 31—	seed crushed	Oil	Cake and meal	Hulls
1900		1,000 gallons 93, 330 96, 610 118, 610 122, 910 121, 880 133, 820 125, 700 153, 760 103, 050 140, 790 201, 650 186, 750	1,000 short tone 884 845 1,125 1,166 1,360 1,272 1,563 1,043 1,492 1,326 1,792 2,151 1,999	1,000 short tons 1,169 1,487 1,541 1,528 1,213 1,135 1,303 927 1,330 1,187 1,375 1,642 1,415	1914 1915 1916 1917 1918 1919 1920 Av. 1914-1920 1921 1922 1923 1924	4, 069	1,000 gallons 193, 330 229, 260 167, 110 187, 688 174, 996 176, 711 161, 529 184, 375 174, 558 124, 063 133, 723	1,000 short tons 2,220 2,648 1,923 2,225 2,088 2,170 1,817 2,163 1,786 1,385 1,487	1,000 short tons 1,400 1,677 1,220 909 996 1,137 1,143 1,220 1,256 937 944

Division of Statistical and Historical Research. Compiled from reports of Bureau of the Census.

 $^{^1}$ Preliminary estimate by Department of Agriculture. Value based on weighted average price Aug. 15 to Nov. 15.

Table 321.—Cottonseed: Farm price per ton, 15th of month, United States, 1910-

Year beginning August	Aug. 15	Sept.	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr.	May 15	June 15	July 15	Weight- ed average
1910	\$20. 45 18. 02 20. 24	18. 09 17. 61	16. 78 18. 04	16. 69 18. 57	16. 70 21. 42	\$26. 35 16. 57 21. 98 22. 70	16. 81 22. 01	18. 21 21. 55		19. 21 21. 88	19. 24 21. 54	19. 04 21. 37	17. 13 18. 77
Av. 1910-1918	19. 57	20. 75	20. 91	20. 77	21. 81	21. 90	21. 95	22 . 21	22. 70	22. 53	21. 94	21.47	
1914		20. 98 41. 13 57. 58 67. 90 62. 13	83. 73 47. 19 65. 02 65. 85 66. 95	34. 01 55. 82 69. 38 64. 97 72. 65	35. 54 56. 35 68. 29 65. 05 69. 07	36. 85 52. 53 67. 51 64. 93 69. 88	36. 75 51. 43	36. 56 53. 18 68. 27 64. 00 67. 18	38. 13 55. 94 68. 08	37. 91 55. 61 68. 16 63. 83 69. 88	85. 79 57. 19 66. 03 63. 80 66. 16	86. 06 56. 90 64. 11 64 24 61. 64	30, 25 48, 11 64, 04 65, 62 67, 87
Av. 1914-1920	43. 27	41.94	46. 14	48. 12	47. 41	47. 11	47. 48	47. 20	47.87	47. 82	46. 69	45. 96	
1921 1922 1923 1924	22. 06 32. 44 37. 47 38. 44	25. 37 40. 88		40. 18 45. 92	42. 93 45. 54	43.35 44.37		46. 32	47.60	46. 58	87. 71 43. 14 39. 96	41.42	32.13

COTTONSEED OIL

Table 322.—Cottonseed oil: International trade, calendar years 1909-1923 [Thousand gallons-i e., 000 omitted]

	,							
Country		rage -1913	19	21	19	22		relimi- ry
	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Exports
PRINCIPAL EXPORTING COUNTRIES								
Brazil	624	1 2 281	1	1, 416 400	4	644 136		178
Egypt Peru	257	476 3 3 21	4	506 557	100	1,343 718	3	3, 380 699
United Kingdom United States	5, 899 629	7, 189 38, 968	5, 432 89	3, 098 83, 673	1, 377	3, 159 10, 040	2, 241	6, 170 6, 614
PRINCIPAL IMPORTING COUNTRIES	1	00,000		35,0.0		20,010		0,022
Algeria	364 1,001	157	133 454	. 9	(⁵) 705	2	639	
Australia 6	142		59		705		689	
Austria-Hungary	39	3 5	61					
Belgium		1,086	563	225	156	. 29	318	1
Czechoelovakia			5, 781		4, 088 47		3, 415 247	,
Denmark France	1 944 3, 289	335	1,774 1,214	26 104	1, 107 625	14 39	501 938	54
Germany	6, 918		7, 170	-	783		1, 253	
Greece	4, 600	1	253 3, 936	1	104 71	4	26 2	(5)
Mexico	8, 607 5, 352	7 341 52	917 10, 897	2, 153	549 1,681	261	3, 128	775
Norway			1, 509	208	1, 175	155	628	
Sweden	696 1 525	4 3	315 339	67	126	5		
Other countries	3, 565	81	1, 456	102	632		45	
Total	45, 023	48, 950	42, 358	42, 545	13, 326	16, 549	13, 887	17, 951

Division of Statistical and Historical Research. Official sources except where otherwise noted.

One year only.
 International Institute of Agriculture.
 Four-year average.

Three-year average.
Less than 500 gallons.
Year beginning July 1. ⁷ Two-year average.

766

Table 323.—Cottonseed oil, prime summer yellow: Average spot price per pound (barrels), New York, 1890-1924

Year beginning August	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aver-
1890	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents 4.80		Cents	Cents 5.48	Centa 5.50	Cente
1891	5. 26	5. 12	4. 67	3. 90		8. 91	8.90	3. 82	4.17	4, 23	4. 28	4, 29	4. 29
1892	4. 17			4. 43		6.66			6. 16		5.85	5. 67	5. 73
1893	5.60 4.39			5. 03 3. 96		4.74 8.68			4. 89 8. 58	4. 87 8. 65	4.38 3.60	-4, 42 3, 58	4. 72 3. 85
						i							-
1895	3. 67	3. 55		3. 88		3.78			8.52	3. 32		3. 20	3. 56
1896	3. 07 3. 47	3. 15 3. 57	3. 55 8. 17	3. 56 2. 87	8. 12 2. 91	3.08 3.02				3. 18 3. 38	3. 12 3. 33		3. 20 3. 16
1898	3, 12		2.97	2.95					3. 52	3.38	3. 42		8. 22
1899	3, 51	8. 52		8.73					8.04	5,00		4, 90	4.44
1900	4. 58 5. 32	4. 81 5. 47	4.80 5.48	4.40		4.09 5.68		4, 23 5, 58	4.73 5.65	4. 59 6. 11	5. 04 6. 00	5. 10 5. 84	4. 54 5. 55
1901	5.64									5.71	5. 64	5.71	5. 40
1903	5. 54	5. 49	5. 26	4. 55		4. 84			4.32		3.88		4. 66
1904	3.78	3.88		3. 58	3. 81	3. 12	3. 52	3. 43	3.46	3. 68	3. 80	3.83	3. 60
1905	4 03	3. 62	3, 47	3, 83	3. 97	4.41	4, 20	4, 80	4.92	5, 18	4. 95	5 08	4. 35
1906	5 00											7. 49	6. 16
1907	7. 34	7. 37	6.46	4, 65	5. 02		5. 53	5. 34	5. 70	6.09	6, 33		6.00
1908	5. 14	5. 27	5 10	5. 13	5 15	5 53	5. 53	5. 45	5. 57	5. 73	5. 71	5, 55	5. 40
1909	5, 46	5. 94	6 00	6. 84	7. 32	7. 30	7. 14	7. 48	7. 76	7, 99	7. 96	8, 51	7. 19
1910	10 84	10. 12	8.11	7 29	7, 24	7. 32		6, 60	6. 19		6. 43		
1911	5 85	6.96		5. 73	5. 37	5 39		5. 69	6. 46	7 18	6 86		6 14
1912	6. 47	6. 38	6 22 7, 00	6. 01 7 05	6.30	6. 25 6. 98			6. 96 7. 51	7. 01 7. 18	7. 70 7. 30		6. 77 7. 34
1913	8 88	7 67	7.00	7 00	6. 86	0. 98	7 12	1. 30	7. 81	7. 18	7. 80	7. 18	7. 34
Average 1909-1913	7. 50	7 41	6, 78	6 58	6. 62	6 65	6. 64	6 72	6. 98	7. 18	7. 25	7. 47	6. 98
1914.	6. 67	5. 87	5. 22	5. 55	5.83	6. 56			6. 61	6. 40	6. 18	6.06	6. 23
1915			7. 71	7. 93	8.38					10, 91	10.91	10.04	8.98
1916	9 27	10 17	11.75	12 53	12.88			13. 62	15. 30	16. 23	16. 26	14. 52	13. 07
1917	14.84	16. 44	17. 99	18. 59	18. 65	20. 39	20. 33	19.84	19. 75	20.00	20. 25	20. 25	18. 91
1918	20. 25	20 25	20, 25	20. 25	2 0. 25	20, 25	20. 25	20. 25		21, 25	25. 03		21, 41
1919	25 88						19 67	19.07	18 54	19. 21	16 70		20, 23
1920	12. 32	13. 48	11.43	10. 14	8.91	8 59	7. 34	6. 26	6. 24	7. 22	7. 46	8. 57	9.00
A verage 1914-1920	13. 57	13 41	13. 91	13, 96	13. 70	14 09	13. 82	13. 75	14.06	14. 46	14. 68	14. 29	13, 98
1921	8. 69	9, 88	8, 69	8. 30	8. 28	8. 62	9, 86	11.48	11, 57	11, 71	11. 33	10. 97	9. 95
1922	9.96	8. 54	8.88	9. 51	9. 81	10.77	10.90	11.78	11, 76	11, 60	11.48	10. 35	
1923	10 34		12.01			11.00	10.03	9. 77	10.09	9.82	10. 42	11.98	10.81
1924	13.83	10, 54	11.00	10.86	11.41		i		l				

Division of Statistical and Historical Research. January, 1891-December, 1908, compiled from Oil, Paint and Drug Reporter, Nov. 7, 1910, p. 40, average price per gallon divided by 7.5 to convert to pound basis; January, 1909-December, 1921, from annual reports of the New York Produce Exchange; 1922 and subsequently, compiled from Oil, Paint and Drug Reporter, average of daily ranges.

COTTONSEED MEAL

Table 324.—Cottonseed meal, 36 per cent protein: Price per ton, Memphis, 1910-1924

Year beginning Augus: —	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aver-
1910 1911 1912 1913	26. 50 26. 75	\$25. 75 25. 75 25. 63 27. 00	24. 63 24. 38	24. 63 24. 63	24. 63 25. 50	24. 38	25. 13 25. 13	26.00 25.13	27. 25 26. 75	28.00 28.00	27. 25 28. 75	26. 75 30. 63	25. 91 26. 42
1914	28. 00 25. 63 28. 25 45. 50 46. 50 76. 25 55. 00	27. 13 30. 75 43. 00 46. 50 63. 00	30. 50 35. 25 45. 50 46. 50 66. 50	32. 00 39. 25 49. 75 54. 00 70. 25	34. 00 39. 00 46. 50 54. 00 59. 25	24. 75 32. 25 37. 50 46 50 54. 00 71. 00 28. 33	29. 00 36. 25 46. 50 54. 00 65. 00	28. 38 36. 25 46. 50 54. 00 66. 75	28. 88 38. 50 46. 50 54. 00 64. 81	46. 50 54. 00 65. 13	27. 25 42. 25 46 50 59. 13 63. 63	27. 25 44. 50 46. 50 69. 75 59. 40	29. 17 37. 27 46. 31 53. 87 66. 66
Av. 1914-1920	43. 59	40. 77	40 93	43. 11	42 04	42. 05	40. 64	40, 42	40. 38	41. 11	41. 97	43. 79	41.73
1921 1922 1923 1924	36. 44 34. 00 39. 00 39. 90	32.60 40 20	37.60 40.75		42. 10 40. 60	41.90 39.10	41.25		39. 10	38, 25	36.00	35. 40	38.38

Division of Statistical and Historical Research. 1910-1918, compiled from Cotton Oil Press; 1919-1924, compiled from reports of Hay, Feed, and Seed Division.

Table 325.—Cottonseed meal, 36 per cent protein, bagged: Average price per ton at 16 markets, 1924

Market	Jan.	Feb.	Mar.	Apr	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Atlanta Baltimore Boston Buffalo	46, 30	43 60 44. 90	43. 60 43. 40	44. 30 43. 30	44 50 43.60	45. 50 44. 10	46. 70	47.00 48.20	45. 00 45. 10	44. 90 45. 90	36. 30 44. 10 45. 30 42. 75	44. 10 44. 00
Chicago Cincinnati Kansas City ¹ Los Angeles ²	45. 20 45. 10	42, 50 42, 50 44, 60	41. 80 40. 30 43. 25	41. 75 89. 00 43. 25	41. 40 39. 90 42. 80	42. 10 89. 90 44. 70	44, 25 43, 20 48, 90	45. 70 43. 75 48. 20	42. 40 42. 25 46. 10	42.00 41.90 46.70	41. 70 40. 90 45. 50 42. 00	41. 49 40. 70 45. 60
Memphis	50 75	48. 10	43. 50 45. 70	45. 25	45. 00	44. 75 46. 25	45. 25 48. 10	45. 80 49. 00	43. 90 49. 25	43. 00 48. 90	36, 30 42 20 48, 10 44, 70	43. 10 49. 00
Pittsburgh St. Louis San Francisco ¹ Savannah	43. 60 51. 00	40. 10	39. 75 48. 80	38. 75 48. 75	38. 80 49. 00	41. 40 50 00	43. 40 51. 00	43. 75 51. 25	41. 75 51. 25	40. 50 50. 25	50.00	38. 75 50. 70

Division of Statistical and Historical Research. Compiled from reports of the Hay, Feed, and Seed Division.

¹ Forty-three per cent protein.

Forty-one cent protein.

Table 326.—Cottonseed meal: Price per ton paid by farmers, United States, 1910-1924

Year	Jan. 15	Feb. 15	Mar. 15	Apr.	May 15	June 15	July 15	Aug. 15	Sept.	Oct. 15	Nov. 15	Dec 15
1910	\$32, 33	\$33. 77	\$33. 17	\$32. 70	\$32, 69	\$32, 18	\$32.38	\$32.64	\$32, 36	\$31.84	\$31. 37	\$31. 58
	31, 83	31. 42	81. 32	31. 09	\$1, 08	30, 92	31.17	80.92	81, 01	30.73	30. 12	30. 50
	30, 42	30. 87	81. 22	31. 80	32, 28	31, 84	31.82	31.53	80, 60	30.28	29. 37	30. 16
	30, 97	31. 16	31. 08	80. 89	31, 23	31, 53	31.56	81.78	32, 32	31.94	31. 97	32. 36
	32, 49	32. 59	82. 65	82. 75	82, 98	32, 68	82.62	32.84	80, 73	29.44	28. 36	29. 04
1915	29. 55	30. 88	31, 32	31. 43	31. 54	31. 39	81. 86	31. 07	30. 79	33. 77	34. 96	86, 45
	37. 03	37. 08	36, 46	36. 02	35. 72	35. 60	84. 93	85. 05	36. 17	37. 80	41. 52	42, 96
	42. 95	43 33	43, 67	44. 73	45. 62	45. 17	46. 45	49. 25	50. 00	50. 98	58. 52	55, 52
	55. 93	56. 25	56, 59	56. 41	56. 21	56. 18	55. 69	55. 60	57. 40	59. 22	59. 93	60, 64
	62, 81	62. 61	62, 88	63. 29	63. 40	63. 06	64. 77	71. 72	74. 08	72. 58	76. 16	78, 57
1920	79. 39	79, 79	79. 70	78. 87	78. 74	78, 52	77. 63	78. 84	68. 22	61, 81	50. 96	47. 97
1921	42. 92	41, 93	40. 17	37. 41	36. 75	87, 84	38. 24	40. 74	41. 97	43, 54	43. 67	44. 28
1922	45. 08	45, 26	47. 90	49. 44	50. 47	50, 42	51. 06	48. 87	45. 48	46, 10	50. 54	52. 70
1923	52. 79	53 91	53. 37	52. 79	52. 35	51, 89	50. 36	49. 64	49. 47	51, 08	51. 49	51. 75
1924	52. 33	51, 73	50. 26	49. 84	49. 09	47, 99	48. 08	49. 78	48. 98	48, 39	47. 86	48. 49

Division of Crop and Livestock Estimates. As reported monthly by country dealers.

HAY

Table 327.—Hay, tame: Acreage, production, value, exports, etc., United States, 1909-1924

		Aver-	Pro-	Ayer- age farm	Far	Value	ti.	eago p mothy carlo	y per	ton	Domes- tic ex- ports,	Im- ports, fiscal
Year	Acre- age	yield per	duc- tion	price per	value Dec. 1	per acre 1	Dec b	em- er	Follo Ma		fiscal year begin-	year begin- ning
		acre		ton Dec. 1			Low	High	LOW	High	ning July i	July 1
1909	51, 015	Short tons 1.46 1.36	69, 378	12. 14	1,000 dollars 786, 722 842, 252	15. 41 16. 51	16.00 16.00	19.00	12, 50 18, 50	16.00 23.50	61, 608 61, 850	377, 168
1911 1912 1913	48, 240 49, 530 48, 954	1.47	54, 916 72, 691 64, 116	14. 29 11. 79 12. 43	784, 926 856, 695 797, 077	16, 27 17, 30 16, 28	13.00	18 00	14, 00	16. 50	68,006	782, 884 175, 082 191, 280
Av. 1909–1913.	49,756	1. 35	67,097	12. 12	813, 534	16.35	15. 9 0	18. 80	16. 80	20. 30	62, 906	326, 972
1914 1915 1916 1917 1918 1919 1929	49, 145 51, 108 55, 721 55, 203 55, 755 56, 886 58, 101	1. 43 1. 68 1. 64 1. 51 1. 37 1. 52 1. 51	85, 920 91, 192 83, 308 76, 660	17. 09 20. 13 20. 08	913, 644 1, 022, 930 1, 423, 766 1, 543, 494 1, 734, 085	17. 88 18. 36 25. 79 27. 68 30. 48	14, 50 15, 00 26, 00 29, 00 28, 00	16. 00 16. 50 17. 50 28. 00 31. 00 32. 00	17.50 19.00 20.00 34.00 85.00	20, 00 22, 00 26, 00 37, 00 50, 00	199, 736 95, 792 33, 762 32, 366 67, 142	48, 366 65, 125 460, 027 310, 742 251, 946
Av. 1914-1920_	54, 560	1. 52	83, 052	15. 44	1, 282, 460	23. 51	21, 93	24. 71	23. 29	27. 93	86, 059	183, 571
1921	58, 769 61, 159 59, 868 61, 454		95, 748 89, 250	14. 13	1, 202, 063	19.65 21.07	20. 00 25. 00	24. 00 22. 00 27. 00 24. 00	21. 00 25. 00	23.00	53,096	35, 430

Division of Crop and Livestock Estimates; figures in italics are census returns.

¹ Based on farm price Dec. 1.

² Preliminary.

Table 328.—Hay, wild: Acreage, production, and farm value, United States, 1909-1924

Year	Acre-	Yield per acre	Produc- tion	Farm price per ton	Farm value	Year	Acre- age	Yield per acre	Produc- tion	Farm price per ton	Farm value
1909 1910 1911 1912 1913 1914 1916	1,000 acres 117, 186 17, 187 17, 187 17, 427 16, 341 16, 752 16, 796 16, 635	Short tons 1.07 .77 .71 1.04 .92 1.11 1.27 1.19	1,000 short tons 18, 383 13, 151 12, 155 18, 043 15, 063 18, 615 21, 343 19, 800	7. 49 6. 80 7. 90	1,000 dolls. 	1917 1918 1919 1920 1921 1922 1923 1924	1,000 acres 16, 212 15, 365 17, 150 15, 787 15, 632 15, 871 15, 556 14, 931	Short tons 0.93 .94 1.07 1.11 .98 1.02 1.12 .97	1,000 shor: tons 15, 131 14, 479 18, 401 17, 460 15, 391 16, 131 17, 361 14, 480	Dolls. 13. 49 15. 23 16. 50 11. 35 6. 63 7. 14 7. 88 7. 86	1,000 dolls. 204, 086 220, 487 303, 639 198, 115 101, 991 115, 176 136, 734 113, 859

Table 329.—Hay, wild: Acreage, production, and total farm value, by States, 1923 and 1924

State	Acr	98.g e	Prod	uction	basis	value, Dec. 1 ice	State	Acı	eage	Prod	uction	basis	value, Dec. 1
	1923	1924 1	1923	1924 1	1923	19241		1923	1924 1	1923	1924,1	1923	19241
Me N. H Vt Mass R. I	1,000 acres 16 12 13 12	1,000 acres 16 12 13 12	1,000 short tons 18 11 13 12 1	1,000 short tons 15 11 13 12	1,000 dollars 198 126 150 192 18	1,000 dollars 144 121 143 180 16	N. Dak S. Dak Nebr Kans Ky	1,000 acres 2, 222 3, 491 2, 296 892 23	3.316	1,000 short tons 2, 222 4, 189 2, 526 1, 053 23	2, 153 2, 487	1,000 dollars 11,999 24,296 20,208 7,792 276	1,000 dollars 12,487 15,171 15,211 7,341 848
Conn N. Y N. J Pa Del	9 67 22 25 2	9 67 22 24 2	11 79 26 29 3	10 86 29 32 4	199 924 390 450 32	160 886 371 384 50	Tenn Ala Miss La Tex	55 25 43 18 207	50 22 40 18 215	60 20 52 22 22 228	50 15 24 18 215	816 276 614 264 2,850	700 232 350 265 3, 118
Md Va W. Va N. C S. C	14 11 100 6	15 12 101 6	5 14 11 100 5	6 19 16 101 4	80 210 154 1,550 80	80 274 206 1,616 69	Okla Ark Mont Wyo Colo	520 126 653 315 373	525 126 653 815 340	510 152 594 331 392	473 94 588 284 340	5, 610 1, 900 4, 752 2, 979 4, 116	4, 588 1, 194 5, 292 2, 698 3, 296
Ga Fla Ohio Ind	16 6 2 24 61	16 5 26 62	14 5 2 28 70	10 4 26 84	207 93 27 280 833	150 70 185 924	N. Mex Ariz Utah Nev Idaho	40 12 117 181 132	38 4 99 136 121	32 15 178 197 158	30 2 134 136 139	448 243 1, 246 1, 970 1, 232	406 24 1, 273 1, 768 1, 320
Mich Wis Minn Iowa Mo	52 368 2, 041 401 125	54 298 1, 922 361 129	62 478 2, 347 481 138	68 387 2, 249 455 157	533 4,780 21,123 4,954 1,228	585 3, 251 17, 992 3, 958 1, 334	Wash Oreg Calif U. S	27 226 152 15, 556	24 . 210 114 14, 931	43 249 152 17, 361	24 158 84 14, 480	400 2, 116 1, 520 136, 734	317 1,880 1,428 113 859

¹ Census acreage.

Preliminary.

¹ Preliminary.

Yearbook of the Department of Agriculture, 1924

Table 330.—Hay, tame: Acreage, production, and total farm value, by States, 1921-1924

~ 4.4.		Acr	eage			Produ	ıction		Tota	l value, b	asis Dec.	l, price
State	1921	1922	1923	1924 1	1921	1922	1923	1924 1	1921	1922	1923	19241
Maine	1,000 acres 1,245 450 900 423 45	1,000 acres 1,233 450 909 400 45	1,000 acres 1,245 441 918 434 45	1,000 acres 1,245 442 946 434 45	1,000 short tons 1,004 434 926 532 58	1,000 short tons 1,545 553 1,260 568 58	1,000 short tons 1,594 538 1,285 595	1,000 short tons 1,432 516 1,420 586	1,000 dellare 20,080 12,152 20,372 14,364 1,566	1, 000 dollars 20, 240 10, 784 22, 050 13, 064 1, 537	1,000 dollars 21,519 10,222 21,202 15,470 1,501	1,000 dollars 18,616 9,546 22,862 14,064 1,488
Connecticut New York New Jersey Pennsylvania Delaware	320 4, 895 300 3, 025 73	320 4, 870 303 2, 920 77	312	320 4, 944 321 2, 949 93	410 4, 967 400 3, 633 89	6, 823 489 4, 589	421 6, 688 328 3, 066 95	584	10, 660 89, 406 7, 200 61, 761 1, 558	11, 258 96, 204 8, 851 65, 623 2, 204	10, 104 108, 346 8, 823 65, 919 1, 995	10, 400 104, 994 11, 096 75, 968 2, 635
Maryland Virginia West Virginia North Carolina South Carolina	390 930 725 690 396	406 1, 040 768 800 455	753	425 983 768 738 422	498 913 880 821 327	1,031 962	895 955	1,370 1,171	7, 520 16, 160 15, 400 16, 256 6, 540	12, 173 21, 024 17, 321 17, 508 7, 875	9, 558 20, 380 17, 810 19, 100 6, 264	12, 136 24, 386 20, 610 15, 288 3, 828
Georgia Florida Ohio Indiana Illinois	693 110 3, 213 2, 360 3, 172	728 126 3, 374 2, 700 3, 645	3, 250 2, 094	2, 290	2, 563	5, 072 3, 695	2, 597	3, 424	9, 764 2, 223 46, 954 33, 319 50, 544	10, 387 1, 646 54, 778 41, 384 66, 050	9, 582 2, 380 65, 347 40, 513 63, 122	8, 645 2, 280 67, 610 42, 800 74, 398
Michigan Wisconsin Minnesota Iowa Missouri	2, 873 3, 064 1, 949 3, 171 3, 200	3, 074 3, 155 1, 988 3, 351 3, 520	3, 187 2, 016 3, 139	3, 203 2, 056 3, 202	4,694	5, 348 3, 134 4, 925	2, 522 4, 779	6, 072 3, 501 5, 709	37, 518 63, 633 26, 118 43, 654 37, 730	45, 016 65, 780 33, 534 49, 250 44, 574	56, 826 67, 888 28, 499 63, 250 48, 576	60, 621 80, 758 40, 262 65, 083 57, 840
North Dakota South Dakota Nebraska Kansas. Kentucky	961 970 1, 565 1, 552 1, 051	1, 028 1, 000 1, 553 1, 630 1, 177	1, 584	1, 059 1, 604 1, 593	1, 308 1, 552 3, 390 2, 761 1, 154	3, 028 3, 028 3, 510	1, 847 3, 824 3, 592	8, 262	10, 072 9, 933 23, 730 22, 088 17, 887	12, 142 13, 568 33, 914 32, 643 23, 476	9, 092 14, 960 39, 005 38, 075 26, 197	12, 456 14, 952 35, 683 36, 534 26, 928
Tennessee	836	1, 382 760 458 214 671	471	471	1, 541 763 486 268 895	557 285	590 308	590 405 157	23, 886 11, 903 7, 047 3, 752 8, 860	30, 225 12, 308 8, 076 3, 790 12, 064	9, 140	34, 600 11, 210 7, 088 2, 795 14, 179
Oklahoma Arkansas Montana Wyoming Colorado	690	715	576 1, 150 730	736		734 1,973 1,356	1,409	2, 260 1, 338	12, 087 9, 600 16, 260 9, 292 17, 774	20, 100 9, 982 17, 757 11, 526 25, 458	11. 632 19, 242 13, 526	18, 913 9, 955 22, 600 13, 063 28, 424
New Mexico Arizona Utah Nevada	191 150 490 177	503 179	162 523 180		478	543 1, 385 505	480	394	5, 524 6, 032 7, 670 4, 302	11, 357 5, 959	,	4, 759 10, 041 17, 964 5, 598
Idaho Washington Oregon California	995 2, 129	1, 029 987 965 2, 108	1, 005 984 2, 066	1, 079 987 2, 067	2, 087 4, 955	1, 959 1, 929 5, 217	2, 365 2, 207 5, 265	1, 864 1, 441 4, 828		78, 255	28, 380 24, 277 73, 710	
United States	58, 769	61, 159	59, 868	61, 4 54	82, 458	95, 748	89, 250	97, 970	998, 069	1, 202, 063	1, 261, 486	1, 353, 786

Division of Crop and Livestock Estimates.

770

¹ Preliminary.

TABLE 331.—Hay, tame: Yield in short tons per acre, by States, 1909-1924

State	1909	1910	1911	1912	1918	Av. 1909- 1913	1914	1915	1916	1917	1918	1919	1920	Av. 1914– 1920	1921	1922	1923	1924
Maine	T. 0. 95 . 97 1. 25 1. 15 1. 10	T 1. 25 1. 20 1. 35 1. 28 1. 18	T. 1. 10 1. 05 1. 30 1. 08 1. 00	T. 1. 16 1. 25 1. 50 1. 25 1. 13	T. 1.00 1.00 1.28 1.21 1.17	1.34 1.19 1.12	T. 1. 15 1. 15 1. 20 1. 32 1. 17	1. 35 1. 50	1. 70 1. 56	1. 62 1. 50	1. 30 1. 20	1. 50 1. 40	1. 35 1. 35	1.43 1.40	T. 0. 81 . 96 1. 03 1. 26 1. 29	1. 23 1. 39 1. 32	1. 22 1. 40 1. 37	T. 1. 15 1. 17 1. 50 1. 35 1. 38
Connecticut New York New Jersey Pennsylvania Delaware	1. 15 1. 05 1. 25 1. 20 1. 40	1. 35 1. 32 1. 50 1. 38 1. 43	1. 10 1. 02 1. 05 1. 00 . 88	1. 15 1. 25 1. 44 1. 43 1. 33	1. 14 1. 14 1. 30 1. 32 1. 30	1. 18 1. 16 1. 31 1. 27 1. 27	1. 25 1. 20 1. 85 1. 28 1. 10	1. 30 1. 45 1. 40	1. 62 1. 60 1. 60	1. 46 1. 45 1. 41	1. 25 1. 50 1. 41	1. 40 1. 50 1. 35	1. 25 1. 65 1. 40	1. 35	1. 28 1. 01 1. 33 1. 20 1. 22	1.40	1.86	1. 82
MarylandVirginia West Virginia Worth Carolina South Carolina	1. 20 1. 30 1. 25 1. 38 1. 23	1. 35 1. 19 1. 20 1. 50 1. 25	. 72 . 64 . 66 1. 05 1. 08	1. 51 1. 20 1. 38 1. 30 1. 15	1. 26 1. 27 1. 25 1. 31 1. 16	1. 21 1. 12 1. 15 1. 31 1. 17	1. 15 . 72 . 92 1. 15 1. 15	1. 35 1. 50 1. 85	1. 35 1. 54 1. 30	1. 16 1. 27 1. 13	1. 35 1. 30 1. 20	1. 20 1. 20 1. 02	1. 30 1. 25 1. 05	1. 20 1. 28 1. 24	1. 28 . 98 1. 21 1. 19 . 83	1. 26 1. 34 1. 20	1.00 1.19 1.22	1. 74 1. 39 1. 52 . 99 . 41
Georgia	1. 35 1. 38 1. 43 1. 40 1. 45	1. 40 1. 33 1. 39 1. 30 1. 33	1.35 1.30 .98 .94 .82	1. 35 1. 25 1. 36 1. 37 1. 30	1. 40 1. 35 1. 30 1. 00 . 98	1. 87 1. 32 1. 29 1. 20 1. 18	1. 35 1. 35 1. 13 1. 00 . 85	1. 44 1. 50	1. 57	1. 42	1. 40 1. 45	1, 35 1, 22	1. 35 1. 29	1.38	1.09	1. 50	1. 20 1. 24 1. 30	1. 50
Michigan	1. 30 1. 53 1. 75 1. 64 1. 35	1. 30 1. 00 1. 00 1. 06 1. 30	1. 16 1. 20 1. 00 . 80 . 60	1. 83 1. 60 1. 53 1. 40 1. 30	1. 05 1. 63 1. 50 1. 48 . 60	1. 23 1. 39 1. 36 1. 27 1. 03	1. 28 1. 75 1. 89 1. 38 . 70	1.75	1.70 1.85	1.70	1. 40 1. 40	1.77 1.90	1. 70 1. 70	1.68	1. 50	1. 70 1. 58 1. 47	1. 26 1. 33 1. 25 1. 52 1. 22	1. 90 1. 70
North Dakota South Dakota Nebraska Kansas Kentucky.							1. 45 1. 70 1. 69 1. 51	1. 50	1. 70 1. 90	. 88 1. 50	1. 10 1. 60	1. 00 1. 75	1. 25 1. 75	1. 27	1. 36 1. 60 2. 17 1. 78 1. 10	1. 81 1. 95 2. 15	1.76 2.41 2.20	1. 66 1. 56 2. 82 2. 06 1. 45
Tennessee							1. 20 1. 31 1. 45 1. 90 1. 75	1, 47 1, 45 1, 40	1. 88 1. 10 1. 40	1. 20 . 80 1. 45	1. 35 . 81 1. 20	1. 16 . 90 1. 35	1. 28 . 86 1. 44	1. 29 1. 03 1. 88	1. 16 . 91 1. 14 1. 29 1. 40	. 95 1. 22	1. 15 . 80 1. 25	1. 22 . 72 . 86 . 72
Oklahoma Arkansas Montana Wyoming Colorado	. 90 1. 25 1. 79 2. 40 2. 50	1. 05 1. 35 1. 40 2. 40 2. 00	. 80 1. 15 2. 00 2. 10 2. 00	1. 25 1. 23 1. 90 1. 90 2. 19	. 85 1. 20 1. 80 1. 90 2. 05	.97 1.24 1.78 2.14 2.15	1. 13 1. 05 2. 50 2. 30 2. 40	2. 30 1. 60 2. 00 2. 20	1, 70 1, 25 1, 70	1. 60 1. 47 1. 40	1. 20 1. 80 1. 60	1. 82 1. 12 1. 00	1. 60 1. 16 1. 80 2. 00	1.62 1.28 1.71	1. 62 1. 26 1. 79 1. 80 2. 16	1. 67 1. 25 1. 89 1. 90	1. 71 1. 26 1. 88 1. 93	1. 45 1. 08 1. 71 1. 81 2. 07
New Mexico Arizona Utah Nevada	2. 60 3. 30 2. 90 2. 35	2. 10 2. 10 3. 00 3. 40	2. 60 3. 86 2. 50 3. 40	2. 33 3. 40 2. 78 3. 00	2.08 4.00 2.33 2.75	2. 34 3. 33 2. 70 2. 98	2. 50 3. 20 2. 75 3. 25	2 20	2 00	1 90	2 20	2 40	2 40	2 22	2. 29 3. 09 2. 53 2. 70	1.80 3.29 2.75	2, 09 8, 56 2, 69	2. 18 3. 83 2. 78 2. 19
Idaho Washington Oregon Oalifornia	2. 85 2. 10 2. 05	3. 00 2. 10 2. 10	8. 10 2. 40 2. 10	2.80 2.20 2.20	2.90 2.30 2.10	2.93 2.23 2.11 1.66	2, 65 2, 20 2, 00	2. 30 2. 20	2.40 2.30	2, 2 0 1, 95	1. 80 1. 80	2. 40 1. 72	2.00 2.25	2.69 2.19 2.03 1.90	2.83 2.22 2.10	2, 52 1, 98 2, 00	2.50 2.35 2.24	2. 02 1. 73 1. 46 2. 33

†72 Yearbook of the Department of Agriculture, 1924

TABLE 332 .- Hay, wild: Yield in short tons per acre, by States, 1910-1924

State	1910	1911	1912	1913	Av. 1910- 1913	1914	1915	1916	1917	1918	1919	1920	AV. 1914– 1920	1921	1922	1923	1924
Me N. H Vt Mass R. I	1. 0 5	0. 90 . 85 1. 05	0. 96 1. 05 1. 25	Tons 0. 80 . 80 1. 03 1. 01 . 97	Tons 0. 93 . 94 1. 11 1. 00 . 92	1. 05 1. 00 1. 07 1. 10	0. 95 . 80 1. 05 1. 05	Tons 1. 08 1. 05 1. 35 1. 05 1. 00	1.00	0.90 .90 1.00	1. 00 1. 00 1. 10 1. 10	1. 00 . 95	1,00 .96 1.08	. 80 1 00	1. 10 1. 00 1. 10	Tons 1. 10 . 94 1. 00 1. 00 . 95	Tons 0.96 .95 1.00 1.00
Conn N. Y N. J Pa Del	1. 00 1. 05 1. 30 1. 20 1. 25	.90	1. 30 1. 25	1. 15 1. 20	1. 00 1. 16 1. 12	1. 50	1 00	1 45	1.25	1.00 1.00 1.30 .95 1.14	1 28	1. 19 1. 35 1. 24	1. 21 1. 34 1. 21	1.00 1.23 1.20	1. 18 1. 40 1. 20	1. 20 1. 18 1. 20 1. 15 1. 36	1. 07 1. 28 1. 30 1. 35 1. 75
Md Va W. Va N. C 6. C	1. 25 1. 05 1. 10 1. 20 1. 20	. 60 . 60 1. 00	1. 10 1. 20 1. 10	1. 15 1. 15 1. 15	. 98 1. 01 1. 11	. 87 . 95 1. 10	1, 10 1, 10 1, 40	1. 25 1. 05 1. 20 1. 07 1. 25	1. 14 1. 10 1. 20 1. 01 1. 25	1. 17 1. 05 1. 20 1. 00 1. 05	1. 88 1. 12 1. 14 1. 00 1. 10	1. 25 1. 20 1. 20	1. 11	.75 1.10 1.00	1. 12 1. 00 1. 20 1. 00 1. 00	L. 15 1. 00 1. 00 1. 00 1. 85	1.40 1.25 1.30 1.00
Ga Fla Ohio Ind Ill		1, 15 . 90 . 90	1. 10 1 30	1. 35 1 20 1. 20 1. 00 1. 85	1. 16 1. 16 1. 11	1 05 1, 10	1. 15 1. 42 1. 20	1. 25 1. 00 1. 50 1. 40 1. 20	1. 9 0 1. 30 1. 2 0	. 91 1. 10 1. 50 1. 20 1. 80	. 95 1. 05 1. 30 1. 20 1. 15	. 95 1. 28 1. 20	1. 34 1. 21	1. 00 . 90 1. 40 1. 07 1. 20	. 92 . 90 1. 50 1. 14 1. 25	. 90 . 85 1. 15 1. 15 1. 15	. 60 . 80 1. 00 1. 35
Mich Wis Minn Iowa Mo	1. 10 . 90 . 70 . 80 1. 00	1. 00 . 70 . 60	1. 10	.85 1.30 1.10 1.10 .60	1.11	1. 33 1. 44 1. 20	1. 35 1. 35 1. 35	1. 47 1. 52 1. 30	1. 37	1, 55 1, 15 1, 20	1. 36 1. 46 1. 26	1.40 1.27	1. 22 1. 39 1. 37 1. 25 1. 02	1, 20 1, 28 1, 16	1. 30 1. 30 1. 22 1. 14 . 95	1. 20 1. 30 1. 15 1. 20 1. 10	1. 25 1. 30 1. 17 1. 26 1. 22
N. Dak B. Dak Nebr Kans Ky	. 50 . 60 . 75 . 90 1. 05	. 40 . 65 . 60	1. 00 1. 00 1. 00 1. 05 1. 05	. 90 . 80 . 90 . 70 . 80	.70	1. 10 1. 07 . 96	1. 40 1. 20 1. 40	1. 20 1 25 1. '0 1. 1.' 1. 15	.85	. 60	1. 02 1. 15	1. 02 . 97		.80 .84 1.09		1. 00 1. 20 1. 10 1. 18 1. 00	. 95 . 75 1. 00 1. 13 1. 20
Tenn Ala Miss La Tex	1. 15 1. 20 1. 20 1. 35 . 90	1. 20 1. 30 1. 00	1. 10 1. 25	1. 05 1. 15 1. 15 1. 20 . 90	1. 16 1. 22 1. 20	1. 38 1. 20 1. 55	1. 20 1. 10 1. 40	1. 20 1. 25 1. 40	1. 05 1. 22	1. 00 1. 20 1. 00	1. 00 1. 80 1. 50	1. 30 1. 30	1.34	. 90 1. 00 1. 30	. 80 1. 10 1. 40	1. 10 . 80 1. 20 1. 20 1. 10	1.00 .70 .60 1.00 1.00
Okla Ark Mont Wyo Colo	. 80 1. 05 . 80 1. 00 . 90	1. 10 . 95	. 90 1. 00 1. 00 . 90 1. 16	.70 1.00 .95 .90 .95	.96	1.00	1, 25 1, 20 1, 10 , 95 1, 12	1.00 1.00 .90 .95	.70 1.12 .75 1.00 1.02	. 56 . 90 . 75 1. 10 . 94	1. 20 . 35 . 92	1. 15 . 95 1. 00	1.08 .82 .99	1. 00 1. 05 . 80 . 80 1. 00	.90 1.00 .90 .95	. 98 1. 21 . 91 1. 05 1. 05	. 90 . 75 . 90 . 90 1. 00
N. Mex Ariz Utah Nev	1.60		1. 60 1. 80	1. 10	1	1. 50	1. 60 1. 30	1. 00	1. 50	1, 10 , 50	. 84	1.00	1.09	1. 11		. 80 1. 25 1. 52 1. 09	. 80 . 50 1. 35 1. 00
Idaho Wash Oreg Calif		1. 40 1. 20 1. 10	1. 25 1. 25 1. 00	1.00	1. 05	1. 30 1. 22 1. 20	1. 20 1. 30 1. 10	1. 40 1. 10 1. 00	1. 40 1. 40 1. 10 1. 15	1. 83 1. 00 . 95	1, 20 1, 18 1, 04	1. 15 1. 20 1. 04	1. 28 1. 16 1. 07	1, 50 1, 50 1, 10 1, 10	1. 14 1. 00 1. 10	1, 20 1, 58 1, 10 1, 00	1. 15 1. 00 . 75 . 74
U. S	. 77	. 71	1. 04	. 92	.86	1. 11	1. 27	1. 19	. 93	.94	1. 07	1.11	1.09	. 98	1. 02	1. 12	. 97

Table 333.—Hay, alfalfa: Acreage, yield per acre, and production, by States, 1920-1924

State	7	Chous	ands	of acr	68	Y	ield p	er acr tons)	e (sho	rt	Pro		on (tho ort ton		ol
	1920	1921	1922	1923	1924 1	1920	1921	1922	1923	1924	1920	1921	1922	1923	1924
lew Hampshire.					1					8. 00					8
ermont	1	1	1 1	1	1	2.60 2.80		3. 00 3. 10		2.85	3	8	3	2	3
onnecticut	1	i	i	î	i	2. 60			2. 40	3.00 2.86	3 8	3	8 4	4 2	3
lew York	132	145		163	172				2.40	2.60	330	362	426	391	447
lew Jersey	15	15	17	19	- 24	2, 70	2 62	2. 85	2. 19	2. 75	40	39	48	42	66
ennsylvania	30	32			36			2.70	2. 85	2 35	74	82	94	85	88
elaware	2	2	2		2	3.00	2. 70	2, 90	2. 50	2. 70	8	5	6	5	8
faryland	12	11			20		2, 60	2. 75	2, 25	2. 45	34	29	44	34	49
irginia	24	23	29		36				2. 10	2. 20	57	41	67	74	79
Vest Virginia	5	5	6	6	6	2. 30	2, 40	2. 45	2, 30	2 50	12	12	15	14	18
orth Carolina	3	3	4	4	5	2.40	2. 10	2.40	2 30		7	6	10	- 9	14
outh Carolina	3	3		8	3			2. 20		1.80		7	7	6	
leorgia	3	4				2.00		2.40	2. 10	1 80	6	9		8	1 7
hio	89	90	118	120	124	2.50	2.50	2. 50	2. 60	2. 50	222	225	295	312	310
ndiana	70	80		105	95	2 50	2. 10	2. 34	2.40			168		252	
linois	100	107	124	136	177	2. 70	2. 59	2.70	2. 90	2 85	270	277		394	
lichigan	95	143			448			2. 35	2. 10	2. 35				710	
Visconsin Innesota	106 59	131 77	92 88	155 123	265 268	2.70 2 90		2. 67 2. 61	2.30 2.34			348 200		356	
											1/1	200	230	288	724
owa	180 168	187 164	192 170	230 185	276 200			2. 67 2. 40	3. 00 2. 35	3. 05 2. 50		544 336	513 408	690 435	
orth Dakota	56	56		80				2.50	2, 30				162	168	500 240
outh Dakota	459	508		590					2. 10			965		1, 239	
ebraska									2. 60					3, 024	2, 906
ansas	1. 231	1, 065	919	885	884	2. 20	1. 80	2. 45	2, 51	2. 42	2, 708	1, 917	2, 252	2, 221	2, 139
entucky	51	53	58	58	54			2. 30	2, 20	2, 20	102	95	133	128	119
ennessee	19	20	25	27	28		2 25		2, 25		42	45	58	61	62
labama	10	10		25	23	1.87	1.70	1. 50	1.50	1.50	19	17	30	38	34
fississippi	28	24	24	22	18	2, 30	2. 50	2. 30	2. 41	1. 25	64	60	55	53	22
ouisiana	8	12		21	13			2. 75	2. 33	1. 25	23	34	50	49	16
exas	56	57	60		60		2. 50	2.40	2.60	1.85	146	142	144	164	111
klahoma	355	348	362	366	384			1.95	1.90	1.80	746	731	706	695	691
rkansas	77	83		75	71	2. 45	2. 20	2. 10	2. 25	1.68	189	183	164	169	119
fontana	424	466	486	536	614	2. 15	2. 25	2. 20	2. 15	2. 01	912	1, 048	1,069	1, 152	1, 234
yoming	437	459		500	495	2. 30		2. 15	2. 10	2.00	1,005	918		1,050	990
olorado	845	818	818	783	803	2 80	2. 50	2 15	2. 25	2. 30	2,366	2,045	1, 759	1, 762	1,847
lew Mexico	127	132	107	104	87	2 70		2. 40	2. 60	2 70		343	257	270	235
rizona	94	121			135				4.00	4. 30		424	496	540	580
tah	380	412	431	458	473	2. 80	2. 70	2. 92	2. 81	2. 90	1,064	1, 112	1, 259	1, 287	1,372
evada	110	120		124	126	2. 80		3. 39	3. 23	2. 60	308	384	410	401	328
daho	665	652		657	611	3. 30		3 10	3.00			2, 217	2,009	1,971	1,528
Vashington	230	280		235	223				8. 60			805	790	846	669
regon	217 920	220 941	240 952	246 981	246 1, 001	3. 50 3. 70		3. 40 3. 80	3. 50 3. 80	2. 50 3. 75	760 3, 404	770 3,482	816 3,618	861 3.728	615 3, 754
															
United States.	y. 131	y, 228	y. 368	y. 816	10. 458	2.71	2. 57	2. 61	2.65	2. 52	24. 758	23, 705	24, 434	25. 990 l	26, 38

Division of Crop and Livestock Estimates

¹ Preliminary.

774 Yearbook of the Department of Agriculture, 1924

Table 334.—Hay, clover: Acreage, yield per acre, and production, by States, 1920-1924

State	-	Phou	ands	of aer	P6	Y	iel d p	er acre tons)		rt	P	roduct of	ion (th short to	ousano	is
State	1920	1921	1922	1923	1924 1	1920	1921	1922	1923	1924	1920	1921	1922	1923	1924
Maine	31 11 20 12	31 10 18 11	14	38 14 26 14	38 14 27 14 1	1.60 1.60 1.70	1.80 1.80 1.50	1.60 1.60 1.70	1.70 1.78 1.80	1.60 1.70 1.96	43 18 82 20 2	13 23	22 40 24	65 24 46 25 2	57 22 46 27 2
Connecticut New York New Jersey Pennsylvania Delaware	10 477 28 808 18	12 459 29 811 17	14 472 82 300 19	14 481 38 294 18	14 457 85 297 21	1.80 1.60 1.48	1. 02 1. 22 1. 15	1.60 1.50	1.00 1.05	1. 66 1. 86 1. 62	16 620 45 456 26	20 468 35 858 17	755 48	83	26 759 65 481 34
Maryland Virginia West Virginia North Carolina South Carolina	180 63 84	97 180 66 84	79	96 168 74 105 2	96 171 73 104 2	1. 24 1. 40 1. 45	1. 10 1. 00 1. 26 1. 30	1. 20	. 80 1. 30 1. 40	1. 47 1. 60 1. 05	162 223 88 122	107 180 83 109	230 115	86 134 96 147 3	
Georgia Ohio Indiana Illinois Michigan	693	561 799 584	844 710 1, 093	780 426 773 808	760 469 951 800	1. 25 1. 23 1. 18	1. 19 . 93 1. 10	1. 50 1. 43 1. 50	1. 10 1. 10 1. 20	1. 56 1 43 1. 60	5 866 727 945 611	522 879	1, 266 1, 015 1, 640	4 858 469 928 953	671 1, 522
Wisconsin Minnesota Iowa Missouri North Dakota	455 720 511	763 891 749 544 88	789 430 890 704 124	666 866 801 598 116	664 373 912 647 135	1. 45 1. 35	1. 25 1. 60 1. 40 1. 20 1. 45	1. 60 1. 41 1. 35	1. 26 1. 44 1. 30	1. 74 1. 80 1. 45	842	941 626 1, 049 653 55	688 1, 255 950	949 461 1, 153 777 215	649 1, 642 938
South Dakota Nebraska Kansas Kentucky Tennessee	35 60 62 188 319	40 66 84 194 271	60 74 104 204 310	57 100 119 184 298	58 144 175 173 321	1. 70 1. 68 1. 35	1.81	1. 40 1. 43 1. 45 1. 40	1. 70 1. 60 1. 40 1. 20	2. 40 1. 17 1. 45	52 102 104 254 415	110 194	104 149 297	86 170 190 258 358	93 846 206 251 401
Alabama Missisappi Louisiana Oklahoma Arkansas		20 110 41 6	35 99 39 6 60	46 92 34 6 60	42 98 44 6 61	1. 35 1. 50 1. 60	1. 20 1. 50	1. 25 1. 50 1. 40	1. 26 1. 80 1. 65	. 80 . 65	21 142 58 8 77	27 132 62 10 68	58 8	88 115 61 10 85	78 29 8
Montana	42 15 20 2 6	16 16 12 2	45 25 20 2 1	55 27 28 2	82 28 24 2 2	2.00	1.60 1.80 2.00	1.60 1.60 1.80	1.50 1.80 2.00	1.60 1.80 2.00	67 30 40 4 12	22 4	40 32 3	99 40 41 4	127 45 43 4 4
Nevada	8 42 69 91 15	8 43 75 94 15	140	1 82 74 147 15	1 81 74 140 14	2.80 2.15		1.60 2.48 2.20	1, 78 2, 00 2, 55 2, 70 1, 70	1.80 2.00 1.70	84 159 196 26	180	180		1 56 148 238 21
United States.	7, 859	7, 687	9, 079	8, 091	8, 600	1.42	1. 21	1. 50	1. 88	1.60	10, 864	9, 237	18, 608	10, 789	13, 760

Division of Crop and Livestock Estimates.

¹ Preliminary

Table 335.—Hay, clover and timothy (mixed): Acreage, yield per acre, and production, by States, 1920-1924

State		Thous	ands o	f acres			Yiel (sh	d pe ort t	r acro	9	Pro	ductio sh	n (thou	ısands s)	of
State	1920	1921	1922	1923	1924 1	1920	1921	1922	1923	1924	1920	1921	1922	1923	19241
Maine	620 178 547 135 15	172 531 132	604 180 545 144 16	610 174 550 146 16	569	1. 40	1.00	1. 45	1. 40 1. 38 1. 50 1. 58 1. 40	1.61	589 205 766 209 20	534 172 531 178 21	234 790 216	854 240 825 231 22	787 244 916 285 24
Connecticut New York New Jersey Pennsylvania Delaware	2, 286 136	2, 268 123 1, 596	138	142	2, 279 145 1, 544	1. 25 1. 65 1. 40	. 90 1. 30 1. 18	1. 42 1. 60 1. 60	1, 04	1, 52 1, 78 1, 65	2, 858 224 2, 148	160 1, 883	2, 509	148	258
Maryland Virginia West Virginia North Carolina South Carolina	151 239 275 42 3	275 40	147 324 288 38	135 324 292 39	330 286 45	1. 35 1. 30	1. 05 1. 15 1. 35	1. 25 1. 35 1. 40	1. 00 . 85 1. 20 1. 30	1. 60 1. 62	323 358	192 262 316 54 4	405 889 53	275 350	528
Georgia Ohio Indiana Illinois Michigan	893 639 720	941 730 739	964 690 803	920 528 722	928 633 794	1. 35 1. 25 1. 15	1. 28 1. 10 1. 15	1. 55 1. 37 1. 48	1. 00 1. 15 1. 16 1. 21 1. 15	1.60 1.60 1.58	1, 206 799 828	1, 204 803 850	1, 494 945 1, 188	874	1, 013 1. 255
Wisconsin Minnesota Iowa Missouri North Dakota	1, 549 608 1, 306 908 19	642 1, 286 864	738 1, 353	701 1, 240	685 1, 265 1, 048	1. 70 1. 45 1 24	1. 52 1. 42 1. 15	1. 60 1. 45 1. 00	1. 23 1. 50 1. 22	1. 59 1. 70	1, 034 1, 894 1, 126	976	1, 181 1, 962 1, 060	2, 112 862 1, 860 1, 222 22	1,089 2,150
South Dakota Nebraska Kansas Kentucky Tennessee	72 125 54 190 166	96 49 149	96 76 82 220 205	92 84 87 200 200	43 90	1. 65 1. 40	1. 40 1. 80	1. 60 1. 85	1 30 1. 70 1. 57 1. 30 1. 30	1. 80 1. 52	206 76	96 134 64 156 202	122 111 297		77
Alabama Mississippi Louisiana Texas Oklahoma	2 8 8 6 5	3 5	3	3 2 1 6	2 1	1. 40 1. 50 1. 80	1. 20 1. 50 1. 30	1. 60 1. 40	1. 10 1. 47 1. 25 1. 10	. 80	4 11	6	5 6	3 8 1 7	2 1 7
Arkansas Montana Wyoming Colorado.	60 140 28 112		60 150 34 95	55 165 37 122	106	1. 80	1. 70	1. 90	1. 10 2. 00 1. 50 1. 70	1.61	252 48	262 42	285 48	56	171 49
New Mexico Arizona Utah Nevada	2 1 25 14	2 1 29 13	2 1 32 14	25 12	26 12	2. 00 2. 00 1. 70	1. 50 1. 90 1. 90	1. 50 2. 10 1. 95	2.08 1.47	1. 80 1. 50	50 24	55 25	2 67 27	18	47 18
Idaho	75 93 48 52	75 98 50 52	103 94 30 52	95 96 30 52	95 30 51	2. 10 2. 00 1. 50	2. 20 2. 10 1. 70	2.00 2.30 1.40	1. 90 2. 55 2. 30 1. 70	1. 90 1. 70 1. 30	195 96 78	105 88	188 69 73	245 69 88	180 51 66
United States .	15, 632	15, 430	16, 100	15, 596	15, 770	1. 37	1. 17	L 47	1. 30	1. 58	21, 407	18, 028	23, 649	20, 216	24, 89 5

¹ Preliminary.

776 Yearbook of the Department of Agriculture, 1924

Table 336.—Hay, timothy: Acreage, yield per acre, and production, by States, 1920-1924

State		Thous	ands o	f acres		Yie	eld p	er ac tons	re (s)	hort	Produ	iction	(thous tons)	ands o	f short
Diale	1920	1921	1922	1923	1924 1	1920	1921	1922	1923	1924	1920	1921	1922	1923	1924 1
Maine New Hampshire. Vermont Massachusetts Rhode Island	137 59 105 72 8	60 100 71	62 103 71	144 62 104 71 8	62 107 71	1, 35 1, 50 1, 60	1. 15 1. 10 1. 80	1. 40 1. 45 1. 55	1, 32 1, 30 1, 40 1, 50 1, 30	1. 30 1. 36 1. 47	158 115	110 92	87 149 110	81 146 107	174 81 146 104
Connecticut New York New Jersey Pennsylvenia Delaware	1, 300 81 972 11	1, 291 85 972	1, 300 80 925	43 1, 313 77 935 10	1, 285 75 962	1. 20 1. 60 1. 40	1. 00 1. 30 1. 20	1. 37 1. 50 1. 50	1. 40 1. 32 . 85 1. 00 . 85	1. 40 1. 63 1. 55	130 1, 361	1, 291 110 1, 166 12	1, 781 120 1, 388	65 935	1, 799 122 1, 491
Maryland Virginia West Virginia North Carolina Georgia	81 84 234 24 2	27	108 236 26		234 25	1. 30 1. 40	1. 20 1. 30	1. 30 1. 40	. 90 . 75 1. 10 1. 30 1. 00	1. 45 1. 20		276 35	130 307 36	79 252	185 155 339 30 2
Ohio Indiana Illinois Michigan Wisconsin	760	765 1,029	730 1,057 676	744 1,004 686	780 944 640	1. 28 1. 29 1. 20	1.05 1.10 .92	1, 33 1, 33 1, 35	1. 15 1. 20 1. 15 1. 10 1. 05	1.38 1.30 1.30		803 1, 132 603	971 1, 406 913	893	1,076 1,227
Minnesota Iowa Missouri North Dakota	501 792 1, 277 179	1, 216	808 1, 232	760 1, 142	646 1, 142	1. 39 1. 20	1.31 1.10	1.28	1. 02 1. 17 . 95 1. 20	1.38 1.15	1, 101 1, 532	1, 100 1, 338	1,034	584 889 1, 085 167	
South Dakota Nebraska Kansas Kentucky Tennessee	156 231	36 120 219	134 22 101 223 105	129 20 75 219 100	14 84 216	1. 6 ` 1. 27 1. 25	1. 30 34 1. 00	1. 20 1. 19 1. 30	1. 15 1. 40 1. 38 1. 30 1. 05	1. 40 1 26 1. 25	75 198 289		26 120 290	104 285	20 106 270
Alabama Mississippi Louisiana Oklahoma Arkansas	2 2 2 5 27	2 2 2 5 28	2 2 4	2 4 20	 5	1. 50 1. 50 2. 00	1. 20 1. 50 1. 30	1. 25 1. 50 1. 10		1. 00 1. 44 . 80	3 3 10	3 2 3 6 32	2 3 4	<u>5</u>	7
Montans Wyoming Colorade New Mexico Utah	90 32 44 5 13	32 48 5	45 2	87 52 44 2 13	50 44 2	1. 40 2. 00 2. 00	1. 30 1. 50 1. 80	1. 20 1. 60 1. 00		1. 30 1. 80 1. 70	45 88 10	113 42 72 9 23	60 72 2	70 3	65 79
Nevada	5 81 50 32 13	79 53 32	93 50 20	7 106 52 20 15	104 51 20	1, 80 1, 90 1, 80	1.80 2.00 1.90	1. 70 1. 69 1. 60	1. 59 1. 70 2. 10 1. 80 1. 50	1. 15 1. 50 1. 50	146 95	10 142 106 61 20	158	11 180 109 36 22	76
United States.	11, 416	11, 489	11, 409	11, 104	10, 977	1. 33	1. 17	1. 33	1. 15	1, 38	15, 211	13, 486	15, 176	12, 776	15, 125

¹ Preliminary.

Table 337.—Hay, grains cut green: Acreage, yield per acre, and production, by States, 1920–1924

State		Thous	sands	of acr	64	Yield	l per a	ere (s	hort	tons)	Pro		n (tho ort ton	usands s)	of
State	1920	1921	1922	1923	1924 1	1920	1921	1922	1923	1924	1920	1921	1922	1923	19241
Maine New Hampshire	13 10	20 12	16 10	16 10	16 10		1. 45 1. 60	2. 10 1, 30			22 17	29 19	34 13	35 22	27 20
Vermont. Massachusetts Rhode Island	16 15 3	18	16 14	16 14 3	16 14 3	2.00 1.95	1. 90 1. 85	1.80 1.90	2.00 2.00	2, 20 2, 00	32 29 5	34 33 5	29 27 5	82 28	20 85 28 6
Connecticut New York	12 65	15 130	80	12 86	12 89	1.60 2.00 1.60	1, 80	1.50		1.87	19 130	22 234	22 120	24 120	25 166
New Jersey Pennsylvania Delaware	7 11 3				8 19 3	1.60	1.40	1. 30 1. 60 2. 00	1, 50	1.80	11 18 4	12 28 5	6 26 6	8 27 4	17 84 5
Maryland Virginia West Virginia	6 53 30	10 50 35		8 41 39	12 87 41	1. 30 1. 40 1. 30	1. 20 1. 40 1. 25	1.75 1.25 1.40	1.00	1.50	8 74 39	12 70 44	14 62 55	12 41 55	24 56 70
North Carolina South Carolina	56 71	50 60	78 34	80 35	79 30	. 95 1, 00	1. 40 . 85	1. 20 1. 30	1.30 1.20	1. 10 . 55	53 71	70 51	94 44	104 42	84 16
Georgia	60 8 21	5 38	5 50	40	60	1.70	1.40	1 00 1, 50	. 95 1. 40	1.70	86		5 75	6 56	26 5 102
IndianaIllinois	44 37	64	73	62	99	1.40	1. 34	1. 50	1. 53	1.44	52	86	110	95	1
Michigan Wisconsin Minnesota	28 20 28	60 29	36 40	45 80	31 62	1.60 1.60	1.40 1.45	1.30 1.40	1.30	1.61 1 65	40 32 45	108 84 42	47 56	34 58 104	48 50 102
Iowa Missouri	31 128	192	87	31 45	68	1.40	1. 25	. 45	1. 10	1 40	50 179	48 24 0		50 50	95 95
North Dakota South Dakota Nebraska	327 107 27	269 78 27	80 39	84	72 31	1, 20 1, 20 1, 40	1, 20 1, 30	1. 10 1. 10	1. 20 1 25	1. 10 1. 70	392 128 38	823 94 35	391 88 43	320 96 42	399 79 53
Kansas Kentucky	23 90	135	1	30 130	141		1.00	1. 20	1. 10	1 55	41 108	70 135		36 143	48 219
Tennessee Alabama Mississippi	133 59 15	118 17	100 10	118 10	103 10	.90	.90 1.00	1.00 .95	1.02	. 65		130 106 17	100 10	76 88 10	84 67
Louisiana	151	136	109	50	43			1.00	1 90	1. 10	159	18 136	12 109	95 95	47
Oklahoma Arkansas Montana	100 170 313	112 202	82 195	208	80 288	1.00 1.15	1, 10 1, 20	1. 00 1. 40	. 80 1 37	1. 10 1. 40	170 360	242		58 60 285	48 88 403
Wyoming Colorado	98	105	110	107	94	1. 10	1. 20	1. 50 1. 10	1. 20	1.00	108	126	121	128 128	129 94
New Mexico Arizona Utah	13	24 15	22 14	11	17 11	1, 10 1, 20	. 95	1.50	1 50 1.69	1.50 1.75	20 16	14	33 12		16 26 19
Nevada Idaho	154	1	134	1	1		1	1 20	1. 50	1. 20	231	9 253	161	224	202
Washington Oregon California	477 452	491 489	490 410	490 413	578 423	1.60 1.70	1.70 1.60	1. 25 1. 20	1 75 1. 50	1. 25 . 80	763 768	835 782 1, 238	612 492 1, 400	858 620 1, 302	722 338 820
United States.	4, 704	4, 925	4, 560	4, 295	4, 522	1. 31	1. 31	1. 25	1. 37	1. 19	6, 177	6, 475	5, 715	5, 876	5, 877

Division of Crop and Livestock Estimates.

29283°---увк 1924-----50

¹ Preliminary.

778 Yearbook of the Department of Agriculture, 1924

Table 338.—Hay, legumes: Acreage, yield per acre, and production, by States, 1920-1924

State	,	Phous	ands	of ser	es	Yiel	d per	aore (s	short	tons)	Pr		on (tho ort tor		of
DMBVO	1920	1921	1922	1923	19241	1920	1921	1922	1928	1924	1920	1921	1922	1923	1924
Maine New Hampshire Vermont Massachusetts Rhode Island	3 1 1 1 1	2	2 1 1	2 2 1 1	2 1 1	1. 10 1. 40 1. 50	1. 00 1. 30 1. 60	1. 20 1. 50 1. 40	1. 80 1. 80 1. 50	2.00 1.50 2.00 1.62 2.10		2	2 2 1	2 8 1 2 1	4 8 2 2 2
Connecticut New York New Jersey Pennsylvania Delaware	2 5 8 4 8	4	3	1 5 8 4 20	4 5	1. 40 1. 80	. 80 1. 80 1. 80	1. 20 1. 60 1. 90	1. 20 1. 30 1. 50	2. 10 1. 60 2. 12 1. 75 1. 95	7	1 4 4 7 18	8	1 6 4 6 28	8
Maryland Virginia West Virginia North Carolina South Carolina	16 227 12 286 196	18 240 13 844 250	225 15 396	32 243 13 886 339	210 22 386	1. 20	. 70 1. 00 1. 05 . 82	1. 29 1. 60 1. 03 . 85	1. 24 1. 54 1. 02	1. 82 . 82 1. 75 . 84 . 38	24 272 14 272 186	27 168 13 861 205	291 24 408	48 302 20 394 242	73 172 38 325 124
Georgia	434 55 10 35 84		504 50 17 95 160	562 59 50 74 239	62 80		1.00 1.50 1.20	. 68 1, 70 1, 49	1. 50 1. 45	. 55 . 94 1. 55 1. 65 1. 35	891 44 16 49 101	413 53 15 60 120	34 29 142	58 75 107	132
Michigan Wisconsin Minnesota Iowa Missouri	6 8 19 9 63	12 24 19 10 70	25 30 30 7 107	36 35 45 12 165	31 20 15	1. 50 1. 40 1. 60	1.70 1.40 1.80	1, 20 1, 20 1, 40	1. 10 1. 90	1. 60 1. 64 1. 77 2. 00 1. 38	8 12 27 14 72		86 86	23	
North Dakota South Dakota Nebraska Kansas Kentucky	28 24 6 3 45	28 19 5 4 67	28 12 4 6 96	25 12 5 8 96	25 12 5 14 100		1. 9 1. 40 1. 80 1. 00	1. 40 1. 40 1. 40	1. 40 1. 00 1. 50 1. 31 1. 45	1. 67 1. 10 1. 30 1. 75 1. 60	31 31 8 4 50	34 21 7 7 67	17 6 8	85 12 8 10 139	13 6 24
Tennessee	260 458 92 87 60	280 444 128 93 54	313 380 193 105 50	311 404 202 111 56	312 470 226 107 65		1. 20 . 80 . 90 1. 10 1. 20	. 80 . 99 1. 10	1. 19 . 66 1. 10 1. 14 . 84	1. 28 . 65 . 86 . 73 . 74	838 866 101 117 78	336 355 115 102 65	804 191 116	871 266 222 127 47	399 306 195 78 48
OklahomaArkansas Montana Wyoming	24 97 6 2 10	30 108 5 2 10	33 128 4	33 137 5	83 126 7	1. 80 1. 15 1. 20 1. 50 1. 40	1. 10 1. 00 1. 30 1. 50 1. 50	1. 30 1. 09 1. 30		1. 00 . 82 1. 85 1. 50	81 112 7 8 14	33 108 6 3 15	140 5	43 148 7	33 103 9
New Mexico Arizona Utah Nevada	8 1 1 1	8 1 1	8	 	3	1. 30 1. 50 1. 40 1. 80	1. 30 1. 60 1. 75	1. 00	1, 50	1. 20	4 2 1 2	4 2 2 2		4	4
Idaho	1 7 25 26	1 7 25 26	7 48 26	7 49 20	7 49 18		1. 20 1. 60 1. 50 1. 30	2. 17 2. 00 1. 20	2. 25 2. 00 1. 50	1. 40	2 10 40 81	1 11 38 34	15 96 31	16 98 80	13 74 25
United States	2, 7 <i>5</i> 6	3, 048	8, 510	3, 828	4, 067	1. 06	. 99	1. 09	1, 05	. 96	2, 925	8, 020	3, 813	4, 037	3, 895

¹ Preliminary.

Table 339.—Hay, millet, Sudan grass, and other: Acreage, yield per acre, and production, by States, 1920–1924

State	7	l'hous	ands	of acr	28		Yiel (sh	d per ort to	acre ns)		Pro	ductio sh	n, (tho ort ton	usands s)	s of
оими	1920	1921	1922	1923	1924 1	1920	1921	1922	1923	1924	1920	1921	1922	1923	1924
Maine	416	421	430	435	435		0.64	0.95		. 88	329	269	408	448	383
New Hampshire.	191 224	194 230	182	179 220	179 22 5	.98 1.04	. 82	1.07 1.13	. 94	.80 1.21	187 283	159 222	195 247	168 233	143
Vermont	184	188	218 185		187		1 10	1 01	1.06		212	207	187	198	272 187
Massachusetts Rhode Island		17	16	16		1.18		1.00			20	18	16	16	17
Connecticut	169	167	165		166	. 98	1.01	1.05		. 99	166	169	174	183	164
New York	630	597	610	615	657	. 98	. 95	. 89	. 83	. 91	617	567	548	510	598
New Jersey	31	35	28	31	30			1.46	. 90	1.61	40	40	41	28	48
Pennsylvania	80	90	72	72	86	1.22		1.42			98	109	102	82	99
Delaware	6	7	4	5	5	1.33	1.14	1.25	1.50	1.40	8	8	5	8	7
Maryland	25	26	20	19	21		1.19	1.90 1.15	. 90	1.10 1 40	34	31 102	38	17	23 129
Virginia	105 99	105 101	112 105	103 100	92	1 33	1 25	1.10	1 10	1 22	136 132	136	129 126	114 108	
West Virginia	145	142	157	147	94				1.00	1.10	146	186	220	220	129 103
North Carolina	87	80			60		75	1.40			71	60	105	220 55	27
			'	1		1		1	i	1		-			
Georgia	156				133	.80	. 90	97	. 69	. 65	125	133	143	89	
Florida	52			67	74		1.06	. 70			41	55	50	60	
Ohio	26		31			1.50	1.34				39	39	50	48	
ndiana	66			70	70		1.18				88	94	100	88	
Illinois	314	342	335	344	385	1.09	1.17	1.09	1.20	1.10	342	400	365	413	424
Michigan	40 70		83 75	87 87	96						47 85	106 276	102	122	144 83
Wisconsin	186				102	1 21	1.71	1 40	1.30	1.56		270 250	90 162	122 173	161
Minnesota	62									1.79	102	109	113	114	122
lowa Missouri	137					1.45					199	212	182	277	
North Dakota	284	368	360	263	309	1.18	1.38	1.55	1.56	1.75	335	508	558	410	541
South Dakota				90		1.60		1.63	1.62		181	106	122	146	100
Nebraska	182				156	1 70	1 76	1 83	2 30		309	245	320	409	300
Kansas	220	183			316	2. 33	2.36	2.18	2.10		513	432	818	894	602
Kentucky	256				153	1.31	1.23	1.31	1.35		33 5	288	331	328	197
Tennessee	379				330		1 22	1.24	1.00	1.12	478	459	413	323	368
Alabama	218				180			1.14			218	252	251	199	144
Mississippi	150							1.35			184	150	175	187	100
Louisiana	61	42		41	49			1.11			70	45	41	61	30
Texas	283	387	448	554	579	1.51	1.41	1.65	1.58	1.11	426	546	738	877	638
Oklahoma	373							1.55	1 67		578	553	786	782	628
Arkansas	163				150			1.20				180	182	185	
Montana	90			94		1.45	1.38	1.66	1.56			128	136	147	218
Wyoming Colorado	77 127							1.35		1 49		120 117		62 235	
	1	'				1	1	1	i	1		!			_
New Mexico	23						1.52	1.50	1.00	1.20		35 7	21 12	34 10	
Arizona	23							1.69				24		16	
Utah Nevada	30						1.50	1.57	1.33	1.00				40	
ldaho	32	30	20	21	10	1.40	1.60	1.40	1.45	1 20	45	48	28	30	12
Washington	53				51			1.80				81	90	102	56
Oregon.	87			79				1.51				119	116	126	0.
Oregon California	54							1.10				65		69	
			 				-		 	 					
United States.	10 000					1.24				1.21		8, 507	9, 358	9, 566	8,53

¹ Preliminary.

Table 340.—Hay: Percentage reduction from full yield per acre, from stated causes, as reported by crop correspondents, 1909-1923

			Adver	se wea	ther co	ndition	5	•					Other	
Year	Defi- cient mois- ture	Ex- ces- sive mois- ture	Floods	Frost or freeze	Hail	Hot winds	Storms	Total cli- mat- ic 1	Plant dis- ease	In- sect pests	Ani- mal pests	De- feo- tive seed	and	Tota
1909	P. ct. 10. 7 17. 4 27. 7 3. 7 5. 5 11. 5 17. 5 9. 9 7. 2 15. 1 10. 6 12. 7	P. ct. 2. 2 1. 2 4. 9 1. 6 1. 3 . 7 1. 9 1. 4	P. ct. 0. 6 .3 (2) .6 .3 .2 .2 .3 .2	P. ct. 1. 2 1. 2 1. 8 1. 1 2. 9 2. 8 1. 0 1. 3 1. 4 1. 9	P. ct. 0.1 .1 .1 .1 .2 .1 .1 .2 .2	P. ct. 0.3 .5 1.9 .1 .2 .8 .4 .2 .7	P. ct. 0.3 0.1 (1) .3 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1	P. ct. 15. 7 21. 2 31. 9 11. 9 8. 6 16. 8 22. 7 13. 9 10. 7 19. 4 13. 2 17. 8	P. ct. 0.1 .11 .22 (?) .1 .11 .22 .22 .22	P.ct. 0.5 .5 .6 .5 .3 .4 .9 1.00 .9 .8	P. d. 0.1 .2 .1 .1 .1 .1 .2 (1)	P. ct. 0.1 .1 .1 (?) (?) (?) .1 .1 .1 (?) (?)	P. et. 1.1 1.5 1.9 1.2 -6 -9 1.0 -5 -7 -3	P. cf. 17. 6 28. 6 84. 7 13. 9 6 18. 3 24. 9 15. 6 12. 7 21. 7 21. 7 21. 7 21. 7

¹ Includes all other climatic.

Less than 0.05 per cent.

TABLE 341.—Hay: Shipments from eight markets, 1910-1924

Year beginning July	Balti- more	Chicago	Kansas City	Mil- waukee	Minne- apolis	Peoria	Pitts- burgh	St. Louis	Total
1910	Short tons 11, 864 13, 257 8, 313 8, 995	Short tons 18, 011 49, 160 22, 681 39, 184	Short tons 93, 828 58, 896 85, 176 78, 756	Short tons 5, 958 4 445 3, . 59 9, 718	Short tons 31, 350 28, 910 4, 820 5, 500	Short tons 10, 373 17, 222 7, 819 16, 077	Short tons 76, 631 75, 420 65, 800 65, 148	Short tons 112, 435 146, 285 105, 533 139, 376	Short tons 360, 450 893, 595 803, 301 362, 754
1014 1915 1916 1917 1917 1918 1919	9, 681 13, 657 26, 913 20, 221 4, 118	83, 414 55, 791 33, 439 62, 665 52, 802 82, 637 18, 631	67, 608 73, 668 138, 432 222, 912 143, 040 276, 492 153, 648	17, 306 6, 841 5, 765 5, 293 2, 986 5, 270 3, 863	5, 390 4, 156 4, 351 7, 042 4, 147 6, 925 2, 020	19, 788 9, 676 15, 324 10, 621 7, 650 6, 151 7, 100	37, 512 87, 216 55, 032 20, 536 23, 511 26, 267 40, 480	172, 590 90, 415 103, 990 177, 240 119, 625 111, 695 63, 250	412, 504 337, 444 369, 990 533, 222 373, 982 469, 555 288, 992
Av. 1914–1920 1921		9, 700 10, 951 14, 280	50, 748 78, 660 101, 048	6, 761 10, 435 14, 879 6, 121	3, 531 2, 625 3, 584	10, 901 4, 520 3, 460 2, 130	31, 509 7, 323	43, 610 61, 720 54, 452	397, 956 154, 053 179, 618 181, 615
July		716 582 1, 522 358 723 750	5, 324 4, 488 4, 896 4, 476 6, 720 7, 968	708 432 516 382 584 499	90 148 131 326 286 495	70 50 180 160 280 100		8, 315	10, 565 9, 255 11, 490 9, 017 13, 148 13, 262
January February March April May June Total		1, 612 1, 643 640 14, 280	11, 820 14, 268 13, 224 15, 540 6, 924 5, 400	405 418 600 358 634 585	189 869 622 418 237 273	170 530 160 180 190 60		6, 715 6, 065	17, 716 22, 653 24, 845 24, 173 14, 973 10, 518
July August September October November December		518 243 382 1, 142 1, 005 515	5, 268 5, 364 8, 304 13, 596 12, 180 10, 056	380 126 12 192 198	220 251 80 178 120 190	90 50 140 100 140 60		3, 690 3, 230 3, 995	10, 156 9, 264 12, 851 18, 978 19, 122 13, 419
Total, six months.		8, 755	54, 768	818	1,039	570		22, 840	83, 790

Division of Statistical and Historical Research. Compiled from Hay Trade Journal; Chicago Board of Trade, and Daily Trade Bulletin; Kansas City Board of Trade, and Grain Market Review; Minneapolis Daily Market Record; Peorla Board of Trade.

TABLE 342.—Hay, all: Stocks on farms, May 1, United States, 1910-1924

Year	Production of all hay preceding year	Per cent on farms May 1	On farms May 1	Price per ton May 1	Year	Production of all hay preceding year	Per cent on farms May 1	On farms May 1	Price per ton May 1
1910 1911 1912 1913 1914 1915 1916	Short tons 92,767,000 82,529,000 67,071,000 90,734,000 79,179,000 88,686,000 107,263,000 110,992,000	Per cent 11. 6 12. 4 8. 5 14. 9 12. 2 12. 2 13. 5 11. 4	Short tons 10, 745, 000 10, 222, 000 5, 732, 000 13, 523, 000 9, 631, 000 10, 797, 000 14, 452, 000 12, 659, 000	\$11. 08 11. 69 16. 31 10. 42 11. 63 11. 03 11. 27 13. 94	1918 1919 1920 1921 1921 1923 1924	Short tons 98, 439, 000 91, 139, 000 104, 760, 000 105, 315, 000 97, 770, 000 112, 013, 000 106, 611, 000	Per cent 11. 7 9. 4 10. 1 17. 8 11. 2 12. 0 12. 0	Short tons 11, 476, 000 8, 559, 000 10, 618, 000 18, 771, 000 10, 919, 000 13, 392, 000 12, 835, 000	17. 97 22. 31 24. 22 13. 08 12. 98 12. 69 13. 69

TABLE 343.—Hay: Receipts at 12 markets, 1910-1924

Year beginning July	Balti- more	Bos- ton	Chi- cago	Kan- 888 City	Mil- wau- kee	Min- neap- olis	New York	Peo-ria	Philadel- phia	Pitts- burgh	St. Louis	San Fran- cisco	Total
1911 1912	69, 284 58, 939	164, 196 139, 920	351, 630 274, 769	318, 948 343, 392	44, 199 47, 138	63, 570 37, 290	286, 474 296, 866	41, 822 38, 131	tons 86, 851 96, 484 82, 063	115, 608 106, 993	256, 462 222, 998	147, 483 141, 224	Short tons 1, 937, 111 1, 956, 160 1, 789, 723 1, 844, 861
1914	50, 415 50, 874 64, 053 41, 870 32, 650	126, 590 123, 780 97, 150 67, 000 58, 740	273, 181 237, 932 352, 730 287, 031 225, 050	398, 172 359, 316	34, 637 24, 360 23, 131 16, 656 19, 0 53	45, 876 35, 652 39, 126 28, 457 22, 601	294, 395 212, 256 199, 727 221, 580 167, 088	51, 299 48, 870 40, 250 35, 050 33, 306	84, 006 78, 284 61, 618 31, 571 52, 466	106, 710 92, 202 74, 078 72, 721 63, 680	232, 628	146, 560 104, 468 82, 460 72, 440 85, 807	1, 981, 375 1, 843, 969 1, 578, 585 1, 691, 790 1, 473, 879 1, 613, 823 1, 153, 649
Av. 1914- 1920 1921 1922 1923	13, 730 15, 536	91, 234 51, 250 47, 010	264, 403 135, 625 152, 632	<u> </u>	26, 052 19, 038 17, 626	34, 249 23, 467 25, 972	225, 069 98, 904 92, 516	37, 696 10, 970 33, 060		76, 162 61, 769	235, 012 121, 104 138, 312 136, 414	59, 185 60, 017	1, 619, 581 857, 195 930, 807 955, 206
July	2, 834 2, 267	4, 650 1, 930 4, 080 4, 430 8, 150 8, 760	6, 510 11, 724 19, 095 10, 575	23, 958 20, 977 21, 582 21, 401	996 1, 152 1, 692 2, 472	2, 875 2, 520	5, 385 7, 672 9, 306 8, 403	3, 950 4, 890 5, 600 2, 670	2, 532 2, 700 4, 296 6, 252		10, 228 12, 804 11, 504 13, 200		63, 918 75, 217 83, 310 101, 717 89, 513 75, 398
1924 January February Merch April May June	2, 891 2, 099 1, 868 2, 559 2, 299 2, 570	8, 030 2, 980 2, 400 4, 230	12, 717 10, 857 17, 536	30, 091 23, 007 25, 079 17, 930	1,626 1,728 1,025 1,455	2, 799 4, 050 2, 206 1, 638	4,838 6,024 4,482 5,810	1, 630 2, 010 2, 290 2, 360	2, 772 3, 540 4, 548 5, 826	(1) (1) 8,327	12, 876 11, 556 10, 932 14, 188	(1) 7, 086 (1) 3, 002 2, 116 4, 210	87, 871 91, 966 69, 540 69, 880 83, 715 64, 181
Total	26, 830	42, 910	149, 623	257, 774	17, 094	30, 024	84, 682	29, 470	49, 884	60, 918	136, 414	69, 583	955, 206
July	1, 371 930 809 1, 268 1, 264 830	2,750 5,210 3,170	6, 986 12, 275 19, 160 14, 061	23, 705 23, 660 38, 424 24, 936	686 1, 275 874 1, 037	1, 810 1, 541 3, 330 2, 298	4, 487 5, 461 6, 774 4, 603	8, 240 4, 960 4, 000 3, 630	2, 088 2, 856 3, 456 3, 280	3, 987 1, 903 1, 490 5, 643 8, 514 4, 708	13, 932 12, 072 15, 975	3,736 4,664 4,490	72, 989 61, 839 74, 745 104, 815 87, 258 72, 545
Total, six months.	6, 412	20,710	19, 684	147, 574	5, 866	13, 761	36, 525	17, 890	17, 692	26, 245	70, 269	31, 563	474, 191

Division of Statistical and Historical Research. Compiled from Hay Trade Journal; Annual Reports of Sea Francisco Merchante' Exchange; Minneapolis Chamber of Commerce Reports and Dally Market Record; Chicago Board of Trade and Dally Trade Bulletin; Kansas City Grain Market Review.

¹ Not reported.

TABLE 344.—Hay, tame: Farm price per ton December 1, by States, 1909–1924, and value per acre, 1924

Value per acre 1924 1	Dols. 14.96 21.62 33.44 33.15	81288 81888	22228 22228	112818 2222	6.25.05.5 6.25.28 8.25.28	27222 28222	25558 2888
1924	24.00 24.00 24.00	25.00 10.00 17.00 17.00 17.00	31.7.12 22.7.12 23.00 20.00 20.00	925 925 925 925 925 925	121 133 1115 121 120 120 120 120 120 120 120 120 120	28.80 28.80 11.80 18.00 18.00	20.00 17.50 17.50 17.80 16.80
1923	25.50 25.50 25.50 25.50	444444 8888 8888	28888 28888	88 88 14 14 18 88 14 88	441144 8888 8888	8.80 10.20 10.20 17.00	******* ******
1922	25.55 25.55 25.55 26.55 26.55	24 14 16 14 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 19 16 16 16 16 16 16 16 16 16 16 16 16 16 1	88 88 17.88 17.88	17.00 18.50 10.80 11.80 12.80	10 10 10 10 10 10 10 10 10 10 10 10 10 1	7. 55 11. 55 12. 56 14. 58	37.74.11 38.88 38.88
1921	428888 428888	28.08 18.08 17.08 17.50	15.10 17.70 17.50 19.80	33.11.25 33.85 35.85 35.85	84.88 84.88 88 88	7.70 6.40 7.00 8.00 15.50	35344 3838 38388
Av. 1914- 1920	Dob. 15.53 16.23 24.83	27.28.8 24.88.8 24.88.2	82.83.82 71.83.63 72.83.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 73.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.83 74.	19.97 18.27 17.03 16.49 17.07	17.71 15.00 13.78 14.78	9.57 10.74 11.80 18.83	19.53 15.79 15.40 15.40
1920	724488 728888	88233 88233	ង្ ង្គង្គង្គ 82888	25.55.55 25.55.55 25.55 25.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35.55 35 35.55 35 35 35 35 35 35 35 35 35 35 35 35 3	225 225 225 225 25 25 25 25 25 25 25 25	0.000000000000000000000000000000000000	827.54 8288
1919	Dols. 18.70 24.90 20.10 27.90	88838 88288	4444 85888	**************************************	8847.5 48845.5	75.74 25.74 25.88 25.88 26.88 26.88	22224 22288
1918	18.89 16.88 16.88 25.88 25.88 25.88	48848 84858	%%%%% %8% %%	25.25.25 25.25.25 25.25.25 25.25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25	22.24.28 28.58 28.58 28.58	467.68 88846	483444 88388
1917	Dols. 11. 10 12. 80 11. 50 19. 90	87.59 87.75 80 80 80 80 80 80 80 80 80 80 80 80 80	22,12,12,13,13,13,13,13,13,13,13,13,13,13,13,13,	885.88 88558	7.7.22 2.7.23 2.6.53 2.8.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.7.53 3.	20 20 20 20 20 20 20 20 20 20 20 20 20 2	6.55 4.9 88888
1916	Dot. 12: 40: 12: 50: 12: 80: 19: 80: 19: 80: 19: 80:	13.77.11 13.86 15.88 15.88 15.88	4444 4444 4444 4444 4444 4444 4444 4444 4444	88888 88888	01.17.99 99.7.198 888	6.6. 7.7.7. 12.80 8	221110 88888
1915	Dob. 14.88 15.50 22.83 28.83 88.83	858377 8588 8588	数5.4.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5	31 22 23 23 23 23 23 23 23 23 23 23 23 23	24.4% 28.45%	44444 28883	821127. 8888
1914	Dole. 17.35 21.50 20.50	84847; 88388	15.28 17.18 17.19 17.10 17.10	87.844 88434	22.0.0.5. 20.0.0.5. 20.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0	85848 85848	75.57.57.50 88888
Av. 1909- 1913	Dole. 13.90 18.92 13.92 20.72 21.14	824998 88428	88.33.77 88.28.29 22.29	57.53.55 57.53.55 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53 57.53	82.23 8.00 11.98 80.11	6.88 8.88 8.78 8.78 8.78 8.78	712217 282788 88288
1913	Dote. 13.90 17.20 14.50 21.10 21.20	848.44 98.86 98.86 98.86	25.24.28 25.28.25 25.28.25	7.8827 7.1288 14.1088 15.1088	81.1.9.9.4 10.08.03 10.08.03	88258 8858	34521 88838
1912	Dole. 13.70 15.00 14.00 22.50	24235 2888 8888	45.55.88 8.75.88 8.70 8.70	17.88.10 13.88.10 11.40 12.40	21 21 22 20 20 20 20 20 20 20 20 20 20 20 20	8.58 6.87 13.78 13.78	74745 8885
1911	74.14.26 14.26 24.36 24.00 24.00	47:484 88888	4884::: 48888	17. 18. 18. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19	12.17.17.18.18.18.18.18.18.18.18.18.18.18.18.18.	7.89.97. 8.25.88 8.25.88	32121 88883
1910	Dot. 12.80 15.80 19.10	85884 86888	27275 28888	55.21.17 58388	855999 85588	7.7.87.81 83.88 83.88 81.88	######################################
1909	14.70 14.70 18.70 18.80	84444 88888	45544 58868 8688	2455° 88888	1.0.4.7.4 38818	44441 8388	22121 82858
State.	Maine. New Hampshire. Massachusetts. Rhode Jaland	Connecticut New York New York Pennsylvania Delaware.	Maryand Virginia West Virginia North Zerolina Bouth Carolina	Georgia. Frorida. Oblo. Indiana.	Michigan Wisconstin Minseota Own Missouri	North Dakota. South Dakota. Soforska. Mobraka. Kannacky	Tennessee Alabama Missispi Louislami

82.7.7.7.88 17.7.7.7.82 17.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.	32.80 82.43 33.36 11.10	26.82 26.82 50.42	22.08
8469.1 8488 8888	5554 5888	15.30 15.30 21.70	13.82
14.30 16.30 1.30 1.30 1.30	55.8 5.8 5.8 5.8 5.8 5.8 5.8 5.8 5.8 5.8	14.000 14.000 14.000	14.13
24.6.8.1. 8.8.08.8. 8.8.08.88	81 8.11 88 88 88 88	15.50 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00	12.56
84484.4 83538	21.22 26.29 26.00 26.00	6.70 10.50 11.00	12 11
15.2% 15.3% 15.3% 15.3% 15.3%	15.47 18.67 13.96 13.83	13.60 17.50 14.39 15.49	15.43
6,812,121 8,888,88	13.29.17 13.00 13.00 14.00	18 18 18 20 20 20 20 20 20 20 20 20 20 20 20 20	17.76
28888 28888	18.20.20 19.90.90 90.90	25.55 17.59 18.59 18.59	20.08
19.50 19.50 15.50 15.50	20.00 17.10 19.90	25.45 20.00 20.00	20. 13
15.40 18.40 17.00 16.60	22.42.1 15.888	16.90 20.90 17.50 19.20	17.09
12.50	44.4.6. 88.6.9	55.55 5.88 8.88 8.88 8.88 8.88	11. 22
10.30 7.50 7.50 7.50 8.50	8988 8888	7,51 11,9,53 28,83 28,83	10. 63
22.90 8.70 7.50 4.70 4.70	9.99.7.99 8.28.89 8.788	2888 8888	11. 12
10.08 10.08 10.08 10.08	11. 24 12. 16 8. 82 10. 10	7.51 1.52 2.42 2.42 2.42 2.43 2.43 2.43 2.43 2.4	12.25
64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00 64.00	12 11.9 11.90 11.00	7.51 g 51 8888	12.43
7.518.88 6.00 6.00 6.00 6.00 6.00 6.00 6.00	8888 8888	50.30 13.30 13.70	11. 79
8 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	6,27 9,09 9,09 5,09 5,09	12.50 10.90 10.90	14. 29
81144 1246 8088	13.50 19.00 10.80	9.00 12.70 10.00 10.00	12.14
r-0.01 & 0.0 888888	11. 10 12. 80 9. 00 10. 50	9 10 14 00 11, 70 11, 50	10 58
Oktaboma Arkausas Montaeta W yoming Colorado	New Merico Artsona Utah Nevada	idsho Washington Oregon Californis	United States

Division of Crop and Livestock Estimates.

1 Based on farm price Dec. 1.

Table 345.—Hay, all (loose): Farm price per ton, 15th of month, United States, 1909-1924

Year beginning July	July 15	Aug. 15	Sept.	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	Мау 15	June 15	Weight- ed av.
1909	Dols. 10. 12 10. 75 13. 51 13. 18	9. 70 10. 98 13. 73 11. 62	11, 16 18, 58 11, 12	10. 19 11. 16 18. 57 11. 05	Dols. 10. 42 11. 67 13. 95 11. 44	10. 48 11. 92 14. 02 11. 45	10.90 11.74 14.07 10.98	11. 48 11. 68 14. 52 10. 74	11. 57 11. 46 15. 15 10. 52	11, 30 11, 52 15, 98 10, 42	10. 96 12. 04 16. 26 10. 48	10. 80 12. 78 15. 27 10. 51	11, 54 14, 36 11, 17
Av. 1909-1913		11. 35	11. 39	11. 49	11. 89	11. 99	11. 87	12. 02	12.06	12.16	12. 28	12.16	11, 83
1914 1915 1916 1917	11. 02 10. 52 10. 50 13. 43	10. 07 9. 80 13. 08	9. 89 9. 68 13. 54	9. 90 9. 82 14. 50	9. 92 19. 31 15. 85	9. 97 10. 74 17. 32	10. 31 11. 10 18. 48	10. 65 11. 44 19. 01	12. 04 18. 91	11. 06 13. 24 18. 32	11. 37 14. 31 17. 55	11. 28 14. 32 16. 60	10. 40 11. 22 16. 30
1918 1919 1920	16. 00 20. 94 22. 26	20. 34 20. 38		19. 58 18. 20	19. 40 17. 08	20. 00 16. 43	15. 70	22. 04 14. 76	22, 62 13, 94	23, 58 13, 34	24. 54 12. 80	24, 24 12, 56	21, 27 16, 65
Av. 1914-1920 1921 1922 1923.	12. 17 11. 44	11. 72 10. 78	10.68	11. 24 10. 87	11. 19 11. 38	11. 29 11. 82	11. 34 11. 98	11. 58 12. 04	12. 06 12. 18	12. 64 12. 54	12, 82	12. 28 12. 32	11.67
1924	11. 78 13. 4 9							13. 60	13. 63	13. 73 	13. 65	13. 75	12, 98

Division of Crop and Livestock Estimates. Mean of prices reported on 1st of month and 1st of succeeding month.

Table 346.—Hay, alfalfa: Farm price per ton, 15th of month, United States, 1914-1924

Year beginning July	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	Мау 15	June 15	Weight ed av.
1914 1915 1916 1917 1917	\$8. 65 8. 28 9. 87 14. 13 16. 58	8, 28 9, 80 15, 28	10.06 16.33	8, 14 10, 25 17, 59	\$9. 20 8. 72 11. 37 19. 19 20. 42	9. 52 12. 31 20. 39	9, 89 12, 79 21, 27	10. 35 13. 63 21. 38	10. 74 14. 68 20. 82	10. 73 17. 68 18. 97	10. 56 17. 92 17. 84	10. 49 16. 77 16. 74	9. 39 12. 70 18. 42
1910 1920 1921	20. 15 21. 70 9. 85 10. 61	20. 72 20. 43 9. 66	20.89 19.12	20, 56 18, 03 9, 82	21. 63 17. 10 9. 67	22, 95 16, 59 10, 46	24. 13 14. 98 10. 55	24. 41	24. 68 12. 88 11. 80	24. 57 11. 35 12. 39	25. 68 10. 88 12. 28	24. 20 10. 64 10. 98	22. 70 15, 90
1923 1924	12. 45 13. 19		12. 78 13. 59		13, 59 13, 91			14. 08	13. 98	14. 09	14. 12	13. 70	18. 5

TABLE 347.—Hay, clover: Farm price per ton, 15th of month, United States, 1914-

Year beginning July	July 15	Aug. 15	Sept.	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	Weight- ed av.
1914 1915 1916 1917 1918 1919 1920 1921 1922		10. 87 9. 93 12. 76 17. 18 21. 58 22. 82 14. 17	10. 82 10. 01 13. 79 19. 27 21. 74 22. 57	10, 60 10, 08 15, 01 20, 60 21, 17 21, 29 13, 99	10. 59 10. 46 17. 14 21. 13 21. 61 20. 60 13. 83	10. 95 10. 86 18. 67 21. 26 22. 60 19. 96 14. 17	\$13. 07 11. 24 11. 38 19. 82 21. 69 23. 78 19. 17 18. 90 13. 89	11. 41 11. 65 21. 11 21. 11 24. 94 17. 39 14. 10	11. 70 11. 90 21. 37 21. 25 26. 13 16. 44 14. 06	11. 87 13. 06 19. 68 23. 36 26. 93 15. 47 14. 51	12. 52 13. 94 18. 30 25. 33 28. 31 14. 90 14. 90	12. 46 14. 22 16. 54 25. 48 27. 80 14. 52 14. 33	11. 29 11. 33 17. 21 20. 93 23. 69 19. 48
1923 1924	18, 52 15, 45			14. 73 13. 65			15. 51	15. 98	16. 81	16.08	15, 92	15. 95	15, 14

Table 848.—Hey, timothy: Farm price per ton, 15th of month, United States, 1914-1924

Year beginning July	July 15	Aug. 15	Sept.	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar, 15	Apr. 15	May 15	June 15	Weight- ed av- erage
1914		12. 39 11. 74 14. 11 18. 98 23. 80 24. 35 15. 01 13. 61 14. 68	12.32 11.57 14.80	12. 14 11. 54 16. 23 22. 60 23. 04 22. 74 14. 39 13. 70 16. 22	12. 24 12. 08 18. 33 22. 98 22. 90 22. 09 14. 22 13. 93 16. 78	12, 73 12, 29 20, 31 22, 94 28, 71 21, 22 14, 31 13, 91 16, 95	13, 11 12, 61 21, 37 23, 48 24, 50 19, 88 14, 51 14, 41 16, 96	13. 39 12. 91 22. 25 22. 69 25. 49 18. 30 14. 77 14. 46	13. 61 13. 20 22. 53 22. 68 26. 75 17. 04 15. 06 14. 59	14.00 14.26 21.47 24.74 27.99 16.09 15.52 14.64	14. 50 15. 31 20. 40 27. 27 29. 92 15. 44 16. 10 14. 96	18. 55 27. 50 30. 05 15. 16 15. 75 14. 95	13. 09 12. 83 18. 67 22. 66 25. 13 20. 64 14. 82 14. 18

Table 349.—Hay, prairie: Farm price per ton, 15th of month, United States, 1914-1924

Year beginning July	July 15	Aug. 15	Sept.	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb.	Mar. 15	Apr. 15	May 15	June 15	Weight ed av- erage
1914 1915 1916 1917 1918	\$7. 49 7. 37 7. 25 10. 11 12. 51	6. 83 6. 96 10. 82	6. 64 7. 21	6. 44 7. 26 12. 29	7.85	6. 95 8. 14 14. 91	7. 38 8. 58 15. 39	8. 60	7. 39 9. 32 15. 47	7. 56 10. 94 14. 47	7. 71 12. 02 12. 75	7. 97 11. 84 12. 78	7. 13 8. 6 1
1919 1020 1921 1922 1923 1924	16. 10 15. 38 7. 67 7. 68 9. 17 8. 35	13. 74 7. 50 7. 76 8. 97	7. 52 7. 54 8. 58	11.83 6.78 7.74 9.19	11.47 7.49 8.13 9.07	10.80 7.47 8.98 9.26	10. 20 7. 39 9. 44 8. 84	9. 46 7. 67 9. 52	7. 94 9. 61	8. 43 8. 02 9. 74	8. 05 8. 24 10. 64	8. 02 8. 40 10. 07	16. 78 10. 94 7. 62 8. 79 8. 92

Division of Crop and Livestock Estimates.

TABLE 350.—Hay, alfalfa No. 1, Kansas City: Average price per ton, 1910-1924

Year beginning July	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	Aver- age
1910	15. 13 12. 59	\$13.50 14.44 13.00 14.80	14. 87 13. 58	15.00 15.11	15. 27 15. 11	\$14. 23 15. 50 15. 00 16. 01	17. 72 14. 79	18, 37 12, 86	20.49 14.06	22.78 13.75	19.34 13.28	11.62	16. 71 13. 65
1914	12. 38 11. 54 11. 29 21. 18 22. 60 26. 92 27. 21	11.90 13.40 24.00 20.06 27.63	12. 25 13. 58 24. 07 31. 45 24. 86	13.11 15.68 27.43 30.14 30.24	12.83 18.50 31.10 31.21 33.39	32.76 31.01 35.10	14. 54 19. 81 30. 01 32. 85 35. 75	15. 84 20. 25 31. 38 31. 01 34. 89	13. 92 21. 10 27. 56 34. 56 33. 79	24. 11 87. 90 34. 10	14. 45 24. 52 22. 64 36. 20 35. 46	20. 57 36, 43	13. 34 18. 64 26. 49 32. 04 31. 90
Average 1914-1920	19.02	21.20	20.97	21.87	23, 61	34. 19	24. 20	23. 83	23.71	24. 43	24. 17	21.98	
1921 1922 1938 1934	17. 56 15. 50 18. 90 18. 60	15.80 20.90	18.30 22.80	22. 60 24. 90	23. 80 24. 80		23. 40 25. 30		24.60		22. 10 25. 90 24. 50	15. 40 22. 90	

Division of Statistical and Historical Research. Compiled from Kansas City Daily Price Cu and Kansas City Grain Market Review, average of daily range.

TABLE 351.—Hay, prairie No. 1, Kansas City: Average price per ton, 1910-1984

Year beginning July	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	Aver-
1910			11. 50 8. 39	11. 60 8. 96	12.07 8.91	12. 61 9. 39	18.84	13. 66 9. 37	16. 70 9. 19	20. 85 9. 56	20. 48 9. 53	15. 16 9. 97	14.78 9.21
1914 1915 1916 1917 1918 1919 1920	12. 10 11. 32 8. 50 18. 14 19. 26 20. 89 17. 21	8. 65 8. 06 18. 57 25. 25 19. 98	8. 68 9. 36 18. 06 26. 57 19. 32	9. 71 9. 47 19. 60 27. 58 19. 75	9. 54 10. 74 25. 07 26. 84 21. 12	11. 15 25. 47 24. 04 25. 34	8. 84 10. 87 24. 00 28. 25 21. 40	9. 15 10. 92 23. 79 26. 82 20. 68	8. 96 12. 92 23. 42 32. 35	9. 50 18. 68 21. 13 36. 63 21. 70	9. 74 19. 74 19. 17 88. 91 24. 02	8. 65 20. 57 17. 66 87. 34 18. 95	9. 80 12. 56 21. 17 29. 15 21. 15
Average 1914-1920	15. 35	15. 71	16. 00	16. 27	17. 20	17. 21	16. 90	16. 48	17. 66	18. 96	19. 58	18. 23	17. 12
1921 1922 1923 1924	12. 30 12. 90 11. 80 11. 60	10. 70 11. 50	11. 00 13. 80	14. 00 14. 60	14. 20	12.70 14.75	12.60 14.80		14.60		19. 10	18, 60	14, 40

Division of Statistical and Historical Research. Compiled from Kansas City Daily Price Current and Kansas City Grain Market Review, average of daily range.

TABLE 352 .- Hay, timothy No. 1, Chicago: Average price per ton, 1910-1924

Year beginning July	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	A ver-
1910 1911 1912 1913		21. 50 18. 50		20. 50 18. 00			21.75 15.75	20.75 14.25		24. 00 15. 50	26.00 15.25	21. 25 14. 25	21, 92 16, 43
1914	16. 25 19. 25 16. 00 17. 75 21. 50 84. 50 88. 50	20. 25 16. 00 19. 25 26. 50 85 00	21. 00 32. 00 29. 00	17. 00 16. 25 25. 00 31. 00 28. 00	15. 50 16. 25 27. 25 30. 00 29. 50	15. 50 16. 25, 27. 00 30. 00 30. 00	16. 25 15. 50 28. 25 29. 50 32. 50	15. 50 15. 75 29. 00 26. 00 34. 00	16. 75 15. 75 28. 00 30. 50 35. 25	18. 75 18. 00 24. 00 23. 50 43. 00	18. 75 20. 50 23. 00 35. 50 46. 50	18. 00 18. 75 19. 00 33. 00 42. 75	17. 54 16. 71 24. 04 29. 92 35. 08
Average 1914–1920	28. 39	24. 86	23. 68	23. 54	23. 71	23. 25	23. 59	22. 88	23. 83	25. 33	26. 16	24. 50	24, 06
1921 1922 1923 1924	24. 40 24. 50 24. 00 25. 00	22. 00 25. 20	20.90	22. 40	23.00 26.80	21. 10 27. 10	21. 75		23.00	23.00	23, 10	24.00	22. 51

Division of Statistical and Historical Research. Compiled from Chicago Board of Trade and Daily Trade Bulletin, average of daily range.

TABLE 353.—Hay and straw: Average price per ton at Chicago, 1924

Class and grade	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Alfalfa No. 1 Alfalfa No. 2 Clover No. 1, medium mixed Clover No. 2, light mixed Clover No. 2, light mixed Prairle No. 1, midland Prairle No. 1, unland Prairle No. 2, upland Timothy No. 1 Timothy No. 2 Qat straw Wheat straw	21. 00 23. 50 26. 00 28. 10 14. 90 20. 40 27. 40 27. 40 12. 40 13. 40	24. 50 21. 50 23. 40 22. 00 24. 90 22. 10 16. 00 17. 00 26. 25 22. 29 18. 40 15. 00	22. 00 18. 00 20. 20 21. 40 24. 30 20. 90 13. 20 17. 20 26. 20 21. 30 11. 30	22. 00 17. 00 19. 00 21. 90 24. 50 21. 40 13. 75 17. 25 27. 00 23. 50 12. 00 12. 90	21. 20 16. 00 19. 10 21. 20 24. 00 20. 60 18. 80 19. 60 26. 60 28. 00	22.00 17.00 18.75 21.00 24.25 21.00 14.25 15.75 26.40 22.50 12.26 15.00	21. 50 17. 50 18. 25 20. 30 24. 50 21. 00 14. 50 16. 00 26. 50 21. 25	18. 80 16. 20 15. 00 21. 70 24. 80 21. 40 15. 20 16. 40 26. 80 23. 30 12. 00 14. 50	19. 00 16. 25 15. 00 19. 00 22. 50 19. 90 14. 90 15. 10 25. 25 20. 90 11. 00 12. 40	18. 50 15. 40 15. 60 17. 75 21. 10 18. 00 14. 75 17. 00 28. 60 29. 50 11. 25	18. 20 14. 20 17. 10 18. 60 21. 50 18. 70 12. 20 17. 00 15. 20 28. 60 19. 50 9. 30	18.00 14.00 17.40 20.25 21.60 18.25 18.10 17.75 15.25 28.50 19.40 10.25

Division of Statistical and Historical Research. Compiled from reports of the Hay, Feed, and Seed Division, average of weekly range.

TABLE 354.—Hay and straw: Average price per ton at Kansas City, 1924

Class and grade	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Class and grade AMalfa, selected dairy AMalfa, choice Alfalfa No. 1 Alfalfa, standard Alfalfa No. 2 Alfalfa No. 3 Clover No. 1 Clover No. 1 Clover No. 2, mixed Clover No. 2, mixed Olover, light mixed Prairie No. 1, lowland Prairie No. 1, lowland Prairie No. 1, lowland Prairie No. 1, lowland Prairie No. 1, molland	\$28.75	\$29. 00 26. 60 24. 00 20. 75 16. 60 12. 40 19. 00 14. 75 18. 30 14. 60 20. 40 9. 10 7. 40	\$29, 00 26, 60 24, 75 21, 40 16, 50 11, 90 14, 75 17, 60 14, 30 19, 00 9, 00 7, 25	\$29, 90 27, 75 26, 25 22, 80 17, 10 12, 00 14, 75 18, 10 14, 90 19, 80 8, 30 6, 50	\$28. 50 26. 20 24. 40 20. 75 15. 20 19. 00 14. 75 17. 50 18. 80 19. 30 6, 25 4, 25	\$28. 50 21. 50 19. 90 17. 40 13. 60 9. 40 19. 00 14. 75 17. 60 13. 25 19. 00 - 6. 25 4. 25	\$21. 00 18. 40 16. 10 12. 90 9. 20 14. 10 11. 80 14. 76 11. 90 16. 40 4. 25	\$22. 75 21. 70 19. 80 14. 90 11. 40 15. 50 12. 75 14. 40 11. 70 15. 50 4. 25	\$22, 90 21, 10 19, 75 18, 00 15, 75 12, 10 16, 22 12, 75 15, 00 16, 20 6, 50 4, 25	\$24. 20 22. 50 21. 30 19. 60 17. 40 16. 50 13. 50 15. 10 12. 80 16. 40 6. 50 4. 25	\$24. 30 22. 90 21. 10 18. 60 15. 60 12. 75 15. 00 12. 75 16. 50 4. 25	\$26, 40 24, 40 22, 50 20, 10 17, 00 14, 40 15, 90 13, 00 15, 00 12, 75 6, 50 4, 25
Prairie No. 2, midland Prairie No. 2, midland Prairie No. 2, upland Prairie No. 3, upland Timothy No. 1 Timothy No. 2 Timothy No. 3 Packing hay Out straw 1 Wheat straw 1	8. 00 14. 90 13. 40 10. 80 19. 40 17. 75 15. 75 13. 25	8, 40 14, 60 13, 10 10, 40 20, 50 19, 10 17, 25 14, 75 7, 90 9, 40	8. 25 14. 60 12. 80 9. 90 19. 90 18. 60 16. 90 14. 40 7. 75 6. 75	8. 40 14. 50 12. 80 9. 90 20. 25 19. 40 18. 00 14. 70 7. 10 8. 00	4. 25 14. 20 12. 40 8. 80 19. 90 18. 40 16 60 12. 80 5. 20 7. 10	4. 25 13. 10 11. 40 8. 75 19. 75 18. 00 16. 00 12. 25 5. 80 8. 25	4. 25 11. 70 10. 25 8. 00 16. 80 15. 40 13. 75 11. 50 5. 25	4. 25 11. 80 10. 40 8. 00 15. 60 14. 30 12. 80 11. 25 5. 60	4. 25 10. 90 9. 60 7. 30 16. 00 15. 25 13. 75 12. 25 5. 20	4. 25 12. 00 10. 40 7. 80 16. 60 15. 40 12. 50 6. 25	4, 25 12, 00 10, 40 8, 10 16, 50 15, 25 14, 00 12, 50 6, 25	4, 25 12, 10 10, 60 8, 50 16, 50 15, 25 14, 00 12, 50 6, 50

Division of Statistical and Historical Research. Compiled from the Hay Trade Journal, except where noted. Average of weekly range.

Table 355 .- Hay and straw: Average price per ton at St. Louis, 1924

Class and grade	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Alfalfa No. 1	Dals. 29, 90	28, 40	26, 60	30, 00	30, 00	27. 30	80, 00	Dols.	25. 00	28 40	27, 40	26, 25
Alfalfa, standard	26.00	26 50	21.60	28.00	28, 00		23.00	22, 20	22. 30	22. 80		
Alfalfa No. 2	22. 60							16. 60 14. 80			17. 10	
Alfalfa No. 3	26, 90	26, 80	28.00	26.50	24. 30	23.00	24.00	14. 60	20 00	20.00	19. 75	
Clover No. 2	24. 50	22, 00	23.00	21, 50	21.00	19. 75	19, 00		16.00	16, 80	17, 10	18.00
Clover No. 8	20.00	18, 50	17. 50	17. 50	17. 50	17. 50	-===	12.00	14 30			
Clover No. 1, mixed	22. 70 20. 90	10.70	23.00	23,00	21.80	21.80	21.90	15. 40	17 50		17.00	
Clover No. 1, light mixed	24. 25	23. 40	23.00	24.00	21. 50	21.70	22. 10	19. 50	19 50	18 50	19.50	20.50
Clover No. 1, heavy mixed	23.75	22, 00	22.00	21, 75	21.00	21.00	19. 25	17.00		17.80	16.40	18,00
Prairie No. 1								16. 50				
Prairie No. 2 Prairie No. 3	15.00							14 85				
Timothy No. 1.	26. 25							21. 60				
Timothy, standard	24.00	23.00	23. 50	24. 90	23. 80	28. 30	23. 25	18. 50	22. 60	21. 20	20. 60	21.75
Timothy No. 2	21. 80					20. 50		19 40				
Timothy No. 3	17. 75 10. 50							16 90 8 60			13. 75 8. 00	
Rye straw 1	10. 50					9.50		8. 50	3,00		0.00	8. 50
Wheat straw	11.00							8, 60	8.00	8.00	8. 50	

Division of Statistical and Historical Research. Compiled from Hay Trade Journal, except where noted. Average of weekly range.

¹ Hay, Feed, and Seed Division.

¹ National Hay Press.

Table 356.—Hay, No. 1 alfalfa: Average price per ton at 22 markets, 1924

Market	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec
Atlanta Birmingham ¹ Chicago. Cincinnati Denver ¹	\$36. 30 38. 00 29. 50 28. 00 19. 50	28. 75 26. 75	28. 00 28. 50	28. 00 29. 30	37. 50 28. 00 28. 00	28. 00 24. 75	26, 50	22. 90 25. 00	22. 75 26. 75	22, 50 27, 50	33. 50 23. 20 27. 00	28, 00
Detroit ¹ Fort Worth ¹ Kansas City Los Angeles Memphis	21. 70	21, 70 29, 00 23, 90 28, 00	21. 20 29. 50 25. 00 29. 00	21. 00 26. 25 24. 25	20. 70 24. 60	20. 70 22. 00 21. 10 21. 75	20. 00 18. 90	20. 00 19. 80 27. 60	20. 40 27. 10	16. 50 21. 10 26. 50	16, 00 21, 00	17. 50 22. 80 25. 40
Minneapolis New Orleans New York Norfolk ¹	23. 25 34. 00 31. 00 29. 50	31, 90 31, 00	31. 20 31. 40 28. 50	32. 75 31. 60 28. 50	32, 90 32, 00	28. 50 32. 00	29. 75 30. 50	28. 60 29. 10	29. 00 29. 40	29. 50 28. 50		30. 75 30. 2 5
Omaha Richmond St. Joseph ¹ St. Louis	20, 25 35, 75 25, 50 30, 25	84. 60 24. 50 27. 80	32, 60 24, 50 25, 50	34. 10 25. 50	34. 25 25. 00	82. 00 24. 50	17. 75 16. 50	15.00	30. 00	30.00 22.50	30. 20 20. 00	22, 75
St. Paul 3 San Antonio 1 San Francisco Savannah	32.00 23.25	32, 50	26.00	23, 00 33, 50 25, 75	22. 70 28. 50 27. 00	25. 50 27. 00	26. 70 27. 00	26. 25	27.00	27. 00 32. 00	28. 20 30. 00	25. 00 32. 00

Division of Statistical and Historical Research. Compiled from reports of the Hay, Feed, and Seed Division, except where noted. Average of weekly range.

Table 357.—Hay, No. 1 timothy: Average price per ton at 32 markets, 1924

Market	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Atlanta	\$31, 30	\$29. 50	\$30. 20	\$31. 25	\$30. 20	\$29. 90	\$26. 60	\$24. 80	\$25. 90	\$2 5. 50	\$25, 80	\$26, 00
Baltimore 1	27. 75	27.75	28. 20	27. 60	28.80	29. 20	27.90	27.00	19. 50	19.50		
Birmingham 1	32, 50				82.00						27.00	26.00
Boston	29. 50	28, 25	27.90	29, 40	30.70	81, 50	31.60	80.60	28.00	27.60	26, 50	26, 50
Baltimore 1 Birmingham 3 Boston Buffalo 2	20.00	20.00	21. 50	21.00	21. 50	21.75	20. 25	21. 25				
Chattanooga ²	31, 50	l	30, 50	30, 15	30, 50	30, 50	80, 50	25, 25	24. 60		25. 00	25, 25
Chicago	27.40	26, 25	26, 20	27, 00	26, 60	26.40	26, 50	26, 80	25, 25	23.60	23, 60	23, 50
Cincinnati	25 60	24.00	24. 40	25, 50	24.00	23. 70	24. 10	18, 80	19. 50	18.75	19, 10	19, 00
Cleveland 2		26. 50	25. 50	25, 25	25. 75			i		20,00		19.00
Denver	22. 50	21. 50	25. 50 21. 50	22. 50	20. 50	20. 50	19.00			20.00	20, 00	18.00
Des Moines s	18.50	18.50	19.00	18, 25	17. 50	17.00	14, 50	15.00	15, 50	15.00	14.75	
Detroit 1	24. 25	23. 75	24. 10	23. 75	23, 75	24. 10	23. 50	23, 50	19. 50	19.10	18, 50	18,00
Dulnth 1	17. 50	17. 50	17. 50	17, 50	17. 50	17. 50	17. 50	17. 50	17, 50	18, 00	16.75	17. 50
Indiananolis 3	24. 2	23. 75	23. 50	23, 25		21. 75	20, 25	16. 25	16, 25	16. 25		16. 25
Des Moines s Detroit t Duluth t Indianapolis s Jacksonville s	32. 28	31. 50	31. 25	32. 50	31.75	81.00	26. 75	27.00	27.50	26. 50	25. 75	27.00
Kansas City	19.80	20. 25	20.00	20. 25	19. 50	19.90	16.40	15.70	16. 10	16.50	16. 40	16. 20
Louisville 1		26.00	25.00	24. 50	l	23. 50	22. 50	19.50	l	18, 50	19. 50	19.00
Memphis	28. 00	26.80	25. 00 27. 60	28. 10	27.00	27.00	24.60	23.00	24.00	23.80	23.40	24.00
Milwankee *	23. 25		22, 50	21. 50	20.00	22. 50	22.00	22.00	19.00	19,00		18, 26
Louisville Memphis Milwaukee Minneapolis	19. 90	19. 40	18.70	19. 40	19.40	20.00	19.00	18.60	19.75	19. 25	17.70	18. 10
New Orleans	30. 10	29. 30	29. 30 30. 00	30, 25	29, 50	29.70	26.70	26. 40	26. 30	25, 60	25. 60	26.75
New York	30, 60	29. 75	80.00	30.75	81. 20	31. 25	30.75	30. 20	28. 25	27, 10	26, 90	26.60
Norfolk 1	27. 78	28. 50	28.50	28.75	29. 20	28, 50	N 28.00	1 20. 50	1	1 22, 75	l	l
New Orleans New York Norfolk ¹ Philadelphia	29. 00	28. 25	28.00	28. 25	30.60	29. 26	27.00					
			26. 30	27, 10	26. 75	26, 40	25. 10	21. 25	21. 50	21, 60	21, 00	20, 80
Richmond	29.40	29. 40	28. 70	29, 25	29.60	28, 50	28, 25	24.00	24.60	23, 75	23, 40	23.00
St. Joseph *	19.00	20, 00	28. 70 20. 25	20, 25	19.75	19. 50	16. 50			16, 50	16.50	16. 50
Pittsburgh Richmond St. Joseph ² St. Louis	26.00	24. 60	25. 60	26. 40	25. 20	24.00	23, 60	22. 60	24. 90	24. 25	23, 90	24, 10
St. Paul ¹ San Francisco ¹ Savannah	19.90	18, 80	17, 90	18, 60	19.00	l	l				l	
San Francisco 1	20, 00		21.00	23, 00	1		1					
Savannah	33. 7/	32.50	38. 40	32. 90	82. 10	32.00	29.50	27.00	27.60	27.00	27, 10	27. 4
Winnipeg '		1	15.50	1 -5.00		19.50	20.50	20.00	21:50		1	
***************************************			1 -0.00		1	1 -2 0	-3.00	1 -3.00	1 -2.00	1	1	1

Division of Statistical and Historical Research. Compiled from reports of the Hay, Feed, and Seed Division, except where noted. Average of weekly range.

¹ National Hay Press.

¹ Hay Trade Journal.

¹ Hay Trade Journal.

Table 358 .- Hay, No. 1 clover: Average price per ton at 13 markets, 1924

Market	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Baltimore 1	\$24, 75	\$24. 75	\$26, 10	\$20, 40								
Chicago	23. 50	23. 40	20, 20	19.00	\$19. 10	\$18.75	\$18, 25	\$15.00	\$15,00	\$15, 60	\$17, 10	\$17.40
Cincinnati	26, 25	25. 25	25.00	25, 00	23. 70	22, 75	20, 75	18, 60	18, 75	18, 60	18, 90	19 00
Cleveland 3			24, 00									
Detroit 1	21.80	21. 30	21. 20	21.50	20. 50	19. 80	18. 50	18, 50		15. 50	15, 50	15. 50
Indianapolis 2	25, 75	23, 75				20, 00		14, 75	14, 75	14.75	1	14.7/
Kansas Clty	18.75	19.00	18.40	18, 70	19.00	17, 50	14, 10	15, 50	16, 50	16.50	15.70	16.0
Louisville 2	27,00											
Minneapolis	18, 50		17. 90									
Pittsburgh	26. 75	26. 10	26.00	26.40	24.60	22.00	19.60	17 00	18 00	19 50	19 00	19.20
Richmond	29. 10									22 60		
St. Louis	29. 10		26.00							20, 50		
St. Paul	19. 25		16. 25		16. 70				20.10		a-0. 000	

Division of Statistical and Historical Research. Compiled from reports of the Hay, Feed, and Seed Division, except where noted. Average of weekly range.

Table 359.— Hay, No. 1 light clover, mixed: Average price per ton at 17 markets, 1924

Market	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Atlanta Baltimore Chicago Cincinnati Detroit	25 60 26 00 25 25	25 75 24, 90 23, 75	26, 50 24, 30 23 50	26 25 24 50 24 90	27. 60	27 40 24, 25 22, 30	25, 50 24 50 21, 25	24 75 24 30 17.60	17. 75 22. 50 18. 60	18, 35 21, 10 18, 00	18, 75 21, 50 18, 00	
Indianapolis ² Jacksonville ² Kansas City Louisville ³	19 75	28, 75 20, 00	19. 20	19.60	30 50 19. 30	30. 25 19 00	16, 10	25. 50 15 40	25. 75 16 25	25. 50 16, 10	16, 20	25, 50 16 10
Minneapolis New York Philadelphia Pittsburgh	18 50 30, 10 27 75 26, 25	29 50 27 25	27.40 27 00	28.80 27 00	17. 50 29. 00 29. 00 25. 25	29. 25 27 00	29. 00 25. 00	27. 30 22. 50	25. 90 17. 75	24. 75 18. 25	24.60 19.00	24. 75 20. 00
Richmond St. Joseph ² St. Louis ¹ Savannah	19 75 24 25	19 75 23 40	23.00	24 00	28, 30 21, 50 30, 70	16, 50 21, 70	16. 50 22. 10	19. 50	19. 50	18.90	19. 50	15.00 20.50

Division of Statistical and Historical Research. Compiled from reports of the Hay, Ford, and Seed Division, except where noted. Average of weekly range.

TABLE 360.—Hay, No. 1 prairie: Average price per ton at 15 markets, 1924

Market	Jan.	F	eb.	M	ar.	AŢ	r.	Ma	у	June	Ju	ly	Αt	ıg.	Se	pt.	00	et.	No	v.	Dec.
Chicago 1	\$20 4	0 \$1	9 50	\$19	. 40	\$19	. 75	\$19.	60	\$17. 75	\$17.	. 75	\$18.	20	\$16.	40	\$17.	. 00	\$17.	.00	\$17.78
Denver	. 14. 5	0		12	50	13	. 50	13.	50	13. 50	13	50					13.	. 50	13.	. 50	13, 50
Des Moines	_ 15.0	0 1	5. 00	15	. 25	15.	. 00	14.	75	15. 50	13.	75	13.	75	13.	75	13.	50	12.	50	
I) aluth 2										15. 50		50	15.	50	15.	50	15.	. 50	15.	. 50	15. 50
l ort Worth	_ 21. 5	0 2	0. 00	19	. 50					19. 50											
Kansas City 1		0 1	4, 70	14	. 70	14.	75	14.	00	12.75	11.	75	11.	45	10.	90	12	20	12.	. 25	12.00
Minneapolis I										17. 50											
New Orleans 1										20.00											
Omaha 1	14. 7	5 1	3. 5C	13	. 20	13.	25	12.	70	13. 10	13.	10	13.	00	13.	00	12.	. 70	12.	40	12,5
St. Joseph	15. 2	5 1	5, 00	15	. 00	15.	. 00	13.	75	13. 15	11.	50					11.	, 75	11.	.00	12, 50
St. Louis *	19. 8	0 1	9. 50	19	. 50	19.	50	18.	75	17. 30	16.	50	16.	50	14.	75	15.	70	16,	. 10	17. 2
St. Paul	18. 5	0 1	6. 75	16	. 2 5	16.	. 50	17.	75	17.75	17.	00	15.	50	15.	00	18.	. 50	16.	.00	
Ban Antonio	_ 22. 8	0 2	1. 50	28	. 50	23.	. 50	24.	ᅃ		17.	50	15.	50							
Bioux City		_ 1	3. 75	13	. 25	13.	25										12	. 50			
Winnipeg	- 9. 0	0	9. 50	9	. 50	9.	50	9.	50	9. 50	11.	50	18.	00	13.	50	١				l

Division of Statistical and Historical Research. Compiled from National Hay Press, except as otherwise noted. Average of weekly range.

¹ Hay Trade Journal.

² National Hay Press.

¹ Hay Trade Journal.

³ National Hay Press.

¹ Hay, Feed, and Seed Division.

¹ Hay Trade Journal.

PASTURE TABLE 361.—Pasture: Condition, 1st of month, United States, 1909-1924

Year	May	June	July	Aug.	Sept.	Oct
1909	P. ct. 80. 1	P. ct. 89. 3	P. ct.	P. ct. 84. 8	P ct.	P. ct.
1910	89. 3	88.5	81.6	73.0		
1911	81.3	81.8	69. 6	59. 6		
1912	81.7	93.7	84.9	86. 6		
1913	87.1	89. 2	81.2	73. 7		
Average 1909-1913	83 9	88. 5	82.1	75. 5		
1914	88.3	89. 8	82.1	76. 2		
1915	87. 2	91.3	91.3	96.1	98.5	98. 5
1916	85. 2	93.4	97.7	86. 9	80.4	76.9
1917	81.9	83.8	89. 9	85. 5	82.4	78.4
1918	83.1	92.5	84.5	75.4	69. 9	77.3
1919	90.3	97.4	95.2	83. 9	80.2	78. 2
1920	79.8	88.8	89. 5	86.3	86.2	86.2
Average 1914-1920	85. 1	91 0	90 0	84. 3	82. 9	82. 2
1921	91.8	90.1	80.8	74.3	81.6	84 8
1922	84. 5	93.8	89.0	87. 9	81.3	76 0
1923.	77 0	84.8	85. 5	77.6	78.8	83.1
1924	80. 2	82.2	87.6	84.0	80.8	82.6

Division of Crop and Livestock Estimates.

HOPS

TABLE 362.—Hops.	: Acreage, production	, and farm value,	$United\ States,$	1915-1924
------------------	-----------------------	-------------------	-------------------	-----------

Year	Acreage	Average yield per acre	Production	Average farm price per pound, Dec. 1	Farm value
1915	Acres 44, 653 43, 900 29, 900 25, 900 21, 000 22, 000 27, 000 18, 440 20, 350	Pounds 1, 186. 6 1, 152. 5 982. 9 829. 4 1, 189. 0 1, 224. 3 1, 086. 7 1, 185. 6 1, 071. 1 1, 244. 9	1,000 pounds 52, 986 50, 595 29, 388 21, 481 24, 970 34, 280 29, 340 27, 744 19, 751 25, 333	Cents 11. 7 12. 0 33. 3 19. 3 77. 6 35. 7 24. 1 8. 6 18. 8 10. 3	1,000 dollars 6, 203 6, 073 9, 795 4, 150 19, 376 12, 236 7, 080 2, 383 3, 722 2, 620

Division of Crop and Livestock Estimates.

TABLE 363.—Hops: Acreage, production, and farm value, by States, 1923 and 1924

State	Acreage State			Average yield per acre		Production		ge farm o, per , Dec. 1	Farm value		
	1923	1924 1	1923	1924	1923	1924 1	1923	1924	1923	19241	
Washington	Acres 1, 890 11, 550 5, 000	Acres 2, 350 12, 000 6, 000	Pounds 2, 128 722 1, 480	Pounds 1, 716 1, 050 1, 450	1,000 pounds 4,012 8,389 7,400	1,000 pounds 4, 038 12, 600 8, 700	Cents 18, 0 20, 0 18, 0	Cents 10. 0 10. 0 11. 0	1,000 dollars 722 1,668 1,332	1,000 dollars 403 1,200 957	
Total	18, 440	20, 350	1,071.1	1, 244. 9	19, 751	25, 333	18.8	10.8	8, 722	2, 620	

¹ Preliminary.

¹ Preliminary.

Table 364.—Hops: Acreage and yield per acre in specified countries, average 1909–1913, annual 1921–1924

			Acreage				Yi	eld per a	cre	
Country	A ver- age 1909- 1913	1921	1922	1923	Prelim- inary 1924	Aver- age 1909- 1913	1921	1922	1923	Prelim- inary, 1924
MORTH AMERICA Canada ¹ United States ² EUROPE	Acres 3 718 4 45,000	Acres 507 27, 000	Acres 507 23, 400	Acres 500 18, 440	Acres 20, 350	Pounds 1, 429 1, 103	Pounds 1, 704 1, 087	Pounds 1, 343 1, 186	Pounds 2, 000 1, 071	Pounds 1, 245
United Kingdom: England Belgium France. Germany Austria Czechoslovakia Hungary. Yugoslavia Poland	33, 797 55, 313 17, 072 56, 267 576, 210 573, 385 57628 53, 749 511, 963	25, 133 3, 731 10, 774 27, 870 240 18, 952 502 2, 982	26, 452 4, 258 10, 430 29, 687 242 19, 408 131 4, 505 4, 823	24, 893 2, 975 10, 166 28, 691 204 19, 177 79 2, 758 4, 895	25, 897 4, 200 6 10, 378 28, 700 21, 700 6 124 6 5, 313 5, 000	977 1, 319 788 515 7 573 7 599 7 814 725 493	998 998 617 255 396 338 558 381	1, 274 785 857 462 355 641 687 699 738	1, 030 1, 073 495 244 371 856 759 812 584	1, 925 900 882 433 762 887 788 683
OCEANIA Australia New Zealand	1, 251 4 653	1, 562 540	1, 547 675			1, 285	1, 537 1, 257	1, 557 1, 587		
Totals comparable with 1909-13 Totals comparable with	221, 006		126, 065							
Estimated world total	212, 174 221, 006	123, 793	123, 094 126, 065	112, 074 114, 838	121, 662 124, 562					

Division of Statistical and Historical Research. Official sources and International Institute of Agriculture unless otherwise specified

- 1 British Columbia only.
- Two-year average.
 Principal producing States.
 One year only.
- Estimates for present boundaries.
 Unofficial estimates.
 Four-year average, 1909-1912.

TABLE 365.—Hops: Production in specified countries, average 1909-1913, annual 1921-1924

[Thousand pounds-i. e., 000 omitted]

		F	roduction		
Country	Avorage 1909-1913	1921	1922	1923	Prelimi- nary, 1924
NORTH AMERICA Canada ¹ United States ³ EUROPE	\$ 1, C26 53, 654	864 29, 340	681 27, 744	1, 000 19, 751	26, 833
United Kingdom: England Belgium France Germany Austria Ozechoslovakia Hungary Yugoslavia Poland	33, 021 47, 008 413, 459 428, 961 463, 560 4622, 997 46511 42, 718 45, 897	25, 088 3, 722 6, 646 7, 097 95 6, 401 280 1, 135	33, 712 3, 344 8, 940 18, 704 86 12, 439 90 3, 148 3, 558	25, 648 3, 192 5, 036 7, 011 98 6, 819 60 2, 240 2, 857	49, 840 3, 780 4 9, 149 12, 420 18, 687 5 116 5 4, 189 5 3, 417
OCEANIA Australia New Zealand Totals comparable with 1909-1913 Totals comparable with 1924 Estimated world total	1, 607	2, 401 679 85, 748	2, 408 1, 071 109, 854 106, 679 110, 925	* 1, 700 * 560 75, 412 72, 614 75, 972	194, 995 196, 685

Division of Statistical and Historical Research. Official sources and International Institute of Agriculture unless otherwise specified.

- British Columbia only.
 Two-year average.
 Principal producing States.
- Estimate for present boundaries.
 Unofficial estimate.
 Four-year average 1909-1912.

TABLE 366.—Hops: Consumption and movement, United States, 1910-1924

Year ending	Consumed	Expor	ts ²	Total of brewers'	·	Net domestic
June 80—	by brewers 1	Domestic	Foreign	consumption and exports	Imports :	movement
1910 1911 1912 1918 1914 1916 1916 1917 1918 1919 1920 1921 1922 1923 1924	42, 436, 665 44, 237, 735 43, 987, 623 38, 839, 294 37, 451, 610 41, 949, 225 33, 481, 415 13, 924, 650 9, 6, 440, 894 15, 988, 982 24, 452, 676	Pounds 10, 589, 254 13, 104, 774 12, 199, 663 17, 591, 195 24, 262, 896 16, 210, 443 22, 409, 818 4, 874, 876 3, 494, 579 7, 466, 962 30, 779, 508 22, 206, 028 19, 521, 647 13, 497, 183 20, 480, 705	Pounds 14, 590 17, 974 35, 869 30, 224 16, 947 134, 571 26, 215 37, 823 4, 719 104, 198 827, 903 487-633 198, 006	Pounds 53, 897, 608 58, 191, 559 54, 663, 197 61, 864, 789 68, 280, 743 55, 086, 684 59, 995, 996 46, 850, 316 37, 013, 817 21, 396, 321 37, 324, 600 29, 022, 813 24, 451, 956 18, 250, 948 24, 408, 135	Pounds 8, 200, 560 8, 557, 531 2, 991, 125 8, 494, 144 575, 704 236, 894 121, 288 62, 696, 294 4, 807, 294 893, 324 1, 294, 614 761, 174	Pounds 50, 697, 048 49, 634, 028 51, 672, 072 53, 370, 645 62, 898, 718 43, 415, 352 59, 320, 296 46, 613, 467 36, 892, 529 21, 396, 315 24, 214, 815 22, 568, 632 17, 956, 304 22, 646, 961

Division of Statistical and Historical Research.

Table 367.—Hops: International trade, calendar years, average 1909-1913, annual 1921-1923

[Thousand pounds-i e., 000 omitted]

Country		erage -1913	15	21	19	22	1923 pre	liminary
	Imports	Exports	Impts	Exports	Imports	Exports	Imports	Exports
PRINCIPAL EXPORTING COUNTRIES				•				
Austria-Hungary	938	18, 333						
Ozechoslovakia			2, 403	6, 625	54	10, 586	526	6, 826
France	5, 436	335	2, 862	5,806	3, 032	3, 329	3, 796	4, 954
Germany	7, 688	17, 564	1,750	1 5, 712	4, 806	7, 444	2, 056	4, 250
New Zealand	61	352	19	235	21 345	221 1, 135	16 152	282 1, 548
PolandRussia	1, 258	2, 348			070	1, 100	102	1 4,020
United States	6, 235	15, 416	1. 629	18, 460	1. 201	14, 882	1, 018	20, 019
Yugoslavia		10, 410	1 165		1, 201	1, 932		5, 078
PRINCIPAL IMPORTING COUNTRIES								
Argentina	618		1, 226	l	656		996	
Australia		22	754	i	000	71	000	
Austria	-,		1, 247	650	1 1, 281	141	3, 263	140
Belgium	6, 915	4, 814	8, 507	4, 228	4, 630	2,072	4, 671	2, 377
British India	246		272		282		294	
Canada	1, 396	176	2, 140	321	1, 965	826	4, 240	1, 183
Denmark	1,027	31	388	1	609	1	580	
Hungary			3 146	1 30	1 225	1 179		<u>-</u> -
Italy	529	10	846	11	778	87	504	88
Japan	253		658	l	2 754			
Netherlands	2, 938	1, 405	1,072	1, 311	1, 323	549	1, 228	716
Norway	289		422		546	l	350	l
Sweden	987	1	685	152	865	85	1,036	
Switzerland	1, 257	42	492		749		521	
Union of South Africa	487		390		404		898	<u>-</u>
United Kingdom	21, 028	2, 162	24, 256	246	14, 284	816	1, 549	2, 42
Other countries	2, 277		2, 681		1, 625	400	208	100
Total	62, 969	62, 941	55, 010	43, 798	40, 435	44, 186	27, 402	49, 938

Division of Statistical and Historical Research. Official sources except where otherwise noted. Lupulin and hopfenmehl (hop meal) are not included.

¹ From records of the Bureau of Internal Revenue.
2 From reports of the Bureau of Foreign and Domestic Commerce.
3 Hope used to make "cereal beverages."

¹ Eight months, May-December.

² International Institute of Agriculture.

Three-year average.One year only.

TABLE 368 .- Hops: Wholesale price per pound, 1913-1924

Year	New Yo	rk, State, choice	prime to	San Francisco				
	Low	High	Average 1	Low	High	A verage ¹		
1913 1914 1915 1916 1917 1918 1919 1920 1921 1922 1922	Cents 17 28 13 15 34 23 37 41 26 19 19	Cents 48 50 30 55 90 54 85 105 50 40 58 58	7. 9 59. 9 80. 2 37. 0 25. 3 32. 5 47. 3	Cents 19 10 10 7 6 19 34 33 12 9 10 12.5	Cents 30 30 15 14 40 22. 5 84 85 35 30 40. 0	19. b 59. 2 61. 6 24. 4 17. 6 17. 2 24. 2		
January 1924 January Pebruary March April May June July August Scptember October November	53 56 56 54 52 52 45 36 31 35	58 58 58 58 58 54 54 45 45	54. 1 57. 0 57. 0 56. 8 54. 2 53. 0 50 0 40. 1 38. 6 39. 1 36. 0	25 25 25 30 30 27 17 17 12. 5	30 40 40 40 35 30 22 22 16	27. 8 27. 5 31. 1 35. 0 33. 6 31. 9 22. 3 19. 1 18. 5 14. 2		

Division of Statistical and Historical Research. Compiled from New York Journal of Commerce and San Francisco Daily Commercial News.

¹ Monthly averages are computed from daily ranges. Yearly averages are simple averages of monthly averages.

PEANUTS

Table 369.—Peanuts: Acreage, production, and farm value, United States, 1916-1924

Year	Acreage	Average yield per acre	Production	Average farm price per pound, Nov. 15	Ferm value
1916	1,000 acres 1, 043 1, 842 1, 865 1, 132 1, 181 1, 214 1, 005 896 986	Pounds 881. 1 777. 7 664. 9 691. 9 712. 5 683. 1 630. 0 722. 9 624. 9	1,000 pounds 919, 028 1, 432, 581 1, 240, 102 783, 273 841, 474 829, 307 633, 114 647, 762 616, 200	Cents 4.5 6.9 6.5 9.3 5.3 4.0 4.7 6.8	1,000 dollars 41, 243 98, 512 80, 271 73, 094 44, 256 33, 097 29, 613 43, 918 37, 981

Division of Crop and Livestock Estimates.

1 Preliminary.

29283°--увк 1924-----51

794 Yearbook of the Department of Agriculture, 1924

Table 370.—Peanute: Acreage, production, and farm value, by States, 1923 and 1924

State	A creage		Averag par.	e yield acte	Prod	uction	Averag price pound,	Der	Farm value	
	1928	1924	1928	1924	1923	1924 1	1923	1924	1923	1924
	1,000	1,000	71.	710	1,000	1,000	Gu-	<i>C</i> 4-	1,000 dellars	1,000
Virginia	124	2cres 114	Lbs. 990	Lbs. 650	122, 760	lbs. 74, 100	Cts. 6.5	Cts. 6.8	7, 970	5.08
North Carolina	160	181	1, 100		176,000	152, 945	7.4	7.0	13, 024	10, 70
South Carolina.	38	82	800	700	30, 400	22, 400	7. 2	8.0	2, 189	1.84
Georgia	152	198	512	600		118, 800	6. 9	5. 6	5, 370	6, 65
Elorida	-80	86	600	710	48, 000	61,060	7.0	5.3	3, 360	3, 23
Tennessee	14	16	935	730	13,090	11,680	7.0	6.0	916	70
Alabama	142	290	469	500	66, 598	100,000	5.8	5. 5	3, 863	5, 60
Mississippi	15	14	600	480	9,000	6, 720	6.0	6. 4	540	43
Louisiana	17	17	450	355	7, 650	6,035	7.5	6. 0	574	36
Texas	122	98	620	450	75, 640	44, 100	6.4	6. 5	4,841	2,86
Oklahoma	15	14	650	700	9,750	9,800	5.0	6. 0	488	586
Arkansas	17	16	65D	535	11,050	8, 560	7.0	6. 5	774	550
Total	996	.996	722. 9	624 9	647, 762	616, 200	6.8	6. 2	43, 918	87, 98

Division of Crop and Livestock Estimates

Table 371.—Peanuts: Farm price per pound, 15th of month, United States, 1910-1924

Year beginning November	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Anr.	May 18	June 15	July 15	Aug. 15	Sept. 15	Oct.	Weight ed av.
1910 1911 1912 1913	Cts. 4.7 4.4 4.7 4.4	Cts. 4.5 4.4 4.6 4.8	Cts. 4 4 4.3 4.6 4.7	Cts. 5.0 4.7 4.5 4.7	Cts. 4.8 5.0 4.7 4.7	Cts. 4. 9 4. 9 4. 8 4. 9	Cts. 4.8 4.9 4.7 .5.1	Cts. 5. 2 5. 2 5. 0 5. 1	Cts. 5.0 4.9 5.1 5.2	Cts. 5.3 5.0 4.9	Cts. 5. 1 4. 8 4. 9 5. 0	Cts. 4. 6 4. 7 4. 8 4. 5	Cts. 4. (
Av. 1910-1913	4.6	4. 6	4. 5	4. 7	4 . 8	4.9	4. 9	5. 1	5.0	5. 0	5. 0	4. 6	4. (
1914	4.4 4.2 4.4 7.1 6.6 9.1 5.3	4.8 4.2 4.7 7.1 6.1 9.1 4.7	4.5 4.3 4.9 7.0 6.0 9.9 4.4	4.4 4.4 5.3 7.2 6.9 10.5 4.1	4. 2 4. 4 5. 5 7. 4 7. 0 11. 2 4. 0	4. 5 4. 6 6. 2 8. 8 6. 9 10. 9 3. 5	4.8 4.6 7.3 8.2 7.2 11.2 8.4	4. 8 4. 7 7. 7 7. 9 7. 7 11. 2 3. 8	4. 7 4. 6 7. 6 7. 8 8. 2 11. 0 8. 8	4.5 4.6 7.2 7.9 8.1 8.5 3.9	4.4 4.4 6.6 8.3 8.0 4.0	4. 3 4. 4 6. 1 6. 9 8. 1 5. 8 4. 0	4. 4. 4. 7. 6. 9. 4.
Av. 1914-1920	5. 9	5. 7	5. 9	6. 1	6. 2	6. 4	6.7	6.8	6.8	6.4	6.3	5.7	5.1
1921 1922 1923 1924	3. 7 5. 2 6. 8 6. 8	3. 5 5. 0 6. 2 5. 6	3. 6 5. 9 6. 4	4.0 6.5 6.7	4. 3 6. 7 6. 8	3. 9 7. 1 6. 7	3. 9 7. 1 6. 4	4. 2 7. 8 6. 5	4.4 6.9 6.4	4. 4 6. 7 6. 6	4. 7 6. 7 6. 4	8. 6 7. 0 6. 4	3. 5. 6 6. 6

¹ Preliminary.

Table 872.—Peanuts: Monthly average prices of cleaned and shelled peanuts, f. o. b. important shipping points, November, 1920-October, 1924

VIRGINIA-NORTH	CAROLINA	SECTION 1
----------------	----------	-----------

1922-22		Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct
1920-22	Cleaned Virginias, Jumbos:												
1802 -21		1234	11146	111%	11	10%	10%	11	12	12	11%	11%	113
1802 -21	1921-29	1012	R'°	71%		65%	5%		576	574			64
1802 -21	1922-28	912	10%	1112		10%	1096	104	10%	1034	916	016	ÿ
1802 -21	1023-24	012	812	882		812	812	866	86%	012	103%	104%	101
1921-22	Tomore:	4/4		978	٠,٠	972	.0/2	-/•	°′°	-/-	10/0	20/8	1 -0
1920-21		A7 4	58/	A14	65∠	AL:	ALC.	R&	71.∠	704	7	674	
1920-21		2/8	27	273	27	224	773	1 078		178		12.8	
1920-21	1921-22		2/3	128	078	273	078	078	2.	2/8		1 3/9	
1920-21	1472-28	7.	724	7/8	7/3	7%		77.3	(28			1476	
1920-21		6%	6/8	7	71/8	7	7	73/4	7%	8%	91/8	91/8	9
1921-22	ixtras:	١		1			1					1	Ι.
1921-22	1920-21	5%				4 1/8	41/2	4 1/8	53/4	47/	456		4
1922-24	1921-22	47/8	41/4	456	434	43/8	33/6	334	31/4	37/2	41/8	43/8	
1922-24	1922-23	51/2		65%	67%	61/8	67/8	61/8	67/8	65/8	61/4	61/4	6 1
Large: 1234 1154 1254 1254 1254 1254 1254 1254 125		812	6	616	ais	RV	BAL	AL.	646	78%	812	814	
Large: 1920-22: 1924: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 1946: 19	helied Virginias Extra	0,0		4/8	•/•	***	7.0	~ .			-/-	, ,,	١
1920-21	Torgo:				l	l	1	i	1	1		1	1
1021-22		1214	1184	101	124/	1214	1284	125/	198/	121/	12	19	1 11
1923-23. 1076 994 1096 1096 1096 1096 1096 1196 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296	1001 90	1052	1173	107	917	1073	1 617	70/8	71/	75/	93/	91	1 *2
1923-23. 1076 994 1096 1096 1096 1096 1096 1196 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296 1296	107177	74.5	.574	. 7.19		1067	1000	1000	1019	1,000	1.779	1.759	
0. 1: 1920-21. 714 516 516 516 55 436 446 434 514 476 514 714 614 1921-22. 77 514 516 556 556 556 554 514 515 104 104 94 9 834 9 94 96 96 96 96 96 97 914 104 1146 1116 1126 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1922-23	923		143/3	13%	1294	1234	120/8	1234				
0. 1: 1920-21. 714 516 516 516 55 436 446 434 514 476 514 714 614 1921-22. 77 514 516 556 556 556 554 514 515 104 104 94 9 834 9 94 96 96 96 96 96 97 914 104 1146 1116 1126 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		10%	9%	101/8	10%	10%	10%	10%	10%	119/8	12%	129/8	1 12
1923-28. 946 894 9 944 995 994 994 1094 11194 11196 11 1921-22. 446 834 834 835 335 236 236 236 236 236 336 436 436 11922-28. 446 636 736 886 886 894 994 994 886 88 78 11923-28. 775 734 734 734 735 736 736 736 736 736 736 736 736 736 736	lo. 1:			ł	ł	1		١	l		1	1	1
1923-28. 946 894 9 944 995 994 994 1094 11194 11196 11 1921-22. 446 834 834 835 335 236 236 236 236 236 336 436 436 11922-28. 446 636 736 886 886 894 994 994 886 88 78 11923-28. 775 734 734 734 735 736 736 736 736 736 736 736 736 736 736	1920-21	73/4	51/8	51/8	5	45/8	45%	41/4	51/8	47/8	53/6	73/8	1 7
1923-28. 946 894 9 944 995 994 994 1094 11194 11196 11 1921-22. 446 834 834 835 335 236 236 236 236 236 336 436 436 11922-28. 446 636 736 886 886 894 994 994 886 88 78 11923-28. 775 734 734 734 735 736 736 736 736 736 736 736 736 736 736	1921-22	7	57/8	55/8	53%	57/A	51/2	51/2	63/8	63/2	732	634	۱ (
1923-28. 946 894 9 944 995 994 994 1094 11194 11196 11 1921-22. 446 834 834 835 335 236 236 236 236 236 336 436 436 11922-28. 446 636 736 886 886 894 994 994 886 88 78 11923-28. 775 734 734 734 735 736 736 736 736 736 736 736 736 736 736	1922~28	734	81.5	987	10%	1016	1012	1032	1016	942	9	876	1 5
0. 2: 1920-21	1023-24		83.7	9		946	046	08.2	91.2	10%	1146		
1920-21	In 9:	-/-	-/-		-/-	1 7,0	3	, -/·•	-/-	-0/4	/8		1 ~`
1923-22. 17/4 7/4 7/4 7/4 7/4 7/4 7/4 7/4 7/4 7/4	1090-91	484	28/	28/	214	214	28/	98/	27.4	254	214	417	
1923-22. 17/4 7/4 7/4 7/4 7/4 7/4 7/4 7/4 7/4 7/4	1001 00	. 712	21/	012	317	412	762	712		112	572		1 3
1923-22. 17/4 7/4 7/4 7/4 7/4 7/4 7/4 7/4 7/4 7/4		478	974	273	37	277	323	373	61/	077	078	373	
DUTHEAST SECTION: SOUTH CAROLINA, GEORGIA, ALABAMA, AND FLORIDA nelled Spanish, No. 1: 1920-21: 1922-22: 554 554 554 554 6 574 614 714 714 714 814 714 11 1922-23: 1922-28: 1944 944 114 115 115 11 11 115 125 125 125 125 125 1		3/8	0.73	1/4	028	878	89/8	274	2.4	8/8		79/8	
nelled Spanish, No. 1: 1920-24: 1921-22: 554 554 554 554 6554 6554 604 714 734 884 774 66 1922-28: 1922-28: 1934 1134 1134 1134 1134 1134 1134 113	1923-2	7/8	7%	77/2	7%	778	7%	7%	7%	754	8%	8	7
panish, No. 2: 1920-31 1920-32 414 324 324 324 324 325 325 325 32	1921-22	71/4 58/8	5	53/4 51/8	5% 51%	6	478 578 1214	41/4 61/8 121/6	41/6 71/8	414 784 1284	47/6 81/4 191/4	5% 71%	5 6
panish, No. 2: 1920-31 1920-32 414 324 324 324 324 325 325 325 32		1127			1177	1112	11178		11	1112	1012	1097	1 4
1920-21	manish No 9	1.174	1472	1176	1124	4478	1178	144	111	1178	1478	1078	
1923-28		81/	412	41/		21/	21/	907	91/	08/	27.	1 41/	١.
1923-28		1 974	2/3	***	1 3.	324	0.00	8	27.8	4/4	3/8	1	4
1923-28	1921-22	446	274	8/8	444	576	574	574	5%	69/8	6/8	61/2	1 5
1923-28	1922-28	79%	7%	91/6	934	976	10%	10%	10%	1014	956	916	10
unners, No. 1: 1020-21 1022-24 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-21 1020-		101/2	1012	10%	10%	101/8	93/4	9	834	85%	91/4	81/4	7
1921-22	tunners, No. 1:	1		1	1	1	1 -	l	1	, ,	1		1
1923-24		534	414	414		314	834		11/4	394	456	5	5
1923-24		442	444	452		50	5ÁZ		1 2	الألا	عكم		
1923-24		712	772	aí2	04.2	042	1012	1012	1012	072	027	074	
unners, No. 2: 1920-21. 1920-22. 354 354 354 354 354 354 354 354 354 35		1 73	662	012	012	200	2078		4075	1 77			
1920-21		B	978	074	272	9	672	074	87.6	87%	10%	8%8	7
1923-24	1000 01	١.	99/	95/	000	00.	1 00/	1	OE.	100	I		١.
1923-24	1920-21		3%	378	229		4%	275	27/2	27/2		3/4	1 4
1923-24		39/8	39/8	39/8	3%	5				J		1 5%	J
1923-24			7	81/8	83/6	85/8	95/8	93/2	91/4	87/6	816	I	. 8
	1923-24	81/4	71/2	814	83/2	8	713	73.2	71/2	81/2	83%	7%	7
TEXAS:		1	1	1	1	ł	1 -	1	1	1	1	1	1
I DARO.					U AL AL	401				•			
					TEX.	A8 3							

Spanish, No. 2:	71/2 51/2 91/3 121/2 121/2 14/3 101/3	101 101 101 101 101 101 101 101 101 101	5000 11 3 3 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5	63/6 53/4 117/6 117/6 43/6 45/4 101/4 103/6	51/4 69/6 119/4 119/4 119/4 101/4 101/4	51/6 61/4 121/4 111/4 31/4 51/4 101/4	57/6 634 125/8 11 4 534 1074	55% .75% 11 4 6	53/4 83/4 13 113/4 4 63/4 105/4 83/6	6)4 8% 13 1296 4)4 794 10)4	614 8 13 1114 416 7 1014	574 1314 914 1014 1014
-----------------	---------------------------------------------------------	--------------------------------------------------------------------	---------------------------------------------	------------------------------------------------------------------	-----------------------------------------------------------	---------------------------------------------------------	------------------------------------------------	-----------------------------	-----------------------------------------------------------	-----------------------------------------------	--------------------------------------------	------------------------------------

Fruit and Vegetable Division.

¹ Important shipping points: Suffolk, Norfolk, Petersburg, Franklin, Va.; Edenton, N. C.

² Important shipping points: Albany, Fort Gaines, Donaldsonville, Veldesta, Cardele, Ga.; Trey, Afa.; Charleston, S. C.

³ Important shipping points: Fort Worth, Denison, De Leon, Tex.

TABLE 373.—Peanuts: International trade, calendar years 1911-1925. [Thousand pounds-i. e., 000 omitted]

					1			
Country	Average	1911-1913	19	21	19	22	1923 prel	iminary
	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Exports
PRINCIPAL EXPORTING COUNTRIES								
Anglo-Egyptian Sudan Brazil				9, 266 422		5, 941 123		18, 299
British India	32, 882 612	503, 448 138, 472 60, 282	22, 845 797	383, 555 284, 461 81, 653	20, 090 602	590, 332 238, 032 29, 006	23, 390	597, 356 391, 183 1 38, 781
India Gambia Guinea (French) Mozambique Nigeria Senegal	1 *1,098	306, 701 131, 912 4, 863 15, 907 17, 163 425, 937	150	* 66, 451 * 132, 552 * 3, 331 35, 175 * 114, 193 * 596, 108	579	28,043		
Spain PRINCIPAL IMPORTING COUNTRIES	••	9, 205		8, 137		3, 164		8, 790
Algeria	8, 667 7, 302 5, 236	218 1,637	4, 407 334 21, 570 10, 798 10, 104		6, 359 12, 680 20, 092 11, 294 6, 077	197 103 3, 328	4, 485 21, 963 21, 661 6, 336	150 12,372 3,711
France Germany Hongkong Italy	174, 970	47, 107 4 98 804	1,027,395 173,326 52,278	11,725	1, 247, 832 152, 762 44, 443 84, 241	12, 383 34, 414 768	1, 404, 223 83, 145 49, 511 58, 423	15,098 39,837 36
Japan Netherlands Philippine Islands Tunis	122, 862 2, 264 3 1, 459	10, 675 32, 863	33, 806 64, 478 3, 111 2, 022	1,435 3,928	98, 301 3, 102 2, 795	2, 679	117, 386 3, 154	4,698
Union of South Africa United Kingdom United States Other countries	20, 988	6,804 111,405	783 216, 946 57, 984 17, 758	197 14,493 16,973	1,499 149,707 15,192 10,576	25 12, 621 1, 296	2, 192 224, 548 76, 484 1, 205	
Total	1, 734, 908	1, 827, 743	1, 720, 892	1, 719, 347	1, 888, 223	957 , 455	2, 098, 106	1, 130, 162

official sources except where otherwise noted. Includes shelled and unshelled, assuming the peanuts to be unshelled unless otherwise stated. When shelled nuts were reported, they have been reduced to terms of unshelled at the ratio of 3 pounds unshelled to 2 pounds shelled.

TABLE 374.—Peanuts used in the production of oil, United States, 1919-1925 [Thousand pounds-i. e., 000 omitted]

Year ending June 30—	July- Sept.	Oct Dec.	Jan Mar.	Apr June	Year
1910 1920 1921 1922 1922 1924	12, 094 15, 715 37, 538 4, 690 988 1, 918	4, 350 27, 351 38, 281 13, 126 6, 137 17, 390	1 70, 936 5, 861 26, 202 43, 038 7, 054 4, 656	1 116, 240 9, 261 42, 990 26, 159 8, 409 5, 444	82, 166 112, 258 145, 016 38, 279 17, 175

Division of Statistical and Historical Research. Compiled from reports of Bureau of the Census. titles reported in terms of "hulled" have been converted to "in the hull" basis by dividing by 0.67.

Java and Madura only.
International Institute of Agriculture, Oleoaginous Products and Vegetable Oils.
Two-year average.

One year only.

Reports include some sesamum.

¹ Includes peanuts "in the hull" which were not reported separately.

Table 375.—Peanut oil, refined: Average price per pound (in barrels), at New York, 1916-1924

Year beginning September	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Aver- age
1916	12, 19 18, 61 21, 44 26, 25 16, 88 10, 62 12, 40 16, 00	12.60 20.12 22.75 25.25 16.20 11.75 12.25	26. 68 14. 62 11. 59 13. 03 15. 59	13. 49 22. 67 21. 06 26. 69 12. 75	13. 50 22. 49 20. 36 27. 50 12. 52 11. 25 16. 88 14. 75	14. 38 22. 98 20. 25 26. 43 12. 34 11. 38 17. 38	22. 33 19. 90 27. 12 11. 00	17. 58 22. 41 22. 38 25. 00 10. 70 13. 15 17. 75	17. 83 21 70 24. 58 23. 10 10. 50 13. 00 16. 56	17. 87 21. 15 26. 91 20. 88 10. 25 13. 00 16. 00	17. 44 21. 47 29. 31 19. 00 10. 00 12. 48 16. 00	18.05	15. 26 21. 62 23. 48 24. 26 12. 32 12. 03 15. 53

Division of Statistical and Historical Research. Compiled from Oil, Paint and Drug Reporter, average of weekly range.

Table 376.—Peanut oil: International trade, calendar years, average 1909-1913, annual 1921-1923

[Thousand pounds-i. e., 000 omitted]

Country		rage ¹ -1913	19	21	19	22	1923 preliminary	
	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Exports
PRINCIPAL EXPORTING COUNTRIES								
China	(2)	3 85, 593	(2)	61, 555	(2)	51, 136	(²)	62, 285
Prance Netherlands	4 2, 090 142 2, 743	50, 967 18, 569	1 1, 776 10, 405 14, 280	1 2, 457 82, 805 18, 115	2, 138 17, 716	49, 339 20, 781	1, 337 6, 960	64, 492 20, 170
PRINCIPAL IMPORTING COUNTRIES								
AlgeriaBelgium Deumark Germany Hongkong	2,941	(3) 2, 065 8 156	30, 910 4, 434 1, 342 12, 174	694 4, 529 662	24, 411 4, 748 8, 047 5, 959 27, 558	690 3, 693 705 5, 344 21, 747	8, 642 1, 517 7, 137 33, 911	4, 978 7, 363 24, 942
ItalyMorocco		(3)	28, 159 2, 545	61	6, 643 2, 032	25	1, 847	29
NorwayPhilippine Islands	(2)	(1)	6, 078 2, 712	604 (²)	7, 862 3, 119	187 (²)	10, 727 3, 011	(3)
Sweden	⁽³⁾ 5 7, 295	(3) (3) 413	3, 695 19, 907 3, 021 748	72 7, 605 1, 708 875	3, \$62 17, 463 2, 470 847	1, 121 7, 939 963 20	7, 170 8, 009 24	11, 921 203
Total	35, 724	107, 812	142, 186	181, 742	129, 975	163, 690	84, 792	196, 383

Division of Statistical and Historical Research. Official sources except where otherwise noted. Conversions made on the basis of 7.5 pounds to the gallon.

¹ International Institute of Agriculture, Oleaginous Products and Vegetable Oils.

Not separately stated.

Four-year average.
Two-year average.
Three-year average.

SUGAR

Table 377.—Sugar beets and beet sugar: Production in the United States, 1914-1924

				1884				,	,
		Acreage 1		Pred	nction	Yield 1	per acre	Aver-	
State and year 1	Planted	Harv Area	Per cent of plant-ed	Quantity harvasted	Quantity worked (sliced)	As har- vested	As worked (sliced)	price per ton to grow- ers	Farm value
Oalifornia: 1990 1921 1922	1 138 (MA)	Acres 123, 909 121, 000 57, 000	Per cent 90. 50 88. 89 92. 20	Shart tons 1,974,090 1,046,000 424,000	Short tons 1, 042, 000 1, 040, 080 424, 000	Skort tens 8. 74 8. 67 7. 40	Shert tons 8. 56 8. 62 7. 38	Dal- lars 18, 13 7, 51 10, 14	Dollars 14, 006, 661 7, 851, 066 4, 306, 000
1922 1923 1924 ¹ Colorado:	70, 000 93, 000	61,000 85,000	86. 25 91. 40	581, 000 789, 90 0	579, 000 789, 000	9. 59 9. 28	9. 55 9. 28	13 99	8, 129, 000
1920 1921 1921 1922 1923 1924 3	204 (88)	220, 000 200, 000 148, 009 164, 000 229, 000	86. 69 93. 49 89. 23 99. 44 96. 22	2, 325, 000 2, 279, 000 1, 466, 000 1, 996, 000 2, 548, 000	2, 166, 000 2, 159, 000 1, 422, 666 1, 890, 000 2, 548, 000	10. 58 11. 39 9. 93 12. 15 11. 13	9 85 10, 79 9, 63 11, 50 11, 13	11. 88 6. 37 7. 79 8. 15	27, 827, 000 14, 521, 000 11, 426, 000 16, 276, 000
Idaho 1920 1921 1922 1922 1923 1924 Michigan:	58 000	45, 090 41, 000 24, 600 43, 900 45, 900	78. 32 78. 40 71. 08 90. 00 72. 58	396, 099 380, 000 273, 000 498, 009 262, 000	405, 600 3.55, 000 258, 000 447, 000 262, 000	8. 77 9. 18 11. 59 11. 68 5. 82	8. 97 8. 57 10. 94 10 95 5. 82	12. 10 6. 00 8. 28 8 57	4, 787, 000 2, 279, 000 2, 262, 000 4, 269, 000
Michigan: 1920. 1921. 1922. 1923. 1924. 1924.		150, 600 148, 666 84, 600 169, 660	91. 31 90. 27 78. 98 83. 31	1, 313, 000 1, 153, 000 692, 000 883, 000	1, 244, 000 1, 117, 400 648, 000 815, 000 1, 103, 000	8. 78 7. 80 8. 23 8. 11	8. 32 7. 55 7. 72 7 49	10. 08 6. 10 7. 22 9. 38	13, 236, 000 7, 041, 000 4, 994, 000 8, 282, 000
Nebraska: 1920 1921 1922 1923 1924 3	79.000	72, 000 72, 000 55, 900 58, 900 66, 000	91 63 100, 65 100, 66 96, 38	718, 000 773, 000 763, 601 640, 006 768, 000	670,000 730,000 3671,000 567,000 768,000	7. 16 9. 93 10. 72 12. 78 11. 04	7. 16 9. 26 10. 12 12. 21 10. 30	11. 96 6 59 7. 79 8 10	8, 587, 000 5, 693, 000 5, 477, 000 5, 181, 000
Ohio 1920 1921 1922 1923 1924	54 000	49, 600 33, 600 26, 606 41, 600	98. 51 91. 28 91. 20 91. 85 90. 94 85. 42	436, 000 264, 090 220, 300 391, 000 331, 000	382, 000 248, 000 206, 000 367, 000 331, 000	8. 86 8. 10 8. 51 9. 43 8. 07	7. 77 7. 61 7. 98 8. 85 8. 07	9. 89 6. 05 6 88 9. 26	4, 313, 000 1, 596, 000 1, 512, 900 2, 624, 000
1920 1921 1922 1923	116,000 111,000 80,000 84,060	113, 900 112, 600 73, 900 83, 900 92, 900	96. 96 101. 24 90. 77 98. 56 93. 88	1, 390, 000 1, 152, 000 819, 000 1, 075, 009 574, 000	1, 261, 000 1, 084, 000 775, 000 1, 008, 000 574, 000	12 35 10. 26 11. 29 12. 91 6. 24	11. 20 9. 66 10. 69 12. 10 6. 24	12. 03 5. 47 7. 96 8. 28	16, 713, 000 6, 300, 000 6, 519, 090 8, 901, 090
Wisconsin: 1920 1921 1922 1922 1924 Other States:	20,000	21, 000 17, 000 8, 000 15, 000 19, 000	71. 83 91. 48 63. 42 73. 87 70. 37	190, 000 148, 000 67, 000 122, 600 127, 000	169, 900 133, 000 45, 400 113, 000 127, 000	9. 19 8. 82 8. 27 8. 36 6. 68	8. 16 7. 96 7. 96 7. 75 6. 68	10. 20 7. 00 7. 22 8. 72	1, 940, 006 1, 034, 006 484, 006 1, 064, 006
Other States: 1920 1921 1922 1923 1924		79, 900 71, 999 55, 000 83, 099 111, 000	88. 54 89. 66 88. 35 90. 99 100. 91	696, 000 887, 990 519, 000 620, 900	642, 000 548, 000 494, 000 749, 000 992, 800	8. 75 8. 23 9. 23 9. 82 8. 94	8. 07 7. 69 8. 79 8. 99 R. 94	11. 52 6. 26 7. 77 8. 83	8, 025, 000 8, 677, 000 4, 037, 000 7, 248, 600
United States: 1914 1915 1916 1917 1918	515, 000 664, 000 768, 000 807, 000 690, 000 890, 000	483, 000 611, 000 665, 000 665, 000 594, 000 692, 000	93. 94 92. 02 86. 57 82. 43 86. 13 77. 77	5, 585, 000 6, 511, 000 6, 228, 000 5, 980, 000 5, 949, 000 6, 421, 000	5, 288, 000 6, 150, 000 5, 920, 000 5, 626, 000 5, 578, 000 5, 888, 000	11. 60 10. 70 9. 36 9. 00 10. 01 9. 27	10. 10 10. 10 8. 90 8. 46 9. 39 8. 50	5. 45 5. 67 6. 12 7. 39 10. 00 11. 74	80, 438, 600 86, 859, 600 38, 289, 600 44, 192, 660 59, 494, 000 75, 420, 000
Av. 1914-1920	759, 000	872, 000 655, 000	89. 08 86. 27	8, 538, 000 6, 459, 000	7, 991, 000 6, 063, 000	9. 79 9. 87	9. 17	11. 63 8. 49	99, 824, 000 54, 851, 000
1921 1922 1928 1924 3	882, 000 606, 000 732, 000 917, 000	815, 000 530, 000 657, 000 842, 000	92. 86 87. 50 89. 82 91. 82	7, 782, 000 5, 183, 000 7, 006, 000 7, 494, 000	7, 414, 000 4, 963, 000 6, 565, 000 7, 494, 000	9. 55 9. 77 10. 66 8. 90	9. 10 9. 36 9. 99 8. 90	6. 35 7. 91 8. 99	49, 392, 000 41, 017, 000 62, 965, 000

¹ Acreage and production of beets are credited to the State in which the beets are made into sugar. Year shown is that in which beets were grown. Sugar-making campaign extends into succeeding year.

² The planted acreage is that covered by factory contracts, agreements, understandings, all of which is not always actually planted by growers. Therefore abandonment may not represent actual loss of acreage.

³ Preliminary.

Table 377.—Sugar bests and best sugar: Production in the United States, 1914—1924—Continued

			1924	ontinued					
	_	Aver-				rsis of e ts	Recov sucr	ery of	
State and Fear 1	Fac- taries oper- ating	length of cam- paign	Sugar made (chiefly refined)	Beets worked (sliced)	Per- cent- age of su- crose	Purity coeffi- cient	Per- cent- age of weight of beets	Per- centage of total sucrose in beets	Loss 5
California:	No.	Days	Short tons	Short tons	Per ct.	Per ct.	Per ct.	Per ct.	Per ct.
1020	10	90 84	166, 600 171, 600	1,652,090	Per ct. 17. 66 17. 80	81.44 81.46	15.97	90.43 92.58	1.69 1.32
1922	7	74	73, 600 100, 600	1,040,000 424,000 579,000	16.48	81.46 82.71	16, 48 17, 28	93.51	1.20
1921 1922 1923 1924 Colorado:	6	88	100, 000 134, 000	789, 000	18.35 18.63	82.94	17. 33 16. 98	94 44 91 14	1,42 1.45
Colorado:									
	17 15	98 95	294, 000 295, 0 00	2, 166, 000 2, 159, 000	15. 81 15. 66	85. 15 83. 28	13. 60	96.02 87.23	2. 21 2. 00
1921 1922 1923 1924 4	15	63	183, 900	1, 422, 000 1, 890, 000	14.66	82. 69	12.90	87. 99 87. 25	1.76
1923	16	78	183, 900 240, 900 353, 900	1, 890, 000	14. 59	82.34	12. 73	87. 25	1.86
1924 •			303,000	2, 548, 000	16. 21		13. 85	85.44	2.36
1920	8	72	57, 9 00	405, 000	16. 26	86.42	13.98	85.98	2. 28
1921	7 5	55	57, 000 40, 000	355, 090 258, 090	17. 45 16. 68	86. 54 86. 21	15. 99 15. 44	91. 63 93. 12	1.46
1922 1923 1924 •	ğ	61	68, 600 35, 600	258, 090 447, 090 262, 090	16. 39	86. 74	14.64	89.32	1. 14 1. 75
1924			35,600	262, 090	17.18		13. 36	77.77	3.82
Michigan:	17	87	166,000	1, 244, 000	15. 79	84.04	13.34	84.48	2.45
1921	17	71	122, 000 81, 000	1, 244, 000 1, 117, 000 648, 000	13 28 14. 38	81.68	10.95	82.45	2. 33
1922	15 16	48 57	110.600	815,000	15.29	84. 16 84. 40	12. 52 13. 51	87 07 88.36	1 86
1923 1924 ⁶]	110, 609 169, 000	815, 000 1, 103, 000	17. 95		15. 32	85. 35	1. 78 2. 63
Nebraska: 1920	i .	110	90, 960	670,000	15.74	83, 94	18.37	84. 94	2.87
1921	1 5	106	105, 000	730, 000	16.60	84. 55	14. 43	86 93	2. 17
1922	5	92 83	1 87.000	671, 990	14. 79	84. 26 82. 38	12. 94 12. 32	87.49	1.85
1922 1923 1924	5	83	74, 000 101, 000	671, 990 597, 000 768, 000	14. 48 15. 76	02.00	18. 15	85. 08 83. 44	2. 18 2. J
Ohio:	1		t	382,000	1	82, 45	12. 31	1	
1920 1921	5 5	100 62	47, 800 26, 000	248, 000	15. 44 13. 41		10.46	79. 73 78. 00	3. 13 2. 95
1922	4	60	25,000	266, 090	14.65	81. 41 82. 81	11 94	81.50	2.71
1 922 1923 1924 ⁶	5	79	39, 9 00 50, 9 00	248, 000 206, 090 367, 000 331, 000	13. 39 17. 52	82.02	10. 64 15. 11	78.72 86.24	2.85 2.41
Utab:	l		1	1	1				
1 920	18 18	102 78	153, 000 156, 000	1,261,000	15. 62 16. 52	84. 27 84. 72	12 89 14 37	82. 52 86 99	2. 73 2. 15
1922	16	55	110, 900	775, 000	16. 11	85. 17	14.16	87. 90	1. 95
1923 1924 6	17	67	110, 900 127, 900 77, 900	775,000 1,008,000 574,000	15. 66 16, 38	-85. 02	13 59 13.41	86. 78 81. 87	2.07 2.97
Wisconsin:	1		1	ł			1	1 .	2.91
1920 1921	5	90 51	21,000 14,000	169,000 133,000	15.86 13.47	82.53 82.11	12. 40 10. 7 9	78. 18 78. 62	3.48
1922	1 4	31	8,000	65,000	16.06	88.14	13.68	81.44	2. 88 2. 98
1923	4	51	14,000	113, 000 127, 000	16.71	85. 32	12.33	78.49	3.36
Cither States			17,000	127,000	16.54		13. 39	80.96	3. 18
1920	12	70	83, 000	642,000	15.46	83. 12	13.06	84. 48	2.40
1921	110	60 54	74, 000 68, 000	548,000 494,000	15. 41 15. 91	81. 89 83. 54	13. 50 13. 79	87. 61 86. 68	1.91 2.12
1923 1924 6	ii	71	99.000	749,000	1 15.08	82. 55	13.12	87.00	1.96
			151, 900	992,000	16, 52		15. 21	92.07	1. 31
United States:	80	85	722, 000	5, 288, 000	16.38	83, 89	13.65	83. 33	2. 73
1914	67	02	874.000	0, 150, 000	16.49	84.88	14.21	86.17	2.28
1916	74	80	821.000	5, 920, 000 5, 626, 000	16. 30 16. 28	84. 74 83. 89	13.86 13.00	85. 03 83. 54	2.44
1917	91 89	74 81	765, 900 761, 900	i & 878.000	16. 28	84.70	13.64	84.30	2. 60 2. 54
191 8 191 9 192 0	86 97	78	761, 900 726, 900	1 5, 9888, 000	14.48	82.84	12.34	8522	2.14
		91	1, 089, 000	7,991,000	15.99	88.96	13.63	85. 24	2. 30
A verage 1914-1920	61	63 76	823, 000 1, 020, 000	7, 414, 000	16 01 15. 77	84. 07 88. 09	13. 57	84. 75 87. 25	2. 44
1921 1922	61	.58	675, 000	4, 963, 060	15. 44	88.76	13.61	88.15	1.83
1922 1923 1924	89,	70	881, 900 1, 687, 600	6, 565, 009 7, 494, 600	15.84	83. 43	18.41	87.42	1.93
1824 *	 		1,007,000	7,309,000	16.82	 	. 14. 50	86.21	1 2.82

Division of Crop and Livestack Estimates.

4 Acresse and production of bests are credited to the State in which the basts are made into sugar. Xear shown is that in which bects were grown. Sugar-making campaign extends into succeeding year.

4 Based upon weight of bests.

5 Percentage of sucrose (pure sugar) in the total soluble selids of the bests.

6 Percentage of sucrose actually extracted by factories.

6 Percentage of sucrose (based upon weight of beets) remaining in molesses and pulp.

6 Preliminary.

TABLE 378.—Cane sugar: Production in Louisiana, 1911-1924

	Facto-		Average	Can	e used for	r sugar	Molasses	made ⁸
Year ¹	ries in opera- tion	Sugar made ²	made per ton of cane	Area.	Aver- age per acre	Produc- tion	Total	Per ton of sugar
1911 1912 1913	Num- ber 188 126 153	Short tons 352, 874 153, 573 292, 698	Pounds 120 142 139	Aeres 310, 000 197, 000 248, 000	Short tons 19 11 17	Short tons 5, 887, 292 2, 162, 574 4, 214, 000	Gallons 35, 062, 525 14, 302, 169 24, 046, 320	Gal- lons 99 98 82
1914 1915 1916 1917 1918 1919 1920	149 136 150 140 134 121 122	242, 700 137, 500 803, 900 243, 600 280, 900 121, 000 169, 127	152 135 149 128 135 129 136	213, 000 183, 000 221, 000 244, 000 231, 200 179, 900 182, 843	15 11 18 15. 6 18 10. 5 13. 6	8, 199, 000 2, 018, 000 4, 072, 000 8, 813, 000 4, 170, 000 1, 883, 000 2, 492, 524	17, 177, 443 12, 743, 000 26, 154, 000 30, 728, 000 28, 049, 000 12, 991, 000 16, 856, 867	71 98 86 126 100 107 100
A verage 1914-1920	136 124 112 105	214, 104 824, 431 295, 095 162, 023 105, 000	138 155 156 136 148	226, 866 241, 433 217, 259 180, 000	14. 9 18. 5 15. 6 11. 1 7. 9	3, 092, 503 4, 180, 780 3, 778, 110 2, 386, 650 1, 422, 000	20, 671, 330 25, 423, 341 22, 718, 640 15, 719, 400 10, 807, 000	97 78 77 97 103

TABLE 379.—Cane sugar: Production in Hawaii, 1913-1924

	Aver-		Can	used fo	r sugar		Average tion of	
Island, and year ended Sept. 30	age length of cam- paign	Sugar made (chiefly raw)	Area har- vested	Aver- age yield per acre	Production	Total area in cane	Per cent of cane	Per short ton of cane
				Short				
Island of Hawaii:	Days	Short tons	Acres	tons	Short tons	Acres	Per cent	Pounds
1922\	198	223, 000	55, 000	87	2, 010, 000	106, 000	11.09	222
1923	164	186, 000	52, 000	82	1,681,000	105, 000	11.08	222
1924	201	228,000	49,000	41	1,996,000	106,000	11.42	228
Island of Kauai:								
1922	200	94, 000	23, 000	36	842, 000	43, 000	11. 22	224
1923	171	93, 000	21,000	37	782, 000	42,000	11.82	236
1924 Island of Maul:	170	121,000	20,000	49	986,000	42,000	12, 27	245
Island of Maul:								
1922	159	124, 000	19, 000	50	971, 000	38, 000	12.76	255
1923	136	112,000	17, 000	50	874,000	43, 000	12.81	256
1924	166	155,000	19,000	62	1, 170, 000	39,000	13, 25	265
Jaland of Oahu:								
1922	243	151, 000	27, 000	48	1, 265, 000	42, 000	11.92	238
1923	200	146,000	24,000	52	1, 223, 000	44,000	11.93	239
1924	211	187,000	23,000	66	1,509,000	45,000	12. 39	248
Territory of Hawaii:						!		
1918	169	546, 524	114,600	89	4, 476, 000		12. 21	244
1914	183	612, 000	112, 700	48	4, 900, 000		12.49	250
1915	195	646, 000	113, 200	46	5, 185, 000	239, 800	12.46	249
1916	180	592, 768	115, 419	42	4, 859, 424	246, 332	12. 20	244
1917	190	644, 668	123, 900	42	5, 220, 000	245, 100	12. 35	247
1918	184	576, 700	119, 800	41	4, 855, 000	276, 800	11.88	238
1919	178	600, 812	119, 700	40	4, 744, 000	239, 900	12.65	253
1920	175	555, 727	114, 100	89	4, 478, 000	247, 900	12.42	248
Average 1914–1920.		604, 024	116, 974	42	4, 890, 918	1 249, 305	12. 35	247
1921	202	521, 579	113, 100	41	4, 657, 000	286, 500	11. 20	224
1922	199	592,000	124,000	41	5,088,000	229,000	11.64	833
1923	167	537, 000	114,000	40	4, 560, 000	285, 000	11.77	28.5
1934	192	691,000	111,000	51	5, 661, 000	232,000	12.21	244

Division of Crop and Livestock Estimates.

Sugar campaign, usually not ended before February following season of growth of cane.
 Chiefly raw.
 Figures for molasses, 1911-1914, are as reported by the Louisiana Sugar Planters' Association; figures for later years as reported by Division of Crop and Livestock Estimates.

¹¹⁹¹⁵⁻¹⁹²⁰ average

Table 380.—Sugar: Production in the United States and its possessions, 1866–1924

\	Beet sugar		Cane	sugar (chiefl;	y raw)		
Year beginning July	(chiefly refined)	Louisiana	Other States	Porto Rico 1	Hawaii ¹	Philippine Islands ³	Total
	Short tons	Short tons	Short tons	Short tons	Short tons	Short tons	Short tons
1866	4 448	21, 450 20, 700	8,750	76, 416		61,818	163, 885
1867	* 448	20,700	5,060	82, 807		82, 971	191, 986
868	4 448	47, 526	2,875	91, 280		77,076	219, 208
869	4 4 4 8	40, 858	3,168	114, 368		87,600	245, 93
1870	4 448	84, 439	4,718	115, 700		97, 961	303, 26
871	4 448	73, 453	4,723	100, 306		106, 989	285, 91
872	560	62, 673	4,748	98, 156		93, 929	260, 06
873	784	51, 621	2,699	80, 366		111,742	247, 21
874 875	1112	67, 253 81, 708	3, 868	80, 783	12, 541	141, 220	300,77
875	4 112		4, 532	78, 418	13, 036	143, 903	321, 70
1876	4 112	95, 337	4, 844	69, 821	12,788 19,216	135, 578	317, 980
1877	4 112	73, 551 119, 739 85, 853	. 070	94, 469	19, 216	134, 508	327, 826
878	224	119, 739	5, 701	85, 580	24, 510 81, 792	145, 350 199, 728	881, 10
879	1, 344	85, 853	8, 583	63, 904	81, 792	199,728	386, 20
1880	4 560	136, 491	6, 160	69, 121	46, 894	230, 169	489, 39
881	4 560	79, 938	5,600	89, 674	57, 080	165, 813	398, 67
882	4 560	151, 538	7,840	86, 948	57, 910	216, 973	521, 76
883	599	143, 856	7,616	110, 505	71,622	134, 628	468, 82
884	1,067	105, 701	7, 280	78, 400	85,676	225, 117 203, 861	503, 24
1885	672	143, 813	8,064	71,680	108, 080	, ,	535, 67
1886	896	90, 562	5,079	96, 320	106, 400	189, 325	488, 58
1887	286	176, 928 162, 263	11,024	67, 200	112,000	177, 458	544, 89
888	2, 084	162, 263	10, 115	09, 440	134, 400	251, 844	630, 14
889 890	2, 467	146, 062	4,580	61,600	134, 400	159, 660	508, 76
	3, 574	241,745	6,840	56,000	140,000	152, 359	600, 81
891	6,002	180, 250	5,040	78, 400	129, 470	278, 663	677, 82
892	13, 542	243, 628 297, 737	5,600	56, 000 67, 200	156, 800	288, 279	763, 84
893	22, 596	297, 737	7,676	67, 200	153, 092 147, 502	232, 197	780, 49
894	22, 503	355, 414	9, 283	58, 800	147, 502	376, 405 257, 600	989, 90
1895	32, 726	266, 248	5, 570	56, 000	225, 828		843, 97
898	42,040	315, 850 347, 701	6, 238	64, 960	251, 124	226, 240	906, 45
897	45, 246	347, 701	6, 425	60, 480	229, 413	199, 360	888, 62
898	36, 368	278, 497	5,897	60, 285	282, 808	104, 160	768, 01
1899	81,729 86,082	159, 583 308, 648	1,691 3,238	39, 200 81, 536	289, 544 360, 036	81,976 61,873	653, 72 901, 41
1900							
1901 1902 1903	184, 606	360, 277	4,048	103, 152	355, 611	75,011	1, 082, 70
1902	218, 406	368, 734	4, 169	100, 576	437, 991 367, 475	123, 108 82, 855	1, 252, 98 1, 107, 10
1904	240, 604 242, 113	255, 894 398, 195	22, 176 16, 800	138, 096 151, 088	426, 248	125, 271	1, 359, 71
					1		
1905	312, 921	377, 162	18, 440	214, 480	429, 213	138, 645	1, 485, 86
1906	483, 612	257, 600	14, 560	206, 864	440, 017	132, 602 167, 242	1, 535, 25 1, 776, 32
1907 1908	463, 628	257, 600 380, 800 397, 600	13, 440	230, 095 277, 093	521, 123	123, 876	1, 776, 40
	425, 884		16, 800		535, 156		
1909	512, 469	320, 526	11, 200	346, 786	517. 090	140, 783	1, 848, 85
1910	510, 172	342, 720 352, 874	12, 320	349, 840	566, 821	164, 658	1, 946, 53
1911	599, 500	302, 874	8,000	371, 076	595, 038	205, 046 345, 077	2, 131, 53 2, 144, 73
1912	692, 556 733, 401	153, 573 292, 698	9,000 7,840	398, 004 351, 666	546, 524 612, 000	408, 339	2, 143, 73
1913			-			<u> </u>	
Av.1909-1918	609, 620	292, 478	9,672	363, 474	567, 495	252, 781	2, 095, 51
1914	722, 054	242, 700	3,920	346, 490	646, 000	421, 192	2, 382, 35
1915	874, 220	137, 500	1,120	483, 590	592, 763	412, 274	2, 501, 46
1916	820, 657	303, 900	7,000	503, 081	644, 668	425, 266	2,704,56
1916 1917 1918	765, 207	243, 600	2,240	453, 794	576, 700	474, 745	2, 516, 28
IVIO	760, 950	280, 900	3,500	406, 002	600, 312	458, 346	2, 508, 01 2, 356, 28
1919	726, 451 1, 089, 021	121, 000 169, 127	1,125 6,987	485, 071 489, 818	555, 727 521, 579	466, 912 608, 499	2, 885, 03
1920	-				-	466, 033	
Av. 1914-1920	822, 651	214, 104	3,699	452, 549	591, 106		2, 550, 14
1921	1,020,489	324, 431 295, 095 162, 023 105, 000	3,270	408, 325 879, 172 447, 587	592, 000 537, 000	533, 189	2, 881, 70 2, 362, 23 2, 715, 62
1922 1923	675, 000	140,000	640 2, 800	447 807	691,000	475, 825 531, 212	2,802,23
	881,000	102, 028	2, 800 8, 000	519,000		533,000	£, 710, 62
1924	1, 085, 000				1		

Division of Statistical and Historical Research.

Beet sugar production preceding 1897 and for 1898 through 1900 from Willett & Gray "Weekly Statistical Sugar Trade Journal" annual reports; 1897, 1901 and subsequently from United States Department of Agriculture. Cane sugar production previous to 1903 from Bouchereau's annual "Louisiana Sugar Report"; 1903 through 1910 from Willett & Gray; 1911 and subsequently from United States Department of Agriculture. Porto Rico production previous to 1885 from Rueb & Co.; 1885 through 1899 from Willett & Gray; 1900 through 1906 are shipments to the Continental United States. Hawaii from Rueb & Co., previous to 1885; 1886 through 1900 from Willett & Gray; 1901 and subsequently from Hawaiian Sugar Planters Association.

^{1 1900-1906} shipments from Porto Rico to the United States

3 Statistics for Hawaii 1874-1880 represent exports.

3 Exports 1866-1911, production 1912 and subsequently.

⁴ Estimated average production.

Table 881.—Sugar: Production, trade, and consumption of continental United States, 1866–1924

	Pro-	Brought from in-	Net im-	Domestic	Consu	mption ¹⁶
Year heginating July	duction	sular pos- sessions *	foreign countries	exports 4	Total	Per capita
	1,000 pounds	1,000 pounds	1, 00 0 pounds	1,000 pounds	1,000 pounds	Pounds
866	51, 296	populace	836, 844	8, 130	880, 010	24.
867	52.41R		1 105 078	2,318	1, 155, 276	31.
868	101, 697		1, 230, 005	8, 168	1, 328, 534 1, 280, 285	35.4
869 870	101, 697 87, 939 179, 201		1, 230, 005 1, 196, 774 1, 287, 111	4, 428 3, 841	1, 280, 285 1, 442, 471	33. 36.
871	157, 248		1, 497, 065	4, 478	1, 649, 835	40.4
872	135, 953		1, 544, 378	10, 083	1, 670, 248	40.
873	110, 208		1, 681, 988	10, 133	1, 782, 063	41.
874	142, 466		1, 786, 810	24, 152	1, 904, 624	48.
875	172, 705		1, 478, 111	51, 864	1, 598, 952	35.
876	199, 586 159, 285	1	1, 651, 425	39, 751	1,811,270	39.
877 878	159, 285		1, 531, 422 1, 823, 977	44, 093	1, 646, 594 2, 002, 952	34.
878	251, 328		1, 823, 977	72, 353	2, 002, 952	41.
579	181, 560		1,818,803	80, 142	1, 970, 221	39.
880	286, 423		1, 937, 187	22, 25 3	2, 201, 307	43.
881	172, 195		1, 984, 821	13, 814	2, 143, 202	41.
262	319, 856		2, 135, 809	28, 542	2, 427, 133	45.
883	304, 143		2, 747, 007	76, 123	2, 975, 027	48.
883 884	228, 098		2, 712, 461	76, 123 252, 740	2, 687, 819	54.
885	304, 098		2, 678, 475	1 64, 42 9	2, 818, 144	49.
96 6	193, 074		3, 123, 007	190, 805	3, 125, 276	83.
867	376, 475		2, 674, 581	34, 646	3, 016, 360	50.
888	348, 925		2, 756, 711	14, 259	3, 091, 377	50.
889	306, 219		2, 913, 741	27, 225	3, 192, 785	51.
890	504, 918		3, 478, 960	108, 433	3, 875, 445	60.
891 892	382, 584		3, 551, 945 3, 757, 959	14, 850 20, 746	3, 919, 679 4, 262, 752	80.
892	525 , 53 9		3, 757, 959	20,746	4, 262, 752	64.
893	656, 018 774, 399		4, 296, 338	15.468	4. 936. 888	73.
894	774, 399		4, 296, 338 3, 556, 805	9, 529	4, 321, 675	62.
895	699, 087		3, 894, 998	9, 403	4, 494, 682	84.
806	728, 257		4, 878, 440	8, 30 5	5, 598, 392	78.
807	798, 744		2, 676, 502	6, 50 8	3, 468, 738	47.
898	641, 525		8, 973, 152	9, 865	4,604,812	6.2.
899	486, 007		4, 013, 683	22, 515	4, 477, 175	59.
900	795, 986	832,776	3, 965, 050	8, 532	5, 585, 280	72.
901	1, 097, 862	915, 794 1, 019, 742 1, 087, 294	3, 014, 342	9, 126	5, 018, 872	63.
902	1, 182, 616 1, 037, 348	1,019,742	4, 193, 568	14, 214	6, 381, 712	79.
903	1, 037, 348	1,067,294	3, 619, 966	19, 644	5, 694, 964	6 9.
904	1, 314, 216	1, 182, 038	3, 690, 842	21, 498	6, 075, 598	72.
905 906	1, 407, 046	1, 226, 520	3, 904, 594	26, 532	6, 511, 628	76.
906	1, 511, 544	1, 254, 830	4, 358, 318	29, 696	7, 894, 498	81.
9 87	1, 715, 736	1, 585, 184	3, 327, 498	34,010	6, 594, 408	74.
908	1, 680, 568	1, 594, 964	4, 103, 126	89, 226	7, 289, 482	81.
969	1, 765, 260	1, 855, 504	3, 869, 508	144, 764	7, 345, 508 7, 311, 715	80.
910	1,806,960	1,887,402	3, 690, 558 8, 664, 848	73, 195	7, 311, 715	78.
911	2,010,678	2,375,326	8, 664, 848	100, 760	7, 950, 087	84
912	1, 814, 141	2,053,944	4, 532, 852	61, 926	8,339,011	87
913	2, 177, 888	1, 872, 752	4, 926, 504	74, 881	8, 902, 763	91.
Average 1909-1913	1, 914, 982	2, 008, 986	4, 136, 854	91, 005	7, 969, 817	84.
014	2, 045, 656	2, 196, 628	5, 059, 926	605, 283	8, 696, 927	88.
015	2, 156, 813	2, 204, 114	5, 378, 134	1, 765, 728	7, 973, 333	79.
P1G	2, 386, 213	2, 204, 114 2, 407, 876		1, 303, 805	8, 496, 552 8, 167, 017	6 3.
915 916 917 918	2, 136, 875	1, 951, 36 8 2, 147, 688	4, 689, 682	610, 858	8, 107, 017	79.
918	2, 204, 342	1, 951, 470	5, 699, 924 7, 625, 910	1, 187, 138 1, 553, 005	8, 815, 521 9, 830, 495	84.
E1V	1, 806, 120 2, 693, 623	2, 152, 684	6, 456, 558	638, 178	10, 664, 687	93 99.
Average 1014-1920	2, 204, 206	2, 144, 575	5, 695, 180	1, 094, 813	8, 949, 219	86.
921	2, 849, 443	2, 681, 784	7, 881, 554	2, 170, 698	11, 242, 043	104.
922	2, 042, 720	2, 470, 098	8, 136, 411	824, 393 805, 767	11, 824, 836	107.
)28)24	2, 223, 796 2, 816, 924	2, 549, 246	6, 873, 943	305, 767	11,341,218	101.
	" 918 DOA					

Division of Statistical and Historical Research.
-See Public 880 for source of production figures. Trade figures, Bureau of Foreign and Domestic Com-

^{*}Predominately raw except hast sugar-production and domestic experts which are chiefly refined; 1909 to date production and domestic experise converted foraw.

* From Hawaii, Porto Rico, and Philippine Islands (Virgin Islands included, 1917 and subsequently).

* Cube included. Philippine Islands excluded 1990 and subsequently.

* Shipments to Hawaii and Porto Rico included.

* Consumption for all purposes. No account taken of stocks at beginning or and of year.

Table 382.—Sugar: Quantity and per cent of total consumption supplied the United States by Cuba, 1866-1923

Year beginning July	Quantity	Per cent of United States consumption	Year beginning July	Quantity	Per cent of United States consump- tion
1806	1,000 pounds 642, 191 861, 149 904, 764 801, 637 759, 995	Per cent 73. 0 74. 5 68. 1 62. 6 52. 7	1896	1,000 pounds 577, 790 440, 225 663, 544 705, 456 1, 099, 404	Per cent 10. 3 12. 7 14. 4 15. 8 19. 7
1871	877, 166 940, 069 1, 223, 665 1, 090, 654 1, 008, 415	53, 2 56, 3 68, 7 57, 3 63, 1	1901	984, 217 2, 396, 498 2, 819, 558 2, 057, 684	19. 6 87. 6 49. 5 33. 9
1876	926, 164 904, 731 1, 275, 889 1, 087, 832 1, 086, 905	51. 1 54. 9 63. 7 55. 2 48. 0	1905. 1906. 1907. 1908.	2, 781, 901 8, 236, 466 2, 369, 189 2, 862, 260 3, 509, 658	45. 6 35. 0 89. 3
1881 1882 1883 1884	1, 107, 580 1, 189, 794 1, 191, 234 1, 115, 046	51. 7 47. 0 40. 0 41. 5	1910 1911 1912 1913 Average, 1909–1913	3, 347, 666 8, 186, 634 4, 311, 782 4, 926, 606	46, 2 40, 5 52, 3 56, 0
1885	1, 394, 716	43. 0 44. 6 40. 1 33. 4 32 6	1914 1915 1916 1917 1918	4, 784, 888 5, 150, 852	55. 4 64. 7 55. 1 56. 8 62. 5
1890	1, 430, 566 1, 983, 540 1, 843, 652 2, 127, 502 1, 845, 763 1, 093, 171	36, 9 50, 6 43, 3 43, 1 42, 7 24, 8	1919	6, 905, 710 4, 925, 681 5, 212, 234 7, 720, 255 8, 041, 592 6, 515, 268	70. 3 46. 7 58. 7 68. 7 68. 0 57. 4

Division of Statistical and Historical Research.

Yearbook of the Department of Agriculture, 1924 804

Table 383.—Sugar beets: Acreage and yield per acre in specified countries, average 1909-1913, annual 1921-1924

			Acreage)			Yi	eld per s	cre	
Country	Aver- age 1909- 1913	1921	1922	1923	Pre- limin- ary, 1924	A ver- age 1909- 1913	1921	1922	1923	Pre- limin- ary, 1924
NORTH AMERICA Canada United States 1	1,000 acres 17 485	1,000 acres 28 815	1,000 acres 21 530	1,000 acres 22 657	1,000 acres 86 842	Short tons 9.4 10.0	Short tons 9, 6 9, 5	Short tons 9.0 9.8	Short tons 9 8 10.7	Short tons 9, 2 8, 9
Total North America	502	843	551	679	878					
EUROPE England and Wales Sweden Denmark Notherlands Belgium France Spain Italy Switzerland Germany Austria	78 78 80 144 3146 3612 114 3130 32 341,075	8 120 86 182 143 298 103 159 3 962	8 41 60 138 149 323 138 203 3 1,031	17 106 78 167 179 402 153 233 3 948	23 102 95 176 199 449 443 247 3 975	13. 3 10. 9 13. 7 12. 3 10. 7 8. 3 15. 3 18. 3 13. 7	9. 1 13. 6 11. 1 16. 4 11. 3 7. 6 7. 9 12. 1 15. 7 9. J	7. 8 12. 3 10. 5 14. 5 12. 6 11. 2 9. 5 12. 2 12. 3 11. 5	6. 9 10. 8 10. 8 11. 4 12. 5 10. 1 10. 1 13. 3 11. 7 10. 1 8 3	10.0 11.0 14.6 10.7 12.6 4.1 16.1 16.7 11.2
Czechoslovakia Hungary Yugoslavia Bulgaria Rumania	3 716 3 131 3 35 3 7	544 103 41 30	519 103 48 24	574 120 70 31	748 162 136 32	11 5 11. 5 10. 9 8. 1	8. 3 5. 8 5. 1 4. 3	11. 1 7. 6 7. 2 9. 8	11. 6 7. 4 5 9 5. 5	11. 5 9. 5 7. 1 5. 8
Poland Finland Russia Total Europe	3 431 (7) 3 1, 484 5, 318	197 8 499	270 3 437 3, 580	33; 600 4, 142	853 5, 227	7. 2	6. 3 5. 3	10. 9 4. 0	8. 4 2. 5 4. 8	8.8
World total	5, 820	4, 400	4, 131	4, 821	6, 105					

Division of Statistical and Historical Research. Official sources and International Institute of Agriculture unless otherwise stated.

¹ Principal producing States.
2 Two-year average.
3 Estimate for present boundaries.
4 One year only, 1912-13. According to statistics of the German sugar association, the 1912-13 acreage was higher than on any other year with the exception of 1914-15.
4 Unofficial estimato.
5 Four-year average.
7 No sugar beets grown for sugar previous to 1918.

Table 384.—Sugar beets: Production in specified countries, average 1909–1913, annual 1921–1924

[Thousand short tons-i. e., 000 omitted]

Country	Average 1909–1913	1921	1922	1923	Prelim- inary 1924
NORTH AMERICA					
CanadaUnited States 1	160 4,860	268 7, 782	190 5, 183	216 7, 006	333 7,478
Total North America	5, 020	8, 050	5, 373	7, 222	7, 811
EUROPE					
England and Wales		73 1, 636 957 2, 985 1, 613	62 503 631 2,004 1,873	117 1, 148 844 1, 896 2, 245	1, 019 1, 047 2, 568 2, 132
France Spain Italy Switzerland	3 6, 544 949 3 1, 983 26 24 14, 679	2, 271 809 1, 930 47 8, 796	3, 626 1, 316 2, 486 37 11, 896	4, 060 1, 552 2, 976 35	5, 664 1, 829 3, 968 50
Germany Austria Czechoslovakia Hungary Yugoslavia	\$ 561 \$ 8, 238 \$ 1, 513 \$ 381	103 4,493 598 208 129	191 5, 776 784 345 236	9, 586 267 6, 641 952 411 169	10, 919 3 482 8, 613 1, 540 3 970 185
Rumania Poland Finland Russia .	3 668 3 4, 611 3 10, 636	388 1, 244 16	365 2,945 12	830 2,838 5 2,875	1, 019 3, 539 6 5 3 3, 142
Total Europe, comparable with 1909-13, and with 1924 Total all countries, comparable with 1909-13, and with 1924 Estimated world total	56, 523 61, 543 61, 573	37,846	41, 961	39, 330 46, 552 46, 669	48, 686 56, 497 56, 647

Division of Statistical and Historical Research. Official sources and International Institute of Agriculture unless otherwise stated.

Principal producing States.
 Estimate for present boundaries.
 Unofficial estimate.
 One year only, 1912-13. According to statistics of the German sugar association the 1912-13 production of beets was higher than any other year with the exception of 1913-14.
 Four-year average.
 Estimate based on acreage.

Table 385.—Super: Production in specified countries, overage 4466-1923, annual 1921-1924

BEET SUGAR IN TERMS OF RAW SUGAR

PEET GOODE	ALL LIVER	ID UE MAN	BUUAL		
Country	A verage 1909-10 to 1913-14	1921-22	1922-23	1923-24	Pre- liminary, 1924-25
NORTH AMERICA Canada 1. Frited States 1.	Short tans 11, 160 641, 705	Short tons 27, 822 1, 074, 900	Short tons 15, 743 711, 000	Short tons 20, 749 927, 900	Short tons 2 34, 000 1, 142, 900
Total North America	652, 865	1, 101, 822	726, 743	947, 749	1, 176, 000
RUROPE					
England Sweden Denmark Netherlands ¹ Belgium	(3) 153, 739 4 127, 091 246, 341 4 278, 827	8, 960 258, 788 155, 755 411, 534 315, 372	³ 7, 840 79, 186 98, 953 276, 276 292, 538	14, 874 184, 728 114, 529 250, 844 2 330, 822	³ 24, 000 ² 158, 609 ² 154, 608 ² 364, 600 ² 413, 000
France ¹	115, 727 4 208, 675 3 784	326, 319 79, 649 1 233, 943 6, 559 1, 433, 742	522, 265 176, 407 1 299, 519 6, 757 1, 603, 933	523, 913 2 187, 000 1 343, 600 6, 393 1, 264, 219	802, 000 281, 000 1 396, 600 27, 000 3 1, 700, 000
Austria. Czechoslovakia. Hungary. Yugoslavia. Bułgaria.	4 79, #28 4 1, 221, 274 4 175, 783 4 41, 459 4 4, 376	17, 600 730, 745 67, 096 27, 227 14, 042	26, 963 811, 297 90, 259 36, 927 19, 821	52, 999 1, 103, 457 135, 157 44, 790 31, 487	* 73, 000 * 1, 502, 900 * 220, 990 102, 909 * 45, 909
Rumania. Foland Finland. Russia ¹	4 6 88, 245 4 702, 626 (7) 4 1, 557, 114	33, 069 199, 800 ² 2, 028 65, 900	46, 011 347, 344 1, 562 225, 751	79, 962 456, 805 518 418, 000	* 101, 000 * 496, 900 * 1, 000 * 667, 008
Total Europe	8, 116, 754 8, 769, 6°9	4, 387, 237 5, 489, 059	4, 969, 609 5, 696, 382	5, 524, 092 6, 471, 841	7, 348, 000 8, 524, 000
CA	NE SUGA	R (RAW)			
NORTH AND CENTRAL AMERICA					
United States Hawaii Porto Rico Virgin Islands Central America:	1	327, 700 592, 000 408, 335 5, 600	* 295, 100 537, 000 * 379, 071 * 1, 948	* 162, 000 * 694, 000 * 447, 570 * 2, 612	* 105, 600 * 661, 600 * 522, 600 * 3, 600
Costs Ries Gustymals Nicaragus Salvador Panama Mexico Wost Indies;	2,791 8,998 3,742 18,084 (1) 163,388	3 5,699 27,383 14,881 3 3,600 3 3,028 3 140,797	25, 600 27, 378 12, 401 33, 660 24, 500 164, 616	1 6, 709 1 23, 352 1 11, 623 1 39, 200 1 4, 500 1 186, 964	¹ 27, 000
British— Antigua Barbadoes. Jamaica St. Christopher Trinidad and Tobago Cuba Dominican Republic Hatt	12, 919 27, 788 23, 856 13, 252 51, 275 2, 287, 052 104, 664 (3)	10, 793 2 64, 000 36, 267 10, 806 67, 142 4, 532, 904 205, 974 11, 352	14, 159 277, 800 36, 507 212, 025 46, 613 4, 086, 781 206, 273 112, 283	1 8, 803 1 49, 000 2 37, 443 1 11, 420 1 58, 290 4, 538, 853 237, 809 2 6, 500	3 14, 600 3 59, 000 3 47, 700 3 14, 600 2 56, 000 2 5, 175, 000 2 269, 000 2 7, 800
French: Guadeloupe Martinique	40, 810 42, 782	35, 737 22, 400	¹ 28, 048 ² 22, 064	² 30, 854 ³ 19, 000	3 38, 000 3 25, 800
Total North and Central America	4, 052, 820	6, 556, 299	6, 003, 767	6, 575, 893	
Total North and Central America comparable with 1924-25	4, 028, 203	6, 499, 190	5, 947, 666	6, 514, 470	7, 210, 500

¹ Refined sugar in terms of raw.
2 Unofficial estimates.
3 Too small to report.
4 Estimate for present boundaries.
5 One year only, 1912-13. According to statistics of the German Sugar Association the 1912-13 sugar production was greater than any other year.
5 Four-year average.
7 No sugar was produced prior to 1918.
8 Louisiana only.
9 One year only.

Table 285.—Sugar: Production in specified countries, overage 1909-1913, annual 1921-1924—Continued

CANE SUGAR (RAW)-Continued

			,		
Country	A verage 1909-19 to 1913-14	1921-22	1922-23	192 3 -24	Pre- liminary, 1924-25
EUROPE AND ASIA	Short tons	Short tens	Short tons	Short tons	Short tome
Smain		15,462	15, 586	8.816	*8.988
India	2, 649, 480	2, 982, 000	3, 499, 080	3, 658, 000	13,248,090
Fermosa	192, 299	308, 046	891, 730	* 502, 584	2 515, 200
Japan	75, 718 1, 485, 236	1,00,900 1,906,019	88, 147) 2, 027, 516	1, 983, 726	2, 209, 000
Java Pisitippine Islands	294, 880	538, 189	475, 825	588,000	- 2, 200, 000
Tetal Europe and Asia comparable with 1908-10 to 1913-14	4, 714, 172	5,865,616	6, 407, 386	6, 741, 126	
Total Europe and Asia comparable					
with 1924-25	4, 419, 792	5, 332, 427	5, 931, 981	6, 153, 126	5, 981, 100
SOUTH AMERICA					
	193, 853	210. 869	238, 663	282,476	1 070 400
Argentina	1 882, 813	580, 965	667, 200	476, 960	² 270, 600 ² 560, 000
Guiana –	1	•			,
British		113, 263	101, 649	100, 756	105,000
Dutch Paraguay	13, 235 1, 368	12, 242 * 2, 653	13, 146	11, 964 13, 400	³ 13, 460
Peru	202, 518	941, 718	351, 390	348, 922	386,000
	207.00				334, 334
Total South America comparable	0.00		1 000 015	1 010 510	ļ
with 1909-10 to 1913-14 Total South America comparable	856, 094	1, 231, 710	1, 873, 915	1, 218, 518	
with 1924-25	854, 731	1, 229, 057	1, 871, 968	1, 215, 118	1, 282, 490
	-				
AFRICA			i '		_
Egypt	07, 127	122,020	195,856	79, 786	1 128, 000
Mauritius Union of South Africa	233, 671 68, 165	224, 660 148, 499	254, 840 157, 980	222, 169 196, 000	261, 090 170, 000
Portuguese East Africa	26, 100	87.008	55, 829	167,000	78,600
Reunion		42, 516	42, 551	49, 428	2 48, 700
Total Africa	457, 076	574, 812	617, 096	614, 883	680, 760
OCEANIA	-				
*	010 000		241 250	017.000	4 4 4 4 9000
Australia Piji	916, 881 64, 629	336, 004 84, 129	241, 859 : 51, 277	815, 80 0 65, 8 00	² 414, 000 78, 000
Total Oceania	300, 960	420, 133	392, 636	380, 800	492, 600
World total cane sugar comparable	10 001 100	14 640 5-0	14 804 655	15 100 500	
with 1909-10 to 1913-14 World total cane sugar comparable	10, 381, 122	14, 648, 570	14, 794, 660	15, 530, 720	
with 1924-25	10, 060, 762	14, 055, 619	14, 261, 307	14, 877, 897	15, 646, 700
Estimated world total cane sugar	10, 387, 671	14, 654, 615	14, 799, 882	15, 537, 295	16, 312, 775
World total beet and cane sugar	1			1	, , , , , , , ,
comparable with 1909-10 to 1913-14. World total beet and cane sugar com-	19, 150, 741	20, 137, 629	20, 491, 012	22, 002, 561	
parable with 1924-25	18, 830, 381	19, 544, 678	19, 957, 659	21, 349, 738	24, 170, 700
Estimated world total beet and cane	25,000,001	-5, 5, 12, 5, 6	23, 001, 000	-2,020,100	22, 110, 100
sugar	19, 157, 290	20, 143, 674	20, 496, 234	22, 009, 136	24, 836, 775
	<u> </u>	<u> </u>	<u> </u>	<u> </u>	

Division of Statistical and Historical Research. Official sources and International Institute of Agricul-

Figures are for the crop years 1909-10 to 1924-25 for the countries in which the sugar season begins in the autumn months and is completed during the following calendar year, except in case of cane-sugar-producing countries where the season begins in May or June and is completed in the same calendar year.

¹ Three-year average.

¹ Unofficial estimates.

808 Yearbook of the Department of Agriculture, 1984

TABLE 386.—Sagar, raw, cane and beet: World production, 1895-1924

	Production in countries	Desdessies	Estimated	Three cl	nief producing c	ountries
Year 1	reporting all years 1895-1923	Production as reported	world totals (prelimi- nary)	Cuba	India	Java
1895-96_ 1896-97_ 1897-98_ 1898-99_ 1898-1900	Short tons 7, 211, 438 7, 894, 621 8, 077, 178 8, 190, 919 8, 840, 680	Short tons 7, 619, 883 8, 255, 405 8, 436, 725 10, 793, 709 11, 203, 891	Skorttons 10, 105, 883 10, 761, 405 10, 942, 925 11, 002, 309 11, 409, 131	Short tons 252, 248 237, 497 342, 208 375, 948 336, 082	2, 325, 382 2, 083, 206	Short tone 628, 021 575, 263 623, 222 785, 638 821, 367
1900-1	9, 918, c15	12, 921, 042	12, 962, 882	712, 159	2, 549, 958	8 19, 943
1901-2	11, 313, 799	14, 017, 184	14, 123, 384	952, 203	2, 265, 173	891, 236
1902-3	10, 346, 777	12, 991, 634	13, 066, 234	1, 118, 738	2, 135, 598	982, 781
1908-4	10, 590, 317	13, 228, 731	13, 307, 431	1, 165, 055	2, 096, 624	1, 022, 836
1904-5	10, 104, 951	18, 066, 932	13, 143, 732	1, 302, 849	2, 429, 000	1, 159, 866
1908-6	12, 588, 145	15, 202, 891	15, 227, 691	1, 320, 199	1, 932, 560	1, 146, 037
	12, 567, 736	15, 789, 808	15, 815, 608	1, 598, 994	2, 469, 936	1, 002, 063
	12, 121, 445	15, 189, 827	15, 218, 527	1, 077, 393	2, 292, 528	1, 215, 530
	12, 953, 119	15, 846, 662	15, 876, 462	1, 694, 965	2, 097, 648	1, 274, 306
	13, 261, 726	16, 730, 318	16, 730, 318	2, 020, 871	2, 480, 700	1, 360, 353
1910-11	14, 931, 316	18, 680, 900	18, 680, 900	1, 661, 465	2, 587, 100	1, 392, 842
1911-12	13, 882, 217	17, 765, 546	17, 784, 046	2, 123, 502	2, 744, 900	1, 626, 751
1912-13	16, 201, 290	20, 117, 285	20, 128, 785	2, 719, 961	2, 861, 500	1, 467, 901
1913-14	16, 933, 352	20, 798, 711	20, 812, 861	2, 909, 460	2, 573, 200	1, 578, 332
1914-15	16, 618, 454	20, 613, 043	20, 627, 143	2, 921, 984	2, 736, 000	1, 502, 852
1915-16. 1916-17. 1917-18. 1918-19.	14, 503, 234 13, 892, 686 14, 868, 880 14, 133, 339 13, 162, 918	18, 887, 512 18, 508, 744 20, 172, 700 18, 279, 267 17, 841, 625	18, 900, 512 18, 544, 544 20, 196, 700 18, 310, 067 17, 866, 925	3, 398, 385 3, 421, 597 3, 889, 966 4, 490, 902 4, 183, 676	2, 949, 000 3, 093, 000 3, 846, 000 2, 762, 000 3, 404, 000	1, 480, 725 1, 785, 293 2, 055, 839 1, 988, 002 1, 540, 666
1920-21	14, 710, 032	19, 198, 455	19, 245, 755	4, 406, 413	2, 825, 000	1, 747, 594
1921-22	15, 470, 810	20, 143, 474	20, 1 '3, 674	4, 532, 904	2, 932, 000	1, 906, 019
1922-23	15, 430, 705	20, 496, 234	20, 49, 284	4, 086, 781	3, 409, 000	2, 027, 516
1923-24	16, 361, 342	22, 902, 561	22, 009, 136	4, 538, 853	3, 658, 000	1, 963, 726
1924-25	19, 364, 500	24, 170, 700	24, 836, 775	5, 175, 000	3, 248, 000	2, 209;000

Division of Statistical and Historical Research.

¹ Figures are for the crop years 1895-96 to 1924-25 for the countries in which the sugar season begins in the autumn months and is completed during the following calendar year, except in the case of cane sugar producing countries where the season begins in May or June and is completed in the same calendar year.

Table 387.—Sugar: International trade, calendar years, average 1909-1913, annual 1921-1923

_	Average	1909-1913	19	21	1	922	1928 prel	lminary
Country	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Exports
PRINCIPAL EXPORTING COUNTRIES Austria-Hungary	Short tons 3, 942	Short tons 848, 830	Short tons	Short tons	Short tons	Shorttons	Short tons	Short tons
BarbadosBelgiumBrazii.British Guiana	1 233 7, 892 1 117 1 6, 112	25, 829 154, 476 38, 284	16, 392 1 254	29, 508 195, 886 189, 699 121, 262	104, 296	177, 594 277, 903 101, 440	66, 980	164, 814 168, 845 93, 123
Cuba	656 3,766 3,562 43,020	2, 009, 899 92, 351 1, 412, 555 8, 086	2, 457 2, 792 983 2, 230 9, 058	3, 205, 265 491, 383 202, 396 1, 848, 708 75, 345	294 36 284 2, 941 160	5, 581, 371 350, 366 189, 195 1, 582, 691 19, 675	4 134	² 3,860,640 519,528 186,946 ⁴ 2,014,452 49,908
Fiji Germany Hungary Jamaica Mauritius	⁸ 386 3, 486 395 1 2	78, 817 873, 161 14, 494 226, 255	117 26, 209 3, 208	81, 339 6 12, 370 2, 687 30, 057 252, 674	138 206, 999 9, 545	80, 339 13, 915 28 56, 735 322, 692	5, 824 930	19, 51 3 49, 71 6 27, 70 6 246, 70 4
Netherlands	82, 721 726 3, 950		51, 824 27 2, 764	178, 481 263, 842 319, 530	152, 559 22 2, 692 12, 636	219, 477 302, 447 399, 112 65, 344	16 4, 985	311, 201
Russia Trinidad and Tobago Union of South Africa Venezuela	3, 744 522 29, 694 285	293, 514 43, 755 675 2, 181	583 12, 643 9	51, 687 68, 962 15, 193	746 17, 913 18	54, 191 36, 100 10, 714	2,972	32, 274 12, 905
PRINCIPAL IMPORTING COUNTRIES Algeria	37, 908		85, 412	1, 181	42, 852	1, 557	42, 859	
Anglo - Egyptian Sudan Argentina Australia ⁶ Austria	13, 764 51, 690 76, 233	72	7, 418 61, 342 7, 715 88, 833		11, 197 81, 148	27	8, 609 27, 089 89, 220	1 226
British India Canada Chile China Denmark	715, 990 297, 893 84, 965 343, 622 21, 814	26, 611 820 90 14, 933 22, 536	655, 233 384, 871 73, 344 514, 660 5, 244	27, 058 44, 396 204 21, 129 10, 179	516, 995 600, 135 104, 303 510, 987	17, 988 159, 949 78 15, 018 654	559, 541 432, 791 82, 769 407, 269	22, 221
Finland France Greece Hongkong Italy	50, 077 186, 198 11, 718	206, 897	61, 011 402, 113 49, 881	114, 101	06, 075 644, 806 43, 542 876, 870	169, 602 350, 468	54, 528 538, 078 38, 813 336, 667	135, 971 356, 748 2, 339
Japan	176, 942 61, 402 62, 962 52, 326	60, 204 1 13, 478	339, 321 62, 101 71, 098 35, 353	54, 506 499	437, 434 83, 009 74, 413 78, 448	94, 276 298	133, 896	⁸ 43, 746 380
Persia	109, 352 45 1, 672 118, 201	63 1	48, 458 52, 099 7, 544 85, 143	32 1, 975 4 11	41, 337 7, 170 91, 349	2	27, 605 100, 910	8
United Kingdom United States Yugoslavia Other countries	1, 853, 605 2, 122, 517 472, 704	32, 603 39, 684 296, 936	1, 432, 356 2, 983, 750 34, 812 211, 722	7, 988 466, 896 101, 148	4, 860, 810 29, 690	32, 712 918, 361 41, 899	1, 710, 946 3, 854, 668 40, 273	58, 579 222, 458 36, 333
Total			7, 948, 889		11, 615, 810			<u></u>

Division of Statistical and Historical Research. Official sources except where otherwise noted. The following kinds and grades have been included under the head of sugar: Brown, white candied, caramel, chancaca (Peru), crystal cube, maple, muscovado, panela. The following have been excluded: "Candy" (meaning confectionery), confectionery, glucose, grape sugar, jaggery, molasses, and sirups.

¹ Four-year average.
2 Lamborn & Co.
3 One year only.
4 Java and Madura only.
5 Three-year average.

<sup>Eight months, May-December.
Less than half a ton.
Six months.
Year beginning July 1.</sup>

810

Table 388.—Sugar, raw (96° centrifugal): Average wholesale price per pound, New York, 1890-1924

Year	Jan.	Feb.	Mar.	Apr.	May	June	July,	Aug.	Bept.	Oct.	Nov.	Dec.	Av.
1890	5. 3 3. 5 3. 5	Cents 5. 5 5. 6 3. 4 3. 4	5. 4 5. 6 3. 3 3 4	5. 4 3. 5 3. 1 3. 8	Cents 5. 3 3. 2 3. 1 4. 1	Cents 5. 3 3. 4 3. 1 4. 4	5. 3 3. 4 3. 1 4 2	Cents 5. 6 3. 4 3. 2 3. 6	Cents 5. 9 3. 5 3. 6 3. 7	Cents 5. 8 3. 8 3. 5 3. 9	Cents 5.3 3.5 8.4 3.2	Cents 5. 2 3. 4 8. 4 2. 9	Cents 5. 5 3. 9 3. 3 3 7
1895	3.0 3.8 3.2	3. 2 3. 0 4. 0 3. 2 4. 2 4. 3	3.0 4.2 3.2 4.1 4.4	2.8 2.0 4.3 8.3 4.2 4.6	3.3 4.1 3.3 4.2 4.7	3. 1 3. 3 3. 7 3. 5 4. 3 4. 6	3. 1 3. 3 3. 4 3. 6 4. 1 4. 5	3.3 3.4 3.8 4.2 4.5	3.8 3.3 3.1 3.9 4.8 4.4	3.6 3.1 3.8 4.2 4.3	3. 5 3. 4 3. 3 3. 8 4. 4 4. 3	3.6 3.2 4.0 4.4 4.2	3. 2 3. 3 3. 6 3. 6 4. 2 4. 4
1900 1901 1902 1903 1904	4. 3 4. 3 3. 6 3. 8 3. 4	4. 5 4 2 3. 6 3. 7 3. 4	4. 4 4. 0 3. 5 3. 7 3. 5	4. 4 4. 1 8. 5 3. 6 3. 6	4. 5 4. 3 3. 5 3. 7 3. 8	4.6 4.2 3.4 3.6 3.9	4.8 4.2 3.3 3.6 3.9	4.9 4.0 3.4 3.8 4.2	5. 0 8. 8 3. 5 3. 9 4. 3	4.8 3.8 3.6 3.9 4.3	4.4 8.7 8.7 3.8 4.5	4.4 3.7 3.9 3.6 4.8	4. 6 4. 0 8. 5 8. 7 4. 0
1906 1906 1907 1908	5. 1 3 6 3 5 3. 9	5. 0 3 4 3. 4 3. 7	4.9 3.5 3.5 4 1	4.8 3.5 3.7 4.4	4. 5 3. 4 3. 9 4. 3	4.3 8.5 8.8 4.3	4. 1 3. 7 3. 9 4. 3	4. 1 3. 9 3. 9 4. 0	3. 8 4. 1 3. 9 4. 0	3 6 4.0 3.9 4.0	3. 5 3. 8 3. 8 3. 9	3. 8 3. 8 3. 8 3. 8	4. 8 8. 7 3. 8 4. 1
1909	8.7 4 1 3 6 4.4 3.5	3.6 4.2 3.5 4.0 3.5	3.8 4.4 3.8 4.5 3.5	3. 9 4. 3 8. 9 4. 1 3. 4	3. 9 4. 3 3. 9 4. 0 3. 3	3. 9 4. 2 3. 9 3. 9 3. 3	3. 9 4. 3 4. 3 3. 9 3. 6	4. 1 4. 4 4. 9 4. 1 3. 7	4. 2 4. 3 5. 9 4. 3 3. 7	4. 3 3. 9 5. 9 4. 1 3. 5	4. 4 3. 9 5. 1 4. 0 3. 6	4. 2 4. 0 4. 8 4. 0 3. 4	4.0 4.2 4.5 4.2 3.5
Average 1909-1913 .	3 9	3. 9	4.0	3 9	3 9	3. 8	4.0	4. 2	4.5	4. 3	4. 2	4. 1	4. 1
1914		3. 4 4. 7 4. 9 5. 2 6. 0 7. 3 11. 4	3. 0 4. 8 5. 6 5. 5 6. 0 7. 3 11. 9	8. 0 4. 8 6. 2 6. 2 6. 0 7. 3 17. 7	3. 2 4. 8 6. 4 6. 1 6. 0 7. 3 20 8	3.3 4.9 63 60 07.8 19.7	3. 3 4. 9 6. 3 6. 6 6. 1 7. 3 17. 6	5. 7 4. 8 5. 6 7. 3 6. 1 7. 3 13. 4	5.8 4.3 5.6 7.0 7.0 7.3 10.7	4. 4 4. 1 6. 3 6. 9 7. 3 7. 8 8. 3	3.9 48 6.2 69 7.3 73 6.8	3.9 4.9 5.8 6.3 7.3 10.2 5.3	3 8 4.7 5.8 6.3 6.4 7.5
Average 1914-1920 _	6. 2	6. 1	6. 3	7. 3	7.8	7. 8	7.4	7. 2	6. 8	6. 4	6. 2	6. 2	6.8
1921	5. 4 3. 6 5. 3 6. 7	5. 3 3. 8 6. 2 7. 2	6. 1 3. 9 7. 3 6. 9	5. 4 4. 0 7. 8 6. 4	4. 9 4. 1 7. 9 5. 6	4. 2 4. 6 7. 4 5. 1	4. 4 5. 2 6. 9 5. 1	4. 7 5. 2 6. 1 5. 4	4. 3 4. 8 7. 0 6. 0	4. 2 5. 4 7. 6 6 0	4. i 5. 6 7. 3 5. 8	3. 7 5. 7 7. 3 5. 3	4. 7 4. 7 7. 0 6. 0

Division of Statistical and Historical Research. Compiled from Bureau of Labor Statistics reports.

Table 389.—Sugar, granulated: Average retail price per pound, United States, 1913-1924

Year	Jan. 15	Feb. 15	Mar. 15	Apr. 15	Мау 15	June 15	July 15	Aug 15	Sept.	Oct. 15	Nov. 15	Dec. 15	Aver- age
1913	Cents 5.8	Cents 5. 5	Cents 5. 4	Cents 5. 4	Cents 5. 4	Cents 5, 3	Cents 5. 5		Cents 5.7	Cents 5. 5	Cents 5. 4	Cents 5. 4	Cents 5. 5
1914	5. 2 6. 0 6. 7 9. 0 9. 5 10. 8 17. 8	5. 2 6. 5 6. 9 8. 1 10. 6 10. 7 18. 8	5. 1 6. 6 7. 5 8. 8 9. 2 10. 6 18. 7	5.0 6.7 8.0 9.6 9.1 10.6 20.2	5. 0 6. 8 8. 6 10. 1 9. 1 10. 6 25. 4	5. 1 6. 9 8. 7 9. 4 9. 1 10. 6 26. 7	5. 2 7. 0 8. 8 9. 2 9. 2 10. 9 26. 5	7. 9 6. 7 8. 5 16. 0 9. 3 11. 1 22. 9	8. 0 6. 5 7. 7 9. 9 9. 6 11. 0 18. 3	7. 2 6. 1 8. 2 9. 8 10. 6 11. 4 13. 9	6. 2 6. 6 8. 6 9. 6 10. 8 12. 5 12. 8	6.1 6.8 8.3 9.5 10.8 14.5 10.5	5.9 6.6 8.0 9.8 9.7 11.3
Av. 1914-1920	9.1	2.5	9.5	9. 9	10.8	10. 9	11.0	10. 9	10.1	9. 6	2.6	9, 5	10.0
1981	9.7 6.2 8.3 10.2	8.9 6.4 8.7 10.3	9. 7 6. 5 10. 2 10. 4	9. 7 4. 7 10. 6 9. 9	8.4 6.6 11.2 9.2	7.8 7.1 11.1 8.3	7.1 7.6 10.5 8.4	7. 5 8. 1 9. 6 8. 2	7. 3 7. 9 9. 6 8. 6	6. 9 7. 9 10. 6 8. 8	6. 7 6. 1 10. 3 8. 8	6.5 8.3 10.4 8.8	8. 6 7. 8 10. 1 9. 2

Table 390.—Sugar, granulated: Average wholesale price per pound, New York, 1890-1924

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct	Nov.	Dec	Av.
1890	Cents 6.3 5.9 4.0 4.6 4.6	Cents 6. 2 6 3 3. 9 4. 6 4. 1	Cents 6. 1 6. 3 4. 2 4. 5 4. 1	Cents 6. 0 4 5 4 2 4. 9 4. 0	Cents 6. 0 4. 3 4. 2 5. 1 3. 9	Cents 6. 3 4. 1 4. 3 5. 2 3. 9	Cents 6. 1 4. 3 4 2 5. 3 4. 1	Cents 6.1 4.2 4.3 5.1 4.5	Cents 6. 5 4. 3 4. 9 5. 1 4. 6	Cents 6. 4 4. 3 4. 7 5. 1 4. 4	Cents 6. 0 4. 1 4. 7 4. 5 4. 0	Cents 5. 9 4. 1 4. 6 4. 2 3. 8	Cents 6 2 4 7 4 4 4.8 4.1
1895	3. 7	3.7	3.8	3. 9	4 3	4. 4	4 4	4 3	4.3	4 4	4. 3	4.4	4, 2
1896	4. 6	4.7	4.8	5. 1	5. 0	4. 7	4 4	4 5	4.5	4 0	4. 1	4.1	4, 5
1897	4. 0	4.1	4.1	4. 8	4. 3	4 4	4.6	4.7	4.8	4.8	4. 7	4.8	4, 5
1898	4. 9	4.9	4.9	5. 0	5. 1	5. 1	5.1	5.1	5.2	4.7	4. 9	4.8	5, 0
1899	4. 7	4.7	4.8	4. 9	5. 1	5. 2	5 2	5.1	4.9	4 8	4. 8	4.8	4, 9
1900	4.8	5. 0	4 9	4. 9	5. 0	5. 5	5. 8	5 9	5. 9	5. 5	5. 4	5, 3	5.3
1901	5.3	5 2	5. 1	5. 1	5. 3	5. 2	5. 2	5 1	5. 0	4. 8	4. 7	4 6	5.0
1902	4.5	4. 5	4 5	4 5	4. 5	4. 4	4. 4	4. 4	4. 4	4. 4	4. 4	4, 6	4.5
1903	4.6	4 6	4 6	4 7	4. 7	4. 7	4. 8	4. 8	4. 8	4. 6	4. 5	4, 4	4.6
1904	4.3	4. 3	4 4	4. 4	4 7	4. 8	4 9	5. 0	5. 0	4. 8	5. 2	5, 8	4.8
1905	5 8	5. 9	5 9	5. 9	5. 7	5. 5	5 1	5. 1	4.8	4. 6	4. 4	4. 5	5. 3
	4 4	4 3	4. 4	4 4	4 4	4 4	4 6	4. 7	4.7	4. 6	4. 6	4 6	4. 5
	4.6	4. 5	4. 6	4. 6	4. 8	4. 9	4.8	4. 7	4.6	4. 6	4. 6	4. 6	4. 7
	4 7	4. 6	5 0	5. 3	5. 3	5. 2	5.2	5. 0	5.0	4 8	4 6	4. 5	4. 9
1909	4 5	4. 4	4.6	4 8	4 8	4. 7	4 7	4 8	4 0	4 9	5. 0	4 9	4 8
	4.9	4. 9	5.2	5 1	5. 2	5. 0	5. 1	5. 1	5 0	4. 8	4. 6	4.7	5 0
	4 7	4 6	4.7	4.7	4. 8	4. 9	5. 1	5. 7	6 6	6. 6	6. 1	5 6	5 3
	5 4	5. 5	5.5	5.1	4 9	5. 0	4. 9	4 9	5.0	4. 8	4. 8	4 8	5 0
	4 5	4. 2	4.2	4.1	4 1	4. 1	4. 5	4. 6	4 5	4. 2	4. 2	4.1	4.3
Average 1909-1913	4. 8	4. 7	4.8	4.8	4.8	4.7	4. 9	5. 0	5. 2	5. 1	4 9	4.8	4 9
1914 1915 1916 1917 1918 1919	3 9 4 9 5 7 6 6 7 4	3 9 5 5 6 0 6, 9 7, 3 8 8 15 0	3. 8 5 7 6 6 7. 1 7. 3 8. 8 13. 7	8. 7 5. 8 7. 1 8. 2 7. 3 8. 8	4. 0 5 9 7 5 7 9 7 3 8. 8 1 22. 5	4. 2 5 9 7. 4 7. 5 7. 8 8. 8 1 21. 2	4. 2 5 8 7 5 7 5 7. 4 8 8 119. 1	6. 5 5. 5 7. 0 8 2 7. 4 8 8 16. 7	6. 8 5. 1 6. 4 8. 2 8. 5 8 8 14. 3	5. 9 5. 0 7. 1 8. 2 8. 8 8 8 10 8	4. 9 5. 7 7. 4 8 2 8. 8 8. 8 9. 6	4 8 5 9 6. 9 8 0 8. 8 10. 9 8. 1	4. 7 5. 6 6. 9 7. 7 7. 8 9. 0
Average 1914-1920.	7. 5	7 6	7.6					8 6	8. 3	7 8	7. 6	7. 6	
1921		7. 1	7 8	7. 3	6. 3	5. 7	5 5	5 8	5 6	5. 2	5 2	5 0	6. 2
1922		4. 9	5.2	5. 2	5. 3	5. 9	6.6	6 7	6.3	6 6	6.8	6.9	5. 9
1923		7 3	8.6	9 2	9 4	9. 2	8 5	7. 6	8.2	9 0	8.7	8.8	8. 4
1924		8. 7	8.5	7 9	7. 3	6. 5	6.6	6. 6	7.1	7. 3	7.3	7.2	7.4

Division of Statistical and Historical Research. Compiled from Bureau of Labor Statistics reports.

1 No quotations. Prices shown estimated by Bureau of Labor Statistics by applying manufacturing differential to prices of raw sugar.

Table 391.—Acreage of sugar cane and production of cane sirup, by States, 1921-1924

	Acreage of sugar cane ¹											
State		To	tul		н	arveste	d for sir	ир	Pre	ductio	n of sh	up
	1921	1922	1923	1924 1	1921	1922	1923	1924 1	1921	1922	1923	19243
South Carolina	Acres 8, 700 61, 000 34, 000 71, 000	50,000 29,000 79,000 37,000	70,300 33,300	40, 500 32, 000 70, 300 30, 000	45,000 80,000 60,000 33,700	40,000 24,000 69,000	37, 800 23, 000 62, 000 29, 600	30, 400 28, 000 36, 000 11, 100	7, 335 6, 300 8, 760 7, 582	7, 040 4, 806 11, 937 7, 040	5, 103 4, 258 9, 904 5, 565	3, 800 5, 200 3, 816 610
Louisiana Texas Arkansas	294, 500 18, 000 8, 000		17,000	18,000	12,000	14, 200	13,000	13, 300	8, 192	2,485	2,118	1,001
Total	529, 400	546, 600	538, 700	519, 900	210, 200	214, 300	200, 000	164, 400	41, 167	41,611	33, 620	22, 296

¹ Sorghum, sometimes confused with sugar cane, is not included.

¹ Preliminary.

SORGO FOR SIRUP

Table 392.—Sorgo for sirup: Acreage, production, and farm value, United States, 1917-1924

Year	Acreage	A verage yield per acre	Production	A verage farm price per gal- lon Dec. 1	Farm value
1917 1918 1919 1920 1921 1922 1922 1922 1923 1924 1	1,000 acres 415 422 487 536 518 447 380 404	Gallons 90. 3 79. 2 80. 9 92. 4 88. 0 81. 5 84. 2 07. 7	1,000 gallons 37,472 33,387 39,413 49,505 45,506 36,440 32,001 27,339	Cents 69. 5 98. 4 110. 8 106. 9 62. 9 71. 0 86. 2 94. 6	1,000 dollars 26,055 31,191 43,683 52,943 28,681 23,855 27,595 25,859

Division of Crop and Livestock Estimates.

Table 393.—Sorgo for sirup: Acreage, production, and farm value, by States, 1923 and 1924

State	Acı	eage		ge yield acre	Prod	uetion	price	ge farm per gal- Dec. 1	Farm	value
	1923	1924 1	1923	1924	1923	1924 1	1923	1924	1923	1924 1
Virginia. West Virginia. North Carolina. South Carolina. Georgia.	1,000 acres 12 8 32 20 26	1,000 acres 12 8 31 21 25	Galls. 95 109 92 82 83	Galls. 80 92 87 62 71	1,000 galls. 1,140 872 2,944 1,640 2,158	1,000 galls. 960 736 2,697 1,302 1,775	Cents 89 108 85 68 69	Cents 90 105 90 80 84	1,000 dolls. 1,015 942 2,502 1,115 1,489	1,000 dolls. 864 773 2,427 1,042 1,491
Florida	1	1	110	120	110	120	71	91	78	109
Ohio	4	4	65	75	260	300	118	115	307	345
Indiana	11	8	80	85	880	680	100	105	880	714
Illinois	9	9	80	75	720	675	100	112	720	756
Wisconsin	2	2	56	54	112	108	127	120	142	130
Minnesota	2	2	95	56	190	112	103	108	196	121
Iowa	5	5	88	72	440	360	102	110	449	396
Missouri	22	22	88	81	1, 936	1,782	130	99	2, 517	1,764
Nebraska	2	2	90	80	180	160	97	100	175	160
Kansas	3	4	70	75	210	300	91	98	191	294
Kentucky	46	46	93	80	4, 278	3, 680	90	97	3, 850	3, 570
Tennessee	30	30	92	73	2, 760	2, 190	92	96	2, 539	2, 102
Alabama	30	40	80	50	2, 400	2,000	73	98	1, 752	1, 960
Mississippi	38	44	82	55	3, 116	2, 420	65	93	2, 025	2, 251
Louisiana	1	1	85	30	85	30	61	89	52	27
TexesOklahomaArkansasNew Mexico	32	33	84	50	2, 688	1, 650	80	92	2, 150	1, 518
	16	16	57	68	912	1, 088	83	90	757	979
	26	36	70	58	1, 820	2, 088	88	93	1, 602	1, 942
	2	2	75	63	150	126	1 00	106	150	184
Total	380	404	84. 2	67. 7	32, 001	27, 389	86. 2	94. 6	27, 595	25, 869

Division of Crop and Livestock Estimates.

¹ Preliminary.

¹ Preliminary.

MAPLE SUGAR AND SIRUP

TABLE 394.—Maple sugar and sirup production, 1917-1924

	Trees	Sugar	Sirup	Total product	Average	per tree
State and year	tapped	made	made	in terms of sugar 1	As sugar	Assirup
Maine:	Number	Pounds	Gallons	Pounds	Pounds	Gallons
1921	285, 000	12,000	48, 000	398, 000	1.40	0. 18
1922	290, 000	31,000	62, 000	522, 000	1. 80 1. 50	. 29 . 19
1923. 1924.	264, 000 314, 000	33, 000 24, 000	45, 000 72, 000	393, 000 600, 000	1. 91	. 19
New Hampshire:	314,000	272,000	12,000			
1921	800, 000	456,000	133, 000	1, 520, 000	1.90	. 24
1922	800, 000	247, 000	189, 000	1, 760, 000	2.20	. 28
1923 1924	760, 000 798, 000	343, 000 279, 000	145, 000 214, 000	1, 505, 000 1, 991, 000	1. 98 2. 49	. 25
Vermont:	180,000	219,000	214,000	1, 881, 000	2. 10	. 01
1921	5, 100, 000	2, 937, 000	745, 000	8, 900, 000	1.75	. 22
1922	5, 559, 000	3, 152, 000 2, 307, 000	1, 065, 000	11, 674, 000	2.10	. 26
1923 1924	5, 281, 000	2, 307, 000	913, 000 1, 222, 000	9, 612, 000 12, 221, 000	1.82 2.24	. 23
Massachusetts:	5, 445, 000	2, 445, 000	1, 222, 000	12, 221, 000	2.24	
1921	269, 000	113, 000	50, 000	512, 000 788, 000	1.90	. 24
1922	272, 000 261, 000	134, 000 87, 000	82,000	788, 000	2.90	. 36
1923	261,000	87,000	49,000	483, 000	1.85	.22
1924 Connecticut:	272,000	125,000	63,000	629,000	2 31	.20
1921	8, 900	6,000	2,000	24, 000	3.00	. 36
1922	10,000	2,000	4,000	85,000	3.50	.44
1923	9,000	6,000	1,000	15, 000	1.68	. 21
1924 New York:						
1921	4, 193, 000	881,000	624, 000	5, 870, 000	1.40	. 18
1922	4, 487, 000	1, 185, 000	1, 085, 000	9, 865, 000	2.20	. 28
1923	4, 000, 000	1, 376, 000	903, 000	8, 600, 000	2.15	. 27
1924 Pennsylvania:	4, 080, 000	861,000	1,069,000	9, 413, 000	2. 31	.29
1921	785, 000	173, 000	98, 000	960, 000	1. 22	. 18
1922	815, 000	242, 000	245, 000	2, 201, 000	2.70	. 34
1923	831, 000	209, 000	265, 000	2, 329, 000	2.80	. 84
1924	773, 000	181,000	265, 000	2, 304, 000	2.98	. 37
Ohio: 1921	1, 832, 000	46,000	280, 000	2, 283, 000	1. 25	. 16
1922	2, 088, 000	64, 000	420, 000	3, 424, 000	1.64	20
1923	1,879,000	112, 000	700,000	5, 712, 000	3.04	. 38
1924	1,747,000	38,000	467,000	3,774,000	2 16	. 27
Indiana: 1921	532, 000	37, 000	149, 000	1, 232, 000	2.32	. 20
1922	558, 000	12,000	143, 000	1, 156, 000	2.07	. 20
1923	536, 000	29, 000	180, 000	1, 469, 000	2.74	. 34
1924	536,000	18,000	180,000	1, 458, 000	2.72	. 34
Michigan:	U12 000	52, 000	187 000	1, 306, 000	1.60	. 20
1921 1922	816, 000 857, 000	54, 000	157, 000 197, 000	1, 628, 000	1.90	2
1923.	900, 000	151, 000	285,000	2, 431, 000	2.70	.34
1924	855, 000	80,000	193,000	1, 624, 000	1.90	. 24
Wisconsin:	404 000	17 00.	100 000	015 000		. 21
1921 1922	494, 000	17, 000 24, 000	100, 000 148, 000	815, 000 1, 210, 000	1. 65 2. 25	. 21
1923	538, 000 570, 000	32,000	119,000	984, 000	1. 73	. 25
1924	587,000	32, 000 24, 000	158, 000	1, 288, 000	2. 19	. 27
		(1	44 800 000	i	,32
1917	17, 313, 000	10, 525, 000 12, 944, 000 9, 787, 000	4, 258, 000 4, 863, 000 3, 804, 000	44, 589, 000	2.58 2.71	.84
1010	18 798 000	9, 787, 000	3, 804, 000	51, 848, 000 40, 228, 000	2.14	97
1920	18, 895, 000	7, 324, 000	3, 580, 000	1 36. 4UIL UUO	1.90	. 2
1921	15, 114, 000	7,324,000 4,730,000 5,147,000	2,386,000	23, 820, 000 34, 263, 000	1, 58	. 20
1921 1922 1923	16, 274, 000	5, 147, 000	8, 640, 000	34, 263, 000	2.11	. 24 . 20 . 26 . 27
1923 1924 ³	15, 291, 000	4, 685, 000	8, 605, 000 8, 908, 000	88, 538, 000 85, 302, 000	2. 19 2. 29	.20
17/47	15, 407, 000	4,078,000	, , , , , , , , , , , , , , , , , , , 	1 00,000,000	; <i>e.</i> 20	

Division of Crop and Livestock Estimates. Figures for 1924 subject to revision.

One gallon of sirup taken as equivalent to 8 pounds of sugar.

These II States produced in 1919, 97.1 per cent of the maple sugar crops of the United States and 97.2 per cent of the maple sirup.

Ten States.

814: Yearbook of the Department of Agriculture, 1924

Table 395.—Maple sugar and sirup: Barm price, 15th of month, United States, 1917-1924

75		8	ugar	(cents	per 1	ound)		Sirup (dollars per gallon)							
Month	1917	1918	1919	1920	19 21	1922	1923	1924	1917	1918	1919	1920	1921	1922	1923	1924
February March April May June	14. 7 14. 7 16. 3 16. 2 15. 9	20. 5 22. 5 22. 6	25. 3 26. 9	31. 6 37. 0 36. 0	25. 7 25. 7	21. 9 23. 1	23, 2 26, 0 26, 4	25. 5 25. 6 27. 8	1.30 1.33 1.34	1.76 1.80	2.03 2.02	2. 58 2. 92	2. 17 2. 21	1 94 1.93 1.80	1.96 2.09 1.75	2.08 2.08

Division of Crop and Livestock Estimates.

CLOVER, TIMOTHY, AND ALFALFA SEED

Table 396.—Clover seed: Acreage, production, and farm value, United States, 1916-1924

Year	Aoreage	Average yield per acre	Production	A verage farm price per bushel Nov. 15	Farm val
1916 1917 1918 1919 1920 1921 1921 1922 1922 1924	1,000 acres 939 821 820 942 1,082 889 1,170 775 747	Bushels 1. 8 1. 8 1. 5 1. 6 1. 7 1. 7 1. 6 1. 3	1,000 bushels 1,706 1,488 1,197 1,484 1,944 1,538 1,538 1,228 977	Dollars 9, 18 12, 84 19, 80 26, 75 11, 95 10, 75 9, 38 10, 76 13, 68	1,000 dolla 15, 061 19, 107 23, 705 39, 700 23, 227 16, 529 18, 382 13, 218 13, 362

Division of Crop and Livestock Estimates.

Table 397.—Clover seed: Acreage, production, and farm value, by States, 1923 and 1924

State	Acr	eage		e yield acre	Produ	ıction	price pe	ge farm r bushel 7, 15	Farm value		
`	1923	1924 1	1923	1924	1923	1924 1	1923	1924	1923	1924 t	
New York. Pennsylvania Ohio Indiana Illinois. Michigan	1,000 acres 11 14 144 35 116	1,000 acres 8 17 156 61 110	Bushels 2. 1 1. 1 1. 2 . 9 1. 1	2. 7 1. 5 1. 0 . 8 1. 0	23 15 173 82 128	1,000 bushels 22 26 156 49 110	Dollars 13. 90 12. 70 12. 00 12. 10 13. 00	Dollars 14.00 14.00 16.00 14.80 15.80	1,000 dollars 320 100 2,076 387 1,664	1,000 dollars 808 364 2,406 725 1,738	
Wisconsin Minnesota Iowa Missouri	134 50 57 16	85 52 66 23	1.4 1.7 1.2 1.6	1. 1 1. 9 . 7 1. 4	188 85 68 26	94 99 46 32	12. 00 11. 20 12. 70 12. 90	14, 50 18, 30 15, 20 13, 06	2, 256 962 864 385	1, 363 1, 317 699 416	
Nebraska Kansas Kentucky Tennessee	7 11 18 4	11 12 16 4	1. 6 1. 2 2. 0 1. 7	1. 2 2. 0 2. 0 1. 6	11 18 36 7	18 24 32 6	12. 00 12. 00 13. 50 11. 70	13. 00 13. 00 15. 00 14. 00	182 156 486 82	169 312 480 84	
Mississippi Louisiana Idaho Oregon	19 14 15 5	10 8 14 4	7.0 4.5 4.0 4.0	4. 5 4. 0 5. 8 1. 5	183 68 60 20	45 32 77 6	2. 90 5. 50 11. 90 12 00	4. 25 6. 00 12. 00 12. 00	386 346 714 240	191 192 924 72	
Total	775	747	1. 6	1. 8	1, 228	977	10. 76	13. 68	13, 218	13, 362	

Division of Crop and Livestock Estimates.

¹ Preliminary.

¹ Preliminary.

Table 398.—Clover seed: Receipts and shipments, Chicago, 1910-1924
[Thousand pounds.—i. e, 000 omitted]

RECEIPTS

Year beginning September	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	To- tal
1910	1, 340 519 271 188	1, 375 196 950 225	176	281 95 295 1, 446	94 381 498 1, 085	524 387 545 418	751 357 961- 887	378 307 279 412	213 109	405 194 165 886	348	270 574 40 1, 180	3, 644 4, 630
1914	789 2, 190 1, 356 1, 346 192 1, 539 1, 549	1,308 945 1,597 1,816	1, 953 995 1, 149 1, 337 1, 941	1, 723 1, 205 1, 416 587 1, 146 1, 606 1, 314	980 660 1,079 1,974 2,840	1, 238 1, 192 1, 688 1, 003 2, 557	888 797 1, 175 2, 289	974 798 217 464 884	393 298 88 7	200		138 602 135 798 213	9, 778 12, 067 9, 863 8, 371 10, 044 16, 037 19, 008
A verage 1914-1920	1, 280												12, 167
1921	739 1, 368 641 360	1, 236 1, 299 1, 681 863	1, 479 1, 109	1, 214 1, 039	1, 044 683	1, 692 629 1, 672	1, 825	845	348	169 109 41		271	14, 448 10, 439 10, 504
No. organica in record in the con-	e:	-		SE	IIPMI	ENTS					-		•
1910. 1911 1912 1913	165 51 141 138	183 111 309 152	204 862	224 131 372 668	480 426 502 882	621 835	420 1, 525	363 707	106 90	48 78	144 33	59 65	5, 519 7, 501
1914. 1915. 1916. 1917. 1918. 1919.	309 714 279 423 191 271 107	124 596 602 483 527 386 589	1, 021 430 1, 447 952	1, 665 879 962 1, 144 787 888 769	1, 197 1, 125 1, 065 908 984 2, 589 1, 554	1, 438 1, 696 1, 923 1, 139 1, 619	2, 027 2, 086 1, 116	1, 481 1, 606 182 653 842	415 583 246 18 248	89 157 4 94	78 309 60 25	88 429 167 136 61	10, 386 10, 795 7, 088 7, 110
A verage 1914-1920	328	472	933	1, 014	1, 346	1,771	1, 665	1, 036	295	82	128	216	9, 286
1921 1922 1923 1924	371 547 530 180	781 1, 172 514 402	705	1, 236 1, 169 670 808	1, 430	906	1, 252	820	223	75	122	285	11, 74 8 9, 188 8, 820
		,	1			•	,		7	1		1	,

Division of Statistical and Historical Research. Compiled from Chicago Board of Trade and the Seed World.

TABLE 399.—Timothy seed: Receipts and shipments, Chicago, 1910-1924
[Thousand pounds.—i. e., 000 omitted]

RECEIPTS

Year beginning August	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Total
1910 1911 1912 1913	1, 878 4, 451 2, 916 3, 601	5, 829 6, 875	4, 011 5, 505	3,608	1, 120 2, 182	1, 311 792 2, 361 2, 191	879 3, 019	868 2, 831	557 3, 964	388 1, 509	242 1, 764	158 2, 647	21, 161 21, 944 39, 181 34, 340
1914	1, 201 2, 487 3, 810 764 7, 450	11, 208 9, 894 10, 565 6, 525 3, 198 13, 191 12, 777	5, 578 5, 631 5, 172	4, 039 3, 989 2, 966 3, 249 2, 582	2, 416 3, 051 1, 915 1, 463 1, 643	1, 431 2, 149 2, 006 1, 578 3, 186	2, 203 2, 478 2, 242 2, 234 3, 381	2, 167 6, 279 2, 554 2, 985 3, 118	1, 019 3, 367 1, 434 8, 772 1, 338	2, 442 1, 250 2, 398 1, 093	704 1, 117 399 1, 348 641	296 924 677 891 1, 135	39, 415 31, 987 44, 479 39, 943 29, 048 44, 882 50, 351
Average 1914-1920	3, 420	9, 622	5, 737	3, 534	2, 489	2, 249	2, 716	3, 613	2, 099	1, 670	836	744	38, 729
1921 1922 1923 1924	8, 985 5, 061	6, 209 9, 600 13, 722 12, 714	4, 516	2, 048 1, 608	1, 050 1, 299	570 762	1, 352	1, 697	1, 243	398	355	84	38, 286 31, 898 32, 965

TABLE 309.—Timothy seed: Receipts and shipments, Chicago, 1910-1924—Con. SHIPMENTS

Year beginning , August	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Total
1910	1, 825 2, 452 1, 951 1, 774	5,038	2, 035 4, 878	2,051	688 2, 224	8, 313	958 3, 152	1, 356 4, 426	761 4, 629	360 2, 229	54 1, 521	158 1, 344	17, 407 16, 398 41, 578 26, 867
1914	2, 056 1, 372 2, 826 2, 605 1, 218 2, 340 2, 233	5, 344 7, 956 3, 887 1, 774 6, 301	5, 363 2, 810 2, 674 3, 142	3, 796 4, 071 1, 511	2, 485 3, 128 1, 291 2, 688 2, 588	1,892 2,921 1,720 1,659 4,007	4, 082 2, 049 8, 178 3, 737	4, 203 7, 775 5, 160 3, 621 3, 404	2,715 4,321 1,459 4,579 1,852	1, 212 2, 288 147 1, 817 2, 497	162 779 509 780 735	395 729 427 1, 253 1, 057	28, 467 31, 185 46, 239 23, 581 29, 144 33, 624 33, 433
A verage 1924-1920	2, 093	4, 883	3, 706	2, 737	2, 475	2, 653	3, 111	4, 572	2, 894	1, 605	644	867	32, 239
1921	5, 233 3, 896 2, 481 1, 040	6, 303 3, 926	4, 580 1, 804	8, 943 1, 573	1, 895 1, 001	2, 106 735	2, 451	3, 291	2, 221	2, 598 1. 394 1, 202	353	217	39, 997 32, 650 21, 804

Division of Statistical and Historical Research. Compiled from Chicago Board of Trade and the Seed World.

Table 400 .- Forage plant seed: Imports into United States, 1912 to 1924 1 [Thousand lbs.-i. e. 000 omitted]-

					Ye	ar end	ed Jun	e 30					
Kind of seed	1912	1913	1914	1915	1916	.917	1918	1919	1920	1921	1922	1923	1924
AlfalfaCanada blue grass Kentucky blue grass	3, 394 306	6, 104 791 5	5, 203 567 3	6, 930 1, 043		3, 170 495			18, 831 552	942 1, 148			12, 818 817
Awnless brome grass. Alsike clover Crimson clover	6 1, 324 3, 407	75 7 6 6 5, 377	139 2, 688 8, 534	778 778 11, 690	4,504	5,776	1,603	1,484	10, 053	5, 566	8, 443	2, 262	11, 056 7, 745
Red clover White clover Biennial white sweet clover	19, 674 543 23	5, 333 979 33	5, 921 640 42	8, 032 373 194		5, 344 158 195	53	1,051 1 941	19, 268 189 2, 215	516	1, 623	520	24, 729 1, 408 4, 089
Biennial yellow sweet clover Clover mixtures Grass mixtures	15		243	201	(8)	9 26 124	169	550 (2)	202 265	235 23 6	57 43		222 74
Spring vetch and oats mixtures									3	4	<u>i</u>		(1)
Broom-corn millet Foxtail millet Orchard grass Rape	3,376 276 137 1,266	291 119	523 1,989	1, 305 338 701 3, 966	118 754	260 1, 286	' 9	138 177 639	2,771	152 434 4, 245	302 2, 922	65 768	184 603
Redtop Perennia lrye grass Italian rye grass	1, 626 321	1, 117 845	1, 42 9 311	1, 342 485	1, 510 883		1, 584 606	831 208	1, 958 980	1, 523 577	1, 868 828	11 1,834 860	(3) 1, 952 1, 034
Timothy Hairy vetch Spring vetch	878 646 531	40 1, 948 1, 390	23 2, 477 682	18 466 221		296 30		155 257 435	37 1, 220 1, 048	391 1, 387 542	95 1, 941 345	1, 599	

Hay, Feed, and Seed Division.

IImports of all seeds up to and including the fiscal year 1913, also of perennial and Italian rye grass and hairy vetch up to and including 1917, and sweet clover for all years, are based on information furnished by U. S. Customs Service. All other figures represent imports of seed permitted entry under the seed importation act.

3 Less than 500 pounds.

5 Figures missing.

Table 401.—Alfalfa seed: Farm price per bushel, 15th of month, United States, 1912-1924

Year beginning July	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	Average
1912	\$8. 32 8. 20 6. 92 8. 51	7, 96	7. 42 7. 21	6.98	6. 36 7. 29	6. 60 7. 57	6. 55 7. 61	6. 48 7. 86	6.60 7.92	6. 77 8. 45	6 77 7.01	6. 83 8. 31	6. 96 7. 52
1916 1917 1918 1919	10. 30 8. 71 9. 67 10. 88	8. 69	9. 04 10. 04	9.04	9. 43 9. 38	9. 58	10. 14	9. 90 10. 48	10, 60 10, 64	10. 53 11. 18	10 09 12.13	10. 13 11. 79	9. 66 10. 40
1920 1921 1922	19. 41 7. 89 9. 00	16. 03 8. 51 7. 74	8 53	13, 35 8, 33 7, 94	8. 09		9. 95 7 39 9. 58	8. 45	7. 50	8 71 9 00 10. 44	8, 89	8.48	8. 22
1923 1924	10 25 11. 13	10. 38 10. 99	9 20 10. 74		10. 21 10. 16	10 19 10, 33	10. 43	10. 51	11. 17	11.41	11 67	11. 39	10. 63

Division of Crop and Livestock Estimates.

Table 402.—Clover seed: Farm price per bushel, 15th of month, United States, 1910-1924

					1010	10.	+						
Year beginning Sept.	Sept.	Oct.	Nov.	Dec. 15	Jan. 15	Feb 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug.	Weight.
1910	\$8. 27 10. 19 9. 39 7. 31	10. 33 9. 37	9.06	10. 62 9. 00	10. 89 9. 41	12. 22 10. 28	12.89 10.42	11.00	12. 53 10. 74	11. 69 9. 77	10. 64 9. 78	9. 80 9. 37	11. 25 9. 71
Av. 1910-1913	8. 79	8.71	8. 62	8. 82	9. 14	9. 74	10. 01	10. 19	9, 97	9. 56	9 34	9. 40	9. 25
1914	9. 10 8 49 8. 65 10. 89 16. 61 25. 38 17. 77	9. 70 8. 54 11. 92 19. 01 26 47	9. 67 9. 20 12. 91 20. 03	10. 01 9. 40 13, 53 20, 67 27, 63	10. 27 9. 60 14. 48 21. 55	10. 47 9. 87 16. 46 21. 79 3J. 21	10. 76 10 32 17. 49 22 61 31. 88	10. 58 10. 41 17. 86	9, 98 10, 40 16, 56 24, 48 29, 84	9, 47 10, 29 15, 88 23, 37 26, 21	9 15 10. 50 14. 71 23 25 25. 52	9, 12 10, 53 15, 20 24, 33 19, 97	9. 98 9. 54
Av. 1914-1920	13. 84		14 00		14. 76				15, 73	14. 76	14. 44	13. 92	14. 80
1921 1922 1923 1924	10. 25 8. 85 11. 07 12. 15	10. 21 9. 66 12 20	10. 18 12 18	10. 38 10. 88 12. 22	10, 69 11, 16	11. 88 11. 52	13.00 11.71	13. 13 11. 48	11, 20	11, 60 10, 84 12, 72	10. 94	10.46	11. 14 10. 71 12 38

Division of Crop and Livestock Estimates.

Table 403.—Timothy seed: Farm price per bushel, 15th of month, United States, 1910-1924

							,						
Year beginning August	Aug 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Weight- ed av.
1910 1911 1912 1913	\$6. 52 8. 20 2. 01	2.09	6. 91 1. 95	6. 90 1. 82	6. 72 1. 79	6. 99 1. 79	7. 26 1. 78	7. 33 1. 72	7. 27 1. 74		6. 68 1. 77		
Av. 1910- 1913	3. 91	3. 66	8. 72	8. 72	8. 68	8. 74	3. 92	4. 07	4. 12	4. 14	8. 98	3. 92	8, 82
1914	2, 86 8, 23 3, 87 4, 58 4, 44	2. 62 2. 22 8. 31 3. 79 4. 55 3. 52	2. 72 2. 27 8. 61 4. 08 4. 78 8. 25	2. 91 2. 25 3. 25 4. 26 4. 67 8. 09	2. 86 2. 31 3. 37 4. 21 4. 98 3. 16		8. 19 2. 46 8. 78 4. 51 5. 62 2. 75	2. 78 8. 28 2. 70 8. 84 4. 54 5. 61 2. 97	3, 51 2, 76 8, 74	2. 75 3. 33 8. 69 8. 84 5. 05 5. 61 2. 90	2. 65 3. 26 3. 09 3. 56 4. 63 5. 46 2. 99	2. 57 3. 08 3. 04 3. 67 4. 49 5. 44 2. 98	2. 49 2. 89 2. 42 3. 50 4. 19 4. 98 3. 29
Av. 1914-1920	8, 35	3, 21	8. 29	3. 25	8. 30	3. 49	8. 57	3. 69	8. 69	8. 80	8, 66	8, 61	8. 89
1921 1922 1923 1924	2. 71 2. 20 2. 63 3. 20	2. 81 2. 28 3 01 3. 12	2. 70 2. 48 3. 12 8. 16	2. 49 3. 15		2. 70 3. 06 8. 37	2, 82 2, 98 8, 56	2. 95 3. 00 3. 60	8. 11 2. 99 8. 54	8. 21 2. 87 8. 48	2. 81 2. 92 8. 44	2, 58 3, 16 8, 28	2.64 2.60 8.19

Table 404.—Field seeds: Average price per 100 pounds paid to growers for crop of 1919-1923

ALFALFA SEED

				Α.	Ur AME	A SEED					
State or State sub- division	1919	1920	1921	1922	1923	State or State sub- division	1919	1920	1921	1922	1923
Southern Arizona. California. Colurndo. Southern Idaho. Northeastern Kansas. Northwestern Kansas.	\$35. 50 30. 69 27. 00 31. 65 25. 05	15. 90 13. 00 11. 80 13. 60	14. 60 11. 85 12. 00 11. 10	\$15, 50 14, 75 11, 60 14, 95	17. 60 15. 25 15. 50	Southwestern Kunsas Montana Nebraska Eastern N e w Mexico Western Okla- homa Western Oregon	26.00 26.00 27.50	17.00 15.80 14.00	10. 80	\$12 90 21, 05 13, 90 18, 06	19. 25
Southeastern Kansus	28, 30	16, 40	13, 60			Western Oregon South Dakota Western Texas. Northern Utah	28, 70 31, 45 23, 50 33, 50	18.75 20.65	13. 20 14 75	17. 90 13 10	18 3 5 14, 50 16, 00
				ALSI	KE CL	OVER SEED					
Southern Idaho Northern IPlinois Northern Indiana Iewa Southern Michigan Minnesota Western New York	39 60 41, 70 40 35 44 90 39, 25	22. 05 21. 75 19. 95 20. 90 19. 25	14. 65 14. 80 15. 15 13. 50 13. 65	\$13, 60 13, 80 14, 55 13, 50 12, 95	14 20 12. 85 12. 90 12. 30	Northwestern Olifo Western Oregon Northeastern Wisconsin Southeastern Wisconsin		23. 50	14. 30	15. 20 11. 80	13. 25 12 45
p				REI	CLO	ER SEED					
Northern Illinois. Centel Illinois. Northern Indiana Centel Indiana Southern Indiana Northeastern Iowa Southeastern Iowa South wostern	45. 50 42. 50 42. 10 40. 50	18, 70 18, 40 19, 10 18, 50 16 05 17, 80 18, 30	16. 30 16. 55 17. 00 16. 55 16. 45 16. 45	17 25 16. 55 17. 20 16. 15 15 85 16. 60 16. 10	\$18. 25 20. 40 20. 40 19. 70 19. 70	Missouri Nebraska Nortwestern Ohio Western Oregon Washington Vortheastern Wisconsin Southeastern Wisconsin	\$43. 10 39. 25 41. 25 44. 40 47. 50 45. 60 48. 80	15. 85 14. 65 19. 05 22. 35	16 05 15. 35 17. 20 15. 30 15. 25 16. 65	15, 55 16, 15 17, 55 20, 10	
Iowa Kansas Southern Michi- gau	42, 70 40, 50 45, 00	17. 25 15. 65 17. 10	15. 90 15. 30 16. 60	17 05 16 30 17 35	18. 70	Southwestern Wisconsin	43 . 55	16. 75	16. 85	17. 45	19. 70
				SWE	ET CLO	VER SEED					
Colorado	24 00 23.59 21 00	10.00 16.30 8 15	10. 15	7. 10 7. 75 6 85	\$8. 60 9. 70 9. 10 9. 15 9. 15	Nobraska North Dakota Oklahoma South Dakota Utah	28.00 22.00 21.00	9.60	5 00 5 00	7. 00	\$9.00 9.70 10 00
				TI	MOTE	YSEED					
Northern Illinois Central Illinois Southern Illinois Indiana Northeastern Iowa	\$11. 25 9. 85 10 50 10. 15 10. 75	\$5, 25 6, 50 6, 30 6, 75 6, 25 5, 40	\$4. 10 4. 50 4. 85 4. 95 4. 70 4. 20	4. 70 4. 95 5. 15 5. 15	\$5. 50 6. 15 6. 00 5. 50 6. 30	West central Minneseta Northeastern Missouri Northwestern Missouri Southwestern	\$0. 90 10. 55 10. 60	\$5. 25 5. 75 5. 50	4. 30 3. 95	\$4. 75 4. 95 4. 60	\$6. 0 5 5. 55
Northwestern Lowa Southeastern Lowa South western Lowa Karasas	9, 76 10, 68 10, 65 10, 00	5. 96	4. 15 4. 50 4. 19 5. 60		5, 95 5, 96	Missouri Nebraska North Dakota North Pastern Ohio North western Ohio	10. 85 9. 60 9. 35 11. 05 10. 70	4. 58 5. 50 5. 80 6. 65 5. 85		4. 55 4. 95 5. 00	6. 55 6. 55
Northwestern Minnesota East central Krimesota Southern Minne- sota	9. 56 9. 65 9. 70	5, 1 0 5, 75 5, 59	4, 35 4, 46 4, 45	4. 55 5. 06 4. 85	6. 25	Northeastern South Dakota South eastern South Dakota Wisconsin	9, 56 9, 96 10, 00	5. 05 5. 05 5. 90	4. 45 4. 05 4. 80	4. 60 4. 60 5. 05	5. 75 5. 9 5

Division of Statistical and Historical Research. Compiled from data of the Hay, Feed and Seed Division. Weighted average price based on reports received annually from seed shippers.

ABLE 405.—Alfalfa seed: Average spot price per 100 pounds, Kaneas City, 1910-1924

Year beginning July	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	Aver-
910	(1) (1) \$10.50 10.00	(1) \$10. 27	11. 50 9. 84	10. 48 9. 64 8. 12	10. 00 10. 00 7. 70	10. 17 10. 00 7. 75	11. 08 9. 90 8. 00	10. 90 9. 81 8. 00	9.88 8.00	\$10.45 10.09 8 42	\$10. 25 10. 25 9. 35	(1) \$10. 41 11. 71 9. 50	
914		14. 17 17. 58 12. 52 13. 91 17. 70	14. 08 12 63 13. 25 13. 02 20 00	10. 34 15. 60 11 23 13. 51 13. 12	10 00 15. 57 10. 50 14. 00 13. 45 27. 72	16 08 10 66 14.00 13.31 80.00	11. 87 17. 40 10. 62 18. 50 18. 58 80. 00	13. 18 16 23 11 00 13. 50 13. 75 83. 77	11. 00 18. 50 13. 75 20 73	12. 53 17. 25 11. 18 14. 38	12. 25 17. 25 11 80 15 00 14. 27 25. 00	17 25 12 00 12 42 14 21	12. 38 13. 47 13. 58 24. 41
Av., 1914–1920 1921 1922 1923 1924	12.75 (1) (1)		12. 12 14. 50 14. 75	11 50 14. 25 14. 65	11. 50 16. 00	11 00 17 50	11 12 17. 85	12. 25 17. 85	13. 88	14. 25 16. 10	13 00 15.90	13 00 15 00	

Division of Statistical and Historical Research. Compiled from daily Kansas City Price Current and the Seed World, average of daily prices.

Table 406.—Red clover seed, prime contract grade: Average spot price per 100 pounds, Chicago, 1910-1924

Year beginning September	Sept	Oct.	Nov	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Aver-
1910	20, 10 17, 56 11, 00	20. 63 18. 38 13. 35	20. 63 18. 05 13 96	20. 75 18. 88 14. 88	21. 81 19 90 14. 75	23. 13 19. 88 14. 46	22, 50 19, 25 14 04	21. 63 21. 38 13 00	20. 55 18 40 13. 00	20. 13 16. 00 13 50	20.00 15.50 14.15	\$19. 25 16. 00 14. 70 17. 81	20, 66 18, 16 13, 99
1914 1915 1916 1917 1918	17, 19 18 40 14, 85 22, 36 85, 00	15. 08 21 05 16 00 25, 16 35 50	20.06 17.50 26.81 36.00	15. 59 20, 72 17. 91 27. 45 37. 50	15. 84 19. 59 18. 19 31. 40 42. 60	15. 29 21. 19 19. 38 34. 35 42. 60	14. 30 18. 00 18. 81 33. 72 51 60	13 80 16 69 17 90 32 18 50 00	13 50 16 00 18, 33 30, 51 46, 60	13. 50 14. 60 18. 39 30. 45 45. 80	13. 50 14. 00 19. 08 49. 10	20 33 50.00	17. 99 18. 06 43. 32
1919 1920 Av., 1914–1920	26. 58 26. 34	22. 28 26. 88	26. 89	20. 00 27. 31	21 52 29 05	18. 55 29. 58	18. 19 29. 83	17. 85 27. 62	19 00 25 56	19. 00 25. 25		19 00	20. 22
1921 1922 1923 1924	18. 01 16. 42 20 08 22. 20	19 40 22 15	18. 50 20. 22 21 00 29. 44	20 12 20 62	20 45 20 86	20. 50	24. 52 19. 65 19. 46	18 00	16.90	17.46	17 50		19. 85 -18. 68 19. 80

Division of Statistical and Historical Research. Compiled from Chicago Board of Trade and the Seed World, average of daily prices.

Table 407 .- Alsike clover seed: Average spot price per bushel, Toledo, 1914-1924

Year beginning September	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Aver- age
1914 1915 1918 1917 1918 1919 1998 1998 1998 1998 1998 1998	9, 83 12, 57 25, 80	10. 24 13. 84 18. 17 28. 72 17. 35 10. 72 10. 50 10. 18	29. 97 17. 70 10. 64 10. 74 9. 67	11. 10 14. 46 19. 66 81. 47 16. 96 11. 05 10. 91 9. 43	11. 30 15. 31 18. 70 84. 57 16. 00 11. 64 10. 76 9. 30	11. 62 16. 92 85. 17 15. 34 12. 37 10. 54	9, 40 11, 51 15, 59 20, 09 35, 71 14, 98 11, 92 10, 50	9. 15 11. 56 15. 31 25. 41 139. 89 13. 98 11. 46 10. 50	9. 10 11. 50 15. 22 24. 37 13. 50 11. 27 10. 42	11. 40 12. 37 25. 52 12. 43 11. 71 10. 28	9. 53 11. 62 24. 23 28. 95 10. 82 10. 16	9 88 11. 74 25. 00 19. 24 10. 71 9. 81 10. 48	28, 74 14, 71 11, 17 10, 49

Division of Statistical and Historical Research. Compiled from the Seed World, average of daily prices.

¹ No quotations

¹ Price based on very few sales.

Table 408.—Timothy seed, prime contract grade. Average spot price per 100 pounds, Chicago, 1910-1924

Year beginning August	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aver-
1910	\$6. 36 14. 31 6. 13 5. 59	15. 20 4. 81	15. 81 4. 44	16.00 4.05	16. 45 4. 18		16. 25 3. 88	15. 60 8. 76	14. 50 8. 88	13. 70 4. 16	11. 63 4. 69	10 25 5. 28	14.66
1914 1915 1916 1917 1918 1919	6. 31 8. 19 7. 00 3. 25 8. 90 11. 75 8. 89	9, 19 4, 99 8, 44 10, 00 11, 50	8. 35 5. 43 8. 56 10. 00 11. 25	8. 46 5. 50 7. 82 10 30	8. 73 5. 74 7. 63 11. 00 . 12. 25	8. 70 5. 55 8. 25 11. 00 13. 62	8. 75 5. 55 8. 94 10. 00 14. 30	8. 55 5. 78 8. 55 10. 50 13. 07	8. 50 6. 81 8. 25 11. 00 11. 76	8. 94 8. 20 8. 41 12. 00 12. 00	9. 20 8. 14 7. 81 12. 00 12. 00	8. 75 8. 01 8 88 12. 00	8.69 6.39 8.32 10.72
Av., 1914-1920	8. 47	8. 28	7. 99	7. 96	8. 30	8. 68	8. 58	8. 35	8. 60	8. 82	8. 81	8. 85	8. 47
1921 1922 1923 1924	4. 50 4. 59 5. 91 7. 82			5. 31 6. 26 7 24 6. 44	5. 58 6. 25 7. 25 6. 66	6. 25	6. 00 6. 19 9. 44	5. 81	5. 50		6. 13		

Division of Statistical and Historical Research. Compiled from Chicago Board of Trade and the Seed World, average of daily prices.

Table 409.—Alfalfa seed: Price per bushel paid by farmers, 15th of month, United States, 1912-1924

Year	Jan. 15	Feb.	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug.	Sept.	Oct. 15	Nov.	Dec. 15
1912	\$8 25 8.30 8.79 10 27 9.72	\$9.60 7.98 9.29 11.04 9.98	\$9. 78 8. 01 9. 58 12. 21 10. 34	\$9. 99 8. 17 9. 50 12. 54 10. 32	\$9. 7. 8. 38 9. 62 12. 10 10. 52	\$10. 25 9. 73 8. 31 9. 61 12. 10 10. 79	\$10. 07 9. 41 8. 29 9. 61 11. 67 10. 87	\$10.07 10.06 7.79 9.14 11.51 10.52	\$10. 52 8. 96 8. 85 9 60 11. 30 10. 72	\$9 84 8. 73 8 97 10. 00 10. 67 11, 00	\$9. 73 7. 65 8 45 9. 71 10 00 10. 94	\$9. 49 7. 25 8. 81 9. 75 10. 81 11, 16
1918	11. 84 12. 48 21. 25 10. 91 10. 33 11. 99 12. 75	12.00 12.70 22.66 12.74 10.76 12.42 12.74	12. 24 13. 12 24. 64 12. 47 11. 37 12. 50 13. 21	12. 34 13. 65 25. 22 11. 62 11. 72 12 85 13. 49	12. 35 14. 32 25. 08 11. 43 11. 45 13. 19 13. 37	12.04 14.24 24.22 11.84 11.24 12.64 13.34	11. 70 14. 51 23. 70 10. 70 11. 88 12 17 12. 98	13. 06 14. 11 21. 05 11. 00 10. 38 12. 05 13. 01	12. 43 15. 47 21. 19 11. 14 10. 67 12. 15 13. 10	11. 82 16. 57 18. 32 10. 51 10. 94 12. 86 12. 77	11. 68 17. 51 16. 87 10. 14 11 19 12. 31 11. 68	12.00 20.27 12.99 10.38 11.60 12.44 12.63

Division of Crop and Livestock Estimates.

Table 410.—Clover seed: Price per bushel paid by farmers, 15th of month, United States, 1912-1924

Year	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Sept.	Oct. 15	Nov. 15	Dec. 18
1912 1913 1914 1915 1916	\$11. 39 9. 82 10. 34 11. 98 11. 29	\$11.62 9.77 10.32 12.22 11.67	\$12.30 9.45 10.33 12.58 12.07	\$12. 90 9. 84 10. 08 12. 59 12. 28	\$12.90 9.77 9.99 12.14 12.80	\$13. 49 12. 47 9. 86 9. 89 11. 71 12. 23	\$12. 82 12. 12 9. 79 10. 05 11. 20 12. 36	\$11. 78 11. 94 10. 39 9. 79 11. 27 12. 38	\$11. 61 10. 22 10. 76 10. 18 10. 90 12. 64	\$11. 28 9. 32 10. 32 11. 14 10. 61 13. 26	\$11. 23 9. 13 10. 06 10. 25 10. 87 14. 26	\$11, 10 9, 43 10, 04 11, 56 11, 10 14, 99
1918	16. 45 24. 25 32. 09 14. 02 18. 44 13. 76 13. 49	18.90 25.04 85.00 18.62 14.10 14.06 15.08	20. 13 25. 72 35. 64 18. 52 15. 39 14. 12 15. 36	20. 35 28. 24 35. 73 13. 56 15. 40 14. 02 15. 37	19. 71 28. 07 34. 28 13. 48 15. 12 13. 94 15. 25	19. 15 27. 87 32. 05 13. 38 14. 48 13. 66 14. 92	18. 71 27. 22 31. 38 13. 17 14. 04 13. 55 14. 73	17. 84 27. 82 27. 64 18. 55 13. 20 13. 41 14. 67	19. 42 28. 73 23. 31 13. 00 12. 11 13. 84 14. 46	20. 84 28. 82 18. 94 12. 84 12. 64 14. 88 15. 05	21, 25 29, 63 16, 13 12, 89 12, 85 13, 40 16, 14	23. 10 81. 04 14. 66 12. 82 13. 32 14. 30 16. 88

Table 411.—Timothy seed: Price per bushel paid by farmers, 15th of month, United States, 1912-1924

Year	Jan. 15	Feb. 15	Mar. 15	Apr. 15	Мау 15	June 15	July 15	Aug. 15	Sept.	Oct. 15	Nov. 15	Dec. 15
1912 1913 1914 1915 1916 1917	\$2.51 2.90 3.42 3.80 3.17	\$2. 47 2. 94 3. 56 3. 96 3. 22	\$2.33 2.97 3.60 3.98 3.24	\$2. 43 2. 95 8. 57 4. 03 3. 27	\$2.40 2.97 3.46 4.04 8.60	\$7. 37 2. 44 2 98 3. 48 4. 01 3. 81	\$6. 59 2. 57 · 2. 99 3. 49 3. 99 3. 93	\$3. 89 2. 76 3. 17 3. 48 3. 50 3. 98	\$3. 06 2. 84 3. 25 3. 59 3. 08 4. 12	\$2 84 2.85 3.19 3.74 3.01 4.14	\$2. 67 2. 87 3. 11 3. 69 3. 05 4. 12	\$2. 47 2. 84 3. 05 3. 73 3. 11 4. 20
1918 1919 1920 1921 1922 1923 1924	4. 49 5. 43 6. 43 4. 40 3. 83 3. 93 4. 23	4. 55 5. 45 6. 87 4. 27 4. 04 3. 94 4. 30	4. 67 5. 50 6. 94 4 05 4. 00 3. 97 4. 44	4. 58 5. 56 7. 03 4. 08 4. 03 3. 95 4. 40	4. 55 5. 73 6. 91 4. 02 4. 04 3. 99 4. 36	4. 56 5. 68 6. 88 4. 10 3. 88 4. 03 4. 32	4. 55 5. 79 6. 83 3. 91 3. 79 4. 03 4. 17	4. 71 5. 96 6. 01 8. 65 3. 56 3. 61 4. 18	4, 98 5, 92 5, 41 3, 41 8, 34 3, 93 4, 16	5. 10 6. 05 4. 84 3. 48 3. 48 4. 13 4. 02	5. 20 6. 06 4. 70 3. 52 3. 69 4. 24 3. 95	5. 23 6. 24 4. 54 3. 63 3. 74 4. 14 4. 15

Division of Crop and Livestock Estimates.

TOBACCO

Table 412.—Tobacco: Acreage, production, value, exports, etc., United States, 1909-1924

Year	Acreage	A ver- age yield per acro	Production	Average farm price per pound Dec. 1	age farm Farm price value per Dec. 1 pound		Domestic exports of unmanufac- tured, fiscal year begin- ning July 1	Imports of unmanu- factured, fiscal year beginning July 1
1909		Pounds 814. 8 807. 7	Pounds 1, 055, 133, 000 1, 103, 415, 000	Cents 10. 1 9. 3	Dollars 106, 374, 000 102, 142, 000	Dollars 82. 14 74. 77	Pounds 357, 196, 074 355, 327, 072	Pounds 46, 853, 389 48, 203, 288
1911 1912 1913	1, 013, 000 1, 226, 000 1, 216, 000	893. 7 785. 5 784. 3	905, 109, 000 962, 855, 000 953, 734, 000	9. 4 10. 8 12. 8	85, 210, 000 104, 063, 000 122, 481, 000	84, 12 84, 88 100, 72	379, 845, 320 418, 796, 906 449, 749, 982	54, 740, 380 67, 977, 118 61, 174, 751
Av. 1909-1913.	1, 223, 000	814.3	996, 049, 000	10. 4	104, 054, 000	85. 07	392, 183, 071	55, 789, 785
1914 1915 1916 1917 1918 1919 1919	1, 370, 000 1, 413, 000	845. 7 775. 4 816. 0 823. 1 873. 7 751. 1 807. 3	1, 934, 679, 900 1, 062, 237, 900 1, 153, 278, 900 1, 249, 276, 900 1, 439, 971, 900 1, 465, 481, 900 1, 582, 225, 900	9. 8 9. 1 14. 7 24. 0 28. 0 39. 0 21. 2	101, 411, 090 96, 281, 000 169, 072, 000 300, 449, 000 402, 264, 000 570, 868, 000 335, 675, 000	82, 85 70, 28 120, 08 197, 92 244, 23 292, 60 171, 26	848, 346, 091 443, 293, 156 411, 598, 860 289, 170, 686 629, 287, 761 648, 037, 655 506, 526, 449	45, 764, 728 48, 013, 335 46, 136, 347 79, 367, 563 83, 951, 103 94, 005, 182 58, 923, 217
A v. 1914-1920.	1, 583, 000	810. 8	1, 283, 750, 000	22.0	282, 374, 000	178 35	468, 037, 237	65, 165, 925
1921 1922 1923 1924 ²		749. 6 735. 6 807. 2 722. 5	1, 069, 693, 000 1, 246, 837, 000 1, 515, 110, 000 1, 242, 623, 000	19. 9 23. 2 19. 9 20. 6	212, 728, 000 289, 248, 000 301, 096, 000 256, 346, 000	149. 07 170. 65 160. 41 149. 04	463, 388, 521 454, 364, 150 597, 630, 437	65, 225, 437 75, 785, 715 54, 341, 010

Division of Crop and Livestock Estimates. Figures in italics are census returns.

¹ Based upon farm price Dec. 1.

² Preliminary.

882: Yearbook of the Department of Agriculture, 1924

Table 413.—Tobacco: Acreage; production, and total farm value, by States, 1922-1924

State	Астенде				Production	Total value basis Dec. 1 price			
, value	1922	1923	1924 1	1922	1923	1924 1	1922	1923	1924
Massachusetts	1,000 acres 9 28 2 43 26	1,000 aeres 9 29 2 45 27	1,000 acres 9 28 2 46 28	1,000 pounds 9, 612 29, 260 2, 226 56, 760 20, 020	1,000 pounds 12,690 40,252 2,250 58,950 21,384	1,000 pounds 11,790 36,820 2,380 59,900 21,420	1,000 dollars 3,683 11,792 821 9,082 3,504	1,000 dollars 5,558 18,717 450 10,670 6,009	1,000 .dollars 2, 160 11, 893 524 9, 389 5, 762
Virginia West Virginia No.th Carolina South Carolina Georgia	209 9 505 85 11	204 9 585 102 17	214 8 497 94 41	156, 759 7, 425 252, 509 54, 400 5, 940	150, 960 7, 740 469, 500 74, 460 11, 237	189, 100 6, 400 278, 320 41, 360 31, 201	37, 629 1, 634 76, 508 12, 512 1, 544	29, 588 1, 703 94, 504 14, 147 3, 483	29, 767 1, 372 71, 867 7, 031 8, 290
FloridaOhloIndianaWisconsin	3 46 18 40	4 47 22 44	7 46 21 39	3, 300 41, 400 16, 200 45, 6 00	4, 292 42, 770 19, 778 48, 092	5, 600 29, 900 18, 417 36, 600	1, 551 7, 866 2, 754 9, 120	2, 185 6, 159 2, 769 5, 290	2, 106 5, 801 3, 057 4, 766
Missouri Kentucky Tennessee Louisiana	5 5 2 5 130 1	6 578 146 1	503 130 1	4, 500 446, 250 94, 250 450	6, 600 494, 199 109, 500 465	6, 000 419, 585 97, 500 400	1, 305 87, 019 20, 735 248	J, 848 82, 036 15, 658 232	1,500 71,757 18,135 220
United States	1, 695	1, 877	1, 720	1, 246, 837	1, 515, 110	1, 242, 623	2 89, 248	301 , 09 6	256, 346

Table 414.—Tobacco: Acreage, yield, and production, by types and districts, 1923 and 1924

	Aer	eage	Yi	eld	Production		
Type and State	1928	1924 1	1923	1924	1923	1924 1	
Cigar types: Massachusetts Connecticut New York Pennsylvania Ohio Indiama Wisconsin Georgia Fforida.	Acres 9,000 29,000 2,000 45,000 27,609 500 44,000 1,800 3,800	Aeres 9,000 28,000 2,000 46,000 80,600 89,000 11,700 3,500	Lbs. 1, 410 1, 388 1, 125 1, 310 925 800 1, 093 1, 090 1, 073	Lbs. 1, 310 1, 315 1, 175 1, 300 550 950 940 874	Pontrids 12, 699, 000 40, 252, 000 2, 259, 000 25, 590, 000 25, 590, 000 48, 092, 000 1, 896, 000 4, 160, 000	Pounds 11, 750, 000 36, 820, 000 2, 350, 000 59, 800, 010 16, 830, 010 475, 000 1, 486, 000 1, 486, 000 3, 430, 000	
Total cigar type	182, 700	160, 300	1, 198	1,058	194, 124, 600	169, 641, 000	
Chewing, smoking, snuff, and export: Burley— Virginia West Virginia Onto Indiana Missouri Kentucky Tennessee Paducah— Kentucky Tennessee	2, 000 8, 500 17, 600 14, 900 6, 000 296, 000 24, 600 369, 600	2, 806 7, 500 14, 200 14, 000 290, 00 31, 000 365, 500	1, 100 860 862 880 1, 100 880 880 880 883	1, 125 809 865 850 1,000 845 850 850 785 725	2, 206, 000 7, 310, 000 15, 170, 000 18, 110, 000 6, 600, 000 280, 480, 000 21, 648, 000 326, 518, 000	3; 180, 000 6, 000, 000 12, 290, 000 11, 900, 000 6, 000, 000 245, 050, 000 26, 350, 000 310, 740, 000	
Total Paducah	103, 500	74, 000	796	768	82, 585, 000	57, 010, 000	

Preliminary.

¹ Preliminary.

FABLE 414.—Tobacco: Average, yield, and production, by types and districts, 1923 and 1924—Continued.

	Acre	age	Yie	eld	Production		
Type and State	1928	1924	1923	1924	1923	1924	
Chewing, smoking, snuff, and					-		
export—Continued							
Henderson -	Acres	Acres	Lbs.	Lbs.	Pounds	Pounds	
Kentucky	83, 500	65, 000	880	850	73, 480, 000	55, 250, 060	
One Sucker-							
Indiana	6,600	6, 500	950	980	C, 268, 000 32, 195, 000	6, 012, 000	
Kentucky	89, 500	21,000	815	800	82, 195, 000	6, 012, 000 16, 800, 000	
Tennessee	16, 600	12,000	760	650	12, 616, 000	7, 800, 000	
Total One Sucker	62, 700	39, 500	823	775	51, 079, 000	30, 642, 000	
Clarksville and Hopkins-							
ville— Kentucky	77, 500	69, 000	800	825	62, 000, 000	56, 925, 000	
Tennessee.	77, 000	66,000	700	740	53, 900, 000	18, 840, 059	
Total Clarksville and Hopkinsville	154, 500	135, 000	750	783	115, 900, 000	105, 765, 000	
Hopkinoviik	101,000	100,000		100	170, 300, 000	100, 100, 005	
Virgina sun cured	7,600	7, 200	735	7 2 5	5, 586, 000	5, 220, OXX	
Virginia dark	52, 400	56, 000	835	785	43, 754, 000	41, 169, 000	
Old Belt							
Virginia	142, 000	148, 000	700	605	99, 420, 000	89, 570, 000	
North Carolina	270,000	231,000	641	570	173, 200, 000	131, 670, (PV)	
Total Old Belt	412,000	3 79, 0 00	662	584	272, 620, 000	221, 240, 0/0	
New Belt							
North Carolina.	315, 000	266, 000	750	551	236, 300, 000	146, 650,400	
South Carolina	102,000	94, 000	730	440	74, 460, 000 9, 187, 000	4L, 360, 000	
Georgia	14, 700	38, 809	625	760	9, 187, 000	28), 500, 600	
Florida	200	3, 500	660	620	132, 000	2, 170, 000	
Total New Belt	431, 900	402, 300	740	546	820, 079, 000	219, 680, 000	
Total flue cured (Old and							
New Belt)	843, 900	781, 300	702	564	592, 699, 000	440, 920, 900	
Maryland and Eastern			-				
Ohio Export—	}						
Maryland	27,000	28,000	792	765	21, 384, 000	21, 420, 060	
Ohio West Virginia	1,800 400	1, 200 400	1, 150 860	650 800	2, 070, 000 844, 000	780, 000 320, 000	
West viighna		300		- 300	9'F1, (000		
Total export	20, 200	29, 600	815	761	23, 798, 000	22, 520, 000	
Other							
Georgia.	500	500	500	430	250, 000	215,000	
Tennessee	2,800	3,000	884	487	2, 336, 000	1, 460, 000	
Kentucky Louisiana	3,000 1,000	2,000 1,000	818 165	800 400	2, 450, 000 465, 000	1, 600, 000 490, 000	
West Virginia	100	100	860	800	86,000	80,000	
Total other	7, 400	6, 600	755	569	5, 587, 000	3, 755, 000	
Total chewing, smok-	1						
ing, snuff, and ex-	1, 714, 300	1, 559, 700	770. 5	687. 9	1, 320, 986, 000	1, 072, 982, 000	
•							
Total, all types	1, 877, 000	1, 720, 000	807. 2	722.5	1, 515, 110, 000	1, 242, 623, 000	

824 Yearbook of the Department of Agriculture, 1924

TABLE 415 .- Tobacco: Yield per acre, by States, 1909-1924

State	1909	1910	1911	1912	1913	Av. 1909- 1913	1914	1915	191 6
Massachusetts Connecticut New York Pennsylvania Maryland	Lbs. 1,600 1,650 1,175 985 710	Lbs. 1, 730 1, 730 1, 250 1, 500 690	Lbs. 1, 650 1, 625 1, 330 1, 420 735	Lbs. 1,700 1,700 1,300 1,450 660	Lbs, 1,550 1,550 1,020 1,200 740	Lbs. 1,646 1,651 1,215 1,311 707	Lbs. 1,750 1,770 1,300 1,450	Lbs. 1, 100 1, 350 1, 200 1, 350 - 740	Lbs. 1, 660 1, 630 1, 230 1, 360 770
Virginia	775 875 600 800 700	780 640 600 630 680	800 750 710 810 900	600 760 620 700 830	770 680 670 760 1,000	745 741 640 740 822	650 820 650 730 1,000	750 870 620 580 880	680 900 550 520 1, 180
Florida Ohio Indiana Wisconsin	710 925 950 1, 180	680 810 880 1,050	940 925 910 1, 250	840 920 800 1, 290	1,000 750 750 1,180	834 866 858 1, 190	1,000 900 900 1,180	910 900 840 900	1, 210 950 930 1, 270
Missouri Kentucky Tennessee Louisiana	885 835 730 550	1, 050 810 760 550	800 880 810 450	1,000 780 660 300	650 760 720 450	877 813 736 460	1, 200 910 820 400	900 810 750 420	950 900 800 450
United States	814. 8	807. 7	893. 7	785. 5	784. 3	817. 2	845. 7	775. 4	816. 0
State	1917	1918	1919	1920	Av. 1914- 1920	1921	1922	1923	1924
Massachusetts. Connecticut New York Pennsylvania Maryland	Lbs. 1, 400 1, 400 1, 250 1, 400 790	Lbs. 1,500 1,500 1,250 1,420 830	Lbs. 1, 540 1, 565 1, 200 1, 320 675	Lbs 1, 550 1, 480 1, 280 1, 510 875	Lbs. 1, 500 1, 528 1, 257 1, 401 783	Lbs 1, 370 1, 454 1, 250 1, 460 715	Lbs. 1, 068 1, 045 1, 110 1, 320 770	Lbs. 1, 410 1, 388 1, 125 1, 310 792	Lbs. 1, 310 1, 315 1, 175 1, 300 765
Virginia	700 800 630 710 1,000	770 720 705 720 800	530 700 616 722 530	730 800 694 650 600	687 801 638 662 856	550 750 561 630 564	750 825 500 640 540	740 860 700 730 661	650 800 560 440 761
Florida Ohio Indiana Wiscousin	1, 100 960 950 1, 000	960 980 930 1, 330	950 860 800 1, 270	1, 050 960 900 1, 248	1, 026 930 893 1, 171	900 920 875 1, 281	1, 100 900 900 1, 140	1, 073 910 899 1, 093	800 650 877 940
Missouri Kentucky Tennessee Louisiana	940 900 810 350	900 960 800 420	1, 000 800 810 434	1, 000 850 730 500	984 876 789 425	925 846 750 450	900 850 725 450	1, 100 855 750 465	1, 000 834 750 400
United States	823. 1	873. 7	751. 1	807. 3	813. 2	749. 6	735. 6	807. 2	722. 5

Division of Crop and Livestock Estimates.

Table 416.—Tobacco: Percentage reduction from full yield per acre, from stated causes, as reported by crop correspondents, 1909-1923

			Adve	rse wes	ther co	ondition	18							
Year	Defi- cient mois- ture	Ex- ces- sive mois- ture	Floods	Frost or freeze	Hail	Hot winds	Storms	Total cli- mat- ic ¹	Plant dis- ease	In- sect pests	Ani- mal pests	De- fec- tive seed	Other and un- known causes	
1909 1910 1911 1912 1913	P. ct. 5. 5 4. 8 16. 7 7. 6 15. 3	P. cl. 6. 8 6. 8 . 9 4. 8	P. ct. 1. 1 1. 2 .8 .4	P. ct 0. 7 . 4 . 8 . 5 1. 2	P. ct. 0. 8 . 3 . 1 1. 0 1. 2	P. ct. 0.1 (3) .6 .2 .3	P. ct. 0. 2 . 1	P. ct. 15, 3 14, 4 19, 5 15, 3 20, 0	P. ct. 0. 7 . 7 . 3 . 7 . 2	P. ct. 2. 6 2. 8 1. 0 2. 8 3. 0	P. ct.	P. ct. (2) 0. 1 .2 .1 (2)	P. ct. 1. 0 2. 6 1. 7 2. 2 1. 8	20 6 22.6
1914 1915 1916 1917 1918	18. 1 3. 9 3. 5 3. 3 8. 6	. 2 8. 2 5. 5 2. 2	.1 .9 1.3 .5	.4 1.2 1.3 3.3	.6 .8 1.0 1.2 1.1	.3 .1 .1 .1	.1 .9 .8 .2 .2	20. 1 16. 3 14. 0 11. 1 11. 4	(2) .6 .3 .2 .3	. 2. 7 4 0 2. 9 2. 1 2. 1		.1 (i) .1 .1	1. 9 2. 5 1. 2 1. 7 . 3	23 5 18.4 15.2
1919 1920 1921 1922 1923	8. 9 2. 3 18. 9 7. 0 4. 1	7. 9 7. 0 2. 2 4. 5 3. 9	.6 .6 .1 .3 .4	.2 .7 .4 .4 1.6	1. 1 1. 0 . 7 1. 4 . 5	(*) .4 .1 .1	.2 .1 .2 .2 .3	19. 2 11. 7 22. 9 14. 3 10 9	5. 5 1. 6 1. 7 2. 5	2 8 2 6 3 2 2 5 2 7		(2) (2) (2) (2) (1)	1. 2 1. 2 . 5 . 2 . 7	21. 0 28. 2

Division of Crop and Livestock Estimates.

1 Includes all other climatic.

Less than 0.05 per cent.

Table 417.—Tobacco: Acreage and yield per acre in specified countries, average 1909-1913, annual 1921-1924

			Acreage				Yi	eld per a	cre	
Country	Aver- age, 1909- 1913	1921	1922	1923	1924, prelim- inary	Aver- age, 1909- 1913	1921	1922	1923	1924, prelim- inary
NORTHERN HEMI- SPHERE	1 000	4.000	4.000	1.000	1 000					
NORTH AMERICA United States Porto Rico	1,000 acres 1,223 1 19	1,000 acres 1,427 35	1,000 acres 1,695 50	1,000 acres 1,877 24	1,000 acres 1,720	Pounds 814 570	Pounds 750 706	Pounds 736 449	Pounds 307 553	Pounds 722
EUROPE										
France Italy Germany Hungary Yugoslavia Greece Bulgaria Rumanis	241 20 232 293 235 376 236 1158	32 48 23 49 36 73 58 52	38 55 28 44 81 114 54 49	41 76 15 38 40 124 132 44	32 91 	1, 307 1, 148 2, 004 1, 203 943 *776 651 1909	1, 643 899 2, 267 831 724 705 619 531	1, 618 918 1, 657 782 668 580 729 577	1, 353 908 2, 095 783 716 1, 477 668 485	778
AFRICA										
Algeria	25	54	42	51	53	937	919	638	828	666
India	1, 057 72 51 154	1, 348 92 41 225	97 80 148	96	93	1, 302 500 422	1, 466 739 517	1, 581 775 446	1, 464	1, 422

Division of Statistical and Historical Research. Official sources and International Institute of Agriculture unless otherwise stated.

¹ Four-year average.

² Estimates for present boundaries.

One year only.

⁻ Pour-year average.

Table 418.—Tobacco: Production in specified countries, average 1909-1915, annual 1921-1924

[Thousand pounds—i e., 000 omitted]

_	Average		l		1924.
Country	1909-1913	1921	1922	1923	preliminary
NORTHERN HEMISPHERE					
NORTH AMERICA					
Canada 1	³ 15, 066	13, 249	25, 948	21, 297	
United States	996, 087	1, 069, 693	1, 246, 837	1, 515, 110	1, 242, 628
Mexico	26, 455 256	17, 687 143	23, 085 386	154	
Cuba		40, 299	30, 399	104	
Cuba Dominican Republic	4 25, 417	14, 990	15, 000	5 20, 000	⁵ 28, 000
Porto Rico	10, 828 490	24, 712	22, 450	13, 280	
·	100				
EUROPE Sweden	1 744	1, 440	1, 164	1, 510	
Denmark 6	1, 744 7 258	1, 12	1, 102	1,010	
Belgium	7 20, 767	10, 190	7, 333	9, 502	11, 310
France	7 53, 598	52, 578	61, 495	55, 464	53, 859
Italy Switzerland Switzerland	7 22, 964 8 1, 374	43, 145 816	50, 485 790	69,000 790	
Germany	7 64, 116	52, 149	46, 387	31, 421	\$ 44, 092
AustriaCzechoslovakia	7 6 590 7 9, 467				
Hungary	7 111, 883	2, 621 40, 705	4, 548 34, 430	6, 160 29, 760	12, 600
Yugoslavia	7 33, 013	26, 046	20, 700	28, 660	
Greece	7 58, 987	51, 485	66, 138	183, 110	
Bulgaria	7 23, 435	35, 923	39, 380	88, 190	56,000
Rumania Poland	7 48, 174 7 8, 725	27, 589 2, 015	28, 286	21, 360	
Russia	7 199, 203	2,010			25, 300
AFRICA					
Algeria	23, 42	49, 626	26, 808	42, 240	8 35, 274
Tunis	265	1,069	722	990	860
ASIA					
British India	3 \$ 450, 000				
British North Borneo		1, 160	1, 208	1, 281	
Ceylon			10, 009	10,009	
Japan	93, 717	134, 899	153, 364	140, 550	132, 280
Chosen	25, 510	30, 308	23, 244		
Formosa Russia (Asiatic)	1, 120 30, 939	4, 270	3, 760	3, 610	
Philippine Islands.		116, 401	65, 977	72, 320	1
SOUTHERN HEMISPHERE			,	·	
SOUTH AMERICA					1
Chile	4, 493	7, 081			1
Brazil		175, 744	156, 297		
Uruguay	2, 045 17, 844	329	441	550	
Paraguay	17, 844 12, 685	21, 322 38, 283	24, 672 17, 730	23, 340	
AFRICA	22,000	50, 200	11, 100	20,010	
					1
Union of South Africa	14, 961 4 1, 992	9, 813 3, 182	8, 400		
Nyasaland	3, 017	6, 786	2, 811 6, 490	3,606 3,926	
	0,011	. 0,100	U, 190	0, 920	

Ontario and Quebec.

Two-year average.
One year only.
Three-year average.
Commercial estimate.
No tobacco has been grown in Denmark since 1922.
Estimates for present boundaries.
Four-year average.

Table 418.—Tobacco: Production in specified countries, average 1909-1913, annual 1921-1924-Continued

Country	A verage 1909–1921	1921	1922	1923	1924 preliminary
OCEANIA Dutch East Indies: Java and Madura Sumatra (East Coast) Australia Total comparable with 1909–1918 Total of countries reporting for all	94, 802 46, 278 2, 185 42 2, 696, 284	88, 042 27, 793 1, 086 184	62, 630 85, 413 58	å 36, 300	å 37, 700
years	1, 356, 568	1, 451, 531	1, 637, 287	1, 945, 927	1, 654, 598

Division of Statistical and Historical Research. Official sources and International Institute of Agri-

For each year is shown the production during the calendar year in the Northern Hemisphere and the succeeding barvest in the Southern Hemisphere.

Table 419.—Tobacco: Farm price per pound, December 1, by States, 1909-1924, and value per acre, 1924

State	1909	1910	1911	1912	1913	Av. 1909– 1918	1914	1915	1916	1917	1918	1919	1920	A⊽. 1914– 1920	1921	1922	1923	1924	Value per acre 1924
Mass Conn N.Y Pa Md	14. 0 16. 5 8. 0 9. 0	15. 0 16. 5 8. 5 9. 3	20. 0 20. 5 10. 4 9. 5	23. 9 24. 1 12. 6 8. 5	Cts. 21. 0 21. 0 12. 2 7. 5 9. 3	18. 8 19. 7 10. 3 8. 8	17. 7 18. 5 12. 0 8. 5	14. 5 17. 0 9. 5 9. 2	25. 0 27. 0 13. 0 14. 2	38. 4 38. 4 22. 0 21. 0	40. 0 44. 0 18. 0 14. 0	46. 8 46. 8 22. 5 17. 0	Cts. 40. 6 35. 0 27. 0 20. 0 29. 0	31.8 32.3 17.7 14.8	36. 0 41. 0 19. 3 14. 4	37. 8 40. 3 37. 0 16. 0	43. 8 46. 5 20. 0 18. 1	26. 8 32. 3 22. 8 15. 7	Dolls. 351. 08 424. 74 262. 02 204. 10 205. 78
Va	8. 5 13. 2 9. 5 7. 3	9. 0 10. 3 10. 6 8. 6	9. 6 8. 0 11. 6 12. 6	12. 0 11. 0 16. 0 10. 9	13. 9 12. 0 18. 5	10. 6 10. 9 13. 2 10. 6	9. 0 11. 0 11. 5 9. 7	9. 4 10. 0 11. 2 7. 0	14. 6 15. 0 20. 0 14. 0	26. 5 30. 0 31. 5 23. 1	27. 0 36. 6 35. 1 31. 1	47. 4 50. 0 53. 6 22. 8	24. 0 25. 0 25. 3 15. 0 37. 0	22. 6 25. 4 26. 9 17. 5	20. 5 24. 0 26. 0 11. 0	24. 0 22. 0 30. 3 23. 0	19. 6 22. 0 23. 1 19. 0	21. 4 21. 4 25. 8 17. 0	139, 10 171, 20 144, 48 74, 80 202, 43
Wis	10. 5 11. 0 9. 2	8. 5 9. 5 7. 5	7. 6 7. 8 10. 0	9. 1 9. 0 11. 0	11. 4 11. 0 12. 0	9. 4 9. 7 9. 9	8. 8 9. 0 11. 0	9. 0 7. 3 6. 0	13. 0 18. 0 12. 5	25. 0 24. 0 17. 5	19. 5 20. 7 22. 0	33. 7 35. 2 22. 2	48. 0 13. 0 14. 0 25. 9	17. 4 17. 6 16. 7	15. 0 15. 0 12. 5	19. 0 17. 0 2 0. 0	14. 4 14. 0 11. 0	19. 4 16. 6 13. 0	300. 80 126. 10 145. 58 122. 20
La	10. 6 7. 8 87. 0	8. 7 8. 4 25. 0	7. 7 8. 5 81. 0	8. 7 7. 1 30. 0	10.0	9. 1 8. 0 29. 6	8. 4 7. 5 35. 0	7. 8 6. 3 30. 0	12. 7 10. 1 28. 0	22. 7 17. 0 35. 0	26. 3 21. 4 65. 0	38, 2 25, 1 65, 0	33. 0 15. 0 20. 0 40. 0 21. 2	18. 7 15. 3 42. 6	15, 5 20, 0 55, 0	19. 5 22. 0 55. 0	16. 6 14. 3 50. 0	17. 1 18. 6 55. 0	250. 00 142. 61 139. 50 220. 00 149. 04

⁵ Commercial estimate.

¹ Based on farm price December 1.

Table 420.—Tobacco (unmanufactured): International trade, calendar years, average 1909-1913, annual 1921-1923

[Thousand pounds-i. e., 000 omitted]

	Average,	1909-1913	19	21	19	022	1923, pre	liminary
Country	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Exports
PRINCIPAL EXPORT- ING COUNTRIES							•	
Algeria Brazil British India Bulgaria	4,776 620 6,538	11, 681 59, 991 28, 874 4, 310	6, 781 2, 024 7, 284	21, 896 71, 718 30, 987	8, 506 2, 321 8, 053	33, 549 97, 434 26, 890	8, 599 9, 205	17, 516 80, 547 37, 891
Ceylon		4, 093	8	2, 411	4	4, 335		
Cuba	8, 074 12, 024	38, 035 22, 395 163, 823 18, 113	(1) 491 443	26, 912 20, 221 100, 250 57, 750	(1) 617 128 5, 430	34, 998 16, 602 113, 076 81, 036 7, 560	² 1, 037 57 2, 814	35, 976 2 82, 945 47, 104 5, 738
Paraguay		11, 361						
Persia Philippine Islands	797 45	3, 874 26, 018	172 342	2, 206 49, 270	181	35, 433	132	55, 736
Russia United States	1, 084 52, 768	23, 283 381, 127	52, 994	522, 756	77, 767	441, 856	57, 674	497, 347
PRINCIPAL IMPORT- ING COUNTRIES								
AdenArgentina	11, 619 14, 988	7, 739 41	19, 800	127	22, 180	50	28, 183	517
Argentina Australia 8 Austria	13, 740	(1)	17, 104 24, 108	422	81, 556		30, 101	81
Austria-Hungary	49, 984	23, 192						
Belgium Canada China	22, 094 17, 891 15, 113	33 433 25, 487	36, 142 19, 925 29, 504	220 884 26, 891	33, 924 14, 454 33, 871	613 1, 735 26, 269	42, 964 13, 966 42, 042	843 1, 837 29, 697
Czechoslovakia Denmark	8, 774	100	25, 825 5, 977	(1)	57, 702 9, 570	(1)	32, 539 12, 804	23
Egypt Finland	19, 005 9, 597		17, 394 2, 984	13	16, 459 4, 297	6	15, 845 5, 995	
France	63, 914	26 116	85, 027 238, 992	2, 599 4 961	128, 453 175, 323	1,717 989	65, 021 146, 579	775 638
Germany Italy	168, 437 47, 732	3, 008	63, 417	. 801	49, 333	2	41, 304	869
Netherlands	57, 218	3, 786	64, 322	5, 009	49, 643	4, 667	62, 847	5, 395
Norway Poland	3, 994	279	4, 750		5, 236 23, 030	491	5, 673 26, 263	753
Portugal Spain	6, 565 51, 026	2/9	42, 766		27, 058		71, 200	
SwedenSwitzerland	9, 772 17, 949	1 47	8, 783 5, 792	394	9, 509 10, 641	2, 160 11	22, 986	
United Kingdom Other countries	117, 956 32, 694	4, 603 62, 740	211, 500 35, 565	5, 273 10, 656	173, 722 11, 212	7, 104 8, 310	159, 248 475	11, 336 9, 374
Total	846, 929		1, 030, 211	959, 826	990, 180	947, 790	905, 558	922, 933

Division of Statistical and Historical Research. Official sources. Tobacco comprises leaf, stems, and strippings, but not snuff.

¹ Less than 500. ² Java and Madura.

Year beginning July 1.
Eight months, May-December.

Table 421.—Tobacco, leaf (Maryland), good to fine red: Average price per 100 pounds, Baltimore, Md., 1907-1924

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Av.
1907 1908 1909 1910	\$10.00 10.50 11.50 11.50	\$10.00 10.50 11.50 11.50	\$10.00 10.50 11.50 11.50	\$10.00 10.50 11.50 11.50	\$10.00 10.50 11.50 11.50	\$10. 25 10. 50 11. 50 11. 50	\$10. 50 10. 50 11. 50 11. 50	\$10. 50 10. 50 11. 50 11. 50	\$10. 50 11. 50 11. 50 11. 50	\$10. 50 11. 50 11. 50 11. 50	\$10. 50 11. 50 11. 50 11. 50	\$10. 50 11. 50 11. 50 11. 50	\$10. 27 10. 83 11. 50 11. 50
1911	11. 50 13. 00 13. 00 11. 50 12. 50	11. 50 13. 00 13. 00 11. 50 12. 50	11. 50 13. 00 13. 00 11. 50 12. 50	11. 50 13. 00 13. 00 11. 50 12. 50	11. 50 13. 00 13. 00 11. 50 13. 25	11. 50 13. 00 13. 38 11. 50 13. 80	11. 50 13. 00 13. 50 11. 50 16. 25	11. 50 13. 00 13. 50 12. 50 17. 50	11. 50 13. 00 12. 00 12. 50 19. 70	11. 50 13. 00 13. 00 11. 50 12. 50 20. 50	11. 50 13. 00 13. 00 11. 50 12. 50 20. 50	11. 50 13. 00 13. 00 11. 50 12. 50	11. 50 11. 88 13. 00 12. 66 11. 92 16. 00
1917 1918 1919 1920	20, 50 26, 50 39, 00 44, 50	19. 88 26. 50 39. 00 44. 50	20. 17 26. 85 39. 00 44. 50	22. 50 28. 88 39. 00 44. 00	22. 62 32. 30 34. 80 42. 00	23. 00 37. 88 34. 00 42. 00	23. 50 43. 62 35. 75 42. 00	25. 30 45. 25 38. 20 42. 75	26. 50 44. 56 41. 31 45. 00	26. 50 41. 62 42. 00 45. 40	26. 50 39. 00 42. 00 47. 00	20. 50 26. 50 39. 00 44. 50 47. 00	23. 62 36. 00 39. 05 44. 22
1921	43. 75 38. 00 39. 00 46. 00	34. 00 38. 00 39. 00 46. 00	34. 00 38. 00 39. 00 44. 62	34. 00 38. 00 34. 25 43. 00	34. 00 38. 00 35. 00 43. 00	34. 00 38. 33 35. 00 44. 19	34. 00 39. 00 35. 00 56. 12	34. 00 39. 00 85. 00 57. 50	34. 00 39. 00 36. 25 52, 83	35. 50 39. 00 40. 00 50. 50	38. 00 39. 00 40. 00 50. 50	38, 00 39, 00 46, 00 50, 50	35. 60 38. 53 37. 79 48. 73

Division of Statistical and Historical Research.

Compiled from Baltimore Dally Price Current. Average of ranges of quotations published weekly or semiweekly.

Table 422.—Tobacco, leaf, good: Average price per 100 pounds, Hopkinsville, Ky., 1907-1924

Year	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Av.
1906-07 1907-08 1908-09 1909-10	\$10. 25 110. 50	\$10. 25 10. 25	\$10. 25 10. 62	\$11.00 16.00 9 75	\$10. 12 13. 00	\$11. 25 15 00 10. 75 14. 00	\$12, 75 15, 00 9, 25 13, 75	\$12.00 14 00 10.00 14.00	15.00	\$12.00 14.25 11.00	\$13. 00 12. 25	\$11.25 10.50	\$11. 86
1910-11				13.00	12. 50	18. 25	13. 25	18 50	13. 75	14.00	14.00	12.75	
1911-12_ 1912-13_ 1913-14_ 1914-15_ 1915-16_	12. 50 11 75 13. 00 13. 00	12.00 11.75 13.00 13.00	11.75 11.50 11.50 13.00 8.00	13. 00 11. 75 11. 75 11. 50 8. 50	13. 00 11. 75 12. 25 11. 25 8. 00	13. 00 11. 25 12, 25 10. 00 9. 00	13.00 11.25 13.00 10.00 5 9.50	13. 00 11. 25 13. 00 10. 00 10. 25	13. 00 12. 75 13. 00 10. 25	12.00 13.00 13.00 10.25	11. 50 13. 00 13 00	11. 75 13. 00 13. 00	12. 46 12. 00 12. 65
1916-17 1917-18 1918-19 1919-20		11. 25 15. 50 23 00 33. 75	13. 00 16. 25 23. 00 34. 00	13. 50 16 50 26. 00 34. 00	13, 00 17, 00 27, 00 34, 00	12. 00 18. 25 27. 00 33. 00	12. 00 18. 00 7 27. 00 38. 00	12. 75 16. 50 33. 00	12. 50 18. 50 34. 75	20. 50	19. 50	6 18. 50	
1920-21 1921-22 1922-23 1923-24		30. 00 27. 50 27. 50	25. 00 27. 50 28. 25 27. 50	26, 25 27, 50 30, 50 27, 50	28. 00 27. 50 32. 25 27. 50	32, 50 27, 50 27, 50	32. 50 31. 00 27. 50	* 30. 00 27. 50					

Division of Statistical and Historical Research.

Compiled from Western Tobacco Journal. Average of range of quotations first published in the month.

Based on quotations of Oct. 31.
 Based on quotations of July 31.
 Based on quotations of July 25.
 Based on quotations of Nov. 28.

<sup>Based on quotations of Apr. 28.
Based on quotations of Sept. 28.
Based on quotations of Apr. 26.
Based on quotations of May 27.</sup>

TABLE 423.—Tobacco, Burley, dark red, good leaf: Average price per 100 pounds, Louisville, Ky., 1907-1924

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Av.
				\$11. 12		\$12.70						\$13.75	\$12.42
1908 1909	12. 50 18. 25	13. 00 18. 00	13. 50 17. 50	13. 50 17. 50	13. 50 17. 50	14. 38 17. 50	15. 75 17. 50	16. 40 17. 50	16. 25 17. 50	16. 55 17. 50	17. 12 17. 50	18. 50 17. 50	15.06 17.60
1910	15. 94	15. 50	15, 50	15. 50	15. 59	15.88	16, 50	16. 50	16. 50	15. 75	14. 12	14. 12	15. 62
1911	12.19	11. 25	11. 25	11. 25	11. 25	11. 25	11. 25	11. 38	11. 05	11. 12	11.44	11.65	11. 30
1912	10.00	10. 25	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11. 50	12. 25	11.00
1913	11.00	11.00	11.00	11.00	11.60	12.75	13.00	13. 60	14. 38	14. 50	14. 50	15. 25	12.00
1914	15.00	15.00	14.00	14.00	14.00	14.00	14. 75	15.00	15.00	15.00	15.00	15.00	14.65
1915	13.00	13.00	13.00	13.00	13.00	13.00	14. 50	14. 50	14. 50	14. 50	14. 50	14. 50	13. 78
1916	14. 50	14. 50	14. 50	14. 90	15. 50	15. 50	15. 50	15. 50	15. 50	15, 50	15. 50	16. 25	15. 26
1917	17. 50	19.00	19.00	19.00	19.00	19. 30	21. 12	23.00	23. 50	23, 50	31.00	82, 20	22, 26
1918				30. 25	31.00	37. 60	42.00	42 00	42.00	42.00	42.00	42.00	
1919	39. 50	42.00	46. 50	33 50	29. 50	23. 50	23. 50	23. 50	24. 25	29.00	33. 50	39.00	32. 27
1920	39. 00	37. 50	36.00	34. 00	32. 50	32. 50	32. 50	32. 50	32. 50	32. 50	32. 50	32, 50	33.88
1921	19. 50	22. 50	22 50	22. 50	22 50	23, 75	27. 50	27. 50	27. 50	27. 50	27. 50	27. 50	24.85
1922	27. 50	27. 50	27. 50	27. 50	27. 50	27. 50	27. 50	27. 50	27. 50	27. 50	27. 50	27. 50	27. 50
1923	30. 50	30. 50	30. 50	30. 50	30 50	29 00	28,00	28.00	28.00	28.00	28.00	28.00	29. 12
1924	24. 50	24.50	24. 50	24. 50	24. 50	24. 50	24. 50	24. 50	24. 50	24. 50	24.50	24. 50	24. 50

Division of Statistical and Historical Research.

Compiled from Western Tobacco Journal. Prices shown are averages of range of quotations published weekly, and are for the crop of the preceding year. The entire crop is not disposed of within the 12 months shown, the quotations running for 21 months on the 1909 crop and for 9 months only on the 1917 crop, while the period during which quotations are published on crops of other years varies from 15 to 20 months.

Table 424.—Tobacco, Bright, fillers, medium: Average price per 100 pounds, Richmond, Va., 1907-1924

Year	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Av.
1907 1908	12.00	12,00	12,00	12.00	12.00	12,00	'2,00	12.00	12,00	12,00	12.00	12.00	12.00
1909 1910 1911	11. 50	11.50	11. 50	11.50	11. 50	11. 50	11, 50	11. 50	11.50	11.50	11. 50	11 50	11.50
1912 1913 1914	11. 50	11. 50	11.50	11.50	11.50	11.50	11. 50	11. 50	11.50	11. 50	11.50	12.30	11. 57
1915 1916	12.00	12.00	12.00	11. 10	10 50	10. 50	10, 50	10.50	10, 50	10.50	10, 50	10.50	10.92
1917 1918 1919 1920	21. 25 32. 50	21. 81 32. 50	23. 50 32. 50	23, 50 30, 00	23. 50 27. 50	23. 50 27. 50	23. 50 27. 50	23. 50 27. 50	23. 50 27. 50	23. 50 27. 50	24. 50 27. 50	32, 50 27, 50	24.00 28.06
1921 1922 1923 1924	13. 50 13. 00	13. 50 13. 00	13, 50 13, 00	13. 50 13. 00	13. 38 13. 00	13. 00 13. 00	13. 00 13. 00	13, 00 13, 00	13. 00 13. 00	13. 00 13. 00	13.00 13.00	13.00 13.00	13. 20 13. 00

Division of Statistical and Historical Research.

Complied from Richmond Grain Exchange Price Current. Average of quotations published on Thursday of each week.

COFFEE

TABLE 425 .- Coffee: International trade, calendar years, average 1909-1918, annual 1921-1923

[Thousand pounds-i.e., 000 omitted]

	Average,	1909-1913	19	21	19	22	1923 pre	iminary
Country	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Exports
PRINCIPAL EXPORTING COUNTRIES								
Brazil British India Colombia	1 605	1, 672, 282 27, 780 104, 398	2, 366	1, 636, 119 30, 070 3 10, 205	5, 595		5, 486	· ·
Costa Rica Dutch East Indies	4, 227	27, 515 54, 149	1, 961	29, 406	4, 921	41, 043 126, 457	4 206	³ 24, 894 4 47, 692
Guatemala Haiti	1	61, 943		² 95, 199 45, 690				
Jamaica Nicaragua	138	8.263	(7)	7, 233	(7)	³ 7, 081 19, 563		
Nicaragua		111, 826		62, 418 121, 965		94, 972 114, 832		62, 522
PRINCIPAL IMPORTING COUNTRIES								
Argentina	28, 125		11, 909	302	46, 434 9, 801	185	45, 140 11, 880	13
Belgium British Malaya	111,738	33, 627 37, 137	105, 366	21, 538 15, 121	84, 904 26, 379	2, 440 22, 160	90, 366	1, 199
CanadaCuba	13, 378 24, 906	55 4	19, 876 29, 862	10	21, 303 19, 209	(7) 21	20, 818	27
Czechoslovakia Denmark	33, 102	152	25, 592 43, 724	(¹) 380	23, 973 51, 069	216	30, 995 49, 070	118
Egypt Finland	15, 654 28, 624		20, 722 27, 913	226	21, 838 30, 524	37	22, 461 31, 459	26
France	399, 965	41 1,757	228, 699	1, 158 8 211 2 13	386, 293 81, 162	685 172 197	379, 576 85, 414	820 109
Hungary Italy Netherlands	58, 278	458 189, 288	5, 709 105, 594 136, 567	13 66, 568	7, 136 104, 195 129, 148	55, 944	2, 632 105, 963 115, 563	10 46, 951
NorwayRussia	29, 309 26, 073		29, 981		89, 651		38, 110	
Spain Sweden Switzerland	29, 317	9 24 62		56 926 48	41, 235 77, 874 29, 259	162	92, 845	7 60
Union of South Africa United Kingdom United States Other countries	28, 581 907, 899	36 241 10 44, 251 95, 727	29, 906 165 1, 840, 980 135, 850	64 63 34, 573 60, 908	29, 924 88, 828 1, 246, 061 104, 351	59	32, 934 9 32, 697 1, 409, 755 68, 016	12 156 26, 367 14, 181
Total	2, 614, 854	2, 608, 347	2, 871, 877	2, 636, 746	2, 711, 067	2, 383, 044	2, 688, 037	2, 160, 593

Division of Statistical and Historical Research. Compiled from official sources except where otherwise

noted.

The item coffee comprises unhulled and bulled, ground or otherwise prepared, but imitation or "surrogate" coffee and chicory are excluded.

¹ Four-year average.
2 International Institute of Agriculture.
3 Six months.
4 Java and Madura only.
5 Three-year average.

<sup>One year only.
Less than 500 pounds.
Eight months, May-December.
Reexports in excess of imports.
Chiefly from Porto Rico.</sup>

832

ΓABLE 426.—Coffee, Rio, No. 7: Average wholesale price per pound, New York, 1890-1924

Year	Jan.	Feb.	Mar.	Apr.	Мау.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Aver- age
1890	Cents.	Cents	Cents.	Cents.	Cents.	Cents.	Cents.	Cents.	Cents.	Cents.	Cents.	Cents.	Cents.
	16 8	17. 0	18. 0	18. 7	17. 6	18. 1	17. 6	17. 9	18. 8	18. 9	18. 0	17. 9	17. 9
	17. 4	17. 5	18. 4	18. 5	18. 6	18. 2	17. 5	17. 5	16. 2	14. 1	12 9	13. 6	16. 7
	13. 0	13. 9	15. 0	14. 2	12. 8	12 9	12. 9	13. 3	14. 8	15. 4	16 3	17. 1	14. 3
	17. 1	18. 1	18 0	17. 4	15. 5	17 0	16. 5	16. 2	16. 6	18. 2	18 3	17 8	17. 2
	18. 4	17. 4	17. 2	17. 6	16. 5	15. 8	16. 6	16. 3	16. 0	15. 7	15. 1	15. 8	16. 5
1895	15. 6	16. 2	16. 8	16, 5	16 0	15 9	15. 6	16 2	16. 1	15. 9	15.7	14. 4	15. 9
1896	14. 2	13. 1	13 3	13 8	13 9	13. 2	13. 0	11. 5	10. 6	10 4	11.0	10. 0	12. 3
1897	10. 2	9. 8	9 6	8. 0	8. 0	7. 6	7. 4	7. 4	6. 9	7. 1	6.8	6 4	7. 9
1898	6. 5	6. 4	6. 2	6. 0	7 0	6. 5	6 3	6. 1	6. 4	6. 2	5.9	6. 4	6. 3
1899	6. 8	6. 8	6. 2	6. 1	6. 3	6. 2	6 1	5. 8	5. 6	5. 5	6.1	6. 9	6 2
1900	7. 2	8. 4	8 4	7 7	7 9	8. 2	8 9	9. 4	8. 5	8. 2	8. 4	7. 5	8. 2
1901	7. 2	7. 0	7 6	6. 8	6. 2	6. 2	6 0	5 6	5 6	5. 8	6 4	7. 1	6. 5
1902	7. 3	6. 0	5.9	6. 1	5 7	5 7	5. 5	6. 1	5. 8	5. 4	5. 5	5. 4	5. 9
1903	5. 4	5. 4	5 8	5. 4	5. 2	5. 2	5. 4	5. 2	5. 2	5. 8	6. 4	6 5	5. 6
1904	7. 8	9. 3	6.9	6. 9	7. 2	7. 0	7. 2	7. 5	8. 6	8. 4	8. 4	8. 6	7. 8
1905	9 0	8 7	7 9	7 8	7. 9	7 9	7 8	8.6	8 9	8. 7	8 3	8. 3	8 3
1906	8.1	8.4	8. 4	8 1	8. 0	7. 5	7 8	8 9	8 4	8 4	7.8	7. 5	8. 1
1907	7.1	6 9	7 2	7 0	6 8	6 5	6 3	6 5	6 3	6. 4	6 0	5 9	6. 6
1908	6.1	6.3	6. 3	6 1	6. 1	6 4	6 4	6 2	6. 1	6. 3	6.5	6. 6	6. 3
1909	7. 1	7. 7	8 2	8 2	8 3	8. 1	7. 1	7. 5	7. 3	7. 3	8 3	8 6	7.8
1910	8 7	8. 7	8 8	8 8	8. 4	8. 2	8 4	8 7	10. 2	11. 1	11. 1	13. 2	9 5
1911	13 4	13. 1	12.6	12 3	12 4	12 3	13 3	13 2	13. 4	14. 2	15 8	14 9	13.4
1912	14 5	14. 2	14 4	14 8	14 4	14 2	14 8	14. 3	14. 6	14 8	15. 0	15 4	14.6
1913	13. 9	13. 5	12.5	11. 9	11. 4	11 1	9. 8	9 6	9. 2	10. 2	10. 8	9. 6	11.1
Av. 1909-1913	11 5	11. 4	11. 3	11 2	11 0	10, 8	10. 7	10 7	10. 9	11.5	12 2	12. 3	11.3
1914 1915 1918 1917 1917 1918 1919	9. 1 7. 2 7. 6 9. 8 8. 5 15. 5 16. 3	9. 5 8. 2 8. 2 10. 0 8. 4 15. 4 14. 8	9. 2 7. 8 9. 2 9. 8 8. 9 16. 0 15. 0	8. 9 8 1 9. 5 9. 5 9. 0 17. 0 15. 1	8. 8 7. 8 9. 8 10 1 8. 7 19. 3 15. 6	9. 1 7. 0 9. 9 10 4 8 4 21.	8 8 7. 4 9. 0 9. 5 8. 6 23. 0 13. 1	7. 5 7. 4 9. 5 9. 1 8 5 21. 5 9. 4	7. 6 6 8 9. 9 9. 1 9. 6 16 6 8. 2	6. 6 6. 8 9. 5 8. 5 10. 4 16. 5 7. 6	6. 4 7. 5 9 5 7 9 10 7 17 0 7 5	6.3 7 6 9 2 7.6 17.3 15.2 6.6	8. 2 7 5 9. 2 9 3 9 8 17 8 12. 0
Av. 1914–1920	10. 6	10. 6	10. 8	11. 0	11. 4	11. 6	11. 3	10. 4	9. 7	9. 4	9. 5	10 0	10. 5
1921	6. 7	6 7	6. 4	6. 0	6. 2	6. 7	6. 5	7. 0	7. 9	8. 1	8 8	9 3	7. 2
1922	9. 6	9.0	9. 6	10. 8	11. 0	11. 0	10. 4	10. 0	10. 2	10. 2	10. 8	11 1	10. 3
1923	11. 9	13 0	13. 0	11. 5	11. 6	11. 7	10 9	10. 7	10. 7	11 1	11. 0	10 9	11. 5
1924	10. 9	14.2	15. 6	15. 3	14. 8	14. 6	16. 5	16. 6	17. 7	20. 7	22. 6	22.6	16. 8

Division of Statistical and Historical Research. Compiled from Bureau of Labor Statistics reports.

TEA

Table 426-A.—Tea: International trade. calendar years, average 1909-1913, annual 1921-1923.

[Thousand pounds—i. e., 000 omitted]

Comments on	A verage	1909-1918	19	21	19	22	1923 prel	iminary
Country	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Exports
PRINCIPAL EXPORTING COUNTRIES								
British India	8, 002 1 1 18, 890 6, 742 68 590	267, 887 189, 016 197, 997 46, 675 23, 640 35, 823	11, 581 1 6, 387 6, 704 3 89 996	849, 086 160, 732 57, 358 77, 518 17, 931 15, 863	14,604 1 13,656 6,516 273 21,469	311, 693 171, 808 76, 463 89, 985 3 11, 271 29, 148		331, 611 182, 388 99, 492 89, 663
PRINCIPAL IMPORTING COUNTRIES								
Argentina Australia ⁴ Austria	85, 442	(⁵)	3, 167 43, 402 858	74	3, 054 2 43, 699 2 1, 001	3 11	3, 772 2 6 44,513 995	2
Austria-Hungary British Malaya	3, 424 11, 983	³ 5, 318	7, 652	1, 338	9,810	3 3, 686		
Canada Chile Czechoslovakia Egypt France		61	35, 658 3, 036 1, 132 3, 938 2, 462	1 3 172 195		2 157 113	5, 526 1, 165 6, 602	239 237
French Indo-China Germany Hungary Morocco	8, 964 6, 696	1, 145 28	3, 622 11, 854 528 6, 011	3 1, 376 7 16	3, 391 6, 178 1, 075 9, 581	1, 136 23 35	5, 463 2 416	10
Netherlands New Zealand	11, 383 7, 542	45	26, 697 6, 195	43	26, 226	31	35, 468 9, 968	15
Persia Poland Russia		125 866	7, 426 23, 917 31, 387	786 3 56	4, 409	253	5, 313	127
Union of South Africa United Kingdom United States	98, 897	61	8, 136 412, 848 76, 487	52	9, 326 377, 039 97, 097	256	8, 963 892, 531 105, 138	188
Other countries	31, 268	7, 237	21, 901	915	20, 249	1, 588	17, 306	816
Total	768, 652	775, 922	714, 067	683, 514	707, 084	697, 659	711, 284	753, 152

Division of Statistical and Historical Research. Official sources except where otherwise noted. "Tea" includes tea leaves only, and excludes dust, sweepings, and yerba mate.

Two-year average.
 International Institute of Agriculture.
 Java and Madura only.
 Year beginning July 1.

<sup>Less than 500 pounds.
Eleven months.
Eight months, May-December.</sup>

834 Yearbook of the Department of Agriculture, 1924

Table 427.—Tea, Formosa, fine: Average wholesale price per pound, New York, 1890-1924

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Aver- age
1890	28.0	Cts. 26. 5 29. 0 28. 0 29. 0 28. 0	Cts. 26. 5 29. 0 28. 0 29. 0 28. 0	Cts. 26. 5 28. 0 28. 0 29. 0 28. 0	Cts. 24. 0 28. 0 29. 0 29. 0 26. 5	Cts. 24. 0 28. 0 30. 5 29. 0 26. 5	Cts. 24. 0 28. 0 27. 0 29. 0 26. 5	Cts. 24. 0 28. 0 32. 5 28. 0 26. 5	Cts. 34. 0 28. 0 32. 5 28. 0 29. 0	Cts. 82. 0 28. 0 82. 5 28. 0 29 0	Cts. 32. 0 28. 0 32. 5 28 0 29. 0	Cts. 28. 0 28. 0 32. 5 28. 0 29. 0	Cts. 27. 3 28. 2 30. 1 28. 9 27. 8
1895 1896 1897 1898	28. 5	29. 0 25. 0 28. 5 26. 5 32. 5	29. 0 25. 0 28. 0 26. 5 32. 5	29. 0 25. 0 28. 0 26. 5 32. 5	29. 0 25. 0 28. 0 27. 0 31. 8	29. 0 25. 0 28. 5 27. 0 80. 8	25. 0 25. 0 25. 0 31. 0 30. 8	25 0 25 0 28 5 31 0 30 8	25. 0 26. 5 28. 5 83. 0 30. 8	25. 0 26. 5 28. 5 33. 0 30. 8	25. 0 28. 5 28. 5 83. 0 30. 8	25. 0 28. 5 27. 5 33. 0 30. 8	27. 0 25. 8 28. 0 29. 6 31. 2
1900 1901 1902 1903 1904	28. 5 28. 8 23. 0	30. 8 28. 5 28. 8 23. 0 26. 0	30 8 28. 5 28 8 23 0 28. 0	30. 8 28. 5 28. 8 23. 0 28. 0	30. 8 28. 5 28. 8 23. 0 28. 0	29. 5 28. 5 28. 8 22. 5 28. 0	29. 5 28. 5 30. 0 22. 0 28. 0	29. 5 28. 5 30. 0 22. 0 28. 0	29. 5 28. 5 30. 5 21. 5 28. 0	28. 5 28. 5 32. 2 20. 5 28. 0	28. 5 28. 5 33. 2 26. 0 27. 5	28. 5 28. 5 33. 2 26. 0 27. 5	29. 8 28. 5 30. 2 23. 0 27. 6
1905	24. 5 23. 0	27. 5 24. 5 23. 0 23. 0	27. 5 24. 5 23. 0 23 0	27. 5 24 5 23. 0 23. 0	27. 5 24. 5 23. 0 20. 5	27. 5 24. 5 23. 0 20. 5	27. 5 21. 5 23. 0 20. 5	27. 5 21. 5 23. 0 20. 5	25, 5 23, 0 23, 0 20, 5	25. 5 23. 0 23. 0 20. 5	25. 5 23. 0 23. 0 20. 5	24 5 23. 0 23. 0 20. 5	26. 8 23. 5 23. 0 21. 3
1909 1910 1911 1912 1913	24. 0 24. 0	18 5 24. 0 24 0 24. 5 24. 5	18. 5 24 0 24. 0 24. 5 24. 5	23. 5 24. 0 24. 0 24. 5 24. 5	25 0 24. 0 24. 0 24. 5 25. 0	25. 0 24. 0 24. 0 24. 5 25. 0	25. 0 24. 0 24. 0 24. 5 25. 0	24. 0 24. 0 24. 5 24. 5 25. 0	24. 0 24. 0 24. 5 24. 5 25. 0	24. 0 24. 0 24. 5 24. 5 25. 0	24. 0 24. 0 24. 5 24. 5 25. 0	24. 0 24. 0 24. 5 24. 5 25. 0	23. 3 24. 0 24. 2 24. 5 24. 8
Av. 1909-1913	24. 2	23. 1	23. 1	24 1	24. 5	24. 5	24. 5	24. 4	24. 4	24. 4	24.4	24. 4	24. 2
1914	24. 0 24. 0 24. 0 35. 5	25. 0 24. 0 24. 0 24. 0 35. 5 36. 5 36. 5	25 0 24 0 24 0 24 0 35 5 85 3 36 5	25 0 24. 0 24. 0 24. 0 35 5 84. 0 36. 5	25. 0 24 0 24. 0 26. 3 35. 5 84. 3 36. 5	25. 0 24. 0 24. 0 28. 3 35. 5 35. 0 36. 5	25 0 24. 0 24 0 86. 5 35. 5 35. 0 36. 5	25. 0 24. 0 24. 0 36. 5 35. 5 35. 0 34. 3	25. 0 24. 0 24. 0 36. 5 36. 3 85. 0 31. 0	25 0 24 0 24. 0 36. 5 36. 5 35. 0 31. 0	24. 0 24. 0 24 0 35. 5 36. 5 36. 1 28. 6	24 0 24 0 24 0 35 5 36 5 36 5 23 8	24 8 24. 0 24. 0 30. 6 35. 8 35 4 33 7
Av. 1914-1920	29. 4	29. 4	29. 2	29. 0	29. 4	29.8	გე 9	30, 6	30. 3	30. 3	29. 8	29. 2	29, 8
1921 1922 1923 1924	81. 0	24. 5 30 0 31. 0 31. 0	24. 5 30. 0 31. 0 31. 0	24. 1 30. 0 31. 0 31. 0	22, 4 30, 0 31, 0 81, 0	22. 0 30. 0 31. 0 31. 0	22 0 30 0 31. 0 31. 0	22. 0 30. 0 31. 0 31. 0	22. 8 30. 5 31. 0 31. 3	23. 0 30 5 31. 0 32. 5	28. 0 31. 0 31 0 32. 9	20 0 31 0 31 0 35.0	24 0 30 2 31 0 31 6

Division of Statistical and Historical Research. Compiled from Bureau of Labor Statistics reports.

VEGETABLE OILS.

Table 428.—Exports of vegetable oils from the United States, 1910-1924 [Thousand pounds-i. e., 000 omitted]

Year ended June 30-	Corn	Cotton- seed	Linseed	Cocoa butter or but- terine	Coco- nut	Peanut	Soy- beau
1910 1911 1912 1913 1914 1915 1916 1917 1917 1918 1919 1920	11, 299 25, 317 23, 866 19, 839 18, 282 17, 790 8, 968 8, 780 1, 831 1, 095	223, 955 225, 521 399, 471 315, 233 192, 963 318, 367 266, 512 158, 912 100, 780 178, 709	228 175 247 1,734 239 1,212 714 1,202 1,188 1,096			4, 922	
1921 1922 1923 1924	6, 919 5, 280 5, 224 4, 196	283, 268 91, 615 64, 292 39, 418	561 366 414 350	3, 171 1, 856 957 888	6, 639 10, 185 12, 993 19, 423	1, 595 1, 802 188 168	5, 118 537 2, 498 2, 892

Division of Statistical and Historical Research. Compiled from Foreign Commerce and Navigation of the United States, Bureau of Foreign and Domestic Commerce.

TABLE 429.—Imports of vegetable oils into the United States, 1910-1924

Year ended June 30—	Cas- tor	Chi- nese nut	Cocoa butter or but- terine	Coco- nut	Cot- ton- seed	Lin- seed	Olive	Palm	Palm ker- nel	Pea- nut	Rape- seed	Soy- bean
1910 1911 1912 1913	1,000 gals. 7 8 5	5, 997	4, 279 6, 075 3, 603	50, 504	(2) 1, 513 3, 384	174	1,000 gals. 4,545 4,984 5,473 5,840		1,000 lbs. (3) (3) 25, 393 23, 569	1, 196	1,000 gals. 41,083 41,363 1,183 1,550	28, 021 12, 340
1914	189 63 253 324 1,175 472	4, 940 4, 968 6, 864 4, 816		63, 135 66, 008	15, 162 17, 181 13, 703 14, 291	50 111 51	6, 981 7, 364 8, 109 8, 184 2, 652 4, 398	40, 497 36, 074 27, 405	4, 906 6, 761	8, 289	2, 561 1, 085 3, 056	
1920 1921 1922 1923 1924	271 99 46 175 34	7, 410 11, 919	915 7, 123 8, 010	271, 540 173, 889 230, 236 212, 563 181, 230	24, 165 1, 315 (⁵) 46	4, 550 1, 997 22, 494	4; 705 11, 112 15, 635	50, 165 31, 076	54 2, 769	22, 064	1, 230 1, 172 1, 352 1, 770	195, 774 49, 331 8, 283 38, 635

Division of Statistical and Historical Research. Compiled from Foreign Commerce and Navigation of the United States, Bureau of Foreign and Domestic Commerce.

¹ Includes peanut oil.
2 Included in all other fixed or expressed.
3 Included in Chinese nut oil.

⁴ Includes hemp seed.
4 Less than 500 pounds.

Table 430.—Oil cake and oil-cake meal: International trade, calendar years, average 1909-1913, annual 1921-1923

[Thousand pounds-i, e., 000 omitted]

				-				
	Average	1909-1913	19	921	11	922	1923 pre	liminary
Country	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Exports
PRINCIPAL EXPORTING COUNTRIES								
Argentina Australia ¹ Austria	148	42, 587 1, 347	33 1, 924	15, 343		65, 382		80, 486
Austria-Hungary Brazil	53, 673	124, 873 16, 574		52, 710		38, 450		
British India	7, 752 8 174 2, 509	268, 648 51, 370 147, 468 13, 242 161, 624	3, 299 15, 200 241	208, 181 35, 785 217, 258 35, 144 205, 894		311, 854 45, 727 144, 285 38, 587 267, 039	2, 226 3, 548	40, 114 175, 765
France Germany Hungary Italy		476, 863 525, 108 55, 115	47, 189 63, 453 1, 614	202, 643 5 274, 299 139, 016	82, 372 209, 655 224 3, 919	213, 200 371, 291 27, 755 158, 688	128, 367 90, 202 935 752	328, 003 521, 098 106, 624 147, 911
Mexico		10, 930 1, 453, 413		27, 355 7, 267 1, 206, 484		37, 097 20, 445 926, 144		
PRINCIPAL IMPORTING COUNTRIES								
Belgium Ceylon Denmark Finland Japan	40, 494 1, 002, 329 25, 333	155, 373 • 28, 509 15, 777 2, 125	266, 368 21, 314 816, 000 18, 175 267, 444	51, 143 13, 427 12, 401	262, 125 41, 292 846, 355 15, 707 (7)	52, 931 12, 935 2, 837		73, 320
Notherlands	55, 112 346, 755 69, 352 790, 865	219, 819 2, 889 1, 535 1, 413 161, 798 41, 595	512, 464 68, 365 169, 242 90, 234 712, 333 13, 607	69, 624 15 22, 870 2, 407 76, 368 12, 230	414, 635 43, 810 169, 564 91, 677 707, 838 38, 196	116, 659 271 19, 992 1, 586 85, 053 29, 000	493, 590 87, 591 198, 799 85, 907 711, 207	95, 195 1, 243 112, 009 1, 145
Total	5, 852, 498	5, 710, 047	3, 176, 905	2, 978, 827	3, 022, 123	2, 987, 208	3, 522, 807	3, 284, 664

Division of Statistical and Historical Research Official sources.

The class called here "oil cake and oil-cake meal" includes the edible cake and meal remaining after making oil from such products as cottonseed, flaxseed, peanuts, corn, etc.

Year beginning July 1.
 Four-year average.
 Three-year average.
 Java and Madura only.

<sup>Eight months, May-December.
One year only.
Not separately stated.</sup>

FARM ANIMALS AND THEIR PRODUCTS—PART 1. CATTLE AND HOGS CATTLE

Table 431.—Cattle: Number and value on farms January 1, 1924 and 1925, by States

			М	ilk cov	78				Oth	or cat	tle	
State		nber n. 1		rage per an 1—	Farm Jar			nber . 1—	Ave price head	per	Farm Jan	
	1924	1925 1	1924	1925	1924	1925 1	1924	19251	1924	1925	1924	1925 1
Maine	Thou- sands 210 121 385 180 27	sands 206 121 377	Dol- lars 56 00 63 00 57 00 76 00 88.00	59.00 57 00 75.00	1,000 dollars 11,760 7,623 21,945 13,680 2,376	1,000 dollars 10,712 7,139 21,489 13,350 2,160	57 33 83 36	57 57 32 83 34	18.80	24. 30 18. 80 27. 20	1, 560 997	1,000 dollars 1, 396 778 1, 500 925 200
Connecticut New York New Jersey Pennsylvania Delaware	151	153 1,081	85 00 62 00	62 00 75.00 61 00	11, 703 105, 820 12, 835 67, 704 2, 296	11, 232 98, 890 11, 475 65, 941 2, 4 00	31 486	373 29 486	25. 30 40 10 30. 60	25. 90 41. 50 31. 10	9, 943 1, 243 14, 872	1, 252 9, 661 1, 204 15, 115 300
Maryland Virginia West Virginia North Carolina South Carolina.	200 426 220 372 233	435 224		40 00 40 00 40 00	12, 600 17, 892 9, 460 15, 996 8, 854	12, 360 17, 400 8, 960 15, 320 8, 640	365 268	420 343 253	26. 40 30 60 17. 30	26. 90 28. 90 16. 80	11, 669 11, 169 4, 602	3, 414 11, 298 9, 913 4, 124 2, 162
GeorgiaFloridaOhioIndianaIllinois	519 97 1,090 757 1,159	100 1, 101 772	55.00 56 00	54, 00 57, 00 57 00	15, 570 5, 835 61, 040 41, 635 69, 540	16, 200 5, 400 62, 757 44, 004 70, 446	735 840 779	698 823 763	31. 10 31. 70	11. 00 13. 80 31. 30 31. 70 33. 00	6, 916 11, 246 26, 124 24, 694 50, 985	6, 952 9, 632 25, 760 24, 187 48, 444
Michigan	987 2, 217 1, 707 1, 241 793	997 2, 261 1, 775 1, 303 825	60 00 58 00 52 00 60 00 46 00	51 00 58 00	59, 220 128, 586 88, 764 74, 460 36, 478	59, 820 124, 355 90, 525 75, 574 36, 300	3.409	599 849 1, 200 3, 204 1, 898	21. 10 34. 30		15, 214 20, 335 25, 848 116, 929 60, 240	15, 394 19, 272 26, 520 104, 771 53, 384
North Dakota South Dakota Nebraska Kansas Kentucky	533 455 576 723 525	581 487 605 752 536	47. 00 50. 00 56. 00 50. 00 38. 00	44. 00 47. 00 54. 00 49. 00 37. 00	25, 051 22, 750 32, 256 36, 150 19, 950	25, 564 22, 889 32, 670 36, 848 19, 832	2, 537	790 1, 396 2, 696 2, 486 433	27. 50 30. 30 25. 90	26. 20 29. 10 26. 30	65, 708	16, 195 36, 575 78, 454 65, 382 8, 400
TennesseeAlabama Mississippi Louisiana Texas	536 220	505 516 536 220 1, 063	32 00 27 00 27 00 37 00 33 00	24. 50 37. 00	15, 840 13, 932 14, 472 8, 140 35, 079	15, 655 13, 416 13, 132 8, 140 35, 079	579 469 609 573 5, 373	521 422 530 504 5, 212	14. 80 9. 40 9. 00 15. 00 18. 60	8.60 8 40 12 70	4, 409 5, 481 8, 595	7, 502 3, 629 4, 452 6, 401 105, 282
OklahomaArkansas Montana Wyoming Colorado	549 506 204 48 261	565 516 220 49 271	31. 00 21. 00 53. 00 57 00 50 00	25. 00 50. 00 50 00	17, 019 10, 626 10, 812 2, 736 13, 050	19, 210 12, 900 11, 000 2, 450 12, 195	1, 160 419 1, 248 777 1, 279	402 1, 285 746	29. 80	8. 70 27. 10 27. 80	17, 400 3, 184 34, 445 23, 155 32, 103	17, 226 3, 497 34, 824 20, 739 28, 007
New Mexico Arizona Utah Nevada	47 46 96 24	47 47 101 25	50, 00 85, 00 72, 00 83, 00	58. 00 60. 00	2, 350 3, 910 6, 912 1, 992	2, 115 3, 290 5, 858 1, 500	1, 160 1, 070 410 845	1, 009 1, 027 885 332	22, 50 28 90 25, 90 32, 50	21. 50 24. 70 21. 70 24. 20	26, 100 30, 923 40, 619 11, 212	21, 694 25, 367 8, 354 8, 034
Idaho Washington Oregon Califorma	178 289 288 664	194 298 243 664	62 00 71. 00 61. 00 76. 00	50. 00 65. 00 60. 00 73. 00	11, 036 20, 519 14, 518 50, 464	9, 700 19, 370 14, 580 48, 472	537 253 559 1, 478	510 250 531 1, 330	24. 80 28. 20 28. 00 83. 80	22. 70 27. 20 26. 10 30. 30	13, 318 7, 135 15, 652 49, 956	11, 577 6, 800 13, 859 40, 299
United States	24, 786	25, 819	52. 16	50 50	1, 292, 736	1, 278, 714	41, 720	39, 609	25. 06	24. 49	1, 045, 523	970, 117

Division of Crop and Livestock Estimates.

¹ Preliminary.

TABLE 432.—Cattle on farms: Cumulative percentage changes, 1920-19241

Item	To Feb. 1	To Mar.	To Apr.	To May 1	To June 1	To July 1	To Aug.	To Sept.	To Oct. 1	To Nov.	To Dec.	To Jan. 1 of suc- ceed- ing year
Increases: Births 1	Per cent 2. 9 2. 8 8. 0 3. 1 2. 8	Per cent 6. 4 6. 2 7 0 6. 7 6. 2	Per cent 12. 0 11. 4 12. 5 12. 3 10. 9	Per cent 18. 7 17. 7 18. 6 18. 7 16. 6	Per cent 25. 5 23. 3 23. 6 23. 8 21. 9	Per cent 30. 1 27. 0 26. 9 27. 4 25. 3	Per cent 32. 8 29. 3 29. 5 30. 2 27. 8	Per cent 35. 0 31. 2 31. 7 32. 4 30. 0	Per cent 87. 4 33. 6 34. 1 35 0 32. 6	Per cent 39. 9 36. 1 36. 7 37. 7	Per cent 42. 2 38. 8 39. 0 40. 6	Per cent 44 6 41.8 41.9 43 5
1920 1921 1922 1922 1923 1924 Total increase 4—	2.6 1.7 1.9 2.0 1.4	4. 9 8. 6 4. 1 4. 4 2. 8	7. 3 5. 9 6. 1 6. 4 4. 1	9. 4 8. 0 9. 4 8. 4 5. 2	11. 2 10. 0 11. 6 10. 9 6. 3	12. 9 11. 3 13. 5 12. 7 7. 1	14. 4 12. 4 15. 2 14. 1 7. 9	16. 7 14. 4 17. 3 16. 1 8. 9	20. 6 17. 4 21. 0 17. 9 10. 4	26. 4 22. 4 27. 2 21. 9	29. 5 27 8 29. 8 25. 6	31. 4 30. 8 32. 8 28. 0
1920	5. 5 4. 5 4. 9 5. 1 4. 2	11. 3 9. 8 11. 1 11. 1 9. 0	19. 3 17 3 18. 6 18. 7 15 0	28. 1 25. 7 28 0 27. 1 21. 8	36. 7 33. 3 35. 2 34. 7 28. 2	43. 0 38. 3 40. 4 40. 1 32. 4	47. 2 41. 7 44. 7 44. 3 35. 7	51. 7 45. 6 49. 0 48. 5 38. 9	58 0 51. 0 55. 1 52 9 43. 0	66. 3 58. 5 63. 9 59. 6	71. 7 66. 6 68. 8 66. 2	76 0 72. 6 74. 7 71. 5
Moved off— 1920	4. 6 8. 5 8. 6 4. 0 3. 5	9. 3 7. 8 7. 8 8. 0 6. 7	14. 9 12. 4 12. 3 12. 6 10. 1	20. 4 17 0 17. 4 17. 8 13. 7	25. 5 21. 8 22. 7 22. 7 17. 5	30. 9 26. 3 27. 5 27. 2 20. 8	35. 0 30. 2 31. 9 31. 5 23. 6	40. 4 35. 0 37 2 36 3 26. 9	47. 8 40. 2 43. 5 40. 0 32. 1	55. 1 47. 5 51. 8 47. 2	61. 0 55. 0 58. 3 53. 6	65. 8 59: 4 63. 1 58. 7
Slaughtered on farms— 1920 1921 1922 1922 1923	0. 6 0. 6 0. 7 0. 8 0. 7	1.0 1.2 1.2 1.3 1.1	1. 4 1. 6 1. 7 1. 8 1. 5	1. 8 1 9 1. 9 2. 1 1. 7	2. 1 2. 2 2. 2 2. 5 1. 9	2. 6 2. 5 2. 5 2. 8 2. 1	2. 9 2. 9 2. 8 3. 1 2. 4	3. 3 3. 2 3. 2 3. 5 2. 6	3. 9 3. 6 3. 6 3. 9 2. 9	4. 5 4. 1 4. 2 4. 6	5. 3 4. 9 4. 7 5. 1	6. 3 5. 9 5. 6 5 7
Died— 1920	0. 7 0. 5 0. 5 0. 5 0. 7	1. 5 1. 1 1. 1 1. 3 1. 4	2. 6 1. 6 1. 9 2. 4 2. 3	3. 8 2 2 2. 7 3. 2 2. 9	4. 6 3 . 3. 6 8. 4	5. 0 8. 0 3. 6 4. 0 8. 7	5. 2 3. 3 4. 0 4. 4 4. 0	5. 7 3. 6 4. 4 4. 8 4. 4	6. 0 3. 9 4. 8 5. 2 4. 7	6. 4 4. 3 5. 1 5. 6	6. 8 4. 7 5. 5 6. 2	7. 2 5. 2 5. 9 6 8
1920	5. 9 4. 6 4. 8 5. 3 4. 9	11. 8 9. 6 9. 6 10. 6 9. 2	18. 9 15. 6 15. 9 16 8 13. 9	26. 0 21. 1 22. 0 23. 1 18. 3	32. 2 26 6 28 1 28. 8 22. 8	38. 5 31. 8 33. 6 34. 0 26. 6	43. 1 36. 4 38. 7 39. 0 30. 0	49. 4 41. 8 44. 8 44. 6 33. 9	57. 7 47. 7 51. 9 49 1 39. 7	66. 0 55 9 61. 1 57 4	73. 1 64. 6 68. 5 64. 9	79. 3 70. 5 74 6 71. 2
1920 1921 1922 1922 1923 1924 On hand compared with	-0. 4 -0. 1 +0. 1 -0 2 -0. 7	-0.5 +0.2 +1.5 +0.5 -0.2	+2.7 +1.9	+2. 1 +4. 6 +6 0 +4. 0 +3. 5	+4.5 +6.7 +7.1 +5.9 +5.4	+4. 5 +6. 5 +6. 8 +6. 1 +5. 8	+5.3	+2.3 +3.8 +4.2 +3.9 +5.0	+0.3 +3.3 +3.2 +3.8 +3.3	+0.3 +2.6 +2.8 +2.2	-1. 4 +2. 0 +0. 3 +1. 3	-3.3 +2.1 +0.1 +0.3
Jan. 1: 1920. 1921. 1922. 1922. 1923.	99. 6 99. 9 100. 1 99. 8 99. 3	100. 2 101. 5 100. 5	101. 7 102. 7 101. 9	104. 6 106. 0	106. 7 107. 1 105. 9	106. 5 106. 8 106. 1	105. 3 106. 0 105. 3	103. 8 104. 2	103. 3 103. 2 103. 8	102.8	98. 6 102. 0 100. 3 101. 3	96. 7 102. 1 100. 1 100. 3

Division of Crop and Livestock Estimates. Based on reports of about 7 500 farmers reporting monthly for their own farms.

¹ Number on hand, Jan. 1, each year=100 per cent.
² Corrective factor 0.96 applied to births and brought on farms figures prior to Jan., 1924.

Table 433.—Cattle: Number and value on farms in the United States January 1, 1910-1925

		Milk cows		. (Other cattle	1
Jan. 1—	Number	Price per head Jan. 1	Farm value Jan. 1	Number	Price per head Jan. 1	Farm value Jan. 1
		Dollars	Dollars		Dollars	Dollars
1910, Apr. 15	20, 625, 000	35, 29	727, 802, 000	41, 178, 000	19.07	785, 261, 000
1911	20, 823, 000	89. 97	832, 209, 000	39, 679, 000	20. 54	815, 184, 000
1912	20, 699, 000	39. 39	815, 414, 000	37, 260, 000	21. 20	790, 064, 000
1913	20, 497, 000	45. 02	922, 783, 000	36, 030, 000	26. 36	949, 645, 000
1914	20, 737, 000	53. 94	1, 118, 487, 000	35, 855, 900	31. 13	1, 116, 333, 000
1915	21, 262, 000	55. 33	1, 176, 338, 000	37, 087, 000	33. 38	1, 237, 376, 000
1916	22, 108, 000	53. 92	1, 191, 955, 000	39, 812, 000	33. 53	1, 334, 928, 000
1917	22, 894, 000	59.63	1, 365, 251, 000	41, 689, 000	35. 92	1, 497, 621, 000
1918	23, 310, 000	70. 54	1, 844, 231, 000	44, 112, 000	40.88	1, 803, 482, 000
1919	23, 475, 000	78. 20	1, 835, 770, 000	45, 085, 000	44 22	1, 993, 442, 000
1920	23, 722, 000	85 86	2, 036, 750, 000	43, 398, 000	43. 21	1, 875, 043, 000
Av. 1914-1920	22, 501, 000	65. 83	1, 481, 255, 000	41, 003, 000	37 83	1, 551, 175, 000
1921	23, 594, 000	64, 22	1, 515, 249, 000	41, 993, 000	31. 36	1, 816, 727, 000
1922	24, 082, 000	50.98	1, 227, 703, 000	41, 977, 000	23.79	998, 772, 000
1923	24, 437, 000	50.83	1, 242, 113, 000	42, 803, 000	25. 57	1, 094, 469, 000
1924	24, 786, 000	52. 16	1. 292, 736, 000	41,720,000	25.06	1,045,523,000
1925 1	25, 319, 000	50.50	1, 278, 714, 000	39, 609, 000	24.49	970, 117, 000

Division of Crop and Livestock Estimates; figures in italics are census returns.

Table 434.—Cattle: Yearly losses per 1,000 from disease and exposure, 1890-1924

Year ended Apr. 30	From disease	From expo- sure	Year ended Apr. 30	From disease	From expo- sure	Year ended Apr. 30	From disease	From expo- sure	Year ended Apr. 30	From disease	From expo- sure
1890 1891 1892 1893	13. 0 14. 3 12. 8 16. 6	23 0 15 3 13. 0 17. 3	1899 1900 1901 1902	20, 3 19, 9 22, 3 21, 3	22. 1 13. 7 11. 5 18. 2	1908 1909 1910	18. 9 19. 2 21. 0 19 7	12. 0 14. 8 17. 6 13. 3	1917 1918 1919 1920	19. 4 18. 2 17. 4 19. 5	14, 6 13, 3 15, 9 18, 5
1894 1895 1896 1897 1898	19. 0 21. 4 19. 3 19. 4 19. 7	12 5 20. 7 11. 3 16 0 13. 0	1903 1904 1905 1906 1907	23. 9 23. 6 20. 6 20. 1 19 9	23. 7 20. 2 23. 3 14. 9 13 7	1912 1913 1914 1915 1916	21 6 20. 5 19. 8	21. 5 14. 1 10. 9	1921 1922 1923 1924	17. 0 17. 8 16. 7 17. 8	9. 2 13. 1 13. 1 12. 7

Division of Crop and Livestock Estimates. As reported by crop reporters on May 1 for year ending April 30.

¹ Preliminary.

Table 435.—Cattle and calves: Receipts and shipments at principal markets and at all markets, 1900–1924

[Thousands-i. e., 000 omitted]

RECEIPTS.

Year	Chi- cago	Den- ver	East St. Louis	Fort Worth	Kansas City	Oma- ha	St. Jo- seph	St. Paul	Sioux City	Total	All other markets report- ing	Total all mar- kets re- porting
1900	3, 213 3, 193 3, 704	240 227 324 286 265	698 892 1,113 1,140 1,074	(1) (1) 132 447 643	2, 083 2, 127 2, 279 2, 137 2, 163	828 818 1,011 1,071 944	390 439 517 625 587	221 190 306 303 389	300 309 405 379 331	7, 625 8, 215 9, 280 10, 092 9, 923	55555	<u> </u>
1905	3, 742	294 329 307 420 426	1, 124 1, 121 1, 133 1, 145 1, 241	812 838 1, 022 1, 069 1, 197	2, 423 2, 556 2, 670 2, 458 2, 660	1, 026 1, 079 1, 159 1, 037 1, 125	547 606 616 584 592	489 487 520 463 497	403 385 410 385 426	10, 909 11, 143 11, 564 11, 022 11, 504	9555	99999
1910 1911 1912 1913 1914	3, 453	399 298 416 499 443	1, 208 1, 072 1, 200 1, 100 1, 041	1,071 884 1,039 1,185 1,176	2, 507 2, 370 2, 147 2, 319 1, 957	1, 224 1, 174 1, 017 962 939	565 513 494 450 356	604 539 524 532 585	439 487 431 394 368	11, 570 10, 790 10, 426 10, 329 9, 466	(3) (3) (3) (3) (3) (3)	99999
1915 1916 1917 1918 1919	3, 250 3, 820	424 601 653 728 824	992 1, 200 1, 405 1, 509 1, 473	944 1, 061 1, 960 1, 665 1, 267	1, 963 2, 331 2, 902 3, 320 3, 085	1, 218 1, 434 1, 720 1, 993 1, 975	441 480 670 870 750	856 941 1, 197 1, 430 1, 491	534 602 707 818 814	10, 057 11, 920 15, 034 16, 781 15, 932	4, 496 5, 756 8, 032 8, 514 8, 691	14, 553 17, 676 23, 066 25, 295 24, 623
1920 1921 1922 1923 1924	3, 540	617 482 656 620 630	1, 254 1, 077 1, 400 1, 399 1, 385	1, 134 984 1, 084 1, 258 1, 392	2, 500 2, 469 2, 983 3, 208 3, 043	1, 603 1, 435 1, 744 1, 793 1, 863	643 558 655 709 720	1, 373 985 1, 387 1, 349 1, 323	752 620 747 759 836	13, 725 12, 150 14, 590 15, 013 15, 189	8, 472 7, 637 8, 627 8, 198 8, 506	22, 197 19, 787 23, 217 23, 211 23, 695

SHIPMENTS.

1900 1901 1902 1903 1904	937	333333	166 224 316 318 808	33335	93333	274 239 865 301 261	92 82 112 174 140	154 126 230 212 275	187 189 283 279 230	1, 822 1, 911 2, 243 2, 580 2, 564	9999	33000
1905 1908 1907 1908	1, 437 1, 376 1, 477 1, 387 1, 297	33333	359 365 371 347 874	93333	33333	315 303 362 330 374	133 143 150 178 185	352 353 379 302 322	237 210 227 213 232	2, 833 2, 750 2, 966 2, 757 2, 784	9 9 9 9	95555
1910 1911 1912 1913 1914	1, 245 994 1, 001	33333	370 309 315 344 306	35555	33333	425 446 418 432 394	161 157 158 157 124	369 318 293 322 328	213 249 240 228 197	2, 885 2, 724 2, 418 2, 484 2, 173	(a) (b) (c) (c) (c)	9,8,9,8,9
1915 1916 	726 867	359 512 521 544 642	269 313 817 870 454	506 511 838 562 475	1, 032 1, 028 1, 202 1, 422 1, 467	536 591 723 855 840	175 149 211 299 220	523 556 723 896 935	289 369 410 432 459	4, 081 4, 755 5, 812 6, 405 6, 713	1, 771 2, 198 3, 661 3, 906 4, 044	5, 852 6, 953 9, 473 10, 311 10, 757
1920 1921 1922 1923 1924	1, 247 1, 163 1, 137 1, 105 1, 107	471 860 532 490 471	510 611 871 855 841	544 412 467 463 420	1, 209 1, 244 1, 534 1, 599 1, 440	689 635 829 794 759	234 188 251 265 250	634 391 609 496 396	410 346 447 417 435	5, 948 5, 350 6, 677 6, 484 6, 119	3, 883 8, 250 3, 988 3, 576 3, 572	9,831 8,600 10,665 10,060 9,691

Division of Statistical and Historical Research. Prior to 1915 receipts compiled from yearbooks of stockyard companies; subsequent figures compiled from data of the reporting service of the Livestock, Meats, and Wool Division. Prior to 1915 shipments compiled from yearbooks of stockyard companies, except East St. Louis (1900 to 1906 from the Fourteenth Annual Report of Bureau of Animal Industry; 1907 to 1914, from Merchants Exchange Annual Report); subsequent figures from data of the reporting service of the Livestock, Meats, and Wool Division.

¹ Not in operation.

³ Figures not available prior to 1915.

TABLE 436.—Cattle and calves: Receipts at all public stockyards, 1915-1924
[Thousands-i. e. 000 omitted]

Year	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total
1918 1	1, 029	768 1,055 1,302 1,498 1,453 1,480 1,190 1,417 1,427 1,467	1, 017	987	1, 111	1, 113	1, 039	1, 246	1, 531	1, 818	1, 724	1, 170	14, 553
1918 1	1, 202		1, 201	1, 151	1, 385	1, 319	1, 154	1, 584	1, 779	2, 409	1, 977	1, 460	17, 676
1917 1	1, 696		1, 330	1, 539	1, 961	1, 759	1, 729	1, 814	2, 357	3, 054	2, 626	1, 899	23, 066
1918 1	1, 727		1, 713	2, 046	1, 863	1, 815	2, 128	2, 024	2, 826	2, 865	2, 648	2, 142	25, 295
1919 1	2, 119		1, 517	1, 767	1, 836	1, 588	2, 016	2, 039	2, 396	3, 008	2, 702	2, 182	24, 628
1920 1	1, 881		1, 663	1, 557	1, 778	1, 879	1, 671	1, 962	2, 294	2, 209	2, 428	1, 395	22, 197
1921 1	1, 644		1, 566	1, 494	1, 542	1, 580	1, 343	1, 867	1, 906	2, 310	1, 928	1, 417	19, 787
1922 1	1, 628		1, 622	1, 470	1, 878	1, 759	1, 709	2, 149	2, 397	2, 936	2, 427	1, 825	23, 217
1923 1	1, 877		1, 502	1, 370	1, 900	1, 629	1, 903	2, 214	2, 295	2, 802	2, 182	1, 810	23, 211
1924 1	1, 888		1, 556	1, 751	1, 890	1, 673	1, 798	1, 934	2, 566	2, 736	2, 363	2, 083	23, 695

Division of Statistical and Historical Research. Compiled from data of the reporting service of the Livestock, Meats, and Wool Division.

 1 Complete information for 1915 and 1916, particularly on disposition of stock, is not obtainable from many of the markets.

Table 437.—Cattle and calves: Receipts at Chicago, East St. Louis, Kansas City, and Omaha, combined, 1900-1924

Year	Jan.	Feb.	Mar.	Apr.	Мау.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
1900	496	420	460	445	532	436	491	646	688	786	615	461
1901	531	451	433	510	511	489	722	695	764	836	581	525
1902	568	471	477	472	408	495	628	737	994	941	721	686
1903	607	520	554	502	522	540	656	755	962	963	761	618
1904	631	538	594	545	524	619	352	668	827	970	826	585
1905	619	496	565	548	619	597	613	815	904	1.068	824	695
1906	715	576	555	574	660	591	687	733	833	1,057	827	691
1907	786	585	571	701	605	631	748	788	1.015	1,031	634	596
1908	695	555	592	496	496	571	605	796	950	913	775	657
1909		491	593	489	558	558	610	810	879	982	914	753
1910	641	515	590	498	553	630	662	915	995	1,040	884	617
1911	700	516	555	498	612	620	680	764	766	1.044	757	558
1912	660	486	502	515	484	462	516	667	868	1,010	674	676
1913	606	486	,481	523	452	525	568	688	923	824	606	588
Av. 1909-1913.	647	499	544	5 05	532	559	607	769	886	980	757	688
1914	526	446	482	446	405	473	457	566	785	813	558	581
1915	518	377	523	465	461	474	462	611	730	834	798	605
1916!	606	534	558	452	558	530	535	807	861	1, 146	915	716
1917	807	567	533	600	708	701	773	808	1,029	1,309	1, 148	864
1918	763	709	779	881	688	705	967	911	1, 347	1.320	1, 167	1,032
1919	998	682	646	706	668	641	881	926	1, 131	1. 362	1, 169	976
1920	847	642	698	582	642	696	669	868	1,032	1, 362 932	1,029	618
Av. 1914-1920	724	565	603	583	590	603	678	785	988	1, 102	969	770
1921	744	520	679	608	625	675	542	863	866	1, 019	795	585
1922	717	617	682	577	748	750	719	981	1,096	1.338	1,045	789
1923	833	641	652	720	793	692	856	1,082	1, 116	1, 263	892	780
1924	826	641	675	722	784	717	791	857	1, 204	1, 222	939	908

Division of Statistical and Historical Research. Figures prior to 1915 compiled from yearbooks of stockyard companies; subsequent figures compiled from data of the reporting service of the Livestock, Meats and Woof Division.

29283°--увк 1924----54

Table 438.—Cattle and calves: Receipts, local slaughter, and stocker and feeder shipments, public stockyards, 1915–1924

[Thousands—i. e., 000 omitted]

RECEIPTS

Market	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
Albany, N. Y Amarillo, Tex Atlanta, Ga		42 133	107 352 27 14	46 272 22 14	39 185 18 14	36 147 21 13	23 113 29 12	21 140 30 14	14 115 59	13 130 50 9
Augusta, Ga Baltimore, Md	147	178	228	227	249	287	279	241	12 228	233
Boston, Mass	43 362	90 477 24	91 531 25	104 668 13	98 749 12	75 677 13 23	61 609 15	77 637 19	67 589 17	101 550 15
Chicago, Ill	2, 685	3, 250	40 3, 820	47 4, 448	47 4, 253	3, 849	3, 540	3, 934	22 3, 918	3, 99 7
Cincinnati, Ohio Cleveland, Ohio Dallas, Tex	281 122	352 181 9	453 296 8	455 302 12	460 305 9	441 281 8	454 248 8	446 281 8	426 278 7	442 285 7
Dayton, Ohio Denver, Colo	18 424	21 601	26 653	30 728	31 824	33 617	31 482	33 656	34 620	34 630
Detroit, Mich East St. Louis, Ill El Paso, Tex Evansville, Ind Fort Wayne, Ind	122 992 225	200 1, 200 130 23	263 1,408 190 35	252 1, 509 212 45	227 1, 473 203 38	234 1, 254 152 45	201 1, 077 170 35	253 1,400 149 44	268 1,399 103 39 8	283 1, 385 142 36 14
Fort Worth, Tex.*Fostoria, OhioIndianapolis, IndJacksonville, Fla	944 9 352	1, 081 12 405 3	1, 960 12 501 9	1,665 10 504 40	1, 267 11 515 16	1, 134 14 597	984 11 483 6	1, 084 15 509 5	1, 258 12 528 7	1, 392 11 560 5
Jersey City, N. J	491	746	755	650	745	833	844	905	673	711
Kansas City, Mo Knoxville, Tenn Lafayette, Ind Lancaster, Pa Laredo, Tex	1, 963 14 10 115	2, 331 17 10 144	2, 902 20 14 258	3, 320 19 14 304	3, 085 21 17 239	2, 500 21 19 287	2, 469 18 18 205	2, 983 24 13 234	3, 208 22 13 229 15	3, 043 25 14 223 12
Los Angeles, Calif Louisville, Ky	l								183	252
Louisville, Ky Marion, Ohio Memphis, Tenn Milwaukee, Wis		202 2 244	221 5 295	218 2 4 370	246 13 6 398	245 32 19 444	246 7 8 439	283 16 13 504	255 9 22 512	. 231 6 19 532
Montgomery Ale			7	34	52	68	50	59	75	77
Moultrie, Ga Nashville, Tenn Newark, N. J New Orleans, La		39	118	88	83	99	96	109	5 96	7 100
Newark, N. J New Orleans, La		154	166	174	191	213	188	193	41 207	46 212
New York, N. Y North Salt Lake,		322	276	385	402	816	301	258	216	218
Utah Ogden, Utah Oklahoma, Okla Omaha, Nebr	227 1, 218	325 1, 434	42 64 620 1, 720	54 117 690 1, 993	67 104 593 1,975	49 64 400 1, 603	57 76 315 1,485	88 91 382 1,744	74 122 414 1,793	99 155 388 1, 863
Pasco, Wash				3	6	8	3	6	2	5
Peoria, Ill	338	20 180 169 83	25 192 560 105	32 194 523 120	27 201 616 125	226 733 141	48 227 745 120	40 264 867 140	38 179 821 168	46 192 909 175
Pueblo, Colo Richmond, Va Roanoke, Va	130	130 29	186 26	205 22	217 29	178 30	79 28	199 32	151 32	108 33
Roanoke, Va St. Joseph, Mo St. Paul, Minn	441 856	480 941	670 1, 197	870 1, 430	750 1, 491	643 1, 373	558 985	655 1, 387	709 1,349	720 1,323
San Antonio Tex	190	208	193	176	250	233	151	198	163	183
Seattle, Wash Sioux City, Iowa Sioux Falls, S. Dak	584	25 602	39 707 7	56 818 7	814 814	58 752 14	620 17	46 747 33	55 759 30	836 14

Table 438.—Cattle and calves: Receipts, local slaughter, and stocker and feeder shipments, public stockyards, 1915-1924—Continued

RECEIPTS-Continued

Market	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
Springfield, Ohio Toledo, Ohio Washington, D. C Wichtta, Kans Discontinued	34 153 82	26 15 220 137	32 16 371 182	44 18 394 271	57 23 311 278	64 27 242 202	25 28 285 129	25 29 407 185	7 25 32 417 15	9 25 33 389 3
Total	14, 553	17, 676	23, 066	25, 295	24, 623	22, 197	19, 787	23, 218	23, 211	23, 695

LOCAL SLAUGHTER 3

Albany, N. Y
Augusta, Ga
Chattanooga, Tenn
Cleveland, Ohlo
Dayton, Ohio
Evansville, Ind
Fort Worth, Tex. 362 474 991 954 715 558 576 620 795 972 Fostoria, Ohio. 2 3 2 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Jacksonville, Fla. 491 746 6 39 16 6 3 3 3 4 4 Jersey City, N. J. 491 746 755 650 745 833 843 903 673 711 Kansas City, Mo. 935 1,301 1,677 1,915 1,617 1,264 1,200 1,407 1,559 1,559 Knix Knix 11 13 12 13 12 13 12 13 12 13 12 13 12 13 12 13 12 13 12 13 12 13 12 13 12 13 12 13 12 13 12 13 12 13 12 13 12 13 12 13 14 14 14 14 14 14 14 14 14 14 14 14 14 14 14 14 14 14 14 14
Kansas City, Mo 935 1,301 1,677 1,915 1,617 1,284 1,200 1,407 1,559 1,552 Knoxville, Tenn 11 13 10 9 9 11 10 13 12 13 Lafayette, Ind 6 6 5 7 8 9 8 8 8 Laredo, Tex 28 45 55 37 48 47 46 Los Angeles, Calif 2 2 3 173 242 Louisville, Ky 54 70 76 74 87 87 81 89 98
Lancaster, Pa. 28 45 55 37 48 47 45 Laredo, Tex 2 Los Angeles, Calif. 173 242 Louisville, Ky. 54 70 76 74 87 87 81 89 98 93
Los Angeles, Calif. 54 70 76 74 87 87 81 89 98 98
Martin Obta
Marion, Ohio (1) 1 1 1 2 2 Memphus, Tenn 10 1 1 1 2 2 Milwauker, Wis 179 214 263 321 334 390 402 458 471 499 Montgomery, Ala 3 4 4 4 7 11
Moultrie, Ga 1 2 2 4
Nashville, Tenn
New Orleans, La
Utah
Ogden, Utah 130 221 415 528 368 228 203 219 279 290 Omaha, Nebr 683 843 996 1,138 1,136 914 797 916 997 1,104 Pasco, Wash (1) (1) (1) (1) (1) (1) (1) (1)
Peoria, III. 10 14 14 26 18 18 21 20 17 18
Philadelphia, Pa
Portland, Oreg

³ Includes only those markets which have been totally discontinued.
³ Compiled from reports of stock sold and driven out for local slaughter, made by stockyards to the Livestock, Meats, and Wool Division.

Yearbook of the Department of Agriculture, 1924 844

TABLE 438.—Cattle and calves: Receipts, local slaughter, and stocker and feeder shipments, public stockyards, 1915-1924—Continued

LOCAL SLAUGHTER-Continued

Market	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
Roanoke, Va	267 327	331 381 25	459 487 55 39	569 616 20 56	531 530 14 64	410 710 37 56	370 564 36 46	403 783 54 45	(1) 444 851 53 55	(1) 469 928 00 62
Sioux City, Iowa Sioux Falls, S. Dak Spokane, Wash Springfield, Ohio	244 (1)	233 3	296 (¹) 14	385 1 36	363 1 36	842 6 35	273 7 23	301 13 26	341 11 28 2	402 5 28 3
Toledo, Ohio	67 34	12 15 86 68	11 12 122 106	13 15 145 119	13 20 133 101	18 25 84 99	14 27 83 85	12 28 93 80	13 31 104 14	13 32 125 2
Total	7, 912	10, 2 94	13, 275	14, 874	13, 633	12, 194	11, 078	12, 435	13, 030	13, 850

STOCKER AND FEEDER SHIPMENTS

Market	1916	1917	1918	1919	1920	1921	1922	1923	1924
Albany, N. Y Amarillo, Tex. Atlanta, Ga Augusta, Ga. Baltimore, Md		1 262 1 8	1 197 2 3 11	1 122 4 3 5	1 91 1 2 5	(1) 84 3 3 3	(1) 103 2 2 2 3	(1) 74 6 2 3	(1) 87 2 2 5
Buffalo, N. Y. Chattanooga, Tenn. Chicago, III. Cincinnati, Ohio. Cleveland, Ohio.	26 256 26	25 358 22 3	31 2 401 30 4	39 2 509 28 6	14 2 417 28 3	8 4 332 22 6	7 4 343 26 5	4 3 295 23 4	12 4 258 21 5
Dayton, Ohio Denver, Colo Detroit, Mich East St. Louis, Ill El Paso, Tex	386 9 161	397 8 221 159	1 402 6 225 178	(1) 483 17 234 151	407 16 168 115	274 14 185 102	413 14 275 84	361 11 281 40	359 10 199 59
Evansville, Ind		1 437 4 46	393 3 56	327 5 50	278 5 48	1 172 3 41	225 7 44	3 169 5 44	3 (1) 158 4 48
Jacksonville, Fla. Kansas City, Mo. Knoxville, Tenn Lafayette, Ind. Lancaster, Pa.	893 1 (1)	948 6 1	1, 053 8 1 93	1, 036 8 2 95	(1) 778 4 1 87	788 3 1 1	1, 151 6 1	1, 162 4 1 53	998 2 (1) 63
Laredo, Tex Los Angeles, Calif. Louisville, Ky Marion, Ohio Memphis, Tenn			24 1	36 1	31 (1) 2	37 (1)	(1) 2	10 9 32 (1) 7	6 9 22 (1) 5
Milwaukee, Wis Montgomery, Als Moultrie, Ga Moultrie, Ga Nashville, Tenn Newark, N. J	6	(1)	11 6 3	16 9	15 28 14	12 10 (1) 12	13 9 (1) 15	16 7 (1) 9 3	(1) 10 (1) 10 8
New Orleans, La		5 25 5 172 561	6 23 27 155 526	18 25 48 136 656	17 16 28 106 451	16 12 25 80 443	21 15 23 80 621	21 11 45 70 586	. 11 9 59 46 467

¹ Not over 500.
2 Includes only those markets which have been totally discontinued.

Table 438.—Cattle and calves: Receipts, local slaughter, and stocker and feeder shipments, public stockyards, 1915-1924—Continued

STOCKER AND FEEDER SHIPMENT-Continued

Market	1916	1917	1918	1919	1920	1921	1922	1923	1924
Pasco, Wash			(1)		(1)				
Peoria, Ill	12	2 18	18 70	(1) 21 7	26 5 2	4 9 4	7 12 16 2	4 10 45	7 10 41 2
Richmond, Va		1	1	2	2	2	2	8	
Roanoke, Va St. Joseph, Mo. St. Paul, Minn. San Antonio, Tex Seattle, Wash.		127 857 43 (1)	116 337 53 (¹)	124 416 138 (1)	103 316 96	103 270 26 (¹)	176 439 83 (1)	1 170 348 66 (1)	(1) 142 272 63
Sioux City, Iowa	i	348 6 9 2	303 4 12 5 (1)	329 1 28 4 1	238 1 23 5 (¹)	240 4 7 4 (¹)	335 11 12 4	308 11 8 4	264 7 13 4
Wichita, Kans Discontinued 2	107 1	192 9	188 8	116 15	10 <u>i</u> 2	132 1	203 4	198 (¹)	171 (¹)
Total	3, 847	4, 803	5, 013	5, 286	4, 102	3, 504	4, 864	4, 553	3, 966

Division of Statistical and Historical Research. Compiled from data of the reporting service of the Livestock, Meats and Wool Division.

Table 439.—Cattle and calves: Stocker and feeder shipments from public stock-yards, 1916-1924

[Thousands-i. e., 000 omitted]

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total
1916 ¹ 1917 1918 1919 1920 1921 1922 1923	221 260 222 364 349 205 233 281 243	197 213 214 264 240 166 243 210 170	250 249 319 277 241 236 282 199 174	262 306 385 391 244 238 235 233 239	289 401 491 442 323 214 359 800 275	264 353 393 272 272 209 259 234 201	171 262 274 236 218 122 223 223 169	330 330 418 397 314 355 469 480 306	464 588 604 611 488 395 630 631 580	682 768 704 839 580 622 864 785	461 729 623 728 553 497 710 624 549	256 344 866 470 280 245 357 353 309	3, 847 4, 803 5, 013 5, 286 4, 102 3, 504 4, 864 4, 553 3, 966

Division of Statistical and Historical Research. Compiled from data of the reporting service of the Live-stock, Meats, and Wool Division.

Not over 500.
 Includes only those markets which have been totally discontinued.

¹ Complete information for 1916 not obtainable from many markets.

TABLE 440 .- Cattle and calves: Slaughter in United States, by States, 1909, 1914. 1919, and 1921 1

CATTLE

		19	00		1914 !		1921		
State	In whole-sale slaugh-tering and meat-packing establishments	Retail slaugh- ter	On farms and ranges	Total slaugh- ter	In whole- sale slaugh- tering and meat- packing estab- lish- ments	In whole- sale slaugh- tering and meat- packing estab- lish- ments	On farms and ranges 4	Total whole- sale and farm slaugh- ter 4	In whole- sale slaugh- tering and meat- packing estab- lish- ments
California Colorado Illinois Indians Iowa	64, 308 2, 181, 199 252, 697	Number 276, 666 53, 478 195, 588 138, 729 160, 688	Number 36, 319 26, 818 38, 466 27, 122 73, 454	144, 604 2, 415, 253 418, 548	Number 315, 762 62, 735 1, 864, 982 200, 180 219, 359	145, 694 2, 887, 414 271, 004	29, 972 71, 732 42, 394	313, 398	109, 102 1, 898, 692 243, 066
Kansas Michigan Minnesota Missouri Nebraska	50, 157 125, 852	165, 527 109, 844 86, 258	30, 660 43, 619 79, 228 32, 059 42, 083	814, 922 648, 673	62, 035 166, 903 359, 910	299, 462	117, 219 111, 276 43, 909	224, 194 410, 738	524, 917
New Jersey	668, 447 265, 191 252, 897	35, 492 163, 533 275, 401 247, 740	3, 175 68, 793 54, 040 88, 505	900, 773	37, 903 636, 389 269, 719 236, 949	661, 518	117, 746 78, 074	115, 990 779, 264 488, 754 406, 472	111, 468 517, 953 363, 630 304, 741
Texas Washington Wisconsin All other States	117, 522 73, 049	56, 497	64, 031 25, 087 51, 040 624, 143	868, 564 199, 106 268, 249 2, 487, 404	554, 479 85, 774 70, 900 523, 243	132, 213	71, 700 101, 973	612, 093 203, 913 225, 289 1, 566, 902	304, 475 108, 819 133, 948 631, 527
Total	8, 114, 860	4, 087, 922	1, 408, 640	13,611,572	7, 149, 042	10,818,511	1, 904, 581	12,723,092	8, 263, 575

CALVES

						0= 000		T
California	81, 344			228, 402				115, 460
Illinois	513, 639							732, 528
Indiana	60, 578							59, 440
Kansas	209, 357	24, 518	11, 536					272, 794
Maryland	23, 137	70, 337	2, 110	95, 584	26, 278	60, 530		66, 504
••							1	
Massachusetts	129, 162			202, 399				174, 570
Michigan	27, 284							
Minnesota	55, 991							392, 290
Missouri	81, 551	100, 375	8, 779	190, 705	45, 213	167, 753		138, 242
							,	1
Nebraska	58, 158							66, 714
New Jersey					68, 492	101, 975		143, 986
New York	377, 121	237, 694	212, 962	827, 777	378, 197	572, 955		681, 399
Ohio	150, 223	240, 145	31, 180	421, 548	141, 358	249, 487		244, 104
	1		·	·	•		1	
Pennsylvania	152, 851			554, 491		164, 415		225, 266
Texas	234, 172	99, 390	22, 445	356, 007	145, 391	353, 417	l 	348, 946
Wisconsin	129, 207	289, 694	93, 167	512, 068		293, 248		358, 125
All other States	125, 349			1, 210, 626	89, 909			251, 412
Total	2, 504, 728	2, 879, 648	1, 131, 600	6, 515, 976	2, 019, 004	4, 395, 675	<u></u>	4, 314, 850
	. ,				. ,	, ,		1

Division of Statistical and Historical Research. Compiled from reports of the Bureau of Census.

¹In addition there were 377,957 beeves and 243,360 calves slaughtered on a custom basis in 1914, and 553,839 beeves and 387,692 calves for 1919. No corresponding data for 1909 or 1921.

³ No data collected by the Bureau of Census for 1914 or 1921 on farm or retail slaughter.

⁴ No data obtainable for retail slaughter in 1919.

⁴ Including calves.

TABLE 441.—Cattle and calves: Receipts, local slaughter, and stocker and feeder shipments at certain public stockyards, 1924

	Total	23.3 165 5	550 199 12	3, 997 2, 890 258	44 44 44 44 44 44 44 44 44 44 44 44 44	25 25 25 25 25	630 156 350	288 248 10	1,385 544 199	1, 392 972 158	55 55 55 55 55 55	22
	Dec.	11 (5)	16	408 279 32	888	88	23.52	261	883	388	\$114	22
	Nov.	44	51 2	369 266 41	43 17 8	7221	8 1 8	888	133 51 30	271 282 28	19 5	88
	Oct.	56 55 ca	8 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	388 283 46	452	881	119	2222	171 59 86	127 112 13	25 to a	88
	Sept.	25 13	17	324 236 23	흓얺⊷	188	32 22	18	179 67 32	156 113 15	3240	88
	Aug.	35 11	55.2	303 15	88.	222	12 12 23	171	ដ៏ដូម	98 138	412°	22
	July	18 13 (3)	128	318 238 30 30	221	() ()	84 2 ∞	827	128	133	224	40
omitted]	June	15 12 (5)	25 22	291 215 11	1933	192	301142	821	14:1	108 8	±8.°°	51
Thousands—i.e., 000 omitted	May	18 16 (1)	52 17 1	329 251 12	- 128	E 28	3213	- - -	192 14 10	3.83	≱ 82 −	85 85
Thousand	Apr.	17 13 (1)	(3) 23.5	316 242 14	88 1	ងង	200	88 E	78 4 7	2343	444	76
	Mar.	17 14 (1)	47	808 151	E)	88	811	88	58.0	28.0	88-	88
	Feb.	15 12	(3) 15 15	202 15	16	(E)	% 92	81	28 % %	% 200	\$8T	25.25
	Јап.	19 16	E E	360 16	88	88	81257	88 E	282	-138	2822	22
	Stockyard	Baltimore, Md.: Receipts. Local slaughter Effocter and feeder shipments. Brafalo. N. V.	Receipts Local slaughter Stocker and feeder shipments Chicae	Receipts. Local slaughter Stocker and deeder shipments.	Receipts Local slaughter Stocker and feeder shipments	Receipts Local slaughter Stocker and feeder shipments	Receipts. Local slaughter. Stocker and feeder shipments.	Receipts Local slaughter Stocker and feeder shipments Freet St Lovie III	Receipts Local shughter Stocker and feeder shipments	Receipts Local slaughter Stocker and feeder shipments	Receipts Local slaughter Stocker and feeder shipments	Receipts Local slaughter

-Continued TABLE 441.—Cattle and calves: Receints. Bocal slaughter, and stocker and feeder shimments at certain public stocknards. 1921.—

										,			
Stockyard	Jan	Feb	Mar	Apr.	Маў	June	July	Aug.	Sept.	Oct	Nor	Dec.	Total
Kansas City, Mo.: Receipts. Local Staughter Stroken and feeder chumants	210	146 92	149	173 98	106	192	822	303	480	423 192	300	246	3 043
Los Angeles, Calif. Receipts Local slaughter	00 01 00 01 01 01 01 01 01 01 01 01 01 0	± 13	2 L'1	13 13	8 22	៖ នុន	\$ 22.82	19	87 5	§ 88	88	ន ដេន	752 8
Milwanker, Wis. Milwanker, Wis. Beetpits. Local slaughter. Stocker and feeder shipments.	. 0% & 1.	£ 48 1	(;) 51 49	64 61	88.	38	32 30 1	188	31	- 642	36 1	4 264	9 532 494 14
Anabula, Okta Receipts Local slaughter Stocker and feeder shipments	8128	855	851.4	24 15 6	25 19 3	25 19	1223	F- 88 60	35	37 8	8.5° 8	27.83	\$\$ \$\$
Receipts Local slaughter Stocker and feeder shipments Pittshurch, Pa	201.08	85 85 85 85 85 85 85 85 85 85 85 85 85 8	149 25	. 88 42 688 44	152 98 18	131 85 13	125	142 85 37	121 98 91	230 116 114	137 83 45	13. 20. 26. 26.	1,863 1,104 467
Receipts Local slaughter Portland, Oreg.	6.4	1283	60 11	57 15	\$	15	16	13	89	83	14	82	909
Receipts. Local slaughter. Stocker and feeder shipments. St. Josenh. Mo.	15 9 (·)	(3)	13 1	10 7	13 10 (1)	6177	11 7	11.88.1	841	1202	15	400	175 108 10
Receipts Local slaughter Stocker and feeder shipments St. Panl. Winn:	63 41 10	8 2 8	32	δ. 4. ∞	బ్లోన్ల	\$ 0° 5°	0.00	49 85 E	25.22	28.23	888	స్త్రాజ్ఞు	720 469 142
Receipts Local slaughter Stocker and feeder shipments Sioux City. Jowa.	97 75 13	85 69 10	81.1	105 81 16	102 80 151	28 11 11	102 204.74	3 .8.8	125 67 42	157 95 47	162 94 41	116 96 15	1,323 928 272
Receipts. Local staughter. Stocker and feeder shipments. Wichita. Rans.	31	28 93	20 16 16	33	25 24 85 18 34	34	35	888	201 7.8 44	G 4 6	31.	64 81	864 864 864 864 864 864
Receipts Local slaughter Stocker and feeder shipments	32 11 5	19 6 10	<u>%</u> ∞∞	24 × 33	800	ର :-∞	800	30	465	49 14	32	37 20	389 121 171

Division of Statistical and Historical Research Compiled from data of the reporting service of the Live-tock, Meats, and Wool Divisor. Liver slaughter data from stockyards.

Table 442.—Feeding cattle: Monthly shipments from public stockyards, 1924

Origin and destination	Jan	Feb.	Mar	Apr	Мау	June	July	Aug	Sept	Oct	Nov.	Dec.	Total
MARKET ORIGIN Chicago, III. Denver, Colo. Fort Worth, Tex. Indianapolis Ind. Kanssa City, Kans	Number 14, 812 31, 109 6, 686 2, 581 60, 309	Number 15, 653 9, 189 5, 724 1, 397 36, 467	Number 15, 587 8, 826 3, 832 1, 494 35, 162	Number 13, 474 9, 642 15, 939 1, 803 48, 434	Number 10, 644 83, 596 32, 428 1, 484 56, 864	Number 10, 419 22, 017 7, 776 3, 786 38, 528	Number 10, 427 7, 402 4, 257 37, 258	Number 12, 807 14, 551 11, 271 5, 967 71, 637	Number 27, 315 35, 393 13, 352 8, 809 164, 011	Number 45, 158 85, 129 13, 245 7, 531 187, 468	Number 40, 016 66, 218 23, 554 5 039 101, 722	Number 29, 568 23, 428 18, 881 4 517 63, 013	Number 245, 880 346, 083 160 140 48, 665 900, 873
Louisville, Ky National Stockyards, Ill Oklahoma, Okfa Omaha, Nebr Sioux City, Iowa	1, 146 7, 793 3, 845 36, 289 17, 550	6, 060 3, 042 26, 806 14, 759	3, 800 4, 514 25, 299 13, 980	1, 022 5, 082 5, 374 24, 438 14, 413	1, 936 3, 497 4, 234 16, 945 15, 526	1, 648 8, 338 2, 417 11, 679 7, 406	1, 455 8, 115 1, 881 13, 069	1,720 14 066 3,294 37,199 17,314	3, 183 21, 494 5, 528 90, 382 43, 557	4, 256 26, 577 8, 503 120, 514 56, 501	2, 468 16, 912 9, 215 45, 289 25, 046	1, 208 14, 464 14, 104 28, 135 14, 756	21, 537 136, 198 55, 951 476, 064 248, 635
South St Joseph, Mo. South St. Paul, Mmn. Stoth St. Paul, Mmn. All other inspected	5, 295 9, 001 15, 414 10, 188	2, 987 6, 423 10, 433 9, 178	3,089 8,299 8,316 8,525	4, 950 12, 076 23, 829 8, 882	5, 289 10, 242 15, 427 12, 112	3,345 5,579 7,631 11,764	2, 353 9, 452 5, 852 12, 043	7,540 17,913 11,874 13,665	13, 628 29, 177 15, 078 19, 292	22, 1 ⁻⁶ 30, 854 27, 132 31, 214	10, 119 24, 358 32, 250 27, 911	3, 965 9, 519 19, 486 20, 497	84, 736 172, 893 192, 722 185, 271
Total	222, 028	148 779	141,517	189, 358	220, 224	142, 333	128, 315	240,818	490, 299	666, 259	430, 157	255, 541	1, 275, 658
Colorado Lilinos Lindisus Lindisus Kausas	14, 393 24, 326 5, 906 37, 358 38, 881	6, 186 17, 124 3, 778 27, 760 22, 698	4, 682 15, 636 5, 060 24, 696 19, 480	4, 382 14, 735 5, 027 28, 250 45, 183	9, 808 15, 799 4, 931 25, 139	5, 349 15, 445 8, 998 16, 153 18, 448	4, 395 20, 721 8, 455 22, 743 13, 688	4, 146 37, 647 14, 555 54, 701 24, 907	11, 548 102, 596 23, 202 137, 399 39, 510	38, 436 95, 664 26, 776 130, 747 81, 126	47, 491 49, 072 18, 932 38, 878 73, 920	14, 697 32, 052 11, 301 26, 216 52, 069	165, 513 435, 817 136, 921 570, 040 473, 431
Kentucky Michigan Minnesota Missouri	1, 477 949 1, 156 24, 643	87.7 1. 100 689 13, 646	1,006 1,780 1,217 13,585	1, 634 2, 886 1, 167 17, 480	2, 590 2, 646 1, 509 22, 945	1, 927 2, 734 850 11, 782	1, 871 4, 465 1, 478 7, 752	1, 354 3, 262 2, 403 21, 961	2, 806 5, 526 5, 496 31, 626	5, 531 7, 499 7, 252 63, 048	2, 422 5, 981 35, 944	1, 620 6, 181 2, 167 21, 085	25, 115 46, 829 30, 668 285, 497
Nebraska. Ohno. Oklahoma. Pemisy'rana.	45, 055 4, 101 5, 325 999	29, 918 3, 383 4, 429 919	29, 709 4, 168 5, 400 462	33, 407 4, 931 10, 987 1, 021	41,850 11,082 6,925 894	28,780 5,595 2,667 845	16, 516 6, 044 2, 430 1, 668	40, 824 6, 027 5, 736 2, 195	81, 964 S, 858 10, 598 3, 410	127, 910 12, 752 17, 565 4, 978	59, 326 15, 331 22, 691 4, 187	32, 174 7, 545 12, 762 2, 512	535, 373 89, 817 107, 515 24, 090
South Dakota. Teras. Wisconsin All other	3, 454 8, 147 5, 271	2, 614 7, 100 866 5, 692	2, 768 5, 971 1, 548 4, 349	2, 984 6, 406 3, 066 5, 812	8, 387 8, 529 3, 165 12, 504	6,479 8,601 1,571 8,109	2, 082 7, 948 449 5, 610	2,712 9,709 993 7,666	5, 466 9, 170 1, 294 10, 096	10 798 16, 387 3, 139 16, 681	5,698 23,336 4,031 15,583	3, 662 16, 152 2, 238 11, 108	57, 104 127, 506 22, 947 108, 475
Total	222, 028	148, 779	141, 517	189, 358	220, 224	142, 333	128, 315	240, 818	490, 289	666.289	430, 157	255, 541	3, 275 658
			,			,							

Division of Statistical and Historical Research Compiled from Bureau of Animal Industry Inspection records.

Table 443.—Live cattle: United States exports and imports, 1910-1925 EXPORTS

Year ended June	July	Aug	Sept	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr	Мау	June	Total
	Num-	Num-	Num- ber	Num- ber	Num- ber	Num- ber	Num- ber	Num- ber	Num- ber	Num-	Num-	Num- ber	Num-
1910 1911 1912	4, 193	6, 667	8, 085	8, 828	11, 711	16, 215	14, 509	8, 525	11, 528	14, 435	20, 232	25, 172	150, 100
1913 1914		2, 493	572	1, 591	1, 289 1, 372	1, 466	1,009	1,006	956		1, 269	7, 464	24, 714
1915 1916 1917	6, 615	2, 837	1,908	431	520	944	877	428	1, 171	233 1, 243 1, 918	978		21, 287
1918 1919			837	890	704	6, 887	669	508	1, 245	1, 457 20, 2 91	1, 108	2, 457	18, 213
1920 1921 1922	9,740	2, 804	4, 174	5, 252	10, 08 0	7, 563	6,004	7, 498	11, 886	23, 066	28, 076	29, 530	83, 039 145, 673 155, 281
1923 1924	9, 588 2, 394	8, 806 5, 709	4, 965	9, 521	8, 919	4,600	3,919	2, 138	2, 880 1, 529	2, 924	1,706	1, 520	61, 486
1925	2, 506	4, 267											

1910 1911 1912 1913 1914	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
1915- 1916- 1917- 1918- 1919-	30, 217 54, 459 53, 574 77, 219 73, 427 53, 410 38, 233 51, 018 33, 891 14, 538 15, 159 43, 022 538, 167 58, 379 49, 985 57, 050 82, 276 [83, 037 25, 901] 9, 762 8, 662 9, 409 17, 28 13, 447 439, 185 15, 219 23, 121 37, 476 48, 907 51, 526 33, 841 22, 266 22, 094 23, 444 32, 181 33, 049 28, 702 374, 826 18, 780 20, 881 39, 244 49, 061 37, 359 20, 499 9, 286 11, 924 14, 603 122, 563 22, 112 27, 457 293, 719 21, 512 32, 517 47, 983 49, 439 54, 403 38, 802 29, 937 38, 813 27, 067 31, 592 44, 856 23, 478 440, 399
1920. 1921. 1922. 1923. 1924. 1925.	32, 863 40, 830 68, 094 108,624 18,159 93, 082 26, 971 24, 590 16, 766 10, 874 16, 094 24, 381 575, 328 18, 333 32, 071 43, 055 48, 680 62, 049 46, 250 17, 469 8, 066 11, 677 23, 674 14, 498 4, 152 229, 974 6, 057 10, 948 18, 814 28, 662 37, 055 13, 899 2, 876 2, 48 2, 431 6, 159 12, 130 10, 240 151, 533 18, 164 41, 565 58, 388 41, 012 28, 923 12, 829 5, 795 16, 998 5, 230 7, 459 9, 199 6, 325 251, 887 6, 064 9, 694 19, 947 18, 383 17, 586 15, 770 9, 921 6, 028 10, 239 12, 538 17, 183 11, 473 164, 736 10, 596 14, 744 19, 732 14, 130 11, 323 5, 044

Division of Statistical and Historical Research.

Table 444.—Farm price of cattle other than milk cows, by age groups, United States, January 1, 1894–1925

Jan. 1—	Under 1 year old	1 and under 2 years	2 years and over	Jan 1	Under 1 year old	1 and under 2 years	2 years and over
1894 1895 1896 1897 1898 1899 1900	6. 72 7 47 10. 02 11 15 12. 35	\$10 56 9 94 11. 49 12. 51 16. 17 17. 78 19. 35 17. 92	\$19 59 18 69 20. 97 21. 69 26. 85 29. 10 31. 89 27. 57	1910 1911 1912 1913 1914 1915 1916	\$10. 92 11. 72 12. 14 14 90 17. 84 19 06 19 08 20. 71	\$17. 89 19 37 20. 09 25 11 29. 77 31 21 31. 48 33 93	\$25 96 27 90 29. 12 36. 38 42 77 45 92 45 81 48 63
1902. 1903.	10 05 10. 59	16. 56 17. 54	26. 41 24. 69	1918 1919	23 44 24 97	38. 63 41. 74	55 62 60. 41
1904 1905 1906 1907 1908 1909	8.91 9 04	15, 66 14, 57 15, 13 16, 30	21. 74 20. 05 21. 40 22. 93	1920 1921 1922 1923 1923 1924	24, 50 17, 42 13, 41 14, 76 14, 49 14, 38	40, 69 29, 01 22, 29 24, 35 24, 04 23, 32	59 66 43 72 32 77 34 79 34 01 33. 16

TABLE 445.—Cattle, live: Imports, exports, and prices, 1896-1924

		Imports			Exports	
Year ended June 30—	Number	Value	Average import price	Number	Value	Average export price
1896	217, 826 328, 977 291, 589 199, 752 181, 006	Dollars 1, 509, 856 2, 589, 857 2, 913, 223 2, 320, 362 2, 257, 694	Dollars 6. 93 7 87 9 99 11 62 12. 47	372, 161 392, 190 439, 255 389, 490 397, 286	Dollars 34, 560, 672 36, 357, 451 37, 827, 500 30, 516, 833 30, 635, 153	Dollars 92, 76 92, 76 86, 12 78, 31 77, 1
1901	146, 022	1, 931, 433	13. 23	450, 218	37, 506, 980	81 81
1902	96, 027	1, 608, 722	16 75	392, 884	29, 902, 212	76 11
1903	66, 175	1, 161, 548	17. 55	402, 178	29, 848, 936	74 22
1903	16, 056	310, 737	19. 35	593, 409	42, 256, 291	71 21
1904	27, 855	458, 572	16. 46	567, 806	40, 598, 048	71, 50
1906	29, 019	548, 430	18. 90	584, 239	42, 081, 170	72 03
	32, 402	565, 122	17 44	423 061	34, 577, 302	81 73
	92, 356	1, 507, 310	16 32	349, 210	29, 339, 134	84 03
	139, 184	1, 999, 422	14 37	207, 542	18, 046, 076	86 96
	195, 938	2, 909, 824	15 31	139, 430	12, 200, 154	87, 50
1911 1912 1913	182, 923 318, 372 421, 649 868 368 538, 167	2, 953, 077 4, 805, 574 6, 640, 668 18, 696, 718 17, 513, 175	16 14 15 09 15, 75 21 53 32, 54	150, 100 105, 506 24, 714 18, 376 5, 484	13, 163, 920 8, 870, 075 1, 177, 199 647, 288 702, 847	87 70 84, 03 47, 63 35 23 128 10
1916	439, 185	15, 187, 593	34 58	21, 666	2, 383, 765	110 00
1917	374, 826	13, 021, 259	34, 74	13, 387	949, 503	70 90
1918	293, 719	17, 852, 176	60 78	18, 213	1, 247, 800	68 51
1919	440, 399	36, 995, 921	84 91	42, 345	2, 092, 816	49 42
1920	575, 328	45, 081, 179	78 36	83, 039	11, 921, 518	43 57
1921	329, 974	23, 634, 361	71, 62	145, 673	11, 050, 507	75 86
1922	151, 533	3, 055, 201	20 16	155, 281	9, 877, 596	63 61
1923	251, 887	6, 622, 257	26 29	61, 486	2, 954, 729	48 06
1923	154, 736	5, 340, 629	34 51	32, 761	1, 295, 762	39 58

Division of Statistical and Historical Research

Table 446.—Milk cows: Farm price per head, 15th of month, United States, 1910-1924

Year	Jan	Feb.	Mar.	Apr	Мау	June	July	Aug	Sept.	Oct	Nov.	Dec.	Aver- age
1910		40 35 44, 48 43, 40	41 75 45 42 44 09	42 22 44 81 45, 14	42 38 44, 54 45 63	43 46 43 86 45.	42 86 42 44 45 41	42 26 46 11	42 68 42 22 46 79	43 20 42 69 47 30	43 34 42,70 47 38	43 41 42 72 48 62	42 47 13. 57
Average 1910-1913	44 57	44. 91	46 32	46. 88	46 84	47. 09	46. 38	46 48	46 87	47 42	47 78	47 98	47 '19
1914	63 92	57. 99 57 99 65 93 78. 36 86 15 95 27	58. 00 59 51 68. 46 80 71 88 15	57 78 60 68 72 09 82, 45 90 91 95, 36	58 29 60, 98 72, 78 84 11 93 43	58. 59 61. 63 72. 87 84 74 93. 84 94 56	60, 31 62, 04 72, 81 84 97 94, 51 91, 23	58 34 61 32 72 53	58 38 61 41 73 93 85 21 93 42 89 40	58 76 62 19 75 79 85 41 93 43 85 90	57 35 62 67 75 00 84 51 93 27 77 56	56 79 63 18 76 16 85 78 95 54 70 42	58 25 30 95 71 86 83 07 91 96 89 51
1921	66 82 52 83 54 01 55, 57	53, 54 54 15	54. 87 55, 29	54 46 56, 14	54. 76 55 91	54 87 . 56, 34	54. 20 56. 22	52 67	52, 79 56, 13	52. 86 55. 51	51 62 55 39	53 21 54.66	53. 56 55. 43

¹ As reported by country dealers.

Table 447.—Cattle, beef: Farm price per 100 pounds 15th of month, by States, 192

													
State	Jan 15	Feb 15	Mar 15	Apr. 15	May 15	June 15	July 15	Aug.	Sept.	Oct 15	Nov.	Dec. 15	Aver- age
Mainc. New Hampshire Vermont Massachusetts Rhode Island	\$7 20 5 70 4.60 6 40 6 00	\$7.40 6 00 4.30 6 00 6 50	\$7. 20 6 00 4 50 6 40	\$7 50 6 50 4 90 6 00	\$7 00 6 60 4, 60 6 00	\$7. 20 6 90 4 30 5 60	\$7. 10 6 50 4 40 5 60	\$7.50 6.70 5.10 5.30	\$7 00 6 50 5 00 5, 50 6 00	\$6 90 6 80 4 70 5 20 6 00	\$7 00 7, 00 5 00 5, 50	\$6 30 6 00 4 50 5 00 6 00	\$7 11 6 43 4 66 5 71 6 10
Connecticut New York New Jersey Pennsylvania Delaware	6 80 5 00 7 00 7, 30	7 30 5 30 6 30 7 60 8, 00	\$ 00 5.60 6 70 7 40 8,30	5 80 6.50 7 60 8 00	5 60 5 70 6 40 7 50 8 00	5, 80 5 60 7 50 8 50	5. 90 5. 40 7. 20	5.80 5 30 7 40	5 60 5 70 7 00 7 20 8 20	5 80 5 70 6 00 7 30 8 60	5.60 5 20 7.00 7 00	5 60 5 30 6 70 7 16	6 16 5 47 6 58 7 27 8 11
Maryland Virginia West Virginia North Carolina South Carolina	6 50 5 80 5 90 6 00 4 10	7 00 6 00 6 30 5 00 4, 00	6,80 6 30 6 20 5 00 4 20	7. 00 6 00 6 40 5. 00 4. 40	7 20 6 30 6 60 5 30 4 30	7.00 6 10 6 20 5 20 4 10	7 10 5 90 6 20 5 30 4. 10	7 20 5 50 5 90 5 40 4. 40	7. 00 5. 70 5 80 5. 20 4. 20	7 00 5 60 5 40 5 20 4, 20	6 50 5 60 5 40 5 30 4,00	6 80 5 50 5 50 5 20 4 00	6 92 5 86 5 98 5 18 4 16
Georgia Flerida Ohio Indiana Illinois	3 40 5 00 6 50 6 30 6 20	3 50 4 80 6 70 6 20 6. 20	3 60 4.70 6.80 6 50 6 30	3 50 5 00 7 00 6 80 6, 40	3. 80 4 60 7. 00 6. 90 6. 90	3 70 4 30 7 00 6 70 6 80	3 80 4 20 6.70 6 40 6 50	3 70 3 50 7 00 6 90 6 50	3 60 4 00 6 80 6 60 6 70	3 50 4 00 6 70 6 70 6 70	3 90 3 80 6 50 6 50 6 50	3 70 4 50 6 60 6 30 6, 40	3 64 4 37 6 78 6 57 6 51
Michigan	5 50 4 40 4 80 7 00 6, 50	5 40 4 70 4 80 7 10 6. 20	5, 50 4 60 5 10 7, 20 6 40	6 00 4 80 5 40 7 50 6 50	6 00 4 80 5 60 7, 60 6, 60	6 00 4.80 5 50 7.50 6.20	5 90 4 90 5 40 7 30 6, 70	5 40 4 90 5 70 7 80 6 60	5, 40 4 80 5 60 7 60 6, 30	5 50 4 60 5 30 8 00 6 50	5 70 4 60 5 40 7 50 6. 20	5 90 4 20 4 60 7 10 6. 30	5 68 4 68 5 27 7 43 6 42
North Dakota South Dakota Nebraska Kansas. Kentucky	6 50	4, 70 5 90 6, 80 5 80 5 40	5 10 6 10 7 20 6 00 5 30	5 30 6 40 7 50 6 20 5 60	5 00 6 50 7 70 6 50 5 80	5.00 6 60 7 50 6 30 5 50	4 80 6 50 7 40 6 10 5 30	4 60 6 40 7 80 6 50 5, 50	4 50 6 50 7 30 6 20 5 30	4 40 6 00 7 00 5 90 5 00	4. 40 5 80 6 90 5. 80 5. 20	4 30 5 50 7 00 6 00 5 20	4 72 6 17 7 22 6 08 5 34
Texas	3 20 3 10 4 70	4 40 3 20 3 00 4 80 4.10	4 20 3 20 3 00 4 60 4.30	4, 50 ? 40 8 00 4 5 4 20	4 60 3 70 3 00 4 90 4 50	4 60 3 50 2 90 4 60 4 30	4 50 3, 20 2 80 4 70 4 10	4 40 3 30 2 80 4 30 4 20	4 30 3 20 2 70 4 50 4,00	4 10 3 10 2 70 4 70 3 80	3, 80 3, 10 2, 70 5, 00 4, 20	4 10 3 00 2 70 4 60 8 90	4 31 3 26 2 87 4 64 4 14
Oklahoma Arkansas Montana Wyoming Colorado	3. 20 5. 00 6. 00	4 30 3 20 5 20 6 40 5.60	4 20 3 70 5 40 6 00 6 00	4 50 3 40 6 20 7 00 6 40	4 30 3 30 6 10 6 80 6, 50	4 20 3 20 6 00 6 50 6 40	4 00 3 50 5 70 6 20 6 20	4 10 3-00 5 50 5 60 5 60	4 10 2 90 5 60 5 20 5 70	4 00 2 80 5 30 5 30 5 30	4 00 3 40 5 40 5 00 5 00	4 20 3 00 5 50 5 00 5 50	4 19 3 22 5 58 5 92 5 85
New Mexico	5, 50	4 40 5 40 5 70 6 50	4 40 5 80 5 90 6 70	4. 00 5 90 6 20 7 00	5 00 5 80 6 30 6 50	5 10 5, 60 6 10 6 50	5 00 5 40 6 00 6 00	4 50 5 40 5 60 5 40	4 20 5 20 5 20 5 30	6 60 5 00 5, 20	5 00 4 90 5 50	5 00 4 70 4 90	4 62 5 52 5 61 6 05
Idaho Washington Oregon California	5. 00 5. 40 5. 20 6. 60	4 90 5 40 5 80 7 00	5 30 5 70 5 60 7 50	5 70 6 00 6 00 7 16	5 90 6 30 6 30 6 90	5 50 6 00 6 50 6 50	5 00 5 60 6 20 6 20	5 30 5 20 6 00 6 00	5 10 5, 50 5 80 6 00	5 10 5 50 5 80 5 90	4 90 5 70 6 00 5 80	4 70 5 60 5 50 6 40	5 20 5 66 5 89 6 49
United States	5. 38	5. 47	5, 63	5 82	5. 94	5. 79	5 65	5 67	5. 53	5, 52	5 43	5 35	5 60

Table 448.—Cattle, beef: Farm price per 100 pounds, 15th of month, United States, 1910-1924

Year beginning August	Aug	Sept.	Oct	Nov	Dec.	Jan	Feb.	Mar	Apr.	Мау	June	July	Weight- ed av- erage
	Dolls	Dolls.	Dolls	Dolls.	Dolls.	Dolls.	Dolls.	Dolls.	Dolls.	Dolla.	Dolls	Dolls.	Dolls.
1910	4 64	4 65	4 64	4 48	4 45		4 57	4.66	4, 67	4. 59	4 43	4 28	4, 55
1911	4.39						4 61		5 15		5 23		4 69
1912	5 37	5 35							6.08			5.98	5 60
1913	i. 91	5 92	6 05	5 99	5 96	6 04	6, 16	6 28	6, 29	6 33	6 32	6.38	6, 12
		ļ											
Av. 1910-1913	5 08	5 09	5 09	5 01	5 03	5 12	5 22	5. 39	5. 55	5, 57	5 50	5.45	5 24
							-						
1914	6 47	6 38	6, 23	6 02	6 01	5 99	5, 93	5. 92	5 96	6 13	6 20	6 07	6 12
1915	6 18	6 06	6 04	5 85	5.75	5 85		6 37	6 66	6.73	6.91	6, 78	6 24
1916	6, 51	6 55	6 37	6 44	6 56	6 86	7 36	7. 91	8 57	8 70	8 65	8 30	7. 31
1917	8 17	8 40		8, 21			8 55	8 85	9 73	10 38	10 40	10 07	8. 92
1918	9 71	9 63	9 33	9 14	9 28	9 65	10 02	10 34	10, 81	10 84	10 20	9, 96	9 85
1919	9 82	9 02	8 65	8 65	8 63	8 99	8 98	9 08	9 20	8. 97	9 32	8 93	
1920	8 56			7 15									
Av 1914-1920	7 92	7, 76	7, 53	7 35	7. 26	7 43	7 55	7.83	8 14	8 25	8 19	7 93	7 76
200 1011 10001111													
1921	5 39	4 98	4 81	4 69	4, 62	4 75	5 07	5 46	5. 53	5, 70	5 84	5 76	5. 18
1922													
1923	5 60												
1924	5. 67						J)	1 02	"")) "	12.01
	5.01	1 000	"	10	🕶								

Division of Crop and Livestock Estimates

Table 449.—Calves, veal· Farm price per 100 pounds, 15th of month, United States, 1910-1924

Year	Jan	Feb.	Mar	Αpr.	Мау	June	July	Aug.	Sept	Oct.	Nov.	Dec.	Weight- ed average
1910	Dolls. 6 41 6 50 6 06 7 06	Dolls. 6 28 6 38 6 07 7 23	Dolls. 6 59 6 48 6 11 7 49	Dolls 6 54 5 96 6 22 7 38	Dolls. 6 30 5 68 6 23 7 17	Dolls. 6 57 5 72 6 33 7 53	Dolls. 6 37 5 74 6 33 7. 46	Dolls. 6 29 5 93 6 62 7 53	Dolls. 6 43 6 11 6 83 7 73	Dolls. 6 41 6 15 6 90 7 72	Dolls. 6. 39 6 10 6 77 7 70	Dolls. 6 38 5. 98 6 88 7 74	Dolls. 6 42 6 04 6. 45 7. 48
Av. 1910-1913	6 51	6 49	6 67	6 52	6 34	6 54	6 48	6 59	6 78	6 80	6 74	6 74	6. 60
1914 1915 1916 1917 1918 1918 1920	7 89 7 66 7 67 9 15 11 16 12 39 12 89	7 90 7 62 7 87 9 88 11 17 12 18 13 12		7 68 7 31 8 00 10 49 11 71 12 78 12 72	7 59 7 35 8 08 10 48 11 62 12 11 11 69	7 69 7 53 8 39 10 60 11 88 12 40 11 68	7 80 7 87 8 54 10 77 12 33 13 38 11 44	8 08 7 75 8 59 10 56 12 22 13 43 11 64	8 06 7 80 8 77 11 08 12 57 13 59 11 89	7 97 7. 91 8 59 1! 10 12 35 12. 87 11 64	11 94	7 61 7 61 8 79 10 98 12 31 12 67 9. 27	7 83 7. 63 8 35 10 51 11. 91 12. 76 11 80
Av. 1914-1920	9 83	9 96	10 06	10 10		10 02	10 30	10 32	10 51	10 35	10 01	9 89	10 11
1921 1922 1923 1924	9 34 7 23 8 05 8 36	9 08 7 84 8 37 8. 51	9 05 7 85 8 20 8.43	7 73 7 26 7 78 8 33	7 55 7 28 7 69 8 14	7. 43 7 67 7 66 7. 91	7 37 7 49 8 00 7.88	7 31 7 67 8 00 7. 94	7 67 8 10 8 34 8 09	7 61 8 17 8 37 8. 22	7 20 7 92 7 85 7 89	7 14 7 78 7 75 7 84	7 81 7 68 7 99 8. 12

Yearbook of the Department of Agriculture, 1924

854

Table 450 .- Calves, veal: Farm price per 100 pounds 15th of month, by States, 1924

State	Jan. 15	Feb. 15	Mar. 15	Apr. 15	Мау 15	June 15	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Aver- age
Maine	10.00 9.80	11.00 9 40 11 30	11 00 9 20	11 20	9. 70 8. 50 11. 50	9 60 8.20 11.00	8. 50 10 60	10. 20 9 40 10 60	10 80 9 00 10 30	9.50 10 80	9 10 10 30	10 20 9, 20 10 50	9 05 10 84
Connecticut New York New Jersey Pennsylvania Delaware	11. 50 11 50 12 00 10 80 13, 50	12 50 11 00	11 30 12 00 11 10	11 00 11 80 10.60	10.50 12 00 10 20	10.00 10.50 10.30	9.90 12 00 9 90	10 30 12 00 10 40	10 50 12 80 10 60	11 00 13 00 10 50	10 60 12.70 10 60	11 40 12 40	10 80 12, 22
Maryland	10. 50 9 30 8 70 6 80 6 30	9 4u 9 30 7 00	11. 10 9 50 9 30 6 50 6. 30	10.00 9.10 7 00	9 50 9 50 7 50	9 00 9.10 7 00	8 50 9,00 6 90	8 30 8 00 8 20	9 80 8 40 8 30 8 00 5 90	8 60 8 00 7 80	8 80 8 40 7 70		9 05 8 72 7 36
Georgia	5 40 8.50 10 70 10 10 9 30			10 40 9 80	9 50 9 50	8.50 9.30 9.00	8 40 9 50 8, 50	7 00 9 50 8 60	5 30 6 90 9 80 8 80 8 80	10 20	4 50 9 80 9 10	5 50 6 00 9 70 8 90 8 50	7 80 9 98 9 32
Michigan	11.00 8 50 7 60 8 60 7 50	11 00 8 40 7 60 8 80 8 50	7 60 8 40	8 00 7 60 8 50	7 80 7 30 8 20	7 60 7 20 8 00	8 00 7 30 8 20	8 30 8 00 8 40	8 00 9 00	7 80 9 00	8 00 7 00 8.30	9 60 7 70 6 70 8 00 7 20	8 17 7 48 8 45
North Dakota South Dakota Nebraska Kansas Kentucky	6 90 7 50 7 90 6 90 8 30	7.00 7 70 7,90 7 50 8 20	8 10 8 10 7 50	8 50 8 50 7 30	8 00 8 70 7 50	8 00 8 40 7 20	7 90 8.60 6 90	7 40 8 50 7 30		8 00 6 50	7 10 7 40 7 00	6 90	7 72 8 13 7 12
Tennessee Alabama Mississippi Louisiana Texas	5 80 4 40 4 90 5 20 5 30	5 90 4 80 4 60 5 80 5 30	4 60 5 60	5 00 4 70 5 70	4 80 4 50 6 00	4 50 4 40 5.90	4.70 4.80 5.80	4 50 4 40 4 80		4 00 5,60	4 80 4 50 5.50	5 50 4 70 4 20 5 20 4 80	4 62 4.51 5 58
Oklahoma Arkansas Montana Wyoming Colorado	5 80 4.70 7 70 8 20 7.90	5 80 5 10 7 70 8 90 7.80	5 10 8 20 8 00	5 30 8 30 8 00	5 50 8,00 8 00	5 20 8 50 8 50	5 50 8 00 8 00	4 70 8 00 8 10	5 50 4 50 8 30 7 80 7 80	5 20 8 00 7 60	5 00 7 90 8 00	5 50 4 20 8 20 8 30 7 30	5 00 8.07 8.12
New Mexico	6 00 7 50 8 60 8 00	6 50 7 30 8 80 8 00	7 90 8 70	7 50 8 90	8 60			7 90					8 41
Idaho	7 10 8 50 9 00 8 50	6 80 8 90 9 80 8 40	9 10 10 20	9 00 9 80	9 00	8 50 9 40 7 50	8, 00 9, 00 7 40	7 40 8 30 7 50	8 50		8.00 7 20	6. 80 7. 20 7. 00 7. 50	8, 25 8, 90
United States	8. 36	8. 51	8 43	8 33	8. 14	7 91	7 88	7. 94	8.09	8 22	7 89	7. 84	8. 13

TABLE 451.—Cattle and calves: Monthly average price per 100 pounds, Chicago, 1900-1924

GOOD BEEF STEERS

Year	Jan	Feb.	Mar.	Apr.	Мау.	June	July.	Aug.	Sept	Oct.	Nov	Dec.	Aver-
1900 1901 1902 1903	Dolls 5 20 4 85 5 70 4 80	Dolls. 4 85 4 80 5 55 4 60	Dolls 4. 85 4 95 6 05 4 75	Dolls 4 95 5 15 6. 45 4, 90	Dolls 5 10 5, 30 6, 60 4, 80		5 10 7 10	5 10 7 05	Dolls 5, 35 5, 50 6, 65 4, 95	Dolls 5 25 5 45 6 20 4, 70	Dolls 5 15 5 50 5 20 4 45	Dolls, 5, 00 5, 65 4, 80 4, 55	Dolls. 5 13 5 24 6 19 4.78
1904	4 65 4 65 5 00 5 60 5 30	4 50 4 75 5 05 5 55 5 40	4. 60 5 00 5 15 5 55 6 00		4 85 5 45 5 20 5 65 6 60	5 60 5 25 5, 20 6 20 6 90	4, 95 5, 40 6 40	5, 00 5 45 6 25	5 10 5 05 5 50 6 10 5 95		4. 95 4 65 5 60 5 40 5 90	4. 40 4. 75 5 50 5. 10 6 00	5. 31
1909 1910 1911 1912 1913	6 00 6 20 6. 15 6 85 7 80	5, 85 6 35 6 15 6 60 8 25	6 10 7 35 6. 20 7. 20 8 30	6 10 7 55 6 10 7, 65 8 15	6 45 7 50 5 95 7 95 8 00	6 45 7 50 6 05 8 00 8 15	6 30 7 90	6 95 8 50	6 75 6 80 6 80 9 15 8 50	6, 60 6, 60 6 75 7 90 8, 40	6 70 8 10	6 20 6 00 6 65 7. 85 8. 20	6 34 6.83 6 40 7 80 8 21
Av 1909-1913 1914 1915	6 60 8 45 8 05	8 30 7 50	7 03 8 35 7 65	7 11 8 50 7 70	7 17 8 40 8 35	7 23 8 60 8 50	9 20	9 05	7 60 9 35 8. 95	7 25 9.05 8.80		6 98 8.35 8 35	7 12 8 65 8 43
1916 1917 1918 1919 1920	8 35 10 15 12 10 15 80 13 95	8 35 10 50 12 00 15 95 13 05	12 60 16 05	15 85	9 50 11 90 15, 40 15 00 12, 25	9, 85 12 15 15, 85 13 55 14, 95	12 35 16, 05 15 60	15 75 16 45	16.00 15.50	9, 75 11, 70 14, 80 16 15 14, 61	11, 10 15 05 15 10	10 00 11.40 14 90 14 35 10 08	11 67 14 60 15 45
Av 1914-1920	10 98	10 81	11. 11	11 41	11. 54	11.96	12. 28	12 40	12. 46	12, 12	11 48	11, 06	11. 64
1921 1922 1923 1924	8 94 7 37 9 17 9 14	8 57 7.60 8.86 9 33	9. 41 8. 01 8. 83 9. 59	9 01	8 33 8 20 9 41 9 83		10 05	9.62 10.48	9 98 10 12	7 59 10, 53 9 90 9 57	9.36	8 92	8 16 8 82 9. 50
1901	5 85 6 30 7 10 5 85	5. 95 6 75 7 15 6. 35	5 75 6 00 6 50 5.65	5 15 5 50 5 75 4.60	5. 25 5 75 5 60 4. 60	6 00 5 75 6. 20 4. 90	6 50 5 65	6 75 6.40	5 85 7.00 6.65 5 90	5 90 6 80 6. 40 6. 10			5. 61 6 36 6. 18 5. 61
1905 1906 1907 1908	6 15 7 00 7 00 6 75	6, 50 6, 40 6 50 6 60		5, 10 5, 60 6 00 5 50	5 25 5 65 6. 35 5. 60	5 85 5 80 6 15 5 80	5 60 6 40	6.00 6.35	6 75 6 50	6. 00 6. 50 6 00 7. 20	6. 25 6 25	6. 60 7. 00 6 00 7 40	6 23 6.34
1900 1910 1911 1912 1913	7 60 8 60 8 75 8 75 9 75	6 85 8 65 8 40 7 50 9 85	7 00 9 00 7. 40 8 00 10 50	6 30 7 85 6 60 7 40 8 50	6 35 7 35 7, 25 7 75 9, 25	6 50 7 85 7 60 8 00 9 75	7 60 7.40 8.75	8 00 9.75	8.75 11.25	8. 65 8. 60 10. 00	8.75 8.35 9.85	7 85 10 25	8. 25 7 91 8. 94
Av 1909-1913	8 69	8 25	8 38	7 33	7 59	7. 94	8. 23	8, 90	9. 47	9 17	8. 94	9 12	8, 50
1914 1915 1916 1917 1918 1919 1920	11 00 9 85 10 15 13 40 15 35 15 62 17 74		9 00 10 00 9.65 13 40 15 25 15 01 16 73	14.50 14.31	9 50 9. 15 10 40 13, 25 13, 50 14, 66 12 12	13. 40 16 02 16. 37	10 25 11 40 13 00 16 67 17 88	11. 50 12. 00 15 15 17 28 19 62	11 25 12 40 15, 00 18, 63 20 52	10 85 11 50 14, 85 16 83 18 05	10 15 11, 85 13 50 16 86 17 60	8 65 9 65 11. 77 15 25 16 01 16 56 10 39	10 08 10, 98 13 78 15 92 16, 83
Av 1914-1920	13. 30	13 00	12. 72	11 66	11 80	12 82	13. 40	14 52	15, 08	13. 84	13, 44	12 61	13 18
1921 1922 1923 1924	11 49 8. 36 10. 08 10 16		8 26 9 32	8. 12 6 97 8 68 8 57	8 66 8 46 9 51 8 64	8. 72 8 89 9. 31 8 00	¥ 90	10 88 10, 01	10, 71 11 92 9, 98	9, 39	8. 91 7. 82	7 81 9. 42 8 09 9. 04	9.42

Division of Statistical and Historical Research
Figures prior to July, 1920, for good beef steers, and prior to June, 1918, for calves, compiled from
Chicago Drovers Journal Yearbook, subsequent figures compiled from data of the reporting service of the
Livestock, Meats, and Wool Division

Bulk of sales, 1,100 lbs up.
 Simple average of monthly average prices

Year .	Jan.	Feb.	Mar	Apr.	May	June	July	Aug	Sept	Oct	Nov	Dec	Λv
1909 1910 1911 1912	3 58	3 61 3 78	3. 61 3 84 3 62	3 81 3. 73	3 54 3 84 3 72	3 64 3 95 3 71	8 71 4. 15 3. 71	3 98 4 18 4.05	4 28 4 21 4.15	4 62 4, 18 4 15	4. 32 4. 01 4 15	3. 47 4. 08	3 78 3 90 3 87
Av. 1909-1913	3 54	3 58	3 72	3 82	3 89	3 90		4. 19	4, 34	4 51	4 41	4 00	3 99
1914 1915 1916 1917	4 96 5 72 6 93 6 69 5 39	5 61 7.15 6 56	6 91 6 49	5 65 6 93	5 44 6 84 6 46	5 54 6 31 6 34	5 97 6 42 6 37	6 71 6 54 6. 40	6 84 6 16	7 16	7 13 6 95 6 03	6 59 6 74 5 55	6 24 6 81 6.32
1919 1920 Av 1914-1920	7 96 7 96 6 52	7 75 7. 97	7. 74 8 20		8 03 7.88	7 21 7. 56	8 60 7 47	8 92 7 42	9 63 7, 15	9 20	8. 25 6. 28	7 72 5 98	8 24 7 43
1921 1922 1923 1924	5 93 4 68 3 08 3 19	5 95 4 53 8 25	5 71 3 97 3 82	5 41 3 30	4 40 3 31 3 83	4 10 3 90 3 56	3 69 4. 41 3. 62	4 12 4 50 3 30	4 74 4 24 3 82	4 96 3.84 4 10	4. 90 3. 30 3. 48	4 39 3 25 3 23	4 86 3 94 3 60

Division of Statistical and Historical Research. Calculated from quotations in the Review of the Piver Plate Prices prior to May, 1924, originally quoted on basis of price per head supplemented from 1916 by price per pound of dressed carcass weight Calculations assume average dressed weight of 7.30 pounds or live weight of 1,259 pounds Live-weight quotations per pound from May, 1924. Converted from Argentine currency at average monthly rate of exchange

Table 453.—Cattle and calves: Trend of average farm prices and average market prices at Chicago, 1910-1924

	Farm	price	A verage price at	market Chicago	Price relatives, 1913-100					
Year	Beef	Veal calves.	Beef cattle.	Veal	Farm	price	Marke	t price		
	cattle, weighted average	simple average	simple average	calves, simple average	Beef cattle	Veal calves	Beef cattle	Veal calves		
1910	4, 45 5 15 5 91 6, 24 6 00 6 47 8 16	Dollars 6 41 6 06 6 45 7 48 7 83 7 63 8 33 10 47 11. 88 12. 74	Dollars 6 83 6 40 7 80 8 21 8 65 8 43 9 33 11 67 14 60 15 45	Dollars 8 25 7.91 8 94 10 19 10 10 10,08 10 98 13 78 15 92 16 85	80, 5 76 3 87, 1 100 0 105 6 101, 5 109 5 138 1 159 7 161, 8	85 7 81. 0 86 2 100 0 104. 7 102 0 111. 4 140. 0 158. 8 170 3	83 2 78 0 95 0 100 0 105 4 102 7 113 6 142 1 177. 8 188 2	81 0 77 6 87. 7 100. 0 99. 1 98. 9 107 8 135 2 156 2		
1920 1921 1922 1922 1923 1924		11 81 7 87 7. 69 7. 99 8. 13	13 32 8 16 8 82 9.50 9 49	14. 58 9. 36 9 15 9 42 9. 08	140 8 92. 4 92 7 94 2 94. 6	157. 9 105 2 102 8 106 8 108. 7	162. 2 99. 4 107. 4 115. 7 115. 6	143 1 91 9 89 8 92. 4 89. 1		

Division of Statistical and Historical Research. Farm prices from Division of Crop and Livestock Estimates; market prices compiled from data of the reporting service of the Livestock, Meats and Wool Division.

Table 454.—Cattle and calves: Monthly average price per 100 pounds, 1924 CHICAGO

1 66 0.45 9 11 1 82 0 65 1 1 8 94 1 8 94 1 8 94 1 8 94 1 8 6 67 1 4 64 1 8 6 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1 8 67 1	\$11 62 10 44 8 88 7 08 11 64 10 41 8 82 6 66 4 50 10.76 8 83 5.99 6 40 4 06 4 06 5.83	\$11 84 10 82 9 22 7 50 11 74 10 67 4 79 10 87 9 08 6 45 6 74 4 98 3 39	\$12 08 11 13 9 47 7 75 11. 79 10 88 9 25 7 18 5 06 10. 81 9 .20 6 73 7 48	\$11 65 10 76 9 39 7, 94 11 35 10 55 9 19 7 40 5 20 10, 41 9 10 6 67	\$10. 88 10 11 8. 93 7. 49 10. 57 9 85 8 62 6. 87 4. 86 9. 28 8. 36	\$10, 94 10 14 8 80 6, 97 10 61 10 02 8 65 6, 63 4 62 9, 49
9 11 7 38 1. 82 0 65 9 21 8 94 4 51 0 91 9 23 8 14 6 67 4 64 3. 07	10 44 8 88 7.08 11 64 10 41 8 82 6 66 4 50 10.76 8 83 5.99 6 40 4 66 3 16	10 82 9 22 7 50 11 74 10 67 9 05 6 97 4. 79 10. 87 9. 08 6 45 6 74	11 13 9 47 7 75 11. 79 10 88 9 25 7 18 5 06 10. 81 9. 29 6 73	10 76 9 39 7. 94 11 35 10 55 9 19 7 40 5 20 10 41 9 10	10 11 8. 93 7. 49 10, 57 9 85 8 62 6. 87 4. 86 9. 28	10 14 8 80 6 97 10 61 10 02 8 65 6 63 4 62 9, 49
9 11 7 38 1. 82 0 65 9 21 8 94 4 51 0 91 9 23 8 14 6 67 4 64 3. 07	10 44 8 88 7.08 11 64 10 41 8 82 6 66 4 50 10.76 8 83 5.99 6 40 4 66 3 16	10 82 9 22 7 50 11 74 10 67 9 05 6 97 4. 79 10. 87 9. 08 6 45 6 74	11 13 9 47 7 75 11. 79 10 88 9 25 7 18 5 06 10. 81 9. 29 6 73	10 76 9 39 7. 94 11 35 10 55 9 19 7 40 5 20 10 41 9 10	10 11 8. 93 7. 49 10, 57 9 85 8 62 6. 87 4. 86 9. 28	10 14 8 80 6 97 10 61 10 02 8 65 6 63 4 62 9, 49
9 11 7 38 1. 82 0 65 9 21 8 94 4 51 0 91 9 23 8 14 6 67 4 64 3. 07	10 44 8 88 7.08 11 64 10 41 8 82 6 66 4 50 10.76 8 83 5.99 6 40 4 66 3 16	10 82 9 22 7 50 11 74 10 67 9 05 6 97 4. 79 10. 87 9. 08 6 45 6 74	11 13 9 47 7 75 11. 79 10 88 9 25 7 18 5 06 10. 81 9. 29 6 73	10 76 9 39 7. 94 11 35 10 55 9 19 7 40 5 20 10 41 9 10	10 11 8. 93 7. 49 10, 57 9 85 8 62 6. 87 4. 86 9. 28	10 14 8 80 6 97 10 61 10 02 8 65 6 63 4 62 9, 49
9 11 7 38 1. 82 0 65 9 21 8 94 4 51 0 91 9 23 8 14 6 67 4 64 3. 07	8 88 7.08 11 64 10 41 8 82 6 66 4 50 10.76 8 83 5.99 6 40 4 66 3 16	9 22 7 50 11 74 10 67 9 05 6 97 4. 79 10. 87 9. 08 6 45 6 74	9 47 7 75 11, 79 10 88 9 25 7 18 5 06 10, 81 9, 29 6 73	9 39 7, 94 11 35 10 55 9 19 7 40 5 20 10, 41 9 10	8. 93 7. 49 10. 57 9 85 8 62 6. 87 4. 86 9. 28	8 80 6, 97 10 61 10 02 8 65 6, 63 4 62 9, 49
7 38 1, 82 0 65 9 21 8 94 4 51 0 91 9 23 8 14 6 67 4 64 3, 07 5, 03	7. 08 11 64 10 41 8 82 6 66 4 50 10. 76 8 83 5. 99 6 40 4 66 3 16	7 50 11 74 10 67 9 05 6 97 4. 79 10. 87 9. 08 6 45 6 74	7 75 11, 79 10 88 9 25 7 18 5 06 10, 81 9, 29 6 73	7.94 11 35 10 55 9 19 7 40 5 20 10.41 9 10	7. 49 10. 57 9 85 8 62 6. 87 4. 86 9. 28	6. 97 10 61 10 02 8 65 6. 63 4 62 9, 49
1. 82 0 65 9 21 8 94 4 51 0 91 9 23 8 14 6 67 4 64 3, 07 5, 03	11 64 10 41 8 82 6 66 4 50 10.76 8 83 5.99 6 40 4 66 3 16	11 74 10 67 9 05 6 97 4. 79 10. 87 9. 08 6 45 6 74	11, 79 10 88 9 25 7 18 5 06 10, 81 9, 29 6 73	11 35 10 55 9 19 7 40 5 20 10.41 9 10	10, 57 9 85 8 62 6, 87 4, 86 9, 28	10 61 10 02 8 65 6, 63 4 62 9, 49
0 65 9 21 8 94 4 51 0 91 9 23 8 14 6 67 4 64 3, 07	10 41 8 82 6 66 4 50 10. 76 8 83 5. 99 6 40 4 66 3 16	10 67 9 05 6 97 4. 79 10. 87 9. 08 6 45 6 74	10 88 9 25 7 18 5 06 10,81 9,29 6 73	10 55 9 19 7 40 5 20 10, 41 9 10	9 85 8 62 6. 87 4. 86 9. 28	10 02 8 65 6, 63 4 62 9, 49
0 65 9 21 8 94 4 51 0 91 9 23 8 14 6 67 4 64 3, 07	10 41 8 82 6 66 4 50 10. 76 8 83 5. 99 6 40 4 66 3 16	10 67 9 05 6 97 4. 79 10. 87 9. 08 6 45 6 74	10 88 9 25 7 18 5 06 10,81 9,29 6 73	10 55 9 19 7 40 5 20 10, 41 9 10	9 85 8 62 6. 87 4. 86 9. 28	10 02 8 65 6, 63 4 62 9, 49
8 94 4 51 0 91 9 23 8 14 6 67 4 64 3, 07 8, 03	6 66 4 50 10. 76 8 83 5. 99 6 40 4 66 3 16	6 97 4.79 10.87 9.08 6 45 6 74	7 18 5 06 10, 81 9, 29 6 73	7 40 5 20 10.41 9 10	6. 87 4. 86 9. 28	6, 63 4 62 9, 49
4 51 0 91 9 23 8 14 6 67 4 64 3, 07	4 50 10.76 8 83 5.99 6 40 4 66 3 16	4. 79 10. 87 9. 08 6 45 6 74	5 06 10, 81 9, 29 6 73	5 20 10, 41 9 10	4. 86 9. 28	4 62 9, 49
9 23 8 14 6 67 4 64 3, 07	10.76 8 83 5.99 6 40 4 66 3 16	10, 87 9, 08 6 45 6 74	10, 81 9, 29 6 73	10. 41 9 10	9, 28	9, 49
9 23 8 14 6 67 1 64 3, 07	8 83 5.99 6 40 4 66 3 16	9. 08 6 45 6 74	9. 29 6 73	9 10		
9 23 8 14 6 67 1 64 3, 07	8 83 5.99 6 40 4 66 3 16	9. 08 6 45 6 74	9. 29 6 73	9 10		
8 14 6 67 4 64 3, 07	5. 99 6 40 4 66 3 16	6 45 6 74	6 73		8.36	
6 67 4 64 3, 07	6 40 4 66 3 16	6 74	Ī	6 67		8, 73
6. 03 6. 03	4 66 3 16	6 74 4.98	7 49		6.18	6, 31
6. 03 6. 03	4 66 3 16	4.98		7.72	6. 81	6.85
3, 07 5, 03	3 16	2 20	5 15	6 40	4 70	4 63
s. 03			3 25	5 40 3 29	3. 20	3.04
	5, 83			ι	1	
4 56		5 77	6 03	6.07	5, 96	5 93
	4 46	4 43	4 38	4. 37	4 32	4.19
	1	l	1	1	1	i
1 08	10 54	9 75	9 03	9 30	8 74	9.48
9. 23	9. 10	8 74	8, 11	7 98	8 74 7 25	7. 66
7 19	7 00	7 03	6 78	6 64	5, 97	5, 78
				ł	.	
		6 41		6 21		6 80
5 16	5 80	6 72	5 30	5.39	5.40	5, 57
	1	ì	ľ	j	1	1
5 72	6 71	7 17	7, 51	8 26	7. 78	7 30
5 14	6 20	6. 61	6 94	7 32	6 76	6 36
3 78						4 57
1 18	4 19	4 45	4 61	4 57	4.40	4, 33
			!	<u> </u>	<u> </u> -	
	Aug.	Sept.	Oct.	Nov	Dec	Av.
			l	Į		ĺ
	A10 FF	***				
			10.20			\$11.45 10.44
	8 30	8 29	8 69	8 60	9. 11	8 90
	6 38	6 20				6 93
				§	1	1
				12 45		11.61
		9 94		11 06	12.02	10 55
				5.00	6 16	8. 80 6. 56
		3 93		3 94	4 13	4. 47
vn).		" "		000	1 . 10	
	9, 84	10 07	10.66	10 87	11.54	10.46
	0.00	0.00			0.00	
•						9 04
	0. 10	0.12	0. 91	0 00	0 40	0. 10
	6 86	6 42	6, 15	5 92	5 78	6 65
	4 54	4 26	4 08	4 04	3 95	4 59
	2.85	2 94	2, 96	3.03	2.84	3.08
		F 00				
					9 27	5 72 4.11
	0.70	3 30	3.01	0.07	0. "	4. 11
	1	ł	l	1		i .
	10 63	10.72	10 10	9 02	9 97	9.80
	8 62	8 72	8 39	7. 54	8. 10	8.20
	5 ¥3	5.78	5.94	5.69	5.77	6, 25
	7 12	7 99	7 40	R RO	8 00	6, 77
		5.58				5. 5
	0.00	1 555	""		1.50	0.0
				1	1	
	6 74	6.66	6. 50	6. 25	6.11	6.98
		6 26 4.09	6. 28	6.00	5.83	6. 39
	3 98	4L UN	4. 22	3 92 4.01	3. 81 3. 78	4. 2
	4. 10	4, 24	4. 26			2.27
76 8934	7 31 3 16 3 72 3 14 3 78 4 18 78 18 18 78 18 18 18 18 18 18 18 18 18 18 18 18 18	Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Table Tabl	7 31 7 12 6 41 5 80 5 72 6 71 7 17 3 14 6 20 6 61 3 78 3 84 1 34 1 18 4 19 4 45 8 10 75 8 10 88 9 92 9.92 8 30 8 29 6 38 6 20 6 10 6 8 11 00 9 90 94 8 20 8 20 8 20 10 6 38 6 20 10 10 68 11 00 7 9 90 92 8 30 8 29 6 10 10 68 11 00 7 9 90 92 8 30 8 20 8 20 10 10 68 11 00 7 9 90 92 8 30 8 20 8 20 8 20 8 20 8 20 8 20 8 2	7 31 7 12 6 41 5 83 5 16 5 80 5 72 5 30 5 72 6 71 7 17 7.51 6 94 18 4 19 4 45 4 61	7 31 7 12 6 41 5 83 6 21 5 80 5 72 5 30 5 39 6 39 6 30 6 31 6 30 6 31 6 30 6 31 6 30 6 31 6 30 6 31 6 30 6 31 6 30 6 31 6 30 6 31 6 30 6 31 6 30 6 31 6 30 6 31 6 31	(31

¹ Beef yearlings excluded.

TABLE 454.—Cattle and calves: Monthly average price per 100 pounds, 1924—Con.

EAST ST. LOUIS

EAST ST	. LOU	8					
Classification	Jan.	Feb.	Mar.	Apr.	May	June	July
Slaughter cattle:			<u> </u>				
Beef steers (1,100 pounds up)—	l	l	l		1		
Choice and prime. Good Medium. Common Beef steers (1,100 pounds down)— Choice and prime. Good. Medium Common Common Canner and cutter. Light yearling steers and helfers (800 pounds down), good and prime	\$11. 57	\$11.44	\$11.64	\$11.90	\$11.74	\$10.78	\$10.65
Modium	10.40	10. 40 8. 76	10. 67 9. 05	10. 88 9. 27	10 75 9 21	10 02 8 56	10 00 8. 26
Common	6.80	7.04	7. 85	7.40	7. 22	6.80	6. 44
Beef steers (1,100 pounds down)—	""	l	i	ĺ	1	1	i
Choice and prime	11.67	11.50	11 65	11 73	11 50	10.56	10 29
Good	10.61	10. 49 8. 79	10 61 9.00	10 61 9 07	10. 45 8. 90	9. 74 8. 23	9. 48 7 83
Common	8 35	6 55	6.86	6 94	6 85	6. 22	5.85
Canner and cutter	4.12	4 25	4.48	4. 73	4.74	4.42	4 28
Light yearling steers and heifers (800 pounds		1		l	1		
	10.37	10. 18	10.07	9 81	9. 69	9. 16	9.09
Heifers— 850 pounds up (good and choice)	8.00	7 71	8 02	8 12	7 95	7. 28	7.14
All weights (common and medium)	5. 24	5.00	5. 15	5. 27	5. 50	5. 41	5.04
Cows-	ł	i	ļ	1]	į	
Good and choice	6 13	6. 17	6. 52	6 85	7.07	6 42	6 05
Common and medium	4.49	4 59	4.88	5. 12	5, 27	4.68	4 47
Canner and cutter	2. 91	2. 92	3. 22	3. 22	3 20	2.98	2 79
Good and choice	5 74	5, 84	5 77	6.00	6 16	6, 10	5 75
Canner to medium (canner and bologna)	3.88	4.11	4, 08	3. 98	4 19	4 13	4 03
Slaughter calves:	1	1	1	1	1	1	i -
Medium to choice—			0.05	0.41	0.00		
190 pounds down	10 33 7 82	10.40 9 12	8. 95 8. 34	8. 41 7. 78	8 33 7 50	7.90 6 87	8.06 6.76
190-260 pounds 260 pounds up	6 04	6 49	6 51	6 86	6.61	6. 27	5.60
Cuil and common—	l	"	1	" "	1	}	
190 pounds down	5 19	5 52	5 28	5 18	5 18	5.09	5.08
190 pounds up	3 33	4 00	4 00	4 00	4.00	3.89	3.59
Feeder and stocker cattle and calves	1	ļ	}	ļ	ł	1	i
Common to choice (750 pounds up)	5 93	6 00	6 36	6 75	6. 83	6, 28	5 70
Common to choice (750 pounds up)	5 62	5 75 3 63	6,00	6 38	6 47 4 36	6 15	5 63
interior (all weights)	3 62	3 63	3. 98	4 29	4 36	3 88	3 44
Cows and helfers (common to choice)	3 72	3 93	4 16	4 32	4 32	4 10	3 98
Classification		Aug	Sept.	Oct.	Nov	Dec.	Av.
Slaughter cattle. Beef steers (1,100 pounds up)-		1	}		}		
Choice and prime		\$10 68	\$10.64	\$10.87	\$10.91	\$12 01	\$11. 24
Good		9.80	9. 62	9. 67	9. 46	10. 13	10 15
Choice and prime Good. Medium Common. Beef steers (1,100 pounds down) — Choice and prime Good. Medium Common. Beef steers (1,100 pounds down) — Choice and prime Good. Medium		7 88	7 70	7 64	7.43	7.61	8. 34
Common		5 69	5 48	5. 40	5 42	5.48	6. 38
Chaus and rame		10 55	10 77	11. 56	12.06	13 11	*** **
Good		0.58	9 80	10 42	10 54	11. 19	11. 41 10 29
Medium	-	7 54	7 66	7 90	7 99	8, 19	8 32
Common			5.19	5.11	5 22	5. 28	5 98
Canner and cutter Light yearling steers and helfers (800 pounds		4 08	3. 94	3. 91	3 82	3.74	4. 21
good and prime	iown),	9. 67	9. 76	9. 97	9 98	10.48	9, 85
Heifers—		8.07	9. 10	9.97	סמע	10. 40	9, 60
		7. 01	7 32	7, 25	6. 99	7. 38	7. 51
850 pounds up (good and choice)		4 54	4 68	4. 62	4 56	4.82	4, 99
Cows—		- 04	- 00		٠	- 40	
Good and choice		5. 94 4. 17	5. 68 4. 12	5. 44 4. 04	5. 16 3. 96	5.42 4.10	6.07
Canner and cutter	•••••	2.69	2.80	2.81	2.86	2.82	2.94
Bulls—		i	1 2.00		1	ł	-, -,
Good and choice 1. Canner to medium (canner and bologna)		5. 62	5. 50	5.11	4.98	4.92	5. 62
Canner to medium (canner and bologna)		3. 68	3. 43	3.30	3.34	3. 26	3.79
Slaughter calves. Medium to choice—		}	1	1	l		i
190 pounds down		8. 83	9. 10	8.74	8.03	8.99	8.84
190-260 pounds.		7. 54	8. 22	8.03	7. 32	8.28	7.80
190 pounds down		5 04	5. 02	4.75	4.91	5. 25	5.78
Cun and common—		1			1		
190 pounds down		5. 16	5. 25 2. 88	5. 13	4.98 2.94	5.00	5.17
Feeder and stocker cattle and calves.		3. 04	2.00	2.88	2, 1/4	2.94	3.46
Steers		1	l	j	l]	1
Common to choice (750 pounds up) Common to choice (750 pounds down) Inferior (all weights)		5 55	5.75	5.46	5.49	5. 62	5, 98
Common to choice (750 pounds down)		5.50	5. 40	5.02	5.18	5. 38	1 5.71
Cows and heifers (common to choice).		3 38 4.06	3. 54 4. 10	3. 35 3. 79	3 44 3 72	3. 59 3. 60	3, 71 3, 98

¹ Beef yearlings excluded.

Table 454.—Cattle and calves: Monthly average price per 100 pounds, 1924—Con.
FORT WORTH

	Jan.	Feb.	Mar.	Apr.	May	June	July
Slaughter cattle.							
Slaughter cattle. Beel steers (1,100 pounds up)—							
Medium	\$7 23 5 33	\$7.31	\$7. 25 5 38	\$7. 54 5. 68	\$7.35 5.68	\$7 27 5.72	\$6. 90 5. 45
Common Beef steers (i,100 pounds down)—	0 00	5. 40	0 30	0.00	0.00	0.12	0. 1 .2
Good	8 65	8.49	8 25	8.55	8.47	8.17	7. 79
Good Medium	7. 19	7. 02	6 88	7 19	7 16	6.82	6. 49
Common Canner and cutter	5 24 3 25	5 16	5. 13 3. 25	5. 39 3. 38	5 54 3 60	5 28 3, 52	4. 98 3. 36
Light yearling steers and helfers (800 pounds	3 20	3. 25	3. 20	3. 36	3 00	0.02	3. 30
down) good and prime	8, 92	8.65	8,50	8. 57	8 28	7.88	7. 63
Heifers—	1	1	i .			ا ا	
850 pounds up (good and choice)	6 84	6. 56 4. 02	6 98	6 94 4.45	6 52 4 13	6 24 3.95	6 20 3.99
Cows—	4 02	4.02	7 //3	3, 30	7 10	9. 90	o. yr
Good and choice	4 77	4 92	5 44	5. 74	5 58	5 06	4. 8
Common and medium	3. 47	3 63	3.86	4.08	3 98	3 54	3.48
Canner and cutter	2 35	2. 47	2 46	2. 42	2. 36	2, 13	2, 20
Bulls Good and choice !	4 19	4 22	4 25	4 21	4 07	4 01	3 9
Good and choice 1 Canner to medium (canner and bologna)	2 77	2.76	2.88	2.84	2 70	2.64	2.69
Slaughter calves					1		
Medium to choice—	00	6 80	* 00	7. 38	7. 29	6 63	6 2
190 pounds down	6. 56 6 21	6.52	7 33 7.07	6 80	6 58	5 91	5 69
190–260 pounds 260 pounds up	5. 88	6 28	6 70	6.30	6.08	5 53	5 2
Cull and common—	ì		1		1		
190 pounds down	3 74	4.00	4 22	4 14	4. 33	3 84	3 6
190 pounds up	3. 45	3 72	3 97	3 76	3 69	3. 24	3 1
Steers—	1	1	!		l		
Common to choice (750 pounds up)	5. 50	5 50	5 80	5 88	5 90	5, 89	5 62
Common to choice (750 pounds down)	5 25	5 25	5 55	5 62	5 55	5.34	4 93
Inferior (all weights)	3 12	3 12 2 94	3 23	3 25	3 25 3 70	3. 19	3.06
Cows and heifers (common to choice)	2.92 4.71	4 80	3 02 5 23	3 45 5 25	5 07	3 52 4.53	3 26 4.17
				0 =0			
Classification		Aug	Sept.	Oct.	Nov.	Dec	Av.
Slaughter cattle Beef steers (1,100 pounds up)—							
Medium.		\$6 75	\$6.78	\$6, 52	\$6, 50	\$6, 56	\$7.00
Medium. Common. Beef steers (1,100-pounds down)— Good Medium.		5, 12	4, 91	4.64	4 62	4 70	5, 22
Beef steers (1,100 pounds down)—		1				4.76	
			7 00	0.00		1	
Modum		7 75 8 25	7.99	8.00	8 00 8 25	8.11	8 18
Common		7 75 6. 25 4. 62	6, 40	8.00 6 26 4.26	6.25	8, 11 6 41	8 18 6. 69
Common		7 75 6. 25 4. 62 3 24	7. 99 6. 40 4 44 3 03	6 26	8 00 6. 25 4. 25 3. 00	8.11	8 18 6. 69 4. 88
Common), good	6. 25 4. 62 3 24	6, 40 4 44 3 03	6 26 4. 26 3. 00	6. 25 4. 25 3. 00	8, 11 6 41 4, 33 3 00	8 18 6. 69 4. 89 3 24
Common Common Canner and cutter Light yearling steers and helfers (800 pounds down and prime), good	6. 25 4. 62 3 24	6, 40 4 44	6 26	6. 25 4. 25	8, 11 6 41 4, 33	8 18 6. 69 4. 89 3 24
Common Canner and cutter Light yearling steers and herfers (800 pounds down and prime Hofers), good	6. 25 4. 62 3 24 7 62	6, 40 4 44 3 03	6 26 4. 26 3. 00	6. 25 4. 25 3. 00 8. 25	8, 11 6 41 4, 33 3 00	8 18 6. 69 4. 88 3 24 8. 20
Common Common Canner and cutter Light yearling steers and horfers (800 pounds down and prime Herfers - 850 pounds up (good and choice) All weights (common and medium)), good	6. 25 4. 62 3 24 7 62	6, 40 4 44 3 03 7, 78	6 26 4. 26 3. 00 8 29	6. 25 4. 25 3. 00	8. 11 6. 41 4. 33 3. 00 8. 76	8 16 6. 69 4. 88 3 24 8. 20 6. 56
Conner and cutte: Conner and cutte: Light yearling steers and helfers (800 pounds down and prime. Helfers - 850 pounds up (good and choice). All wughts (common and medium). Cows), good	6. 25 4. 62 3 24 7 62 6 25 3 98	6, 40 4 44 3 03 7, 78 6 51 3 92	6 26 4. 26 3. 00 8 29 6 52 3. 89	6. 25 4. 25 3. 00 8. 25 6. 38 3. 74	8. 11 6 41 4. 33 3 00 8 76 6. 69 3. 99	8 18 6. 69 4. 88 3 24 8. 20 6. 51 4. 00
Common Common Canner and cutter Light yearling steers and helfers (800 pounds down and prime Helfers - 850 pounds up (good and choice) All weights (common and medium) Cows - Good and choice), good	6. 25 4. 62 3 24 7 62 6 25 3 98 4. 60	6, 40 4 44 3 03 7, 78 6 51 3 92 4 50	6 26 4. 26 3. 00 8 29 6 52 3. 89 4. 26	6. 25 4. 25 3. 00 8. 25 6. 38 3. 74 4 16	8, 11 6 41 4, 33 3 00 8 76 6, 69 3, 99 4, 20	8 18 6. 68 4. 88 3 24 8. 20 6. 51 4. 00
Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Co), good	6. 25 4. 62 3 24 7 62 6 25 3 98 4. 60 3 12	6, 40 4 44 3 03 7, 78 6 51 3 92 4 50 3, 12	6 26 4. 26 3. 00 8 29 6 52 3. 89 4. 26 2 98	6. 25 4. 25 3. 00 8. 25 6. 38 3. 74 4 16 2. 98	8.11 6.41 4.33 3.00 8.76 6.69 3.99 4.20 2.99	8 18 6. 69 4. 88 3 24 8. 20 6. 51 4. 00 4. 84 3. 43
Common Common Common Common Common Common Light yearling steers and heifers (800 pounds down and prime Heifers 850 pounds up (good and choice) All weights (common and medium) Cows- Good and choice Common and medium Canner), good	6. 25 4. 62 3 24 7 62 6 25 3 98 4. 60 3 12 2. 01	6. 40 4 44 3 03 7. 78 6 51 3 92 4 50 3. 12 2 19	6 26 4. 26 3. 00 8 29 6 52 3. 89 4. 26 2 98 2, 12	6. 25 4. 25 3. 00 8. 25 6. 38 3. 74 4 16 2. 98 2. 20	8, 11 6 41 4, 33 3 00 8 76 6, 69 3, 99 4, 20	8 18 6. 69 4. 85 3 24 8. 20 6. 51 4. 00 4. 84 3. 43 2. 20
Common Common Common Common Common Common Light yearling steers and heifers (800 pounds down and prime Heifers 850 pounds up (good and choice) All weights (common and medium) Cows- Good and choice Common and medium Canner), good	6. 25 4. 62 3 24 7 62 6 25 3 98 4. 60 3 12 2. 01	6. 40 4 44 3 03 7. 78 6 51 3 92 4 50 3. 12 2 19 3 488	6 26 4. 26 3. 00 8 29 6 52 3. 89 4. 26 2 98 2. 12 3. 76	6. 25 4. 25 3. 00 8. 25 6. 38 3. 74 4 16 2. 98 2. 20 3. 76	8. 11 6. 41 4. 33 3. 00 8. 76 6. 69 3. 99 4. 20 2. 99 2. 23 3. 64	8 18 6 69 4 88 24 8 26 4 8 4 8 4 9 4 9 4 9 4 9 4 9 9 9 9 9 9 9
Common Canner and cutte: Light yearling steers and heifers (800 pounds down and prime Heifers - 850 pounds up (good and choice) All weights (common and medium) Cows- Good and choice Common and medium Canner and cutter Bulls — Good and choice 1 Canner to medium (canner and bologna)), good	6. 25 4. 62 3 24 7 62 6 25 3 98 4. 60 3 12 2. 01	6. 40 4 44 3 03 7. 78 6 51 3 92 4 50 3. 12 2 19	6 26 4. 26 3. 00 8 29 6 52 3. 89 4. 26 2 98 2, 12	6. 25 4. 25 3. 00 8. 25 6. 38 3. 74 4 16 2. 98 2. 20	8. 11 6 41 4. 33 3 00 8 76 6. 69 3. 99 4. 20 2. 99 2. 23	8 18 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
Common Common Canner and cutte: Light yearling steers and heifers (800 pounds down and prime Heifers - 850 pounds up (good and choice) All weights (common and medium) Cows- Good and choice Common and medium Canner and cutter Bulls - Canner to medium (canner and bologna) Slaughter calves: Medium to choice), good	6. 25 4. 62 3 24 7 62 6 25 3 98 4. 60 3 12 2. 01 3. 88 2. 63	6. 40 4 44 3 03 7. 78 6 51 3 92 4 50 3. 12 2 19 3 488	6 26 4. 26 3. 00 8 29 6 52 3. 89 4. 26 2 98 2. 12 3. 76	6. 25 4. 25 3. 00 8. 25 6. 38 3. 74 4 16 2. 98 2. 20 3. 76	8. 11 6. 41 4. 33 3. 00 8. 76 6. 69 3. 99 4. 20 2. 99 2. 23 3. 64	8 18 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
Common Common Canner and cutte: Light yearling steers and heifers (800 pounds down and prime Heifers - 850 pounds up (good and choice) All weights (common and medium) Cows- Good and choice Common and medium Canner and cutter Bulls - Canner to medium (canner and bologna) Slaughter calves: Medium to choice), good	6. 25 4. 62 3 24 7 62 6 25 3 98 4. 60 3 12 2. 01 3. 88 2. 63	6. 40 4 44 3 03 7. 78 6 51 3 92 4 50 3. 12 2 19 3 488 2. 62	6 26 4. 26 3. 00 8 29 6 52 3. 89 4. 26 2 98 2. 12 3. 76 2 56	6. 25 4. 25 3. 00 8. 25 6. 38 3. 74 4. 16 2. 98 2. 20 3. 76 2. 50	8. 11 6 41 4. 33 3 00 8 76 6. 69 3. 99 4. 20 2. 99 2. 23 3. 64 - 2. 46	8 18 6. 6. 82 4. 88 20 4. 8. 20 4. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
Common Common Canner and cutte: Light yearling steers and heifers (800 pounds down and prime Heifers - 850 pounds up (good and choice) All weights (common and medium) Cows- Good and choice Common and medium Canner and cutter Bulls - Canner to medium (canner and bologna) Slaughter calves: Medium to choice), good	6. 25 4. 62 3 24 7 62 6 25 3 98 4. 60 3 12 2. 01 3. 88 2. 63	6. 40 4 44 3 03 7. 78 6 51 3 92 4 50 3. 12 2 19 3 88 2. 62 6 78 5 91	6 26 4. 26 3. 00 8 29 6 52 3. 89 4. 26 2 98 2. 12 3. 76 2 56 6. 71 8. 50	6. 25 4. 25 3. 00 8. 25 6. 38 3. 74 4 16 2. 98 2. 20 3. 76 2. 50 6. 28 6. 06	8. 11 6 41 4. 33 3 00 8 76 6. 69 3. 99 4. 20 2. 99 2. 23 3. 64 - 2. 46 6. 64 8. 78	8 18 6. 6. 4. 88 3 24 8. 22 6. 5. 4. 0. 4. 8. 3. 43 2. 26 3. 98 2. 67 6. 73 6. 0. 73 6. 0. 73
Common Common Canner and cutte: Light yearling steers and heifers (800 pounds down and prime Heifers - 850 pounds up (good and choice) All weights (common and medium) Cows- Good and choice Common and medium Canner and cutter Bulls - Good and choice ! Conner to medium (canner and bologna) Slaughter culves: Medium to choice— 190 pounds down 190 200 pounds 260 pounds up), good	6. 25 4. 62 3 24 7 62 6 25 3 98 4. 60 3 12 2. 01 3. 88 2. 63	6. 40 4 44 3 03 7. 78 6 51 3 92 4 50 3. 12 2 19 3 88 2. 62 6 78	6 26 4. 26 3. 00 8 29 6 52 3. 89 4. 26 2 98 2. 12 3. 76 2 56	6. 25 4. 25 3. 00 8. 25 6. 38 3. 74 4 16 2. 98 2. 20 3. 76 2. 50 6. 28	8. 11 6. 41 4. 33 3. 00 8. 76 6. 69 3. 99 4. 20 2. 23 3. 64 - 2. 46	8 18 6. 6. 4. 88 3 24 8. 22 6. 5. 4. 0. 4. 8. 3. 43 2. 26 3. 98 2. 67 6. 73 6. 0. 73 6. 0. 73
Common Canner and cutte: Light yearling steers and heifers (800 pounds down and prime. Heifers S50 pounds up (good and choice) All weights (common and medium) Cows- Good and choice Common and medium ('anner and cutter Bulls — Good and choice 1 Canner to medium (canner and bologna) Slaughter calves: Medium to choice— 190 pounds down 190-280 pounds 260 pounds up. Cull and common—), good	6. 25 4. 62 3 24 7 62 6 25 3 98 4. 60 3 12 2. 01 3. 88 2. 63 6. 15 5 43 4. 83	6. 40 4 44 3 03 7. 78 6 51 3 92 4 50 3.12 2 19 3-88 2. 62 6 78 5 91 4. 77	6 26 4.26 3.00 8 29 6 52 3.89 4.26 2 98 2.12 3.76 2 56 6.71 8.50 4.54	6. 25 4. 25 3. 00 8. 25 6. 38 3. 74 4 16 2. 98 2. 20 3. 76 2. 50 6. 28 8. 06 4. 33	8. 11 6. 41 4. 33 3. 00 8. 76 6. 69 3. 99 4. 20 2. 99 2. 23 3. 64 6. 64 5. 78 5. 17	8 18 6. 69 4. 88 3 24 8. 27 6. 55 4. 00 4. 84 3. 46 2. 26 7 6. 77 6 0 0 5. 47
Common Canner and cutte: Light yearling steers and heifers (800 pounds down and prime. Heifers - S50 pounds up (good and choice). All weights (common and medium). Cows- Good and choice Common and medium. Canner and cutter Bulls - Good and choice 1 Canner to medium (canner and bologna). Slaughter calves: Medium to choice— 190 pounds down. 190-200 pounds. 260 pounds up. Cull and common— 190 pounds down.), good	6. 25 4. 62 3 24 7 62 6 25 3 98 4. 60 3 12 2. 01 3. 88 2. 63 6. 15 5 43 4. 83	6. 40 4 44 3 03 7. 78 6 51 3 92 4 50 3. 12 2 19 3 88 2. 62 6 78 5 91 4. 77	6 26 4.26 3.00 8 29 6 52 3.89 4.26 2 98 2.12 3.76 2 56 6.71 8.50 4.54 4.13	6. 25 4. 25 3. 00 8. 25 6. 38 3. 74 4 16 2. 98 2. 20 3. 76 2. 50 6. 28 6. 06 4. 33	8.11 6.41 4.33 3.00 8.76 6.69 3.99 4.20 2.29 2.23 3.64 - 2.46 6.64 5.78 5.17 4.16	8 18 6. 69 4. 88 3 24 8. 27 6. 55 4. 06 4. 84 3. 43 2. 26 6. 57 6 00 5. 47 4 00
Common Canner and cutte: Light yearling steers and heifers (800 pounds down and prime. Heifers - S50 pounds up (good and choice). All weights (common and medium). Cows- Good and choice Common and medium. Canner and cutter Bulls - Good and choice 1 Canner to medium (canner and bologna). Slaughter calves: Medium to choice— 190 pounds down. 190-200 pounds. 260 pounds up. Cull and common— 190 pounds down.), good	6. 25 4. 62 3 24 7 62 6 25 3 98 4. 60 3 12 2. 01 3. 88 2. 63 6. 15 5 43 4. 83	6. 40 4 44 3 03 7. 78 6 51 3 92 4 50 3.12 2 19 3-88 2. 62 6 78 5 91 4. 77	6 26 4.26 3.00 8 29 6 52 3.89 4.26 2 98 2.12 3.76 2 56 6.71 8.50 4.54	6. 25 4. 25 3. 00 8. 25 6. 38 3. 74 4 16 2. 98 2. 20 3. 76 2. 50 6. 28 8. 06 4. 33	8. 11 6. 41 4. 33 3. 00 8. 76 6. 69 3. 99 4. 20 2. 99 2. 23 3. 64 6. 64 5. 78 5. 17	8 18 6. 69 4. 88 3 24 8. 27 6. 55 4. 06 4. 84 3. 43 2. 26 6. 57 6 00 5. 47 4 00
Common Common Canner and cutter Light yearling steers and herfers (800 pounds down and prime. Herfers 850 pounds up (good and choice) All weights (common and medium) Cows Good and choice Common and medium Canner and cutter Bulls - Good and choice 1 Conner to medium (canner and bologna) Slaughter calves; Medium to choice- 190 pounds down. 190-200 pounds. 260 pounds up. Cull and common- 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down.), good	6. 25 4. 62 3 24 7 62 6 25 3 98 4. 60 3 12 2. 01 3. 88 2. 63 6. 15 5 43 4. 83 3. 72 2. 91	6.40 4.44 3.03 7.78 6.51 3.92 4.50 3.12 2.19 3.88 2.62 6.78 5.91 4.77 4.22 3.09	6 26 4.26 3.00 8 29 6 52 3.89 4.26 2 98 2.12 3.76 2 56 6.71 8.50 4.54 4.13	6. 25 4. 25 3. 00 8. 25 6. 38 3. 74 4 16 2. 98 2. 20 3. 76 2. 50 6. 28 6. 06 4. 33	8. 11 0. 41 4. 33 3. 00 8. 76 0. 69 4. 20 2. 99 2. 23 3. 64 - 2. 46 6. 64 5. 17 4. 16 3. 15	8 18 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
Common Common Canner and cutter Light yearling steers and herfers (800 pounds down and prime. Herfers 850 pounds up (good and choice) All weights (common and medium) Cows Good and choice Common and medium Canner and cutter Bulls - Good and choice 1 Conner to medium (canner and bologna) Slaughter calves; Medium to choice- 190 pounds down. 190-200 pounds. 260 pounds up. Cull and common- 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down.), good	6. 25 4. 62 3 24 7 62 6 25 3 98 4. 60 3 12 2. 01 3. 88 2. 63 6. 15 5 43 4. 83 3. 72 2. 91	6. 40 4 44 3 03 7. 78 6 51 3 92 4 50 3.12 2 19 3.88 2.62 6 78 5 91 4. 77 4 22 3. 09	6 26 4.26 3.00 8 29 6 52 3.89 4.26 2.98 2.12 3.76 2.56 6.71 8.50 4.54 4.13 2.94	6. 25 4. 25 3. 00 8. 25 6. 38 3. 74 4 16 2. 98 2. 20 3. 76 2. 50 6. 28 5. 06 4. 33 3. 86 2. 81	8.11 6.41 4.33 3.00 8.76 6.69 3.99 2.23 3.64 - 2.46 6.64 5.78 5.17 4.16 3.15	8 18 66 66 4. 88 3 24 8. 22 6. 55 4. 00 4. 8. 3. 42 2. 26 6. 77 6 00 5. 47 4 00 5. 47 4 00 5. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6.
Common Canner and cutte: Light yearling steers and heifers (800 pounds down and prime Heifers - 850 pounds up (good and choice). All weights (common and medium). Cows- Good and choice. Common and medium. Canner and cutter Bulls - Good and choice 1 Conner to medium (canner and bologna). Slaughter calves: Medium to choice- 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down.), good	6. 25 4. 62 3 24 7 62 6 25 3 98 4. 60 3 12 2. 01 3. 88 2. 63 6. 15 5 43 4. 83 3. 72 2. 91	6. 40 4 44 3 03 7. 78 6 51 3 92 4 50 3.12 2 19 3 88 2 62 6 78 5 91 4. 77 4 22 3. 09	6 26 4.26 3.00 8 29 6 52 3.89 4.26 2.98 2.12 3.76 2.56 6.71 8.50 4.54 4.13 2.94	6. 25 4. 25 3. 00 8. 25 6. 38 3. 74 4 16 2. 98 2. 20 3. 76 2. 50 6. 28 8. 06 4. 33 3. 86 2. 81	8. 11 6. 41 4. 33 3. 00 8. 76 6. 69 4. 20 2. 99 2. 23 3. 64 6. 64 5. 17 4. 16 3. 15	8 18 6. 66 4. 88 3 24 8. 26 6. 56 4. 00 4. 83 2. 26 3. 98 2. 67 6. 73 6. 04 5. 47 4 00 3. 32 5. 66 5. 06
Common Common Canner and cutter Light yearling steers and herfers (800 pounds down and prime. Herfers 850 pounds up (good and choice) All weights (common and medium) Cows Good and choice Common and medium Canner and cutter Bulls - Good and choice 1 Conner to medium (canner and bologna) Slaughter calves; Medium to choice- 190 pounds down. 190-200 pounds. 260 pounds up. Cull and common- 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down.), good	6. 25 4. 62 3 24 7 62 6 25 3 98 4. 60 3 12 2. 01 3. 88 2. 63 6. 15 5 43 4. 83 3. 72 2 91 5 50 4 75 8. 00	6. 40 4 44 3 03 7. 78 6 51 3 92 4 50 3.12 2 19 3.88 2.62 6 78 5 91 4. 77 4 22 3. 09	6 26 4.26 3.00 8 29 6 52 3.89 4.26 2.98 2.12 3.76 2.56 6.71 8.50 4.54 4.13 2.94	6. 25 4. 25 3. 00 8. 25 6. 38 3. 74 4 16 2. 98 2. 20 3. 76 2. 50 6. 28 5. 06 4. 33 3. 86 2. 81	8.11 6.41 4.33 3.00 8.76 6.69 3.99 2.23 3.64 - 2.46 6.64 5.78 5.17 4.16 3.15	8 18 6 66 4 8 8 2 4 8 2 6 5 6 5 6 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6

¹ Beef yearlings excluded.

Table 454.—Cattle and calves: Monthly average price per 100 pounds, 1924—Con.

KANSAS CITY

KANSA	0 0 1 1						
Classification	Jan.	Feb	Mar.	Apr.	May	June	July
Slaughter cattle							
Reef steers (1.100 pounds up)							***
Choice and prime	9 72	\$10 99 9.49	\$11.04 9.88	\$11 33 10 30	\$11. 22 10. 08	\$10.60 9.67	\$10. 46 9. 54
Medium	8 03	8 00	8 42	8 85 7.00	8. 65 7 00	8. 42	8 12
Good. Good. Medium Common. Beef steers (1,100 pounds down)—	6 19	6 11	6 60	7.00	7 00	6. 88	6. 40
Choice and prime	11 36	11 10	11.00	11 14	10, 90	10. 27	10 28
Gnod.	9 93	9 60	9 70 8. 25	9 97	9 66	9.28	9 32
Medium	8, 22 6 12	8 11 6 11	8. 25 6. 38	8. 53 6 75	8. 38 6 75	8. 14 6 56	7 69 5 78
Choice and prime Good Medium Common Cunner and cutter Light yearing steers and heifers (800 pounds	4 00	4.00	4 26	4 62	4 62	4 52	4. 25
Light yearling steers and heifers (800 pounds						0.00	0.40
down), good and primeHeifers—	9 88	9 76	9 62	9 57	9 37	9.03	9 10
850 pounds up (good and choice)	8.03	7. 80	7 99	7 91	7.88	7 70	7 66
All weights (common and medium)	4 89	4 62	5 04	5 12	5 12	5, 08	4. 99
Cows— Good and choice	5 92	5 75	6.18	6 74	6 94	6 51	6. 42
Common and medium	4 03	4 00	4 41	4 88	4 88	4.53	4 23
Canner and cutterBulls—	2 77	2 85	3 08	3 12	3 04	2 88	2. 64
Good and choice 1	5. 40	5 35	5 38	5. 34	5 38	5 34	5 27
Good and choice 1 Canner to medium (canner and bologna)	3 73	3 68	3 87	3 84	3 92	3 88	3. 85
Slaughter calves Medium to choice—					1	1	
190 pounds down 190-260 pounds 200 pounds up	9 19	9 05	8 38	8 52	8 68	7.71	7 44
190-260 pounds	7 96 6 17	7 78	7. 13	7 20	7 48 6 70	6 71	6. 40
Cull and common—	6 17	6 12	6. 24	0.00	0.70	5, 95	5 51
190 pounds down 190 pounds up	5. 07	5 09	5 00	5 12	5 17	4.80	4 67
190 pounds up	4 00	4 00	4 12	4 12	4.15	3 80	3 64
Stoors-	l	l	1				
Common to choice (750 pounds up) Common to choice (750 pounds down) Inferior (all weights)	6 54	6 64	6.84	6 97	7 24	6 99	6 80
('ommon to choice (750 pounds down)	6 00 3 75	6 06	6 28	6 33	6 33 3 75	6 19 3 75	6 06 3 75
Cows and heifers (common to choice)	3 97	3.96	4 12	4. 26	4 49	4 33	4 12
Calves (common to choice)	5 70	5 62	5 87	5 77	5 75	5 68	5 22
Classification		T		1 .			
		. Aug.	Bent.	ı Oct.	Nov	Dec	Λv
		Aug.	Sept.	Oct.	Nov -	Dec	A v
Slaughter cattle		Aug.	Sept.	Oct.	Nov -	Dec	Av
Beef steers (1,100 pounds up)—					- \$10. 76		
Beef steers (1,100 pounds up)—		\$ 10, 54	\$10 52 9 41	\$10. 82 9 69	- \$10. 76	\$11.30 9 79	\$10 90 9 72
Beef steers (1,100 pounds up)—		\$10. 54 9 57 7 98	\$10 52 9 41 7 47	\$10. 82 9 60 7 63	\$10.76 9.51 7.57	\$11.30 9 79 7 8:	\$10 90 9 72 8 08
Becf steers (1,100 pounds up)— Choice and prime Good. Medium Common Beef steers (1,100 pounds down)—		\$10. 54 9 57 7 96 5 81	\$10 52 9 41	\$10. 82 9 69	- \$10. 76	\$11.30 9 79 7 85 5 24	\$10 90 9 72 8 08 6 08
Becf steers (1,100 pounds up)— Choice and prime Good. Medium Common Beef steers (1,100 pounds down)—		\$10. 54 9 57 7 96 5 81	\$10 52 9 41 7 47 5 50	\$10. 82 9 69 7 63 5, 17	\$10. 76 9 51 7 57 5 07 11, 58	\$11. 30 9 79 7 85 5 24 12 47	\$10 90 9 72 8 08 6 08
Becf steers (1,100 pounds up)— Choice and prime Good. Medium Common Beef steers (1,100 pounds down)—		\$10. 54 9 57 7 96 5 81	\$10 52 9 41 7 47 5 50 10 64 9 47	\$10. 82 9 69 7 63 5, 17 11 25 9 96	\$10. 76 9 51 7 57 5 07 11. 58 10 29	\$11. 30 9 79 7 8: 5 24 12 47 10 63	\$10 90 9 72 8 08 6 08
Bef sters (1,100 pounds up)— Choice and prime Good. Medium Common Beef sters (1,100 pounds down)— Choice and prime Good Medium Common		\$10. 54 9 57 7 96 5 81 10 61 9 54 7 54 5 24	\$10 52 9 41 7 47 5 50 10 64 9 47 7.20 4 90	\$10. 82 9 69 7 63 5, 17 11 25 9 96 7 44 4 90	\$10.76 9.51 7.57 5.07 11.58 10.29 7.80 5.08	\$11. 30 9 79 7 8: 5 24 12 47 10 63 8. 06 5 23	\$10 90 9 72 8 08 6 08 11 05 9 78 7 95 5 82
Bef sters (1,100 pounds up)— Choice and prime Good. Medium Common Beef sters (1,100 pounds down)— Choice and prime Good Medium Common		\$10. 54 9 57 7 96 5 81	\$10 52 9 41 7 47 5 50 10 64 9 47 7, 20	\$10. 82 9 69 7 63 5, 17 11 25 9 96 7 44	\$10. 76 9 51 7 57 5 07 11. 58 10 29 7 80	\$11. 30 9 79 7 8: 5 24 12 47 10 63 8. 06	\$10 90 9 72 8 08 6 08 11 05 9 78 7 95
Bef sters (1,100 pounds up)— Choice and prime Good. Medium Common Beef sters (1,100 pounds down)— Choice and prime Good Medium Common Common Canner and cutter Light yearling steers and heifers (800 pounds of	lown),	\$10. 54 9 57 7 96 5 81 10 61 9 54 7 54 5 24	\$10 52 9 41 7 47 5 50 10 64 9 47 7.20 4 90	\$10. 82 9 69 7 63 5, 17 11 25 9 96 7 44 4 90	\$10.76 9.51 7.57 5.07 11.58 10.29 7.80 5.08	\$11. 30 9 79 7 8: 5 24 12 47 10 63 8. 06 5 23	\$10 90 9 72 8 08 6 08 11 05 9 78 7 95 5 82
Bef sters (1,100 pounds up)— Choice and prime Good. Medium Common Beef sters (1,100 pounds down)— Choice and prime Good Medium Common Canner and cutter Light yearling steers and heifers (800 pounds of good and prime	lown),	\$10. 54 9 57 7 96 5 81 10 61 9 54 7 54 5 24 3. 86 0. 51	\$10 52 9 41 7 47 5 50 10 64 9 47 7 20 4 90 3 75 9 68	\$10. 82 9 69 7 63 5. 17 11 25 9 96 7 44 4 90 3. 73 9 94	\$10.76 9 51 7 57 5 07 11.58 10 29 7 80 5 08 3 70 10 21	\$11. 30 9 79 7 85 5 24 12 47 10 63 8.06 5 23 3.66	\$10 90 9 72 8 08 6 08 11 05 9 78 7 95 5 82 4 08 9 69
Bef sters (1,100 pounds up)— Choice and prime Good. Medium Common Beef sters (1,100 pounds down)— Choice and prime Good Medium Common Canner and cutter Light yearling steers and heifers (800 pounds of good and prime	lown),	\$10. 54 9 57 7 96 5 81 10 61 9 54 7 54 3. 86 9. 51 8 00	\$10 52 9 41 7 47 5 50 10 64 9 47 7 20 4 90 3 75 9 68 8 16	\$10. 82 9 60 7 63 5. 17 11 25 9 96 7 44 4 90 3. 73 9 94 8. 42	\$10.76 9 51 7 57 5 07 11.58 10 29 7 80 5 08 3 70 10 21 8.04	\$11. 30 9 79 7 85 5 24 12 47 10 63 8. 06 5 23 3. 66 10 64 8. 45	\$10 90 9 72 8 08 6 08 11 05 9 78 7 95 5 82 4 08 9 69
Bef sters (1,100 pounds up)— Choice and prime Good. Medium Common Beef sters (1,100 pounds down)— Choice and prime Good Medium Common Canner and cutter Light yearling steers and heifers (800 pounds ogood and prime. Heifers— 850 pounds up (good and choice) All weights (common and medium)	lown),	\$10. 54 9 57 7 96 5 81 10 61 9 54 7 54 7 52 3. 86 0. 51 8 00 4. 99	\$10 52 9 41 7 47 5 50 10 64 9 47 7. 20 4 90 3 75 9 68 8 16 5 00	\$10. 82 9 69 7 63 5. 17 11 25 9 96 7 44 4 90 3. 73 9 94 8. 42 5 09	\$10.76 9.51 7.57 5.07 11.58 10.29 7.80 5.08 3.70 10.21 8.04 5.14	\$11. 30 9 79 7 82 5 24 12 47 10 63 8. 06 5 23 3. 66 10 64 8. 45 5. 00	\$10 90 9 72 8 08 6 08 11 05 9 78 7 95 5 82 4 08 9 69 8 05 5 01
Bef sters (1,100 pounds up)— Choice and prime Good. Medium Common Beef sters (1,100 pounds down)— Choice and prime Good Medium Common Canner and cutter Light yearling steers and heifers (800 pounds ogood and prime. Heifers— 850 pounds up (good and choice) All weights (common and medium)	lown),	\$10. 54 9 57 7 96 5 81 10 61 9 54 7 54 3. 86 0. 51 8 00 4. 99 6. 24	\$10 52 9 41 7 47 5 50 10 64 9 47 7. 20 4 90 3 75 9 68 8 16 5 00 6 22	\$10. 82 9 69 7 63 5. 17 11 25 9 96 7 44 4 90 3. 73 9 94 8. 42 5 09 5 89	\$10.76 9.51 7.57 5.07 11.58 10.29 7.80 5.08 3.70 10.21 8.04 5.14 5.79	\$11. 30 9 79 7 82 5 24 12 47 10 63 8. 06 5 23 3. 66 10 64 8. 45 5. 00	\$10 90 9 72 8 08 6 08 7 95 5 82 4 08 9 69 8 05 5 01 6 18
Bef sters (1,100 pounds up)— Choice and prime Good. Medium Common Beef sters (1,100 pounds down)— Choice and prime Good Medium Common Canner and cutter Light yearling steers and heifers (800 pounds ogood and prime. Heifers— 850 pounds up (good and choice) All weights (common and medium)	lown),	\$10. 54 9 57 7 96 5 81 10 61 9 54 7 54 7 52 3. 86 0. 51 8 00 4. 99	\$10 52 9 41 7 47 5 50 10 64 9 47 7 20 4 90 3 75 9 68 8 16 5 00 6 22 3 98	\$10. 82 9 69 7 63 5. 17 11 25 9 96 7 44 4 90 3. 73 9 94 8. 42 5 09	\$10.76 9.51 7.57 5.07 11.58 10.29 7.80 5.08 3.70 10.21 8.04 5.14	\$11. 30 9 79 7 82 5 24 12 47 10 63 8. 06 5 23 3. 66 10 64 8. 45 5. 00	\$10 90 9 72 8 08 6 08 11 05 9 78 7 95 5 82 4 08 9 69 8 05 5 01
Bef sters (1,100 pounds up)— Choice and prime Good Medium Common Beef steers (1,100 pounds down)— Choice and prime Good Medium Common Common Canner and cutter Light yearling steers and heifers (800 pounds of good and prime Heifers— 850 pounds up (good and choice) All weights (common and medium) Cows— Good and choice Common and medium Canner and cutter Bulls—	lown),	\$10. 54 9 57 7 96 5 81 10 61 9 54 7 54 5 24 3. 86 9. 51 8 00 4. 99 6. 24 3 93 2 48	\$10 52 9 41 7 47 5 50 10 64 9 47 7. 20 3 75 9 68 8 16 5 00 6 22 3 98 2 72	\$10. 82 9 60 7 63 5. 17 11 25 9 96 7 44 4 90 3. 73 9 94 8. 42 5 09 5 89 3 90 2. 63	\$10.76 9.51 7.57 5.07 11.58 10.29 7.80 5.08 3.70 10.21 8.04 5.14 5.79 4.05 2.80	\$11. 30 9 78. 7 8. 5 24 12 47 10 63 8. 06 5 23 3. 66 10 64 8. 45 5. 00 5. 59 3. 88 2 65	\$10 90 9 78 78 6 08 11 05 9 78 7 95 5 82 4 08 9 69 8 05 5 01 6 18 4 22 2 80
Bef sters (1,100 pounds up)— Choice and prime Good. Medium Common Beef sters (1,100 pounds down)— Choice and prime Good Medium Common Canner and cutter Light yearling steers and heifers (800 pounds of good and prime Heifers— 850 pounds up (good and choice) All weights (common and medium) Cow— Good and choice Common and medium Canner and cutter Bulls— Good and choice¹	lown),	\$10. 54 9 57 7 96 5 81 10 61 9 54 7 54 3. 86 9. 51 8 90 4. 99 6. 24 3. 248 5 06	\$10 52 9 41 7 47 5 50 10 64 9 47 7. 20 4 90 3 75 9 68 8 16 5 00 6 22 3 98 2 72 4 98	\$10. 82 9 60 7 65 5. 17 11 25 9 96 7 44 4 90 3. 73 9 94 8. 42 5 89 3 90 2. 63 4. 39	\$10.76 9 51 7 57 5 07 11.58 10 29 7 80 5 08 3 70 10 21 8.04 5 14 5 79 4.05 2.80 4.34	\$11. 30 9 79 7 85 5 24 12 47 10 63 8. 06 5 23 3. 66 10 64 8. 45 5. 00 5. 50 3 88 2 65 4 31	\$10 90 9 72 8 08 6 08 11 05 9 78 7 95 5 82 4 08 9 69 8 05 5 01 6 18 4 22 2 80 5 04
Bef sters (1,100 pounds up)— Choice and prime. Good. Medium. Common. Beef sters (1,100 pounds down)— Choice and prime. Good Medium. Common. Common. Canner and cutter. Light yearling steers and heifers (800 pounds of good and prime. Heifers— 850 pounds up (good and choice). All weights (common and medium). Cows— Good and choice. Common and medium. Canner and cutter. Bulls— Good and choice1. Canner to medium (canner and bologna) Slaughter calves:	lown),	\$10. 54 9 57 7 96 5 81 10 61 9 54 7 54 5 24 3. 86 9. 51 8 00 4. 99 6. 24 3 93 2 48	\$10 52 9 41 7 47 5 50 10 64 9 47 7. 20 3 75 9 68 8 16 5 00 6 22 3 98 2 72	\$10. 82 9 60 7 63 5. 17 11 25 9 96 7 44 4 90 3. 73 9 94 8. 42 5 09 5 89 3 90 2. 63	\$10.76 9.51 7.57 5.07 11.58 10.29 7.80 5.08 3.70 10.21 8.04 5.14 5.79 4.05 2.80	\$11. 30 9 78. 7 8. 5 24 12 47 10 63 8. 06 5 23 3. 66 10 64 8. 45 5. 00 5. 59 3. 88 2 65	\$10 90 9 78 78 6 08 11 05 9 78 7 95 5 82 4 08 9 69 8 05 5 01 6 18 4 22 2 80
Bef sters (1,100 pounds up)— Choice and prime Good Medium Common Beef steers (1,100 pounds down)— Choice and prime Good Medium Common Common Canner and cutter Light yearling steers and heifers (800 pounds of good and prime Heifers— 850 pounds up (good and choice) All weights (common and medium) Cow— Good and choice Conmon and medium Canner and cutter Bulls— Good and choice¹ Canner to medium (canner and bologna) Slaughter calves: Medium to choice— Medium to choice— Medium to choice— Canner to medium (canner and bologna)	down),	\$10. 54 9 57 7 96 5 81 10 61 9 54 7 54 5 24 3. 86 0. 51 8 00 4. 99 6. 24 3 93 2 48 5 06 3. 61	\$10 52 9 41 7 47 5 50 10 64 9 47 7 20 4 90 3 75 9 68 8 16 5 00 6 22 3 98 2 72 4 98 3 37	\$10. 82 9 60 7 60 5. 17 11 25 9 96 7 44 4 90 3. 73 9 94 8. 42 5 09 5 80 3 90 2. 63 4. 39 3. 09	\$10.76 9 51 7 57 5 07 11.58 10 29 7 80 5 08 3 70 10 21 8.04 5 14 5 79 4.05 2.80 4.34 3.21	\$11. 30 9 79 7 8:_ 5 24 12 47 10 63 8. 06 5 23 3. 66 10 64 8. 45 5. 00 5. 59 3. 88 2. 65 4. 31 3. 14	\$10 90 9 72 8 08 6 08 11 05 9 78 7 95 5 82 4 08 9 69 8 05 5 01 6 18 4 22 2 80 5 04
Bef sters (1,100 pounds up)— Choice and prime Good Medium Common Beef steers (1,100 pounds down)— Choice and prime Good Medium Common Common Canner and cutter Light yearling steers and heifers (800 pounds of good and prime Heifers— 850 pounds up (good and choice) All weights (common and medium) Cow— Good and choice Conmon and medium Canner and cutter Bulls— Good and choice¹ Canner to medium (canner and bologna) Slaughter calves: Medium to choice— Medium to choice— Medium to choice— Canner to medium (canner and bologna)	down),	\$10. 54 9 57 7 96 5 81 10 61 9 54 7 54 5 24 3 .86 0. 51 8 00 4. 99 6. 24 3 93 2 48 5 06 3. 61	\$10 52 9 41 7 47 5 50 10 64 9 47 7 20 4 90 3 75 9 68 8 16 5 00 6 22 3 98 2 72 2 4 98 3 37	\$10. 82 9 69 7 63 5. 17 11 25 9 96 7 44 4 90 3 73 9 94 8. 42 5 09 5 89 3 90 2. 63 4. 39 3. 00	\$10.76 9 51 7 57 5 07 11.58 10 29 7 80 5 08 3 70 10 21 8.04 5 14 5 79 4.05 2.80 4.34 3.21 7.74 6.53	\$11. 30 9 79 7 8:2 5 24 12 47 10 63 8 06 5 23 8 66 10 64 8. 45 5. 00 5. 59 3 88 2 65 4 31 3. 14	\$10 90 9 72 8 08 6 08 11 05 9 78 7 95 5 82 4 08 9 69 8 05 5 01 6 18 4 22 2 80 5 04 3 60 8 32 7 12
Bef sters (1,100 pounds up)— Choice and prime Good Medium Common Beef steers (1,100 pounds down)— Choice and prime Good Medium Common Common Common Common Camer and cutter Light yearling steers and heifers (800 pounds of good and prime Heifers— 850 pounds up (good and choice) All weights (common and medium) Cows— Good and choice Common and inedium Canner and cutter Bulls— Good and choice¹ Canner to medium (canner and bologna) Slaughter calves Medium to choice— 190 pounds down 190-280 pounds 280 pounds up	down),	\$10. 54 9 57 7 96 5 81 10 61 9 54 5 24 3.86 0.51 8 00 4.99 6. 24 3 93 2 48 5 06 3.61	\$10 52 9 41 7 47 5 50 10 64 9 47 7 20 4 90 3 75 9 68 8 16 5 00 6 22 3 98 2 72 4 98 3 37	\$10. 82 9 69 7 63 5. 17 11 25 9 96 7 44 4 90 3. 73 9 94 8. 42 5 09 5 89 3 90 2. 63 4. 39 3. 00 8 36	\$10.76 9.51 7.57 5.07 11.58 10.29 7.80 5.08 3.70 10.21 8.04 5.14 5.79 4.05 2.80 4.34 3.21 7.74	\$11. 30 9 79 7 8L 5 24 12 47 10 63 8.06 5 23 3. 66 10 64 8.45 5.00 5.59 3.88 2.65 4.31 3.14	\$10 90 9 72 8 08 6 08 11 05 9 78 5 82 4 08 9 69 8 05 5 01 6 18 4 22 2 80 5 04 3 60
Bef sters (1,100 pounds up)— Choice and prime Good. Medium Common Beef sters (1,100 pounds down)— Choice and prime Good Medium Common Canner and cutter Light yearling steers and heifers (800 pounds of good and prime Heifers— 850 pounds up (good and choice) All weights (common and medium) Cow— Good and choice Common and medium Commer and cutter Bulls— Good and choice¹ Canner and cutter Bulls— Heifers— Good and choice¹ Common and medium Commer and cutter Bulls— Good and choice¹ Good and choice¹ Hood and choice¹ Good and choice¹ Good and choice¹ Conner and cutter Bulls— Good and choice¹ Good and choice¹ Conner and cutter Bulls— Good and choice¹ Conner and cutter Bulls— Good and choice¹ Conner and cutter Bulls— Good and choice¹ Conner and cutter Bulls— Good and choice¹ Conner and cutter Bulls— Good and choice¹ Conner and cutter Bulls— Good and choice¹ Conner and cutter Bulls— Good and choice¹ Conner and cutter Bulls— Good and choice¹ Conner and cutter Bulls— Good and choice¹ Conner and cutter Bulls— Good and choice¹ Conner and cutter Bulls— Good and choice¹ Conner and cutter Bulls— Good and choice¹ Conner and cutter	down),	\$10. 54 9 57 7 96 5 81 10 61 9 54 7 54 3 86 0. 51 8 00 4. 99 6. 24 3 93 6. 24 3 61 7. 94 6 3, 61	\$10 52 9 41 7 47 5 50 10 64 9 47 7. 20 4 90 3 75 9 68 8 16 5 00 6 22 3 98 2 72 4 98 3 37 8 59 7 37 4 69	\$10. 82 9 69 7 63 5. 17 11 25 9 96 7 44 4 90 3. 73 9 94 8. 42 5 09 2. 63 4. 39 3. 00 8. 36 6 94 4. 39	\$10.76 9 51 7 57 5 07 11.58 10 29 10 29 10 21 8.04 5 14 5 79 4.05 2.80 4.34 3.21 7.74 6.53 4.88	\$11. 30 9 79 7 85 5 24 12 47 10 63 8. 06 5 23 3. 66 10 64 8. 45 5. 00 5. 59 3. 86 2. 65 4. 31 3. 14 8. 25 7. 15 4. 92	\$10 90 9 72 8 08 6 08 11 05 9 78 5 82 4 08 9 69 8 05 5 01 6 18 4 22 2 80 5 04 3 60 8 32 7 15 9 5 01
Bef sters (1,100 pounds up)— Choice and prime Good. Medium Common Beef sters (1,100 pounds down)— Choice and prime Good Medium Common Common Canner and cutter Light yearling steers and heifers (800 pounds of good and prime Heifers— 850 pounds up (good and choice) All weights (common and medium) Cow— Good and choice Common and medium Canner and cutter Bulls— Good and choice¹ Conner to medium (canner and bologna) Slaughter calves' Medium to choice— 190 pounds down 100-280 pounds 280 pounds up Cull and common— 190 pounds down 190 pounds down 190 pounds down	down),	\$10. 54 9 57 7 96 5 81 10 61 9 54 7 54 5 24 3 .86 0. 51 8 00 4. 99 6. 24 3 93 2 48 5 06 3. 61	\$10 52 9 41 7 47 5 50 10 64 9 47 7 20 4 90 3 75 9 68 8 16 5 00 6 22 3 98 2 72 2 4 98 3 37	\$10. 82 9 69 7 63 5. 17 11 25 9 96 7 44 4 90 3 73 9 94 8. 42 5 09 5 89 3 90 2. 63 4. 39 3. 00	\$10.76 9 51 7 57 5 07 11.58 10 29 7 80 5 08 3 70 10 21 8.04 5 14 5 79 4.05 2.80 4.34 3.21 7.74 6.53	\$11. 30 9 79 7 8:2 5 24 12 47 10 63 8 06 5 23 8 66 10 64 8. 45 5. 00 5. 59 3 88 2 65 4 31 3. 14	\$10 90 9 72 8 08 6 08 11 05 9 78 7 95 5 82 4 08 9 69 8 05 5 01 6 18 4 22 2 80 5 04 3 60 8 32 7 12
Bef sters (1,100 pounds up)— Choice and prime Good. Medium Common Beef sters (1,100 pounds down)— Choice and prime Good Medium Common Canner and cutter Light yearling steers and heifers (800 pounds of good and prime Heifers— 850 pounds up (good and choice) All weights (common and medium) Cow— Good and choice Common and medium Canner and cutter Bulls— Good and choice¹ Canner to medium (canner and bologna) Slaughter calves' Medium to choice— 190 pounds down 100-260 pounds up Cull and common— * 190 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down	down),	\$10. 54 9 57 7 96 5 81 10 61 9 54 7 54 3 86 0 51 8 00 4 99 6 24 3 93 2 48 5 06 3 61 7 94 6 38 6 4 77	\$10 52 9 41 7 47 5 50 10 64 9 47 7. 20 4 90 3 75 9 68 8 16 5 00 6 22 3 98 2 72 4 98 3 37 8 59 7 37 4 69 5 26	\$10. 82 9 69 7 63 5. 17 11 25 9 96 7 44 4 90 3. 73 9 94 8. 42 5 09 5 89 3 90 2. 63 4. 39 8. 36 6 94 4. 39 5. 15	\$10.76 9 51 7 57 5 07 11.58 10 29 10 29 10 21 8.04 5 14 5 79 4.05 2.80 4.34 3.21 7.74 6.53 4.88	\$11. 30 9 79 7 8:_ 5 24 12 47 10 63 8. 06 5 23 8. 06 5 50 3. 88 2 65 4 31 3. 14 8. 25 7. 15 4. 92 5 15	\$10 90 9 72 8 08 6 08 11 05 9 78 5 82 4 08 9 69 8 05 5 01 6 18 4 22 2 80 5 04 3 60 8 32 7 15 9 5 01
Bef sters (1,100 pounds up)— Choice and prime Good. Medium Common Beef sters (1,100 pounds down)— Choice and prime Good Medium Common Common Common Common Light yearling steers and heifers (800 pounds of good and prime Heifers— 850 pounds up (good and choice) All weights (common and medium) Cows— Good and choice Common and medium Canner and cutter Bulls— Good and choice¹ Conmon and medium Canner to medium (canner and bologna) Slaughter calves Medium to choice— 190 pounds down 190-280 pounds 260 pounds up Cull and common— 190 pounds down 190 pounds down 190 pounds up Feeder and stocker cattle and calves Steers—	lown),	\$10. 54 9 57 7 96 5 81 10 61 9 54 7 54 5 24 3 86 0. 51 8 00 4. 99 6. 24 3 93 2 48 5 06 3. 61 7, 94 6 84 5 38 4 77 3 50 6 79	\$10 52 9 41 7 47 5 50 10 64 9 47 7 20 4 90 3 75 9 68 8 16 5 00 6 22 3 98 2 72 4 98 3 37 8 59 7 37 4 60 5 26 3 38 6 58	\$10. 82 9 69 7 63 5. 17 11 25 9 96 7 44 4 90 3 73 9 94 8. 42 5 09 5 89 3 99 2. 63 4. 39 3. 00 8 36 4. 39 5. 15 3. 38 6. 27	\$10.76 9 51 7 57 5 07 11.58 10 29 7 80 5 08 3 70 10 21 8.04 5 14 5 79 4.05 2.80 4.34 3.21 7.74 6.53 4.55 4.88 3.27 6.25	\$11. 30 9 79 7 82. 5 24 12 47 10 63 8.06 5 23 3.66 10 64 8.45 5.00 5.59 3.88 2.65 4.31 4.92 5.15 4.92 6.14	\$10 90 9 72 8 08 6 08 11 05 7 95 5 82 4 08 9 69 8 05 5 01 6 18 4 280 2 80 5 04 3 60 8 32 7 12 5 59 5 59 6 67
Bef sters (1,100 pounds up)— Choice and prime Good Medium Common Beef steers (1,100 pounds down)— Choice and prime Good Medium Common Common Common Common Common Light yearling steers and heifers (800 pounds of good and prime Heifers— 850 pounds up (good and choice) All weights (common and medium) Cows— Good and choice Common and inedium Canner and cutter Bulls— Good and choice¹ Canner to medium (canner and bologna) Slaughter calves' Medium to choice— 190 pounds down 190-280 pounds 280 pounds up Cull and common— 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down 100 pounds down	lown),	\$10. 54 9 57 7 96 5 81 10 61 9 54 7 54 3 86 0. 51 8 00 4. 99 6. 24 3 93 2 48 5 06 3. 61 7. 94 6 84 5 36 6 3. 61	\$10 52 9 41 7 47 5 50 10 64 9 47 7.20 4 90 3 75 9 68 8 16 5 00 6 22 3 98 2 72 4 98 3 37 8 59 7 37 4 60 5 26 6 58 8 5 97	\$10. 82 9 60 7 63 5. 17 11 25 9 96 7 44 4 90 3. 73 9 94 8. 42 5 09 2. 63 4. 39 3. 09 8. 36 6. 94 4. 15 3. 38 6. 27 5. 990	\$10. 76 9 51 7 57 5 07 11. 58 10 29 7 80 5 08 3 70 10 21 8. 04 5 14 5 79 4. 05 2. 80 4. 34 3. 21 7. 74 6. 53 4. 65 4. 88 3. 27 6. 25 5 94	\$11. 30 9 79 7 82 5 24 12 47 10 63 8. 03 3. 66 10 64 8. 45 5. 00 5. 598 2 65 4 31 3. 14 8 25 7. 15 4. 92 6 14 5. 92	\$10 90 9 72 8 08 6 08 11 08 7 95 5 82 4 08 9 69 8 05 5 01 6 18 4 22 2 80 5 04 3 60 8 32 7 12 5 50 6 67 6 08
Bef sters (1,100 pounds up)— Choice and prime Good. Medium Common Beef sters (1,100 pounds down)— Choice and prime Good Medium Common Common Common Common Light yearling steers and heifers (800 pounds of good and prime Heifers— 850 pounds up (good and choice) All weights (common and medium) Cows— Good and choice Common and medium Canner and cutter Bulls— Good and choice¹ Conmon and medium Canner to medium (canner and bologna) Slaughter calves Medium to choice— 190 pounds down 190-280 pounds 260 pounds up Cull and common— 190 pounds down 190 pounds down 190 pounds up Feeder and stocker cattle and calves Steers—	down),	\$10. 54 9 57 7 96 5 81 10 61 9 54 5 24 5 24 3 93 6 24 3 93 6 24 2 48 5 06 3 61 7 94 6 28 6 79 6 79 6 03 3 3 75	\$10 52 9 41 7 47 5 50 10 64 9 47 7 20 4 90 3 75 9 68 8 16 5 00 6 22 3 98 2 72 4 98 3 37 8 59 7 37 4 60 5 26 3 38 6 58	\$10. 82 9 69 7 63 5. 17 11 25 9 96 7 44 4 90 3. 73 9 94 8. 42 5 09 5 89 3 90 2. 63 9 4. 39 8. 43 9 5. 15 3. 38 6. 27 5. 90 3. 50 4. 90	\$10.76 9 51 7 57 5 07 11.58 10 29 7 80 5 08 3 70 10 21 8.04 5 14 5 79 4.05 2.80 4.34 3.21 7.74 6.53 4.55 4.88 3.27 6.25	\$11. 30 9 79 7 82. 5 24 12 47 10 63 8.06 5 23 3.66 10 64 8.45 5.00 5.59 3.88 2.65 4.31 4.92 5.15 4.92 6.14	\$10 90 9 72 8 08 6 08 11 05 7 95 5 82 4 08 9 69 8 05 5 01 6 18 4 280 2 80 5 04 3 60 8 32 7 12 5 59 5 59 6 67

¹ Beef yearlings excluded.

Table 454.—Cattle and calves: Monthly average price per 100 pounds, 1924—Con.

OMAHA

OMAE	[A						
Classification	Jan.	Feb.	Mar.	Apr.	May	June	July
Slaughter cattle			l				
Reaf strong (1 100 nounds un)	l	l.	1	1.	l		
C hoice and prime Good Medium Common	\$11.36	\$11. 13	\$11. 16 10 06	\$11 38	\$11 20	\$10 54	\$10.45 9.59
Medium	10. 15 8 51	9 83 8 26	8 60	10 37 8 85	10 15 8 75	9 64 8 42	8 37
Common.	6 56	6 52	6 83	6 99	7 10	6 96	6 78
Beef steers (1,100 pounds down)—	1. 40	11 10	11 00	1	10 97	10. 21	10 19
Good	11 48 10 26	11 16 9 83	9 92	11 16	9 95	9 40	9 43
Choice and prime	8 56	8 28	8 45	8 68	8 60	8. 24	8. 21
Common	6 44	6 27	6 51	6 76	6 83	6. 65	6 44
Light yearling steers and heifers (800 nounds	4 19	4 14	4 36	4 67	4 81	4 75	4. 52
down, good and printer	10.08	9 81	9 86	9 95	9 78	9. 02	8, 93
Herfers—		0.04	6.00	8.41	0.40	7 93	7. 91
850 pounds up (good and choice)	8 60 5 69	8 24 5 52	8. 36 5. 74	5 95	8. 40 6. 00	5 52	5. 36
('ows	1]	1	İ) [
Good and choice	5.89	5 76	6 36	7. 10	7.12	6 52	6 86
Cannon and medium	4 30 2 94	4 18 2.80	4 65 3.09	5 19 3. 24	5 16 3 17	4 62 2.83	4. 50 2 66
15U118	1	1	ļ	ł	}		
Good and choice 1	5 09	4 88	6 31	5. 55	5. 80	5.69	5. 69
Slaughter (alves	3 91	3. 93	4. 07	4 00	4. 16	4 22	4 14
Medium to choice-	1	l]	l		l	
190 pounds down	8. 77	8 62	8, 74	8. 57	8. 46	7 83	8.05
190-260 pounds	7 57 5 94	7 74 5 88	7 95 6 61	7. 93	7. 66 6. 88	6 84	6.73 5 61
190-260 pounds 260 pounds up Cull and common]	, , ,	1 0 01	1 0 00	0.00	0.11	0 01
190 pounds down 190 pounds up	5 74	5 65	5 76	5 76	5 60	5. 27	5. 41
Feeder and stocker cattle and calves	4 50	4 50	4 64	4.96	4.88	4.83	4 81
Steers	i	Į.		1	1	1	l
Common to choice (750 pounds up) Common to choice (750 pounds down) Inferior (all weights) Cows and heifers (common to choice)	6 62	6 78	7 02	7 24	7 39	7 17	6 95
Common to choice (750 pounds down)	6 30 3 92	6 48 3 97	6 54 4.03	6 58	6 66 4.16	6 24 3.86	6 12 3 75
Cows and heifers (common to choice)	4 12	4 12	4 20	4 65	4 74	4 53	4 16
Caives (common to enoice)	5 74	5 75	5 85	5 88	5 86	5 48	5. 34
		1	1		1	1	
Classification		Aug.	Sept.	Oct	Nov.	Dec.	Av.
Classification		Aug.	Sept.	Oct	Nov.	Dec.	Av.
Classification Slaughter cattle							
Classification Slaughter cattle			\$10 62	\$10.78	\$10 82	\$11 88	\$10.99
Classification Slaughter cattle			\$10 62 9, 52	\$10 78 9 70	\$10 82 9 70	\$11 88 10 04	\$10.99 9.86
Classification Slaughter cattle			\$10 62	\$10.78	\$10 82	\$11 88	\$10.99
Classification Slaughter cattle Beef steers (1,100 pounds up)— Choice and prime Good Medium Common		\$10. 57 9 61 8 02 6. 00	\$10 62 9, 52 7, 63 5 36	\$10 78 9 70 7 92 5 33	\$10 82 9 70 7 78 5, 07	\$11 88 10 04 7 98 5. 28	\$10. 99 9 86 8. 26 6. 23
Classification Slaughter cattle Beef steers (1,100 pounds up)— Choice and prime Good Medium Common		\$10. 57 9 61 8 02 6. 00	\$10 62 9, 52 7, 63 5 36 10 77	\$10 78 9 70 7 92 5 33 11 30	\$10 82 9 70 7 78 5,07 12 72 10 38	\$11 88 10 04 7 98 5. 28	\$10.99 9 86 8.26 6.23 11 17 9 96
Classification Slaughter cattle Beef steers (1,100 pounds up)— Choice and prime Good Medium Common		\$10. 57 9 61 8 02 6. 00	\$10 62 9, 52 7, 63 5 36 10 77 9 68 7 67	\$10 78 9 70 7 92 5 33 11 30 10 13 7 95	\$10 82 9 70 7 78 5,07 12 72 10 38 7 89	\$11 88 10 04 7 98 5, 28 12, 50 10 85 8, 12	\$10. 99 9 86 8. 26 6. 23 11 17 9 96 8 20
Classification Slaughter cattle Beef steers (1,100 pounds up)— Choice and prime Good Medium Common		\$10. 57 9 61 8 02 6. 00	\$10 62 9. 52 7. 63 5 36 10 77 9 68 7 67 5 34	\$10 78 9 70 7 92 5 33 11 30 10 13 7 95 5 33	\$10 82 9 70 7 78 5, 07 12 72 10 38 7 89 5, 02	\$11 88 10 04 7 98 5. 28 12, 50 10 85 8, 12 5, 28	\$10. 99 9 86 8. 26 6. 23 11 17 9 96 8 20 6. 04
Classification Slaughter cattle Beef steers (1,100 pounds up)— Choice and prime Good Medium Common	down).	\$10. 57 9 61 8 02 6. 00	\$10 62 9, 52 7, 63 5 36 10 77 9 68 7 67	\$10 78 9 70 7 92 5 33 11 30 10 13 7 95	\$10 82 9 70 7 78 5,07 12 72 10 38 7 89	\$11 88 10 04 7 98 5, 28 12, 50 10 85 8, 12	\$10. 99 9 86 8. 26 6. 23 11 17 9 96 8 20
Classification Simpler cattle: Beef steers (1,100 pounds up)— Choice and prime Good Medium Common Beef steers (1,100 pounds down)— Choice and prime Good Medium Common Connection Light yearling steers and beifers (800 pounds good and prime	lown),	\$10. 57 9 61 8 02 6. 00 10 56 9 61 7 78 5 56 3 98	\$10 62 9. 52 7. 63 5 36 10 77 9 68 7 67 5 34	\$10 78 9 70 7 92 5 33 11 30 10 13 7 95 5 33	\$10 82 9 70 7 78 5, 07 12 72 10 38 7 89 5, 02	\$11 88 10 04 7 98 5. 28 12, 50 10 85 8, 12 5, 28	\$10. 99 9 86 8. 26 6. 23 11 17 9 96 8 20 6. 04
Classification Slanghter cattle: Beef steers (1,100 pounds up)— Choice and prime Good Medium Common Beef steers (1,100 pounds down)— Choice and prime Good Medium Common Camer and cuttor Light yending steers and beifers (800 pounds good and prime Heifers—	down),	\$10. 57 9 61 8 02 6. 00 10 56 9 61 7 78 5 56 3 98 9 44	\$10 62 9. 52 7. 63 5 36 10 77 9 68 7 67 5 34 3 82 9 83	\$10 78 9 70 7 92 5 33 11 30 10 13 7 95 5 33 3 76 10 22	\$10 82 9 70 7 78 5.07 12 72 10 38 7 80 5.02 3.41 10.45	\$11 88 10 04 7 98 5. 28 12. 50 10 85 8. 12 5. 28 3. 56 10, 74	\$10. 99 9 86 8. 26 6. 23 11 17 9 96 8 20 6. 04 4 16 9 84
Classification Slanghter cattle: Beef steers (1,100 pounds up)— Choice and prime Good Medium Common Beef steers (1,100 pounds down)— Choice and prime Good Medium Common Camer and cuttor Light yending steers and beifers (800 pounds good and prime Heifers—	down),	\$10. 57 9 61 8 02 6. 00 10 56 9 61 7 78 5 56 3 98	\$10 62 9, 52 7, 63 5 36 10 77 9 68 7 67 5 34 3 82	\$10 78 9 70 7 92 5 33 11 30 10 13 7 95 5 33 3 76	\$10 82 9 70 7 78 5, 07 12 72 10 38 7 89 5, 02 3, 41	\$11 88 10 04 7 98 5, 28 12, 50 10 85 8, 12 5, 28 3, 55	\$10. 99 9. 86 8. 26 6. 23 11. 17 9. 96 8. 20 6. 04 4. 16 9. 84 8. 40
Classification Slanghter cattle: Beef steers (1,100 pounds up)— Choice and prime Good Medium Commion Beef steers (1,100 pounds down)— Choice and prime Good Medium Common Camer and cutter Light yending steers and heifers (800 pounds good and prime Heifers— 850 pounds up (good and choice) All weights (common and medium) Cows—	down),	\$10. 57 9 61 8 02 6 00 10 56 9 61 7 78 5 56 3 98 9 44 8 04 1 88	\$10 62 9, 52 7, 63 5 36 10 77 9 68 7 67 5 34 3 82 9 83 8 46 5 31	\$10 78 9 70 7 92 5 33 11 30 10 13 7 95 5 33 3 76 10 22 8. 81 5 38	\$10 82 9 70 7 78 5.07 12 72 10 38 7 89 5.02 3.41 10.45 8.88 5 34	\$11 88 10 04 7 98 5. 28 12. 50 10 85 8. 12. 52 3. 56 10, 74 8 82 5. 27	\$10. 99 9 86 8. 26 6. 23 11 17 9 96 8 20 6. 04 4 16 9 84 8 40 5. 50
Classification Slangbier cattle: Beef steers (1,100 pounds up)— Choice and prime Good Medium Common Beef steers (1,100 pounds down)— Choice and prime Good Medium Common Camer and cutter Light yearling steers and beifers (800 pounds good and prime Heifels— 850 pounds up (good and choice) All weights (common and medium) Cows— (cood and choice— (cood and choice— (cood and choice)—	lown),	\$10. 57 9 61 8 02 6 00 10 56 9 61 7 78 5 56 3 98 9 44 8 04 1 88 6 30	\$10 62 9. 52 7. 63 5 36 10 77 9 68 7 67 5 34 3 82 9 83 8 46 5 31 6 14	\$10 78 9 70 7 92 5 33 11 30 10 13 7 95 5 33 3 76 10 22 8. 81 5 38	\$10 82 9 70 7 78 5 07 12 72 10 38 7 89 5 02 3 41 10 45 8 88 5 34 5 63	\$11 88 10 04 7 98 5. 28 12. 50 10 85 8. 12 5. 28 3. 56 10, 74 8 82 5. 27 5 55	\$10. 99 9 86 8. 26 6. 23 11 17 9 96 8 20 6. 04 4 16 9 84 8 40 5, 50 6, 29
Classification Slanghter cattle: Beef steers (1,100 pounds up)— Choice and prime Good Medium Commion Beef steers (1,100 pounds down)— Choice and prime Good Medium Common Camer and cutter Light yending steers and heifers (800 pounds good and prime Heifers— 850 pounds up (good and choice) All weights (common and medium) Cows—	lown),	\$10. 57 9 61 8 02 6 00 10 56 9 61 7 78 5 56 3 98 9 44 8 04 1 88 6 30	\$10 62 9, 52 7, 63 5 36 10 77 9 68 7 67 5 34 3 82 9 83 8 46 5 31	\$10 78 9 70 7 92 5 33 11 30 10 13 7 95 5 33 3 76 10 22 8. 81 5 38	\$10 82 9 70 7 78 5.07 12 72 10 38 7 89 5.02 3.41 10.45 8.88 5 34	\$11 88 10 04 7 98 5. 28 12. 50 10 85 8. 12. 52 3. 56 10, 74 8 82 5. 27	\$10. 99 9 86 8. 26 6. 23 11 17 9 96 8 20 6. 04 4 16 9 84 8 40 5. 50
Classification Slangbler cattle: Beef steers (1,100 pounds up)— Choice and prime Good Medium Common Beef steers (1,100 pounds down)— Choice and prime Good Medium Common Camer and cutter Light yearling steers and heifers (800 pounds up (good and choice)— All weights (common and medium) Cows— Cood and choice Coumon and medium Common and medium Camer and cutter Lood and choice Coumon and medium Camer and cutter Bulls—	down),	\$10. 57 9 61 8 02 6 00 10 56 9 61 7 78 5 56 3 98 9 44 8 04 1 88 6 39 3 93 2 40	\$10 62 9.52 7.63 5 36 10 77 9 68 7 67 5 34 3 82 9 83 8 46 5 31 6 14 3 81 2 62	\$10 78 9 702 5 33 11 30 10 13 7 95 5 33 3 76 10 22 8. 81 5 38 5 83 2 70	\$10 82 9 70 7 78 5,07 12 72 10 38 7 89 5,02 3,41 10,45 8,88 5,34 5,63 3,90 2,97	\$11 88 10 04 7 98 5. 28 12. 50 10 85 8. 12 5. 28 3. 56 10. 74 8. 82 5. 27 5. 55 3. 87 2. 96	\$10. 99 9 86 8. 26 6. 23 11 17 9 96 8 20 6. 04 4 16 9 84 8 40 5, 50 6. 29 4 32 2, 86
Classification Slangbler cattle: Beef steers (1,100 pounds up)— Choice and prime Good Medium Common Beef steers (1,100 pounds down)— Choice and prime Good Medium Common Camer and cutter Light yearling steers and heifers (800 pounds up (good and choice)— All weights (common and medium) Cows— Cood and choice Coumon and medium Common and medium Camer and cutter Lood and choice Coumon and medium Camer and cutter Bulls—	down),	\$10. 57 9 61 8 02 6 00 10 56 9 61 7 78 5 56 3 98 9 44 8 04 1 88 6 39 3 93 2 40	\$10 62 9.52 7.63 5 36 10 77 9 68 7 67 5 34 3 82 9 83 8 46 5 31 6 18 3 81 2 62 5.22	\$10 78 9 70 7 92 5 33 11 30 10 13 7 93 5 33 3 76 10 22 8. 81 5 38 5 83 2 70 4. 57	\$10 82 9 70 7 78 5.07 12 72 10 38 7 89 5.02 3.41 10.45 8.88 5 34 5 63 3 90 2 97 4.46	\$11 88 10 04 7 98 5. 28 12. 50 10 85 8. 12 5. 28 3. 55 10, 74 8. 82 5. 27 5. 55 5. 28 96 4. 26	\$10. 99 9 86 8. 26 6. 23 11 17 9 96 8 20 6. 04 4 16 9 84 8 40 5. 50 6. 29 4 32 2. 86 5 14
Classification Slanghter cattle: Beef steers (1,100 pounds up)— Choice and prime Good Medium Common Beef steers (1,100 pounds down)— Choice and prime Good Medium Common Canner and cuttor Light yearling steers and heifers (800 pounds good and prime Heifers— 850 pounds up (good and choice) All weights (common and medium) Cows— Good and choice— Common and medium Canner and cutter Bulls— Good and choice 1 Canner to incedium (canner and bologna) Slaughter calves	down),	\$10. 57 9 61 8 02 6 00 10 56 9 61 7 78 5 56 3 98 9 44 8 04 1 88 6 39 3 93 2 40	\$10 62 9.52 7.63 5 36 10 77 9 68 7 67 5 34 3 82 9 83 8 46 5 31 6 14 3 81 2 62	\$10 78 9 702 5 33 11 30 10 13 7 95 5 33 3 76 10 22 8. 81 5 38 5 83 2 70	\$10 82 9 70 7 78 5,07 12 72 10 38 7 89 5,02 3,41 10,45 8,88 5,34 5,63 3,90 2,97	\$11 88 10 04 7 98 5. 28 12. 50 10 85 8. 12 5. 28 3. 56 10. 74 8. 82 5. 27 5. 55 3. 87 2. 96	\$10. 99 9 86 8. 26 6. 23 11 17 9 96 8 20 6. 04 4 16 9 84 8 40 5, 50 6. 29 4 32 2, 86
Classification Blangbier cattle: Beef steers (1,100 pounds up)— Choice and prime Good Medium Common Beef steers (1,100 pounds down)— Choice and prime Good Medium Common Common Canner and cutter Light yearling steers and heifers (800 pounds good and prime Heifels— 850 pounds up (good and choice) All weights (common and medium) Cows— Common and medium Cows— Coumon and medium Canner and cutter Bulls— Good and choice Coumon and medium Canner on deutier Bulls— Good and choice- Couner to incellum (canner and bologna) Slaughter calves Medium to choice— Medium to choice— Medium to choice— Couner to incellum (canner and bologna)	lown),	\$10. 57 9 61 8 02 6. 00 10 56 9 61 7 78 5 56 3 98 9 44 8 04 1 88 6 30 3 93 2 40 5 32 3 45	\$10 62 9. 52 7. 63 5. 36 10 77 9. 68 7. 67 5. 34 3. 82 9. 83 8. 46 5. 31 6. 14 3. 81 2. 62 5. 22 3. 32	\$10 78 9 70 92 5 33 11 30 10 13 7 95 5 33 3 76 10 22 8. 81 5 38 2 73 2 73 4. 57 3 03	\$10 82 9 70 7 78 5 07 12 72 10 38 7 89 5 02 3 41 10 45 8 88 5 34 5 63 3 90 4 46 3 11	\$11 88 10 04 7 98 5 28 12 50 10 85 8, 12 5 28 3, 55 10, 74 8 82 5, 27 5 55 3, 87 2, 96 4 26 3, 05	\$10. 99 9 86 8. 26 6. 23 11 17 9 96 8 20 6. 44 4 16 9 84 8 40 5. 50 6. 29 4 32 2. 86 5 14 3. 70
Classification Slanghter cattle: Beef steers (1,100 pounds up)— Choice and prime Good Medium Common Beef steers (1,100 pounds down)— Choice and prime Good Medium Common Canner and cuttor Light yending steers and beifers (800 pounds good and prime Heifers— 850 pounds up (good and choice) All weights (common and medium) Cows— Good and choice— Common and medium Canner and cutter Bulls— Good and choice 1 Canner to medium (canner and bologna) Slaughter calves Medium to choice— 190 pounds down	lown),	\$10. 57 9 61 8 02 6. 00 10 56 9 61 7 78 5 56 3 98 9 44 8 04 1 88 6 39 3 93 2 40 5 32 3 45 7 90	\$10 62 9. 52 7. 63 5 36 10 77 9 68 7 67 5 34 3 82 9 83 8 46 5 31 2 62 3 82 8 53	\$10 78 9 70 7 92 5 33 11 30 10 13 7 95 5 33 3 76 10 22 8. 81 5 38 2 70 4. 57 3 03 8. 72	\$10 82 9 70 7 78 5 07 12 72 10 38 7 89 5 02 3 41 10 45 8 88 5 34 5 63 3 90 2 97 4 46 3 11	\$11 88 10 04 7 98 5 28 12 50 10 85 8 12 5 28 3 55 10 74 8 82 5 27 5 55 3 87 2 96 4 26 3 05	\$10. 99 9 86 8. 26 6. 23 11 17 9 96 8 20 6. 04 4 16 9 84 8 40 5. 50 6. 29 4 32 2. 86 5 14 8. 70
Classification Slangbter cattle: Beef steers (1,100 pounds up)— Choice and prime Good Medium Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Beifets S50 pounds up (good and choice) All weights (common and medium) Cows — Cood and choice Common and medium Camer and cutter Bulls— Good and choice¹ Canner to inedium (canner and bologna) Slaughter calves Medium to choice— 190 pounds down 190-260 pounds 260 pounds down	lown),	\$10. 57 9 61 8 02 6. 00 10 56 9 61 7 78 5 56 3 98 9 44 8 04 1 88 6 39 3 93 2 40 5 32 3 45 7 90	\$10 62 9. 52 7. 63 5. 36 10 77 9. 68 7. 67 5. 34 3. 82 9. 83 8. 46 5. 31 6. 14 3. 81 2. 62 5. 22 3. 32	\$10 78 9 70 92 5 33 11 30 10 13 7 95 5 33 3 76 10 22 8. 81 5 38 2 73 2 73 4. 57 3 03	\$10 82 9 70 7 78 5 07 12 72 10 38 7 89 5 02 3 41 10 45 8 88 5 34 5 63 3 90 4 46 3 11	\$11 88 10 04 7 98 5 28 12 50 10 85 8, 12 5 28 3, 55 10, 74 8 82 5, 27 5 55 3, 87 2, 96 4 26 3, 05	\$10. 99 9 86 8. 26 6. 23 11 17 9 96 8 20 6. 44 4 16 9 84 8 40 5. 50 6. 29 4 32 2. 86 5 14 3. 70
Classification Slanghter cattle: Beef steers (1,100 pounds up)— Choice and prime Good Medium Common Beef steers (1,100 pounds down)— Choice and prime Good Medium Common Canner and cuttor Light yearling steers and heifers (800 pounds good and prime Heifers— 850 pounds up (good and choice) All weights (common and medium) Cows— Cood and choice— Coumon and medium Canner and cutter— Bulls— Good and choice 1 Canner to incedium (canner and bologna) Slaughter calves Medium to choice— 190 pounds down— 190-260 pounds 260 pounds up— Cull and common—	down),	\$10. 57 9 61 8 02 6. 00 10 56 9 61 7 78 5 56 3 98 9 44 8 04 1 88 6 39 3 93 2 40 5 32 3 45 7 90 6 38 5 12	\$10 62 9, 52 7, 63 5 36 10 77 9 68 7 67 5 34 3 82 9 83 8 46 5 31 6 14 3 81 2 62 3 32 8 53 6 88 5 06	\$10 78 9 70 7 92 5 33 11 30 10 13 7 95 5 33 3 76 10 22 8. 81 5 38 2 70 4. 57 3 03 8. 72 7, 23 4 95	\$10 82 9 70 7 78 5,07 12 72 10 38 7 89 5,02 3,41 10,45 8,88 5 34 5 63 3 90 2 97 4,46 3,11 8,21 6,67 4,76	\$11 88 10 04 7 98 5 28 12 50 10 85 8, 12 5 28 5 27 10 74 8 82 5 27 5 55 3 87 2 96 4 26 3 05	\$10. 99 9 86 8. 26 6. 23 11 17 9 96 8 20 6. 04 4 16 9 84 8 40 5. 50 6. 29 4 3. 70 8 41 5. 73
Classification Slangbier cattle: Beef steers (1,100 pounds up)— Choice and prime Good Medium Common Common Common Common Camer and cutter Light yearling steers and heifers (800 pounds good and prime Heifers S50 pounds up (good and choice) All weights (common and medium) Common and medium Common choice Courant and cutter Bills— Good and choice Courant and cutter Bulls— Good and choice Courant and cutter Bulls— Good and choice Courant and cutter Bulls— Good and choice Courant and cutter Bulls— Good and choice Courant condition (canner and bologna) Slaughter calves Medium to choice— 190 pounds down 190-260 pounds 260 pounds up Cull and common— 190 pounds down	down),	\$10. 57 9 61 8 02 6 00 10 56 9 61 7 78 5 56 3 98 9 44 8 64 1 88 6 39 3 93 2 40 5 32 3 45 7 90 6 36 5 5. 12	\$10 62 9, 52 7, 63 5 36 10 77 9 68 7 67 5 34 3 82 9 83 8 46 5 31 6 14 3 81 2 62 3 32 8 53 6 88 5 06 5 38	\$10 78 9 70 7 92 5 33 11 30 10 13 7 95 5 33 3 76 10 22 8. 81 5 38 5 83 2 73 2 70 4. 57 3 03 4 95 5 37	\$10 82 9 70 7 78 5 07 12 72 10 38 7 89 5 02 3 41 10. 45 8 88 5 34 5 63 3 90 2 97 4 4 46 3 11 8 21 6 67 4 76 5 01	\$11 88 10 04 7 98 5 28 12 50 10 85 8, 12 5 28 3 55 10, 74 8 82 5 27 5 55 3 87 2 96 4 26 9 3 05 8 52 6 93 5 32 6 94	\$10. 99 9 86 8. 26 6. 23 11 17 9 96 8 20 6. 41 4 16 9 84 8 40 5, 50 6. 29 4 32 2. 86 5 14 3, 70 8, 41 7, 21 5, 73 5, 46
Classification Slanghter cattle: Beef steers (1,100 pounds up)— Choice and prime Good Medium Common Beef steers (1,100 pounds down)— Choice and prime Good Medium Common Canner and cuttor Light yearling steers and heifers (800 pounds good and prime Heifers— 850 pounds up (good and choice) All weights (common and medium) Cows— Cood and choice— Coumon and medium Canner and cutter— Bulls— Good and choice 1 Canner to incedium (canner and bologna) Slaughter calves Medium to choice— 190 pounds down— 190-260 pounds 260 pounds up— Cull and common—	down),	\$10. 57 9 61 8 02 6 00 10 56 9 61 7 78 5 56 3 98 9 44 8 64 1 88 6 39 3 93 2 40 5 32 3 45 7 90 6 36 5 5. 12	\$10 62 9, 52 7, 63 5 36 10 77 9 68 7 67 5 34 3 82 9 83 8 46 5 31 6 14 3 81 2 62 3 32 8 53 6 88 5 06	\$10 78 9 70 7 92 5 33 11 30 10 13 7 95 5 33 3 76 10 22 8. 81 5 38 2 70 4. 57 3 03 8. 72 7, 23 4 95	\$10 82 9 70 7 78 5,07 12 72 10 38 7 89 5,02 3,41 10,45 8,88 5 34 5 63 3 90 2 97 4,46 3,11 8,21 6,67 4,76	\$11 88 10 04 7 98 5 28 12 50 10 85 8, 12 5 28 5 27 10 74 8 82 5 27 5 55 3 87 2 96 4 26 3 05	\$10. 99 9 86 8. 26 6. 23 11 17 9 96 8 20 6. 04 4 16 9 84 8 40 5. 50 6. 29 4 3. 70 8 41 5. 73
Classification Slanghter cattle: Beef steers (1,100 pounds up)— Choice and prime Good Medium Common Beef steers (1,100 pounds down)— Choice and prime Good Medium Common Common Canner and cuttor Light yen ling steers and beifers (800 pounds goo! and prime Heifers— 850 pounds up (good and choice) All weights (common and medium) Cows— Good and choice— Common and medium Canner and cutter Bulls— Good and choice ! Canner to incellum (canner and bologna) Slaughter calves Medium to choice— 190 pounds down 190-260 pounds 260 pounds up Cull and common— 190 pounds down 190 pounds down 190 pounds down 190 pounds up Feder and stocker cattle and calves Stoers—	down),	\$10. 57 9 61 8 02 6. 00 10 56 9 61 7 78 5 56 3 98 9 44 8 04 1 88 6 30 3 93 2 40 5 32 3 45 7 90 6 36 5 12 4 00	\$10 62 9, 52 7, 63 5 36 10 77 9 68 7 67 5 34 3 82 9 83 8 46 5 31 6 14 3 81 2 62 5, 22 3 32 8, 53 6 88 5 06 5 38 4 04	\$10 78 9 70 7 92 5 33 11 30 10 13 7 95 5 33 3 76 10 22 8. 81 5 38 5 83 2 70 4. 57 3 08 8. 72 7. 28 4 95 5 3. 74	\$10 82 9 70 7 78 5, 07 12 72 10 38 7 89 5, 02 3, 41 10, 45 8, 88 5 34 5 63 3 90 2 97 4, 46 3, 11 8, 21 6, 67 4, 76 5, 03	\$11 88 10 04 7 98 5 28 12 50 10 85 8 12 5 28 3 56 10 74 8 82 5 27 5 55 3 87 2 96 4 26 3 05 8 52 6 93 5 32 5 32 5 34 5 5	\$10. 99 9 86 8. 26 6. 23 11 17 9 96 8 20 6. 04 4 16 9 84 8 40 5. 50 6. 29 4 32 2. 86 5 14 3. 70 8. 41 7. 21 5. 73 5. 46 4. 38
Classification Slanghter cattle: Beef steers (1,100 pounds up)— Choice and prime Good Medium Common Beef steers (1,100 pounds down)— Choice and prime Good Medium Common Common Canner and cuttor Light yen ling steers and beifers (800 pounds goo! and prime Heifers— 850 pounds up (good and choice) All weights (common and medium) Cows— Good and choice— Common and medium Canner and cutter Bulls— Good and choice ! Canner to incellum (canner and bologna) Slaughter calves Medium to choice— 190 pounds down 190-260 pounds 260 pounds up Cull and common— 190 pounds down 190 pounds down 190 pounds down 190 pounds up Feder and stocker cattle and calves Stoers—	down),	\$10. 57 9 61 8 02 6. 00 10 56 9 61 7 78 5 56 3 98 9 44 8 04 1 88 6 30 3 93 2 40 5 32 3 45 7 90 6 36 5 12 4 00	\$10 62 9, 52 7, 63 5 36 10 77 9 68 7 67 5 34 3 82 9 83 8 46 5 31 6 14 3 81 2 63 5 22 3 32 8 50 6 88 5 06 5 38 4 04 6.87	\$10 78 9 70 7 92 5 33 11 30 7 95 5 33 3 76 10 22 8. 81 5 38 2 73 2 73 2 73 2 74 4 57 3 74 6. 69	\$10 82 9 70 7 78 5.07 12 72 10 38 7 80 5.02 3.41 10.45 8.88 5 34 5 63 3 90 2 97 4.46 3.11 8.21 6.67 4.76 5.01 3.59	\$11 88 10 04 7 98 5 28 12 50 10 85 8, 12 5 28 3, 56 10, 74 8 82 5, 27 5 55 3 87 2, 96 4 26 3, 05 8, 52 4 26 3, 05 8, 52 5, 54 4 26 3, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5, 55 5	\$10. 99 9 86 8. 26 6. 23 11 17 9 96 8 20 6.04 4 16 9 84 4 32 2. 86 5 14 3. 70 8. 41 7. 21 5. 73 5. 46 4. 38 6. 79
Classification Slanghter cattle: Beef steers (1,100 pounds up)— Choice and prime Good Medium Common Beef steers (1,100 pounds down)— Choice and prime Good Medium Common Common Camer and cutter Light yearling steers and heifers (800 pounds good and prime Heifers— 850 pounds up (good and choice) All weights (common and medium) Cows— Cowd and choice Common and medium Camer and cutter— Bulk— Good and choice 1 Camer and cutter— Bulk— Good and choice 1 Camer to incelium (canner and bologna) Slaughter calves Medium to choice— 190 pounds down 190-260 pounds up Cull and common— 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down	down),	\$10. 57 9 61 8 02 6 00 10 56 9 61 7 78 5 56 5 56 5 20 1 88 9 44 8 64 1 88 6 39 3 98 9 44 2 40 5 32 3 45 7 90 6 6 36 5 5 12 4 5 00 6 79 6 6 00 3 6 79 6 6 00 3 6 6 00	\$10 62 9, 52 7, 63 5 36 10 77 9 68 7 67 5 34 3 82 9 83 8 46 5 31 6 14 3 81 2 62 3 32 8 53 6 88 5 06 5 38 4 04 6, 87 5, 85 5, 85	\$10 78 9 70 7 92 5 33 11 30 10 13 7 95 5 33 3 76 10 22 8. 81 5 38 2 70 4 57 3 03 8. 72 7 23 4 95 5 37 8. 74 6. 69 5. 76 3. 76	\$10 82 9 70 7 78 5,07 12 72 10 38 7 89 5,02 3,41 10,45 8,88 5 34 5 63 3 90 2 97 4,46 3,11 8,21 6,67 4,76 5,01 3,59	\$11 88 10 04 7 98 5 28 12 50 10 85 8, 12 5 28 5 28 10 74 8 82 5 27 5 55 3 57 2 96 4 26 3 05 8 52 6 93 5 32 5 78 5 78 5 78 5 78 5 78 5 78	\$10. 99 9 86 8. 26 6. 23 11 17 9 96 8 20 6. 04 4 16 9 84 8 40 5. 50 6. 29 4 3. 70 8. 41 7. 21 5. 73 5. 46 4. 38 6. 79 6. 14 3. 70
Classification Slangbier cattle: Beef steers (1,100 pounds up)— Choice and prime Good Medium Common Common Common Canner and cutter Light yearling steers and heifers (800 pounds good and prime All weights (common and medium) Common and medium Common and reductor Light yearling steers and heifers (800 pounds good and prime Heifers Sto pounds up (good and choice) All weights (common and medium) Cows — Cood and choice Common and medium Canner and cutter Bulls— Good and choice 1 Canner to incedium (canner and bologna) Slaughter calves Medium to choice— 190 pounds down 190-200 pounds 260 pounds up Cull and common— 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down	lown),	\$10. 57 9 61 8 02 6 00 10 56 9 61 7 78 5 56 3 98 9 44 8 64 1 88 6 39 3 93 2 40 5 32 3 3. 45 7 90 6 36 5 5. 12 5 5. 12 6 79 6 00 3 63 3 83 3 83 3 93 3 94 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95	\$10 62 9, 52 7, 63 5 36 10 77 9 68 7 67 5 34 8 46 5 31 6 14 3 81 2 62 3 32 8 53 6 88 5 06 5 38 4 04 6 87 5 85 8 50 8 53 9 68 8 53 8 50 8 53 8 50 8 53 8 50 8 53 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8 50 8	\$10 78 9 70 7 92 5 33 11 30 10 13 7 95 5 33 3 76 10 22 8. 81 5 38 2 73 2 70 4. 57 3 03 8. 72 7. 22 7. 23 4 95 5. 37 3. 74	\$10 82 9 70 7 78 5 07 12 72 10 38 7 89 5 02 3 41 10 45 8 88 5 34 5 63 3 90 2 97 4 4 46 3 11 8 21 6 67 6 5 01 3 59 6 5 02 9 6 02 9 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	\$11 88 10 04 7 98 5 28 12 50 10 85 8, 12 5 5 58 10 74 8 82 5 27 5 55 3 87 2 96 4 26 3 . 55 4 26 5 . 28 5 . 27 5 . 55 3 . 87 2 . 96 4 26 5 . 28 5 . 28 5 . 27 5 . 55 5 . 55 6 . 32 6 . 33 5 5 5 6 6 . 33 5 5 6 6 8 3 7 5 7 8 8 5 2 7 5 7 8 8 5 3 8 5 7 8 8 5 3 8 5 7 8 8 5 3 8 5 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	\$10. 99 9 86 8. 26 6. 23 11 176 8 20 6. 416 8 40 5. 50 6. 29 4 32 2. 86 5. 14 7. 21 5. 73 5. 46 4. 38 6. 79 6. 14 3. 72 4. 11 3. 72 4. 11
Classification Slaughter cattle: Beef steers (1,100 pounds up)— Choice and prime Good Medium Common Beef steers (1,100 pounds down)— Choice and prime Good Medium Common Common Canner and cuttor Light yearling steers and heifers (800 pounds good and prime Heifers— 850 pounds up (good and choice) All weights (common and medium) Cows— (cood and choice. Common and medium Canner and cutter— Bulls— Good and choice 1 Canner to incelium (canner and bologna) Slaughter calves Medium to choice— 190 pounds down 190-260 pounds up Cull and common— 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds down	lown),	\$10. 57 9 61 8 02 6 00 10 56 9 61 7 78 5 56 3 98 9 44 8 64 1 88 6 39 3 93 2 40 5 32 3 3. 45 7 90 6 36 5 5. 12 5 5. 12 6 79 6 00 3 63 3 83 3 83 3 93 3 94 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95 3 95	\$10 62 9, 52 7, 63 5 36 10 77 9 68 7 67 5 34 3 82 9 83 8 46 5 31 6 14 3 81 2 62 3 32 8 53 6 88 5 06 5 38 4 04 6, 87 5, 85 5, 85	\$10 78 9 70 7 92 5 33 11 30 10 13 7 95 5 33 3 76 10 22 8. 81 5 38 2 70 4 57 3 03 8. 72 7 23 4 95 5 37 8. 74 6. 69 5. 76 3. 76	\$10 82 9 70 7 78 5,07 12 72 10 38 7 89 5,02 3,41 10,45 8,88 5 34 5 63 3 90 2 97 4,46 3,11 8,21 6,67 4,76 5,01 3,59	\$11 88 10 04 7 98 5 28 12 50 10 85 8, 12 5 28 5 28 10 74 8 82 5 27 5 55 3 57 2 96 4 26 3 05 8 52 6 93 5 32 5 78 5 78 5 78 5 78 5 78 5 78	\$10. 99 9 86 8. 26 6. 23 11 17 9 96 8 20 6. 04 4 16 9 84 8 40 5. 50 6. 29 4 3. 70 8. 41 7. 21 5. 73 5. 46 4. 38 6. 79 6. 14 3. 70

¹ Beef yearlings excluded.

TABLE 454.—Cattle and calves: Monthly average price per 100 pounds, 1924—Con. SOUTH ST. PAUL

BOUTH S.	r. PAU	L					
Classification	Jan.	Feb.	Mar.	Apr.	May	June	July
Claushtar cattle:							
Slaughter cattle: Beef steers (1,100 pounds up)—						.]	
Good	\$10.96	\$10.78	\$10.76	\$10.96			
Good	9. 55	9. 44 7. 84	9. 54	9.82	\$10.14	\$9.46	\$9, 11
Medium	7.93	7.84	7.98	8. 28	8.48	8. 18	7 91
Common Beef steers (1,100 pounds down)—	6.01	6. 12	6. 25	6.66	6.98	6.70	6. 39
Choice and prime	10.96	10, 78	10 82	10. 88	1		
Choice and prime Good	9. 55	9.44	9 54	9. 77	10 00	9. 27	8. 80
Medium	7. 90	7.82	7 92	8 19	8 29	7.88	7 56
Medium	5.88	5 88 3.65	6 06 4.00	6. 40 4. 35	6 55 4 62	6.09	5 78
Light mearling steers and helfers (800 pounds	3. 50	3.00	2.00	2.00	4 02	4. 14	3 88
down), good and prime	9 88	9 78	9.75	9. 56	9, 25	8.70	8, 15
		1		i	1		
85° pounds up (good and choice)	8 21	8 03	8. 14	8. 23	8.15	7. 71	7. 25
All weights (common and medium)	5. 21	5. 03	5. 21	5.81.	6.15	5. 50	5 05
Cows— Good and choice	5 99	5 76	6 02	6.41	6. 63	6. 16	5. 75
Good and choice	4 06	4. 12	4 28	4. 57	4. 69	4 22	3 75
Canner and cutter.	2.72	2. 75	2.75	2.84	2.70	2. 78	2 50
Bulls—					1		
Good and choice 1Canner to medium (canner and bologna)	5 01	4 96	4.82	5.08	5. 34	5 42	5 43
Canner to medium (canner and bologna)	3 81	3 93	3.85	3.88	3, 91	3 93	3 84
Slaughter calves. Medium to choice—	1	ł	1				
190 pounds down	7 45	7 18	7 33	7. 27	7.19	7.40	7 22
190-260 pounds.	6 13	5 98	5 75	5. 93	6.04	6 00	5 94
190 pounds down 190-260 pounds 260 pounds up	5. 19	4. 95	4 88	5. 19	5 12	4 88	4.98
Cull and common—		4 50	4. 62	4.00	4		
190 pounds down	3 19	3 25	3. 25	4 66 3.63	4.51	4.75 4.41	4 89 4 77
190 pounds up	0 10	1	0.20	5.00	7. 20	2 71	* "
Steers—	ł	j	1	1	ĺ	1	
Common to choice (750 pounds up) Common to choice (750 pounds down)	5 37	5 57	5 74	6. 24	7.09	6 88	6 57
Common to choice (750 pounds down)	5 02 3 07	5 11	5 46	5 84	6. 52	5 96	5 51
Inferior (all weights)		3 04 3 62	3 00 8.64	3. 33 3. 93	3 96 4.12	3 71 3 96	3 50
Cows and helfers (common to choice)	4 75	4.83	4. 94	5 00	5.08	5.06	3 50 4.93
the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s		<u> </u>	!		!		1.00
Classification	Aug.	Sept.	Oct.	Nov.	Dec	Av.	
Slaughter cattle		1					Ì
Doef utones (1 100 corrects see)		40.40				l	l
Good Medium		\$9 42 7 87	\$9 48	\$9. 25	\$9. 25	\$9. 43	\$9.49
Common		6 14	7 59 5 59	7. 17 5. 13	7.00 4 91	7 44 5, 23	7. 81 6. 01
Common		"	0.00	0.10	7 31	3, 2,	0.01
G000		0 41	9 50	9, 64	10 12		0.63
Medium		7 73			10 14	10.41	
Common. Canner and cutter Light yearing steers and heifers (800 pounds down		1 : ::	7 50	7. 33	7. 33	7.67	7. 76
Light yearing steers and herfore (800 pounds down		5 72	5 12	7.33 4 84	7. 33 4. 66	7. 67 4 88	5 66
) good	5 72 3 84		7. 33	7. 33	7.67	5 66
and prime), good	5 72 3 84	5 12	7.33 4 84	7. 33 4. 66 3. 20	7. 67 4 88 3. 23	5 60 3.79
Heifers		5 72 3 84 8 40	5 12 3 62 8 66	7. 33 4 84 3. 40 9. 11	7. 33 4. 66 3. 20 9. 25	7. 67 4 88 3. 23 9. 76	5 66 3. 79 9. 19
Heifers-		5 72 3 84 8 40	5 12 3 62 8 66 7 52	7. 33 4 84 3. 40 9. 11 7. 63	7. 33 4. 66 3. 20 9. 25 7. 44	7. 67 4 88 3. 23 9. 76 7. 47	5 66 3. 79 9. 19 7. 77
Heifers — 850 pounds up (good and choice) All weights (common and medium)		5 72 3 84 8 40	5 12 3 62 8 66	7. 33 4 84 3. 40 9. 11	7. 33 4. 66 3. 20 9. 25	7. 67 4 88 3. 23 9. 76	5 66 3. 79 9. 19 7. 77
Heifers— 850 pounds up (good and choice) All weights (common and medium)		5 72 3 84 8 40 7 41 5 16	5 12 3 62 8 66 7 52 5 25	7. 33 4 84 3. 40 9. 11 7. 63 4. 86	7. 33 4. 66 3. 20 9. 25 7. 44 4 43	7. 67 4 88 3. 23 9. 76 7. 47 4. 38	5 66 3. 79 9. 19 7. 77 5. 17
Heifers— 850 pounds up (good and choice) All weights (common and medium)		5 72 3 84 8 40 7 41 5 16	5 12 3 62 8 66 7 52 5 25 5 88	7. 33 4 84 3. 40 9. 11 7. 63 4. 86 5. 85	7. 33 4. 66 3. 20 9. 25 7. 44 4 43 5 48	7. 67 4 88 3. 23 9. 76 7. 47 4. 38 5. 19	5 66 3. 79 9. 19 7. 77 5. 17 5. 92
Heifers— 850 pounds up (good and choice) All weights (common and medium)		5 72 3 84 8 40 7 41 5 16	5 12 3 62 8 66 7 52 5 25	7. 33 4 84 3. 40 9. 11 7. 63 4. 86	7. 33 4. 66 3. 20 9. 25 7. 44 4 43 5 48 3. 52	7. 67 4 88 3. 23 9. 76 7. 47 4. 38 5. 19 3. 62	5 66 3. 79 9. 19 7. 77 5. 17 5. 92 4. 00
Heifers— 850 pounds up (good and choice). All weights (common and medium) Cows— Good and choice Common and medium Canner and cutter		5 72 3 84 8 40 7 41 5 16 5 86 3 75 2 46	5 12 3 62 8 66 7 52 5 25 5 88 3 75 2, 52	7. 33 4 84 3. 40 9. 11 7. 63 4. 86 5. 85 3. 73 2. 49	7. 33 4. 66 3. 20 9. 25 7. 44 4 43 5 48 3. 52 2. 44	7. 67 4 88 3. 23 9. 76 7. 47 4. 38 5. 19 3. 62 2. 62	5 66 3. 79 9. 19 7. 77 5. 17 5. 92 4. 00 2. 63
Heifers— 850 pounds up (good and choice). All weights (common and medium) Cows— Good and choice Common and medium Canner and cutter		5 72 3 84 8 40 7 41 5 16 5 86 3 75 2 46	5 12 3 62 8 66 7 52 5 25 5 88 3 75 2, 52 5 12	7. 33 4 84 3. 40 9. 11 7. 63 4. 86 5. 85 3. 73 2. 49 4. 99	7. 33 4. 66 3. 20 9. 25 7. 44 4. 43 5. 48 3. 52 2. 44 4. 92	7. 67 4 88 3. 23 9. 76 7. 47 4. 38 5. 19 3. 62 2. 62 4. 93	5 66 3. 79 9. 19 7. 77 5. 17 5. 92 4. 00 2. 63 5. 10
Heifers— 850 pounds up (good and choice) All weights (common and medium) Cows— Good and choice Common and medium Canner and cutter Bulls— Good and choice ! Canner and medium (canner and bologna)		5 72 3 84 8 40 7 41 5 16 5 86 3 75 2 46	5 12 3 62 8 66 7 52 5 25 5 88 3 75 2, 52	7. 33 4 84 3. 40 9. 11 7. 63 4. 86 5. 85 3. 73 2. 49	7. 33 4. 66 3. 20 9. 25 7. 44 4 43 5 48 3. 52 2. 44	7. 67 4 88 3. 23 9. 76 7. 47 4. 38 5. 19 3. 62 2. 62	5 66 3. 79 9. 19 7. 77 5. 17 5. 92 4. 00 2. 63 5. 10
Heifers— 850 pounds up (good and choice). All weights (common and medium). Cows— Good and choice. Common and medium Canner and cutter. Bulls— Good and choice 1 Canner and medium (canner and bologna). Slaughter calves:		5 72 3 84 8 40 7 41 5 16 5 86 3 75 2 46 5 18 3 40	5 12 3 62 8 66 7 52 5 25 5 88 3 75 2, 52 5 12	7. 33 4 84 3. 40 9. 11 7. 63 4. 86 5. 85 3. 73 2. 49 4. 99	7. 33 4. 66 3. 20 9. 25 7. 44 4. 43 5. 48 3. 52 2. 44 4. 92	7. 67 4 88 3. 23 9. 76 7. 47 4. 38 5. 19 3. 62 2. 62 4. 93	5 66 3. 79 9. 19 7. 77 5. 17 5. 92 4. 00 2. 63 5. 10
Heifers— 850 pounds up (good and choice). All weights (common and medium). Cows— Good and choice. Common and medium Canner and cutter. Bulls— Good and choice 1 Canner and medium (canner and bologna). Slaughter calves:		5 72 3 84 8 40 7 41 5 16 5 86 3 75 2 46 5 18 3 40	5 12 3 62 8 66 7 52 5 25 5 88 3 75 2 52 5 12 3 25	7. 33 4 84 3. 40 9. 11 7. 63 4. 86 5. 85 3. 73 2. 49 4. 99 3 15	7. 33 4. 66 3. 20 9. 25 7. 44 4. 43 5. 48 3. 52 2. 44 4. 92 3. 28	7. 67 4 88 3. 23 9. 76 7. 47 4. 38 5. 19 3. 62 2. 62 4. 93 3. 30	5 66 3. 78 9. 18 7. 77 5. 17 5. 92 4. 00 2. 63 5. 10 3. 68
Heifers— 850 pounds up (good and choice). All weights (common and medium). Cows— Good and choice. Common and medium Canner and cutter. Bulls— Good and choice 1 Canner and medium (canner and bologna). Slaughter calves:		5 72 3 84 8 40 7 41 5 16 5 86 3 75 2 46 5 18 3 40	5 12 3 62 8 66 7 52 5 25 5 88 3 75 2 52 5 12 3 25 8 69 6 90	7. 33 4 84 3. 40 9. 11 7. 63 4. 86 5. 85 3. 73 2. 49 4. 99 3 15 7. 51 5. 94	7. 33 4. 66 3. 20 9. 25 7. 44 4 43 5 48 3. 52 2. 44 4. 92 3. 28 6. 05 4. 67	7. 67 4 88 3. 23 9. 76 7. 47 4. 38 5. 19 3. 62 2. 62 4. 93 3. 30 6. 55 5. 11	5 60 3. 74 9. 19 7. 77 5. 17 5. 92 4. 00 2. 63 5. 10 3. 63 7. 38
Heifers— 850 pounds up (good and choice) All weights (common and medium) Cows— Good and choice Common and medium Canner and cutter Bulls— Good and choice 1 Canner and medium (canner and bologna) Slaughter calves: Medium to choice— 190 pounds down 190-260 pounds 260 pounds up		5 72 3 84 8 40 7 41 5 16 5 86 3 75 2 46 5 18 3 40	5 12 3 62 8 66 7 52 5 25 5 88 3 75 2 52 5 12 3 25	7. 33 4 84 3. 40 9. 11 7. 63 4. 86 5. 85 3. 73 2. 49 4. 99 3 15	7. 33 4. 66 3. 20 9. 25 7. 44 4. 43 5. 48 3. 52 2. 44 4. 92 3. 28 6. 05	7. 67 4 88 3. 23 9. 76 7. 47 4. 38 5. 19 3. 62 2. 62 4. 93 3. 30	5 60 3. 74 9. 19 7. 77 5. 17 5. 92 4. 00 2. 63 5. 10 3. 63 7. 38
Heifers— 850 pounds up (good and choice). All weights (common and medium)		5 72 3 84 8 40 7 41 5 16 3 75 2 46 5 18 3 . 40 8 68 6 32 5 36	5 12 3 62 8 66 7 52 5 25 5 88 3 75 2 52 5 12 3 .25 8 69 6 90 5 .35	7. 33 4 84 3. 40 9. 11 7. 63 4. 86 5. 85 3. 73 2. 49 4. 99 3 15 7. 51 5. 94 4. 98	7. 33 4. 66 3. 20 9. 25 7. 44 4. 43 5. 48 3. 52 2. 44 4. 92 3. 28 6. 05 4. 67 3. 82	7. 67 4 88 3. 23 9. 76 7. 47 4. 38 5. 19 3. 62 2. 62 4. 93 3. 30 6. 55 5. 11 4. 15	5 66 3. 79 9. 19 7. 77 5. 17 5. 92 4. 00 2. 63 5. 10 3. 63 5. 80 4. 90
Heifers— 850 pounds up (good and choice). All weights (common and medium)		5 72 3 84 8 40 7 41 5 16 3 75 2 46 5 18 3 . 40 8 68 6 32 5 36	5 12 3 62 8 66 7 52 5 25 5 88 3 75 2 52 5 12 3 25 8 69 6 90 5 35 5 88	7. 33 4 84 3. 40 9. 11 7. 63 4. 86 5. 85 3. 73 2. 49 4. 99 3 15 7. 51 5. 94 4. 98	7. 33 4. 66 3. 20 9. 25 7. 44 4 43 5 48 3. 52 2. 44 4. 92 3. 28 6. 05 4. 67 3. 82 3. 96	7. 67 4 88 3. 23 9. 76 7. 47 4. 38 5. 19 3. 62 2. 62 4. 93 3. 30 6. 55 5. 11 4. 15 3. 87	5 66 3. 79 9. 19 7. 77 5. 17 5. 92 4. 00 2. 63 5. 16 3. 63 7. 33 5. 89 4. 99
Heifers— 850 pounds up (good and choice) All weights (common and medium) Cows— Good and choice— Common and medium Canner and cutter. Bulls— Good and choice 1 Canner and medium (canner and bologna). Slaughter calves: Medium to choice— 190 pounds down 190-280 pounds 260 pounds up Cull and common— 190 pounds down 190 pounds down 190 pounds down 190 pounds down 190 pounds up		5 72 3 84 8 40 7 41 5 16 3 75 2 46 5 18 3 . 40 8 68 6 32 5 36	5 12 3 62 8 66 7 52 5 25 5 88 3 75 2 52 5 12 3 .25 8 69 6 90 5 .35	7. 33 4 84 3. 40 9. 11 7. 63 4. 86 5. 85 3. 73 2. 49 4. 99 3 15 7. 51 5. 94	7. 33 4. 66 3. 20 9. 25 7. 44 4. 43 5. 48 3. 52 2. 44 4. 92 3. 28 6. 05 4. 67 3. 82	7. 67 4 88 3. 23 9. 76 7. 47 4. 38 5. 19 3. 62 2. 62 4. 93 3. 30 6. 55 5. 11 4. 15	5 66 3. 79 9. 19 7. 77 5. 17 5. 92 4. 00 2. 63 5. 16 3. 63 7. 33 5. 89 4. 99
Heifers— 850 pounds up (good and choice) All weights (common and medium) Cows— Good and choice Common and medium Canner and cutter Bulls— Good and choice 1 Canner and medium (canner and bologna) Slaughter calves: Medium to choice— 190 pounds down 190-280 pounds 260 pounds up. Cull and common— 190 pounds up. Feeder and stocker cattle and calves: Steers—		5 72 3 84 8 40 7 41 5 16 5 86 3 75 2 46 5 18 3 .40 8 68 6 32 5 36 5 52 4 50	5 12 3 62 8 66 7 52 5 25 5 88 3 75 2 52 5 12 3 25 8 69 5 35 5 85 4 72	7. 33 4 84 3. 40 9. 11 7. 63 4. 86 5. 85 3. 73 2. 49 4. 99 3 15 7. 51 4. 98 5. 20 4. 29	7. 33 4. 66 3. 20 9. 25 7. 44 4 43 5 48 3. 52 2. 44 4. 92 3. 28 6. 05 4. 67 3. 82 3. 96	7. 67 4 88 3. 23 9. 76 7. 47 4. 38 5. 19 2. 62 4. 93 3. 30 6. 55 5. 11 4. 15 3. 87 3. 00	5 66 3. 79 9. 19 7. 77 5. 17 5. 92 4. 00 2. 63 5. 16 3. 63 7. 33 5. 89 4. 99
Heifers— 850 pounds up (good and choice) All weights (common and medium) Cows— Good and choice Common and medium Canner and cutter Bulls— Good and choice 1 Canner and medium (canner and bologna) Slaughter calves: Medium to choice— 190 pounds down 190-280 pounds 260 pounds up. Cull and common— 190 pounds up. Feeder and stocker cattle and calves: Steers—		5 72 3 84 8 40 7 41 5 16 5 86 3 75 2 46 5 18 3 .40 8 68 6 32 5 36 5 52 4 50	5 12 3 62 8 66 7 52 5 25 5 88 3 75 2 52 5 12 3 25 8 69 5 35 5 85 4 72	7. 33 4 84 3. 40 9. 11 7. 63 4. 86 5. 85 3. 73 2. 49 4. 99 3 15 7. 51 5. 94 4. 98 5. 20 4. 29	7. 33 4. 66 3. 20 9. 25 7. 44 4. 43 5. 48 3. 52 2. 44 4. 92 3. 28 6. 05 4. 67 3. 82 3. 96 3. 24 5. 50	7. 67 4 88 3. 23 9. 76 7. 47 4. 38 5. 19 3. 62 2. 62 4. 93 3. 30 6. 55 5. 11 4. 15 3. 87 3. 00	5 66 3. 79 9. 19 7. 77 5. 17 5. 92 4. 00 2. 63 5. 10 3. 62 7. 38 5. 86 4. 90 4. 74 3. 87
Heifers— 850 pounds up (good and choice). All weights (common and medium). Cows— Good and choice. Common and medium Canner and cutter Bulls— Good and choice 1 Canner and medium (canner and bologna). Slaughter calves: Medium to choice— 190 pounds down. 190-280 pounds. 280 pounds up. Cull and common— 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. Steers— Common to choice (750 pounds up). Common to choice (750 pounds down).		5 72 3 84 8 40 7 41 5 16 5 86 3 75 2 46 5 18 3 .40 8 682 5 36 5 52 4 50 6 48 5 570	5 12 3 62 8 66 7 52 5 25 5 25 2 52 5 12 3 25 8 69 6 90 5 35 4 72 6 24 5 83	7. 33 4 84 3. 40 9. 11 7. 63 4. 86 5. 85 3. 73 2. 49 4. 99 3 15 7. 51 4. 98 5. 20 4. 29 5. 98 5. 98	7. 33 4. 66 3. 20 9. 25 7. 44 4. 43 5. 48 3. 52 2. 44 4. 92 3. 28 6. 65 4. 67 3. 82 3. 96 3. 24	7. 67 4 88 3. 23 9. 76 7. 47 4. 38 5. 19 3. 62 2. 62 4. 93 3. 30 6. 55 5. 11 4. 15 3. 87 3. 00	5 66 3. 79 9. 19 7. 77 5. 17 5. 92 4. 00 2. 63 5. 10 3. 63 7. 38 4. 99 4. 74 3. 87 6. 06 6. 06
Heifers— 850 pounds up (good and choice) All weights (common and medium) Cows— Good and choice Cominon and medium Canner and cutter Bulls— Good and choice 1 Conner and medium (canner and bologna) Slaughter calves; Medium to choice— 190 pounds down. 190-280 pounds. 260 pounds up. Cull and common— 190 pounds down. 190 pounds up. Feeder and stocker cattle and calves: Steers— Common to choice (750 pounds down) Interior (all weights)		5 72 3 84 8 40 7 41 5 16 5 86 3 76 2 46 5 18 3 3 40 8 68 6 32 5 36 5 52 4 50 6 48 5 70 3 66 3 67 3 67 3 67 3 67 3 67 3 67 3 67	5 12 3 62 8 66 7 52 5 25 5 88 3 75 2 52 5 12 3 25 5 12 3 25 5 4.72 6 24 5 83 3 75	7. 33 4 84 3. 40 9. 11 7. 63 4. 86 5. 85 3. 73 2. 49 3. 15 7. 51 5. 94 4. 98 5. 20 4. 29 5. 98 5. 60 5. 85	7. 33 4. 66 3. 20 9. 25 7. 44 4 43 5 48 3. 52 2. 44 4. 92 3. 28 6. 05 4. 67 3. 82 3. 96 3. 24 5. 50 5. 10 5. 3. 3. 35	7. 67 4 88 3. 23 9. 76 7. 47 4. 38 5. 19 3. 62 2. 62 4. 93 3. 30 6. 55 5. 11 4. 15 3. 87 3. 00	9. 63 7. 76 5 60 3. 79 9. 19 7. 77 5. 17 5. 92 4. 00 2. 63 5. 10 3. 63 5. 83 4. 90 4. 74 3. 87
Heifers— 850 pounds up (good and choice). All weights (common and medium). Cows— Good and choice. Common and medium Canner and cutter Bulls— Good and choice 1 Canner and medium (canner and bologna). Slaughter calves: Medium to choice— 190 pounds down. 190-280 pounds. 280 pounds up. Cull and common— 190 pounds down. 190 pounds down. 190 pounds down. 190 pounds down. Steers— Common to choice (750 pounds up). Common to choice (750 pounds down).		5 72 3 84 8 40 7 41 5 16 5 86 3 75 2 46 5 18 3 .40 8 632 5 36 5 52 4 50 6 48 6 5.70 3 620 3 620 3 620	5 12 3 62 8 66 7 52 5 25 5 25 2 52 5 12 3 25 8 69 6 90 5 35 4 72 6 24 5 83	7. 33 4 84 3. 40 9. 11 7. 63 4. 86 5. 85 3. 73 2. 49 4. 99 3 15 7. 51 4. 98 5. 20 4. 29 5. 98 5. 98	7. 33 4. 66 3. 20 9. 25 7. 44 4. 43 5. 48 3. 52 2. 44 4. 92 3. 28 6. 65 4. 67 3. 82 3. 96 3. 24	7. 67 4 88 3. 23 9. 76 7. 47 4. 38 5. 19 3. 62 2. 62 4. 93 3. 30 6. 55 5. 11 4. 15 3. 87 3. 00	5 66 3. 79 9. 19 7. 77 5. 17 5. 92 4. 00 2. 63 5. 10 3. 63 7. 38 6. 88 4. 90 4. 74 3. 87

Division of Statistical and Historical Research. Compiled from data of the reporting service of the Live-stock, Meats, and Wool Division.

1 Beef yearlings excluded.

TABLE 455.—Cattle: Prices of live steers in Chicago, wholesale prices of beef in Chicago and New York, and retail prices of certain beef cuts, 1913-1924

			Beef, wholesale	holesale	İ						Beef, retail	etail					
				,				Sirloin steak	steak					Round steak	steak		
Year	Live steers good to choice,		crood native steer, Chicago	Native sides, New York	York	Chicago	o ž e.	New	York	Average, leading cities	elties	Chicago	o % 0	New York	York	Average, leading cities	age,
	Cago	Price per pound	Whole-sale as per cent of live steer price	Price per pound	Whole- sale as per cent of live steer price	Price per pound	Retail as per cent of live steer price	Price per pound	Retail as per cent of live steer price	Price per pound	Retail as per cent of live steer price	Price per pound	Retail as per cent of live steer price	Price per pound	Retail as per cent of live steer price	Price per pound	Retail as per cent of live steer price
	Cents		Per		Per	Cents	Per	Cents	Per	Cents	Per cent	Cents	Per	Cents	Per	Cents	Per
913	9 5					88	833	28 28 28 28	28 88 28 88	25 25 4 00	88	88	88	3 3 8	Z Z	ដូដ	22
1915 1916	800					13 82 12 80 72	279	88	28 88	3 53 54 55	2 2	ដូដ	200	48	88	8 %	3 53
917 918	15 16 18 18					88	212	35 40 80 80	255	38.9	23.5	32.3	258	32. 42.3 3	18 18 18 18	8 8 8	ង់ង
	77 77					88 84 60 83	297	43 46 9	323	43.7	88	4, 8, 6, 6, 6, 6,	8 8 8	45.7	388	& & & &	35
921 922	00 P					38 2	392	42.1	478	88 F.	4 g	200	308	30.4	469	2. 5. 4. 5.	<u> </u>
	0.6	15.8		12 2		4.39 2.38	88.5	43.5	23	30.0	56 94 108	32.7	33.30	\$ 1	427	88 80 80 80 80 80 80 80 80 80 80 80 80 8	88.8
1924.								:				-			-		
anuary	6 6	17 0	173	16.0	168	9 9	416	2 2 2 2 2	447 747		399	31.1	327	2 4	434	88	351
March	101	11	168	223	156	9:	968	#	4		382	31.3	310	400	396	888	333
April	20	110	165	16.0	136	4.5	405	42.4	428		368	32 1	315	2 2	410	3.25	330
ane	9	16.8	175	21:	151	1.7	434	3	456		4	35 0	333	3	439	86.	362
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ه ده ده	2 9	174	1 1	284	4 4	3.4	3.1 × c	8 8		\$ 5	350	3 %	2,5	34	3 %	25
September	0.0	16.5	183	14 6	162	41 5	461	43.5	487	2°5	747	88	367	44	173	34.3	381
November	200	120	188	13 9	151	2	454	423	466		4	32.2	323	110	446	32.0	38
Janemher	0	0	-	4	S		5	4 07			2		č	•	Č	8	950

TABLE 455.—Cattle: Prices of live steers in Chicago, wholesale prices of beef in Chicago and New York, and retail prices of certain beef cuts, 1918–1924.—Continued

					ж.	Beef, retail—Continued	-Continu	pq				
-			Chuck	Chuck roast					Rib rosst	osst		
Year	СЪ	Сысяво	New	New York	Average, leading cities	age. cities	Chicago	oge	New York	York	Average, leading cities	age, cities
	Price per pound	Retail as per cent of live steer price	Price per pound	Retail as per cent of live steer price	Price per pound	Retail as per cent of live steer price	Price per pound	Retail as per cent of live steer price	Price per pound	Retail as per cent of live steer price	Price per pound	Retail as per cent of live steer price
914 915 915 916 917 918 918 918 920 920 920 922 922 923 924 1924 1924 1924 1924 1924 1924 1924	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Per Gal 1873 1988 1989 1989 1989 1989 1989 1989 198	20 20 20 20 20 20 20 20 20 20 20 20 20 2	Per cent 188 188 188 188 188 188 188 188 188 18	\$28887222222222222222222222222222222222	7-c-c-c-c-c-c-c-c-c-c-c-c-c-c-c-c-c-c-c	00 12 13 13 13 13 13 13 13 13 13 13	Per central property of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the period of the pe	C	Per cent. 2566 2566 2567 2576 2576 2576 2576 2576	2 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	Pr cent 22 22 22 22 22 22 22 22 22 22 22 22 22

Division of Statistical and $\mathbf{g}_{1310rical}$ Resear. b. All prices from Bureau of Labor Statistics

TABLE 456.—Cattle and calves: Monthly slaughter under Federal inspection, 1907-1924

386 280 280 280 280 280 280 280 280 280 4.1444 4.1444 4.8484 4.8444 4.8484 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8.888 8 \$\frac{1}{2} \frac{1}{2} 8.33 24.7.14 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 28.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 8821, 8821, 8831, 883, 883, 734, 749, 749, 749, 749, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1165, 1 32885 1 ly (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (2.00 cm) (227 65880 8858 \$25£95 1259£ \$459£ \$65£ 243. 2025. 2025. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2027. 2 232 2522 2522 2524 2544 2545 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2560, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2660, 2 \$500,550 \$450,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$500,500 \$50 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 25179 뇹 05103 05103 05103 05103 05103 05103 527, 527, 527, 535, 5498, 489,

TABLE 457.—Beef and beef products: International trade, average 1911-1913, annual 1921-1923

[Thousand pounds-i. e., 000 omitted]

	Average,	1911-1913	19)2 1	19	22	1923, pre	liminary
Country	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Exports
PRINCIPAL EXPORT- ING COUNTRIES								
Argentina	144 437 48, 989 3, 091 85	940, 300 301, 882 171 6, 448 8, 787	1 249 10, 160 2, 986 1, 363	983, 010 1 224, 755 149, 944 33, 997 10, 172	13, 829 2, 958 2, 141	1, 083, 747 1 152, 856 80, 459 27, 327 3, 434	2, 467 1, 414	1 2 61, 440 206, 697 24, 380
Denmark	18, 815 256, 296 398 17, 668 152	43, 485 326, 176 80, 543 213, 722 119, 675	7, 603 154, 831 443 32, 378	21, 658 180, 541 165, 243 218, 810 201, 653	10, 900 159, 756 411 36, 694	51, 737 163, 264 117, 610 214, 733	10, 955 199, 164 437 19, 356	30, 707 202, 545 141, 494 192, 368
PRINCIPAL IMPORT- ING COUNTRIES								
Austria	12, 983 6, 034 7, 434	3, 762 1, 577 773 298	40, 638 84, 671 5, 774 2, 528	7, 359 15, 124 1, 066 1, 256	16, 138 81, 122 7, 268 308	6, 453 3, 923 893 106	148, 000 8, 043	4, 227 1, 227
Cuba Czechoslovakia Egypt Finland France	476		34, 865 3, 491 5, 711 1, 564 163, 444	72 36 35, 391	47, 245 2, 023 4, 694 2, 017 112, 151	763 16 37, 138	368 4, 699 3, 948 164, 413	20
Germany Hongkong Italy Japan	131	942	186, 333 5, 747 70, 521	³ 1, 054 58	180, 254 1, 328 36, 611	2, 630 325 225	230, 906 1, 608 28, 784	1, 295 433 546
Norway	20, 203 15, 837 966 12, 912	2, 337 38 17, 285	23, 661 13, 516 759 14, 617	1, 600 76 26, 136	24, 748 9, 608 10, 013 19, 066	1, 614 (5) 15, 787	6, 438 11, 615	1, 605 7, 712
Switzerland	9, 052 17, 622 1, 252, 292 29, 474	440 292 27, 595 3, 438	6, 205 4, 148 1, 515, 667 8, 191	215 3, 409 38, 174 1, 477	5, 323 7, 37 1, 471, 707 6, 277	286 1, 7530 26, 633 1, 989	1, 788, 994	722 1, 536 31, 463 649
Total	2, 044, 172	2, 162, 336	2, 402, 064	2, 322, 286	2, 271, 960	1, 995, 701	2, 686, 860	2, 459, 722

Division of Statistical and Historical Research. Official sources.

Table 458.—Beef: Stocks, frozen and cured, in cold-storage warehouses and meat-packing establishments, 1915-1924

[Thousand pounds-i. e , 000 omitted]

Year beginning November	Nov.	Dec.	Jan. 1	Feb 1	Mar.	Apr.	May 1	June 1	July 1	Aug 1	Sept 1	Oct 1
1917	211, 254 253, 652	196, 106 273, 989 262, 049	239, 743 354, 814 335, 085	226, 800 330, 907 330, 324	207, 453 313, 689 296, 539	184, 794 302, 121 252, 415	147, 800 241, 942 212, 407	133, 838 214, 888 191, 002	145, 033 176, 606 191, 883	141, 130 209, 027 190, 222	130, 743 215, 125 197, 595	
1920 1921 1922 1923 1924	63, 486 67, 814 63, 421	80, 333 95, 628	84, 808 116, 255 105, 577	78, 295 114, 113	73, 782 100, 591	138, 345 69, 516 90, 502 93, 274	64, 507 78, 535	56, 852 65, 023	50, 706 57, 220	47, 031 45, 893	48, 201 46, 041	53, 572 48, 187

Not separately stated Less than 500 pounds

Year beginning July 1.
 Nine months.
 Eight months, May-December.

Table 459.—Cattle, calves, beef, and veal: Statement of the livestock and meat situation, by months, 1924

Item	Unit	Jan.	Feb	Mar.	Apr	May	June	July
Inspected slaughter:								
Cattle.	Thousands	813	669	665	689	773	670	704
Calves	do	373	346	377	466	470	408	421
Carcasses condemned.	1	ı						
Cattle	do	8	7	8	6	7	5	5
Calves			1	2	1	1	1	1
A versge live weight:	}) .				i	}	İ
Cattle	do	966	966	967	962	948	951	940
Calves.	do	177	163	152	147	157	168	181
A verage drossed weight:	i	i				1	1	}
Cattle	do	514	521	523	523	523	523	517
Calves	do	104	93	92	89	95	97	103
Calves	1							
cluding condemned):	ŀ			1		}		
Boef	1,000 pounds	413, 254	345, 335	343, 965	356, 957	400, 858	347, 175	392, 101
Veal	do	38, 528	31.991	34, 584	41, 331	44, 733	39, 342	43, 198
Storage first of month: Fresh beef		, ' I						
Fresh beef	do	82, 984	79, 944		68, 075			
Cured beef	do	22, 593	22, 711	23, 238	25, 190	25, 482	24, 285	22, 390
Exports *		1 1					('	i i
Fresh beef and veal	do	286	343	172	202			172
Cured beef	do	1, 201					1, 902	1,620
Canned beef	_ do	341	105	124			74	65
Oleo oil and stearin		7,003			9, 179			
Tallow	- do	1, 560						
Imports, fresh beef and veal	do	1,065						
Receipts, cattle and calves 4	Thousands _	1,888		1,556				
Stocker and feeder shipments	do	243	170	174	239	275	201	169
Prices per 100 pounds	1		1		•		Í	i
Average cost for slaughter—		i	1			}		1
Cattle	Dollars	6 65	6 67					
Calves	do	8 29	9 45	8, 85	8, 49	8. 19	7 68	7.61
At Chicago—	1	1	1			İ	ļ	1
Cattle, good steers	do	10 55						10 08
Veal calves	do	10 16	9, 82	9 24	8, 57	8 64	8.00	8, 57
At eastern markets—								
Beef carcasses, good grade	do	15 92	15 10					14 86
Veal carcasses, good grade Cattle on farms Jan. 1	do	19 32	19 38		16 54	16, 86	15 96	15 86
Cattle on farms Jan. 1	Thousands _	66, 801						
		<u></u>	<u></u>			<u> </u>	<u> </u>	

Aug Sept

Inspected slaughter: Cattle	Thousands _		870 419	1, 016 473	952 392	926 416	9, 593 4, 935
Cattle.	.do	5			12	11	89
Calves.	_do.	Ĭ,			1	- î	13
A verage live weight.					-1	_	
Cuttle_	do	952	939	939	933	947	1 951
Calves.	.do.	197	201	196	198	183	1 177
Avorage dressed weight:				Ì	- 1		
Cattle.	.do	51'	502	4,91	476	491	1.510
_ Calves	_do	109	113	108	107	105	1 101
Total dressed weight (carcass, not includ- ing condemned):			1				
Beef_	t,000 pounds	403, 828	433, 84	494, 491	447, 899	449, 769 1	, 829, 474
Veal		40, 904	47, 394	51, 233	41,995	43, 355	498, 588
Storage first of month.		00 400	00.10*				
Fresh beef		29, 431					54, 107
		20, 377	10, 111	19, 939	21, 387	23, 508	2 22, 490
Exports. 8 Fresh beef and veal	_do	206	274	265	226	202	9 709
Cured beef	_do	2, 274	2, 187	2, 543	1,868	1,520	2,792
Canned beef	_do	166	151	2, 043	91	66	21, 923 1, 500
Oleo oil and stearin	.do	8, 864	10, 042			6, 472	105, 955
Tallow .	_do	3, 147	4, 186	3, 472	2, 977	1, 487	33, 962
Imports, fresh beef and veal.	_do	1,368	696	941	745	585	18, 104

Table 459.—Cattle, calves, beef, and veal: Statement of the livestock and meat situation, by months, 1924—Continued

Item	Unit	Aug	Sept.	Oct.	Nov.	Dec.	Total
Receipts, cattle and calves 'Stocker and feeder shipments 'Prices per 100 pounds:	Thousandsdo	1, 934 306	2, 566 580	2, 736 751		2, 083 309	23, 695 3, 966
Average cost for slaughter— Cattle	Dollars	7. 06 7. 42	6 33 7. 23	5. 75 6. 81	5 34 6 24	5 66 7. 15	1 6 72 1 7. 78
Cattle, good steers	do	9, 91 9, 62					
Beef carcasses, good grade Veal carcasses, good grade	do	16.09 16 92					

Division of Statistical and Historical Research — Inspected slaughter from reports of Bureau of Animal Industry — Weights and storage holdings from reports of the Cold Storage Report Section, receipts, shipments, and prices compiled from data of the reporting service of the Livestock, Meats, and Wool Division, and number on farm from Division of Crop and Livestock Estimates — Exports and Imports from Bureau of Foreign and Domestic Commerce

Table 460.—Beef products · 1 Exports, all products combined, United States, 1910-1925

[Thousand pounds-1 e, 900 omitted]

Year ended June 30	July	Au- gust	Sep- tem- ber	Octo- ber	No- vem- ber	De- cem- ber	Janu- ary	Feb- ru- ary	March	April	May	June	Total
1910 1911 1912 1913	35, 891 18, 090 29, 171 16, 754 15, 388		16, 146 25, 130 10, 871	15, 398 21, 002 10, 518	1, 227 14, 12 8, 068	15, 598 15, 373 8, 908	16, 540 14, 266	16, 265 15, 739 13, 657	23, 412 19, 203 16, 424	30, 692 19, 838 14, 203	15, 967 15, 686	32, 904 13, 804 19, 971	282, 876 262, 128 230, 296 163, 497 145, 955
1915 1916 1917 1918 1919		43, 166	39, 404 25, 783	36, 024 17, 737	36, 702 31, 724 10, 743	42, 155 26, 908 36, 443	21, 461 32, 680 43, 475	28, 422 25, 932 31, 892	35, 895 87, 199	33, 361 51, 974 72, 882	35, 105 51, 950 96, 982	53, 830 33, 296 92, 150	378, 281 439, 068 405, 087 583, 465 561 , 194
1920 1921 1922 1923 1924 1925	25, 496 18, 716 18, 019 15, 271 14, 256 14, 029	28, 184 9, 387 18, 496 13, 751 18, 171 14, 387	10, 530	15, 180 12, 772 13, 165 14, 205	14, 088 10, 044 14, 554 12, 086	19, 711 14, 999 9, 369 10, 778 8, 747 9, 329	24, 767 9, 109 12, 537	14, 523 12, 400 11, 415	12, 626 17, 810 15, 144	14, 625 13, 735 12, 149	15, 911 19, 155 13, 603	13, 065 19, 873 14, 935	324, 544 178, 417 179, 850 161, 136 156, 550

Division of Statistical and Historical Research. Compiled from reports of Bureau of Foreign and

¹ Weighted average.

² Simple average, not total

Including reexports
 At public stockyards.

¹ These figures include fresh, canned, pickled, and other cured beef, tallow, and oleo oil.

Table 461.—Beef, fresh: Exports from the United States, by countries, 1910-1924
[Thousand pounds-i. e., 000 omitted]

Year ended June 30—	France	Italy	United King- dom	Other Eu- rope	Total Eu- rope	Canada	New found- land and Labra- dor	Ber- muda	Pan- ama	Cuba	Other coun- tries	Total
1910 1911 1912 1913 1914		86 1 14	70, 795 37, 258 8, 872 127	42 18	8, 904	248 585	5 12	394 561 176 380 483	4, 042 4, 221 5, 401 5, 935 5, 534	42 45	141 113	15, 264 7, 362
1915 1916 1917 1918 1919	38,042	47, 888 13, 066 8, 567	117, 409 125, 688 285, 789	241 576	164, 620 214, 638 177, 372 331, 283 318, 773	3, 192 17, 771 37, 350	111 263 329	656 885 1,327 510 932	1,505 235	53	10, 830 151 214	170, 441 231, 214 197, 177 370, 033 332, 205
1920 1921 1922 1923 1924	329 401 4 (¹)	3, 610	9, 323 3, 140 1, 044 1, 464 391	4, 028 346 271	1,390 1,739	695 128 119	 82 7	1,143 1,116 898	198 236 210		10, 964 865	3,993 4,017

Division of Statistical and Historical Research Compiled from Foreign Commerce and Navigation of the United States, 1910-1918, Monthly Summaries of Foreign Commerce, June, 1920, 1922, and 1923, and reports of Bureau of Foreign and Domestic Commerce.

Table 462.—Beef, pickled and other cured: Exports from the United States, by countries, 1910-1924

[Thousand pounds-i c., 000 omitted]

Year ended June 30	Bel- gium	France	Ger- many	Italy	Neth- er- lands	United King- dom	Other Eu- rope	Total Eu- rope	Can- ada	New- found- land and Labra- dor	Other coun- tries	Total
1910	2, 140 1, 843 1, 829 554 556 1, 908 4, 546 19, 987 31, 236 20, 596 1, 962 693 364 385	171 124 34 28 15 133 312 60 1, 937 198 25 89 49	4, 581 4, 616 3, 081 1, 758 379 (¹) 3, 189 1, 166 954 463	155 54 42 2 2 97 499 5 600 3, 496 408 83 5		10, 904 12, 003 7, 490 4, 205 3, 995 5, 336 4, 115 3, 513 3, 085	2, 749 3, 383 2, 263 1, 036 3, 180 3, 570 2, 925 5, 739 5, 940 4, 619 4, 619 4, 084 2, 113	20, 454 10, 490 12, 322 7, 767 18, 941 20, 847 35, 706 41, 840 35, 964 18, 791 7, 572 9, 516 6, 265	1, 752 712 1, 331 1, 659 5, 101 9, 395 2, 623 1, 603	5, 821 5, 077 3, 807 4, 936 4, 331 5, 027 6, 803 5, 505 4, 251 6, 214 5, 516 6, 942 6, 627	9, 232 6, 944 7, 140 6, 150 4, 500 3, 248 5, 124	40, 284 38, 088 25, 857 23, 206 31, 875 38, 115 58, 054 54, 468 45, 066 32, 384 23, 313 26, 774 24, 185

Division of Statistical and Historical Research. Compiled from Foreign Commerce and Navigation of the United States, 1910-1918, Monthly Summaries of Foreign Commerce, June, 1920, 1922, and 1923, and reports of the Bureau of Foreign and Domestic Commerce.

¹ Less than 500

¹ Less than 500 pounds.

Table 463.—Beef, canned: Exports from the United States, by countries, 1910-1924 [Thousand pounds-i. e., 000 omitted]

Year ended June 30	Bel- gium	France	Italy	Neth- er- lands	United King- dom	Other Eu- rope	Total Eu- rope	Can- ada	New- found- land and Labra- dor	Philip- pine Is- lands	Other coun- tries	Total
1910	406 283 286 178 381	78 107 119	10 12 4	298 210 241 253 56	9, 300 6, 292 5, 743 3, 117 1, 194	27 167 188	6, 900 6, 556 3, 859	41 123 111	136 118 236 26 40	200	3, 479 3, 566 2, 931 2, 638 1, 570	10, 825 11, 026 6, 840
1915 1916 1917 1918	28 6, 461	6, 508 17, 653 30, 417	1, 968 188 17, 699		64, 701 38, 205 40, 218 46, 375 25, 289	2, 632 57 259	49, 313 58, 116	7, 571	160	56 190 169	1, 454 1, 330 1, 499 1, 045 989	50, 804 67, 536
1920 1921 1922 1923 1924	959 (¹) (²) 2	⁽¹⁾ 76	397 1 (¹)	1, 038 (1) 1 72	9, 718 1, 996 2, 463 722 304	6, 206 53 64	8, 203 2, 593 788	331 174 94	262 18 47 65 52	278 113 95 298 113	1, 157 2, 098 839 1, 067 574	10, 763 3, 748

Division of Statistical and Historical Research Compiled from Foreign Commerce and Navigation of the United States, 1910-1918, Monthly Summaries of Foreign Commerce, June, 1920, 1922, and 1923; and reports of the Bureau of Foreign and Domestic Commerce.

DAIRY PRODUCTS

Table 464.—Dairy products: Weighted average price and value on farms, 1920-1924

			Pric	e per	unit				Value		
Product	Unit	1920	1921	1922	1923	1924	1920	1921	1922	1923	1924
Milk sold 1 Milk consumed	Gallon.	Cts 28 47	Cts. 21. 07	Cts 18. 92	Cts. 22. 19	Cts. 20 90	1,000 dols 976,260	1,000 dols 796,112	1,000 dols 734,721	1,000 dols 949,511	1,000 dols 937, 041
on farm 1	do	28 47	21 07	18. 92	22 19	20 90	830, 529	694, 1 94	640, 471	800, 884	776, 92
Total whole milk 1	do	28. 47	21. 07	18. 92	22 19	20 90	1, 806, 789	1, 490, 305	1, 375, 192	1, 750, 395	1,713,970
Butter made	Pounddo Gallon . Pound . 100 lbs . do	54 25 33, 10 129 38 54 22 73, 30 36 65	24 50 83 00 38 22 28 80	22 00 73 10 36 00	25 80 95 03 41, 56 40 75	24 30 78 69 38 00 45, 60	2, 085 107, 747 373, 662 12, 468	1, 470 64, 807 321, 768 4, 717	1, 100 61, 636 331, 382	1, 096 89, 750 415, 255 6, 264	70, 63 394, 21
cream sold, and butter fat sold.	do	73. 30	28 80	30. 55	40.75	45 60	215, 405	92, 059	102, 057	143, 262	162, 38
Total							2, 884, 538	2, 216, 764	2, 096, 686	2, 652, 418	2,586,14

Division of Crop and Livestock Estimates

¹ Less than 500 pounds

Includes milk equivalent of cream sold for household use.
 For cream powder and ice cream.

TABLE 465.—Milk: Production and uses in the United States, 1920-1923

		19	21)			19	21	
Purpose for which milk is used	Whole milk used	Per cent of total milk	Milk used per pound of product	Product manu- factured	Whole milk used	Per cent of total milk	Milk used per pound of product	Products manu- factured
Butter Creamery Farm Cheese, all kinds Milk	Million pounds 18, 135. 1 14, 175 0 3, 624. 3	Per cent 20 226 15 810 4. 042	Pounds 21 0 21 0 10.0	Million pounds 863 6 675 0 362. 4	Million pounds 22, 153. 7 13, 650 0 3, 558. 4	Per cent 22 408 13. 807 3. 599	Pounds 21 0 21. 0 10. 0	Million pounds 1,054.9 650 0 355.8
Condensed and evaporated	3, 945 0 82. 7 43 4 5 6 60 0 5. 9 3, 575. 0	4. 400 092 . 048 . 006 . 067 . 007 3 987	2.5 8.0 2.2 1.0	1, 578. 0 10 3 19. 7 5 6	3,660. 4 33. 9 34. 4 5 1 40. 0 2. 5 3,355 0	3. 708 . 934 . 035 . 005 . 041 . 002 3 396	2. 5 8. 0 2. 2 1 0	1,464.2 4.2 15.7 5.1
Total milk for manufacture	43, 852 0	48 685		200.0	46, 493. 4	47 030		
Milk accounted for otherwise Household purposes Fed to calves Waste, loss, and unspecified Total milk produced.	39, 090 0 4, 202 0 2, 713 3 89, 657 3	43 600 4 688 3 027 100 000			45, 143. 0 4, 260. 0 2, 965. 9 98, 862 3	45 660 4 310 3 000 100 000		
		199	22			199	23	
Butter Creamery Farm Cheese, all kinds Milk Condensed and eyapo-	24, 223. 8 13, 125. 0 3, 749 8	23 619 12 797 3. 656	21. 0 21. 0 10 0	1, 153 5 625, 0 375 0	20, 296 5 12, 810. 0 3, 989. 5	23 963 11. 673 3. 636	21 0 21 0 10 0	1, 252. 2 610 0 398. 9
rated	3, 578 4 44. 8 30. 0 .3 100. 0 2. 2 3, 623. 4	3 489 044 029 098 . 002 3 533	2 5 8 0 2 2 1 0	1,431 3 5 6 13.7 .3	4, 437. 2 52. 5 33. 7 1 149. 5 6. 2 4, 054. 9	4 044 048 .031 136 006 3 695	2 5 8 0 2 2 1. 0	1,774.9 6 6 15.3 .1
Total milk for manufacture	48, 477 7	47 267			51, 630 1	47 232		
Mulk accounted for other- wise Household purposes Fed to calves Waste, loss, and un- specified	46, 672 6 4, 335 0 3, 076 9	45, 507 4 226 3 000			50, 440 0 4, 174 0 3, 292 0	45 965 3 803 3 00		
Total milk produced	102, 562 2	100 000			109, 736. 1	100.000		

Division of Dairy and Poultry Products.

Gallons.

¹ Milk per gallon of ice cream.

Table 466.—Dairy products and oleomargarine: Production, 1919-1925

		1919		1920		1921		1922	1	1928
Product	Number fac- tories 1e- port- ing	Quan- tity pro- duced	Num- ber fac- tories re- port- ing	Quan- tity pro- duced	Num- ber fac- tories re- port- ing	Quan- tity pro- duced	Num- ber fac- tories re- port- ing	Quan- tity pro- duced	Num- fac- tories re- port- ing	Quan- tity pro- duced
Creamery butter	3, 742	1,000 lbs 868, 125	3, 4 47	1,000 lbs 863, 577	3, 463	1,000 lbs 1,054,938	3, 497	1,000 lbs 1, 153, 515	3, 539	1,000 lbs. 1,252,214
Whey butter (made from whey cream)	412	5, 782	314	3, 155	285	2, 176	235	2, 291	219	1, 904
Renovated or process	17	12, 189	12	7, 530	10	5, 877	9	4, 448	5	2, 802
American cheese: Whole milk Part skim	2, 266	295, 144 6, 854	1, 826 50	254, 774 4, 467	1, 819	261, 727	1,808	282, 806	1, 835 23	308, 108 2, 145
Full skim Swiss cheese (including	101	7, 256	78	6, 458	23		33		24	2, 033
Brick and Munster cheese Limburger cheese	339 529 167	21, 602 38, 776 7, 844	270 514 125	20, 430 44, 126 7, 503	406		290 438 104		306 378 108	24, 555 33, 250 7, 100
Cream and Neufchatel	61	5, 639	40	7, 601	35	9, 279	38	9, 936	51	10, 334
All Italian varieties of cheese	64	4, 391	41	4,779	35	3, 793	34	2, 627	32	2, 132
All other varieties of cheese	94	11, 733	76	12, 383	48	6, 065	51	5, 387	42	5, 040
Total cheese (not including cottage, pot, and bakers').		399, 239		362, 521		355, 838		369, 980		394, 697
Cottage, pot, and bakers'			*			=====				
cheese Condensed milk (sweet- ened) Case goods—	489	31, 614	357	29, 887	329	27, 316	363	32, 389	357	35, 5 27
Skummed Unskummed Bulk goods—	30 104	7, 468 57. 044	75	7, 700 3 4 0, 391	59	3, 861 199, 985	8 49		10 51	2, 748 196, 058
Unskimmed Evaporated milk (unsweetened)	118 101	65, 377 38, 394	111 58	84, 223 23, 524	85 43	66, 051 22, 324	92 46	76, 049 30, 292	99 56	102, 236 44, 860
Case goods— Skimmed Unskimmed Bulk goods—	18 156	3, 626 1, 194, 496	9 130	5, 526 979, 873	3 136	1, 40 5 1, 028, 172	4 132	3, 574 949, 909	4 139	7, 035 1, 252, 520
Skimmed Unskimmed	133 126	71, 039 77, 514	118 93	64, 304 72, 474	113 92	69, 220 73, 145	114 78	67, 066 70, 088	113 73	77, 416 92, 008
Total condensed and evaporated milk		2, 030, 958		1, 578, 015		1, 464, 163		1, 431, 349		1, 774, 881
Evaporated, part or full skimmed modified with foreign fat.										
Case goods	11 10	62, 262 2, 733	12 6	84, 044 2, 517	15 7	59, 050 5, 873	14 4	38, 538 1, 915	9 1	6, 935 110
same as condensed)	14	4, 421	8	5, 623	5	5, 074	5	330	1	80
Condensed or evaporated buttermilk	25	24, 282	5	32, 539	24	29, 314	36	44, 343	43	54, 833
Dried or powdered but- termilk	15	5, 279	19	5, 704	24	7, 708	22	9, 007	35	13, 032
Powdered whole milk Powdered skimmed milk. Powdered cream. Dried casein (skim-milk.	20 55 6	9, 042 34, 945 607	19 56 5	10, 334 41, 893 309	15 50 3	4, 242 38, 546 130	18 53 4	5, 599 40, 617 118	18 65 4	6, 560 62, 251 328
product)	136	13, 685	85	11, 441	73	8, 066	74	6, 907	124	14, 500
product). Malted milk Milk sugar (crude)	17 11 24	722 17, 436 6, 616	3 8 21	85 19, 715 5, 583	2 7 9	10 15, 652 2, 890	1 7 7	20 13, 659 2, 191	1 7 11	48 15, 331 2, 872
Ice cream of all kinds (gal- lons)	2,758	133, 056		148, 298	2, 642	147, 949	2, 673	161, 609		183, 412
			-		===					

TABLE 466.—Dairy products and oleomargarine: Production, 1919-1923—Contd.

	1	1919		1920	:	1921		1922		1923
Product	Num- ber fac- tories re- port- ing	Quan- tity pro- duced	Num- ber fac- tories re- port- ing	Quan- tity pro- duced	Num- ber fac- tories re- port- ing	Quan-	Num- ber fac- tories re- port- ing	Quan-	Number factories reporting	Quan-
Oleomargarine (uncol-										
ored) Animal and vege-		1.000 lbs	1	1.000 lbs.	l	1,000 lbs	1	1,000 ibs	l	1 000 134
table oil	45		51				57	104, 285	51	1,000 lbs. 121, 271
Exclusively vege-	1	, ,	i	1	i	1 '		,		121, 211
table oil	58	132, 906	71	190, 280	71	99, 265	69	74, 127	60	93, 970
Exclusively animal	5	3, 391	7	3, 843	3	624	3	303	4	450
Oleomargarine (colored).	"	0,001		11,010) "	021	"	(300)	1	300
Animal and vege-		0.000		0.051	20			4.000	ا	
table oil. Exclusively vego-	33	9, 303	36	8, 951	36	5, 960	36	4, 976	34	7, 078
table oil	23	9, 793	34	5, 359	35	2,026	33	1, 384	27	2,808
Exclusively animal			١.	٠.						
oil	2	1, 165	3	94	2	30	1	1		
Total o comarga- rine (colored and										
uncolored)		371, 317		370, 163		211, 867		185, 076		225, 577

Division of Pairy and Poultry Products. Compiled from reports made by manufacturers.

29283°-- увк 1924----56

TABLE 467.—Dairy products and oleomargarine, production, by months, 1923

[Thousands of pounds-1 e, 000 omitted]

	Fac-				ı I	œ	uantify	Quantity manufactured in 19.23	ur peun	828				
Mänufactured product	report- ing, num- ber	Јвп	Feb	Mar.	Apr	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec	Total
Creamery butter Whey butter (made from whey cream) Removated or process butter	3, 539 219 5	83, 688 99 319	74, 134 100 190	88, 311 128 215	100, 547 141 233	134, 350 166 242	158, 371 189 160	148, 278 191 150	120, 802 164 269	102, 273 149 232	89, 297 261 247	74, 909 162 257	1. 22.28	1, 252, 214 1, 904 2, 802
American cheese: Whole milk Part skim Part skim Part skim Part skim Brils skim Brils skim Brise and Munster cheese Ulmburger cheese Cream and Neufchatel cheese Cream and Neufchatel cheese All Italian varieties All other varieties	1, 835 2, 23 3, 24 3, 28 1, 28 1, 28 2, 28	15,092 17,092 1,72 1,053 343 928 928 91	15, 328 17, 138 190 2, 010 313 918 1111	20, 184 112 208 208 2, 561 362 936 122 603	24, 014 130 1, 018 3, 375 515 892 180 445	32, 942 23, 1754 1754 3, 692 707 237 417	41, 382 339 3, 468 3, 894 830 830 830 830 830 830 830 830 830 830	38, 288 309 4, 015 3, 127 3, 127 827 827 324	31, 822 3, 683 3, 683 2, 686 636 712 228 228	28 48 48 48 48 48 48 48 48 48 48 48 48 48	25, 24, 25, 26, 26, 26, 26, 26, 26, 26, 26, 26, 26	18, 236 1, 236 2, 431 924 131 429	16, 606 190 122 122 755 446 957 150 150	80 81 81 82 83 83 83 83 83 84 84 84 84 84 84 84 84 84 84 84 84 84
Total cheese (not including cottage, pot, and bakers')		19, 427	19, 609	25, 387	30, 702	42, 331	51, 645	48, 392	40, 413	36, 452	33, 129	24,847	22, 363	394, 697
Cottage, pot, and bakers' cheese	357	2, 778	2, 594	3, 332	3, 357	3,806	3, 158	2, 498	2, 436	2,370	3,002	2,996	3, 200	36, 527
Sweetened condensed milk: Case goods— Skimmed Unskimmed Bulk mode	10 51	222 13, 423	302	435	246 23, 605	411	325 19, 544	196 16, 580	173	204	157 15, 732	28 13, 709	16,947	2, 748 196, 058
Unsweetened evaporated milk.	88.88	8, 197 3, 217	7, 582 2, 640	8, 875 2, 704	9,309	12, 409 6, 506	11, 663 7, 346	8, 333 6, 324	8, 168 4, 064	7, 383	7, 796 2, 219	5, 961 1, 714	6, 580 1, 346	102, 236 44, 860
Case goods— Skimmed Unkimmed Rails reode—	139	78, 903	77, 908	89,001	178 118, 014	180 138, 170	270 160, 653	242 139, 445	394 110, 787	385	1, 900 96, 275	1, 881 75, 019	1, 605 69, 131	7, 035 1, 252, 520
Skinmed Unskimmed	113	3, 883 838	3, 322 5, 634	5, 774 6, 564	6, 157 8, 274	8, 664 12, 123	12, 114	9,856 10,929	7,694 9,532	6, 150	5, 628 3, 759	4, 453 2, 903	3, 941 2, 750	77, 416 92, 008
otal condensed and evaporated milk		113, 461	108, 490	131, 254	170, 078	201, 726	228, 545	191, 905	152, 781	135, 158	133, 486	105, 663	102, 334	1, 774, 881

Evaporated, part or full skimmed, modified with foreign				•	***************************************					*****				
Last goods Bulk goods	о н	2,642	551	478	264	ই্প	382	257	421	797	467	45 13	121	6, 93 5
Sterilized milk (canned same as condensed)					6	53	25				6	13	12	8
Condensed or evaporated buttermilk	S.	3, 249	2,851	3,377	3,699	5, 576	6, 197	5, 664	5, 370	4,802	4,876	4, 636	4, 536	54, 833
Dried or powdered buttermulk	35	88	731	843	1,097	1, 531	1,858	1, 520	1, 434	1,049	651	673	828	13, 032
Powdered whole milk	18	8	214	398	8.29	989	1, 150	821	203	408	639	434	330	6, 560
Powdered skim milk	65	3, 589	3,680	4,478	5,841	7,361	7, 268	5,946	4,749	4, 547	4,990	4,386	5, 418	62, 251
Powdered cream	4			-	57	97	87	æ	24	12	6	-	0	
Dried casein (skim milk product)	124	459	574	1, 141	1.634	1,839	2,025	1, 631	1, 184	863	1,003	917	1,230	14, 500
Dried easem (buttermilk product)	H		9	88			m				-			8
Malted milk	1-	1.080	1, 179	1, 442	1,655	1, 621	1, 557	1,208	1, 156	973		1, 222		15, 331
Milk sugar (crude)	П	85	100	224	416	124	402	326	556	182	172	152	158	2,872
Ice cream of all kinds (gallons)	2, 657	6, 052	5, 625	8, 570	12, 433	19, 667	29,034	31, 137	25, 957	17, 680 1		7, 495		183, 412
	;;-													
Oleomargarine (uncolored):	5			010	900		1 048		909	10 575	11 409		1	191 971
Author Salu Vegetable on	5 6	200	9, 110	0,910	98	000	26	,	9,0	200	7020	0,00	746	020
Excusively vegetable on	3 *	, 2 2 3 3 3	0, 21	, S	, 8	15.	, 8	1, 25	1	34	88	8	3	£20
Oleomargarine (colored)	'		i						•			•		
Animal and vegetable oil	85	653	221	631	610	627	451	<u>‡</u>	202	283	929	623	35	7,078
Exclusively vegetable oil	27	225	212	258	245	88	33	160	178	83	281	562	900	, 808 8
Total oleomargarine (colored and uncolored)		20, 777	18.75	20, 764	18, 777	17, 298	14, 109	13, 409	16, 166	19,054	22, 337	22, 205	21, 927	225, 577
		_												

Division of Dairy and Poultry Products.

Yearbook of the Department of Agriculture, 1924

Table 468.—Condensed milk: International trade, calendar years, average 1909–1913, annual 1921-1923

[Thousand pounds—1. c , 000 omitted]

Country	A verage	1909-1913	19	21	18	922	1923, pre	diminary
Country	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Exports
PRINCIPAL EXPORTING COUNTRIES								
Australia 1 Canada	4, 463 250 211 806 4 39	727 4, 575 3 4, 724 5, 913 55	93 147 6 1, 129 281	33, 287 35, 401 37, 523 289 68, 899	232 3 664 534	24, 813 50, 293 1, 043 190, 581	177 987 163	41, 056 66, 969 6, 791 227, 393
New Zealand 1 Norway Switzerland United States	261 3 201	132 32, 106 80, 539 3 16, 200	1, 210 1, 432 8, 668	3, 029 6, 556 46, 825 289, 725	48 1, 089 5 5, 294	1, 482 15, 382 45, 474 187, 497	3 986 177 10, 398	1, 443 16, 069 55, 827 194, 264
PRINCIPAL IMPORTING COUNTRIES								
Argentina Belgium Brazil British India ¹	742 (*) 8,604 11,236	(⁸)	2, 67 579 7, 8£5	46 116	818 762 1, 383 7, 222	140 172	669	89 6 195
China	4, 484 28, 457 7 1, 628 2, 458	4, 140	6, 185 42, 799 895 37, 261	23 11, 723	8, 025 41, 228 2, 310 32, 923	24 7, 350	9, 443 1, 545 31, 304	38 8, 286
Germany ⁸ Japan Java and Madura Philippine Islands	66 10, 061 2 6, 136 12, 311	12, 080 2 74	9 815 8, 010 10, 44 1 12, 230	2,890 132	9, 294 11, 052 12, 177	1, 022	8, 872	582
Spain Sweden Union of South Africa United Kingdom	5, 605 28 21, 227	92 (11) 48, 221	5, 639 94 7, 282 235, 349	467 (11) 4, 065	83 162 6, 932 207, 081	8 1 15, 589	10 36 190 10, 697 249, 996	13, 469
Total, 25 countries		209, 578	400, 166	538, 996	349, 321	540, 871	332, 726	632, 472

Division of Statistical and Historical Research Official sources.

Others sources.

1 Includes some preserved milk

2 Two-year average
3 Four-year average
4 Three-year average
5 Not separately stated
6 Twelve months' sea trade, eleven months' land trade
7 One year only
8 Includes some powdered milk
9 Eight months, May-December.
10 Ten months
11 Less than 500 pounds

TABLE 469.—Milk: Retail price, standard or grade B milk, per quart, delivered to family trade in crices, 1920-1924

	Market and year	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct.	Nov.	Dec
		Cts	Cts	Cts.	Cts.	Cts.	Cts.	Cls	Cts	Cta	Cts.	Cts	Cts
Bost	on 1920	17	17	17	17	16	16	17 15	173%	18	18	18	18
	1921	17	163 2	16	151/2	15	15	15	116	151/2	15	15	15
	1921 1922 1923	13^{1}_{2}	131/2	1312	15½ 13½ 13½	121/2	1212	131/2 14	131/2	1316 1416 1416	1416 1416 1416	1414	1414 1314 1414
	1923	1412	141/2	1412	13/2	1312	13/2	14	14/2	1473	11113	151/2	1314
Mare	1924 York 1920 1921	18	131 ₂ 161 ₂	12½ 16½	12 15	12 15	12 15	12½ 16	1312	1872	18	14½ 18	14/2
INOW	1074 1920	17	16, 2	15	10	10	14	14	15	15	15	15	17 15
	1922	15	15	15		15	13	14	15	15	15	15	16
	1923	16	15	15	15	14	14	14	14	15	15	16	16
	1921	15	14	14	14	13	13	13	13	14	14	15	15
Phili	idelphia 1920	14	14	14	14	14	11	14	15	15	15	15	13
	1921	13	13	13	13	11	[11]	11	11	11	11	111	11
	1922	11	11	11	11	11	11	11	[1]	11	12	12	12
	1923	111/2	12	12	12	13	13	13	13	13	13	12	12½ 12
Ditt.	1924	12 16	12 16	12	12	12	12	12	12	12	12	12	12
1 1116	burgh 1920	15	15	16 14	15 14	15 14	15 14	15 14	16	16 14	16 14	16	16
	1922	13	12	12	12	12	12	12	12	174	14	14	13 14
	1023	***	12	14	14	14	14	14	14	14	15	15	15
	1923 1924	15	14	14	14	14	14	14	14	14	14	14	14
Cinc	mnati 1920	15	15	15	15	15	15	15	15	15	16	15	15
	1921	15	14	14	14	13	13	13	13	13	13	13	13
	1922	13	12	12	12	12	12	12	12	12	12	12	12
	1923	12	12	12	12	12	12	12	12	12	14	14	14
	1924	14	14	14	14	14							
Cleve	cland: 1920	16	16	16	15	15	15	15	16	16	16	15	15
	1921	15	14	14	14	14	13	13	13	13	13	13	13
	1922	11 14	11	11	10	101-2	1012	101/2	11	111	13	13	14
	1924	131/2	14	131/2	14	13 ¹ ₂	13 12	14 11	14 14	14	1314 1312	14	12
ndie	napolis 1920.	14	14	14	13}2 14	14	14	14	14	13½ 14	13/2	131/2	1316
11/11/2	1921	ii	14	13	13	13	12	12	12	12	12	111/2	14
	1029	111/2	ii	11	101/2	101/2	10	iõ	10	iõ	12	10	10
	1923	10	12	12	12	12	12	12	12	12	12	12	12
	1924	12	12	12	12	12	12	12	12	12	iĩ l	12	12
Phica	1924 ago 1920	15	15	14	14	14	14	15	16	16	16	15	14
	1921	14	14	14	14	14	14	14	14	12	12	12	12
	1922	12	12	12	12	12	12	12	12	12	12	12	12
	1921 1922 1923	$12\frac{1}{2}$	13	13	13	13	13	14	14	14	14	14	14
·	1924t 1920	14	14	14	14	14	14	14	14	14	14	14	14
Detre	1921	16 13	16	16	16	151/2	151/2	16	16	16	16	16	14
	1922	13	13 13	13 12	13 11 ¹ 2	13	13	13	13	13	13	13	13
	1923	133 2	1312	131/2	14 3	111/2	111/2	12	13 15	13 15	13	13	14
	1924	14	14	14	14	14	131/2	11	131/2	131/2	131/2	14 13½	1316
Milw	aukee 1920	13	13	12	12	12	12	13	13	13	13	11	11
	1921 1922		10	10	iõ	19	9	9	iŏ	1 6	9	9	9
	1922	9	9	9	y	9	9	9	9	9	9	10	10
	1923	10	10	10	10	10	10	10	11	11	11	11	101/2
	1924	11	11	11	11	11	11	11	11	11	101/2	10	10
munn	neapolis. 1920	13	13	13	13	13	13	13	14	14	14	14	14
	1921	13	1212	12	12	11	10	10	11	11	11	11	101/2
	1922 1923	10 11	10	10 10½	10 11	10 11	10	10	10	11	11	11	111/2
	1094	12	12	12	10	10	10	11	111/2	12 11	12 11	12 11	111/2
St P	1924 aul 1920 1921	13	iã	13	13	13	13	13	14	14	14	14	14
	1921	13	13	12	12	ii	10	10	ii	1.	11	ii i	1016
	1922	10	10	10	10	10	iŏ	10	ió	11	1 .,	ii	
	1922 1923	11	11	11	11	11	ii		12	42	12	12	12
	1923 1924 • City 1920 1921 1922 1923 1924 ours 1920 1921 1922	12	11	11	10	10	10	10	11		iī	lii l	- 11
loux	City 1920	16	16	16	16	16	15	15	15	16	16	16	16
	1921	15	14	13		121/2	121/2	1212	121/2	121/2	1236	1216	
	1922	31	10	10	10	10	10		11				
	1923				10	10	10		11	12		12	12
	1924	12	12	12	12	11	11	11	11	11	11		11
it. 14	ouis, 1550	16	16	16	15	15	15	15	16	16	16	161/2	16
	1921	16	15	14	14	13	14	13	13 12	13	13	13	10
	1000		10	10	10	10	10	12	12	12	12	12	13
		10	13	13	13 13	13	13	13	13	13	13	13	13
	1923	13				13	13	13	13	13	13	13	13
Kane	1923	13	13	13	16	151/	1512 1		1517	15	101/1		171/
Kans	1923	13 151⁄2	13 15½	16	16	151/2	151/2	15	151/2	15	151/2	151/2	151/2
Kans	1923 1924 as City 1920 1921	13 15½ 14½	13 15½ 14	16 13½	16 131/2	151/2	13	14	15½ 14	14	14	15½ 14	151/2
Kans	1923	13 15½ 14½ 14 14	13 15½ 14 13	16 13½ 12	16 13½ 11	151/2 131/2 11	13	14 113⁄2	15½ 14 12	14 10	14 12	15½ 14 12	121/2
	1923 1924 as City 1920 1921 1922 1923 1924	13 15½ 14½	13 15½ 14 13 13	16 13½ 12 13	16 13½ 11 13	151/2	13 111/2 13	14 113⁄2 13	151/2 14 12 13	14 10 13	14 12 18	15½ 14 12 13	121/2 121/2
	1923 1924 as City 1920 1921 1922 1923 1924 thington, D. C.: 1920	13 15½ 14½ 14 13 12 18	13 15½ 14 13 13 13	16 13½ 12 13 13 13	16 13½ 11 13 13	151/2 131/2 11 13	13	14 113⁄2	15½ 14 12 13	14 10 13 13	14 12 18 13	15½ 14 12 13	121/2 121/2 121/2
	1923 1924 as City 1920	13 15½ 14½ 14 13 12 18 16½	13 15½ 14 13 13 17½ 15	16 13½ 12 13 13 17½ 16	16 13½ 11 13 13 17½ 16	1512 1312 11 13 16 13	13 111/2 13 13 16 131/2	14 111,6 13 13 16 131,6	15½ 14 12 13 13 16 13½	14 10 13 13 16½ 14	14 12 18 13 171/2	15½ 14 12 13 13 17½	121/2 121/2 121/2 13 171/2
	1923 1924 as City 1920 1921 1922 1923 1924 sington, D. C.: 1920 1922	13 15½ 14½ 14 13 12 18 16½ 13½	13 15½ 14 13 13 13 17½ 15	16 13½ 12 13 13 17½ 16 13	16 13½ 11 13 13 17½ 16 13½	15½ 13½ 11 13 16 13 13	13 111/2 13 13 16 131/2 13	14 111/2 13 13 16 131/2	15½ 14 12 13 13 16 13½ 13	14 10 13 13 16 ¹ 2 14	14 12 18 13 171⁄2	15½ 14 12 13 13 17½ 15	121/2 121/2 121/2 13 171/2
	1923 1924 as City 1920	13 15½ 14½ 14 13 12 18 16½ 13½	13 15½ 14 13 13 17½ 15	16 13½ 12 13 13 17½ 16	16 13½ 11 13 13 17½ 16	1512 1312 11 13 16 13	13 111/2 13 13 16 131/2	14 111,6 13 13 16 131,6	15½ 14 12 13 13 16 13½	14 10 13 13 16½ 14	14 12 18 13 171/2	15½ 14 12 13 13 17½	121/2 121/2 13 171/2

Table 469.—Milk: Retail price, standard or grade B milk, per quart, delivered to family trade in cities, 1920–1924—Continued

Market and year	Jan.	Feb.	Mar	Apr.	Мау.	June	July	Aug.	Sept.	Oct.	Nov	De
	Cts.	Cts.	Cts.	Cts.	Cts.	Cta.	Cts.	Cts	Cts	Cts	Cts	C
tichmond: 1920	16	16	16	16	16	17	16	16	16	16	16	1
1921	16	16	141/2	13	14	14	14	14	14	14	14	1
1922	14	14	14	13	13	13	13	13	13	13	14	1
1923	15	14	14	14	14	14	14	14	14	14	15	
1924	14	14	14	14	14	14	14	14	14	14	14	1
acksonville 1920	20	20	20	20	20	20	2 5	25	25	24	2212	2 1
1921	-5557-	18	18		- <u>-</u> ,,	20	1017	19	20	20	181/2	1
1922 1923	171/2	177.	17	14	14	14	161/2	151/2	17 17	161/2	17	1
1923	171/2	171/2	181/2	16	151/2	153 <u>2</u> 17	161/2	16		181/2	18	1
1924	19	20		171/2	161/2		17	17	1814	181/2	181/2	11
ouisville 1920	16	16 20	16	16	16	16	16	16 12	16	16	16 11	;
1921	15	9	9	9	9	9	11 9	10	11 11	11	12	1
1922	11	12	12	12	12	12	12			11½ 13		I
1923	13				12	12	12	12½ 12	$\frac{12\frac{1}{2}}{12}$	12	13	1
1924	13	1.3	13	13		17					13	1
Tashville 1920	17	17	17	17 14	17	114	17	17	17 15	19	17	1
1921	16	16	16	11	14	14	14	11		14	14	1
1922	11	11	11		111	11	11	11	11	11	11	- :
1923	12	12	12	12	12	12 12	12	12	-::	-::	14	1
1924	14	14	14	20	14 23	20	12 20	12	14	14	14	1
Birmingham 1920.	211/2	20	20		23			221/2	221/2 171/2	20	20	2
1921	221/2	221/2		20	;;	18	20	171/2	1772	171/2	$17\nu_2$	1
1922	20	18	.=	173/2	15	16		171/2			16	
1923	14	16	17	16	16	16	16	16	16	16	15	1
1924	15	17	17	17	17	16	17	161/2	161/2	18	18	1
Tew Orleans 1920	19	19	19	19	17	17	17	17	19	19	19	13
1921	17	17	16	16	16	16	16	16	16	16	14	1.
1922	14	14	14	14	14	14	14	14	- : :	14	14	14
1923	14	14	14	14	14	14	14	14	14	15	15	1.
1924			15	15	14	14	14	14	14	14	14	14
Dallas 1920		23	23	21	21	21	21	21	21	21	21	2
1921 1922		19	17		15		15		15	-::		1
1922	15	15	12	12	12	12	15	15	15	15	15	1.
1923	15	15	15	15	15	15	15	15	15	15	15	1
1924	15	15	15	15	15	15	15	15	15	15	15	1.
Butte 1920	15	15	15		15	15	15	15		15	15	1.
1921	15	15	15		13	-::::-	121/2	121/2	121/2	13	13	13
1922.	121/2	13	12½ 13	12	121/2	111/2	11½ 12½ 13½	12	12	12	13	1:
1923	121/2	121	1 13	121/2	121/2	12	121/2	121/2	131/2 131/2	13	13	1;
1924		13	131/2	13	131/2	131/2	1352	131/2	1316	13	13	13
Denver 1920	121/2	121/2	13	13	13	13	13	13	13	13	13	13
1921	13	13	13	12	111	П	11	11	10	10	10	10
1922	10	10	91/2	10	10	91/2	10	10	91/2	10	10	1
1923	12	12	12	12	12	12	12	12	12 12	12	12	10
1924 salt Lake City 1920 1921 1922	12	12	12	12	12	11	12	12	12	12	12	1
an Lake City 1920	121/2	121/2	121/2	121/2	1214	121/2	13	121/2	121/2	121/2	121/2	1
1921	121/2	121/2	1212	1212	121/2	121/2	121/2	121/2	121/2	121/2	1212	1
1922		81.2		9	81/2	81/2	81/2	81/2	012		812	
1923	1014	10	10	914	10	017	017	$10\frac{1}{2}$	914	10	10	1
nottle: 1000	91/2		91/2 131/2	12	914	91/2	9½ 14	14	91.2	11	101/2	10
1921		141/2	1372		12	13	14	14	14	14 12	12	1
1921	13 13	111	13	13 12		10	12	12				1
1922	13	13 13	13 13	13	12 12	12 12	12	13 12	13	121/2	13	11
1924	13		1.0						13	13	13	
		13		12	11	11	11	11	11	.9	9	10
ortland, Oreg 1920 1921	15	15	15	13	131/2	13 12	13 12	14	14	14	141/2	1:
1921	14	14	14		13			121/2	121/2	12½ 12	12	1 1
1922	12	11	11	-,,	11	11	11	12	12	12	12	1:
1923	121/2	12	121/2	12	12	12	13	12	12	121/2	12	1
1924	12	111/2	11	11	11	11		12	111/6	11	11	10
os Angeles 1920	16	16	16	16	16	16	18	18	18	18	18	11
1921	18	16	16	16		16	15	14	14	14	14	1
1922	141/2	14	14	14	14	14	14	14	14	14	15	1.
1923	15	15	15	15	15	15	15	15	15	15	15	1.
1924	15	15	2227	16	15	15	17	15	17	17	14	14
an Francisco 1920	16	16	151/2	15	16	16	1514	17	17	17	17	1
1921	1514	151/2	15	15	15	143/4	131/2	14	14	131/2	131/2	13
1922	1314	1216	1214	121/2	-:::::	1236	1214	121/2	121/2	121/2	121/2	13
1923	121/2	1214	1212	123.5	123/2 14	123/2	123/2	1234 14	14	14	14 14	14
	14											

Division of Statistical and Historcial Research. Compiled from reports of Division of Dairy and Poultry Products.

TABLE 470.—Milk: Wholesale price, standard or grade B milk, per quart, in cases of 12 quarts, 1920-1924

Market and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Boston: 1920	Cts.	Cts 15	Cts.	Cts.	Cts.	Cts.	Cts.	Cts. 15	Cts. 1614	Cts. 161/2	Cts 161/2	Cts 161/2
1921 1922 1923 1924 New York, 1920 1921 1922 1922 1921 1921 1922 1922	151/2	15	131/2	131/2	1314	131/2	131/2	14	14	14 12	14	14
1923	12	12	112	10½ 11½	101/2 111/2	111/2	12	1216	121/2	1216	131.	13
1924	121/2	111/2	101/2	10	10	10	101/2	1111/2	121/2	1216	10/2	121/2
New York, 1920	17/2	16 16	16 15	15	15	15	14	17 15	18	18 141/2	1414	17
1922	141/2	1416	1314		13	121/2	14	141/2	141/2	1415	1411	1512
1922 1923. 1924 Philadelphia 1920 1921.	151 g	14 13	14	14 13	131/2	13 12	13	13 12	14	13		14
Philadelphia 1920	13	13	13	13	13	13	13	14	13 14	15	14 .	12
1921	12	12	121/2		10	10	10	10	10	10	10	10
1922	10 10 ¹ 2	10 11	10 11 ¹ / ₂	10 12	10 12	10 12	10 12	10 121/2	10^{1}_{2} 12^{1}_{2}	11 12	111 ₂ 111 ₂	111/2
11/21 1922 1923 1923 1924 Pittsburgh 1920 1921 1922 1923 1924 Cincinnat 1920 1921 1921	1112	111/2	111/2	1116	12	11	1114	1111	1112	11	1 11	1 1.5
Pittsburgh 1920	1514	15	1.5	1442	141/2 131/2 111/2	1414 1314 1114	1415	1516	1512	151/2	1512	15' ź
1921	14 ¹ 2 12 ¹ 2	141/2	13 kg 11 1 2	131/3	1315	1116	13½ 11½	1312	13 2	1312 1212	13 ¹ 2 13 ¹ 2	1213
1923	1312	131/2	1316	11 ¹ 2 13 ¹ 2	1 13:2	1 13 72	1316	1316	1314	141/2	1412	1412
1924	1412	131/2	1312	1312	1312	1312	131/2	1312	131/2	131/2	11	
1921	14.7	14 13	14 13		14 12	14 12	14 12	14 12	14 12	14 12	14	14 12
1922	12	33	11	11	11	11	íī	11	11	11	11	11
1923	11	11 12	11 12	11 12	11	11		10	101 2	12	12	12
Cleveland 1920	12 14 ¹ / ₂	141/2	141/2	1316	1316	1316	1316	1416	141/2	1414	1316	131/3
1921	131/2	12/2	121/2	1 121/2	1214 814 1114	131/2	1315 1115 815	141/2 111/2 81/2 111/2	111/3 81/3 111/3	14½ 11½ 10½	$\begin{array}{c c} 13\frac{1}{2} \\ 11\frac{1}{2} \\ 10\frac{1}{2} \end{array}$	111
1922	111/2	1114	1114	111/2	81/2	81/2	81/2	814	813	101/2	1012	111/2
1924	1112	111/2	1116	111/2	111/2	16	9	1172	10	1172	11 2	112
1921 1922 1923 1924 Cleveland 1920 1921 1922 1921 1924 Indianapolis 1920	12	12	12	12	12	12	12	12	12	12	12	12
1021	12 10	12 9	11 9	11	11	10 8	10 8	10 8	10 8	10 8	10 8	9
1923	816	101/2	101/2	1136	1014	1014	101/2	10	101/2	101/2	101/2	1014
1924	10	$10^{1}\frac{1}{2}$ $14\frac{1}{2}$	10	1 10	10	1014 1014 1314	10	10	10	10	10	1099
Unicago, 1920	14 ¹ 2 13 ¹ /2	131/2	131/2 131/2	13½ 13	131/2	1312	141/2	15½ 13	1516	151/2	111/2	131/2
1922	11	11	11	91/2	ii	11	11	ii	11	10	1172	11
1922. 1923 1924 Chicago 1920 1921 1921 1922 1923 1924 Detroit 1920 1921	11	12	12	12	11	12	13	13	13	13	131/2	131/2
Detroit 1920	15	131/2	13 15	121/2	121/2	1214 1414	12½ 15	12½ 15	13 15	13 15	13 15	13 13
	12	12	12	12	112	1 12	12	12	12	12	12	12
1922	12	12	11	111	1014	101/2	101/2	11	11	111/2	10	11
1923 1924	12 12	11½ 12	12 12	121/2	12½ 12	111/2	12	13 12	13 11	13	12 10	121/2
Milwaukee 1920	12	12	11	111	11	1 11	12	12	12	12	110	10
1921	714	716	814 712 814	81/2 71/2	71/2 71/2 81/2	71.5 752	71/2 71/2 81/2	8 71/2 91/2	71/2	714 714 912	712	71/2
1922 1923 1924 Minneapolis 1920 1921	812	ו פיאו	814	1 12.4	813	81/3	813	912	714	913	813	81/2
1924	812 912 1113	N-72	N 1/0	מיליט		81/1 91/2 111/2		1 95%	912	1 9	912 812	8
Minneapolis 1920	111/2	111/2	1116 1016	111/2	1112 912	812	11112	121/2	121/2 91/2	1214	1 121/2	121/2
1922	816	81.4	214	1 X16	18		81/2	81/2	, u	91/2	912	10
1923	914	9:2	972	913 812	9½ 8½	912	91/2	1012 912	1012	101/2	1014	1016
1922 1923 1924 St. Paul 1920 1921 1922 1922	$\frac{101}{2}$	103½ 12	101/2	111/2		81/2	12	1212	10 ¹ / ₂ 9 ¹ / ₃ 12 ¹ / ₂	10 121/2	91 ₂ 12 ₁ / ₂	91/2 121/2
1921	111/4 81/4	12 11 1/4 8 1/4 9 1/4 9 1/4 14 1/2 12 1/4		101/2	914 814 914 814 1416	81/2		91/2		915	91/5	91%-
1922	814	81/2	81/2	1014 814 914	812	81/2 81/2 91/2	8½ 9½	I 8½ 1	1012	91.7	91/2	
1923	91/2	012	101/2 81/2 91/2 91/3 141/2 111/2 81/2	81/2	812	9,42	1	1016 913	10.2	91/2	014	101/2
1924 Sioux City: 1920 1921 1922	1012 1412 1312 912	141/2	141/2	14/2	1416	131/2	131/2	13/2	141/2	141/2	014 1414	1416
1921	131/2	121/2 81/2	111/	11 8½	81/2	11 81/2	11	11 9	11	11	11	
1922	8,8	8,2	0/2	8	8	8		9			10	10
1923	10	10	10	10	9	ğ	9	9	9	9		9
1021 1021	15 15	131/2	15	12	14 13	īī	14 11	15 11	15	15	15	15
1922	8	8 8	13 8	8	8	8	10		11 10	11 10	11 10	11
1922 1923 1924	11	11	11	11	11	11	11	11	11	11	11	11
Kansas City: 1020	11	11	11 14	11 14½	11 14	11 131⁄2	11	11	11 131/2	11 141/2	11 1314	11 141⁄2
Kansas City: 1920	121/2	13	111/2	111/2	111/2	12	12	141/4 121/4 91/4	12	12 1	111/2	11
1922	121/4 111/2 101/2	11	10	Q	81/2	9	9	91/2	81/2	91/2	91/2	10
1923 1924	101/2	10 11	10 11	101/2 101/2	10	10½ 11	11	10	101/2	101/2	10 101/2	1012
Washington, D. C.: 1920	1514 1414	15	1514	15	131/2	131/2	131/2	14	14	15	151/2	15
1921	141/	13	14	14	11	11	10		11	12	12	12
1922 1923	11	12 11	10	10 11	10 11	10 11	10 11	10 11	10	11	11	11½ 12
1924	12	12	12	12	111/2	ii%	111/6	111/6	111/6	111/6	111/2	101/2

Table 470.—Milk: Wholesale price, standard or grade B milk, per quart, in cases of 12 quarts, 1920-1924—Continued

Market and year	Jan.	Feb	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Doc
	Cts	Cts.	Cts.	Cts	Cts.	Cts.	Cts.	Cts.	Cts.	Cts.	Cis.	Cts.
Richmond 1920	16	16	16	16	16	15	16	16	16	16	16	16
1921	16	13	141/2	11	13	13	13	13	13	13	13	13
1922 1923	13 13	13	13 13	12 13	12 13	12 18	13 13	12 13	12 13	12 13	13	13
1924	13	13	13	13	13	13	13	13	13	13	14 13	14 10
Jacksonville: 1920	17	17		18	18		22	22	22	18	18	18
1921	13	15	15	;;		16	::	16	14	16	16	16
1922 1923	141/6	1416	15 141/2	11 13	1216 1216	121/2	13 12½	12½ 13	14½ 13	14½ 15	15	141/2
1924	16	1612	1512	1416	1415	14	14	14	14	141/2	15 141/2	141/4
Louisville. 1920	14		14	14	14	14	14	14	14	14	14	
1921	13 9	14		:	:		9	10	9	9	9	9
1922 1923	11	10	7	7	7	7	7 10	8 101 ₂	9 10½	9½ 11	10 11	11
1924	îi	11	ii	ii	iŏ	10	iŏ	10	10	iò	ii	11
Nashville, 1920	16	16	16	16	16	16	16	16	16	16	16	15
1921	15	14	14	13	13	12	12	12	12	12	12	12
1922 1923	10 10	9 10	10	10	9 10	10	10	10	9	9 10	9 12	10 12
1924	12	12	12	îž	12	iŏ	10	10	12	12	12	12
Birmingham: 1920	15	18	15	15	1512	18	15	15	15			18
1921	18	15 12		15	14	14	14	13	1312	131/2	131/2	131/2
1922 1923	13 14	1312	131.2	11 131 ₂	14	131/2	131/2	10 131 ₂	131/2	1316	13 12	₁₂
1924	12	14	14	14	14	13	13	13	13/2	14	141/2	141/2
New Orleans 1920	17	17	17	17	15	15	15	15	17	17	17	16
1921	15	15	14	14	14	14	14	14	4	14	12	12
1922 1923	12 12	12 12	12 12	12 12	12 12	12 12	12 12	12 12	12	12 13	12 13	12 13
1924	13	13	13	13	12	12	12	12	12	12	12	12
Butte 1920		121/2	121,			121/2	121/2	121/2		15		
1921 1922	12½2 10	12 ¹ 2	121/2 10	10	10	053	3::	10	3	10	10	10
1923	10	10	10	10	10 10	10	9½ 10	10 2	11	10 11	10 11	10 11
1924		11	11	ii	ii	ii	ii	ii	i:	îi l	ii	ii
Denver 1920	1112	1112	12	12		11	12	11	11	11	11	11
1921 1922	8	13	71.2	10	9 8	9 71/2	81/2	8	8	8	81/2	81/2
1923		10	10	10	10	10 2	9	10	10	10	10	10 10
1924	10	10	10	10	(9	10	10	91/2	iŏ	ĩŏ l	1134
Ealt Lake City, 1920	11	11	11	11	11	11	11	11	11	11	11	11
1921	12	11	11 8	11 8	11 8	91/2	11 8	11 8	11	11 8	11 8	11 8
1923	9 1	ÿ i	9	9	9	9 2	9	9	,	9	9	ŝ
1924	9	9	9	9	9	9	9	9	9	10	91/2	10
Soattle 1920	1112	11	10	9		10	11	11	11	101/2	557	
1921 1922	912	81/2 91/2	914	8	81 ₂ .	812	81/2	81/2 91/2	91/2	81/2	8½ 10½	8 1014
1923	1012	101 2	101/2	1012	912	912	912	912	1012	101/2	1012	1079
1924	1012	10	91/2 131/2	912	81/2	812		81/2	81/2	7	7	71/2
Portland, Oreg. 1920	$\begin{array}{c} 13^{1}_{2} \\ 12^{1}_{2} \end{array}$	131/2	131/2	12	1212	12	12	12		31/2	13	13
1921 1922	9 2	12 81 2	12 8½		8	8	9 8	8 9	9	9	9	9
1923	9	9	9	9	9	9	9	10	10	10	101/2	91/2
1924	10	9	8	.8	.8	8 -		8	8 _	=	8	71/2
Los Angelos 1920	15 17	15	15 15	15	15	15	17	17		17	17	17
1921	1312	13	13	15	13	15 13	14 13	13	13	13 13	13	13 14
1923	14	14	14	14	14	14	14	14	14	14	14	14
1924	14	14	15	15	14	14	15	15	15	15	13	13
San Francisco 1920	14	14 13	13½ 13	$\frac{131}{2}$ 12	14 12	14 12	131/2	14	14	141/2	141/2	15
1921	11	1012	101/2	11	12	101/2	11 10	10	10	10	10	11 1
1922												
1922 1923 1924	11 12	1012	10	101/2	10 12	101/2 12		11 -	-10	10	12 12	11 1

Division of Statistical and Historical Research. Compiled from reports of Division of Dairy and Poultr, Products.

TABLE 471.—Creamery butter: Production, United States, 1917-1924

[Thousand pounds--i e., 000 omitted]

Year	Jan.	Feb.	Mar.	Apr.	Мчу	June	July	Aug	Sept	Oct	Nov.	Dec.	Total
													
1917	43, 997	38, 459	47, 371	53, 809	75, 108	98, 898	94, 151	83, 936	76, 744	56, 176	42, 705	48, 157	759, 511
1918	44, 357	42, 389	49, 086	57, 332	85, 564	104, 385	97, 440	85, 148	72, 397	63, 886	45, 741	45, 550	793, 285
								84, 458					
1920	49, 044	46, 355	56, 303	60, 622	86, 845	114, 695	110, 844	90, 669	77, 106	65, 129	53, 570	52, 395	863, 577
1921	58, 906	56, 556	67, 677	82, 763	119,077	130, 633	111,898	111, 638	89, 932	84, 374	70, 024	71, 460	1,054,938
1922	73, 505	67, 405	79, 532	86, 623	132, 351	150, 034	135, 231	114, 160	92, 359	83, 070	68, 628	70, 617	1, 153, 515
1923	83, 688	74, 134	88, 011	100, 547	134, 350	158, 371	148, 278	120, 802	102, 273	89, 297	74, 909	77, 254	1, 252, 214
1924	83, 603	82, 906	91, 409	10,638	134, 142	155, 107	156, 385	130,911	109, 159				
	1			'						,	ł	1 1	

Division of Statistical and Historical Research — Compiled from reports of the Division of Dairy and Poultry Products.

Table 472 - Creamery butter: Net receipts at five markets, 1918-1924

				[Tho	usand 1	ounds-	-	0 emit		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
						NEW Y	ORK						
Year	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec	Total
1918 1919 1920 1921 1922 1923 1924	13, 590 9, 750 10, 003 13, 385 16, 829 13, 389	11, 571 13, -25 9 259 9, 116 13, 620 12, 341 13 763	12, 468 13, 419 10, 724 10, 721 15, 918 16, 707 15, 800	10, 867 14, 157 6, 485 11, 792 13, 424 15, 409 15, 290	10, 144 17, 640 20, 438 20, 444	21, 902 23, 493 17, 623 22, 513 28, 588 26, 468 25, 314	19, 314 17, 801 17, 885 25, 391 23, 594	15, 708 10, 335 15, 048 19, 562 19, 083 18, 172 20, 835	13, 367 16, 244 12, 329 17, 515 15, 053 15, 823 18, 626	16, 032 13, 405 9, 985 14, 113 13, 958 14, 924 17, 086	11, 639 12, 635 8, 627 11, 866 13, 240 12, 750 11, 908	8, 301 12, 311 12, 235 13, 070	184, 805 136, 076 176, 037 204, 333 207, 031 211, 273
1918 1919 1920 1921 1922 1923	10, 186 8, 321 8, 312 11, 236 13, 704 14, 912	11, 005 8, 413 7, 809 8, 191 9, 959 11, 840 15, 641	11, 802 9, 472 9, 422 10, 082 11, 726 13, 076 16, 932	10, 657 8, 551 11, 997	12, 207 19, 152 12, 887 18, 009 19, 483 19, 327 22, 260	22, 214 23, 618 26, 156 27, 191	20, 358 22, 843 17, 815 22, 457 21, 593	15, 339 16, 699 17, 600	13,855	12, 256 8, 894 9, 438 12, 122 11, 072 12, 719 14, 257	9, 084 6, 383 7, 592 9, 246 9, 632 11, 642 10, 672	7, 557 10, 756 11, 736 13, 170	153, 577 146, 109 160, 035 176, 162 186, 737 213, 347
					PI	IILADI	ЕГЬНІ	A					
1918 1910 1920 1921 1922 1923 1924	3, 161 2, 698 2, 686 4, 536 4, 223 4, 332	681 2, 687 2, 910 2, 329 3, 836 3, 614 4, 359	2, 166 3, 099 2, 809 3, 191 4, 032 5, 023 4, 345	2, 054 3, 391 2, 450 3, 376 3, 678 4, 387 4, 807	5, 377 5, 348	5, 506 5, 402 6, 450 7, 267 7, 852	3, 903 4, 155 4, 836 5, 362 5, 681 5, 337 8, 165	3, 601 3, 946 4, 723 4, 913 4, 908	2, 827 3, 424 3, 884 4, 222 3, 779 4, 350 4, 747	2, 848 3, 180 3, 118 3, 951 3, 578 4, 427 4, 520	2, 226 3, 460 2, 488 3, 459 3, 368 3, 527 3, 802	2, 396 2, 474 2, 617 3, 756 3, 474 3, 649 3, 945	42, 324 40, 202 48, 580 53, 519 56, 705
						Bost	ON						
1918 1919_ 1920_ 1921_ 1922_ 1923_ 1924_	3, 318 2, 658 3, 077 3, 957 3, 802 4, 362	1, 540 3, 159 2, 626 3, 102 3, 550 4, 020 5, 026	3, 283 2, 596 4, 437 3, 428 3, 963 4, 810 5, 368	2, 802 3, 619 3, 066 3, 208 3, 622 5, 439 5, 482	7, 897 1, 698 6, 650 9, 017 7, 037	11, 662 13, 498 10, 363 14, 020	11, 324 11, 909 11, 146 9, 558 10, 977	6, 290 7, 233 4, 387 7, 158 7, 001	3, 723 4, 333 5, 590 5, 782 4, 967 6, 001	5, 205 3, 785	3, 054 1, 827 1, 966 2, 713 3, 706 4, 199 2, 331		60, 531 60 340 70, 672 77, 021

1918		1, 540	3, 283	2,802	4, 938 9, 631	9, 000	5, 214	3, 723		3,054	2,875	
1919_	3, 318	3, 159	2, 596	3, 619	7, 897 11, 662	11, 324	6, 200	4, 333	2, 821	1,827	1 685	60, 531
1920_	2, 658	2, 626	4, 437	3,066	1, 698 13, 498 6, 650 10, 363	11,909	7, 233	5, 590	3, 614	1, 966		60 340
1921_	3, 077	3, 102	3, 428	3, 208	6, 650 10, 363	11, 146	4, 387	5, 782	5, 205	2, 713		
1922_	3, 957	3, 550	3, 963	3, 622	9,017 14,020		7, 158	4, 967	3, 785	3, 706		70, 672
1923_	3, 802	4,020	4,810	5, 439	7,037 12,008	10, 977	7,001	6,001	4, 582	4, 199		
1924_	4, 362	5, 026	5, 368	5, 482	7,754 13,400	12, 538	7, 422		4, 550	2, 331	2, 351	77, 021

TABLE 472.—Creamery butter: Net receipts at five markets, 1918-1924—Continued

SAN FRANCISCO

Yoar	Jan	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Total
1018 1919 1920 1921 1922 1923 1924	1, 267 1, 488 1, 652 1, 742 2, 055 1, 594	1, 665 1, 441 1, 583 1, 524	2, 174 1, 982 2, 152 1, 950	3, 141 2, 345 2, 619 2, 406	2, 767 2, 256 2, 731 2, 462	2, 197 2, 306 2, 742 2, 883	2, 177	1, 752 1, 789 2, 710 2, 257 2, 224	1, 090 1, 661	1, 339 1, 800 2, 538 2, 228 1, 906	2, 370 1, 862 1, 656	1, 332 22, 117 1, 572 23, 563 1, 718 25, 741 1, 789 25, 916 1, 942 25, 511

TOTAL

1918 1919 1920 1921 1922 1923	24, 915	29, 064 24, 269 24, 179 32, 548 33, 839 40, 473	29, 566	23, 693	30, 540 49, 630	60, 934 65, 250	59, 13c	44,715	36, 240	27, 955	22, 238	22, 092	406, 290
----------------------------------------------	---------	----------------------------------------------------------------	---------	---------	--------------------	--------------------	---------	--------	---------	---------	---------	---------	----------

Division of Statistical and Historical Research Compiled from records of the Division of Dairy and Poultry Products

Table 473.—Creamery butter. Receipts, gross, at five markets by States of origin, 1924

 $_{l}$ Thousand pounds—i. e , 000 omitted]

BOSTON

State	Jan.	Feb	Mar.	Apr.	May	June	July	Aug.	Sept	Oct	Nov.	Dec	Total
Chicago	829 1, 218 55 200 2	1, 599 41	1, 654 38		1, 039 2, 303 291 264 87	985 3, 763 813 413 81	2, 089 673 25	306 1, 340 145 395 1	483 792 155 428 70	328 606 116 253 15	453 10 105	51	17,693 2,436
Kentucky Maine Massachusetts Michigan Minnesota	21 2 101 161 807	42 16 69 1, 478	62 58	17 65	9 127	22 12 76 644 3, 169	11 74 625	3 21 331	37 79	41 169 142 1, 389	15 103 32 705	38 61	723
Missouri	248 12 461	11 13 107 14 349	71 215 17	18	520 13	1, 291 12	1, 672 15	49 767 6	519 14	22 461 16	24 58 2	244 4	6, 378 143
North Dakota Ohio Oklahoma South Dakota	196	12	124 31	80	225 25	1,031 69	550 27	265	193 50 190	229 6 101	158 4 15	51 44 36	288 2, 450
Vermont	45	33	80	104 34	116			307	270		99	44	1,983

Table 473.—Creamery butter: Receipts, gross, at five markets by States of origin, 1924—Continued

NEW YORK

State	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept	Oct.	Nov.	Dec.	Total
Alabama California Colorado Georgia	6 24 10	6 24 6		6	12 36		7 26 6	4	1	22	24 24 13	10 5 33 20	87 107
Idaho	40 1, 995 261 3, 539 33	140	1, 887 257	2, 095 323 4, 084	307	4, 445 585 6, 719 287	653	330	460	279	100	93	106 35, 039 3, 788 57, 781 1, 064
Kentucky Louislana Maryland Massachusetts Michigan	9 1 22 40 506	8 6 4 1, 236	4	15 1 1 15 682	54 27 14 6 835	219 63 3 51 1, 111	99 31 47 153 1,605		140 2 86 960	4 128	6 122	15 9 11 539	123 132
Minnesota Missouri Montana Nebraska	219 58	5, 262 41 1, 896	142	6, 934 110 1, 981	507 3	437 29	9, 384 500 74 3, 276	386 59	422 72	524 84	265 30	377 56	
New York North Carolina North Dakota	419 27 22	181 18 17	172 9 3	241 11 28	586 22 17	1, 317 23 44	1, 030 21 46	1, 135 16 43	730 14 53	12	12	305 12 26	197
Ohio Pennsylvania South Dakota	435 167 6	383 46 12	349 56 11	270 64 11	512 103 6	1, 289 81 10	4, 313 76 14	645 112 94	553 145 58	641 84 11	467 16 27	494 38 10	988
Tennessee Texas Virginia	79 23	49 15	12	24 11	74 52 31	102 26 142	66 134	80 1 81	93 65	128 80	63 71	80 7 24	98
West Virginia Wisconsin Other States Canada		1, 010 17 45	7	1, 048 13 29	4 831 42 1	7 1, 881 1 12 27	17 1, 604 43	6 1, 153 9 22	1, 065 8 20	13 1,019 39 2	5 832 10 30	3 1, 139 34 482	

PHILADELPHIA

Alabama						25		28	26				
Alabama	174	50			1	2		40	21)				81
	1/4	30	;						5	4			224
Delaware	754	445	J, 700	706	1, 252	1, 230	901	904	573			575-	21
Illinois	272			260	1, 252	235	158	160				948	10, 874
Indiana	2/2	200	221	200	102	200	190	100	ספנ	204	145	101	2, 392
Iow)	111	107	85	121	290	572	531	282	241	205	161	77	0 700
Kansas	48	12	31		11	1.5	20	10	44				2, 783
Kentucky	1	1 1	01		24	49		31	47		(80	1 24	186
Marsland	1 1	1 *	83	11		19	2	1 5	8		6	1	137
Michigan	207	139						244	190				3, 446
141101118000	20,	1 .00	0	• • • • • • • • • • • • • • • • • • • •	*00	000	100		100		1 .00	1000	0, 210
Minnesota	2, 295	3,094	1, 573	3,037	2, 515	4, 563	4, 581	3, 231	2,902	2, 685	2, 213	2,064	34, 753
Mississippi	10				72	229							311
Missouri	222	162	40	90		148	241	212	248	. 107	44	47	
Montana	43	20			21	48	24				41	24	221
Nebraska	164	159	161	161	313	212	190	256	208	110	216	259	2,409
		İ			1								
New York	171	139	234	268	349	197	218	97	12	111	65	65	1,926
North Dakota		1		1	4	21		13	1	4			44
Ohio	73	84	162	91	324	632	606	365	335			250	3, 437
Oklahoma					22	6	7	3	3	22	3	- 5	71
		ا ا											
Pennsylvania	199	147		236	208	263	296			169	166	94	
South Dakota			9			26	55	16	3			:	110
Tennessee	69	36		12		362	375		189	223		31	
Virginia	104	109	77	80	126	202	238	185	130	161	128	98	1, 638
TEV TV	6		3	5	13	34	25	9	24	14	ا ا	8	440
West Virginia	268	203	264	503	386	841	767	482	198	199	5 194	813	148
Wisconsin		200 88	204	303	200	30	707	17	180	199	194	49	
Other States	10	25	63	20	26	125	132	1/				49	
Canada		20	00	20	40	120	102						391
							!				1		·

Table 473.—Creamery butter: Receipts, gross, at five markets by States of origin, 1924—Continued

CHICAGO

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total
AlabamaArkansas	170	2 2	1	4 2 76		7		1 2	41	1		2	29
Colorado Georgia	173 1 178	228 1 24	215	76	283 1	429 1	308	80 1	11		1	23 1	1, 829 8 202
Indiana	33 358 2, 886	37 326 3, 631	34 361 3, 873	20 461 3, 516	931	242 1, 489 6, 050	1,474	73 1, 258 4, 383	80 692 3, 548	102 784 3, 080	437	299	1, 102 8, 870 46, 896
Kansas Kentucky	824 41	880 61	654 14	675	1, 481	2, 040 60	1, 721	1, 210		357 36	341		11,098
Michigan Minnesota Mississippi	97 3, 549 1	144 4, 528 1	155 5, 136 26		4, 234 23	4, 425 92	4, 386		3, 522			65 3, 037 3	1, 761 46, 767 198
Missouri	823 75	730 153	519 74	20	58	165	239	96	6	86	12	577 93	11, 975 1, 077
Nebraska New Mexico New York	1, 940	1, 450 1 62	1, 483 2	980	1, 913	4	2, 740 22	15 3	5	1, 081	873 24	1, 052 59	20, 054 44 153
North Dakota Ohio.	265 18	212 64	2		2	6		6	15	4	533 204	575 32	6, 301 360
Oklahoma Pennsylvania South Dakota	101 14 952		79 10 1, 33 6	138 7 1, 177	4	421 1 2, 069	3			1	24 55 578		2, 144 103 15, 971
Tennessee	4 62	3 97	2 33	3	1	1	1	11	2	2		2	35 192
Wisconsin Other States	4, 423 131	5, 145 30	6, 144 1	6, 597 1	8, 732 3	10, 486 45	1°), 064 44	7, 597 10	6, 607	5, 895 36	4, 083 4	4, 155 70	79, 928 376

SAN FRANCISCO

********		1		ī	1			1	·	i			
California	1,455			2, 389	3, 118	2, 343							22, 984
Idaho	1	35		1		1	26	46	119		26	103	490
Montana	7			22	28	52		129	143			32	701
Nevada	13	13	6	24	26	19	12	38	55	33	10	10	259
			1			1							
Oregon	33	20 17	12	118	248	147	92	73	29	46	45	84	947
Utah	39	17	21	14			4	14	27	7		14	158
Washington	46	13	7	44	51	114	46	97	12	29	8	139	606
Other States				1	26	21	172	24				22	266
•													

Division of Statistical and Historical Research. Compiled from monthly reports of the Division of Dairy and Poultry Products

Table 474 .- Creamery butter: Cold-storage holdings, 1915-1924

[Thousand pounds-i e, 000 omitted]

Year beginning May	May 1	June 1	July 1	Aug 1	Sept. 1	Oct 1	Nov 1	Dec 1	Jan. 1	Feb 1	Mar 1	Apr 1
1915	1, 082 3, 607 9, 536 9, 659	9,953 12,698	49, 982 49, 140	102, 537 88, 992 88, 305	105, 836 108, 179 99, 334	100, 522 109, 154 87, 883	85, 260 100, 115 80, 874	79, 292 79, 928 65, 111	48, 977 46, 134 50, 726 43, 910 53, 737	30, 474 26, 618 36, 777	16, 952 18, 808 24, 191	6, 805 14, 629
1920	7,712 3,830 3,248	21, 682 13, 202 10, 112	61, 991 67, 410 62, 768	82, 838 103, 151 101, 774	92, 292 112, 039 102, 731	90, 116 96, 680 96, 117	77, 983 73, 857 76, 472	65, 129 47, 773	26, 819 30, 299	35, 047 16, 122	22, 582 8, 910	9, 113 4, 824

Table 475.—Butter: International trade, calendar years, average 1909-1918, annual 1921-1923

[Thousand pounds -1 e,000 omitted]

Commenter	A verage,	1909-1913	19	21	19	22	1923, pre	liminaı y
Country	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Exports
PRINCIPAL EXPORTING COUNTRIES								
Argentina Australia i Canada Daninark Finlaud	113 46 3, 388 6, 241 2, 370	6, 934 77, 859 3, 973 195, 530 26, 337	7 732 4,018 403 14	56, 905 127, 347 9, 133 202, 953 14, 253	6, 397 1, 174 29	53, 977 78, 975 21, 505 210, 557 18, 373	2, 738 4, 044 103	72, 337 2 55, 116 13, 174 246, 097 14, 476
Italy Netherlands New Zealand Russia	972 4, 987 47 2, 202	7, 870 75, 133 38, 761 150, 294	1,004 4,401 (3)	145 44, 528 100, 630	2, 964 10, 816	1, 683 50, 981 125, 462	526 1, 687 7	2, 905 62, 769 140, 016
Sweden Union of South Africa PRINCIPAL IMPORTING COUNTRIES	330 3, 913	45, 870 26	14, 171 382	340 2, 698	5, 691 196	3, 043 1, 500	3, 463 1, 166	5, 421 601
Algeria Austria	1, 946 6, 281	9 4, 267	1, 356 452	34	1,419	38	3, 600	ī
Belgium Brazil	14, 024 4, 551	3, 125	22, 663 3	1, 337 51	41,828	294 15	21, 342	220
China Cuba Dutch East Indies Egypt	\$ 1,677 1,459 4,152 2,350	1 166	1, 456 2, 035 6, 824 628	149	1, 421 1, 701 6, 000 1, 142	84	1,673	76
France Germany Greece Norway Persia	13, 7'3 111, 441 206 976 2, 201	40, 769 498 8 3, 137 3, 059	40, 140 3, 351 4, 393 7, 560 840	2, 701 • 203 29 209	64, 985 2, 358 2, 787 7, 654	6, /95 (·19	23, 200 2, 903 5, 677 5, 825	19, 367 147 26
Peru Philippine Islands Spain Switzerland	462 1,665 939 11,106	20 259 44	801 730 620 15, 994	354 10	1, 038 1, 032 694 15, 088	2 1 8	1, 337 853 378 14, 684	12 391 2)
Trinidad and Tobago United Kingdom United States Other countries	847 455, 489 1, 647 12, 273	1, 179 4, 125 37	857 372, 895 18, 558 4, 665	5 1, 105 8, 615 1, 489	1, 013 427, 398 6, 957 11, 974	1, 173 10, 938 1, 369	558, 139 23, 741 1, 957	2, 092 5, 846 1, 431
Total	674. 014	689, 293	531 953	574 624	623, 768	633, 154	680 751	632 541

Division of Statistical and Historical Research — Official sources — Butter includes all butter made from milk, melted and reno 'ated butter, but coes not include margarine, cocoa butter, or ghee.

¹ Year beginning July 1.
² Nine months

8 Less than 500 pounds 4 Two-year average

Four-year average
 Eight months, May-December

Table 476.-Butter: Average export price per pound in Copenhagen, Denmark, 1914-1924

Year	Jan.	Feb.	Mar.	Apr	May	June	July	Aug	Sept	Oct.	Nov	Dec.	A ver-
1914	Cents 26 1	Cents 25 6	('ents	Cents 24 1	Cents 23 4	Cents 23 9	Cents 125, 9	('ents 24 4	Cents 25 0	Cents 27 8	Cents 27 3	Cents 29 9	Cents 25 8
1915 1916 1917	29. 6 33 8 45 3	26 9 35 4 39 6	28 0 37 8 38 4	27. 6 36. 8 37 2	29 6 36. 3 38. 6	29 1 35. 7 40. 5	31. 0 36 7 45 0	32. 6 40. 1 49. 7	34. 7 42 1 54. 6	41 6 42 6 65. 4	40 5 44 3 68 4	36 6 44.9 65 5	38 9 49 0
1918 1919 1920	04 2 75.8 48 9	63 7 73, 8 42 1	64. 0 72 4 49. 2	65 0 71, 1 49 8	65. 3 58 2 44 2	64 7 50 8 44. 8	65 1 48 4 42 4	65 0 46, 5 42, 9	62. 0 54 7 43 6	58 3 53 8 45 7	75 6 59, 5 44, 7	76. 0 52 1 44 0	65 7 59 8 45 2
Av. 1914-1920	46. 2	43, 9	45 1	44. 5	42 2	41.4	42 1	43. 0	45 2	47 9	51. 5	49 9	45 2
1921 1922 1923 1924	42. 4 31. 1 40. 5 40 0	39. 3 31 0 41 3 30. 5	40 4 32 9 41 0 36 9	48 9 33, 8 34 5 31 3	33, 5 33 5 29 5 36 4	32. 4 37. 0 29 3 33 4	38 3 39 4 30 7 37 8	41. 1 39. 1 34. 7 41 1	36 4 41 1 40 3 42. 3	38. 3 40 7 38. 9 46 1	39 9 39 9 39 4 44 2	31. 8 39. 7 41. 4 46. 8	38 1 36 6 36.8 39.6

Division of Statistical and Historical Research partment of Agriculture Yearbook, 1923, p. 923 Conversions from Danish quotations in ore per pund (1 1023 pound) at par of exchange (100 ore -26 8 cents) to July, 1914; July, 1914, to date at average monthly exchange rate as quoted by Federal Reserve Board.

Table 477.—Butter: Farm price per pound, 15th of month, United States, 1910-1924

Year	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug	Sept	Oct.	Nov.	Dec.	Weight- ed av- erage
1910	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents
	28 3	27 1	26. 0	25 6	24 8	23 7	23 6	24. 5	25 7	26. u	27 4	27. 8	25 5
	26 0	23 4	22. 6	22, 0	20. 8	20 4	21 0	22. 4	23 4	24 5	26 3	27. 8	22 9
	28 6	28 1	26 6	26 0	25 4	24 1	23 6	24. 0	24. 9	26. 2	27 8	28. 6	25. 7
	28 0	27 6	27 6	27 3	26 2	25 1	24 8	25. 4	26. 7	27 8	28 7	29. 2	26 7
Av 1910-1913	27. 7	26 6	25 7	25 2	24 3	23 3	23. 2	24 1	25 2	26 3	27. 6	28 4	25 2
1914	28. 3	26 7	25 4	24 4	23 3	22. 8	23 3	24. 5	25 6	26 2	27 4	28. 6	25 1
1915	28. 3	27 4	26 3	25. 8	25 2	24. 5	24 2	24. 4	24. 9	25. 8	27. 0	28. 0	25 7
1916	28. 0	27 4	27 4	27 8	27. 2	26 1	25 9	26 8	28. 2	30 0	32. 8	34. 2	28 6
1917	33 8	33 8	33 8	34. 8	35. 6	34. 2	33 8	35. 0	37. 5	39 9	41 4	42 5	35. 9
1918	43. 4	43. 6	42.0	40 3	39 2	38. 4	39. 0	40. 6	44. 3	48. 4	51 2	53 8	42 7
1919	52. 2	46. 7	45 7	49 0	49 7	48. 2	47 7	49 0	50 6	53. 8	58.0	60. 6	50 3
1920	59. 6	56 8	56 0	56.8	55 6	52 6	51 8	52. 2	53. 2	54. 2	54.5	51 8	54, 3
Av 1914-1920	39. 1	37 5	36 7	37 0	36. 5	35 3	35 1	36. 1	37 8	39 8	41.8	42. 8	37 4
1921	47 0	43 6	41 2	39 5	34 0	29 2	31 6	35 4	37 4	39. 6	41. 0	40 7	37 0
1922	37. 4	34. 6	34 6	34 6	34. 1	33 1	33 0	33 4	34.8	37 4	40 2	42 9	35 3
1923	43 0	42. 0	41 6	40. 8	39 4	37 9	27 0	38. 0	40 2	42. 2	44 3	45 8	40 4
1924	44. 9	44 4	43. 2	40 3	38. 3	36.3	37 0	37. 7	38 2	38. 8	39 3	41.8	39. 4

Division of Crop and Livestock Estimates.

Table 478.—Butter, first quality British: Average price per pound in Great Britain, 1904-1924

Year	Jan	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct	Nov.	Dec	Αv.
1904 1905 1906 1908 1907	Cents 26 9 28 4 30 9 31 4 30 9	Cents 27 9 28. 4 30 4 30 4 31. 9	Cents 27 0 26 4 29 4 29 4 30 9	Cents 24 3 25 3 27 9 27 9 28 4	Cents 21 1 22 3 25. 9 25 9 26 4	Jents 20 9 23 3 24 3 23. 8 23. 8	Cents 21. 3 24 3 25 4 24 8 25 9	Cents 24. 5 27. 4 27. 9 26. 4 27. 9	Cents 25 2 28. 4 29. 9 26 9 28 9	Cents 26 7 28 4 30 9 28. 9 29 4	Cents 27 5 20 4 31 4 30 4 29 9	Cents 29 1 31 4 31 9 31 4 30 4	Cents 25 2 27 0 28 8 28 1 28 5
1909	30 4 30 9 30 4 32 4 31 9	29. 9 31 4 29 9 32. 9 31 9	29 4 30 9 29 4 31 4 31 4	27. 9 29 4 27 9 29 4 28 9	25 9 27 4 25 9 26 4 26. 9	24. 8 25 3 24. 8 25 4 25. 4	25. 9 25. 9 25. 9 26. 9 26. 4	27 9 26. 9 29 4 27 9 27. 9	28 4 27 9 30 4 28 9 28 9	29 4 28 9 31 9 29 9 29 4	30 4 29 4 32 4 30 9 30 4	31 4 30, 4 32, 9 31, 9 31 4	28 7 28 7 29 3 29 5 29 2
Av. 1909-1913	31 2	31 2	30 5	28 7	26 5	25 1	26 2	28 0	28 9	20 9	30 7	31 6	29 0
1914	31. 4 33 8 38 1 48 0 55 9 58 0 44 7	30 9 34 6 37 7 49 0 56. 4 58. 0 64. 4	30 4 33 5 37. 7 49 0 56. 4 56. 8 71 1	28 9 32 0 36 7 48 6 57. 0 56. 2 73 0	26. 4 29. 4 34 7 44 6 56 0 56. 3 60 2	25. 4 29. 3 32. 7 42. 1 55 5 55. 7 57 6	27 0 30 8 34 2 44 1 54. 9 53 5 59 4	31. 2 32. 4 38. 2 48. 5 54. 5 51. 6 63. 7	30. 6 33 2 40 6 51 5 54. 5 50 5 68 0	31 0 35 6 42 1 54 4 55 0 50. 4 73 8	32 2 36 0 44 6 54. 9 57. 0 49 3 74. 6	33 0 37 9 46 0 55 4 58 0 45 5 76 4	29. 9 33 2 38 6 49 2 55 9 53 5 65 6
Av. 1914-1920	44 3	47 3	47. 8	47 5	43. 9	42. 6	43 4	45. 7	47 0	48. 9	49 8	50 3	46 6
1921 1922 1923 1924	75 1 43. 6 53 6 48. 8	72. 5 42. 3 52. 8 47. 1	64. 0 39 7 51. 7 44 6	56. 1 40. 5 47 5 40. 1	44. 7 38. 4 36. 6 34. 1	38. 1 36. 6 33. 8 33. 3	42. 4 43. 5 33. 9 38. 7	47 9 46 5 40 3 44 3	44 2 47. 1 43. 1 47. 6	45 6 48. 1 44 8 49. 5	47. 6 50 4 46. 4 53 5	49. 3 52. 8 49. 1 55. 9	52 3 44 1 44.5 44.8

Division of Statistical and Historical Research. Compiled from Ministry of Agriculture and Fisheries, Agricultural Statistics of Great Britain and Agricultural Returns of Great Britain. Average of wholesale prices at country markets. Conversions at par of exchange 1904-1913; subsequently at monthly average rates of exchange as quoted by Federal Reserve Board.

Table 479.—Butter, 92 score creamery: Average wholesale price, at leading markets 1910-1924

Market, and year	Jan	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	A ver- age
New York 1910	Cts 33 26 39 35	Cts 30 26 32 36	Cts 33 24 31 37	Cts 31 21 33 35	Cts. 28 22 30 29	Cts. 28 23 27 28	Cts. 28 25 27 27	Cts. 29 26 27 28	Cts 30 27 30 32	Cts 30 30 31 31	Cts. 31 34 34 34 34	Ctr 80 37 37 36	Cts. 30 27 32 32
1914 1915 1916 1917 1918 1919 1920	33 34 33 40 52 62 65	29 32 34 44 50 52 66	28 30 37 42 44 62 67	25 31 36 44 42 64 71	26 29 31 40 42 58 61	27 28 30 39 44 52 57	28 27 29 39 45 53 57	30 26 31 41 46 55 55	31 27 34 44 56 59 59	32 29 35 45 58 68 60	35 31 39 46 63 71 63	34 35 40 50 69 72 55	30 30 34 43 51 61
Av. 1914-1920 -	46	44	44	45	41	40	40	41	44	47	50	51	44
1921 1922 1923 1924	52 37 52 53	47 37 50 50	48 38 49 47	46 38 46 38	32 38 42 39	33 37 39 41	40 36 39 40	43 35 44 38	43 41 46 38	47 46 48 39	45 51 53 43	44 54 55 45	43 41 47 43
Chicago. 1918. 1919. 1920. 1921. 1922. 1923. 1924.	60 63 48 34 50 52	49 63 47 37 50 49	41 60 66 47 38 49 46	42 62 64 44 37 45 37	42 57 57 29 34 40 37	42 51 55 32 36 39	43 51 55 39 34 38 38	45 53 54 40 34 43 37	55 57 57 42 39 46 37	56 64 57 45 44 47 37	62 69 60 44 50 52 42	67 68 51 43 53 53 42	50 58 58 42 39 46 41
Philadelphia. 1918	62 65 53 37 52 53	52 67 48 37 50 51	62 68 49 38 50 47	65 71 47 38 46 39	46 59 62 33 37 42 40	44 53 58 33 37 40 42	45 54 58 40 37 40 41	46 56 56 43 36 45 39	56 59 60 43 42 47 39	59 68 60 47 47 49 39	63 70 63 46 52 53 43	69 73 55 45 55 55 45	54 61 62 44 41 47 43
Boston 1918 1919 1920 1921 1922 1923 1924	63 65 52 37 52 53	51 66 48 37 50 52	62 68 48 39 51 48	65 69 46 38 47 39	46 59 61 32 37 43 39	53 58 34 37 40 42	45 53 58 41 37 40 40	46 56 57 43 36 44 39	55 58 59 43 40 46 38	59 64 59 46 46 18 38	62 69 60 45 50 51 42	67 71 54 44 54 53 44	53 60 61 44 41 47 43
San Francisco. 1918 1919 1920 1921 1922 1923 1924	56 62 42 36 48 47	49 62 46 40 46 46	56 59 38 33 42 44	56 56 34 32 41 38	56 53 31 35 42 37	54 54 34 38 44 40	54 57 39 39 42 39	55 59 42 39 45 40	60 64 44 46 48 39	59 63 58 46 49 47 29	58 64 53 46 45 48 39	62 65 48 41 47 48 43	60 57 57 40 40 45 41

Division of Statistical and Historical Research. Compiled from Urner-Barry reports, 1910-1917, average of daily range, subsequently from reports of the Division of Dairy and Poultry products, average of daily prices

Table 480.—American cheese: Production in the United States, 1917-1924
[Thousand lbs., i. c., 000 omitted)

Year	Jan.	Fob.	Mar.	Apr.	Мау	June	July	Aug	Sept.	Oct.	Nov.	Dec.	Total
1917 1918 1919 1920 1921 1922 1923 1924	8, 143 10, 956 10, 457 11, 889 12, 837 15, 092	7, 860 1 855 11, 509 12, 857 13, 927 15, 326	11, 992 19, 009 14, 954 17, 678 18, 774 20, 184	17, 931 21, 642 18, 856 23, 521 21, 740 24, 014	31, 285 34, 849 29, 832 34, 556 31, 349 32, 942	40, 184 44, 599 41, 376 36, 444 36, 254 41, 382	34, 332 35, 465 34, 313 26, 977	29, 996 30, 940 26, 787 27, 652 29, 496 31, 822	25, 424 26, 257 22, 935 23, 612 25, 581 28, 648	18, 862 23, 114 20, 054 21, 496 25, 785 25, 566	12, 172 13, 107 13, 308 13, 426 18, 382	8, 070 9, 097 10, 044 10, 303 11, 618 15, 416 16, 608	247, 278 281, 837 254, 684 261, 726

TABLE 481.—Cheese: Net receipts at five markets, 1918-1924

[Thousand pounds-i. e , 000 omitted]

NEW YORK

Year	Jan	Feb.	Mar.	Apr.	May	June	July	Aug	Sept.	Oct.	Nov.	Dec	Total
1918	3, 479 3, 337 3, 274 2, 739	3, 518 3, 173 2, 431 3, 337 2, 775 3, 385 2, 859	2, 657 4, 393 3, 803 2, 883 4, 063 4, 341 3, 367	2, 844 5, 114 1, 398 4, 068 4, 466 4, 196 3, 050	3, 899 7, 008 4, 693 6, 003 5, 047 4, 610 3, 609	5, 951 7, 075 6, 152 5, 856 6, 376 5, 207 4, 706	6, 687 6, 972 5, 703 6, 655 5, 379 6, 110 5, 236	4, 956 5, 428 5, 278 4, 772 4, 642 4, 757 3, 042	3, 670 7, 121 3, 483 4, 308 3, 942 3, 845 3, 594	5, 123 6, 367 3, 208 4, 415 3, 866 3, 791 3, 333	3, 833 4, 621 3, 756 3, 657 3, 607 3, 544 3, 684	4, 156 4, 294 3, 762 2, 753 3, 207 2, 731 3, 181	50, 550 65, 045 47, 004 51, 931 50, 109 49, 425 42, 959
1918 1919 1920 1921 1922 1923 1924	5, 925 5, 328 8, 042 5, 940 7, 775 8, 135	4, 854 5, 100 5, 423 6, 139 7, 243 10, 358	6, 202 5, 495 7, 069 7, 147 8, 093 8, 124 10, 267	5, 549 6, 287 5, 967 6, 840 7, 875 9, 053 10, 601	4, 957 7, 833 7, 744 9, 290 10, 262 10, 745 11, 949	7, 614 9, 778 11, 194 9, 832 11, 384 15, 039 12, 337	9, 183 7, 112 10, 121	6, 674 8, 323 6, 599 6, 930 10, 669 11, 750 12, 943	6, 016 7, 362 5, 707 6, 734 9, 419 10, 652 11, 516	5, 698 6, 648 6, 255 8, 091 10, 452 12, 608 10, 264	4, 634 5, 073 6, 795 6, 147 8, 893 9, 216 8, 341	5, 556 6, 261 8, 477 7, 566	81, 019 81, 597 85, 819 107, 724 123, 645 130, 024
	<u>'</u>				РНІ	LADE	LPHIA		`				
1918 1919 1920 1921 1922 1923 1924	1 116	881 1, 040 1, 064 1, 120 982 1, 086	1, 489 1 280 1 506 1, 236	629 1, 654 626 1, 396 1, 523 1, 297 897	1, 228 1, 965 1, 743 2, 223 1, 750 1, 361 1, 092	1, 148 2, 226 2, 104 2, 602 1, 827 1, 915 1, 850	2, 152 1, 657 2, 491 1, 846 2, 114	1, 389 1, 704 2, 189 2, 311 1, 887 2, 000 1, 704	940 1, 740 1, 362 2, 086 1, 815 1, 972 1, 660	1, 262 2, 887 1, 130 1, 920 2, 101 2, 217 1, 978	706 2, 930 1, 431 1, 369 1, 738 1, 310 1, 218	1, 221	19, 324 18, 363
				-		Bost	ron					·	
1918 1919 1920 1921 1922 1923 1924	351 620 435 408 828 740	517 2/4 574 590 436 845	647 1, 100 622 691 663 947 672	453 1, 088 511 685 1, 004 1, 029 927	1, 462 2, 000 948 978 1, 201 1, 195 1, 341	2, 559 2, 374 1, 422 2, 503 2, 220 2, 074 1, 914	2, 304	1, 721 2, 091 1, 749 1, 173 1, 461 1, 936 1, 204	972 1, 422 1, 343 1, 262 1, 410 1, 165 1, 248	1, 479 1, 456 1, 104 1, 777	574 1, 231 1, 256 1, 249 910 1, 302 927	791	17, 722 12, 997
	<u></u>				SAI	N FRA	NCISC	o					
1918 1919 1920 1921 1922 1923 1924	6.44 935 621 503	810 885 634	869 935 757 464 706 1,046	1, 219 981 963 697 858 700	1, 263 1, 012 867 886 1, 052 1, 039	963 1, 171	964 1, 365 902 1, 362	601 813 1, 147 1, 237	785 874 936 533 877 985 837	935 730 852 771 800 932 911	795 564 806 551	1, 027 611 364 733	11, 482
1918 1919 1920 1921 1922 1923 1924	11, 488 10, 734 13, 063	9, 655 11, 283 11, 258 12, 617	13, 386 13, 918 12, 758 14, 789 15, 354 16, 540	15, 362 8, 583 13, 952 15, 565 16, 433 16, 175	20, 069 16, 140 19, 361 19, 146 18, 963 19, 030	22, 648 21, 874 21, 680 22, 770 25, 406 22, 041	19, 324 20, 211	16, 112 18, 417 16, 416 15, 999 19, 806 21, 680 10, 996	12, 831 14, 923 17, 463 18, 619	13, 796 18, 491 12, 924 16, 653 18, 323 21, 325 17, 479		11, 292 12, 199 11, 633 10, 973 14, 071 13, 254 14, 922	168, 667 181, 622 199, 835 219, 037

Table 482 — Cheese: Receipts, gross, at five markets, by States of origin, 1924
[Thousand pounds—i. e, 000 omitted]

			[Thou	sand p	ounds Bost		0(X) on	iittedj					
State	Jan	Feb.	Mar	Арі	Мау	June	July	Aug	Sept	Oct.	Nov.	Dec	Total
Chicago	103 150 2 26	246 201	16 136	45 317	173 194	77 33	160 111 1	131 22	46 78 2	97 35 20	187 66	239	1, 520 1, 412 5 74
New Hampshire New York, Ohio Pennsylvania	3 260 1 24	3 183 8 22	2 257 10 17	27 217 7 12	1 4(h) 9 14	2 856	827 9	1 504 10 12		413 11 13	382 25 9	1 163 13	41 5, 209 137 180
Vermont	12 98 5, 56	76 93	76 153	189 110 3	71 416 3	148 735 2	66 873 1	1		.594 2	65 192 1	9 338 1	736 4, 317 37 56
,		1	i	· .	EW.	' YORK			1 1		ì	1 1	
Illmors	629 2 12	761 23	824 	748 42 1	634 22 36	722 149	670	368	519 63 2 5		1, 170 79 35	164	8, 382 581 295 29
usetts Michigan Minnesota Missouri Nebraska	32 77	31 19	18 49 i	73 50 22 1		11 149 24 1		5 7	1 52 26 1 80			6 38 159	235 644 352 48 240
mpshire New Je sey New Yerk Ohio vania	6 1, 525	9 9 7 9 27 33	20	7 891 6 26	1, 299 6 110	22	1, 627	963 45 3	1, 077	14 2 1, 106		3 1,081	36 49 14, 478 136 618
Virginia Wisconsin Other States Canada	- 964 1 4	1	1, 008 2 77	12 1, 104 1 36	1, 255	22	2, 664 13	3	2	1, 198 37 30	1.5	2	79 49 16, 339 109 259
-	٠	1	*	' ' 'PH	LAD	ELT:	,	1 -	٠ _	1	1	1	
Illinois	378	444	414	245	247 138 24	1			18 22				4, 333 164 200
New York Pennsylvania Wisconsin Other States.	443 13 165 1	294 88 260	404	403		313 13 1, 100 33	7 1,341	. · 2	311 883 1	384 40 1, 158 45	15	21	3, 655 240 8, 003 187
Colorado	180 5 186 9	220 32		177 2 206 27		4 582 73	1 435 136		3 351 20	328			34 675 50 3, 965 620 30
Kentucky Michigan Minnesota Missouri	64 326 36 54	243	363	102 336 23	406	267 55	23	1	103 210			20 145 20	2, 733
Montana New Jersey New York Ohio Pennsylvania	24 50 20 3	34 51	170 1 6	٠ .	145	J10 54	1	421 1 16		, 52		121 1 10	95 1, 667 91 158
South Dakota. Wisconsin Other States Canada	7, 174	9, 377 30	9, 063 46 15	•	10, 730	16 10, 870		11, 7'29 107 58		9, 277 4 65	14	l l	117, 439 278 373

TABLE 482.—Cheese: Receipts, gross, at five markets, by States of origin, 1924—Con.

[Thousand pounds-i. e., 000 omitted.]

SAN FRANCISCO

State	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug	Sept.	Oct	Nov.	Dec.	Total
California Colorado Idaho Illinois New York	249 23 49 77 2	343 18 267 1 42	335 30 138 107 22	186 19 74 31	226 23 91 112 8	247 17 189 161	184 17 256 90 60	170 22 337 59 27	135 28 322 28	158 29 175 84 40	160 14 263 1 64	210 16 175 26 14	256 2, 262 821
Oregon Washington Wisconsin Othor States	60 6 227 32	72 2 193 6	181 8 185 40	267 7 112 4	451 2 133	428 7 177 1	394 15 496 67	299 2 187	173 145 6	243 3 92 87	86 1 122 3	56 5 148	58

Division of Statistical and Historical Research. Compiled from monthly reports of the Division of Dairy and Poultry Products.

Table 483 — A merican cheese: Cold-storage holdings, 1915-1924;
[Thousand pounds—i e, 000 omitted]

	·	,		_				-				
Year beginning May	М.19 1	June 1	July 1	Aug 1	Sept 1	Oc . 1	Nov 1	Dec 1	Jan 1	Feb. 1	Mar 1	Apr. 1
1916 1916 1917 1918 1910	6, 546 7, 928 17, 736 6, 027	11, 626 20, 395	34, 159 30, 054	67, 595 48, 804	46, 776 91, 545 55, 742	49, 579 90, 671 42, 065	45, 713 78, 087 33, 402	37, 080 75, 166	31, 855 66, 784 19, 823	22, 113 56, 298 15, 486	13, 373 15, 560 37, 743 9, 837 34, 039	9, 842 27, 965 6, 750
1920	13, 466 10, 868 14, 077	17, 814 15, 481 17, 507	34, 948 33, 130 36, 834	41, 284 46, 580 55, 839	46, 635 53, 625 63, 160	45, 163 49, 473 62, 384	42, 969 40, 852 57, 927	34, 055 37, 291	27, 691 33, 617 49, 566	21, 430 26, 593 40, 506	15, 006 20, 693	14, 294 10, 745 14, 465 28, 294

Division of Statistical and Historical Research

Table 484.—Miscellaneous varieties of cheese. Cold-storage holdings, 1917-1924 ¹ [Thousand pounds—i e, 000 omitted]

Year beginning May	May 1	June 1	July 1	Aug. 1	Sept. 1	Oct 1	Nov 1	Dec 1	Jan. 1	Feb 1	Mar. 1	Apr. 1
1917	-				2, 117	1,885	1,640	1, 574	1, 118	914	825	824
1918	966		4,317		8, 669	7, 919						5, 343
1919	6,842		11, 333		11, 175		10, 208					5, 346
1920	5, 797	6, 845	10, 316	12, 306	12, 237	12,030	12, 260	11, 34b	9, 754	9, 248	8, 149	8, 013
1001	= 001		0.00=	0.404		0.004	0.000	7.00 0	# 00 0	4 000	F 00F	4 000
1921	7, 294			9, 494								
1922	4,774											
1923	3, 930									6, 510	5, 739	5, 156
1924	6,034	6, 286	7, 948	8,918	8, 375	7, 360	6, 599	5, 842			!	
	-								l			

Division of Statistical and Historical Research.

¹ The term "American cheese" is intended to cover only those varieties known as twins, flats, daisies, cheddars, longhorns, and square prints—It does not, therefore, include all kinds of cheese made in America

¹ Includes cheese not classified on cold storage report and holdings of storages not reporting by varieties

TABLE 485.—Cheese: International trade, catendar years, average 1909-1913, annual 1921-1923

[Thousand pounds - i. e , 000 omitted]

Country	Average	1909-1913	19	21	19	22	1923, pre	lummary
Country	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Exports
PRINCIPAL EXPORTING COUNTRILS								
Argentina	10, 447 360	1 6 799	543 86	14, 333 12, 671	1, 474	14, 829	2, 359	12, 685
Canada	1, 054	167, 260	908 183	137, 180 3, 226	687 1, 355	120, 177 2, 278	1,900 1,999	116, 202 4, 016
Denmark Finland	1, 414 478	527 2,086	521	27, 653 4, 686	î, 194	19, 674 5, 989 1, 494	731	12, 034 2, 944 1, 160
Hungary Italy Netherlands	13, 308 522	60, 560 127, 379	1,780 802	16, 664 115, 279	15, 571 750	32, 0; 7 143, 769	10, 228 873	50, 389 136, 646
New Zealand Russia	3, 911	55, 561 7, 011	(2)	153, 304	1	130, 054	(2)	161, 444
Switzerland Yugoslavia	7, 150	70, 075	1,894	10, 596 2, 582	1, 792	46, 152 3, 875	2, 543	39, 046 2, 412
PRINCIPAL IMPORTING COUNTRILS								
Algeria	6, 592	138	5, 778 7, 342	170	7, 206 8, 362	19 6 161	7, 416 9, 847	317
Austria-Hungary Belgium Brazil	12, 298 31, 771 4, 178	966 354 11	34, 329 148	1, 750 8	48, 316 394	I, 148	39, 548	1, 042
British India. Cuba. Dutch East Indies.	1, 314 4, 520	7	755 4, 738		1, 072 3, 841	4	1,006	
Dutch East Indies Egypt France	757 8, 182 49, 056	3 48 26, 880	1, 375 3, 452 35, 146	165 14,381	1, 491 6, 776 60, 272	102 22, 023	6, 014 54, 297	122 33, 226
Germany Norway Spain Sweden Tunis	48, 687 663 5, 032 946 1, 382	1, 937 377 53 41 19	59, 974 1, 157 4, 504 2, 239 749	4 1, 022 256 689 206 40	51, 984 1, 540 4, 222 1, 992 997	2, 235 657 453 336 19	24, 930 1, 961 5, 971 4, 164	636 697 126
Union of South Africa United Kingdom United States Other countries	4, 991 257, 407 46, 346 12, 648	3 950 5, 142 9, 914	49 312, 783 26, 866 6, 095	459 479 11, 772 841	268 294, 938 46, 573 5, 625	152 581 5,007 985	832 313, 584 64, 420 2, 232	118 945 8, 331 38
Total	535, 117	538, 121	514, 199	530, 505	568, 695	554, 408	556, 855	584, 576

Division of Stati-tical and Historical Research Official sources. All cheese made from milk, including "cottage cheese"

Table 486.—Cheere, No. 1 American: Average wholesale price per pound, New York, 1910-1924

Year	Jan	Feb	Mar	4 pr	May	June	July	Λug	Sept	Oct	Nov.	Dec.	A ver- age
1911 1912 1918 1918 1914 1915 1916 1917 1918 1919 1920	. 15 . 16 . 17 . 17 . 15 . 17 . 24 . 24 . 35 . 32	. 15 . 17 . 17 . 16 . 16 . 18 . 25 . 26 . 30 . 30	\$0 17 .14 .18 16 .18 .16 .18 .26 .24 .32 .29	. 14 . 19 . 15 . 16 . 16 . 18 . 26 . 23 . 31 . 30	. 11 . 15 . 13 . 14 . 17 . 18 . 26 . 24 . 32 . 30	.11 .14 .14 .15 .15 .15 .23 .23 .32 .28	\$0. 15 . 12 . 15 14 . 15 . 15 . 15 . 24 . 25 . 33 . 27	. 12 . 16 . 15 . 13 . 17 . 23 . 26 . 31 . 27	. 14 . 16 . 16 . 16 . 14 . 19 . 25 . 28 . 31 . 28	. 14 . 18 . 16 . 15 . 15 . 21 . 25 . 33 . 31 . 28	. 15 . 17 . 16 . 15 . 16 . 23 . 23 . 32 . 32 . 28	\$0. 16 . 16 . 17 . 16 . 15 . 17 . 24 . 24 . 35 . 32 . 28	\$0. 16 . 14 . 16 . 15 . 16 . 15 . 19 . 24 . 27 . 32 . 29
Av. 1914-1920	. 23	. 23	. 23	. 23	. 23	. 22	. 22	. 22	. 23	. 24	24	. 25	. 23
1921	. 24 . 21 . 28 . 22	. 21 . 20 . 28 . 22	. 25 . 20 . 25 . 21	. 22 . 18 23 . 17	. 17 . 17 . 23 . 17	. 16 . 19 . 24 . 20	. 19 . 21 . 25 . 21	. 21 . 21 . 25 . 21	. 21 . 21 . 26 . 22	. 22 . 26 . 20	. 21 . 25 . 21	. 21	. 21 . 20 25 . 20

Division of Statistical and Historical Research. Poultry Products. Compiled from reports of the Division of Dairy and

¹ Four-year average ² Loss than 500 pounds

³ One year only.
4 Eight months, May-December

OLEOMARGARINE

 ${\it Table 487.--Oleomargarine production and consumption in the United States,} \\ 1887-1924$

		Stocks.			Consum	ption
Year ended June 30	Production	beginning of year	Exports	Stocks, end of year	Total	Per capita
1887 1888 1889 1890 1891	Pounds 1 21, 513, 537 34, 325, 527 35, 664, 026 32, 324, 032 44, 392, 409	Pounds 1 181, 090 423, 855 1, 575, 293 1, 978, 094 978, 650	Pou 1ds 831, 574 1, 729, 327 2, 192, 047 2, 535, 926 1, 986, 743	Pounds 423, 855 1, 575, 293 1, 978, 094 978, 650 779, 368	Pounds 20, 436, 198 31, 444, 762 33, 069, 178 30, 787, 550 42, 604, 948	Pounds 0. 35 . 53 . 54 . 49 . 67
1892	41, 365, 155	779, 368	1, 610, 837	1, 021, 555	42, 512, 131	. 65
1893	67, 224, 298	1, 021, 555	3, 479, 322	322, 911	64, 443, 620	97
1894	69, 622, 246	322, 911	3, 898, 950	437, 287	65, 608, 920	97
1895	56, 958, 105	437, 287	10, 100, 897	393, 597	46, 900, 898	. 68
1896	50, 853, 234	393, 597	6, 063, 699	396, 404	44, 786, 728	. 64
1897	45, 531, 207	396, 404	4, 864, 351	223, 368	40, 839, 892	57
	57, 516, 136	223, 308	4, 328, 536	444, 715	52, 966, 163	73
	83, 130, 474	444, 745	5, 549, 322	787, 503	77, 238, 394	1 04
	107, 045, 028	787, 503	4, 256, 067	817, 806	102, 758, 658	1 36
	104, 943, 856	817, 806	4, 990, 699	722, 237	100, 048, 726	1 30
1902 1903 1904 1905 1906	126, 316, 427 73, 285, 946 50, 203, 495 52, 011, 716 55, 434, 900	722, 237 653, 174 490, 822 600, 060	5, 721, 254 7, 645, 652 6, 137, 251 4, 863, 164 11, 794, 174	653, 174 490, 822 600, 060 483, 780	121, 317, 410 64, 987, 120 44, 228, 596 44, 039, 314 43, 757, 006	1. 54 . 81 . 54 . 53 . 51
1907	71, 366, 775	483, 780	5, 397, 609	700, 823	65, 752, 123	76
1908	74, 188, 320	700, 823	2, 938, 175	692, 225	71, 258, 743	.81
1909	92, 282, 815	692, 225	2, 889, 058	748, 318	89, 337, 664	.99
1910	141, 862, 280	748, 318	3, 418, 632	1, 165, 446	138, 026, 520	1 51
1911	121, 162, 795	1, 165, 446	3, 794, 939	942, 440	117, 590, 862	1 26
1912	128, 601, 053	942, 440	3, 627, 425	1, 249, 246	124, 666, 822	1, 32
1913	145, 227, 862	1, 249, 246	2, 967, 582	1, 650, 897	141, 858, 629	1 48
1914	144, 021, 276	1, 650, 897	2, 532, 821	1, 261, 245	141, 878, 107	1, 46
1915	145, 810, 048	1, 261, 245	5, 252, 183	1, 061, 559	140, 157, 551	1, 42
1916	152, 509, 913	1, 661, 559	5, 426, 221	1, 992, 726	146, 752, 525	1 47
1917	233, 170, 111	1, 992, 72.	5, 651, 267	2, 988, 197	226, 523, 373	2 23
1918	326, 528, 839	2, 988, 197	6, 309, 896	3, 577, 733	319, 629, 407	3.11
1919	359, 216, 571	3, 577, 733	18, 570, 400	2, 562, 597	341, 661, 307	3 28
1920	391, 283, 143	2, 562, 597	20, 952, 180	4, 110, 174	368, 783, 386	3 49
1921	281, 081, 514	4, 110, 174	6, 219, 165	1, 979, 543	276, 992, 980	2 59
1922	190, 950, 373	1, 979, 543	1, 989, 421	2, 265, 895	188, 674, 600	1 74
1923	209, 182, 188	2, 265, 895	2, 027, 546	2, 647, 297	206, 773, 240	1 88
1924	239, 698, 749	2, 647, 297	1, 124, 394	2, 607, 346	238, 614, 306	2 14

Division of Statistical and Historical Research. Production and stocks from Bureau of Internal Revenue. Exports from Bureau of Foreign and Domestic Commerce

¹ Eight months, Nov. 1, 1880-June 30, 1887.

³ Stocks on Nov. 1, 1886.

TABLE 488.—Oleomargarine: Production in the United States, 1918-1923

[Thousand pounds-i. e, 000 omitted]

	Тпсо	lored, mad	e of ~	Cole			
Year	Animal and vegetable oil	Evelu- sively vegetable oil	Exclu- sively animal oil	Animal and vegetable oil	Evelu- sively vegetable oil	Exclu- sively animal oil	
1918_ 1919_ 1920 1921 1921_ 1922_	255, 197 211, 759 161, 636 103, 962 104, 284 121, 272	88, 862 132, 906 190, 280 99, 265 74, 128 93, 972	3, 307 3, 391 3, 843 624 302 450	7, 056 9, 303 8, 951 5, 960 4, 977 7, 078	112 9,793 5,359 2,026 1,383 2,808	1, 003 1, 165 94 50 1	355, 537 371, 317 370, 163 211, 867 185, 075 225, 580
January	10, 484 9, 715 10, 918 10, 009	9, 393 8, 248 8, 931 7, 886	23 17 29 28	653 557 631 610			20, 778 18, 754 20, 765 18, 778
May June July August	9, 860 7, 946 7, 902 9, 696	6, 576 5, 483 4, 881 5, 716	15 46 25 74	627 451 441 502	183 160		17, 298 14, 109 13, 409 16, 166
September	10, 575 11, 492 11, 586 11, 089	7,603 9,869 9,640 9,746	46 39 60 48	593 656 622 735	281 297		19, 054 22, 337 22, 205 21, 927

Division of Statistical and Historical Research — Compiled from monthly reports of the Division of Dairy and Poultry Products

Table 489.—Oleomargarine: Materials used in manufacture, 1915-1923

[Thousand pounds—1 e, 000 omitted]

Material	Year beginning July												
Materia	1915	1916	1917	1915	1919	1920	1921	1922	1923				
Oleo oil	68, 989 563 49, 960 21, 331 5, 335	96, 652 19, 763 63, 652 24, 410 10, 498	96, 378 61, 773 36, 454 61, 128 21, 593	97, 461 69, 640 37, 816 68, 000 38, 761	89, 842 80, 784 39, 450 76, 000 48, 346	49, 676 103, 112 18, 533 79, 716 16, 332	40, 980 57, 394 15, 420 53, 939 11, 625	46, 645 65, 656 18, 757 59, 835 6, 922	52, 265 83, 055 20, 640 69, 090 5, 656				
Salt Oleo stearine Neutral lard Oleo stock Butter	4, 088 2, 036 33, 446 397 2, 152	6, 115 2, 494 42, 401 3, 458 3, 303	18, 279 3, 427 45, 702 7, 526 4, 548	21, 432 2, 456 45, 764 6, 342 5, 680	24, 864 2, 132 38, 456 5, 804 6, 845	25, 365 4, 858 29, 268 2, 005 1, 499	16, 262 4, 574 27, 057 2, 143 1, 107	17, 998 4, 815 29, 568 2, 332 1, 576	20, 593 5, 317 32, 210 2, 756 1, 900				
Vegetable oil		859	60	40	35	6, 559 926 461 233			457 23				
Mustard-seed oil	** *** **	J49	11	11	14	110 26	11	11	38 26				
Miscellaneous	188, 444	273, 754	356, 882	393, 439	412, 572	3, 217	233, 929	2, 918	294, 463				

Division of Statistical and Historical Research 1915-1919, Institute Margarin Man facturers; 1920-1923, Annual reports of the Bureau of Internal Revenue

TABLE 490.—Oleomargarine: Production in the United States, 1908-1923

[Thousand pounds - e , 000 omitted]

COLORED

Year beginning July	July	Aug	Sept	Oct	Nov.	Dec.	Jan.	Feb.	Mar	Apr	May	June	Total
1908	393	333	360	468	463	587	526	497	586	513	507	447	5, 710
1909	381 411		187 469	519 473	610		524	501	606	463	389	362	6, 177 5, 831
1911 1912 1913	359 449 477	454 394 193	393 439 532	477 530 635	501	616	663 602 610	630 618 503	638	588 701 477	538 586 433	446	6, 236 6, 520 6, 384
Av. 1909-1913	416	441	461	527	555				617	565			6, 230
1914	422 472	509 436	488 443	480 548		543 597	807 560	1, 082 569	1, 131 684	508 677	526 652	497 554	7, 595 6, 749
1916	447 495	569 512	643 573	719 677	741 542	750 521	703 508	628 471	7 12 615	738 582	731 587	592 511	8, 012 6, 595
1918 1919 1920	408 1,705 934	433 1, 807 1, 019	538 681 1, 481	608 1, 087 1, 378	552 1, 719 J. 368		1,540	1, 642 960 816	1, 250	2,716 1,139 823			13, 849 15, 624 11, 600
Av 1914-1920	598	755	693			840	881		1, 088	1, 0.39	865	628	10, 003
1921.	424 415	500 120	577 488	692 565		656, 790	556 772	482 801	595 917	498 854	906		6, 604 8, 260
1923	644	710	864	956	1009	1996	1104	1157	1229	1102	872	805	11,548

UNCOLORED

No and Property of the Contraction													
1908	4, 394	4, 669	5, 812	7, 907	8, 266	8, 463	8, 470	8, 453	9, 697	7, 976	6, 707	5, 759	86, 573
1909	5, 499 6, 902			12, 497 12, 627									135, 685 115, 332
	4, 788 6, 785	8, 526	9, 397	9, 245 13, 807	12, 623	14, 802	13, 199	13, 21 3	13, 139	13, 892	11, 036	8,288	122, 365 138, 707
-	7, 947 6, 384		<u> </u>	12, 592	<u> </u>	·							137, 637 129, 915
1914	7, 847	9, 502	12, 036	13, 120	13, 310	14, 063	12, 516	12, 371	12, 910	10, 785	10, 319	9, 436	138, 215
1915	8,948	11, 272	15, 516	19, 246	21, 899	23, 287	18, 272	19, 593	22, 125	22, 710	21, 314	17, 943	145, 761 225, 158 319, 934
1918	19, 888	17, 959	28, 428	13, 543	32, 434	36, 662	10, 166	19, 741	27, 431	31, 148	29, 135	18, 533	345, 368 375, 659
i-								<u> </u>					269, 481
,									27-202				259, 939 184, 346
													200, 923 228, 150

Division of Statistical and Historical Research. Compiled from annual reports of the Bureau of Internal Revenue

OLEO OIL

TABLE 491.—Oleo oil: Exports from the United States, by countries, 1910-1924

[Thousand pounds-i. e., 000 omitted]

Year ended June 30	Bel- gium	Ger- many	Italy	Neth- erlands	DWU-	United King- dom	Other Europe	Total Europe	Can- ada	New- found- land and Lab- rador	Other coun- tries	'Total
19101	720	29, 792	595	47, 115	2, 178	21, 147	20 518	122, 065		2, 526	1 301	125, 892
1911								134, 777		1, 532		138, 697
1912								122, 372		1,712		126, 467
1913	1,590				2, 145	8,009		90, 597		1,372		92, 850
1914	2,819	16, 180	434	47, 414	1, 989	9, 244		94, 301	339	1, 244	1, 133	
1915 1916		1, 001	337 3, 234	32, 768 29, 762	4, 190 9, 234			78, 802 98, 957		1, 030 1, 896		80, 482 102, 646
1917			760					64, 349				67, 110
1918			68		13			50, 353	4, 347	1, 624		
1919	6, 759	768	74	30	3, 860	27, 920	16, 769	56, 180		1,612	1,500	59, 292
1920 1921 1922 1923 1924		15, 983 14, 878	798 514 892	36, 107 46, 630 47, 053	3, 945 2, 677 2, 383	14, 273 11, 082 14, 967	29, 195 35, 928 20, 552	67, 812 101, 671 113, 181 101, 500 89, 707	2, 671 852 234 275		2, 053 2, 230 2, 591	74, 529 106, 415 117, 174 104, 956

Division of Statistical and Historical Research — Compiled from Foreign Commerce and Navigation of the United States, 1910–1918, Monthly Summaries of Foreign Commerce, June, 1920, 1922, and 1923, and reports of the Bureau of Foreign and Domestic Commerce

CATTLE DISEASES

Table 492.- Cattle Tuberculin testing under accredited herd plan, 1917-1924

Year ended June 30	Cuttle	Number	Per cent	Accre	- dited	Passed one test		
	testod 1	of reac- tors	of reac- tors	Herds	Cattle	Herds	Cuttle	
1917. 1918. 1919. 1920. 1921. 1922. 1923. 1924. Total.	20, 101 134, 143 329, 878 700, 670 1, 366, 536 2, 384, 236 3, 460, 849 5, 312, 364 13, 708, 509	6,544 13,528 28,709 53,768 82,569 113,844 171,559	3 2 4 9 4 1 3.9 3 5 3 3 3 2	204 578 2, 588 4, 831 8, 015 12, 310 19, 747 48, 273	6, 945 12, 076 63, 965 110, 634 170, 282 251, 254 305, 214	883 5, 652 10, 004 33, 215 111, 719 150, 748 216, 737 529, 018	22, 212 95, 031 80, 331 445, 656 904, 950 1, 176, 314 2, 048, 339	

Bureau of Animal Industry

^{&#}x27;Includes "Neutral lard "

¹ Includes testing under a ea plan.

Table 493.—Cattle Status of tuberculosis eradication work, by States, June 30, 1924

					1924						
	Acere	dited	Passed	ono test	Era	dication	from s	reas 1	Total tub 1917 to J		
State	Herds	Cattle	Herds	Cattle	Counties having completed one or more tests of all cattle	Counties intensively engaged in testing	Total coun- ties en- gaged	Total cattle tested ²	Total cattle	React Num- ber	Per
Alabama	176 10 45 25 27	8, 828 575 1, 397 1, 439 583	2, 155 834	8, 587 40, 882 6, 044 95, 916 8, 291		3	3	42, 397 121, 699 8, 007	140, 080 31, 300 28, 139 139, 507 16, 583	1, 105 1, 040 1, 076	3. 5 3. 7
Connecticut Delaware District of Co-	468 741	9, 579 3, 4 69	1, 445 1, 391	26, 681 5, 387					120, 811 49, 436	15, 275 5, 198	
District of Co- lumbla	10 300 44		270 4, 937 3, 752	37, 075	1 3	 	1 3	1, 741 1, 627	10, 003 127, 209 108, 310	118 2, 053 1, 999	1, 2 1 6 1, 8
IdahoIllinoisIndianaIowaKansas	98 636 7, 001 3, 559 915	77, 779 85, 983	1, 635 25, 096 27, 451	35, 974) ())	42	14	182, 106 460, 526	267, 303 604, 599 551, 161 1, 009, 835 244, 505	12, 608 39, 231	3.9
Kentucky Lomsiana Maine Maryland Massachusetts	271 111 1,467 1,125 149	21,550	1, 513 12, 477 1, 794	143, 143 15, 481 86 947 19, 469 6, 248	ii	3 11 2	3 11 3	121, 662	234, 974 95, 897 199, 939 186, 925 74, 090	3, 635 14, 548	3 4 1 8 7 8
Michigan Minnesota Mississippi Missouri Montana	289 3, 943 118 363 144	3,760	8, 543 456 45, 763	171.348	12	1		154, 497 6, 396 312, 160	894, 338 739, 972 148, 128 625, 526 401, 134	21, 857 795 5, 675	2 5 3 0 0 5 0 9 1 2
Nebraska Nevada New Hampshire New Jersey New Mexico	354 15 605 269 4	2, 364 9, 624	l 60 5	14, 827 16, 537 4, 235		1	7	237, 661 35, 398 21, 422 17, 733	63, 008 93, 781 101, 310	1, 402 7, 768 8, 536	2 2 8.3
New York North Carolina North Dakota Ohio Oklahoma	2, 408	2, 782 52, 063 28, 035	101, 034 13, 723	276, 155 227, 229	19 1 3	19	38 1	260, 849 227, 217	329, 493 512, 648	107, 702 2, 482 9, 703 13, 256 3, 258	12.4 0.8 1.9 3.9 2.5
Oregon Pennsylvania Rhode Island South Carolina South Dakota	491 2, 586 23 174 357	506 5, 697	15, 968 31 745	129, 543 750 7, 302		5 3	15 3		352, 850 427, 151 8, 002 83, 113 109, 586	17, 427 576 1, 017	4.1 7.2 1 2
Tennessee	376 228 102 2, 612 1, 211	10, 368 3, 120 47, 186	8, 881 1, 785	48, 524	2	3		91, 101	144, 934 150, 784 366, 025	1,800 21,943	1 2 6 0
Washington	137 493 4, 261 9	4, 938 5, 742 95, 423 686	4, 756 30, 759	32, 759 397, 831	14		1	26, 823	103, 739 1, 144, 270	2, 040 23, 893	2.0
Purebred herds in United States 3.									4, 486		3. 5
Total	48, 273	920, 37 0	529, 018	4, 772, 836	122	196	318	5, 854, 160	13, 708, 599	471, 166	3. 4

Bureau of Animal Industry.

Accredited herd work begun in 1917; area work in 1921.
 Includes area testing in units smaller than counties
 Testing in 1917 before work was organized by States.

TABLE 494.—Cattle: Tick eradication, progress and status of the work June 30, 1924

	Counties	Counties	Re	leased cour	nties	endi	pped year ng 30, 1924
State	quaran- tined July 1 1906	quaran- tined June 30, 1924	Released counties tick free	Released counties with one or more infested herds	Total counties released.	Herds	('attle
AlabamaArkansas	67 75 15	7 39 0	26 21 15	34 15 0	60 36 15	680, 808 307, 956	4, 419, 545 1, 809, 394
FloridaGeorgia	58 157	54 4	3 119	1 34	4 153	89, 882 223, 040	670, 562 2, 943, 630
Kentucky Louisiana Mississippi Missouri North Carolina	2 65 81 4 75	0 36 23 0 13	2 3 47 4 46	0 26 11 0 16	2 29 58 4 62	298, 347 126, 604 128, 425	3, 482, 056 1, 539, 072 436, 891
Oklahoma	61 44 42 199 30	6 2 0 100 4	47 35 41 49	8 7 1 50 (²) 26	55 42 42 99 26	149, 199 135, 377 6, 017 858, 463 437	1, 191, 389 733, 160 26, 183 22, 591, 755 1, 552
Total	975	288	458	229	687	3, 004, 555	39. 845. 189

Bureau of Animal Industry.

SWINE.

Table 495 —Swine Number and value on farms, United States, January 1, 1910-1925

Jan 1—	Number	Price per head Jan 1	Farm value Jan 1	Jan 1	Number	Price per head Jan. 1	Farm value Jan. 1
1910, Apr 1	Thousands 58, 186 65, 620 65, 410 61, 178 58, 933 64, 618 67, 766 67, 503 70, 978	Dollar « 9 17 9 37 8.00 9 86 10 40 9 87 8.40 11.75	Thousand dollars 533, 309 615, 170 523, 328 603, 109 612, 961 637, 479 569, 573 792, 898 1, 387, 261	1919 1920 Av 1914-1920 1921 1922 1923 1924 1925 1	Thousands 74, 584 59, 344 66, 247 56, 097 58, 327 68 427 66, 130 54, 234	Dollars 22 02 19 07 14.61 12 97 10.10 11.58 9 75 12.34	Thousand dollars 1, 642, 598 1, 131, 674 967, 776 727, 380 589, 202 792, 565 644, 496 609, 402

Division of Crop and Livestock Estimates, figures in italies are census returns.

Table 496.—Swine. Yearly losses per 1,000 from disease, 1888-1924

Year ended Apr. 30—	Losses per 1,000	Year ended Apr. 30—	Losses per 1,000	Year ended Apr 30—	Losses per 1,000	Year cuded Apr. 30	Lo 1 1,
1888	77 5 61 7 76 1 83. 7 54. 4	1898 1899 1900 1901 1902	92 8 82 1 64 4 74 7 51 5	1908 1909 1910 1911 1912	52. 4 51 0 45 1 44 8 89 2	1918 1919 1920 1921 1922	42 1 41 4 49 8 43 0 51 4
1893	63, 1 48 6 92 3 127, 0 144, 0	1903 1904 1905 1906 1907	58 2 57. 9 50 8 51 1 48 9	1913 1914 1915 1916 1917	110 1 118 9 66. 2 48 6	1923 1924	51. 3 52. 9

Division of Crop and Livestock Estimates. As reported by crop reporters May 1 for year ending Apr. 30.

¹ More than 28,000 vats were in use for official dipping during the year, ² No bureau cooperation in 1924

¹ Preliminary

Table 497 .- Swine: Number and value on farms, by States, January 1, 1923-1925

State	Nur	nber Jan	1—	Averag	e price p Jan. 1—	er head	Farm	value Ja	m. 1—
2,440	1923	1924	1925 1	1923	1924	1925	1923	1924	1925 1
Maine	Thou- sand 68 30 59 72 12	Thou- sand 70 31 62 65	Thou- sand 63 28 50 55 8	Dollars 18 30 17 00 14 00 17 00 18, 10	Dollars 17. 00 16. 00 13. 80 17 00 18. 00	Dollars 18 50 18 00 14 00 17 00 20 00	Thou- sand dollars 1, 244 510 826 1, 224 217	Thou- sand dollars 1, 190 496 856 1, 105	Thou- sand dollars 1, 166 504 700 935 160
Connecticut New York New Jorsey Pennsylvania Delaware	45	44	35	17. 70	18 00	22 00	796	792	770
	546	557	446	15 50	14 70	17 00	8, 463	8, 188	7, 582
	132	133	113	17 50	17 00	17 50	2, 310	2, 261	1, 978
	1, 200	1, 212	994	16 00	14 50	16 00	19, 200	17, 574	15, 904
	43	44	40	11 00	10 50	14 00	473	462	560
Maryland	299	299	254	13 00	11 25	12 90	3, 887	3, 364	3, 277
	689	655	576	10 50	9 90	10 70	7, 234	6, 484	6, 163
	316	300	261	12 30	11 00	12 00	3, 887	3, 300	3, 132
	1, 195	1, 111	1,000	13 30	12, 50	12 00	15, 894	13, 888	12, 000
	612	509	484	11 00	11 30	11 10	6, 732	6, 430	5, 518
Georgia	1, 878	1, 650	1, 485	7 80	8 00	9 00	11, 648	13, 200	13, 365
Florida	703	655	570	7 50	7 00	6 50	5, 27 2	4, 431	3, 705
Ohio	3, 205	3, 077	2, 462	12 10	10 00	12 25	38, 780	30 770	30, 160
Indiana	4, 000	3, 880	3, 113	11 90	9 80	11. 90	47, 600	38, 024	37, 402
Illinois	5, 422	5, 368	4, 348	12 50	10 10	13 60	67, 775	54, 217	59, 133
Michigan	1, 177	1, 165	93.2	12 50	10 00	14 00	14, 712	11, 650	13, 048
Wisconsin	1, 725	1, 725	1, 294	13 10	9 90	13 00	22, 598	17, 078	16, 822
Mirnesota	3, 800	3, 800	3, 116	13 20	10, 30	14 00	50, 160	39, 140	43, 624
Iowa	11, 094	10, 539	8, 95%	12 80	10 30	15 00	142, 003	108, 552	134, 370
Missouri	4, 698	4, 463	3, 481	9 80	8 50	9 30	46, 040	37, 936	32, 373
North Dakota	566	651	586	13 50	10 00	12 50	7, 641	6, 510	7, 325
South Dakota	2, 970	3, 208	2, 727	13 50	10 10	13 20	40, 095	32, 401	35, 996
Nebraska	5, 330	5, 543	1, 545	12 00	10 00	13 20	63, 960	55, 430	59, 994
Kansus	3, 104	2, 980	2, 146	11 00	9 00	12 00	34, 144	26, 820	25, 752
Kentucky	1, 205	1, 145	859	8 80	7 00	9 00	10, 604	8, 015	7, 731
Tennessee_Alabama Mississippi Louisiana Texas	1, 654	1, 373	1, 071	9, 30	7 40	9 00	15, 382	10, 160	9, 639
	1, 281	1, 089	893	9 30	8.80	9 40	11, 913	9, 583	8, 394
	1, 207	1, 063	850	8 00	7 40	8 40	9, 656	7, 866	7, 140
	756	665	565	7, 80	7.60	8 40	5, 897	5, 054	4, 746
	2, 092	1, 904	1, 542	8, 80	9.00	10, 00	18 410	17, 136	15, 420
Oklahoma	1, 401	1, 121	841	8, 80	6. 70	9 40	12, 329	7, 511	7, 905
Arkansas	1, 058	952	847	6 90	6. 10	8 00	7, 300	5, 807	6, 776
Montana	225	292	292	13, 20	11. 20	12 00	2, 970	3, 270	3, 504
W youning	99	129	119	12, 50	10. 00	10 50	1, 238	1, 290	1, 250
Colorado	592	622	466	10 50	9. 50	11 00	6, 216	5, 909	5, 126
New Mexico	89	71	60	10 00	9 00	11 00	890	639	660
	57	57	48	13, 00	9 50	11 00	741	542	528
	108	121	97	10 90	10. 10	11 50	1, 177	1, 222	1, 116
	25	28	25	14 00	9. 00	12 00	350	252	300
Idaho	315	378	340	11 50	9 40	10 50	3, 622	3, 553	3, 570
	217	221	201	14 80	13.00	13.00	3, 212	2, 873	2, 613
	214	220	209	11 20	10 50	11 00	2, 397	2, 310	2, 299
	842	834	709	11 80	10.50	10.25	9, 936	8, 757	7, 20 7
United States	68, 427	66, 130	54, 234	11. 58	9.75	12. 34	792, 565	644, 496	669, 402

Division of Crop and Livestock Estimates.

i Preliminary.

Table 498 .- Hogs on farms: Cumulative percentage changes, 1920-1924 1

					-							
ltem	To Feb.	To Mar 1	Apı	To May	To June 1	To July 1	To Aug.	To Sept.	To Oct. 1	To Nov.	To Dec.	To Jan. 1 of suc- ceed- ing year
Increases:												
Births 2-	P. ct	P ct	P ct	P ct	P et	P. ct	P ct	P ct.	P rt.	P. ct		P.ct.
1920	5 8 5 8	14 5 14 5	36 0 38, 0		83 1 86 1	93 3	102 0 105 2	113.6	, 129, 4 136 6	140 7 148 8		
1921 1922 1923	5 3	14 2	41 8	70 8	88.5	99 4	107.6	121 4	142 2	156 0	163 b	168 9
1924	6 2 3 1	17 2 10.6	41 5 33.1			105 1 84 5	113, 6 90 1	127 2 98. 2	147. 8 111. 7		164. 1	168. 3
Brought on farm: 1—	!	i i		i			1 .					
1920	3 3 3.0		9. 2 9. 9	11 9 12 7	14. 9 15 0		19 2 18 7	22. 1 21. 1	25. 4 24 1		32, 0 31 5	
1921. 1922	3. 2	6 6	9.7	12.9	16. 5	19 0	21 6	24 0	27. 1	31 2	34 9	39 5
1923 1924	3 <u>4</u> 1 7	5 9 3 4	8, 7 5, 0	11 7	14 0 7 0	16. 0 8. 7	17 3 9 6		21. 0 11. 8		27. 7	30. 2
Total increase 2—	1						'				400.0	
1920	9 1 8.8	20.7 21 1	45 2 47 9	76 3 80 1	98 0 101 1	110 4 112 6	121 2 123 9	135 7 139 5	154 8 160 7	169. 5 176 9		187. 8 198. 5
1921	8 5	20 8	51 5	8.3 7	105 0	115 4	129 2	115 4	169 3	187. 2	198. 4	208.4
1923	9 6 4. 8	23 I 14 0	53 2 38 1	€7.7 €1, 7	109 2 81 9		130 9	146 4 108 7	168 8 123, 5		191 8	198. 5
Docreases.							,,,,					12220
Moved off— 1920	11 7	20 7	30.2	40 7	53 3	62. 9	70 4	79-6	90.6	102. 3	115.9	129.4
1921	10.8	21.8	31.9	42 8	53 3	62 3	70 2	79 6	90.9	103. 2	117, 3	130.6
1921 1922 1923	10 4 11 1	20 6 20 4	31 4 31 6	41.5	53, 6 53, 4		71 8 69 7	77 4			118. 4 111. 6	131.9 126.4
1921	11 0		29 5	42 8 37 3	46 1							
Slaughtered on furns - 1920	6. 1	10 C	11.7	12 8	13 5	13 9	14 4	15-1	15 6	17.1	22.4	35. 2
1921	6.8	10 6	12.2	13 0	13 4	13 7	14 1	14 6	15 3	16.6	21.9	33. 2
1922 1923	6 3 5 7	9 3 9. 2	10 9 10 9	11 7	12 5 12 3	12. 7 12. 7	13. ! 13. 1	13. 4 13. 4	13. 8 14 1			
1924	4 6	6.8	8 1	8 5	8. 7			9 2	9. 4			
Died— 1920	20	4.8	8 1	12 6	15-2	17 3	19 1	21.5	24 1	26. 5	28 5	30.2
1921	20	3.9	7 2	10.8	13 3	15 6	17 6	20 0	23 6	26.6	29. 3	31. 3
1922 1923	2. 2 2 1	4 4 5, 7	9 6 12 9	14. 5 19-2	18.0 23 5			25 6 32 9		32. 8 40. 2	34 9 42.8	37. 2 45. 4
1924	2 0	4 1	9 4	13 1	16 0			21 5				20. 2
Total decreases -	19.8	3 5 5	50 0	66 1	82 O	94 1	104 2	116.2	130-3	145. 9	186 8	104 8
1920 1921 1922	19 6	36 3	51 3	66 6	80 0	91 6	101 9	114 2	129 8	146 4	168. 5	195. 1
1922	18 9 18 9		51 9 55 4	67 7 73 8	84 1 89 2	97 5 101 9	112 2	120 5	135 0 135 5	153 3 152. 7	172 7 174 0	199. 6 202. 0
1924	17 6		47 0	58 9	70.8			96 2	105 6			
Net change 1920	-10.7	-14 b	-4 8	+10.2	+16.0	+16.3	+17.0	+19 5	+24 5	+23 A	∔12.5	-7.0
1921	-10 8	-15 2	-3 4	+13 5	+211	- 21 0	+22 0	+25 3	+30 9	+23 6 +30. 5	+19.9	+3.4
1922	-10 4	- 13. 5 - 19. 9	-0 4	+15 0 +16 0	+20 9	十20 9	+21.6	+24 9 +29 7	+343	+33 9	+25.7	+8.8 -3.5
1921 1922 1923 1924 On hand compared with	-12 8	-17.7	-8 9	+ 7 8	+14 1	+12 4	+10 8	12 5	-17 9	1 50.0		-5.0
On hand compared with			- {	-								
1920	89 3	85 2	95 2	110 2	116 0	116 3	117.0	119 5	124. 5	123.6	112.5	
1921	89 2 89 6		96 6 99 A	113. 5	121, 1	121.0	122 0	125 3 124 0	130 9	130. 5	119. 9 125. 7	103. 4 108. 8
1922 1923	90 7	87 8	97. 8	113 9	120 0	119 2	118 7	122-7	133 3	130 0	117. 8	
1924	87 2	82 3	91 1	107 외	114. 1	112 4	110 8	112 5	117 9			
·		<u> </u>		'		<u> </u>		'		·		

Division of Crop and Livestock Estimates. Based on reports of about 7,500 farmers reporting monthly for their own farms.

Number on hand, January J, each year ~100';
 Corrective factor 0 905 applied to births and brought on faims figures prior to January, 1924.

Table 499.—Hogs: Summary of spring and fall pig surveys

		Sows f	Sows farrowed			Avera	Average number of pigs saved per litter i	r of pigs s tter i	eved		(Sc	Intended ws bred	Intended farrowing; (Sows bred or to be bred)	red)	
Fall, 1922,	Spring 1923,		Fall, 1923,	Spring, 1924,	Fall, 1924,	18	1923	1924	75	Fall, 1922.	Spring, 1923.	Fall,	Spring,	Fall,	Spring,
com- com- com- pared pared pared with with with spring 1921 1921 1922	com- pared with spring 1922		com- pared with fall, 1922	com- pared with spring, 1923	com- pared with fall, 1923	Spring	Fall	Spring	Fall	com- pared with actual	com- par-d with actual 1922	com- pared with actual	com- pared with actual	com- pared with sctual 1923	com- pared with actual
nt Per cent 0 82 0 1 103 6	Per cent 82 0 103 6		Per cent 125.8 158.4	Per cent 87 5 83.7	Per cent 101 0 89 4	66				Per cent	Per cent 137 4	Per cent 160 2	Per cent 130. 3	Per cent	Per cent
127			132.9	107.0	92 9							1858		130.1	101
102 8 100 3 105 9	9889		2 4 5	135	4,28		6.4.4		211	194.0	28.5 2.0 2.0 2.0	165 2	30.3 20.8 20.8	137 5	79.6
3 114 2 107 4	98 6 107 4		စ္တစ္တ	83.0	888							128.9		113.2	100.2
104 9 107 4 95 7 108 108 97 5 98 9 100 109 117.	104 1 95 7 98 9	1221	4.00	98 1 86 8 77.7 78.6	76.7 79.1 84.7 88.0	ကလုလ္ 40000	6.0 6.0 6.5	00000 00000	გიგ. 4184	118 4	96 1 107 9 106 3 101.2	112.4 137.0 127.6 125.9	112 2 106 1 98 9 108.5	113.6 90.9 106.5 108.7	76.2 97.3 7.00
90 4 92.6 97. 89 1 102.6 86 112.5 88.3 85.5 75 86.0 89.6 84	92.6 102 6 85 5 89 5	22.22.22	0000	2825 77.72 74.00 74.00	82 8 74 7 79.1	5.5.4 1.0.4 7.00	4.4 4.5 0	10 4 4; 4; 10 1-1-0	70470 10871	134 0	102 7 106 7 102 5 110 1	133.8 140.7 118 9 127 3	113 3 124.2 111.0	124.1 103 5 113.7 112.4	102 3 106.5 115 2 125.7
8 111 4 107 0 0 109 1 107 0	107 0	3.3			74 6		5.5		5 7	131 7	112 6		93.8 4.8	168	
122 3 125 5 108 3 9 122 8 115 8 10 10 10 10 10 10 10 10 10 10 10 10 10	115 8	- 22	91-0	20 20 14 20 20 14 20 20 20	3852 000	4 10 11 Q 10 0		40.0	4 to 1	148 2	107 4	82.55	98.0	888	888
3 132 5 105.1 7 149 2 116 9	105.1	- S			66 69 64 44		24.4				38		- 1- c	888	288
0 117.1 108.	108.1	81			2.05.01		10.4				111		85	88	
5 111.9 111.4	1111 4	88			25.5		44			173 1	119 5		380	1088	
7 114.8	00 69				69 4	, ro 4	000			165 0	123 2		200 804 804	2 5 5 5 8 5 5 5	
	-	1						1					;	3	

Kentucky	-		101 2		- 4 1 -		0 4			α	_	110 4		Sr 1		92 1
Tennessee			- - -		∡ ~				~;~		-	10-		91 2		95.4
Alabama	0 031		マラ		ç						124	о 35		117.1		119.9
Mississippi	æ		1- 22		0 1						124 8	о. З		113 3		113 7
Louisiana	-	1- 2	20.0	74 2	30 0-	¥ 16	4.4	50	10	4. 		.0	122 1	111.7	117 7	121 2
-										•						
Texas								4 8						0 26		106 2
Oklahoma								2 1			-			928		93.2
Arkansas		88 88		.2		88		4 9	ot:			107 3		115 2		108 7
Montana	7							5.0			3			128.7		8
Wyoming			131 2		115 2	1 :3	4	4	27	51.	-		222.4	110 0	127 3	106.7
•														-		
Colorado.	_	148 6						90						1111	110 6	108 4
New Mexico.		. 0 80						0		0 '				×	11911	121 7
Arizona	-	~						10						13.7	0 80	114.3
Utah	-	146.3												33	3	2
Nevada		33.4						09		1 9				140 0	34	5
Idaho	-	- 1 - 1 - 1						0 1						2	136	8
Washington	-	5 57	126 0	107 ×	b. 4 6	i- g:	2 1	6 2	6.1	93		118 5	145 7	133 6	136 0	06
Oregon		- 2 951						4		6 4	-			3 111	305	0.46
California	-	14 3						t -						101 4	5	116.3
'	1	-						1							.	
United States		118.6	103 9	91.3	30.00	-11.8	20		0.10	5.5		113 1	128 3	86	26	æ ₹
	-	_	-	_	_			_	-	_	_	_			•	

Division of Crop and Lavestock Estimates Based on reports of about 140,000 farmers gathered in cooperation with Post Office Department through the rural main enriers. Periods covered: December 1 to June 1 (spring), June 1 to December 1 (fall), 1 Total pigs saved divided by sows farrowed as reported by farmers.

I Intentions are as of the preceding 6 months period, for example, those for spring farrowing 1925 were intentions expressed as of December 1, 1924 a Total of 12 States immediately preceding, 1. e. Ohio to Kansas.
• Not including North Dakota.

Table 500.—Hogs: Receipts and shipments at principal markets and all markets, 1900-1924

[Thousands—i. e., 000 omitted] RECEIPTS

Year	Chi- cago	Den- ver	East St Louis	Fort Worth	Kan- sas City	Oma- ha	St. Joseph	St. Paul	Sioux City	Total nine mar- kets	All other markets reporting	Total all mar- kets re- port- ing
1900 1901 1902 1903 1904	8, 109 8, 290 7, 895 7, 328 7, 239	116 109 87 147 162	1, 792 1, 924 1, 330 1, 568 1, 955	(1) (1) 79 151 281	3, 094 3, 716 2, 279 1, 969 2, 227	2, 201 2, 414 2, 247 2, 281 2, 300	1, 679 2, 105 1, 698 1, 701 1, 657	500 617 668 760 882	833 960 1,008 1,008 1,113	18, 324 20, 135 17, 291 16, 861 17, 816	9.00.00	83888
1905	7, 726 7, 275 7, 201 8, 131 6, 619	191 193 241 280 242	2, 026 1, 923 2, 065 2, 560 2, 473	463 551 487 703 868	2, 508 2, 676 2, 924 3, 715 3, 093	2, 294 2, 394 2, 254 2, 425 2, 185	1, 900 1, 908 1, 923 2, 349 1, 694	855 861 867 1, 133 725	1, 299 1, 158 1, 289 1 381 1, 077	19, 262 18, 939 19, 251 22, 677 18, 926	00000	53333
1910	5, 587 7, 103 7, 181 7, 571 6, 618	187 220 222 247 256	2, 054 3, 124 2, 530 2, 584 2, 559	541 556 388 404 515	2, 086 3, 168 2, 523 2, 568 2, 265	1, 804 2, 367 2, 886 2, 543 2, 259	1, 353 1, 922 1, 970 1, 869 1, 725	836 911 984 1, 257 1, 590	1, 044 1, 349 1, 698 1, 533 1, 257	15, 582 20, 720 20, 382 20, 576 19, 044	9333	(3) (3) (4) (4)
1915	7, 652 9, 188 7, 169 8, 614 8, 672	344 467 352 384 368	2, 592 3, 057 2, 706 3, 256 3, 651	464 968 1,062 762 588	2, 531 2, 979 2, 277 3, 328 3, 141	2, 643 3, 117 2, 797 8, 430 3, 179	1, 698 2, 199 1, 920 2, 351 2, 126	2, 155 2, 675 1, 928 2, 061 2, 190	1, 761 2, 141 2, 149 2, 421 2, 322	26, 607	14, 373 16, 484 15, 682 18, 256 18, 232	36, 213 43, 265 88, 042 44, 863 44, 469
1920 1921 1922 1923 1924	7, 526 8, 148 8, 156 10, 460 10, 443	341 334 895 495 569	3, 399 3, 330 2, 606 4, 831 4, 580	413 382 510 486 392	2, 466 2, 205 2, 655 3, 615 2, 933	2, 708 2, 665 2, 839 3, 649 8, 978	1, 914 1, 785 2, 061 2, 457 2, 234	2, 247 2, 210 2, 523 3, 338 3, 751	2, 178 1, 739 1, 856 2, 989 3, 732	24, 601	18, 934 18, 303 19, 466 23, 010 22, 802	42, 121 41, 101 44, 067 55, 380 55, 414
				E	ШІРМ	ENTS			-			
1900	1, 452 1, 301 1, 252 1, 288 1, 626	3333	418 370 143 249 373	3333	33333	37 49 170 51 211	83 117 91 122 93	45 55 29 50 72	110 123 143 539 614	2, 145 2, 015 1, 828 2, 249 2, 969	99999	93333
1905	2, 028 1, 743 1, 712 1, 870 1, 664	33000	487 583 753 711 891	99999	333333	172 171 119 284 278	68 60 117 84 47	88 20 78 258 137	279 145 240 287 180	8, 067 2, 722 3, 014 3, 489 8, 197	00000	95999
1910	1, 202 1, 527 1, 573 1, 673 1, 291	33333	615 880 679 918 989	33333	33333	288 217 407 381 331	84 41 167 70 158	194 244 228 320 581	186 320 522 458 230	2, 469 3, 229 3, 576 3, 815 8, 525	33333	33668
1915	1, 138 1, 405 1, 219 971 1, 101	11 22 27 18 38	991 1, 071 1, 026 980 1, 420	61 98 264 166 102	417 445 295 527 528	631 726 796 889 648	174 92 87 285 209	795 1, 181 868 877 868	571 824 891 911 913	4, 784 5, 864 5, 473 5, 624 5, 617	3, 836 6, 115 7, 098 8, 749 8, 549	8, 620 11, 979 12, 571 14, 378 14, 366
1920 1921 1922 1923 1924	1, 657 2, 170 1, 852 2, 370 2, 989	32 22 28 102 109	1, 721 2, 044 2, 378 2, 990 8, 010	55 98 94 106 44	602 486 568 869 1, 065	710 695 613 869 867	280 267 855 455 629	842 511 482 609 835	879 690 666 1, 205 1, 492	6, 388 6, 983 7, 056 9, 597 11, 040	8, 960 7, 726 6, 276 9, 545 9, 163	15, 298 14, 709 15, 882 19, 142 20, 203

Division of Statistical and Historical Research. Prior to 1915 receipts compiled from yearbooks of stock-yard companies; subsequent figures compiled from data of the reporting service of the Livestock, Mesta and Wool Division. Prior to 1915 shipments compiled from yearbooks of stockyard companies, except Hast St. Louis (1900 to 1906 from fourteenth annual report of Bureau of Animal Industry; 1907 to 1914 from Merchants' Exchange Annual Report); subsequent figures from data of the reporting service of the Livestock, Mesta and Wool Division.

¹ Not in operation.

³ Figures not available prior to 1915.

TABLE 501.—Hogs: Receipts at all public stockyards, 1915-1924

[Thousands-1. e., 000 omitted]

Year	Jan	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total
1915 1	8, 959	8, 449	8, 199	2, 487	2, 768	2, 874	2, 368	2, 024	1, 966	2, 457	3, 728	4, 934	36, 213
1916 1	5, 309	4, 233	8, 489	2, 852	8, 882	8, 054	2, 524	2, 684	2, 386	8, 640	4, 873	4, 939	48, 265
1917 1	5, 084	8, 933	8, 369	2, 961	8, 264	2, 791	2, 563	1, 858	1, 615	2, 676	8, 941	3, 992	38, 042
1918 1	4, 444	4, 486	4, 424	3, 696	8, 845	2, 979	3, 099	2, 467	2, 376	8, 399	4, 594	5, 554	44, 838
1919 1	5, 855	4, 412	3, 643	3, 648	8, 881	8, 773	2, 974	2, 095	2, 397	8, 121	8, 740	4, 980	44, 469
1920 1	5, 262	8, 422	3, 940	3, 024	4, 210	3, 709	2, 811	2, 491	2, 391	2, 789	8, 872	4, 200	42, 121
1921 1	4, 700	4, 009	3, 386	8, 229	8, 328	8, 579	2, 727	2, 656	2, 655	3, 214	8, 687	8, 931	41, 101
1922 1	4, 278	3, 613	8, 411	3, 066	8, 787	8, 776	2, 980	8, 037	3, 062	8, 682	4, 421	5, 004	44, 067
1923 1	5, 306	4, 492	4, 927	4, 318	4, 524	4, 204	4, 181	3, 714	3, 607	4, 816	5, 416	5, 825	55, 330
1924 1	6, 253	5, 335	4, 833	4, 374	4, 321	4, 296	4, 091	8, 197	8, 216	3, 990	4, 904	6, 604	55, 414

Division of Statistical and Historical Research. Compiled from data of the reporting service of the Livestock, Meats and Wool Division.

Table 502.—Hogs: Receipts at Chicago, East St. Louis, Kansas City, and Omaha, combined, 1900–1924

[Thousands-i. e., 000 omitted]

Year	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1900	1, 502	1, 265	1, 240	1, 190	1, 424	1, 383	1, 043	1, 025	1, 029	1, 308	1, 428	1, 414
1901	1, 528	1, 457	1, 174	1, 222	1, 523	1, 275	1, 461	1, 110	940	1, 150	1, 694	1, 811
1902	1, 609	1, 489	1, 197	995	1, 148	1, 174	824	827	778	1, 068	1, 229	1, 374
1903	1, 316	1, 175	938	1, 016	1, 195	1, 171	1, 107	961	875	836	1, 068	1, 437
1904	1, 440	1, 445	1, 113	1, 125	1, 218	1, 200	660	1, 085	762	940	1, 369	1, 417
1905	1, 610	1, 269	1, 249	1, 043	1, 297	1, 357	999	935	884	1, 128	1, 315	1, 478
1906	1, 608	1, 356	1, 206	1, 075	1, 806	1, 372	1, 144	1, 149	837	947	1, 046	1, 221
1907	1, 499	1, 332	1, 165	1, 210	1, 455	1, 312	1, 298	1, 020	925	930	894	1, 408
1908	2, 225	1, 672	1, 445	1, 086	1, 454	1, 815	1, 072	992	937	1, 353	1, 580	1, 708
1909.	1, 703	1, 359	1, 602	1, 161	1, 299	1, 187	929	823	846	966	1, 184	1, 261
1910.	1, 179	1, 128	934	788	1, 057	1, 138	892	893	687	768	1, 020	1, 134
1911.	1, 270	1, 302	1, 516	1, 304	1, 521	1, 487	1, 200	976	970	1, 231	1, 533	1, 451
1912.	1, 908	1, 612	1, 358	1, 252	1, 381	1, 218	1, 092	846	763	1, 093	1, 207	1, 387
1918.	1, 640	1, 315	1, 170	1, 154	1, 257	1, 328	1, 129	1, 095	1,081	1, 153	1, 288	1, 655
Av. 1909-1913.	1, 540	1, 343	1, 316	1, 182	1, 303	1, 272	1,048	927	869	1, 042	1, 246	1, 378
1914	1, 479	1, 328	1, 182	1,001	1, 065	1, 167	927	832	827	1,093	1, 158	1, 640
1915	1, 669	1, 640	1, 511	1,080	1, 234	1, 222	1,037	921	803	848	1, 387	2, 066
1916	2, 313	1, 950	1, 516	1,154	1, 366	1, 283	1,090	1, 221	954	1,407	1, 996	2, 001
1917	2, 199	1, 697	1, 367	1,205	1, 320	1, 125	1,083	757	545	902	1, 286	1, 461
1918	1, 657	1, 888	1, 963	1,697	1, 464	1, 246	1,356	1, 047	932	1,376	1, 794	2, 207
1919	2, 418	1, 978	1, 631	1,671	1, 644	1, 680	1,314	829	913	1,129	1, 485	2, 049
1920	2, 136	1, 357	1, 630	1,059	1, 686	1, 433	1,131	988	795	894	1, 381	1, 611
Av. 1914-1920.	1, 982	1, 691	1, 548	1, 252	1, 397	1,808	1, 184	942	824	1, 093	1, 498	1, 875
1921	1, 916	1, 708	1, 346	1, 276	1, 340	1, 493	1, 122	1, 092	946	1, 092	1, 459	1, 558
1922	1, 785	1, 454	1, 308	1, 130	1, 520	1, 646	1, 263	1, 216	1, 104	1, 299	1, 681	1, 905
1923	2, 173	1, 879	2, 017	1, 778	1, 840	1, 730	1, 827	1, 616	1, 515	1, 917	2, 049	2, 215
1924	2, 509	2, 202	1, 913	1, 662	1, 656	1, 752	1, 678	1, 297	1, 218	1, 490	1, 891	2, 665

Division of Statistical and Historical Research. Prior to 1915 from yearbooks of stockyard companies; subsequent figures compiled from data of the reporting service of the Livestock, Meats and Wool Division.

 $^{^{1}}$ Complete information for 1915 and 1916, particularly on disposition of stock, is not obtainable from many of these markets.

Table 503.—Hogs: Receipts, local slaughter, and stocker and feeder shipments, public stockyards, 1915-1924

[Thousands—i. e., 000 omitted] RECEIPTS

Market	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
Albany, N. Y	11	26 26	50 19 36	5 11 47	2 2 83	2 7 68	1 8 91	(1) 106 124	(1) 65 201	(¹) 21 159
Baltimore, Md	959	1,002	810	805	968	1, 154	1, 288	1, 343	1, 547	1, 518
Boston, Mass_Buffalo, N. Y Chattanooga, Tenn Cheyenne, Wyo Chicago, Ili	1, 806 7, 652	1, 69 2 16 9, 188	20 1, 114 14 9 7, 169	1, 301 13 1 8, 614	1, 362 14 3 8, 672	14 1, 494 11 10 7, 526	1, 603 17 45 8, 148	1, 475 13 35 8, 156	1, 831 16 69 10, 460	1,656 19 170 10,443
Cincinnati, Ohio	1, 180 977 118 344	1, 260 970 101 91 467	1, 239 898 87 88 352	1, 463 1, 314 62 118 384	1, 674 1, 084 45 108 368	1, 478 1, 012 56 129 341	1, 435 960 52 131 334	1, 347 1, 092 71 139 395	1, 401 1, 185 111 167 495	1, 265 1, 269 108 161 569
Detroit, Mich. East St. Louis, III. El Paso, Tex. Evansville, Ind. Fort Wayne, Ind.	543 2, 592	850 3, 057 13 139	431 2,706 21 148	408 3, 256 19 222	389 8, 651 17 255	3, 399 15 243	359 3, 330 29 219	3, 606 35 235	538 4,831 27 256 58	556 4,580 28 191 91
Fort Worth, Tex		968 76 2, 576 12 1, 137	1, 062 67 2, 351 16 744	763 96 2,750 72 566	588 79 2, 936 78 468	413 99 2,897 100 629	382 107 2,69 5 99 509	510 105 2, 267 81 458	486 111 2,876 107 513	392 117 2,865 86 535
Kansas City, Mo Knorville, Tenn Lafsyette, Ind Lancaster, Pa Laredo, Tex	2, 531 11 98 19	2,979 11 119 26	2, 277 15 123 398	8, 328 12 186 578	3, 141 37 198 63	2, 466 42 204 185	2, 205 14 166 44	2, 655 57 105 76	3, 615 44 129 155 2	2, 933 52 142 81 3
Los Angeles, Calif. Louisville, Ky Marion, Ohio Memphis, Tenn Milwaukee, Wis	398 583	738 1 536	(1) 411	758 49 8 545	750 155 11 585	428 217 30 554	382 95 8 489	497 109 10 466	227 626 103 85 555	270 470 82 80 523
Montgomery, Ala. Moultrie, Ga. Nashville, Tenn. Newark, N. J. New Orleans, La.		837	10 479 58	48 581	171 727 63	109 615	97 42 436	95 52 517	73 33 492 576 46	62 30 312 605 50
New York, N. Y. North Salt Lake, Utah. Ogden, Utah. Oklahoma, Okla Omaha, Nebr		849 59 759 8, 117	552 42 57 684 2,797	651 45 59 571 8,486	677 58 104 470 8, 179	755 34 78 341 2,708	902 56 177 871 2,665	1, 091 84 198 504 2, 839	1, 160 234 256 488 3, 649	1, 199 475 280 325 3, 978
Pasco, Wash Peoria, Ili Philadelphia, Pa Pittsburgh, Pa Portland, Oreg	281 168 1,091 203	370 227 878 823	262 219 1, 746 222	895 273 1,808 228	7 390 845 1,779 205	2 354 481 2,439 175	2 424 485 2, 277 150	386 473 2, 690 224	573 358 3, 054 287	9 890 375 3, 098 387
Pueblo, Colo	5 78	19 99	17 78	23 60	24 156	14 212	170	11 219	16 273	88 329 10
St. Joseph, Mo St. Paul, Minn	1,698 2,155	2, 199 2, 674	1, 920 1, 928	2, 851 2, 061	2, 126 2, 190	1,914 2,247	1,785 2,209	2, 961 2, 523	2, 457 8, 838	2, 284 8, 751
San Antonio, Tex Seattle, Wash Sioux City, Iowa. Sioux Falls, S. Dak Spokane, Wash	36 1,761 6	59 179 2, 181	40 130 2,149 6 88	30 127 2, 421 62 44	25 126 2,822 174 60	39 95 2, 178 247 47	70 134 1,739 452 33	63 151 1,856 533 48	61 218 2,989 503 82	64 275 8, 732 122 133
Springfield, Ohis	250 476 448	304 82 573 530	278 58 495 465	255 56 618 839	282 72 494 496	264 102 382 557	148 113 869 527	140 182 570 583	64 158 166 706 101	91 154 193 734 84
Total	36, 213	43, 265	38, 042	44, 968	44, 460				55, 830	56, 414

¹ Not over 500.

Includes only those markets which have been totally discontinued.

TABLE 503.—Hogs: Receipts, local slaughter, and stocker and feeder shipments, public stockyards, 1915–1924—Continued

[Thousands-i. e., 000 omitted] LOCAL SLAUGHTER³

Baltimore, Md. 725 747 5588 514 661 874 1,013 1,003 1,302 1,302 1,301 1,301 1,003 1,302 1,302 1,301 1,301 1,003 1,302 1,302 1,301 1,301 1,301 1,302 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,301 1,			200	AN ON	LUUI	I W.W.		,			
Chetkanoege, Tenn.	Market	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
Chetkanoege, Tenn.	Albany, N. Y							(1)	(1)		(1)
Chetkanoege, Tenn.	Atlanta, Ga	ļ			24			61		95	78
Chetkanoege, Tenn.	Augusta, Ga							7		7	
Chetkanoege, Tenn.	Buffalo, N. Y	726	747 784	488	617			1,013	1,020	1, 202 834	1, 197 849
Dayton, Ohlo	Chattanooga, Tenn				7	13		17			19
Dayton, Ohlo	Chicago, III	0, 019	7,784	5, 900	7,048		0,870	0,977	6, 323	8,092	7, 451
Dayton, Ohlo	Claveland Ohio	824	778					468		027	002
Dayton, Ohlo	Dallas, Tex		101	87							108
East St Louis, III.	Dayton, Ohio	83									102
East St Louis, III.	Denver, Colo	201	244		300			811		394	4.50
Evansville, Ind.	Detroit, Mich	1 800			201			1 209	1 279	1 049	1 570
Jacksonville, Fla.	El Paso, Tex	1,000	1, 001		2, 210			1, 200	17	22	20
Jacksonville, Fla.	Evansville, Ind		24	36	40	31	80	73	65		52
Jacksonville, Fla.	Fort Wayne, ind	300	986	707	RAP		990	077			
Jacksonville, Fla.	Postoria Ohio	384	300						710	3/7	
Lancaster, Pa	Indianapolis, Ind	1, 496	1,511				1, 359	1, 877	1,528	1,792	1, 577
Lancaster, Pa								47			19
Lancaster, Pa	Jersey City, N. J	1,175	1, 137								535
Lancaster, Pa	Kansas City, Mo.	2, 114		1,978		2,000		1,713		2,721	
Lancaster, Pa	Lafayette, Ind		57	39		37					68
Memphis, Tenn	Tananatar Pa				8	13	,11	17	20	20	27
Memphis, Tenn	Log Angeles Colif									911	249
Memphis, Tenn	Louisville, Kv	129	168	182	138	173	156	180	231		322
New Orleans, La.											25
New Orleans, La.	Memphis, Tenn									65	69
New Orleans, La.	Milwaukee, Wis	566	529	394	463		509			548	515
New Orleans, La.	Montgomery, Ala					3	5	2			3
New Orleans, La.	Moultrie, Ga										19
Oglean, Utalian			25	30		0,	04	110	120	1	1
Oglean, Utalian	Newark, N. J		50		98		4.		94		
Oglean, Utalian	Now Vork N V	888									1 100
Oglean, Utalian	North Salt Luke, Iltah	000		31	39				1, 42		7, 70
Pittsburg, Pa	ogden, Ctan							47	47		68
Pittsburg, Pa	Oklahoma, Okla	476	732		504		288		449	419	274
Pittsburg, Pa	Omaha, Nebr Pasco, Wash	2,012			(1)	(1)	1,998	1, 971	2, 226	2,780	
Pittsburg, Pa	Peoria, Ill. Philadelphia, Pa	125	132		143 264	153 329	135 457				136 355
35. Joseph, Mo. 1,524 2,107 1,823 2,064 1,919 1,584 1,517 1,706 2,001 1,002 2,001 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002	Pittsburg, Pa	157		290	279	279	413	505	507	597	1
35. Joseph, Mo. 1,524 2,107 1,823 2,064 1,919 1,584 1,517 1,706 2,001 1,002 2,001 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002	Portland, Oreg Pueblo, Colo	173	189		(1)	1			(1)	(1)	(4)
35. Joseph, Mo. 1,524 2,107 1,823 2,064 1,919 1,584 1,517 1,706 2,001 1,002 2,001 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 2,01 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002 1,002	Richmond, Va	70	5	74	58	154	210	709	216	260	311
Sioux Falls, S. Dak	m. Y % #	1			0.004	. 610			1 700		-
Sioux Falls, S. Dak	St. Joseph, Mo	1,024	2, 107		1 907		1,084	1,517			
Sioux Falls, S. Dak	Sen Antonio Ter	1,010	1, 100	1,000	1, 50	7,017		1,000		45	
Sioux Falls, S. Dak	Seattle, Wash		179		125	124				214	270
Toledo, Ohio	Sioux City, Iowa	1, 189	1, 307	1 257	1 511		1, 296	1,047		•	2, 227
Toledo, Ohio	Sioux Falls, S. Dak			(1)	(1)	(1)		57			58
Toledo, Ohio	Spekane, Wash	} 8	18	25	34	42	32	21	32		94
Wichita, Kans. 471 564 392 503 469 356 348 527 623 689 Discontinued 3 346 421 350 649 365 370 392 403 20	springueld, Obio		100							5	
Wichita, Kans. 471 564 392 503 469 356 348 527 623 689 Discontinued 3 346 421 350 649 365 370 392 403 20	Posebington D. C				54	71			120	184	109
	wasmington, D. C		-					•			
Total 24, 893 30, 984 25, 440 30, 441 30, 018 26, 761 26, 335 28, 737 36, 172 35, 186	Wichita, Kans Discontinued	471 346	564 421				856 870			623 20	689 8
	Total	24, 893	30, 984	25, 440	30, 441	30, 018	26, 761	26, 335	28, 787	86, 172	85, 188

¹ Not over 500. ² Includes only those markets which have been totally discontinued. ³ Compiled from reports of stock sold or driven out for local slaughter, made by stockyards to the Livestock, Meats, and Wool Division.

Table 503.—Hogs: Receipts, local slaughter, and stocker and feeder shipments, public stockyards, 1915-1924—Continued

[Thousands—i. e., 000 omitted]

STOCKER AND FEEDER SHIPMENTS

Market	1916	1917	1918	1919	1920	1921	1922	1923	1924
Amarillo, Tex			(1) 4 1 1	(¹) 4 (¹)	(1) 8	(1) (1)	1	(¹)	(1)
Chattanooga, Tenn		45	25 25 (¹)	1 14 1	1 8	2 4	3 2	2 4	1 2
Denver, Colo	(1) 18	22 1 12 (1)	17 2 77 8 10	32 8 98 4 10	80 5 47 3 4	22 5 44 8 4	(1) 63 5 9	(1) 41 2 6	54 1 11 1 3
Fort Wayne, Ind	i	27 2 35 (1)	89 5 45 3	55 8 41 1	24 1 17 2	52 2 21	34 4 17 (¹)	1 22 4 18	5 6 3 15 1
Kansas City, Mo Knoxville, Tenn Lafayette, Ind Laredo, Tex Los Angeles, Oalif	(1)	(¹) 5	175 1 1	244 1 8	200 (¹) 5	94 1 7	162 2 5	283 3	134 (1) 2
Louisville, Ky	(1)	(1)	17 1 (¹)	28 4 (1) (1) 22	11 2 4	8 2 1	19 3 2	2 2 6	2 2 5
Moultrie, Ga	23	4	3.	28	18	3 2	1 1 1	(1) 1 (3)	(1) 2
North Salt Lake, Utah Ogden, Utah Oklahoma, Okla Omaha, Nebr Pasco, Wash Peoria, Ill	18	5 1 70 73	1 69 13	13 43 8	3 11 21 7	2 13 4	5 9 6	1 4 17 14	1 6 7 10
Peoria, Ill		i	4	(1)	3	8	5	7	4
Portland, Oreg Pueblo, Colo Richmond, Va St. Joseph, Mo	3 11	14 	18 (1) (1) 84	15 1 27	(1) (1) (1) 24	(1) (1) (1) 9	(¹⁾	18 2 17	20 1 13
St. Paul, Minn	23 29 8	232 1 109 5	173 2 2 41 3	103 2 2 33 2	161 2 3 28 2	104 4 1 19 3	109 13 1 9 4	151 10 3 9 4	127 7 3 (1)
Spokane, Wash Toledo, Ohio Wichita, Kans Discontinued		8 44 6	9 1 87 3	15 2 20 6	12 2 23 5	(¹) 13 8	7 20 4	(¹) 32 (¹)	12 27
Total	194	788	989	902	728	499	593	820	197

Division of Statistical and Historical Research. Compiled from data of the reporting service of the Livestock, Meats, and Wool Division.

¹ Not over 500. 2 Includes only those markets which have been totally discontinued.

TABLE 504.—Feeding swine: Shipments from public stockyards, by months, 1924

Origin and desti- nation	Jun.	Feb.	Mar.	Apr.	M ay	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total
MARKET ORIGIN	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
Denver, Colo Fort Worth, Tex	975 1, 142		622 874		625 741	480	441	567 830		1, 245 627	566	596	8, 516 9, 098
Indianapolis, Ind Kansas City, Kans.	728	920	824						533 11, 098				15, 258 118, 823
Los Angeles. Calif	411						2, 100	0, 200		119		7, 501	1, 261
Nat'l Stockyards,			2, 581		2, 299	2, 331	1, 328	2, 416	1,007	1, 885			21, 681
Oklahoma, Okla	844 1,620				485 1,657		487 200						9, 578 21, 267
Omaha, Nebr Portland, Oreg	1,867 1,036	2, 937	2,579	1,701	1,511	2, 181	1,707		796	2,853	1,455		20, 446 4, 800
Sioux City, Iowa	112				01	101	10	201	710	1,000	2, 110	100	2,000
South St. Joseph,					40=		400						0.400
South St. Paul,	144	31		241	487		463	177		61	541	279	2, 498
Minn	7,660 3,517		10, 082	9, 311 5, 340	10, 518			3, 248 1, 148			16, 972 1, 096		117, 794 26, 505
All other inspected	3, 591							3, 558		3, 815			
Total	34, 964	33, 969	40,076	51, 495	38, 793	27, 356	18, 869	22, 604	29, 663	48,774	36, 843	32, 185	413, 591
STATE DESTINA- TION													
California										119			1,891
Colorado					485 3, 456								
Indiana Iowa	1, 146	920	1, 176 10, 710		2, 485	2,839			805	1,305			
Kansas	2, 937	1,723	1	,	1	1		1 '	1 '	1 '	, <i>'</i>	1 '	16, 627
Michigan	573	2 139	1,327	1,508	1,018	734	711	1, 171	688	2, 529	1, 615	1,397	15, 410
Minnesota Missouri		2,735 4,219			3,856 4,324			931 1, 800		5, 774 2, 685			39, 542 36, 471
Nebraska	2,758			8, 274							4, 371	2, 859	
OhioOklahoma		192 802		1, 397 902	644 485								7, 772 10, 965
Oregon	976	1,590	2, 311	1, 414	1, 397	1,819	1,666	1,662	737	2,753	1,037	1,080	18, 442
Tennessee	919 3, 457	313 2, 525	338 1, 100	224 3, 416	216 1.753			221 2,049	584 1, 949				5, 401 25, 924
All other	3, 562												
Total	34, 964	33, 909	40, 076	51, 495	36, 793	27, 356	18, 869	22, 604	29, 663	48, 774	36, 843	32, 185	413, 591

Division of Statistical and Historical Research. Compiled from Bureau of Animal Industry inspection records.

TABLE 505.—Hogs: Receipts, local slaughter, and stocker and feeder shipments at certain public stockyards, 1924

[Thousands-i. e., 000 omitted]

Stockyard	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total
Baltimore, Md.:													
Receipts Local slaughter	175 141	148 120	147 117	127 98	128 104	108 84	90 74	92	95 71	117 89	143 117	143 100	
Buffalo, N. Y.:		120		1	101	. 02	••		' '	0.0	***	100	1, 10,
Receipts	170	158	142	134	128	130	100	105	120	189		170	
Local slaughter	89	66	68	75	70	75	52	53	50	67	85	104	849
Chicago, Ill.: Receipts	1, 274	1.078	874	701	688	782	776	591	518	668	1, 062	1 454	10. 443
Local slaughter	881	685	589	521	506	614	578	457	385	493			
Stocker and feeder	-	"										.,	'
shipments			(1)		(1)	(1)	(1)	-		(1)	(1)	(1)	(1)
Cincinnati, Ohio:	137	117	105	114	117	108	105	85	100	117	117	143	1 000
Local slaughter	180	79	69	75	74	108	74	51	58	65	69	91	
Stocker and feeder	"		1	1	1	-		1			1		- a
shipments		(1)	1	(1)	1	(1)	(1)	(1)	(1)	(1)	(1)	(1)	8
Cleveland, Ohio:			100	100						100			
Receipts Local slaughter	128 109	89 76	125 103	108 85	111 88	98 80	82 62	70 51	84 57	102 72	121 88	151 116	
Denver, Colo.:	100	۰۰ ا	100				02	01	01	' ^	-	140	***
Receipts	70	57	46	58	55	57	46	34	88	35 27	32	51	500
Local slaughter	58	46	89	48	49	45	34	23	23	27	26	42	450
Stocker and feeder shipments	11	10	8		8	1	2	8	1	2	١	,	34
smoments	1 11	1 10					3				. 3	. 2	1 34

¹ Not over 500.

Table 505.—Hoys: Receipts, local slaughter, and stocker and seeder shipments at certain public stockyards, 1924—Continued

[Thousands-i. e., 000 omitted]

Stockyards	Jan.	Feb.	Mar.	Apr.	Мву	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total
Detroit, Mich.:													
Local slaughter Stocker and feeder	71 43	42 23	56 84	65	50 80	86 21	22 15	18 12	32 20	45 29	54 87	65 45	556 350
shipments East St. Louis, Ill.:	(1)	(1)	(1)	<u></u>		1			(1)	(1)	(1)	(1)	1
Receipts Local slaughter	499 203	453 170	388 123	888 120	392 113	861 138	319 118	285 79	312 84	379 112	855 125	449 185	4, 580 1, 570
Stocker and feeder shipments Fort Worth, Tex.:	1	1	1	2	2	1	1	(1)	(1)	1		1	11
Receipts Local slaughter	53 16	43 36	45 40	87 82	81 29	21 18	24 28	20 19	26 21	24 20	26 24	42 41	392 349
Stocker and feeder shipments Indianapolis, Ind.:	1	1	(1)	1	1	(1)	(1)	(1)	(1)	1	1	(1)	6
Local slaughter	323 189	284 122	179 104	200 107	212 113	251 146	245 117	192 106	188 91	195 109	275 152	371 221	2, 865 1, 577
Stocker and feeder shipments Jersey City, N. J.	1	1	1	2	2	2	1	1	1	1	1	1	15
Local slaughter	60 60	47	45 45	50 50	87 37	33 33	30 30	35 35	33 33	53 53	54 54	58 58	535 535
Kansas City, Mo.: Receipts Local slaughter	331 208	250 158	223 127	283 184	237 153	236 162	205 129	180 116	186 103	266	242	344	2, 933
Stocker and feeder shipments	12	12	14	22	138	8	3	7	12	172 18	169 6	241 7	1, 872 134
Los Angeles, Calif.: Receipts	28 26	25 25	19 20	12	20 21	20 19	24 24	16 16	18 17	25	29	34	270
Local slaughter Stocker and feeder shipments	1	(1)	1	11	21	18	24	10	17	(¹)	30	(1)	268 2
Milwaukee, Wis.: Receipts	62	38	37	45	33	27	24	19	24	64	80	70	523
Local slaughter Oklahoma, Okla.: Receipts	62 37	37 25	37 28	45 26	32 25	27 20	24 14	19 17	24 38	63 35	76 24	69 36	515 325
Local slaughter Stocker and feeder	31	21	22	21	21	18	12	12	34	80	20	32	274
shipments Omaha, Nebr.: Receipts	405	426	(1) 428	340	(1) 339	373	(1) 378	241	202	(1) 177	(¹) 232	437	7 3, 978
Stocker and feeder	339	319	327-	269	275	294	273	172	163	149	170	359	3, 109
shipments Pittsburgh, Pa.:	1 315	283	1 254	1 241	264	200	187	(1) 169	(1) 209	1	2	000	10
Receipts	69	64	48	54	55	58	47	40	45	263 55	315 66	338 78	3, 038 674
Local slaughter	35 22	34 10	35 15	31 14	33 14	31 18	26 18	18 11	26 13	31 13	27 13	80 19	357 180
Stocker and feeder shipments St. Joseph, Mo.:	1	2	2	2	1	2	2	2	1	8	1	1	20
Receipts Local slaughter	244 187	206 144	172 115	158 105	179 120	194 136	166 112	141 88	116 67	154 117	210 171	294 243	2, 234 1, 605
Stocker and feeder shipments St. Paul, Minn.:	1	1	1	1	1	1	1	1	1	1	2	1	13
Receipts Local alaughter	484 878	859 279	836 259	299 228	285 222	258 212	246 202	130 100	126 102	285 226	861 280	582 436	3, 751 2, 919
Stocker and feeder shipments	10	10	18	11	10	6	6	3	6	19	17	16	127
Local slaughter	861 186	881 184	398 212	298 191	296 188	822 208	387 209	247 168	157 128	174 139	238 166	478 258	8, 782 2, 227
Stocker and feeder shipments Wichita, Kans.:	(1)	(1)	(1)	(1)			(1)	(1)	(1)	(ı)			(1)
Receipts Local slaughter	93 86	75 70	58 58	75 68	86 63	66 64	47 44	40 88	42 88	50 48	53 51	69 66	734 689
Stocker and feeder shipments	. 4	8	8	5	2	1	2	1	2	2	1	1	27

Division of Statistical and Historical Research. Compiled from data of the reporting service of the Livestock, Meats, and Wool Division. Local slaughter data from stockyards.

¹ Not over 500.

TABLE 506.—Hogs: Monthly average live weight at Chicago, Kansas City, and Omaha, 1900–1924

CHICAGO

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1 90 0	Lbs. 229 227	Lbs. 226 222	Lbs. 223 222	Lbe. 223 226	Lbs. 228 227	Lbs. 229 231	Lbs. 236 229	Lbs. 246 238	Lbs. 247 248	Lbs. 234 236	Lbs. 240 218	Lbs. 238 202
1902 1908	203 208	208 209	216 215	214 222	219 227	231 223 231	230 235	243 248	241 257	227 241	224 228	217 219
1904 1905 1906 1907 1908	206 213 217	205 209 215	206 211	208 216	214 219 226	221 222 226	226 228 231	239 236	244 241	230 234 237	232 230 229	228 221 225
1907 1908	223 215	222 212	218 228 212	221 234 219	235 218	- 236 - 217	240 222	241 250 224	248 253 219	235 207	209 213	214 211
1909	203 210 226	204 213	206 218	212 227	216 239	219 242	225 246 233	232 255	232 259	227 253	225 232	214 224
1911 1912 1913	212 212 226	230 217 230	239 218 240	241 227 242	242 232 242	236 235 244	239 243	239 240 233	224 235 222	212 226 209	208 222 207	213 223 213
Av. 1909-1913	215	219	224	230	234	235	237	240	234	225	219	217
1914	216 223	224 224	233 231	233 233	236 233	237 231	244 238	248 246	242 235	229 204	218 187	226 190 193
1916 1916 1917 1918	195 199	204 204	214 209	219 213	220 217	226 225	231 232	232 233	223 231	210 212	195 209	211
1919 1920	216 228 239	231 232 239	238 230 244	242 230 248	238 232 245	235 233 243	243 242 252	243 251 258	247 254 258	233 237 247	226 226 234	223 224 230
Av. 1914-1920	217	223	228	231	232	233	240	244	241	225	214	214
1921	234	234 236	241 244	242 246	239 244	241 247	250 259	259 268	262 265	243 243	225 231	226 234
1922 1928 1924	231 239 227	241 229	247 237	249 239	242 239	242 241	250 251	253 255	254 254	247 235	234 220	231 214
-	·	·		X.	NSAS	CITY		<u> </u>	<u> </u>		<u>'</u>	'
1900	230 213	218 210	210 207	207 207	213 210	210 205	206 187	219 187	214 185	213 199	216 179	218 173
1902	172 224	176 220	188 218	194 223	196 215	198 211	205 213	209 216	208 232	217 223	223 211	224 220
1904 1905 1906 1907 1908	222 203	222 203	216 215	210 215	211 212	208 205	206 203	210 210	206 207	195 208	192 213	194 214
1906	219 220	214 221	210 221	212 219	209 212	204 207	204 209	204 212	211 216	214 208	215 199	212 206 199
1908	216	215	208	213	206	197	195	191	189	181	194	
1909 1910 1911 1912	202 205 226	204 202 225	199 208 225	201 209 223	198 210 213	198 209 197	200 206 188	203 206 201	192 217 195	194 213	198 217	198 223
1912 1918	189 213	199 212	193 213	205 216	203 208	203 206	205 202	201 204 193	199 190	185 198 185	182 206 178	198 223 182 205 178
Av. 1909-1913.	207	208	208	211	206	203	200	201	199	195	196	197
1914 1915 1916 1917 1918 1919	183 201	198 204	200 201	195 204	197 204	193 197	196 199	192 202	192 198	191 192	186 194	188 203
1916	204 189	204 199 189	203 192	204 191	204 202 198	202 196	204 190	188 180	181 183	171 195	194 172 198	188 206
1918 1919	218 200	221 201	213 191	218 194	213 193	208 194	206 194	191 193	172 181	178 173	185 187	183 206 194 180 225
1907		227	229	228	211	213	221	226	222	216	218	
Av. 1914-1920.	203	205	204	205	202	200	201	196 225	190	188	191 216	198
1921 1922 1923	236 226 222	236 215 221	233 213 221	299 220 215	224 215 207	211 216	216 222	217 228	211 225	222 206 206	208 212	212 212 218
1994	222	224	229	220	226	231	227	237	234	220	219	221

Table 506.—Hogs: Monthly average live weight at Chicago, Kansas City, and Omaha, 1900-1924.—Continued

AHAMO

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1900 1901 1902 1903	Lbs. 257 234 209 242	Lbe. 237 231 211 235	Lbs. 243 232 220 236	Lbs. 236 232 228 247	Lbs. 289 284 280 248	Lbs. 289 242 2.2 253	Lbs. 284 281 288 254	Lbs. 240 236 242 265	Lbs. 249 246 253 273	Lbs. 245 250 259 278	Lbs. 258 235 262 268	Lbs. 282 212 256 265
1904 1908 1908 1907 1908	250 256 284 244 233	231 236 226 237 228	235 239 228 244 230	236 286 230 252 238	282 287 282 250 228	233 241 282 250 226	282 288 283 254 227	244 238 246 260 229	252 245 258 263 226	251 251 254 260 222	267 252 248 244 238	265 248 246 249 237
1909. 1910. 1911. 1912. 1913.	231 229 245 217 234	223 226 243 222 229	227 231 254 222 238	233 235 255 231 241	282 249 254 238 244	229 249 245 284 245	286 250 242 232 247	239 259 253 238 244	240 278 265 241 249	242 284 265 235 233	248 274 243 235 219	234 262 225 238 218
Av. 1909-1913.	231	229	234	239	242	240	241	247	255	252	244	238
1914 1915 1916 1917 1918 1919	224 241 216 218 240 229 242	232 238 216 223 243 235 242	238 244 224 226 249 236 250	242 252 228 229 242 245 251	247 256 232 233 246 238 247	250 248 236 289 248 244 247	255 249 243 245 261 245 256	261 264 247 245 260 255 268	268 274 249 256 264 275 272	265 265 249 257 264 281 271	253 252 224 260 240 271 260	242 230 211 243 227 249 248
Av. 1914–1920.	230	233	238	241	243	245	251	256	2 65	265	251	236
1921 1922 1928 1924	248 235 241 289	246 238 244 239	252 247 253 245	260 255 260 249	259 257 255 250	255 258 256 250	260 267 260 255	274 280 263 266	288 286 269 264	274 276 272 259	244 249 262 238	232 238 247 217

Division of Statistical and Historical Research. Figures prior to 1920 compiled from yearbooks of stockyard companies. Subsequent figures compiled from reports of packer and shipper purchases, reporting service of the Livestock, Meats, and Wool Div don.

TABLE 507.—Hogs: Monthly average live weight at East St. Louis, 1910-1924

EAST ST. LOUIS

1910	178	165	171	176	198	206	184	193	215	205	208	191
1911	188	195	202	197	170	180	190	185	186	178	169	159
1912	158	162	167	165	191	196	174	181	196	182	178	176
1918	182	180	170	179	181	183	185	183	182	182	178	169
1914	169 170 172 175 190 189 186	177 174 173 179 190 184 188	174 176 171 175 189 173 182	180 175 171 171 186 176 190	174 175 178 175 181 182 185	177 180 180 173 180 182 180	174 180 181 177 182 181	174 186 176 178 174 183 186	173 183 168 182 174 181 184	169 165 162 181 178 176 177	175 169 184 181 182 188 -176	166 174 172 185 188 181 181
Av. 1914-1920	179	181	177	178	179	179	180	179	178	178	179	178
1921	211	210	200	198	· 198	201	204	206	196	196	205	207
1922	209	198	197	188	194	190	200	196	170	189	198	208
1923	211	206	198	197	193	200	203	205	201	192	200	207
1934	211	218	215	220	208	212	212	218	210	201	205	206

Division of Statistical and Historical Research. Figures prior to 1921 compiled from yearbooks of stockyard companies. Subsequent figures compiled from reports of packer and shipper purchases, reporting service of the Livestock, Meats, and Wool Division.

Table 508 .- Live hogs: Exports from the United States, by months, 1910-1925

Year ended June 30—	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	Total
	Num- ber	Num- ber	Num- ber	Num- ber	Num-	Num- ber	Num- ber	Num- ber	Num- ber	Num- ber	Num- ber	Num- ber	Num- ber
1910	283	136		304	166	101	840	31	77	810	1, 126		4, 410
1911	484	103	25	41	29			18	758	1,989	1,807	3,060	
1912	1, 823				182					2, 335	2, 314	1,087	19,038
1913	305		617	868	216						1, 223	310	15, 332
1014	174			123	173				1,770		1, 240	1, 937	10, 122
1915	1, 488	426		211	526			229	570				
1916	579	147	379	346	448			4, 299		1, 977	584	1, 260	
1917	2,388	683	671	1, 416	1, 170					2,827	1, 540	931	
1918	559	403	105	403	205		594	411				1,684	
1919	747	393			379	788	1,757	2,615	1,651	2, 983	2,840	2,089	17, 890
			ı	1 1	3, 840	2,792	2, 093	2, 279	3, 520	4, 934	6, 027	6, 444	36, 107
1920	755	413							13, 129				103, 192
1921	5, 890	2, 959	1, 813				10, 841						97, 755
1922	6,006	8,072			10, 079	11,774						7, 490	
1923	4, 639	4,840	4, 306	6,049	5, 221	4,780					9, 868	7, 281	
1924	7, 629	7, 403		7, 336	7, 271	7, 163		8, 714	11, 500	0, 799	B, 000	1,401	20, 202
1925	7,375	4, 473	3, 629	3, 380	4, 413	5, 546							
		[<u> </u>					

Division of Statistical and Historical Research. Compiled from Monthly Summaries of Foreign Commerce of the United States, Bureau of Foreign and Domestic Commerce.

TABLE 509.—Hogs: Corn and hog ratios, United States, 1910-1924

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	A ver-
1910	Bush 12 2 15.3	Bush. 12.0 14.4	Bush. 18 6 13.7	Bush. 14 4 12.1	Bush 13. 3 10. 7	Bush. 12. 9 9. 8	12.2 9.4	11. 7 9. 9	13. 0 9. 9	14. 2 9. 3	15. 1 9. 3	14.9 9 2	Bush. 13. 3 11. 1
1912	9. 1	8. 8	8 6	9.0	8 4	8. 1	8. 8	9. 1	10. 1	12.0	13. 2	14. 1	9.9
1913	13. 6	13. 9	14.4	14.4	12.7	12. 3	12. 1	11. 1	10. 2	10.4	10. 5	10. 8	12.2
1914	10. 8	11. 3	11.2	10 9	10.3	9. 9	10. 1	10. 8	10. 2	10.0	10. 4	10. 2	10.5
1915	9 5	8. 6	8.4	8. 5	8.7	8.7	8.7	8. 5	9. 2	10. 8	10.6	10.1	9. 2
	9 8	10. 5	11.4	11. 5	11.4	11.0	10 9	10. 6	11. 1	10. 4	10.1	9.8	10. 7
	9 9	10. 5	11.5	10. 3	8.8	8.3	7.4	7. 7	9. 0	10. 1	11.2	12.0	9 7
	11 2	10. 3	10.1	10. 2	10.3	10.0	9.9	10. 1	10. 8	11. 0	11.5	11.8	10. 6
1919 1920 1921	9. 3 13. 5	11. 3 9 2 13. 5	11. 2 8. 9 14. 3	11. 1 8. 4 13. 0	10.8 7 6 12.5	10. 2 7. 1 11. 0	10. 5 7. 8 13. 1	10. 2 8. 5 14. 8	9. 8 10. 1 14. 0	9.7 13.0 15.9	9. 2 15. 0 16. 0	9. 2 13. 2 15. 2	10.8 0.8 14.0
1922	15. 4	16 5	15. 8	15. 7	15: 0	14. 7	14. 7	13. 7	13. 4	13. 4	12. 8	11. 7	14.4
1928	11. 1	10 9	10. 2	9. 8	8. 8	7 9	7. 5	7. 7	8. 5	3. 8	8. 2	9. 0	9.0
1924	9. 0	8. 5	8. 6	8. 6	8. 5	8. 1	6. 7	8. 0	7. 7	8. 7	8. 7	7. 9	8.2

Division of Crop and Livestock Estimates.

Table 510.—Hogs: Farm price per 100 pounds, 15th of month, United States, 1910-1924

Year beginning November	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Weighted aver
1910	Dolls. 7. 61 5. 86 7. 05 7. 33 6. 96	Dolls 7. 16 5. 72 6. 89 7. 16 6. 73	Dolls. 7. 44 5. 74 6. 77 7. 45 6. 85	Dolls. 7. 04 5. 79 7. 17 7. 75 6. 94	Dolls. 6. 74 5. 94 7. 62 7. 80	Dolls. 6. 17 6. 78 7. 94 7. 80	Dolls. 5. 72 6. 79 7. 45 7. 60 6. 89	Dolls 5. 66 6. 65 7. 61 7. 43 6. 84	Dolls. 5. 92 6. 64 7. 81 7. 72 7. 02	Dolls. 6.54 7.11 7.79 8.11 7.39	Dolls. 6. 53 7. 47 7. 68 8. 11 7. 45	Dolle. 6.09 7.70 7.60 7.43	Dolls. 6. 61 - 6. 48 7. 89 7. 60
1914	15. 92 13. 36 11. 64	15. 82	15. 26 15. 69 13. 36 8. 72	15. 53	15. 58 16. 13 13. 59 9. 13	17. 39 13. 73 7. 96	15. 84 18 00 13. 44 7. 62	15. 37 17. 80 13. 18 7. 22	15. 58 19. 22 13. 65 8. 09		15. 81	7. 18 8. 67 16. 15 16. 50 13. 88 13. 57 7. 31	6. 69 7. 61 12. 10 15. 78 16. 60 13. 48 8. 52
1921 1922 1923 1924	6. 66 7. 78 6. 66 8. 62	6. 52 7. 68 6. 89 8. 39	6. 89 7. 77 6. 59	8. 24 7. 65 6. 54	9. 08 7. 52 6. 68	8. 83 7. 45 6. 70	9. 05 7. 13 6. 68	9. 11 6. 87 6. 86	9. 12 6. 68 6. 60	8. 54 6. 85 8. 54	8. 23 7. 81 8. 60	8. 88 7. 28 9. 45	8. 10 7. 84 7. 06

Division of Crop and Livestock Estimates.

¹ Number of bushels of corn required to buy 100 pounds of live hogs, based on averages of farm prices of corn and of hogs for the month.

912 Yearbook of the Department of Agriculture, 1924

TABLE 511.—Hogs: Farm price per 100 pounds, 15th of month, by States, 1924

				-	-							-		
,	State	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 16	Aug. 15	Sept.	Oct. 15	Nov. 18	Dec. 15	Aver.
	Maine	7. 20 8. 00	Dolls. 8.50 8.00 7.20 8.70 9.00	Dolls. 8. 70 7. 90 7. 50 8. 70 8. 90	Dolls. 8. 60 8. 20 7. 40 8. 90 8. 60	Dolls. 8. 30 8. 00 7. 00 8. 50 8. 30	Dolls. 8. 10 8. 50 6. 80 8. 30	Dolls. 8. 00 8. 50 6. 60 8. 00	Dolla. 8. 50 8. 60 8. 10 8. 80	8. 00 9. 00	10. 00 10. 30	Dolls. 10. 00 10. 00 9. 50 10. 00 10. 50	Dolls. 9.50 10.50 9.00 9.70 11.00	Dolla. 8. 78 8. 72 7. 86 8. 91 9. 50
	Connecticut New York New Jersey Pennsylvania Delaware	7. 50 9. 00 8 40	9. 80 7. 60 9. 40 8. 10 9. 80	9. 20 8. 00 9 00 8. 10 9. 20	8. 00 9. 10 8. 10 8. 70	8.80 7.60 9.10 7.80 8.50	8. 50 7. 70 7. 80 9. 00	8. 80 7. 70 7. 80	10.00 8.80 10.00 9.50			11.00 10.20	10. 60 10. 00 10. 20 10. 00 10. 60	9. 51 8. 40 9. 86 8. 76 9. 60
	Maryland Virginia West Virginia North Carolina South Oarolina	7.70	8. 20 7. 70 8. 00 9. 50 8. 50	7. 90 7. 70 8. 20 9. 80 8. 10	7.80 7.80 7.80 9.20 8.50	7. 70 7. 40 8. 00 9. 30 8. 40	7. 50 7. 60 7. 80 9. 50 8 30	7. 60 7. 60 7. 90 9. 50 8. 50	9. 20 8. 50 8. 70 10. 00 9. 00	9. 30 8. 60 8. 80 10. 10 8. 90	9.60	9. 80 10. 00 10. 00 10. 50 9. 60	9.70 9.60 9.10 10 40 9.40	8. 55 8. 31 8. 47 9. 78 8. 72
	Georgia	7. 20 7. 00 6. 90 6. 70 6. 60	7.00 6.70 6.90 6.70 6.50	6. 70 7. 00 7. 00 6. 80 6. 70	7.00 6.90 7.10 7.00 6.80	7. 10 6. 50 7. 10 7. 00 6. 80	7. 00 6. 50 7. 00 6. 80 6. 70	7. 10 6. 50 7. 00 6. 90 6. 60	7. 80 7. 00 9. 30 9. 50 8. 90		8. 50 8. 00 10. 40 10. 40 9. 90	8. 70 8. 00 9. 10 9. 00 8. 70	8. 90 8. 10 8 70 8. 60 8. 50	7. 58 7. 10 8. 01 7. 89 7. 62
	Michigan Wisconsin Minnesota Iowa Missouri	6. 20 6. 20 6. 40	6. 70 6. 40 6. 10 6. 30 6. 10	6 80 6.40 6.30 6.50 6.10	6. 70 6. 60 6. 30 6. 70 6. 10	7.00 6.50 6.40 6.60 6.20	6. 80 6. 40 6. 20 6. 40 6. 00	6. 60 6. 80 6. 20 6. 50 6. 40	8. 60 8. 50 8. 60 8. 70 8. 40	8.30 8 70 8.30 8.70 8.30	9 60 9 50 9 10 10 00 9 70	8 60 8 20 8 40 8 50 8 40	8. 50 7. 80 8. 00 8. 20 8. 10	7. 57 7. 29 7. 18 7. 46 7. 16
	North Dakota South Dakota Nebraska Kansas Kentucky	6. 10 6. 10 6. 00	5. 70 6. 00 6. 00 6. 10 6. 70	5. 60 6. 00 6. 30 6. 30 6. 50	5. 80 6. 20 6. 80 6. 30 6. 50	5. 70 6. 20 6. 30 6. 40 6. 40	5. 70 6. 10 6. 10 6 20 6 30	5. 60 6. 00 6. 30 6. 40 6. 50	7. 30 8. 20 8. 20 8. 60 8. 90	7. 30 8. 10 8 30 8 60 8. 50	8 10 9 00 9.30 9 50 9.50	7. 50 8. 00 8. 30 8. 50 8. 90	7. 10 7. 80 8. 10 8. 40 8. 60	6. 41 6. 98 7. 13 7. 28 7. 47
	Tannessee Alabama Mississippi Louisiana Texas	7. 20 7. 00 6. 90	6. 70 7. 00 6. 50 7. 10 6. 40	6. 60 7. 30 6. 50 6. 90 6. 30	6 70 7. 10 6. 30 6. 60 6. 10	6. 60 7. 20 6. 20 7. 0 6. 30	6. 20 7. 00 6. 00 7. 10 6. 40	6. 30 7. 00 6 00 7. 10 6. 30	8. 30 7. 60 7 70 7. 50 7. 70	8. 10 7. 80 7. 80 7. 60 7. 40	8. 60 7. 80 8. 00 7. 70 8. 30	8. 70 8. 60 8. 30 8. 00 8. 40	8. 40 8. 70 8. 10 8. 50 8. 50	7. 32 7. 52 7. 03 7. 33 7. 08
	OklahomaArkansas Montana Wyoming Colorado	6. 00 6. 30 5. 80	5. 70 6. 10 6. 30 6. 40 6. 00	5. 60 5. 80 6. 30 6. 10 6. 10	5. 80 5. 90 6. 20 6. 50 6. 30	5. 70 5. 60 6. 40 6. 30 6. 10	5 80 5.70 6 30 6 00 6.00	5. 80 5. 60 6. 10 6 00 6. 00	8. 00 6. 20 7. 50 7 50 8 30	7. 80 6. 30 8. 00 7. 50 8. 00	8. 80 7. 40 8 00 7. 20 8. 70	8. 50 7 00 7. 60 6 80 8. 20	8 00 6 90 7. 70 7 20 7. 80	6, 77 6, 21 6, 89 6, 61 6, 98
	New Mexico Arizons Utah Nevada	8.00	6. 10 7. 90 6. 10 7. 50	6 40 7. 30 6. 50 7. 90	6. 80 7. 60 6. 70 7. 50	7. 00 7. 80 6. 50 7. 00	6, 60 7, 50 6, 70 7, 00	6. 60 7. 80 6. 80 6. 70	7. 60 8. 50 7. 30 8. 10	8. 00 8. 60 7. 50 8. 50	9. 00 8. 00 9. 00	9. 00 8. 60 9. 50	7. 50 8. 20 7. 90 8. 50	6. 91 8. 05 7. 05 7. 98
		7. 70 7. 30 8. 00	6. 40 7. 20 7. 80 7. 70	6. 80 7. 30 7. 20 7. 50	6. 50 7. 50 7. 80 7. 50	6. 60 7. 60 7. 50 7. 40	6. 50 7. 70 7. 80 7. 20	6. 50 7. 80 7. 20 7. 00	8. 10 9. 50 7. 60 8. 70	8. 50 9. 60 7. 80 9. 00	8. 70 9. 70 8. 20 9. 50	8. 10 9. 20 7. 70 9. 50	8. 10 8. 80 8. 50 9. 40	7. 24 8. 30 7. 58 8. 20
	United States	6. 59	6. 54	6. 63	6.70	6.68	6. 55	6. 60	8. 54	8. 50	9. 45	8. 62	8. 39	7. 48

Division of Crop and Livestock Estimates.

TABLE 512.—Hogs: Average price per 100 pounds at Chicago, by months, 1901-1924

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Weight- ed aver- age
	Dolls.	Dolls.	Dolls.	Dolls	Dolls	Dolls.	Dolls.	Dolls.	Dolls.	Dolls	Dolls.	Dolls.	Dolls.
1901	5. 25	5. 35	5.85	5 90	5.80	5.90	5.90	5 95	6.60	6. 10	5. 65	5.95	5.85
1902		6.10	6.35	6.95	7.00	7.35	7.65	7. 15	7.55	7.00	6.30	6.20	6.85
1903		6.75	7.30	7. 20	6. 45	6.00	5. 55	5.45	5.85	5. 55	4.65	4.45	6.00
1904	4.90	5.15	5. 35	5.10	4.65	5.05	5.40	5.30	5.75	5. 40	4.80	4.50	5. 15
1905		4.85	5. 15	5.45	5.40	5, 35	5. 65	5.95	5, 50	5, 25	4.85	4.90	5.25
1906	5.40	6.00	6.30	6. 55	6.45	6.55	6.65	6. 25	6. 25	6.40	6. 20	6. 25	6.25
1907	6.60	7.05	6 65	6.65	6. 50	6.10	6.05	6.00	6.00	6. 15	4.90	4.70	6.10
1908	4. 40	4.45	6 00	5 85	5. 50	5.80	6 50	6. 55	6.85	5. 95	5.80	5. 65	5.70
1909	6.10	6.35	6.70	7. 20	7.30	7.65	7.85	7.75	8, 20	7.75	8,00	8, 35	7.35
1910	8.55	9.05	10. 55	9. 90	9. 55	9.45	8.75	8. 35	8.90	8. 50	7. 00	7. 65	8.90
1911	7.95	7.40	6. 85	6. 25	6.00	6.25	6.70	7. 30	8 90	6.45	6.30	6.40	6,70
1912	6. 25	6, 20	7. 10	7.80	7.65	7. 50	7.65	8. 25	8.45	8.75	7.75	7.40	7. 55
1913	7 45	8.15	8.90	9.05	8. 55	8.65	9.05	8. 35	8 30	8. 20	7.75	7.70	8. 35
Av. 1909-1918	7 26	7.43	8.02	8.04	7.81	7.90	8.00	8.00	8. 15	7. 93	7.48	7. 50	7.77
1914	8.30	8.60	8.70	8.65	8 45	8, 20	8.70	9.00	8.85	7.65	7. 50	7.10	8, 30
1915	6.90	6.80	6.75	7. 30	7. 60	7. 60	7.75	6. 90	7. 25	7. 90	6.65	6.40	7.10
1916	7. 20	8. 20	9.65	9.75	9 85	9.70		10. 30	10. 70	9.80	9.60	9.95	9, 60
1917	10.90	12.45	14.80	15.75		15. 50	15. 20	16. 90	18. 20	17. 15	17.40	16.85	15.10
1918	16. 30							19.00		17.70		17. 55	17.45
1919						20.40			17. 45	14. 35	14. 20	13.60	17 85
1920	14.97	14, 55	14, 94	14.79	14. 28	14.68	14. 84	14. 74	15 88	14 17	11.83	9.55	13.91
	11.74	12.13	13, 01	13 44	13. 45	13. 24	13. 70	13. 83	14.00	12. 67	12.13	11. 57	12.76
1921	9.41	9.42	10 00	8. 50	8, 35	8, 19	9. 69	9, 26	7. 61	7.72	7.01	6. 92	8, 51
1922	8. 02			10. 81	10. 48	10. 33	9.70	8.01	8.75	8.80	8.07	8. 18	9, 22
1923	8, 29	8.02	8. 18	8.08	7. 53	6. 92	7.04	7. 65	8 35	7.42	6.85	6.87	7 55
1924	7, 10	7.08	7.35	7.36	7.34	7.04	7.68	9.38	9. 57	9.91	8. 97	9.38	8.11

Division of Statistical and Historical Research. Figures prior to 1920 from Chicago Drovers Journal Yearbook; subsequent figures compiled from reports of packer and shipper purchases of the reporting service of the Livestock, Meats, and Wool Division.

Table 513.—Hogs: Average and top price per 100 pounds, at six markets, by months, 1924

CHICAGO

Kind and grade	Jan.	Feb.	Mar.	Apr.	May	June	July
Butcher, bacon, and shipper hogs: Medium to choice— Heavyweight (250-850 pounds). Mediumweight (200-250 pounds). Common to choice— Lightweight (160-200 pounds).	7. 18	Dolls. 7. 18 7. 14 7. 00	Dolle. 7. 41 7. 40 7. 27	Dolls. 7. 42 7. 41 7. 26	Dolls. 7. 46 7. 40	Dolls. 7. 26 7. 18 6. 90	Dolle. 8. 26 8. 29 8. 07
Light lights (130–160 pounds) Packing hogs: Smooth Rough Slanghter pigs (130 pounds down), medium to choice. Bulk of saled Top	6. 69 6. 73 6. 53	6. 52 6. 38 6. 15 5. 42 7. 08 7. 50	6. 71 6. 50 5. 62 7. 36 7. 70	6. 67 6. 86 6. 69 5. 62 7. 36 7. 75	6. 65 6. 85 6. 68 5. 83 7. 34 7. 75	6. 32 6. 57 6. 38 5. 62 7. 06 7. 55	7. 54 7. 44 7. 05 6. 84 7. 89 11. 15
Kind and grade	i-esa-s	Aug.	Sept.	Oct.	Nov.	Dec.	Aver-
Butcher, bacon, and shipper hogs: Medium to choice— Heavyweight (250-250 pounds)		9, 96	Dolls. 9, 84 10, 00 9, 61	Dells. 10. 62 10. 58	Dolls. 9. 56 9. 36 8. 52	Dells. 10. 11 9. 69 8. 89	Dolls. 8. 51 8. 47 8. 10
Light lights (180-160 pounds)		9. 15 8. 71 8. 24	8, 88 8, 40 8, 14 9, 58 10, 90	9. 60 9. 26 8. 15 10. 08 11. 85	7. 48 8. 90 8. 64 6. 82 8. 96 10. 25	7. 89 9. 50 9. 19 7. 11 9. 53 11. 00	7. 45 7. 76 7. 47 6. 62 8. 23

¹ Top price for year.

Table 513.—Hogs: Average and top price per 100 pounds, at six markets, by months, 1924—Continued

EAST ST. LOUIS

Kind and grade	Jan.	Feb.	Mar.	Apr.	Мау	June	July
Butcher, bacon, and shipper hogs:							
Medium to choice— Heavyweight (250-850 pounds)	Dolla.	Dolls. 7. 26	Dolls. 7.45	Dolls. 7.42	Dolle. 7.35	Dolls. 7.26	Dolle. 8.44
Mediumweight (200–250 pounds)	7. 28	7. 25	7. 49	7. 49	7. 42	7. 28	8.43
Common to choice—	7.04	7.06	7. 23	7. 32	7. 25	7.02	8. 25
Lightweight (160-200 pounds) Light lights (130-160 pounds)		6.64	6.81	6.89	6.76	6.48	7.70
Packing hogs:							1
Smooth Rough	6. 36	6. 18 5. 99	6. 52 6. 30	6. 58 6. 40	6. 48 6. 30	6. 28 6. 10	7.08 6.87
Slaughter pigs (130 pounds down), medium to choice	6.19	6.11	6.17	6.35	6.18	5.94	7. 02
Slaughter pigs (130 pounds down), medium to choice. Feeder and stocker pigs (70-130 pounds), common		1					
to choice	5. 62 7. 23	5. 49 7. 22	5. 88 7. 45	5. 76 7. 43	5. 68 7. 36	5. 54 7. 16	5. 92 8. 40
Top.	7. 80	7. 75	7.80	7.85	7.75	7. 55	11.10
Kind and grade		Aug.	Sept.	Oct.	Nov.	Dec.	Aver-
Butcher, bacon, and shipper hogs:							
Medium to choice—		Dolls.		Dolls.	Dolls	Dolls.	Dolls.
Medium to choice— Heavyweight (250–350 pounds) Mediumweight (200–250 pounds)	· •-	9 88	Dolls. 9.96 10.16	Dolls. 10. 61 10. 66	9. 57 9. 48	10.06 9.98	8 55
Heavyweight (250-350 pounds) Mediumweight (200-250 pounds) Common to choice		9 88 10.00	9. 96 10. 16	10. 61 10. 66	9. 57 9. 48	10. 06 9. 98	8 55 8. 57
Heavyweight (250-350 pounds)		9 88 10.00 9.87	9. 96 10. 16 10. 00	10. 61 10. 66 10. 15	9. 57 9. 48 9. 00	10. 06 9. 98 9. 41	8 55 8 57 8 30
Heavyweight (250-350 pounds) Mediumweight (200-250 pounds) Common to choice Lightweight (160-200 pounds) Light lights (130-160 pounds) Packing hogs:		9 88 10.00 9.87 9.34	9. 96 10. 16 10. 00 9. 38	10. 61 10. 66	9. 57 9. 48 9 00 8. 16	10. 06 9. 98	8 55 8 57 8 30 7 70
Heavyweight (250-350 pounds) Mediumweight (200-250 pounds) Common to choice— Lightweight (160-200 pounds) Light lights (130-160 pounds) Packing hogs: Smooth		9 88 10.00 9.87 9.34 8.10	9. 96 10. 16 10. 00 9. 38 8. 44	10. 61 10. 66 10. 15 9. 34 9. 19	9. 57 9. 48 9 00 8. 16 8. 36	10. 06 9. 98 9. 41 8. 33 9. 05	8 55 8 57 8 30 7 70 7 38
Heavyweight (250-250 pounds) Mediunweight (200-250 pounds) Common to choice Lightweight (160-200 pounds) Light lights (130-160 pounds) Packing hogs: Smooth Rough		9 88 10, 00 9, 87 9, 34 8, 10 7, 90	9. 96 10. 16 10. 00 9. 38 8. 44 8. 15	10. 61 10. 66 10. 15 9. 34 9. 19 8. 87	9. 57 9. 48 9 00 8. 16 8. 36 8. 09	10.06 9.98 9.41 8.33 9.05 8.79	8 55 8 57 8 30 7 70 7 38 7 16
Heavyweight (280-350 pounds) Mediumweight (200-250 pounds) Common to choice Lightweight (160-200 pounds) Light lights (130-160 pounds) Packing hogs: Smooth Rough Slaughter pigs (130 pounds down), medium to choice. Feeder and stocker pigs (70-130 pounds), common to c	hoice.	9 88 10,00 9.87 9.34 8.10 7.90 8.52	9. 96 10. 16 10. 00 9. 38 8. 44 8. 15 8 66 7. 67	10. 61 10. 66 10. 15 9. 84 9. 19 8. 87 8. 57 7. 82	9. 57 9. 48 9. 00 8. 16 8. 36 8. 09 7. 40 6. 93	10.06 9.98 9.41 8.33 9.05 8.79 7.46 6.88	8 55 8 57 8 30 7 70 7 38 7 16 7 05 6 24
Heavyweight (250-350 pounds) Mediumweight (200-250 pounds) Common to choice Lightweight (160-200 pounds) Light lights (130-180 pounds) Paoking hogs: Smooth Rough	ehoice	9 88 10,00 9,87 9,34 8,10 7,90 8,52	9. 96 10. 16 10. 00 9. 38 8. 44 8. 15 8 66	10. 61 10. 66 10. 15 9. 34 9. 19 8. 87 8. 57	9. 57 9. 48 9. 00 8. 16 8. 36 8. 09 7. 40	9. 41 8. 33 9. 05 8. 79 7. 46	8 55 8 57 8 30 7 70

FORT Y'ORTH

Kind and grade	Jan.	Feb.	Mar.	Apr.	May	June	July
Butcher, bacon, and shipper hogs: Medium to choice— Heavyweight (260-350 pounds) Medium weight (200-250 pounds) Common to choice— Lightweight (160-200 pounds)	7. 16 6. 62	Dolls. 7. 07 7. 05 6. 50	Dolls. 7. 06 7. 17 6. 58	Dolls. 7. 28 7. 34 6. 85	7. 24 7. 35 6. 90	Dolls. 7. 09 7. 18 6. 75	Dolla. 8. 09 8. 16 7. 86
Light lights (130-160 pounds) Packing hogs: Smooth Rough Slaughter pigs (130 pounds down), medium to choice. Bulk of sales. Top	6. 18 5. 82 4. 51 7. 11	5. 98 6. 26 5. 76 4. 65 7. 06 7. 65	6. 12 6. 36 5. 86 4. 70 7. 10 7. 60	6. 51 6. 38 5. 88 5. 85 7. 26 7. 65	6. 69 6. 38 5. 68 5. 53 7. 31 7. 75	6. 54 6. 31 5. 75 5. 71 7. 08 7. 50	7. 43 6. 86 6. 23 6. 40 8. 07 10. 75
Kind and grade		Aug.	Sept	Oct.	Nov.	Dec.	Aver-
Butcher, bacon, and shipper hogs: Medium to choice— Heavyweight (260-250 pounds)		Dolle. 9.62 9.72	Dolla. 9. 47 9. 56	Dolls. 10. 08 10. 16	Dolls. 9. 40 9. 47	Dolls. 9. 87 9. 95	Dolls 8. 28 8. 36
Common to choice— Lightweight (180-200 pounds) Light lights (180-160 pounds) Packing hogs: Smooth		8.79	9. 41 8. 70 8. 14	9. 96 9. 38 8. 98	9. 21 8. 40 8. 52	9. 55 8. 46 8. 95	7. 98 7. 42 7. 28
Sincoth Rough Sisughter pigs (130 pounds down), medium to choice. Bulk of sales. Top.		7. 58	7. 50 7. 60 9. 46 10. 20	8. 81 8. 41 10. 06 11. 85	7. 82 7. 60 9. 41 10. 50	8. 05 7. 51 9. 88 11. 10	6. 66 6. 81 8. 26 111. 86

¹Top price for year.

Table 513.—Hogs: Average and top price per 100 pounds, at six markets, by months, 1924—Continued

KANSAS CITY

Kind and grade

Jan. Feb. Mar. Apr. May June July

	l	ł					
Butcher, bacon, and shipper hogs: Medium to choice—	Dolls.	Dolls.	Dolls.	Dolls.	Dolls.	Dolls.	Dolls.
Heavyweight (260-250 nounds)	7.01	6. 99	7.19	7. 19	7. 19	6. 96	8. 05
Heavyweight (250-350 pounds)	6.95	6. 92	7. 10	7. 17	7. 16	6.92	8.04
Common to choice—		1	1				
Lightweight (160-200 pounds)	6. 62	6. 51	6.77	6.82	6.87	6.65	7.83
Light lights (130-160 pounds)	6. 24	5.88	6. 20	6. 33	6. 32	6.11	7. 20
Packing hogs:							
Smooth	6. 45	6. 21	6.34	6. 53	6.61	6. 82	7. 19
Rough. Blaughter pigs (130 pounds down), medium to choice. Feeder and stocker pigs (70-130 pounds), common to	6. 27 5. 74	6. 05 5. 53	6. 18 5. 92	6.35 6.09	6 46 5. 94	6 19 5. 56	7. 00 6. 32
Feeder and stocker nice (70–130 normals) common to	0.72	0.00	9. 72	0. 05	D. 52	0.00	0. 02
choice	4.73	4. 52	5. 25	5. 39	5 19	5 08	6. 06
Bulk of sales	6 90	6.80	7. 10	7 09	7. 11	6. 86	7. 94
Bulk of sales	7. 30	7. 50	7.45	7, 50	7. 50	7. 25	10.75
]	1					
Kind and grade		Aug	Sept.	Oct	Nov.	Dec.	Aver-
Butcher, bacon, and shipper hogs.						1	
Butcher, bacon, and shipper hogs. Medium to choice—		Dolla.	Dolls.	Dolls.	Dolls.	Dolls.	Dolla.
Heavyweight (250-350 pounds) Mediumweight (200-250 pounds)		9 50	9. 58	10 21 10 24	9. 19	9.75	8.23
Mediumweight (200-250 pounds)		9 59	9.68	10.24	9. 13	9. 68	8. 22
Common to choice—		9, 54	9.64	10.04	8.64	امما	7.01
Lightweight (160-200 pounds) Light lights (130-160 pounds)		8. 84	8, 86	9.09	7.66	9.04 8.35	7. 91 7. 26
Packing hogs:		0.04	0.00	₽. UØ	00	0.00	1.20
8mooth		8 29	8, 55	9 33	8 47	9. 28	7.46
			8 34	9 00	8. 22	9.08	7. 27
Rough Slaughter pigs (130 pounds down), medium to choice. Feeder and stocker pigs (70–130 pounds), common to c		7. 58	7. 91	8. 25	6.68	6. 97	6.54
Feeder and stocker pigs (70–130 pounds), common to c	choice	7. 55	7. 26	7. 22	6 41	6 03	5.88
Bulk of sales Top		9 38	9 44	10.00	8 98	9. 56	8. 10
l'op		10 30	10 35	11, 70	9 80	10.60	111. 70
Kind and grade	Jan.	Feb.	Mar.	Apr.	May	June	July
Butcher, bacon, and shipper hogs. Medium to choice—	Dolls.	Dolls.	Dolls.	Dolls.	Dolls.	Dolls.	Dolls.
Heavyweight (250-350 pounds)	6 91	6, 86	7. 13	7. 08	7 04	6. 84	7. 78
Mediumweight (200-250 pounds)		6. 74	7. 02	7.04	6. 94	6. 69	7.69
Common to choice—	l .			1			
Lightweight (160-200 pounds) Light lights (130-160 pounds)	6. 64	6. 46	6. 75	6.79	6 63	6. 37	7.48
Light lights (130–160 pounds)	6 00	5. 91	6. 36	6. 55	6. 38	6.08	6.98
Packing hogs: Smooth	6, 63	6. 38	6, 52	6.61	6, 52	0.00	~ ~
		6.20	6. 35	6. 42	6. 34	6. 28 6. 07	7. 20 6. 91
Rough	0. 20	0.20		0.74	0.04	4. 74	4.83
7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		1		i .	4 14		
reeder and stocker digs (70-130 dounds), common to	1				4. 94	2. (2	4
choice	1	4. 81	4, 91	5. 65	5. 43	4. 99	5. 85
reeder and stocker pigs (70–130 pounds), common to choice	1	6.74	4. 91 7. 02	7.02	5. 43 6. 93	4. 99 6. 67	7, 58
reeder and stocker pigs (70-130 pounds), common to choloe Bulk of sales	1		4, 91		5. 43	4. 99	
rescer and stocker pigs (70-130 pounds), common to choice	1	6.74	4. 91 7. 02	7.02	5. 43 6. 93	4. 99 6. 67	7, 58 10, 50
rescer and stocker pigs (70-130 pounds), common to choice. Bulk of sales. Top. Kind and grade	1	6.74	4. 91 7. 02	7.02	5. 43 6. 93	4. 99 6. 67	7, 58
choice. Bulk of sales. Top. Kind and grade	1	6. 74 7. 15	4. 91 7. 02 7. 35	7. 02 7. 50	5. 43 6. 93 7. 35	4. 99 6. 67 7. 15	7, 58 10, 50 Aver-
Kind and grade Butcher, bacon, and shipper hogs: Medium to pholos—	5. 19 6. 79 7. 35	6. 74 7. 15 Aug.	4. 91 7. 02 7. 35	7. 02 7. 50 Oct.	5. 43 6. 93 7. 35	4. 99 6. 67 7. 15	7. 58 10. 50 Aver- age
Kind and grade Butcher, bacon, and shipper hogs: Medium to pholos—	5. 19 6. 79 7. 35	6. 74 7. 15 Aug.	4. 91 7. 02 7. 35 Sept.	7. 02 7. 50 Oct.	5. 43 6. 93 7. 35 Nov.	4. 99 6. 67 7. 15 Dec. Dolle. 9. 60	7, 53 10, 50 Average
Butcher, becon, and shipper hogs: Medium to choice— Heavyweight (250-350 pounds) Mediumweight (300-280 pounds)	5. 19 6. 79 7. 35	6. 74 7. 15 Aug.	4. 91 7. 02 7. 35 Sept.	7. 02 7. 50 Oct.	5. 43 6. 93 7. 35 Nov.	4. 99 6. 67 7. 15 Dec.	7. 58 10. 50 Aver- age
Butcher, bacon, and shipper hogs: Medium to choice— Heavyweight (250-350 pounds) Medium to choice— Gommon to choice—	5. 19 6. 79 7. 35	Aug. Dolls. 9. 20 9. 30	4, 91 7, 02 7, 35 Sept. Dolls. 9, 37 9, 48	7. 02 7. 50 7. 50 Oct. Dolls. 9. 97 9. 96	5. 43 6. 93 7. 35 Nov. Dolla. 8. 96 8. 86	4. 99 6. 67 7. 15 Dec. Dolle. 9. 60 9. 45	7, 58 10, 50 Average Dolls. 8, 06 8, 00
Butcher, bacon, and shipper hogs: Medium to choice— Heavyweight (250-350 pounds) Medium to choice— Gommon to choice—	5. 19 6. 79 7. 35	Aug. Dolls. 9. 20 9. 30	A. 91 7. 02 7. 35 Sept. Dolls. 9. 37 9. 48 9. 19	7. 02 7. 50 7. 50 Oct. Della. 9. 97 9. 96 9. 87	5. 43 6. 93 7. 35 Nov. Dolls. 8. 96 8. 86 8. 21	4. 99 6. 67 7. 15 Dec. Dolle. 9. 60 9. 45 8. 98	7, 58 10, 50 Average Dolls. 8, 96 8, 00 7, 66
Kind and grade Kind and grade Kind and grade Butcher, becon, and shipper hogs: Medium to choice— Heavyweight (250-350 pounds) Mediumweight (200-280 pounds) Common to choice— Lightweight (160-300 pounds) Light lights (130-160 pounds)	5. 19 6. 79 7. 35	Aug. Dolls. 9. 20 9. 30	4, 91 7, 02 7, 35 Sept. Dolls. 9, 37 9, 48	7. 02 7. 50 7. 50 Oct. Dolls. 9. 97 9. 96	5. 43 6. 93 7. 35 Nov. Dolla. 8. 96 8. 86	4. 99 6. 67 7. 15 Dec. Dolle. 9. 60 9. 45	7, 58 10, 50 Average Dolls. 8, 06 8, 00
Butcher, becon, and shipper hogs: Medium to choice— Heavyweight (250-350 pounds) Mediumweight (200-250 pounds) Lightweight (160-200 pounds) Light lights (130-160 pounds)	5. 19 6. 79 7. 35	Aug. Dolls. 9.20 9.30 9.08 8.64	A. 91 7. 02 7. 35 Sept. Dolls. 9. 37 9. 48 9. 19 8. 69	7. 02 7. 50 7. 50 Oct. Dolls. 9. 97 9. 98 9. 87 8. 85	5. 43 6. 93 7. 35 Nov. Dolls. 8. 96 8. 86 8. 21 7. 53	4. 99 6. 67 7. 15 Dec. Dolle. 9. 60 9. 45 8. 93 7. 98	7. 58 10. 50 Average Dolls. 8. 06 8. 00 7. 66 7. 18
Butcher, bacon, and shipper hogs: Medium to choice— Heavyweight (250-350 pounds) Mediumweight (200-260 pounds) Mediumweight (200-200 pounds) Light lights (130-160 pounds) Packing hogs: Smooth. Rough	5. 19 6. 79 7. 35	0.74 7.15 Aug. Dolls. 9.20 9.30 9.08 8.64 8.47 8.14	A. 91 7. 02 7. 35 Sept. Dolls. 9. 37 9. 48 9. 19	7. 02 7. 50 7. 50 Oct. Dolls. 9. 97 9. 96 9. 87 8. 85 9. 55	5. 43 6. 93 7. 35 Nov. Dolls. 8. 96 8. 86 8. 21 7. 53 8. 53 8. 53	## 4.99	7, 53 10, 50 Average Dolls. 8, 95 8, 90 7, 66 7, 18 7, 56
Butcher, bacon, and shipper hogs: Medium to choice— Heavyweight (250-350 pounds) Mediumweight (200-260 pounds) Mediumweight (200-200 pounds) Light lights (130-160 pounds) Packing hogs: Smooth. Rough	5. 19 6. 79 7. 35	0.74 7.15 Aug. Dolls. 9.20 9.30 9.08 8.64 8.47 8.14	4. 91 7. 02 7. 35 Sept. Dolls. 9. 37 9. 48 9. 19 8. 69 8. 69	7. 02 7. 50 Oct. Dolls. 9. 97 9. 96 9. 87 8. 85 9. 55 9. 30	5. 43 6. 93 7. 35 Nov. Dolls. 8. 96 8. 86 8. 21 7. 53 8. 53 8. 53	4. 99 6. 67 7. 15 Dec. Dolls. 9. 60 9. 45 8. 98 7. 98 9. 20 8. 99 6. 55	7, 53 10, 50 Average Dolls. 8, 95 8, 90 7, 18 7, 56 7, 28
Butcher, bacon, and shipper hogs: Medium to choice— Heavyweight (250-350 pounds) Mediumweight (200-260 pounds) Light weight (180-200 pounds) Light lights (130-160 pounds) Packing hogs: Smooth. Rough	5. 19 6. 79 7. 35	0.74 7.15 Aug. Dolls. 9.20 9.30 9.08 8.64 8.47 8.14	4. 91 7. 02 7. 35 Sept. Dolls. 9. 37 9. 48 9. 19 8. 69 8. 62 6. 67	7. 02 7. 50 Oct. Dolls. 9. 97 9. 96 9. 87 8. 85 9. 55 9. 30	5. 43 6. 93 7. 35 Nov. Dolls. 8. 96 8. 86 8. 21 7. 53 8. 53 8. 30 6. 35	4. 99 6. 67 7. 15 Dec. Dolls. 9. 60 9. 45 8. 98 7. 98 9. 20 8. 99 6. 55 5. 59	7, 58 10, 50 Average Dolls. 8, 95 8, 90 7, 56 7, 18 7, 56 7, 38
Butcher, bacon, and shipper hogs: Medium to choice— Heavyweight (250-350 pounds) Mediumweight (200-250 pounds) Common to choice— Lightweight (180-200 pounds) Light lights (130-160 pounds) Packing hogs: Smooth	5. 19 6. 79 7. 35	0.74 7.15 Aug. Dolls. 9.20 9.30 9.08 8.64 8.47 8.14	4. 91 7. 02 7. 35 Sept. Dolls. 9. 37 9. 48 9. 19 8. 69 8. 69	7. 02 7. 50 Oct. Dolls. 9. 97 9. 96 9. 87 8. 85 9. 55 9. 30	5. 43 6. 93 7. 35 Nov. Dolls. 8. 96 8. 86 8. 21 7. 53 8. 53 8. 53	4. 99 6. 67 7. 15 Dec. Dolls. 9. 60 9. 45 8. 98 7. 98 9. 20 8. 99 6. 55	7, 53 10, 50 Average Dolls. 8, 95 8, 90 7, 18 7, 56 7, 28

¹ Top price for year.

TABLE 513.—Hogs: Average and top prices per 100 pounds, at six markets, by months, 1924—Continued

SOUTH ST. PAUL

Kind and grade	Jan.	Feb.	Mar.	Apr.	May	June	July
Butcher, bacon, and shipper hogs: Medium to choice—							
Medium to choice—	Dolla.	Dolls.	Dolls.	Dolls.	Dolls.	Dolla.	Dolla.
Heavyweight (250-250 pounds)	6. 75 6. 75	6. 78 6. 77	6. 99 6. 98	7. 00 7. 01	7. 01 7. 00	6. 77 6. 73	7.76 7.74
Lightweight (160-200 pounds)	6.67	6.70	6.92	7.00	6.92	6, 66	7.64
Light lights (130-100 pounds)	6.40	6.42	6.62	6.87	6.72	6.44	7.20
Packing hogs:	0.20	U		w. 5.	0.12	U- 22	
Smooth	6.17	6.07	6.22	6.49	6.44	6.08	6.97
Rough	6.01	5.86	5. 98	6.12	6. 25	5. 86	6, 69
Slaughter pigs (180 pounds down), medium to choice.	5.84	5.78	5.83	6.41	6.16	5.89	
Feeder and stocker pigs (70-180 pounds), common to	4.00						۱
choice	4. 92 6. 70	4. 86 6. 76	5.04 6.98	6. 12 7. 03	5.94	5. 70	6.20
Bulk of sales	7.15	7.10	7. 20	7. 35	7.00 7.35	6. 67 7. 10	7. 35 10. 65
145	7. 10	120	1.20	1.00	1.00	1. 20	14.00
		1	 	 	1	1	1
Kind and grade				l .	}	•	
		Aug.	Sept.	Oct.	Nov.	Dec.	Aver- age
Butcher, bacon, and shipper hogs:		Aug.	Sept.	Oct.	Nov.	Dec.	
Butcher, bacon, and shipper hogs: Medium to choice—		Dolla	Sept.	Oct. Dolls.	Nov.	Dec.	age
Medium to choice		Dolla	Dolla. 9.53	Dolls. 9.81	Dolls. 8.72	Dolls. 9. 29	Dolls.
Medium to choice— Heavyweight (250-350 pounds) Mediumweight (200-250 pounds)		Dolla	Dolla.	Dolls.	Dolls. 8.72	Dolls.	Dolls.
Medium to choice— Heavyweight (250-350 pounds) Mediumweight (200-250 pounds) Cammon to choice—		Dolls. 9. 36 9. 42	Dolla. 9. 53 9. 56	Dolls. 9. 81 9. 85.	Dolls. 8. 72 8. 63	Dolls. 9. 29 9. 16	Dolls. 7. 95
Medium to choice— Heavyweight (250-350 pounds) Mediumweight (200-250 pounds) Common to choice— Lightweight (160-200 pounds)		Dolls. 9. 36 9. 42 9. 84	Dolls. 9. 53 9. 56 9. 45	Dolls. 9.81 9.85.	Dolls. 8. 72 8. 63 8. 34	Dolls. 9. 29 9. 16 8. 71	Dolls. 7. 98 7. 97
Medium to choice— Heavyweight (250-850 pounds) Mediumweight (200-280 pounds) Common to choice— Lightweight (160-200 pounds) Light lights (130-160 pounds)		Dolls. 9. 36 9. 42 9. 84	Dolla. 9. 53 9. 56	Dolls. 9. 81 9. 85.	Dolls. 8. 72 8. 63	Dolls. 9. 29 9. 16	Dolls. 7. 98 7. 97
Medium to choice— Heavyweight (250-350 pounds) Mediumweight (200-250 pounds) Common to choice— Lightweight (160-200 pounds) Light lights (130-160 pounds) Packing hogs:		Dolls. 9. 36 9. 42 9. 34 8. 85	Dolls. 9. 53 9. 56 9. 45	Dolls. 9.81 9.85. 9.65 9.01	Dolls. 8. 72 8. 63 8. 34 7 62	Dolls. 9. 29 9. 16 8. 71 7. 84	Dolls. 7. 98 7. 83 7. 41
Medium to choice— Heavyweight (250-250 pounds) Mediumweight (200-250 pounds) Common to choice— Lightweight (160-200 pounds) Light lights (130-160 pounds) Packing hogs: Smooth		Dolls. 9. 36 9. 42 9. 34 8. 85	Dolls. 9. 53 9. 56 9. 45 8. 84	Dolls. 9.81 9.85.	Dolls. 8. 72 8. 63 8. 34	Dolls. 9. 29 9. 16 8. 71	Dolls. 7. 96 7. 97 7. 82 7. 41 7. 32
Medium to choice— Heavyweight (250-350 pounds) Mediumweight (200-250 pounds) Common to choice— Lightweight (160-200 pounds) Light lights (130-160 pounds) Packing hogs: Smooth Rough Reugh Sharehter pics (130 pounds down), medium to choice		Dolls. 9. 36 9. 42 9. 34 8. 85 8. 25 8. 00	Dolls. 9. 53 9. 56 9. 45 8. 84 8. 76 8. 49	Dolls. 9.81 9.85 9.65 9.01 9.29 9.01 6.61	Dolls. 8, 72 8, 63 8, 34 7, 62 8, 36 8, 10 6, 19	Dolls. 9. 29 9. 16 8. 71 7. 84 8. 75 8. 50 6. 55	Dolls. 7. 98 7. 97 7. 83 7. 41 7. 32 7. 07
Medium to choice— Heavyweight (250-850 pounds) Mediumweight (200-250 pounds) Common to choice— Lightweight (160-200 pounds) Light lights (130-160 pounds) Packing hogs: Smooth Rough Slaughter pigs (130 pounds down), medium to choice Feeder and stocker pigs (70-130 pounds), common to	e	Dolls. 9.86 9.42 9.84 8.85 8.25 8.00	Dolls. 9. 53 9. 56 9. 45 8. 84 8. 76 8. 49 7. 54	Dolls. 9. 81 9. 85 9. 65 9. 01 9. 29 9. 01 6. 61 7. 18	Dolls. 8. 72 8. 63 8. 34 7 62 8. 36 8. 10 6. 19 6. 82	Dolls. 9. 29 9. 16 8. 71 7. 84 8. 75 8. 50 6. 55 6. 30	Dolls. 7. 98 7. 97 7. 83 7. 41 7. 32 7. 07 6. 18
Medium to choice— Heavyweight (250-850 pounds). Mediumweight (200-280 pounds). Common to choice— Lightweight (160-200 pounds). Light lights (130-160 pounds). Packing hogs: Smooth. Rough. Shaughter pigs (130 pounds down), medium to choice Peeder and stocker pigs (70-130 pounds), common to a Built of sales.	enoice.	Dolls. 9. 86 9. 42 9. 84 8. 85 8. 25 8. 00 7. 77 9. 05	Dolls. 9. 53 9. 56 9. 45 8. 84 8. 76 8. 49 7. 54 9. 18	Dolls. 9. 81 9. 85, 9. 65 9. 01 9. 29 9. 01 6. 61 7. 18 9. 54	Dolle. 8. 72 8. 63 8. 34 7 62 8. 36 8. 10 6. 19 5. 82 8. 44	Dolls. 9. 29 9. 16 8. 71 7. 84 8. 75 8. 50 6. 55 6. 30 8. 95	Dolls. 7. 98 7. 97 7. 83 7. 41 7. 32 7. 07 6. 13 6. 12 7. 80
Medium to choice— Heavyweight (250-850 pounds) Mediumweight (200-250 pounds) Common to choice— Lightweight (160-200 pounds) Light lights (130-160 pounds) Packing hogs: Smooth Rough Slaughter pigs (130 pounds down), medium to choice Feeder and stocker pigs (70-130 pounds), common to	enoice.	Dolls. 9. 86 9. 42 9. 84 8. 85 8. 25 8. 00 7. 77 9. 05	Dolls. 9. 53 9. 56 9. 45 8. 84 8. 76 8. 49 7. 54	Dolls. 9. 81 9. 85 9. 65 9. 01 9. 29 9. 01 6. 61 7. 18	Dolls. 8. 72 8. 63 8. 34 7 62 8. 36 8. 10 6. 19 6. 82	Dolls. 9. 29 9. 16 8. 71 7. 84 8. 75 8. 50 6. 55 6. 30	Dolls. 7. 98 7. 97 7. 83 7. 41 7. 32 7. 07 6. 18

Division of Statistical and Historical Research. C unpiled from data of the reporting service of the Livestock, Meats, and Wool Division.

Table 514.—Hogs: Trend of average farm prices and average market prices per 100 pounds, at Chicago, 1910-1924

Year	Weight- ed aver-	age market			Year	Weight- ed aver-	age market	Price relatives 1913-100	
	farm price	price at Chi- cago	Farm price	Market price		farm price	price at Chi- cago	Farm price	Market price
1910	Dollars 8. 12 6. 29 6. 64 7. 44 7. 51 6. 56 8. 11 13. 41	Dollars 8. 90 6. 70 7 55 8. 35 8. 30 7. 10 9 60 15. 10	109. 1 84. 5 89. 2 100. 0 100. 9 88. 2 109. 0 180. 2	106 6 80, 2 90, 4 100, 0 99 4 85, 0 115, 0 180, 8	1918	Dollars 15. 82 16. 04 12. 85 7. 85 8. 32 7 11. 7. 46	Dollars 17. 45 17. 85 13. 91 8. 51 9. 22 7. 55 8. 11	212 6 215. 6 172. 7 105. 5 111. 8 95. 6 100. 3	209. 0 213. 8 166. 6 101. 9 110. 4 90. 4 97. 1

Division of Statistical and Historical Research. Farm prices from Division of Crop and Livestock Estimates; market prices compiled from data of the reporting service of the Livestock, Meats, and Wool Divi-

¹ Top price for year.

Table 515.—Swine: Slaughter in United States, by States, 1909, 1914, 1919, and 1921 1

		19	09		1914 2
State	In wholesale slaughtering and meat packing es- tablishments	Retail slaughter	On farms and ranges	Total alaughter	In wholesale slaughtering and meat packing es- tablishments
California. Colorado. Illinois. Indiana. Iowa.	Number 344, 319 276, 618 7, 293, 544 1, 751, 454 2, 487, 251	Number 134, 523 34, 340 410, 221 256, 527 139, 525	Number 82, 270 52, 081 762, 545 646, 581 507, 167	Number 561, 112 363, 039 8, 406, 310 2, 654, 502 3, 133, 943	Number 400, 300 259, 821 7, 205, 510 1, 840, 811 2, 394, 061
Kansas Maryland Massachusetts Michigan Minneseta	4, 191, 927 554, 761 1, 501, 456 444, 756 1, 063, 655	73, 184 110, 163 67, 576 150, 426 88, 133	377, 566 180, 406 27, 754 381, 247 314, 597	4, 642, 677 845, 330 1, 596, 786 976, 429 1, 466, 385	2, 825, 764 622, 626 1, 263, 238 761, 380 1, 559, 491
Missouri Nebraska New Jersey New York Ohio	2, 471, 658 2, 103, 602 1, 210, 649 1, 802, 669 1, 725, 285	128, 490 59, 303 390, 730 214, 157 275, 988	949, 318 261, 515 73, 709 386, 264 768, 195	3, 549, 466 2, 424, 420 1, 675, 288 2, 403, 090 2, 769, 463	2, 793, 430 2, 105, 510 1, 297, 313 1, 725, 688 1, 911, 600
Pennsylvania. • Texas Washington West Virginia Wisconsin. All other States	1, 222, 880 939, 674 239, 352 124, 914 1, 078, 361 1, 041, 631	120, 616 135, 301 51, 877 22, 383 114, 993 991, 984	675, 939 885, 260 92, 600 206, 701 386, 243 7, 360, 559	2, 019, 435 1, 900, 235 383, 829 353, 998 1, 579, 597 9, 394, 174	1, 573, 974 570, 18 373, 32 171, 89 1, 110, 449 1, 675, 524
Total	33, 870, 616	3, 970, 435	15, 378, 517	53, 219, 568	34, 441, 912
			1919 3		1921
State		In wholesale slaughtering and meat packing es- tablishments	On farms and ranges	Total whole- sale and farm slaughter	In wholesale slaughtering and meat packing es- tablishments
California		Number 500, 123 896, 876 9, 976, 191 2, 104, 268 3, 302, 333	Number 109, 582 104, 330 723, 838 579, 941 537, 961	Number 609, 705 501, 206 10, 700, 029 2, 684, 209 3, 840, 294	Number 630, 512 370, 835 7, 827, 427 1, 766, 428 3, 092, 728
Kansas Maryland Massachusetts Michigan Minnesota		4, 538, 052 654, 438 1, 452, 449 881, 030 2, 197, 152	348, 435 189, 898 36, 413 348, 798 379, 611	4, 886, 487 844, 336 1, 458, 862 1, 229, 828 2, 576, 763	8, 149, 278 930, 303 980, 641 893, 399 2, 759, 604
Missouri Nebraska New Jersey New York Ohio		3, 506, 211 2, 995, 220 1, 242, 798 1, 614, 479 2, 542, 304	796, 082 268, 025 64, 745 404, 104 732, 636	4, 302, 293 3, 263, 245 1, 307, 543 2, 018, 583 3, 274, 940	8, 285, 756 2, 082, 381 1, 481, 551 1, 862, 042 2, 811, 196
Pennsylvania. Taxas. Weshington West Virginia Wisconsin All other States	1	1, 668, 910 696, 255 301, 429 816, 827 1, 444, 115 2, 224, 266	693, 406 918, 246 128, 467 245, 865 438, 831 8, 751, 026	2, 357, 316 1, 614, 501 429, 896 562, 682 1, 882, 946 10, 975, 292	2, 292, 709 449, 602 895, 560 818, 602 1, 288, 793 2, 207, 784
Total	i	44, 520, 726	16, 800, 280	61, 320, 956	40, 726, 786

Division of Statistical and Historical Research. Compiled from reports of the Bureau of Census.

In addition there were 2,898,994 hogs slaughtered on a custom basis in 1914 and 2,290,539 for 1919. No corresponding data for 1969 or 1921.
 No data collected by Bureau of the Census for 1914 or 1921 on farm or retail slaughter.
 No data obtainable for retail slaughter in 1919.

TABLE 516.—Hogs: Prices of live hogs in Chicago, and wholesale and retail prices of certain pork products, 1915–1924

Retail 1

Bacon

Retail

Short clear sides, wholesale

Hams

Smoked, whole-

Price of live

	Of 11AG					*****	WORSTA		
Year	hicago (Per 100 lbs.)	Chicago, (Price per pound)	of live hog	In lead- ingcities (Price per pound)	Per cent of live hog price	Chicago (Price per pound)	, Per cen of live hos price	THE CYPIES	Per cent of live hog price
1913_ 1914_ 1915_ 1916_ 1917_ 1918_	Dollars 8. 35 8. 30 7. 10 9. 60 15. 10 17. 45	Cents 16. 6 16. 7 15. 3 18. 5 25. 2 81. 8	Per cent 199 201 215 198 167 182	Cente 26. 9 27. 8 26. 1 29. 4 38. 2 47. 9	Per cent 868 306 253 274	Cents 12. 7 18. 2 11. 6 14. 9 24. 8 27. 9	Per cen 152 159 163 155 164 160	27. 0 27. 5 26. 9 28. 7 41. 0	Per cent 323 331 379 299 272 303
1919 . 1920 . 1921 . 1922 . 1923 . 1924 .	17. 85 18. 91 8. 51 9. 22 7. 55 8. 11	34. 3 33. 4 26. 8 26. 5 21. 2 20. 2	192 240 315 287 281 249	53. 4 55. 5 48. 8 48. 8 45. 5 45. 3	299 399 573 529	29. 1 20. 7 18. 5 14. 1 12. 0 14. 4	163 149 159 153 159 178	52. 3 42. 7 39. 8 39. 1	310 876 502 432 518 465
January February March April	7. 10 7. 06 7. 35 7. 36 7. 34	19. 3 18. 4 18. 9 19. 0	272 261 257 258 264	44. 6 44. 0 48. 6 48. 8 44. 3	595 604	10. 8 10. 8 10. 9 10. 9	152 153 148 148 *155	36. 6 36. 3 36. 2	524 518 494 492 492
May June July August	7. 04 7. 68 9. 38	19. 6 20. 4 22. 2	278 266 237	44. 6 44. 7 46. 5	634 582 496	12. 1 13. 1 17. 5	. 172 171 187	36. 2 36. 4 38. 3	514 474 408
September October November December	9. 57 9. 91 8. 97 9. 38	22. 3 21. 6 20. 5 20. 7	233 218	46. 9 47. 2 46. 9 46. 6	490 476	17. 4 19. 1 19. 1 19. 5	182 193 213 208	40. 1	411 405 447 425
		Fr	esh pork				Las	:d	
¥	Porl who	k loins, olesale	•	rk c .ops	, 1	rime con wholes	tract,	Ret	ail
Year	Pori who Chicago (Prica per pound)	olesale	Po nt In lea ing cit.	d- Per dies o live	cent Y	wholes	ale Per cent	Ret In lead- ing cities (Price per pound)	Per cent of live hog price
1918 1914 1915 1916	Chicago (Price per	Per ce:	Po In leasing cit. (Price per pounce of Centers 21, 20, 22, 31, 22, 31, 32, 31, 32, 31, 32, 31, 32, 31, 32, 31, 32, 31, 32, 31, 32, 31, 32, 31, 31, 32, 31, 31, 32, 31, 31, 32, 31, 31, 31, 31, 31, 31, 31, 31, 31, 31	retai. d- ies 0 live pri s Per (cent Y f hog (1	wholeso New Fork, Price 1: per bund)	er cent of ive hog	In lead- ing cities (Price per	Per cent of live hog
1918 1914 1915 1916 1917 1918 1919 1920 1921 1922	Who Chicago. (Prios per pound) Cents 14. 9 15. 4 14. 3 16. 2	Per cerebility of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the	Po In leasing ctt (Price per pounce in Central 20, 198 22, 22, 23, 199 39, 399 32, 24, 44, 44, 45, 55, 33, 38, 38, 38, 38, 38, 38, 38, 38, 38	d- d- oe live pri s Per (0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	cent 1 hog (1 hog po cent (2 251 265 286 236 211	wholess Yew York, Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price Price	er cent of ve hog price er cent 132 125 132 141	In leading cities (Price per pound) Cents 15. 8 15. 6 14. 8 17. 5 27 6	Per cent of live hog price Per cent 189 188 206 182 183
1918 1914 1916 1918 1919 1929 1921 1922 1923 1924 January Fabruary March April	who Chicago. (Price per pound) Cents 14. 9 15. 4 14. 3 16. 2 24. 4 29. 5 31. 5 20. 7 22. 7 18. 0 19. 1	Per ceoff of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the price of the p	Po In leasing ctt (Price per pounce int Cental 20, 19, 19, 19, 19, 19, 19, 19, 19, 19, 19	d- Per coole live pri s . 0 . 0 . 3 . 3 . 3 . 3 . 3 . 4 . 8 . 4 . 7 . 9 . 7	coent Y hos oc po coent (251 265 286 231 231 241 341 388 403 3886 378	wholess Vew, F Price in per in in in in in in in in in in in in in	rer cent of the hog price of the hog price 132 132 132 141 146 162 144 146 163 166 158 154	In leading cities (Price per pound) Cents 15. 8 15. 6 14. 8 17. 5 27 6 6 33. 3 36. 9 29. 5 18. 0 17. 7 19. 0 18. 7 18. 0 17. 7 19. 0	Per cent of live hog price Per cent 189 188 206 182 183 191 207 212 212 184 224
1918 1914 1915 1916 1918 1919 1920 1921 1922 1923 1924 January Fabruary	who Chicago. (Price per pound) Cente 14. 9 15. 4 14. 2 24. 4 22. 5 21. 7 18. 0 19. 1	Per cerebian de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta d	Po In leasing cit (Price per pounce of the per pounce of the per pounce of the per pounce of the per pounce of the per pounce of the per pounce of the per pounce of the per pounce of the per pounce of the per pounce of the per pounce of the per pounce of the per pounce of the per per per per per per per per per pe	retai. d- per coe live pri s Per co 0 live pri 3 3 3 9 0 4 4 8 4 7 7 9 7 7 9 2 2 3 8 8	cent Y hog Oe po cent 251 255 286 221 223 236 231 223 237 237 304 410 358 403	wholess Vew, F Price is per in 11.0 10.4 9.4 13.5 21.7 25.5 29.0 20.0 21.1 11.2 23.3 12.8 11.8	rer cent of two hos price rent 132 125 132 141 146 162 144 130 125 163 164 180 166 158	In leading cities (Price per pound) Cents 15. 8 15. 6 14. 8 17. 5 27 6 6 33. 8 36. 9 29. 5 18. 0 17. 7 19. 0 18. 7 18. 0 17. 7 19. 0 17. 7 19. 0 17. 5	Per cent of live hog price Per cent 189 188 208 182 183 191 207 212 212 184 234 234

Division of Statistical and Historical Research. Wholesale prices of ham, becon, and pork loins in Chicago and of lard in New York. Retail prices in leading cities throughout the United States. Price of live hogs, Bureau of Agricultural Economics; other prices from Bureau of Labor Statistics.

¹ Mostly on sliced hem.

1907-1924
inspection,
· Federal
er under
slaught
Monthly
-Hogs:
тя 517
TABLI

22, 885, 377 38, 643, 101 31, 394, 896 26, 013, 783 34, 132, 965	38, 186, 28 186, 38 188, 38 188, 38 188, 38 38, 38 30, 38	33, 900, 704 41, 214, 230 35, 018, 980	25. 113. 25. 25. 113. 25. 25. 27. 25. 27. 27. 27.
3, 060, 560 3, 060, 242 2, 836, 749 3, 602, 749 3, 602, 875	3, 406, 795 3, 918, 685 4, 270, 600 5, 441, 833 5, 267, 043	3, 722, 590 5, 661, 890 4, 790, 353 3, 966, 126	3, 806, 797 5, 201, 437 5, 908, 759 6, 600, 306
2 184 622 8 802 740 2 800, 080 2 455, 664 3 639, 289	3, 020, 326 3, 165, 206 3, 047, 127 8, 738, 879 4, 770, 913	3, 042, 827 4, 280, 126 3, 270, 172 3, 828, 633	3, 447, 027 4, 318, 006 5, 340, 678 4, 640, 944
2, 218, 979 3, 368, 060 2, 397, 039 1, 850, 765 2, 719, 927	2,454,931 2,463,389 3,463,833 3,37,029	2, 195, 291 2, 018, 084 2, 685, 711 2, 486, 940	2, 866, 133 3, 331, 587 4, 327, 961 3, 499, 135
1, 988, 210 2, 230, 684 1, 955, 445 1, 563, 846 2, 171, 788	1, 701, 088 2, 132, 735 1, 907, 397 1, 890, 484 2, 287, 330	1, 321, 674 1, 980, 008 1, 997, 149 1, 978, 602	2,422,350 2,747,467 3,212,350 2,856,960
2, 300, 785 2, 231, 182 1, 821, 934 1, 824, 006 2, 031, 911	1,875,336 2,268,333 1,799,032 2,040,506 2,517,259	1, 704, 852 2, 283, 083 1, 949, 413 2, 190, 821	2, 580, 459 2, 887, 756 3, 556, 039 3, 070, 206
2, 928, 806 2, 415, 570 2, 097, 241 2, 589, 403	2, 253, 889 2, 257, 054 2, 289, 540 2, 530, 286	2, 411, 436 2, 884, 491 2, 643, 772	2, 820, 616 3, 104, 322 3, 963, 436 4, 113, 814
3, 240, 786 3, 083, 889 2, 718, 568 3, 612, 116 3, 462, 063	2, 835, 470 3, 066, 948 2, 925, 635 3, 245, 822 3, 162, 569	2, 684, 844 2, 782, 792 3, 728, 230 3, 566, 071	3, 618, 152 4, 046, 304 4, 302, 538 4, 287, 552
3, 317, 281 3, 087, 525 2, 206, 418 3, 007, 507	2, 943, 878 3, 045, 926 2, 569, 035 2, 868, 655 3, 274, 941	3,063,518 3,002,325 3,743,463 3,584,781	3, 274, 114 3, 716, 170 4, 325, 130 4, 277, 565
2, 867, 170 2, 304, 271 2, 342, 906 1, 778, 410 2, 589, 454	2, 411, 926 2, 486, 664 2, 311, 724 2, 563, 061 2, 853, 326	2, 645, 077 3, 290, 489 3, 207, 671 2, 580, 208	3,008,290 2,945,757 4,179,438 4,073,248
2, 665, 112 8, 111, 115 8, 012, 659 1, 891, 000 2, 972, 692	2, 700, 401 2, 339, 602 2, 647, 762 3, 446, 787 3, 430, 146	3, 481, 680	3, 047, 434 3, 350, 214 4, 837, 791 4, 536, 372
444444 6889 6899 6899 6894 6894 6894 689	3, 301, 965 2, 843, 947 2, 722, 763 3, 886, 177 4, 275, 667	3, 484, 014 3, 996, 084 4, 286, 317 3, 103, 530	3, 788, 887 3, 479, 907 4, 230, 575 5, 006, 230
1,4,1 2,858 2,00 3,00 3,00 3,00 3,00 3,00 3,00 3,00	25.28.28	2008 2008 123 123	865 258 248 248 248 248 248 248 248 248 248 24

PORK AND PORK PRODUCTS

TABLE 518.—Pork: Stocks of frozen, dry salt, and pickled, cured and in process of cure in cold-storage warehouses and meat-packing establishments, 1915-1924

[Thousand pounds-i. e., 000 omitted]

Year be- ginning No- vember	Nov. 1	Dec. 1	Jan. 1	Feb. 1	Mar. 1	Apr. 1	May 1	June 1	July 1	Aug. 1	Sept. 1	Oct. 1
	328, 883 517, 310	426, 392 379, 293 560, 728	559, 041 563, 600 722, 556	642, 755 725, 085 968, 715	666, 263 701, 258 876, 378 999, 756 903, 350	662, 323 967, 040 1, 004, 109	617, 668 675, 782 995, 786 999, 288 960, 706	694, 521 1, 009, 882 987, 858	729, 185 892, 871 959, 387	732, 258 844, 365 882, 448	550, 018 598, 907 720, 874 770, 504 807, 011	435, 238 579, 991 691, 915
1922 1923	359, 656 395, 171 505, 946	355, 589 419, 466	415, 096 570, 510 708, 869	484, 898 688, 924	837, 158 547, 450 783, 680 878, 086	591, 223 864, 674	802, 190 594, 241 940, 071 906, 382	635, 655 908, 771	707, 385 908, 505	683, 451 866, 159	623, 967 619, 671 754, 262 710, 871	483, 096 613, 143

Division of Statistical and Historical Research. From reports of the cold storage report section.

Table 519.—Hogs, pork, and pork products: Statement of the livestock and meat situation, by months, 1924

Thousands	Item	Unit	Jan.	Feb.	Mar.	Apr	Мау	June	July
Average live weight		Thousands	5, 911						4, 114
Average dressed weight		Pounds	217						
Total dressed weight (carcass, not including condemned).	A verses dressed weight	do	186						
cluding condemned). Lard, per 100 pounds live weight	Total dressed weight (carcass, not in-	1.000 pounds							
Lard Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Descrip	cluding condemned).	.,	,	,		,	,	,	,
Storage first of month: Fresh pork	Lard, per 100 pounds live weight	Pounds	17	17	18	18	17	18	17
Fresh pork	Storage first of month.		l						-
Exports Fresh pork	Fresh pork	1,000 pounds	26, 718	164, 491	199, 044	227, 284	215, 767	201, 728	186, 566
Exports Fresh pork	Cured pork	do	56 151	636, 399	679, 042	705, 124	692, 565	689, 381	686, 072
Exports Fresh pork	Lard	do	49, 340	54, 130	68, 610	85, 722	102, 317	127, 949	152, 520
Sausage	Exports-1	1	l .		(ŧ I			
Sausage	Fresh pork	do	6, 559			1, 983	1, 522	1, 256	
Sausage	Cured pork	do	81,822	84, 109	69, 455	59, 877	47, 586	46, 151	
Sausage	Canned pork	do	124				220		
Average cost for slughter Dollars 7. 09 7. 07 7. 19 7. 24 7. 26 6. 98 7. 60 At Calcago—Live hogs, medium do 7. 18 7. 14 7. 40 7. 18 8. 29 Weight. At eastern markets— Fresh pork loins, 10–14 pounds do 13. 93 13. 27 13. 88 16. 52 17. 28 16. 87 16. 88 Shoulders, skinned do 10. 29 9. 93 10. 17 10. 54 10. 96 10. 60 10. 82 Picnics, 6–8 pounds do 9. 33 8. 80 8. 88 9. 49 9. 98 9. 40 9. 60 Butts, Boston style do 12. 34 12. 40 12. 34 13. 54 14. 13 14. 00 14. 42 Bacous, breakfast do 19. 83 16. 87 19. 67 19. 70 20. 00 19. 85 20. 21 Hams, smoked 10–12 pounds do 20. 50. 15 20. 20. 81 20. 87 21. 88 21. 88 21. 88 21. 88 22 **Treat Pounds of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics o	Same	40	1 1028		1, 299	1,015	1, 205		
Average cost for slughter Dollars 7. 09 7. 07 7. 19 7. 24 7. 26 6. 98 7. 60 At Calcago—Live hogs, medium do 7. 18 7. 14 7. 40 7. 18 8. 29 Weight. At eastern markets— Fresh pork loins, 10–14 pounds do 13. 93 13. 27 13. 88 16. 52 17. 28 16. 87 16. 88 Shoulders, skinned do 10. 29 9. 93 10. 17 10. 54 10. 96 10. 60 10. 82 Picnics, 6–8 pounds do 9. 33 8. 80 8. 88 9. 49 9. 98 9. 40 9. 60 Butts, Boston style do 12. 34 12. 40 12. 34 13. 54 14. 13 14. 00 14. 42 Bacous, breakfast do 19. 83 16. 87 19. 67 19. 70 20. 00 19. 85 20. 21 Hams, smoked 10–12 pounds do 20. 50. 15 20. 20. 81 20. 87 21. 88 21. 88 21. 88 21. 88 22 **Treat Pounds of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics o	Lard	do	136, 154			75, 348	65, 480		
Average cost for slughter Dollars 7. 09 7. 07 7. 19 7. 24 7. 26 6. 98 7. 60 At Calcago—Live hogs, medium do 7. 18 7. 14 7. 40 7. 18 8. 29 Weight. At eastern markets— Fresh pork loins, 10–14 pounds do 13. 93 13. 27 13. 88 16. 52 17. 28 16. 87 16. 88 Shoulders, skinned do 10. 29 9. 93 10. 17 10. 54 10. 96 10. 60 10. 82 Picnics, 6–8 pounds do 9. 33 8. 80 8. 88 9. 49 9. 98 9. 40 9. 60 Butts, Boston style do 12. 34 12. 40 12. 34 13. 54 14. 13 14. 00 14. 42 Bacous, breakfast do 19. 83 16. 87 19. 67 19. 70 20. 00 19. 85 20. 21 Hams, smoked 10–12 pounds do 20. 50. 15 20. 20. 81 20. 87 21. 88 21. 88 21. 88 21. 88 22 **Treat Pounds of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics o	Imports, fresh pork	do	63						
Average cost for slughter Dollars 7. 09 7. 07 7. 19 7. 24 7. 26 6. 98 7. 60 At Calcago—Live hogs, medium do 7. 18 7. 14 7. 40 7. 18 8. 29 Weight. At eastern markets— Fresh pork loins, 10–14 pounds do 13. 93 13. 27 13. 88 16. 52 17. 28 16. 87 16. 88 Shoulders, skinned do 10. 29 9. 93 10. 17 10. 54 10. 96 10. 60 10. 82 Picnics, 6–8 pounds do 9. 33 8. 80 8. 88 9. 49 9. 98 9. 40 9. 60 Butts, Boston style do 12. 34 12. 40 12. 34 13. 54 14. 13 14. 00 14. 42 Bacous, breakfast do 19. 83 16. 87 19. 67 19. 70 20. 00 19. 85 20. 21 Hams, smoked 10–12 pounds do 20. 50. 15 20. 20. 81 20. 87 21. 88 21. 88 21. 88 21. 88 22 **Treat Pounds of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics of the Picnics o	Receipts of hogs 1	Thousands	6, 253						
Average cost for slughter Dollars 7. 09 7. 07 7. 19 7. 24 7. 26 6. 98 7. 60 At Calcago—Live hogs, medium do 7. 18 7. 14 7. 40 7. 18 8. 29 Weight. At eastern markets— Fresh pork loins, 10–14 pounds do 13. 93 13. 27 13. 88 16. 52 17. 28 16. 87 16. 88 Shoulders, skinned do 10. 29 9. 93 10. 17 10. 54 10. 96 10. 60 10. 82 Picnics, 6–8 pounds do 9. 33 8. 80 8. 88 9. 49 9. 98 9. 40 9. 60 Butts, Boston style do 12. 34 12. 40 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12. 49 12	Stocker and feeder shipments	do	50	47	52	57	46	29	23
At Cilcago—Live hogs, medium do									
weight. At eastern markets— Fresh pork loins, 10-14 pounds. do	A verage cost for slaughter	1)oliara	7.09	7.07					
At eastern markets— Fresh pork loins, 10–14 pounds—do	At Chicago—Live nogs, medium	ao	7.18	7. 34	7.40	7.41	7.40	7. 18	8. 20
Fresh pork loins, 10-14 pounds do 13. 93 13. 27 13. 88 16. 52 17. 28 16. 87 16. 36 Shoulders, skinned do 10. 29 9. 93 10. 17 10. 54 10. 96 10. 60 10. 82 Plenies, 6-5 pounds do 9. 33 8. 50 8. 58 9. 34 9. 98 9. 40 9. 50 Butts, Boston style do 12. 34 12. 40 12. 84 13. 54 14. 13 14. 00 14. 42 Bacoup, breakfast do 19. 83 19. 87 19. 67 19. 70 20. 00 19. 85 20. 21 Hams, smoked, 10-12 pounds do 20. 55 20. 15 20. 22 20. 81 20. 87 21. 98 21. 28	weight.		i		İ			1 1	
Shoulders, skinned do 10. 29 9. 98 10. 17 10. 54 10. 96 10. 60 10. 82 Picnics, 6-8 pounds do 9. 83 8. 80 8. 59 8. 9. 84 9. 98 9. 40 9. 60 Butts, Boston style do 12. 34 12. 40 12. 84 13. 54 14. 13 14. 00 14. 42 Bacoup, breakfast do 19. 83 19. 67 19. 67 19. 70 20. 60 19. 85 20. 21 Hams, smoked, 10-12 pounds do 20. 55 20. 15 20. 21 28. 11 21. 28	At eastern markets—	_ د	10.00	10 07	10 00	10 00	17 00	10.05	10.00
Bacon, breakfastdo	Tresn pork loins, 10-14 pounds.		19. 90	10.34					
Bacon, breakfastdo	Diouicers, skinned	QO	10.20						
Hams, smoked, 10-12 pounds,do	Poster Poster style	u0	1 10 04						
Hams, smoked, 10-12 pounds,do	Dutis, Dustout styre Decem been bleet	30	10 00						
Lard, tierces do 13. 66 12. 27 11. 85 12. 70 12. 98 Hogs on farms Jan. 1 Thousands 65, 301 11. 85 12. 70 12. 98	Warns emoked 10-12 pounds	do	30 44						
Hogs on farms Jan. 1	Land tieres	J	12 44						
TOBO ANT RETURN AREA	Hose on forms Ian. 1	Thousande	AK 901		21. 00	14.17	21.00	11. 10	16. 80
	WIND AN INIMO ADM: y		37,001						

¹ Including reexports.

² At public stockyards.

Table 519.—Hoge, pork, and pork products: Statement of the livestock and meat situation, by months, 1924—Continued

	T T						
Item	Unit	Aug.	Sept.	Oct.	Nov.	Dec.	Total
Inspected slaughter, hogs	Thousands	8, 070			4, 641	6, 600	
Carcasses condemned	do	18			16		208
Average live weight	Pounds	239	282	220			
A verage dressed weight	do	180		161			
Total dressed weight (carcass, not including condemned).	1,000 pounds	548, 940	492, 808	500, 043	728, 218	1,027,878	8,819,555
Lard, per 100 pounds live weight	Pounds	16	15	14	14	15	1 16
Storage first of month:			-	1			
Fresh pork	1.000 pounds	164, 049	121, 816	77, 986	42, 561	48, 781	1148,000
Cured pork	do	646, 536	569, 055	487, 187	865, 170	378, 789	1504,785
Lard	do	149, 672	124, 676	84, 198	31,706	35, 713	2 88, 879
Proposts: 3	î .		1				
Fresh pork	do	1, 952	1, 531	1,540	2, 847	5, 811	32, 803
Cured bork	QO	00.251	45, 491		36, 984	35, 866	
Canned pork	do	165	361	199	339	500	8, 274
Sausage	do	980	947	891	946	804	12,097
Lard	oh i	77. 797	67, 273	62, 112	51, 560	79, 430	971, 400
Imports, fresh pork Receipts of hogs ' Stocker and feeder shipments '	do	527	947	2, 223	478	582	5, 688
Receipts of hogs	Thousands	8, 197	3, 216	3, 990	4, 904	6, 604	55, 414
Stocker and feeder shipments	do	25	35		40		
Prices per 100 pounds	1	1	į .	l	ĺ	i	1
Average cost for slaughter	Dollars	9. 47	9, 63	10.03	9.01	9.17	18.14
Average cost for slaughter At Chicago—Live hogs, medium weight	do	9, 98	10.00	10. 58	9. 36	9.69	2 8, 47
At eastern markets—	1	1	1	l		j	1
Fresh pork loins, 10-14 pounds	do	21. 78	22, 54	23, 40	17.80		2 17. 47
Shoulders, skinned	do	14. 54	14.92	16.90	14. 78	13.36	1 12.81
Shoulders, skinned Picnics, 6-8 pounds.	do	12, 28	13, 10	14.80	12.95	12.24	10.86
Butts, Boston style	do	1 17.98	19. 10	22.03		16.11	2 15. 40
Bacon, breakfast Hams, smoked, 10-12 pounds	do	23. 94			(4)	(4)	
Hams, smoked, 10-12 pounds	do	24. 35			8	(4)	
Lard, tierces	do	15.49			17. 67	1 17. <i>6</i> 0	14. 20
		1	1	1]	1	1

Division of Statistical and Historical Research.

Inspected slaughter from reports of Bureau of Animal Industry. Weights and storage holdings from reports of the cold storage report section; receipts, shipments, and prices compiled from data of the reporting service of the Livestock, Meats, and Wool Division, and number on farms from Division of Crop and Livestock Estimates. Exports and imports from Bureau of Foreign and Domestic Commerce.

TABLE 520.—Lard: Total stocks in cold-storage warehouses and meat-packing establishments, 1915-19241

[Thousand pounds-i. e., 000 omitted]

Year beginning November	Nov.	Dec.	Jan. 1	Feb.	Mar. 1	Apr.	May 1	June 1	July 1	Aug.	Sept. 1	Oct.
1915	56, 929 37, 095 76, 124 66, 086	44, 367 81, 676	54, 539 104, 274	86, 208 59, 310 138, 353	88, 460 65, 355 125, 410	65, 179 89, 854 112, 469	61, 640 108, 378 112, 409	72, 865 106, 194 88, 096	95, 197 107, 871 92, 183	112, 249 102, 411 100, 478	82, 028 102, 172 104, 668 87, 947 170, 774	69, 939 90, 398 76, 456
1920 1921 1922 1923 1924	47, 829 48, 650 86, 750 35, 225 31, 706	42, 001 32, 506 85, 327	47, 541 48, 808 49, 340	61, 202 56, 266	61, 297 59, 101	86, 081 66, 748	96, 056 85, 251	128, 798 84, 530	154, 254 123, 896	148, 084 143, 579	149, 886 119, 755 115, 860 124, 676	75, 336 72, 608

Division of Statistical and Historical Research. From reports of the Cold Storage Report Section.

¹ Weighted average.

<sup>w eignted average, not total.
3 Imple average, not total.
3 Including reexports.
4 At public stockyards.
Classification changed in November. Prices are not comparable with those formerly quoted.</sup>

¹ Lard includes all prime steam, kettle-rendered, neutral, and other pure lards. It does not include lard substitutes nor compounds.

Tible 521.—Pork and pork products: International trade, calendar year, average 1911-1913, annual 1921-1923

[Thousand pounds-i. e., 000 omitted]

0	Average,	1911-1913	19	921	19	22	1923 pre	liminary					
Country	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Experts					
PRINCIPAL BEFORTING COUNTRIES													
ArgentinaAustralia	928	6, 294	48 1 141	18,477	84	19, 202	89	4, 841					
Brazil Canada Chile	29.189	278 47, 694	18 63, 699 511	14, 235 110, 759 1, 350	13 62, 767 94	6, 428 103, 915 54	54, 602	81, 931 108, 273					
China		7,679		20, 857		9, 828		8, 515					
Denmark Netherlands New Zealand	248	298, 086 139, 918 1, 049	8, 274 42, 923 991	203, 289 105, 188 656	8, 633 23, 508 46	264, 657 119, 099 2, 040	4, 943 88, 230 8	420, 325 133, 061 4, 562					
Russia Sweden United States	6, 736	28, 871 19, 445 1, 019, 561	16, 686 816	82,423 1,679,444	19, 560 818	24, 470 1, 503, 929	19, 725 1, 101	33, 179 1, 996, 920					
PRINCIPAL IMPORTING COUNTRIES													
Austria	14, 338	3, 343	76, 511	617	94, 502	681	102,106	618					
Belgium	22, 232 85, 973	16, 254	46, 453 133, 646	18, 613	48, 933 130, 840	10, 210	44, 512	12,023					
Czechoślovakia			56, 492		106, 123	484	132, 734						
FinlandFrance	59, 824 265, 669	24, 668 3, 532 (1)	12, 416 88, 333 546, 203 28, 137	1,071 10,625 3 444 473	12, 263 88, 120 243, 600 5, 079	2,379 6,577 1,168 4,527	15, 724 147, 005 419, 087 23, 333	275 5, 522 1, 412 3, 230					
Norway Peru Philippine Islands Spain		(1) 26 (4) 641	18, 937 5, 738 9, 128 3, 161	6 8 1,089	20, 906 9, 388 6, 684 429	60 (4)	25, 688 9, 891 6, 207 3, 877	18					
Switzerland Union of South Africa United Kingdom Other countries	21, 976 8, 249 875, 929 47, 140	105 30 15, 820 4, 835	24, 981 500 1, 026, 046 66, 277	13 764	13, 086 775 1, 165, 248 65, 723	1, 102 474 2, 834 12, 975	15, 922 1, 378 1, 435, 996 58, 231 2, 554, 884	40 184 5, 928 6, 611 2, 777, 265					
	-,,	,,		,,		Γ, 333, 333	Γ,,	_,,					

Division of Statistical and Historical Research. Official sources.

TABLE 522.—Pork: Exports from the United States, by months, 1910-1925

	f r nonsena bornas—r. e., ou omitted)												
Year ended June 30—	July	Au- gust	Sep- tem- ber	Octo- ber	No- vem- ber	De- cem- ber	Janu- ary	Febru- ary	March	April	Мау	June	Total
1920 1921 1922 1923 1924	252, 767 240, 961 94, 117 171, 555 183, 426	67, 851 82, 387 77, 105 82, 726 84, 215 90, 128 98, 101 170, 502 170, 647 171, 906 174, 916 127, 667 162, 948	56, 685 107, 062 77, 906 73, 626 59, 388 100, 207 106, 329 79, 460 114, 555 117, 762 102, 470 102, 470 120, 124 170, 631	48, 286 79, 551 64, 967 77, 309 78, 414 113, 464 95, 287 54, 037 117, 943 123, 186 123, 716 125, 716 158, 196	50, 136 77, 114 65, 696 79, 717 78, 756 107, 744 113, 579 99, 189 123, 266 181, 663 182, 696 90, 246 90, 246 124, 574 158, 908	71, 512 97, 067 78, 611 86, 597 73, 691 143, 262 156, 723 90, 383 205, 601 144, 799 187, 091 108, 449 188, 695	75, 067 93, 601 91, 908 101, 683 106, 325 133, 222 199, 397 92, 864 197, 965 137, 438 161, 695 127, 613 196, 189	79, 851 102, 591 106, 956 73, 958 118, 657 102, 376 122, 571 114, 347 236, 421 147, 183 151, 361 188, 047 168, 746	119, 963 167, 861 308, 011 341, 295 185, 348 143, 085 124, 411 185, 197	87, 486 85, 895 82, 836 60, 783 112, 501 133, 534 137, 772 285, 763 348, 040 87, 591 118, 192 90, 125 164, 288	100, 768, 92, 609 83, 993 66, 067 89, 263 148, 245 127, 193 281, 335 180, 890 134, 208 111, 040 165, 543	96,562 65,800 76,476 67,436 121,772 112,361 108,983 169,305 400,305 128,931 128,931 119,855 181,780	879,457 1,071,958 976,498

Division of Statistical and Historical Research. Compiled from reports of Bureau of Foreign and Domestic Commerce.

These figures include exports of fresh, canned, and pickled pork, cured hams and shoulders, becon, lard, and neutral lard.

¹ Year beginning July 1. ² Not separately stated.

<sup>Right months, May-December.
Less than 500 pounds.</sup>

TABLE 523.—Bacon: Exports from the United States, by months, 1910-1925 [Thousand pounds—i. e., 000 omitted]

Year ended June 30—	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	Total
1911 1912 1918 1914 1915 1916 1917 1918 1919 1920 1922 1922 1922	10, 894 17, 006 16, 518 16, 555 10, 906 38, 508 30, 074 19, 462 119, 894 117, 679 31, 523 48, 172	13, 746 18, 857 18, 688 19, 551 14, 406 87, 579 42, 954 28, 311 68, 858 84, 151 22, 333 45, 840 82, 591 33, 004	12, 642 25, 088 15, 360 16, 858 17, 596 43, 371 49, 223 85, 501 41, 540 57, 209 41, 372 80, 448 45, 161	9, 437 16, 368 13, 681 17, 968 13, 838 58, 410 41, 284 29, 363 58, 132 56, 462 49, 839 23, 601 28, 850 46, 689	8, 646 15, 864 13, 870 16, 688 18, 825 45, 876 48, 785 48, 571 72, 862 65, 288 57, 931 170 26, 170 39, 027	14, 485 18, 104 16, 567 19, 367 21, 231 55, 472 73, 932 42, 021 126, 437 58, 983 68, 786 21, 366 47, 131	27, 166 50, 067 91, 812 53, 851 102, 679 77, 501 43, 202 26, 108 43, 352 46, 014	10, 752 16, 954 20, 825 17, 518 87, 177 63, 810 51, 993 50, 904 114, 840 75, 891 31, 637 30, 794 86, 296	11, 088 17, 468 20, 880 18, 618 66, 828 41, 892 67, 502 155, 604 151, 096 75, 003 35, 349 31, 180 40, 549	16, 091 17, 934 17, 081 12, 608 41, 692 53, 448 57, 310 127, 400 141, 814 24, 356 32, 852 20, 490 34, 790	17, 008 16, 270 14, 423 11, 618 33, 598 58, 343 60, 676 142, 012 67, 664 50, 413 38, 464 19, 670 34, 577	19, 110 10, 559 18, 812 11, 306 43, 477 88, 023 50, 606 87, 294 172, 441 60, 781 85, 012 24, 067 28, 641	206, 574 200, 904 346, 718 579, 809 667, 151 815, 294 1, 238, 247 803, 667 489, 248 350, 548 408, 334

Division of Statistical and Historical Research. Compiled from reports of the Bureau of Foreign and Domestic Commerce.

Table 524.—Lard: Exports from the United States, by months, 1910-1925 [Thousand pounds—i. e., 600 omitted]

Year ended June 30—	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	Total
1910 1911 1912 1913 1914	28, 639 31, 658 35, 446 32, 536 39, 567	34, 171 34, 912 33, 142	26, 987 53, 670 43, 273	86, 746	40, 829 40, 157	88, 790 52, 548	40, 688 45, 465 44, 281	47, 595 54, 143 61, 211	55, 043 54, 797 49, 226	48, 726 40, 179 42, 114	54, 685 44, 900 48, 787	45, 284 82, 364	476, 108 532, 256 519, 025
1915 1916 1917 1918 1919	24, 987 21, 555 26, 988 9, 364 68, 600	25, 146 22, 891 23, 553	28, 774 82, 707 22, 145	28, 256 21, 242 9, 639	30, 776 31, 470 30, 742	46, 404 46, 162 13, 069	84, 040 65, 091 20, 706	39, 558 31, 683	87, 146 59, 081 68, 721	39, 017 45, 602 53, 885	48, 773 30, 621 79, 751	45, 862 24, 257	427, 011 444, 770 892, 506
1920 1921 1922 1923 1924 1925	68, 192 47, 061 83, 329 66, 058 69, 479 86, 788	31, 021 87, 411 68, 907 83, 758	46, 326 104, 741 61, 120	54, 174 56, 886 66, 833 76, 378	57, 316 51, 854 62, 321 74, 251	90, 080 64, 542 78, 596 98, 578	38, 824 76, 185 73, 194 107, 786 182, 758	91, 841 75, 520 89, 055	82, 617 64, 377 109, 187	53, 276 42, 459 85, 475	50, 817 98, 199	67, 656 57, 249 64, 605	748, 157 812, 379

Division of Statistical and Historical Research. Compiled from reports of the Bureau of Foreign and Domestic Commerce.

Table 525.—Pork, fresh: Exports from the United States, by countries, 1910-1924
[Thousand pounds—i. e., 000 omitted]

						<u> </u>						
Year ended June 30—	France	United King- dom	Other Europe	Total Europe	Ber- muda	Can-	Pan- ama	Mex- ico	Philip- pine Is- lands	Cuba	Other coun- tries	Total
1910 1911 1912 1913		395 75 968 758 1,854	10	395 119 968 758 1, 364	26 31 15 50 13	78 207 891 580 232	231 440 565 685 687		51 48 76 257 158	235 89 82 99 151	23 421 1 25 67	1, 040 1, 355 2, 598 2, 458 2, 668
1915 1916 1917 1918	324 2,270 920 642 38	2, 832 26, 403 23, 787 8, 235 2, 036	22 165 522 707	3, 178 28, 838 24, 707 9, 399 2, 781	72 108 115 9	46 82, 962 24, 838 11, 396 16, 328	370 380 398 44 41	4 7 8 4	77 22 60 48	137 338 178 372 879	24 356 137 123 79	3, 908 63, 906 50, 436 21, 390 19, 644
1920 1921 1922 1928 1924	59 268 1 79	3, 146 15, 099 4, 097 22, 995 27, 742	10, 551 18, 180 6, 162 3, 056 9, 183	13, 756 33, 497 10, 859 26, 052 87, 004	37 36 48 83 97	7, 158 17, 058 12, 281 14, 588 8, 828	171 394 353 500 552	14 89 93 82 106	22 44 60 157 141	873 653 2,147 2,204 2,181	5, 694 5, 804 70 106 204	27, 225 57, 075 25, 911 43, 772 49, 113

Division of Statistical and Historical Research. Compiled from Foreign Commerce and Navigation of the United States, 1910-1918; Monthly Summaries of Foreign Commerce, June, 1920, 1922, and 1923; and records of the Bureau of Foreign and Domestic Commerce.

¹ Less than 500 pounds.

Table 526.—Pork, pickled: Exports from the United States by countries, 1910-1924
[Thousand pounds-4. e., 600 omitted]

Year ended June 30—	Bel- gium	Nor- way	United King- dom	Other Europe	Total Europe	Can- ada	Pan- ama	New- found- land and Labra- dor	Haiti	Cuba	Other coun- tries	Total
1910	189	703	8, 679	1, 424	10, 945	8, 085	1, 424	4, 445	1, 257	5, 830	8, 046	40, 032
	159	787	8, 754	2, 397	12, 097	9, 084	1, 238	5, 901	1, 360	7, 883	9, 571	45, 729
	348	278	13, 501	1, 460	15, 593	11, 157	1, 420	6, 571	2, 335	9, 989	9, 256	56, 821
	458	261	14, 620	1, 881	17, 220	9, 437	1, 488	5, 673	2, 626	9, 141	8, 214	53, 749
	166	355	5, 572	1, 408	7, 501	12, 826	1, 620	7, 912	1, 513	4, 091	10, 080	45, 548
1915 1916 1917 1918	1, 014 163 1, 209	174 525 325 (1) 956	6, 534 13, 124 6, 059 1, 903 2, 981	11, 466 5, 445 878 474 1, 515	18, 174 20, 408 7, 425 2, 377 6, 661	8, 500 17, 835 16, 929 18, 689 8, 189	1, 304 1, 116 618 277 105	5, 244 7, 070 6, 262 8, 221 5, 706	636 949 772 481 625	3, 875 7, 847 7, 700 8, 935 6, 694	7, 923 8, 236 7, 287 4, 242 8, 524	45, 656 63, 461 46, 998 38, 222 31, 504
1920	554	2, 753	3, 142	4, 243	10, 692	14, 500	229	5, 560	790	5, 775	4, 097	41, 643
	698	836	2, 908	8, 939	6, 981	18, 644	212	4, 147	929	2, 458	4, 915	33, 286
	628	1, 258	4, 914	3, 071	9, 871	10, 857	248	4, 756	1, 223	1, 319	5, 236	33, 510
	328	1, 568	5, 853	5, 378	13, 127	13, 349	329	5, 266	1, 270	1, 379	6, 214	40, 934
	724	2, 849	4, 106	6, 488	13, 617	8, 487	321	5, 155	1, 306	4, 412	4, 222	37, 469

Division of Statistical and Historical Research. Compiled from Foreign Commerce and Navigation of the United States, 1910-1918; Monthly Summaries of Foreign Commerce, June 1920, 1922, and 1923; and records of the Bureau of Foreign and Domestic Commerce.

TABLE 527.—Pork, canned: Exports from the United States by countries, 1910-1924
[Thousands pounds—1 e, 000 omitted]

Year ended June 80—	France	Italy	United King- dom	Other Europe	Total Europ	Can- ada	Pana- ma	Mex- ico	Cuba	Argen- tina	Other coun- tries	Total
1910	120 51 104 33 28 257 645 1, 103 2, 423 950	5 14 5 2 1 4 3 259 139 389	3, 156 3, 109 4, 905 3, 211 2, 369 3, 757 7, 843 3, 355 2, 044 2, 244	258 202 230 229 184 61 324 109 (1) 1,040	3, 539 3, 376 5, 244 3, 475 2, 582 4, 079 8, 815 4, 826 4, 606 4, 623	9 1 5 85 10 45 28 393 132 245	29 37 82 63 19 27 3 4 10 4	23 65 57 54 25 11 18 74 31 67	14 16 91 27 92 77 123 51 73 18	122 103 163 214 233 80 128 52 53 33	326 413 248 230 113 325 496 496 289 288	4, 062 4, 011 5, 840 4, 148 3, 074 4, 644 9, 611 5, 896 5, 194 5, 273
1920 1921 1922 1923 1924	159 9 6 1	179	2, 318 829 1, 924 2, 383 2, 220	161 54 15 • 16 63	2, 817 883 1, 948 2, 405 2, 399	51 61 77 142 49	1 1 10 1	31 45 39 29 31	79 33 38 26 55	30 24 61 , 24	253 73 104 63 155	3, 262 1, 119 2, 263 2, 699 2, 601

Division of Statistical and Historical Research. Compiled from Foreign Commerce and Navigation of the United States, 1910-1918; Monthly Summaries of Foreign Commerce, June 1920, 1922, and 1923; and records of the Bureau of Foreign and Domestic Commerce.

¹ Less than 500 pounds.

¹ Less than 500 pounds.

TABLE 528.—Bacon: Exports from the United States, by countries, 1910-1924
[Thousand pounds-i. e., 000 omitted]

Year ended June 30—	Bel- gium	France	Italy	Nether- lands	Nor- way	United King- dom	Other Eu- rope	Total Eu- rope	Can- ada	Cuba	Other coun- tries	Total
1910 1911 1912 1913 1914	2, 206 3, 547 4, 503 9, 141 5, 110	1, 711 9, 418 2, 097	6, 599 8, 156 11, 781	4, 351 7, 271 7, 639	3, 784 4, 560 4, 054	116, 405 147, 449 138, 133	9, 750 15, 598 11, 426	148, 077 196, 955	1, 691 3, 342 6, 868	6, 224 4, 823 6, 658	2, 683 3, 454 3, 197	156, 675
1915 1916 1917 1918 1919	5, 787 60, 161 65, 220 68, 670 109, 591	52, 501 77, 036	10, 532 19, 378	12, 846 10, 625	11, 518 22, 387 8, 296 25 18, 182	339, 341 346, 758 538, 135	26, 611 3, 952 1, 057	524, 879 531, 265 750, 879	39, 591 118, 710	13, 543 14, 915 20, 294	2, 296	346, 718 579, 809 667, 152 815, 294 1, 238, 247
1920	37, 654 29, 448 16, 743 23, 215 16, 089	5, 369 9, 363 7, 758	2, 481	122, 984 48, 421 20, 847 30, 972 37, 112	6, 681 9, 147 12, 269	244, 716 184, 703 188, 274	134, 116 104, 912 69, 993 99, 009 105, 988	449, 538 313, 277	21, 639 12, 718 11, 022 9, 925 9, 976	23, 462 24, 830	2, 788 2, 823	803, 667 489, 296 350, 549 408, 334 423, 590

Division of Statistical and Historical Research. Compiled from Foreign Commerce and Navigation of the United States, 1910–1918; Monthly Summaries of Foreign Commerce, June, 1920, 1922, and 1923; and records of the Bureau of Foreign and Domestic Commerce.

Table 529.—Hams and shoulders: Exports from the United States, by countries, 1910-1924

[Thousand pounds-1 e., 000 omitted]

Year ended June 30—	Bel- gium	France	Nether- lands	United King- dom	Other Europe	Total Europe	Can- ada	Cuba	Mex-	Pan- ama	Other coun- tries	Total
1910 1011 1912 1913 1914	5, 305 9, 092 15, 018 5, 822 4, 081	8 26 258 316 122	226 256 131	130, 303 135, 433 169, 675 134, 017 146, 007	720 1, 295 560	140, 846	2, 918 6, 282 6, 785	2, 879 3, 876 5, 085 6, 002 5, 638	903 640 938 782 350	940 1, 103 1, 088 1, 029 761	3, 517 3, 675 4, 149 4, 101 4, 409	146, 885 157, 709 204, 044 159, 545 165, 882
1915 1916 1917 1918	6, 596 2, 793 32, 583	609 7, 898 25, 864 18, 436 112, 813	570 1	179, 377 251, 026 217, 435 372, 723 415, 620	2, 028 842	191, 110 262, 878 245, 328 392, 001 648, 739	2, 674 5, 617 14, 287	6, 842 11, 493 9, 868 9, 990 7, 641	249 463 821 465 951	623 976 630 221 181	3, 362 3, 725 4, 393 2, 608 2, 754	203, 701 282, 209 266, 657 419, 572 687, 240
1920	6, 489 6, 891 9, 690 13, 979 21, 185	29, 870 1, 473 894 2, 142 4, 587	1, 832 196 937	182, 563 134, 038 233, 566 259, 353 307, 771	1, 662 2, 438 4, 259	145, 896 246, 784 280, 670	8, 441 10, 664 19, 536	12, 489	833 1, 055 890 1, 028 1, 063	434 473 631		275, 456 172, 012 271, 642 319, 269 381, 564

Division of Statistical and Historical Research. Compiled from Foreign Commerce and Navigation of the United States, 1910-1918; Monthly Summaries of Foreign Commerce, December 1920, 1922, and 1923; and records of the Bureau of Foreign and Domestic Commerce.

TABLE 530.—Lard: Exports from the United States, by countries, 1910-1924
[Thousand pounds-i. e., 000 omitted]

Year ended June 30—	Bel- gium	Den- mark	Ger- many	Italy	Nether- lands	United King- dom	Other Europe	Total Europe	Can- ada	Cuba	Other coun- tries	Total
1910 1911 1912 1918	9, 060 19, 900 21, 744 18, 762 15, 915	1,812	151, 620 159, 474 160, 862	5, 781 3, 171 6, 106	88, 221 88, 675 48, 884	168, 880	26, 083 82, 764 21, 178	402, 513	6, 556 7, 968 11, 080	84, 969 42, 549 46, 526	32, 070 36, 656 46, 985	362, 928 476, 108 532, 256 519, 025 481, 458
1915 1916 1917 1918 1919	5, 129 70, 132 96, 761 116, 154 190, 770	841 75		8,488 4,982 2,137	18, 282	192, 076	48, 903 57, 559	880, 765 858, 700 824, 796	6, 880 5, 876 894	53, 812 48, 733 52, 574	36, 114 31, 961 14, 242	475, 532 427, 011 444, 770 392, 506 724, 771
1920 1921 1922 1923 1924	55, 970 57, 963 43, 591 50, 472 40, 634	13, 528 9, 527 6, 923 5, 700 7, 865	49, 783 231, 528 260, 716 328, 112 329, 798	14, 172 9, 051 29, 571	113, 868 42, 831 47, 802	165, 874 169, 464 244, 465 241, 144 240, 008	36, 415 59, 300 53, 396		12, 226 8, 852 14, 318	59, 939 73, 926 87, 898	41, 055 62, 724 94, 229	587, 22 5 746, 1 57 812, 379 952, 642 1,014,898

Division of Statistical and Historical Research. Compiled from Foreign Commerce and Navigation of the United States, 1910-1918; Monthly Summaries of Foreign Commerce, June, 1920, 1922 and 1923; and records of the Bureau of Foreign and Domestic Commerce

Table 531.—Lard, pure: Average price per 100 pounds, Chicago, by months, 1905-1923

Year	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Av.
1905 1906 1907	7. 44 9. 29	6. 74 7. 55 9. 70	6. 92 8. 03 9. 03	7. 12 8. 59 8. 68	8.49 8.97	7. 20 8. 74 8. 69	8. 93 8. 91	7. 70 8. 66 8. 89	7. 79 8. 98	7. 12 9. 83 8. 86	7. 08 9. 36 8. 16	7. 51 8 75 7. 98	
1908	10. 82	9. 52 12, 50 9. 50	10 05 14. 08 8. 83 9. 87	10. 32 12. 33 7. 93 10. 06	10. 60 12. 95 8. 08 10. 77	11. 54 12. 27 8. 17 10. 87	11. 52 11. 85 8. 30 10. 57	11. 66 11. 82 8 97 10. 73	12. 23 12. 44 9. 32 11. 08	12. 17 12. 93 8. 85 11. 47	12. 93 10. 82 9. 07 11. 15	13. 12 10. 31 9. 00 10. 46	11. 27 12. 28 8. 86 10. 39
Av. 1909-1913	10. 29	10. 18	10. 60	10. 33	10. 68	10. 77	10.75	10. 89	11. 24	11. 20	10. 92	10. 71	10. 72
1914 1915 1915 1917 1918 1918 1919	10. 69 10. 32 15. 66 24. 39	10, 58 9, 99 17, 00 26, 05 24, 88	9. 84 10. 79 19. 80 26. 07 27. 35	9. 95 11. 77 21. 00 25. 44 30. 09	9. 71 12. 80 22. 30 24. 58 83. 58	9. 39 12. 87 21. 41 24. 50 84. 15	8. 05 18. 12 20. 77 26. 09 34, 76	7. 92 13. 44 22. 40 26. 78 30. 01	8. 13 14. 47 24. 03 26. 98 26. 19	9. 07 15. 84	8. 94 16. 91 27. 13 26. 69 25. 86	9. 47 16. 66 25. 46 26. 81	9, 31 13, 21 21, 73 25, 79 28, 40
Av. 1914-1920	16.99	17. 46	18. 11	18. 74	19. 37	19 33	19. 23	18. 77	18, 87	19. 47	19, 78	18. 32	18.70
1921 1922 1923 1924	11. 19 13. 20	12. 59 13. 25	13. 50 13. 87	12, 62 18, 42	18, 15 13, 12	18. 22 13. 18	18.06 12.84	13, 80 12, 83	18.00 15.06	14, 12 15, 22	13. 78 15, 72	18. 81 15. 04	13. 07 18. 90

Division of Statistical and Historical Research. Prior to February, 1920, figures compiled from the National Provisioner; subsequent figures compiled from data of the reporting service of the Livestock, Masts, and Wool Division.

TABLE 532.—Pork, carcass: Average prices per pound in Great Britain, 1909-1924
FIRST QUALITY FRESH BRITISH PORK

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Av.
1909	Cts. 12.8 15.1 14.5 12.7 16.1	Cts. 12.8 15.0 14.2 12.7 16.8	Cta. 12.9 15.0 14.2 12.8 16.8	Cts. 18. 0 14. 8 14. 0 12. 8 16. 1	Cts. 12.7 14.7 13.2 12.5 15.8	Cts. 12 9 14.1 14.6 12.6 15.5	Cts. 18. 2 18. 9 12. 2 12. 8 16. 5	Cts. 13. 2 14. 6 12. 2 13. 0 15. 6	Cts. 18. 5 15. 0 12. 7 14. 4 16. 0	Cts. 14. 2 15. 4 13. 2 15. 1 16. 4	Cts. 14. 8 15. 8 12. 8 15. 1 16. 7	Cts. 15. 2 14. 9 12. 5 15. 7 17. 1	Cts. 18. 8 14. 8 19. 2 18. 5 16. 1
Av. 1909-1913	14. 2	14. 2	14.2	14. 1	13. 8	18. 9	13, 5	13. 7	14. 8	14. 9	14. 9	15. 1	14. 9
1914	16. 8 15. 8 20. 1 26. 9 28. 2 32. 1 26. 8	16. 2 15. 9 21. 6 27. 2 28. 2 31. 8 131.0	16. 2 16. 4 21. 6 27. 7 28. 2 31. 2 136. 0	15. 8 17. 2 28. 6 28. 2 31. 8 31. 0 41. 0	14. 5 17. 0 21. 9 26. 4 81. 8 81. 1 37. 2	18. 9 16. 8 21. 7 27. 2 31. 7 30. 8 36. 1 25. 5	13. 3 16. 7 21. 7 28. 6 31. 7 29. 5 37. 6	14. 5 16. 9 21. 7 25. 5 81. 8 28. 5 35. 4	15. 1 18. 8 23. 8 29. 1 31. 8 27. 9 36. 3	16. 5 20. 0 25. 4 28. 2 84. 2 27. 8 36. 4	16. 4 21. 4 25. 0 28. 2 35. 7 27. 2 34. 9	16. 3 21. 4 26. 1 28. 2 85. 7 26. 3 84. 2	15. 5 17. 9 22. 8 27. 6 31. 7 29. 6 35. 2
1921 1922 1923 1924	32. 5 22. 5 29. 6 20. 4	29. 7 23. 9 28. 0 19. 2	29. 7 24. 4 27. 0 18. 5	30. 5 25. 3 26. 8 19. 2	29. 0 25. 0 80. 7 18. 1	24. 9 28. 0 24. 5 16. 6	22. 9 23. 9 20. 7 14. 1	23. 5 24. 7 20. 4 18. 1	24. 5 26. 6 22. 4 19. 0	22. 8 27. 3 23. 0 20. 2	22. 5 28. 5 22. 3 20. 5	28. 2 30. 3 21. 5 21. 0	26. 2 24. 5 24. 7

FIRST QUALITY FROZEN PORK

Year	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Av.
1909	Cts. 12. 7 14. 5 13. 7 11. 7 15. 0	Cls. 11. 7 14. 0 13. 2 12. 2 15. 4	Cte. 11 9 14. 9 14. 0 12. 5 15. 8	Cts. 12.0 15.2 13.6 13.2 15.8	Cts. 11. 9 14. 7 12. 5 12. 9 15. 0	Cts. 12. 1 14. 2 11. 4 13. 2 15. 0	Cts. 12. 6 14. 2 11. 2 13. 4 14. 6	Cts. 12.7 14.8 11.8 13.0 14.8	Cts. 13. 5 14. 7 12. 4 15. 4 14. 9	Cts. 14. 5 14. 9 11. 9 14. 7 14. 5	Cte. 14. 7 14. 5 11. 9 14. 9 14. 2	Cts. 13. 4 14. 2 12. 1 15. 1 14. 5	Cts. 12.8 14.6 12.4 13.5 14.9
Av. 1989-1913	13. 5	13. 8	13. 8	13. 9	13. 4	13. 2	13. 2	13. 2	14. 2	14.1	14.0	13. 9	13. 6
1915 1916 1917 1918	- 15. 1 - 15. 0 - 15. 8 - 20. 5 - 25.2	15. 8 16. 3 21. 6 25. 2	16. 7 16. 6 21. 8 26. 9	18. 6 22. 2 31. 8	17. 6 21. 4 31. 8	18. 4 20. 8 31. 7	17. 9 22. 1 31. 7	18. 1 23. 7	19. 8 25. 2 1 31.8	21. 0 25. 2 85. 7	20, 2 25, 2 1 35,7	20. 6 25. 2 1 85.7	18. 4 22. 9 31. 2
1919	32. 1 - 21. 8 - 24. 2 - 13. 4 - 18. 1 - 14. 4	31. 8 20. 0 21. 3 13. 7 16. 1 14. 5	1 81.2 22.4 20.2 13.7 14.7 13.8	31. 0 23. 2 20. 0 13. 8 15. 2 13. 6	1 31.1 22. 8 19. 6 13. 9 14. 3 13. 6	1 30.8 23. 4 18. 2 13. 9 14. 7 13. 3	26. 3 24. 3 1 17.2 16. 7 15. 6	1 25.3 25. 0 1 16.2 16. 8 15. 1	24. 8 28. 8 16. 2 18. 4 14. 8	24. 8 28. 7 16. 2 18. 8 15. 7	24. 2 28. 4 14. 4 19. 2 16. 2	22. 4 27. 3 13. 8 19. 5 15. 2	26. 6 24. 6 18. 1 16. 0 15. 5

Division of Statistical and Historical Research. Compiled from Agricultural Statistics 1909-1922, and Agricultural Market Report, 1923 and 1924, Ministry of Agriculture and Fisheries, Great Britain. Converted to cents per pound on the basis of the monthly average rate of exchange as given in Federal Reserve Bulletins.

¹Interpolated.

Designated "Foreign" prior to 1917.

No quotations. .

Table 533.—Hams: Price per pound in Liverpool, 1909-1984...
AMERICAN, SHORT CUT, GREEN, FIRSTS 1

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Aver
	Cents	Cents	Cents	Cents	Cents	Cents	Cents		Cents	Cents	Cents	Cents	Cents
1 909 1 9 10		10.8	11.8	12.4	12.7 17.0	12.9	12.7 17.3	14.0	12.0	13.9	14.8	14. 1	12.8
H910 911		14.9	16.6 12.6	15, 7 12, 4	18. 8	15.0	16.1	16.0 16.7	16.0 18.8	14.7	15. 5 12. 8	14. 9 12. 0	15.9
912		11.6	12 7	18. 8	14.0	12 0	14.3	14.8	14.3	15. 2	15. 2	15. 4	13.8
913	15. 5	16.8	15.7	16.0	17. 0	17. 7	18.6	17. 5	16, 0	15. 8	15. 8	15, 2	16.8
Av. 1909-1918	13.7	13.0	18.8	14.1	14.8	15. 4	15. 8	15.7	14. 5	14.3	14.7	14.3	14. 6
1914	15. 2	14.4	15.1	14.9	14. 5	16. 2	16. 5	18.8	17. 2	15.6	16. 8	16. 1	15.9
1915		14.2	13.7	13. 5	15.4	15.6	14. 9	15.1	16.1	17. 3	19. 2	21. 1	16.0
1916		18.1	19. 4	19. 8	19. 4	19. 5	20.4	22.5	22. 5	22.9	22 3	21. 2	20.7
1917		27. 4	27. 6	28. 2	28. 9	27. 4	38.2	29. 1	29. 1	29. 1	34 4	35. 4	29. 1
1918 1919		85. 4	85. 4	85. 5	35. 5 37. 8	85. 4	87. 9	37. 9	87. 9	37. 9	37. 9	37. 9	36.7
1919	1	37. 9 29. 4	87. 5 81. 1	87. 6 84. 1	82.5	89. 8 83. 8	38. 1 88. 1	36. 8 35. 8	86. 4 84. 9	36. 3 34. 5	37. 5 34. 3	32. 8 35. 0	37. 2 33. 8
Av. 1914-1920	25. 8	25. 8	25. 7	26. 2	26. 3	26. 7	27. 7	27. 9	27. 7	27. 7	28. 8	28. 5	27. 0
1921	80. 2	81, 2	81. 5	27.0	23. 1	28. 6	84. 9	80. 0	21. 1	20. 4	25. 7	24. 1	27. 3
922		26. 5	25. 4	26.0	28. 4	29. 4	27. 8	23. 3	20, 4	21. 0	21.6	20. 2	24. 5
928		18. 9	19. 1	18. 7	19. 4	20.7	24. 1	22. 2	20. 8	20. 5	22. 1	19. 5	20.4
1924	18.9	17. 9	16.8	16.8	17.7	18.0	19.9	20.7	18.8	21.9	22.7	23. 1	19.4

AMERICAN, LONG CUT, GREEN, FIRSTS 1

				,		, -	·	ī					
1909	10.5	10.8	11.4	12 4	18. 1	13.8	18 6	14.9	14. 2	15. 1	14 4	14.4	13. 2
1910	14.5	14. 9	17. 7	17. 0	17.7	18.6	18.3	17. 0	17. 3	17. 6	16.1	14. 3	16.8
1911	14. 1	12.6	12.6	12.7	13.9	15.9	18.9	16.7	13. 3	13. 5	13.3	12.0	13. 9
1912	11.6	11 6	12.5	13. 6	14, 7	14.0	13.9	13.9	14.1	15. 2	14. 9	15 1	13.8
1918	15. 5	15.7	16.6	16.8	18.1	18.6	18.8	18.1	16.4	15. 2	15. 2	14.8	16.6
Av. 1909-1918	13. 2	13. 0	14.2	14. 5	15. 5	16. 2	16.1	16.1	15. 1	15. 3	14 8	14 1	14 9
1014	14, 8	14.5	15.1	15.1	15.0	16.5	16. 9	18.5	16. 9	15.6	16 9	16.1	16.0
1915	15. 6	14.2	13. 9	13.7	16.0	16.6	15.7	15.1	16.1	18.4	19. 6	20.7	16.3
1916	19 1	18, 1	18.6	19.4	18.8	19. 1	19.8	22. 3	22. 9	23.8	24.4	22.0	20.7
1917	22.7	25.9	27. 2	27.8	28.7	26. 7	28. 2	29. 1	29. 1	29. 1	35.0	36. 1	28.8
1918	86.1	86. 1	36.1	86.1	36. 1	36.1	37. 9	37. 9	87. 9	87. 9	37. 9	37. 9	37.0
1919	87. 9	37. 9	87. 5	88.0	88. 2	39. 8	38. 1	36, 8	86.4	86. 3	37. 5	32.8	37, 2
1920	81.9	29, 4	81. 1	84. 1	82.5	₹3.8	88.1	85.8	84. 9	84. 5	34.8	35.0	83.7
Av. 1914-1920	25. 4	25. 2	25.6	26.8	26. 5	26. 8	27. 8	27. 9	27. 7	27. 9	29. 4	28. 7	27. 1
1921	31.1	32.1	82.4	27. 0	22.6	28. 3	34. 9	81. 0	23 8	20.7	23. 9	21. 5	27.4
1922	21, 1	25. 8	25.4			² 30. 8	28.0	23.7	20. 2	20.0	20.4	19.6	24. 3
1923	19. 1	18.9	19. 3	221. 9	21. 1	21. 4	22.6	22.6	21 9	20.8	22.7	18. 5	20.9
1924	17.4	16. 2	15.7	15.7	15.8	16.8	18.7		19 6	20.4		23.6	

Division of Statistical and Historical Research. Compiled from Return of Market Prices, Great Britain Ministry of Agriculture and Fisheries. Average for the last week of the month. Converted to cants per pound on the besis of the monthly average rate of exchange as given in Federal Reserve Bulletins.

¹Short cut, regular American commercial ham; long cut, longer both in the butt and shank. Green, cured in pickle or salt but not smoked.

¹ Average of London and Bristol prices, and closely approximates Liverpool price.

·Table 534.—Bacon Wiltshire sides, green, firsts: Average price per pound at Bristol, England, 1909-1924

Year and month	Ameri- can	Cana- dian	Dan- ish	Irish	Brit- ish	Year and month	Ameri- can	Cana- dian	Dan- ish	Irish	Brit- ish
Av. 1909-1918.	Cents 14. 2 13. 6	Cents 14. 8 14. 3	Cents 15. 6 15. 0	Cents 16. 1 15. 9	Cents 17. 0 16. 7	1917	Cents 30. 1 88. 5	Cents	Cents	Cents 83. 0	Cents 33, 6 30, 8
1910 1911	15. 2 12. 8	15. 6 18. 1	15 9 14. 8	16. 6 14. 8	17. 8 15. 8	1919 1920	87. 1 81. 6	87. 9 88. 1	84. 2	88. 4 41. 7	38. 4 42. 8
1912 1913 1914 1915	15. 8	14. 5 16. 8 15 7 18. 4 22. 0	15. 9 17. 1 16. 4 20. 4 24. 0	15. 8 17. 4 17. 6 20. 8 24. 7	16. 8 18. 4 18. 2 21. 4 26. 0	1921 1922 1923 1924	21. 8 21. 2 17. 5 23. 5	26. 5 25. 2 20. 9 22. 8	32. 8 29. 7 28. 6 21. 3	34. 7 32. 5 25. 8 19. 2	36, 2 33, 3 27, 0 16, 6
1923 January February March April	17. 9 15. 7 16. 4 16. 6	20. 8 19. 9 21. 0 22. 0 22. 3	24. 5 23. 5 23. 9 25. 4 24. 0	30. 3 29. 3 27. 5 28. 1 25. 8	32. 4 29. 3 27. 5 27. 2 26. 2	1924 January February March April May	14. 2 13. 6 18. 7 13. 6 13. 4	17. 6 17. 5 17. 6 17. 6 17. 7	19. 6 19. 0 18. 8 18. 6 19. 5	22. 1 21. 2 19. 9 21. 1 22. 4	23. 2 22. 9 21. 4 22. 0 22. 9
June	17. 3 16. 7 23. 6 19. 5 18. 6	20. 2 20. 8 25. 4 21. 1 20. 2 19. 6 17. 9	28. 5 23. 2 29. 7 23. 1 21. 4 20. 7 20. 0	23 9 23. 7 30. 6 24. 4 22. 6 21 9 21. 8	24. 9 25. 9 32. 6 26. 4 24. 6 23. 9 23. 0	June July August September October November December	15. 1 19. 7 19. 2 21. 9	18. 0 18. 6 20. 1 19. 8 22. 5 22. 1 21. 7	21. 0 21. 8 23. 5 22. 2 23. 8 23. 9 24. 1	22. 9 22. 2 24. 2 23. 4 24. 2 24. 4 25. 2	28. 4 28. 1 24. 7 24. 2 24. 3 24. 5

Division of Statistical and Historical Research. Compiled from Agricultural Market Report, Ministry of Agriculture and Fisheries, Great Britain, average for the last week of each month. Converted to cents per pound on the basis of the monthly average rate of exchange as given in Federal Reserve Bulletins.

1 Entire half of hog in one piece, head off, backbone out, 11bs in.

Table 535.—Lard, American prime western steam: Average price per pound in Liverpool, 1909-1924

Year	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Aver-
1909	Cents 10. 7 14. 1	Cents 10. 6 14. 0	Cents 11, 2 15, 5	Cents 11. 4 14. 8	Cents 11. 8 14. 5	Cents 12. 7 13. 7	Cents 12, 8 18, 8	Cents 12. 8 13. 1	Cents 18. 4 13. 6	Cents 13. 6 13. 8	Cents 14. 7 12. 7	Cents 14. 9 11. 5	Cents 12.6 13.7
1911 1912 1913	11. 5 10. 2 11 2	11. 4 10. 0 11. 8	10. 0 10. 2 12. 2	9. 1 10. 9 12. 4	9, 2 11, 4 12, 8	9. 1 11. 6 12. 2	9. 1 11. 4 12. 7	9, 9 11, 8 12, 7	10. 4 12. 4 12. 6	9. 9 13. 0 12. 1	10. 2 12. 6 12. 2	10. 1 11. 9 12. 1	10.0 11.4 12.2
Av. 1909-1913 1914	11. 5 12. 3 12. 0	11. 6 11. 8 11. 6	11. 8 11. 5 11. 1	$\frac{11.7}{11.8}$ 11.2	11, 8 10, 8 11, 1	11. 9 10. 9 10. 6	11. 9 11. 0 9. 3	12.1 12.6 8.3	12.5 11.4 8.9	12.5 11.3 10.2	12. 5 12. 2 10. 8	12.1 11.7 11.7	12.0 11.6 10.6
1916 1917 1918	12, 7 20, 4 28, 6	12.4 124.8	13. 8 29. 3	15. 4 27. 7	16. 5 26. 3 81. 7	15. 7 23. 8 31. 7	15. 4 23. 8	15. 7 25. 0	17. 3 25. 9 33. 2	18. 3 127. 1 33. 0	20. 8 28. 2	20. 1 28. 6	16. 1 25. 9
1919 1920 1921	32. 0 23. 4	29. 5 23. 3	32. 9 15. 7	27. 2 18. 2	11.7	35. 1 27. 4 12. 1	37. 1 26. 7 13. 6	36. 3 13. 4	36. 5 13. 2	36. 8 12 2	85. 6 23. 8 12. 6	32. 9 24. 2 11. 7	14.7
1922 1923 1924	11 3 13 3 14 8	12. 9 13. 0 13. 1	13. 1 13. 7 13. 2	12. 8 13. 6 12. 7	13. 6 12. 9 12. 3	13. 5 13. 0 12. 2	13. 2 12. 7 13. 7	13. 3 12 7 15. 8	12. 7 14. 0 15. 8	13 2 14. 5 18. 1	14. 1 15. 7 17. 2	13. 6 15. 1 18. 1	13. 1 18. 7 14. 8

Division of Statistical and Historical Research. Compiled from Manchester Guardian. An average of Friday quotations. Converted to cents per pound on the basis of the monthly average rate of exchange as given in Federal Reserve Bulletins.

¹ Interpolated. ² Government control of prices began Sept. 3, 1917, and ended on Feb. 28, 1921.

HOG-CHOLERA CONTROL

Table 536 .- Hogs: Cholera-control work by Bureau of Animal Industry, 1918-1924

			Damons	trations				l
Year beginning July and State	Bureau veterina- rians engaged in work !	Premises investi- gated	Number	Hogs treated	Autop- aies per- formed	Farms quaran- tined or carded	Farms cleaned and dis- infected	Out- breaks reported to bureau veterina- rians
1918. 1919. 1920. 1921.	180 140 54 80 70, 91	93, 512 46, 125 29, 433 47, 137 52, 348	8, 037 8, 420 4, 348 5, 234	233, 987 347, 702 67, 295 88, 846 108, 562	53, 586 10, 963 3, 888 5, 390 5, 247	9, 564 6, 129 2, 268 1, 401 1, 772	4, 382 2, 099 656 439 741	12, 336 9, 788 7, 951 7, 920 7, 204
AlabamaArkansasCaliforniaColoradoDelaware	2 1 1 1 1	1, 676 697 108 65 864	438 173 15 8 179	6, 902 4, 308 789 398 1, 071	90 63 129 61 130	1 2	1 1 71	262 48 54 30 134
Florida. Georgia Idaho Illinois Indiana	2 2, 5 1 2 2	998 1, 709 1, 086 1, 221 1, 246	498 209 #84 5 10	12, 845 6, 891 3, 802 175 463	104 68 77 305 95	1 45 247 65	49 18 6 205 195	462 226 89 566 273
Iowa Kansas Kentucky Louisiana Maryland	2 1 2 1 2	918 627 1, 861 86 3, 706	7 12 93 24 19	812 235 2, 845 587 307	217 295 156 11 823	308	2 7 26	399 201 118 29 630
Michigan Mississippi Missouri Montana Nebraska	3 1.5 1 .29	1, 524 1, 034 1, 493 59 505	136 158 5 8 25	5, 285 3, 241 751 152 1, 302	202 37 70 7 291	59 14 24	2 2 2 1	288 267 397 43 132
North Carolina North Dakota Ohio Oklahoma	. 5 1 2 1. 75	1, 387 309 1, 452 1, 464	290 23 11 40	4, 228 1, 379 330 1, 211	45 106 56 125	55 581 51	10 209 2	213 605 389 60
South Carolina South Dakota Tennessee Texas	1.08 1 1 2	475 383 476 172	416 18 83 16	7, 627 1, 684 1, 884 578	48 99 88 13	54	,2	224 526 133 51
Utah. Virginia. Washington Wisconsin	1 1 .6 2	366 406 189 881	6 54 13 102	67 1, 622 1, 246 3, 586	22 130 24 202	1 1 12 113	7 4 25	51 161 50 114
Total	45. 22	29, 448	3, 178	78, 007	3, 686	1, 634	847	7, 225

Bureau of Animal Industry.

¹ Fractions denote veterinarians devoting a portion of their time to the work.

FARM ANIMALS AND THEIR PRODUCTS—PART II SHEEP, HORSES, POULTRY, AND GENERAL

SHEEP

Table 537.—Sheep: Number and value on farms, United States, January 1, 1910-1925

Jan. 1	Number	Price per head Jan. 1	Farm value Jan. 1	Jan. 1	Number	Price per head Jan. 1	Farm value Jan. 1
1910, Apr. 15 1911 1912	Thousands 58, 448 53, 633 52, 362	Dollars 4. 12 3. 91 3. 46	Thousand dollars 216, 030 209, 535 181, 170	1919 1920	Thousands 48, 866 39, 025	Dollars 11. 68 10. 47	Thousand dollars 568, 265 408, 586
1913	51, 482	3. 94	202, 779	Av. 1914-1920	47, 487	7. 72	866, 754
1914 1915 1916 1917 1918	49, 719 49, 956 48, 625 47, 616 48, 603	4. 02 4. 50 5. 17 7. 13 11. 82	200, 045 224, 687 251, 594 339, 529 574, 575	1921 1922 1923 1924 1925	37, 452 36, 327 37, 223 38, 300 39, 134	6. 30 4. 80 7. 51 7. 87 9. 53	286, 855 174, 545 279, 464 301, 455 872, 980

Division of Crop and Livestock Estimates. Figures in italics are census returns.

Table 538.—Sheep: Yearly losses per 1,000 from disease and exposure, 1890-1924

**	Loss p	er 1,000	,	Loss pe	er 1,000		Loss pe	er 1,000	77	Loss pe	r 1,090
Year ended Apr. 30	From dis- ease	From expos- ure	Year ended Apr 30	From dis- ease	From expos-	Year ended Apr. 30	From dis- ease	From expos- ure	Year ended Apr. 30	From dis- ease	From expos- ure
1890 1891 1892 1893 1894 1895 1896 1897	24. 0 23. 0 19. 0 24. 0 20. 0 26. 0 27. 0 23. 0 26. 0	51. 0 17. 0 14. 0 20. 0 15. 0 29. 0 21. 0 27. 0	1899 1900 1901 1902 1903 1904 1905 1906 1907	21. 0 20. 0 24. 0 25. 0 27. 8 26. 0 24. 6 22. 2 25. 6	35. 0 18. 0 22 0 31. 6 53. 6 37. 7 30. 8 37. 0 35. 4	1908 1909 1910 1911 1912 1913 1914 1915 1916	22. 8 26. 6 27. 5 25. 5 26. 7 24. 8 21. 9	22. 9 28. 3 43. 9 23. 0 47. 0 25. 0 22. 0	1917 1918 1919 1920 1921 1922 1923 1924	21. 8 19. 8 19. 7 23. 7 23. 1 21. 4 22. 4 20. 0	32.4 19.3 24.4 34.6 15.6 26.4 24.1

Division of Crop and Livestock Estimates. As reported by crop reporters May 1, for year ending Apr. 80.

931

¹ Preliminary.

Table 539.—Sheep, including lambs: Number and value on farms, January 1, 1923-1925

State	Nu	mber Ja	n. 1	Averag	e price p Jan. 1	er head	Farn	n value J	an. 1
5660	1923	1924	1925 1	1923	1924	1 92 5	1923	1924	1925 1
	Thou- sands	Thou-	Thou-	Dollars	Dollare	Dollars	Thou- sand dollars	Thou- sand dollars	Thou- sand dollars
Maine New Hampshire	90 18	91 18	94 18	6.70 7.80	7. 10 7. 30	7. 60 7. 90	603 140	646 131	714 142
Vermont	43	45	48	7,00	7.40	8. 30	301	333	398
Massachusetts Rhode Island	16 8	14 8	14	6.90 7.90	7 90 8.00	9 60 9.60	110 24	111 24	134 29
Connecticut New York	8 532	8 543	8 570	7. 80 8. 50	7. 90 9. 30	8 80 10,70	62 4, 522	63 5,050	70 6,099
New Jersey Pennsylvania	10	10	10	7.50	8.90	9. 20	75	89	92
Pennsylvania Delaware	477 3	482 3	492 3	7. 10 7. 40	7.80 7.00	8. 90 9. 90	3,387 22	3,760 21	4, 379 30
MarylandVirginia.	93 338	96 355	97 362	7.50 7.60	8, 50 8, 10	9. 50 8. 90	698 2, 569	816 2, 876	922 3, 222
West Virginia North Carolina	504	504	514	6.90	7.30	8 20	3, 478	3,679	4, 215
North Carolina South Carolina	81 23	82 22	82 20	5. 60 4. 20	6. 40 4. 70	6 20 4. 30	454 97	525 103	508 86
GeorgiaFlorida	66 63	63 64	60 61	3.00 3.50	2.60 2.90	3 40 3, 30	198 220	164 186	204 201
OhioIndiana	2,094	2, 115 700	2, 178 714	7.10	7.30	8.90	14,867	15, 440	19, 384
Illinois	648 516	568	540	8.00 7.90	8. 40 8. 20	10, 60 10, 40	5, 184 4, 076	5, 880 4, 658	7, 568 5, 616
Michigan Wisconsin	1,171 341	1, 171 341	1, 19 <u>4</u> 351	8.00 7.50	8. 30 8. 10	11.00 10.30	9, 368 2, 558	9,719 2,762	13, 134 3, 615
MinnesotaIowa	400 829	428 928	462 891	7. 20 8 40	8.00 8.30	10, 70 11, 80	2,880 6,964	3, 424 7, 702	4, 943 10, 514
Missouri	1, 105	1, 205	1, 181	7. 10	7. 60	9 40	7,846	9, 158	11, 101
North Dakota	240 689	254 696	2°7 682	7.30 7.70	7.80 7.80	9 80 10 80	1,752 5,305	1,981 5,429	2,911 7, 36 6
Nebraska Kansas	733 285	660	726 314	8. 10	7.90	10 40 9 00	5,937	5, 214	7,550
Kentucky	694	299 701	715	7. 30 7. 00	7.10 7 90	8 90	2, 080 4, 858	2, 123 5, 538	2, 826 6, 364
Tennessee	340 90	326 86	319 90	5 50 3, 40	5. 90 4. 00	5 90 4 30	1,870 306	1, 923 344	1, 882 387
MississippiLouisiana	142	135	128	2.60 2.90	2.80	2.80	369	378	858
Texas	122 2,862	3,091	108 3, 246	5. 20	3. 10 5. 90	3. 20 7 40	354 14, 882	360 18, 237	24, 020
Oklahoma	73	80	83	5.80	5.90	7. 20	423	472	598
Arkansas Montam	2, 270	81 2, 370	80 2, 586	3. 10 8. 70	3. 20 8. 70	3. 80 10. 40	251 19,749	259 20, 619	304 26, 374
Wyoming	2,686	2,700	2,808	9.00	9.00	10.40	24, 174	24, 300	29, 203
Colorado New Mexico	1	2,468	2,616	7.60	7. 50	9.60	18, 574	18, 510	25, 114
Arizona	1, 155	2, 248 1, 155	2, 360 1, 155	6. 40 6. 80	6. 50 7. 10	7.70 8.80	18, 197 7, 276	14, 612 8, 200	18, 172 10, 164
Utah Nevada	2, 340	2,340 1,086	2, 246 1, 108	8. 90 8. 90	8.60 9.00	11. 20 11. 30	20, 826 9, 959	20, 124 9, 774	25, 155 12, 520
IdahoWashington	2, 542 520	2,491 572	2, 391 526	8. 30 8. 00	8.80 8.70	10 90 11. 40	21, 099 4, 160	21, 921 4, 976	26, 062 5, 996
Oregon	1,800	1,916	2,012	6, 40	8.20	9. 50	11,904	15, 711	19, 114
California	2, 402	2, 570	2, 621	8. 10	9.00	8.70	19, 456	23, 130	22, 803
United States	37, 223	38, 300	89, 134	7. 51	7, 87	9. 53	279, 464	301, 455	372, 909

Division of Crop and Livestock Estimates.

¹ Preliminary.

TABLE 540 .- Sheep: Receipts and shipments at principal markets and at all markets, 1900-1924

[Thousands-i. e., 000 omitted] RECEIPTS

Year	Chi cago	Den- ver	East St. Louis	Fort Worth	Kansas City	Omaha	St. Joseph	St. Paul	Sioux City	Total nino mar- kets	All other mar- kets report- ing	Total all mar- kets report- ing
1900 1901 1902 1903 1904	8, 549 4, 044 4, 516 4, 583 4, 505	306 226 317 465 519	416 520 523 528 688	(2) (2) 10 125 104	860 980 1, 154 1, 152 1, 004	1, 277 1, 315 1, 743 1, 864 1, 754	390 526 561 599 794	490 332 602 876 773	61 67 61 42 28	7, 349 8, 010 9, 487 10, 234 10, 169	35535	33335
1905 1906 1907 1908 1909	4, 737 4, 805 4, 218 4, 352 4, 441	738 826 828 675 634	645 579 565 679 776	125 98 113 120 188	1, 319 1, 617 1, 582 1, 641 1, 645	1, 971 2, 165 2, 089 2, 106 2, 167	981 827 764 592 621	818 735 568 859 496	57 64 65 59 78	11, 391 11, 716 10, 742 10, 583 11, 046	33355	35555 35555
1910 1911 1912 1913 1914	6, 056	596 617 777 620 692	786 992 1, 031 950 749	163 187 284 328 408	1,841 2,175 2,134 2,095 2,002	2, 985 2, 978 2, 951 3, 222 3, 114	500 718 729 812 830	865 712 628 785 795	151 212 207 271 404	13, 126 14, 327 14, 797 14, 986 14, 372	£55555	(S) (S) (S) (S) (S) (S) (S) (S) (S) (S)
1915 1916 1917 1918 1919	3, 510 4, 291 3, 595 4, 630 5, 244	765 1, 409 2, 660 1, 652 2, 087	648 671 531 536 724	363 431 406 335 453	1, 815 1, 758 1, 499 1, 667 1, 945	3, 268 3, 171 3, 017 3, 386 3, 789	878 804 679 827 1,007	704 623 430 680 912	337 321 267 387 686	12, 288 13, 479 12, 484 14, 050 16, 847	6, 147 7, 213 7, 732 8, 435 10, 409	18, 435 20, 692 20, 216 22, 485 27, 256
1920	4, 005 4, 734 3, 874 4, 098 4, 192	2, 079 1, 468 1, 867 1, 857 2, 040	605 636 628 561 489	894 857 825 386 373	1, 687 1, 780 1, 574 1, 671 1, 569	2, 891 2, 753 2, 533 2, 970 2, 844	843 931 780 979 1, 069	729 638 499 454 476	358 288 223 216 310	13, 501 13, 580 12, 253 13, 192 13, 382	9, 947 10, 588 10, 111 8, 833 8, 819	28, 538 24, 168 22, 364 22, 025 22, 201
W			-		SHIPM	IENTS					***	
	487 763 832 1,000 1,362		62 75 72 77 101			552 563 863 892 819	108 102 129 144 275	404 208 485 682 622		1, 636 1, 731 2, 406 2, 818 3, 200		
	1, 356 1, 341 1, 149 1, 214 940		90 108 91 119 114			1, 016 1, 176 1, 023 1, 098 959	292 195 181 138 127	489 241 848		3, 404 3, 427 2, 965 2, 838 2, 522		
1910 1911 1912 1913 1914	1, 494 1, 283 1, 175 1, 450 1, 278		77 108 97 70 44			1, 694 1, 565 1, 343 1, 586 1, 198	187 152 154 175 170	542 481 596 565		4, 170 3, 713 3, 235 3, 947 3, 837		
	1, 205 1, 309	1, 484 1, 822	72 86	168 259 248 175 276		1, 369 1, 301 1, 638 1, 953 2, 150	264 181 207 248 301	536 485 319 463 676		4, 050 5, 102 5, 955 6, 518 7, 850	2, 700 4, 091 5, 055 5, 686 6, 785	.0, 750 9, 193 11, 010 12, 204 14, 585
	1, 202 1, 352 1, 273 1, 414 1, 381	1,864 1,288 1,693 1,685 1,875	140 245 207 177	204 207 244 231 218		1, 474 1, 124 1, 094 1, 288 1, 242	228 200 154 226 282	416 298 176 194 187		6, 311 5, 297 5, 484 5, 879 5, 972	6, 252 6, 036 6, 193 5, 851 5, 822	12 11, 828 11, 677 11, 780 11, 794

Division of Statistical and Historical Research. Prior to 1915 receipts compiled from yearbooks of stock-yard companies; subsequent figures compiled from data of the reporting service of the Livestock, Mests, and Wool Division. Prior to 1915 shipments compiled from yearbooks of stockyard companies, except East St. Louis (1900 to 1906 from 14th Annual Report of Bureau of Animal Industry; 1907 to 1914 from Merchants' Exchange Annual Report); subsequent figures from data of the reporting service of the Livestock, Meats, and Wool Division.

TABLE 541.—Sheep: Receipts at all public stockyards, 1915-1924

[Thousands-i. e., 000 omitted]

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1915 1 1916 1 1917 1918 1919	1,517 1,450 1,578 1,854 1,594	1, 257 1, 280 1, 384 1, 096 1, 157	1, 248 1, 156 1, 256 1, 270 1, 268	1,019 1,144 1,152 1,159 1,438	1,050 1,347 1,059 1,214 1,468	1,080 1,394 1,240 1,429 1,775	1, 264 1, 451 1, 353 1, 639 2, 287	1,984 1,769 2,270	2, 501 2, 650 2, 554 3, 496 3, 854	2, 359 8, 231 8, 195 8, 327 3, 754	2, 042 2, 126 2, 099 2, 606 2, 845	1, 378 1, 479 1, 583 1, 626 2, 456	18, 435 20, 692 20, 216 22, 485 27, 256
1920 1921 1922 1928 1924	1, 614 1, 792 1, 835 1, 636 1, 697	1, 416 1, 516 1, 399 1, 366 1, 412	1,815 1,750 1,465 1,480 1,867	1, 466 1, 677 1, 227 1, 447 1, 348	1, 488 1, 916 1, 692 1, 794 1, 344	1, 640 1, 849 1, 700 1, 426 1, 550	2,034 1,776 1,677 1,661 1,672	2, 606 2, 500 1, 951 1, 800 2, 005	2, 895 2, 618 2, 303 2, 659 3, 027	3, 027 3, 042 8, 311 3, 464 3, 295	2, 471 2, 068 2, 288 1, 816 1, 879	1,566 1,664 1,516 1,526 1,605	23, 538 24, 168 22, 364 22, 025 22, 201

Division of Statistical and Historical Research. Compiled from data of the reporting service of the Livestock, Meats, and Wool Division.

Table 542.—Sheep: Receipts at Chicago, East St. Louis, Kansas City, and Omaha combined, 1900-1924

[Thousands-i. e., 000 omitted]

· Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1900	491	449	492	490	515	431	445	613	577	743	479	380
1901	455	424	462	613	562	467	588	581	749	830	652	477
1902	504	401	448	423	440	519	580	734	998	1, 203	871	815
1908	559	523	562	551	482	434	546	721	1,022	1, 143	936	646
1904	687	715	683	583	507	567	312	675	976	1, 080	751	513
1905	623	609	643	683	648	515	604	693	1, 105	1, 225	784	570
1906	729	655	775	672	64	589	612	763	990	1, 268	849	668
1907	755	644	658	687	514	499	575	685	1, 042	1, 191	638	519
1908	598	575	562	590	589	614	616	800	1, 287	982	822	741
1909 1910. 1911 1912 1918.	651 822	565 522 686 849 750	700 551 740 856 710	593 477 686 770 770	465 577 763 665 737	607 631 796 671 732	636 794 807 837 831	862 1, 199 1, 085 1, 052 963	1, 206 1, 609 1, 566 1, 528 1, 869	1, 281 1, 820 2, 003 1, 906 1, 848	841 1, 258 1, 115 1, 113 1, 089	700 702 810 905 979
Av. 1909-1913	792	674	711	659	641	687	781	1,032	1,556	1,772	1,083	819
1914	934	863	909	858	707	716	723	979	1,558	1,512	705	779
1916	799	670	723	540	469	831	637	931	1,337	1,000	868	786
1916	742	697	622	586	632	859	634	991	1,301	1,408	854	761
1917	796	693	682	592	441	470	526	650	1,111	1,210	715	756
1917	716	525	620	518	538	554	726	989	1,770	1,569	952	741
1918	780	847	564	628	612	742	1,098	1,461	1,968	1,400	951	957
1928	966	619	580	462	532	682	827	1,189	1,288	946	817	681
Av. 1914-1920	776	669	673	597	562	615	739	1,027	1,476	1, 291	837	766
1921	813	700	819	754	729	725	645	1, 100	1, 173	1,095	686	664
1922	753	602	640	517	659	690	698	826	835	1,072	726	594
1823	782	665	785	690	672	\$29	711	807	1, 179	1,281	612	685
1824	811	595	601	598	544	671	740	895	1, 408	943	546	742

Division of Statistical and Historical Research. Prior to 1915 figures compiled from yearbooks of the stockyard companies; subsequent figures compiled from data of the reporting service of the Livestock, Meets, and Wool Division.

 $^{^1}$ Complete information for 1915 and 1916, particularly on disposition of stock, is not obtainable from many markets.

Table 543.—Sheep: Receipts, local slaughter, and stocker and feeder shipments, public stockyards, 1915-1924

[Thousands—i. e., 000 omitted]

RECEIPTS

		,	,		,	·	,			
Market	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
Albany, N. Y Amarilio, Tex Atlanta, Ga	75	28 56	45 158 2	1 155 1	236 2	(¹) 189 1	(¹) 38 2	(¹) 73 2		159
Augusta, Ga Baltimore, Md	306	279	(1) 349	(1) 359	(1) 871	(¹) 367	(1) 466	306	284	(1) 288
Boston, Mass Buffalo, N. Y Chattanooga, Tenn Cheyenne, Wyo Chicago, Ill	835	1, 024 4 4, 291	756 2 210 3, 595	904 8 871 4,680	1, 100 3 442 5, 244	1, 052 2 223 4, 005	1, 380 3 148 4, 734	1, 191 4 139 3, 874	1, 226 2 169 4, 098	1, 166 1 157 4, 192
Cincinnati, Ohio		332	270	275	335	366	438	394	345	327
Cleveland, Ohio Dallas, Tex Dayton, Ohio Denver, Colo	259 11 765	254 1 4 1,409	320 (1) 4 2,060	370 (1) 5 1, 652	467 (1) 11 2, 087	420 1 9 2,079	370 1 7 1, 468	360 1 8 1,867	333 (1) 7 1,857	365 (1) 8 2, 040
Detroit, Mich	269 648 99	284 671 117 7	297 531 211 9	279 536 88 11	344 724 252 14	328 605 136 14	343 636 71 8	356 628 49 11	298 561 73 8 5	393 489 41 6
Fert Worth, Tex	363 13 113	431 12 98 1 1,546	406 12 102 (1) 1. 329	335 10 114 2 1, 095	453 11 131 2 1,532	394 17 136 1 1,554	357 21 145 (1) 1,994	325 14 147 (¹) 1,854	886 12 124 (1) 1, 276	373 15 123 (1) 1, 230
Kansas City, Mo Knexville, Tenn Lafayette, Ind Lancaster, Pa	1, 815 1 8 2	1,758 2 2 2 1	1, 499 3 4 160	1, 667 2 5 257	1, 945 2 8 74	1, 687 1 8 122	1, 780 1 8 12	1, 574 2 4 27	1, 671 1 4 58	1, 569 2 6 15
Les Angeles, Calif									1 75	3 1 0 2
Les Angeles, Calif Leuisville, Ky Marien, Ohio Memphis, Tenn Milwaukee, Wis	308	343 4	(1)	257 2 2	273 32 1	277 50 2	286 15 (¹)	318 13 1	265 11 2	213 12 1
		55	48	57 7	65 7	61 4	`´59 2	45 2	40 3	37 2
Mentgomery, Ala Meultrie, Ga Nashville, Tenn Newark, N. J New Orleans, La		47	94	114	147	129	138	152	(¹) 129	(1)
Newark, N. J									29	33
New York, N. Y	179	94	6 80	9 271	6 291	6 158	4 221	143	74	2 68
North Salt Lake, Utah		404	357	424	288	481	368	459	449	618
Ogden, Utah Oklahoma, Okla Omaha, Nebr	69	115	380 50	423 82	516 19	603 15	576 18	704 18	849 9	565 9
1	3, 268	8, 171	3, 017	3, 38u 58	3, 789	2, 891 92	2, 753 72	2, 533 66	2, 970 66	2, 844 84
Pasco, Wash Peoria, Ill	1	1	1	1	4	3	7	3 1	4	8
Philadelphia, Pa Pittsburgh, Pa Portland, Oreg	312 419 197	282 337 171	185 563 141	231 553 149	298 767 215	349 922 236	454 1, 197 329	352 1, 204 205	1, 045 1, 79	251 979 199
Pueblo Colo	794 7	806 10	800 8	762 7	837 10	734 10	541 13	645 12	704	87 <i>5</i>
Richmond, Va Roanoke, Va St. Joseph, Mo St. Paul, Minn	878 704	804 623	679 430	827 630	1,007 912	843 729	931 688	780 499	979 454	(1) 1, 089 476
Sen Antonio Ter	17	26 20	51	41 52	88 102	70 . 91	49 91	66 70	23 86	18
Seattle, Wash Sioux City, Iowa Sioux Falls, S. Dak Spokane, Wash	837	321 82	267 (1) 39	387 2 102	686 87 117	858 5 127	288 2 73	223 2 68	216 5 28	310 5 43

¹ Not over 500.

TABLE 543.—Sheep: Receipts, local slaughter, and stocker and feeder shipments, public stockyards, 1915-1924—Continued

[Thousands—i. e., 000 omitted]

RECEIPTS-Continued

Market	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
Springfield, Ohio	41 80 811	29 15 21 847	34 7 27 833	29 8 40 491	54 20 59 583	69 27 39 435	23 35 82 524	20 21 82 497	9 13 17 120 8	14 28 16 84 (1)
Total	18, 435	20, 692	20, 216	22, 485	27, 256	23, 538	24, 168	22, 364	22,025	22, 201

LOCAL SLAUGHTER

				1	· · · · · · · · · · · · · · · · · · ·		,	·	1	1	
Albany, N. 1 Atlanta, Ga Augusta, Ga Baltimore, N Buffalo, N	fd	105	98 183	(1) (1) 60 119	(1) (1) (1) 85 142	(1) 1 103 231	(1) 1 (1) 121 263	(1) 1 (1) 186 243	1 (1) 144 193	3 (i) 131 161	(¹) 126 138
Chattanooga Chicago, Ill_ Cincinnati, C Cleveland, C Dallas, Tex_	Dhio	3, 252 124 168	8, 462 79 144 1	2, 759 51 118 (1)	3, 425 52 132 (1)	3, 935 84 176 (1)	2,803 81 168	3, 383 121 234 1	2, 601 91 189 1	2, 684 62 186 (1)	2, 812 60 181 (1)
Dayton, Ohi Denver, Cole Detroit, Mic East St. Lou El Paso, Tex	his, III	113	2 116 209 584	2 95 156 462 '8	2 174 138 468 6	241 212 599 3	6 239 216 465 7	5 180 168 891 7	5 172 196 405 7	5 169 194 354 8	6 168 212 311 9
Evansville, I Fort Wayne, Fort Worth, Fostoria, Ohi Indianapolis,	Ind Tex io	201	1 189 31	1 144 4 21	1 131 (¹) 16	1 164 (1) 26	206 (¹) 31	157 (1) 44	80 2 64	2 1 155 (¹) 61	2 2 155 (1) 56
Jacksonville, Jersey City, Kansas City, Knoxville, T Lafayette, In	N.J Mo enn	1, 029 1, 194 1	1, 546 1, 177 (1)	(1) 1, 329 886 (1) 1	1, 095 951 1	1, 532 1, 176 1 2	(1) 1, 554 1, 066 1	(1) 1, 994 1, 307 1 2	(1) 1, 854 1, 000 1	(1) 1, 276 1, 101 1 2	(1) 1, 280 1, 046 (1)
Lancaster, P. Laredo, Tex. Los Angeles, Louisville, K. Marion, Ohio	Calif	20	25	20	24 (¹)	24 (¹)	29 1	26 (¹)	27 (¹)	2 1 71 24 (¹)	3 102 18 (1)
Memphis, To Milwaukee, Montgomery Nashville, To Newark, N.	Wis , Ala enn	51	88	38 9	84 13	(1) 42 1 15	45 1 18	(¹) 47 (¹) 23	(¹) 84 (¹) 27	(1) 29 (1) 21 29	(1) 38 1 20 83
New Orleans New York, N North Salt Le Ogden, Utah Oklahoma, O	ke,Utah	179 89	4 94 18 72	5 83 46 8 27	7 271 26 43 14	291 17 24 8	3 158 15 17 5	3 221 67 14 12	2 143 20 8 12	2 75 19 7 4	68 45 9 6
Omaha, Nebi Pasco, Wash	·	1, 899	1, 870	1 , 3 78	1, 433 (1)	1, 6 39	1, 417	1 , 62 6	1, 440	1, 682	1, 602
Peoria, Ill Philadelphia, Pittsburgh, I	Pa	1 56	1 111	170 85	220 95	286 103	2 843 125	3 446 148	345 117	244 117	246 115
Portland, Ore Richmond, V Roanoke, Va	8	146 6	112 2	87 4	77 8	109 6	104 7	151 10	95 9	104 8	96 7 (¹)
St. Joseph, M St. Paul, Mir		615 181	624 152	472 118	580 176	706 251	615 800	780 816	576 319	754 253	805 814

¹ Not over 500.
SIncludes only those markets which have been totally discontinued.

Table 543.—Sheep: Receipts, local slaughter, and stocker and feeder shipments.
public stockyards, 1915-1924.—Continued

[Thousands--i. e., 000 omitted]

LOCAL SLAUGHTER-Continued.

Market.	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
San Antonio, Tex			9	1	1	2	2	4	2	3
Seattle, Wash Sloux City, Iowa Sloux Falls, S Dak Spokane, Wash Springfield, Ohio	210	20 216	170 (1)	52 210 (¹) 9	101 282 (1) 13	90 199 2 16	91 191 1 26	69 158 (¹) 11	83 136 (¹) 8 (¹)	99 193 (1) 13
Toledo, Ohio. Washington, D. C. Wichita, Kans Discontinued 1. Total	19 17 10, 254	3 15 4 32	3 6 2 175 9, 142	2 8 4 137	4 20 6 197	2 27 5 196	3 34 6 228	3 20 13 206 10, 669	1 17 17 2 10, 271	1 15 27 (¹)

STOCKER AND FEEDER SHIPMENTS

	1	ı	ı		ı		!	1	1	1
Amarillo, Tex		17	79	50	116 (1) (1)	86	(1)	(1) (1)	62 1	127
Augusta, Ga Baltimore, Md Buffalo, N. Y		2 14	18	1 21	2 14	1 23	(1)	1 3	1 2	1 9
Chattanooga, Tenn_Chicago, Ill Chicago, Ill Cincinnati, Ohio Cleveland, Ohio Denver, Colo		467 5 741	634 1 1 1,030	968 5 3 921	1, 106 8 4 1, 290	(1) 899 8 (1) 1,349	521 13 4 643	688 15 7 1,088	682 15 4 1,068	707 11 3 1, 130
Detroit, Mich			5 48 164 (¹)	3 48 43 (1)	8 70 189 (^J)	20 60 95 (¹)	14 33 21 (¹)	12 50 80 (1)	12 51 87 (1)	10 46 15 (4)
Fort Worth, Tex		(1)	127 4 510	111 (¹) 5 (¹) 602	164 (¹) 1 672	71 1 5 1 474	80 1 10 324	136 (1) 9 (1) 385	39 1 5 407	50 1 9 368
Knoxville, Tenn Lafayette, Ind Laredo, Tex Los Angeles, Calif		(1)	(¹) ²	1 1 27	1 1 31	(1)	1	2 1	(1) 4	(¹)
Louisville, Ky Marion, Ohio Memphis, Tenu		(1)		(1)	2	1	25 (¹)	34 2 (¹)	2 (¹)	(1)
Milwaukee, Wis Montgomery, Ala Nashville, Tenn		1 5	1 3	(1) 2	(¹) 19	1 1 6	(¹) 4	(¹) 4	(¹) ₂	(¹) 1
Newark, N. J New Orleans, La North Salt Lake, Utah Ogden, Utah Oklahoma, Okla			(1) 159 1 13	2 215 41 6	1 277 171 6	1 211 133 8	142 142 197 2	1 276 281 3	(1) 1 234 369 8	(1) (1) 345 244 2
Omaha, Nebr Pasco, Wash		1,026	1, 802	1, 592 59	1, 787 131	1, 124 68	67 0	757	889	823
Portland, Oreg Pueblo, Colo		15	27	(1) 18 20	27 (¹)	1 40 1	13 (¹)	1 7 8	- 8 5 212	2 8 847
Richmond, Va St. Joseph, Mo St. Paul, Minn San Antonio, Tex Sioux C.ty. Iowa		140 9	1 124 92 1 62	1 126 109 17 129	200 201 46 272	1 142 113 33 90	107 78 5 64	1 113 66 38 45	150 91 7 42	.229 63 6 64

¹ Not over 500.
3 Includes only those markets which have been totally discontinued.

TABLE 543.—Sheep: Receipts, local slaughter, and stocker and feeder shipments, public stockyards, 1916—1924.—Continued

[Thousands-i. e., 000 omitted]

STOCKER AND FEEDER SHIPMENTS-Continued

Market	1915	1916	1917	1918	1919	1920	1921	1922	1928	1924
Sioux Falls, S. Dak Spokane, Wash Toledo, Ohio Wichita, Kans Discontinued i		1 5	(1) 16	(1) 24 • 16 • 16	28 35 (1) 19 52	1 75 3 8 14	(1) 12 (1) 2 75	(¹) 222 (¹) 17 46	1 12 87	(¹) 12 (¹) 22
Total	•••••	3, 277	4, 448	5, 208	6, 956	5, 180	3, 095	4, 167	4, 478	4, 679

Division of Statistical and Historical Research. Compiled from reports made by stockyards to the Livestock, Meats and Wool Division.

TABLE 544.—Sheep: Receipts, local slaughter, and stocker and feeder shipments at certain public stockyards, 1924

[Thousands, i. e., 000 omitted]

Stockyard	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept	Oct.	Nov.	Dec.	Total
Baltimore, Md.: Receipts Lecal slaughter Steeker and feeder shiomeats.	13 10	11 7	10 8	12 8	10 6	23 9	25 11	65 21 (1)	34 13	43 17	30 10	12 6	288 126
Buffele, N. Y.: Receipts	140	153	107	92	97	49	36	47	75	104	126	140	1, 166
Local slaughter Stocker and feeder	13	12	6	ii	ii	8	8	ii	15	15	14	14	138
shipments					1	1	1	(1)	2	1	8	(1)	9
Chicage, Ill.: Receipts Lecal slaughter	409 265	275 187	294 197	256 171	249 198	286 241	332 258	361 245	528 305	473 278	318 227	411 250	4, 192 2, 812
Stocker and feeder shipments	42	22	22	7	6	28	48	89	161	155	67	65	707
Cincinnati, Ohio: Receipts Lecal slaughter	4 3	3 2	4 3	4 3	11 5	55 6	73 9	85 6	39 7	31 8	12 4	6	327 60
Stocker and feeder shipments			(1)		(1)	1	1	5	3	1	(1)		11
Cleveland, Ohio: Receipts Local sizushter	33	15	24 15	26 15	19 13	13 10	18 10	18 14	34 17	59 21	69 21	42 16	365 181
Stocker and feeder shipments	~	1		**	10	10	"		2	1	(1)		3
Denver, Colo.:	140	100	170	107	0.	44	40						1
Receipts Local slaughter Stocker and feeder	102 12	122 16	170	26	85 15	41 9	40 8	60 12	237 18	669 20	309 9	98 7	2, 040 168
shipments Detroit, Mich.:	28	25	14	8	5	12	22	17	110	534	812	43	1, 130
Receipts Local slaughter Stocker and feeder	51 14	29 14	35 13	22 12	18 9	10	6	13 13	33 24	64 86	64 80	48 32	393 212
shipments East St. Louis, Ill.:	1	1			(1)			(1)	2	3	2	1	10
Receipts	25 15	18 7	19 7	26 9	33 24	76 61	- 76 62	63 45	48 23	46 25	26 14	30 19	489 311
shipments Fort Worth, Tex.:	2	1		(1)	1	4	5	. 6	14	10	8	(1)	46
Receipta	15 6	3	17 5	59 25	82 33	54 26	21 13	30 12	37 9	11 8	17 6	21 9	373 155
Stocker and feeder shipments	8	8	(1)	1	4	5	1	5	14	8	9	2	50

¹ Not over 500.

¹ Not over 500.

Includes only those markets which have been totally discontinued.

the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s

Table 544.—Sheep: Receipts, local slaughter, and stocker and feeder shipments at certain public stockyards, 1924—Continued

[Thousands, i. e., 000 omitted]

								,	,				,
Stockyard	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total
Indianapolis, Ind.:													
Receipts	9	5	3	3	4	9	14	19	17	16	17	7	123
Local slaughter	5	3	2	2	2	6	8	10	8	5	3	2	56
Stocker and feeder					i	i		l	i	ì	1		
shipments	(1)			(1)			2	3	2	2	(1)	(1)	9
Jersey City, N. J.:								i					i
Receipts	86	69	64	78	66	122	151	182	123	133	91	65	1, 230
Local slaughter	86	69	64	78	66	122	151	182	123	133	91	65	1, 230
Kansas City, Mo.:	119	0.0	00								٠		
Receipts	92	96 80	90 73	140	137	132 97	105	132	276	170	66	106	1, 569
Local slaughter Stocker and feeder	92	au .	13	91	89	97	93	79	136	97	45	74	1,046
shipments	20	11	11	18	18	19	12	40	114	68	16	21	368
Los Angeles, Calif.	20	11	11	10	10	19	12	90	114	00	10	21	305
Receipts	11	2	4	6	16	25	12	10	6	5	2	4	102
Local slaughter	lii	ĩ	4	6	16	24	13	1 o	6	5	1 2	1 4	102
Milwaukee, Wis.:	••	-	•	, ,	1 -0		10			1			102
Receipts	1	1	1	1	(a)	2	4	5	8	8	4	2	87
Local slaughter	l i	l ī	l ī	Ιī	8	Ž	ã	5	7	l ő	1	. 2	83
Omaha, Nebr.:	-		-	_	1	_	}	-	1	1	1	1	1
Receipts	255	207	198	176	125	177	227	839	553	254	137	196	2,844
Local slaughter	158	144	146	111	87	124	148	152	171	126	91	144	1,602
Stocker and feeder	1	ł	l	ł	1	1	ł	l	l	1	l	ł	1
shipments	26	15	14	11	9	27	56	174	311	131	81	18	823
Pittsburgh, Pa.:	·				١	1			l	l			1
Receipts	75	58	81	78	76	96	118	113	99	76	48	66	979
Local slaughter	10	8	9	10	10	9	10	10	11	10	11	7	115
Portland, Oreg:	10	7	9	g	23	4.	27		0.5	11	9	7	199
Receipts	3	í	3	7	11	41 24	14	21	25 13	4	5	2	96
Local slaughter Stocker and feeder	٥	1	٥	'	1 11	24	14	9	13	•	9		. **
shipments	ł	(1)	(1)	j	1	1	1	1	1	2	1	(0)	8
St. Joseph, Mo.:		()	()		٠,		,	١.		-	1 -	('	١
Receipts	106	107	108	108	83	64	74	90	111	97	62	79	1.069
Local slaughter	92	86	86	75	68	52	58	58	66	58	46	60	805
Stocker and feeder	1	-	"	٠.	1 00	1		1	1	1		1 "	
shipments	12	14	11	13	9	10	15	31	43	89	15	17	229
St. Paul, Minn.:			1	l	ł	l	l	ĺ	1.	ì	Ì	i	1
Receipts	28	25	19	9	7	6	16	29	76	126	86	49	476
Local slaughter	25	16	11	9	6	5	11	24	46	63	59	39	314
Stocker and feeder	!	1	!		! .								
shipments	1	(1)	3	(1)	(1)	(1)	2	4	9	30	10	4	63
Sioux City, Iowa:	۱	۱		۱		1 -		۱	00	۱		٠	
Receipts	44	34	17	11	7	5	6	15	32	51	37	51 38	810 193
Local slaughter	30	18	11	9	6	2	4.	8	14	27	26	38	183
Stocker and feeder	4	5	1	(1)	1	2	2	4	10	18	10	7	64
shipments		1 0	1	(4)	1	2	2	1 *	10	1 10	10	· '	۰,
Wichita, Kans.:	4	5	2	2	13	14	4	9	16	8	4	3	84
Receipts Local slaughter	2	8	1 2	í	4	4	2	2	2	i	2	2	27
Stocker and feeder		ľ	•	! *	. *		_	1 ~	1 -	1 1	1 -	٠-	1 ~.
shipments	2	1	L	L		2	1	(1)	8	8	(1)		22
	1 -	1 -	1		1	1	1	1 ``	1	1	1 ''	1	1

Division of Statistical and Historical Research. Compiled from data of the reporting service of the Livestock, Meats and Wool Division. Local slaughter data from stockyards.

¹ Not over 500.

TABLE 545.—Feeding sheep: Shipments from public stockyards, by months, 1924

Origin and destination	Jan.	Feb.	Mar.	Apr.	May	June	July
MARKET ORIGIN	Num- ber	Num-	Num-	Num-	Num-	Num-	Num-
Chicago, Ill		23, 025	21, 664	6, 687	5, 917	22, 778 9, 267	86, 117
Denver, Colo	23, 716	1 20 015	11,054	6, 585		9, 267	21, 795
Fort Worth, Tex	3, 597	8, 425 9, 075	741	2,060	8, 141 8, 347	1 A A 99	1,413
Kansas City, Kans	15, 757	9,075	7, 888	8, 986	8, 347	15, 512 2, 228 3, 521	5, 595
Motional Stockwards III	820			. 848	391 180	2, 225	4 207
Omaha Nahr	29, 768	21, 965	19, 794	22,057	14, 649	33, 426	2, 623 4, 307 58, 484
Sionx City, Iowa	3, 110	1 2.217	1, 179	614	175	75	2,010
South St. Joseph, Mo	3, 375	1,288	921	441	785	2, 617	6,505
South St. Paul, Minn	448	524		96	252	91	483
Chicago, III. Denver, Colo Fort Worth, Tex. Kansas City, Kans Louisville, Ky. National Stockyards, III. Omaha, Nebr. Sioux City, Iowa. South St. Joseph, Mo. South St. Faul, Minn All other inspected	2,417	3, 120	271	905	2, 119	5, 989	5, 567
Total	127, 927	86, 182	63, 180	48, 774	37, 908	102, 141	144, 849
STATE DESTINATION]		
Colorado	17,609	11, 627	5, 562	6,044		9, 287 .7, 232 8, 346	21, 795 12, 768
Illinois	10, 452	4, 125	1 2.718	3, 667	2, 142	.7, 232	12,768
Indiana		487	1,908 708	1,895	1, 855	8, 340	18, 337
Iowa	8,920	6, 227 3, 523	4, 868	1,390 975	712 3, 308	5,631	32, 285 4, 866
Kentucky	0,020	0,020	2,000	398	353	3, 287	8, 197
Michigan	81, 100	16, 547	14, 696	1, 437	1, 291	5, 457 3, 287 10, 873	3, 197 12, 323 229
Kansas Kentuoky Michigan Minnesota	110	52	168		252	91	229
Missouri Nebraska	7,782	6, 171	970	1,559	3, 725	8, 923	8, 825
Nebraska	36, 878 514	30, 257	28, 130	27, 825 65	16, 507 165	30, 835	21, 554
Obio. South Dakota Texas. Wisconsin	014	111		. 00	240	2, 612 350	2,051 1,039
Texas	387	1, 261 719	654	2,060	4, 365	5, 815	829
Wisconsin	2, 814		2, 221	681	903		1, 138
All other	3, 578	5,015	582	783	2, 088	3, 402	3, 613
Total	127, 927	86, 182	63, 180	48, 774	37, 906	102, 141	144, 849
Origin and destination		Aug.	Sept.	Oct.	Nov.	Dec.	Total
MARKET ORIGIN		N m-	Num- ber	Num-	Num- ber	Num-	Num- ber
Ch.cago, Ill		82,062	171, 179	161, 823	75, 412	78, 191	729, 779 1,091,811
Ch.cago, Ill Denver, Colo Fort Worth, Tex.		82, 062 8, 085	171, 179 113, 926	161, 828 563, 888 2, 943 52, 078 284	75, 412 274, 262 8, 551	78, 191 38, 348 2, 245	1,091,811
Fort Worth, Tex.		5, 585	18, 650	2,948	8, 551	2, 245	60, 923
Louisville Kw		8 KAR	91, 424 3, 630	02,078	16, 678 75	20, 176	279, 788 18, 192
National Stockwards, Ill	•••••••	4. 290	3, 177	1 1. X41	189	148	18, 473
Omaha, Nebr		169, 586	316, 847	1128, 810	31, 391	20,064	866, 836
Sioux City, Iowa		3,047	9, 509 28, 338	17, 900	9.895	8, 217 9, 680	59, 104
South St. Joseph, Mo	·	20, 190	28, 838	23, 030	6, 192	9,680	103, 267
All other inenested		8,808	7, 531 17, 638	29, 516 17, 285	8,082 11,571	8, 100 1, 447	51, 724 74, 637
Denver, Colo. Fort Worth, Tex. Kansas City, Kans. Louisville, Ky National Stockyards, Ill. Omaha, Nebr. Sioux City, Iowa. South St. Joseph, Mo. South St. Paul, Minn. All other inspected. Total		888, 408	701 040	<u> </u>		<u> </u>	
d V****		000, 100	781, 849	999, 454	442, 298	181, 566	3,354,534
STATE DESTINATION				975 401	101 600	01 700	714 000
Colorado		425	53, 292	875, 681	191, 630 16, 945	21,708	714, 600 280, 480
IllinoisIndiana	·	59, 662 38, 058	107, 901	81, 234	15, 820	7 524	165, 752
Iowa		87,074	53, 292 107, 961 43, 830 164, 868	44, 021 81, 234 71, 808	16.012	8, 712 7, 524 9, 776	4UX.801
Watter		20 255	1 00. 620	42,088	16,064	10,000	182, 507 22, 729
Kentucky		9, 764	4, 402	828	1 275	130	22, 729
Rentucky Michigan Mimpesota Mimpesota		21, 419 8, 708 80, 014	4, 402 57, 859	88, 479	41, 176	44, 383	341, 083 28, 287
M.IMD060ta		3,708	8, 626 78, 665 150, 878	8, 612 31, 796	5,801	1, 148 13, 511	28, 287 197, 996
			150 872	249, 677	6, 105 97, 161	29, 978	1779. MOZ
Ohio		8, 421	12, 621	7.662	1 2.402	220	31,904
South Dakota		1,247	4.400	4,981	1.393	336	14.005
Texas		868	8, 141	4, 931 8, 281 23, 566	1.699	1,959	31, 319 55, 091
Ohio South Dakota		1, 270 6, 401	8, 141 12, 608 17, 809	23, 506 15, 800	4, 861 25, 354	4, 815 22, 518	55, 091 106, 438
Total		338, 408	781, 849	990, 454	442, 298		3.854.584
A UVAI		UUC, TVO	101,019	, aut	-14, 440	101, 900	0,002,004

Division of Statistical and Historical Research. Compiled from Bureau of Animal Industry Inspection records.

TABLE 546.—Sheep: Imports, exports, and prices, 1895-1924

•		lmports			Exports	•
Year ended June 30—	Number	Value	Average import price	Number	Value	Average export price
A verage: 1895-1800 1900-1904 1908-1909 1910.		Dollars 972, 444 1, 082, 047 886, 150 696, 879 877, 625	Dollars 2. 77 8. 56 4. 52 5. 52 7. 06	296, 882 252, 138 143, 011 44, 517 121, 491	Dollars 1, 861, 231 1, 525, 800 839, 219 209, 000 636, 272	Dollars 6. 27 6. 06 5 87 4. 69 5. 24
1912	15, 428	157, 257	6. 67	157, 263	626, 985	8. 90
1913		90, 021	5. 83	187, 132	605, 725	8. 24
1914		532, 404	2. 38	152, 600	534, 543	8. 50
1915		583, 967	3. 48	47, 213	182, 278	8. 86
1916	235, 659	917, 502	8.89	52, 278	231, 535	4. 42
1917	160, 422	856, 645	5.84	58, 811	367, 935	6 26
1918	177, 681	1, 979, 746	11.14	7, 959	97, 028	12. 19
1919	163, 283	1, 914, 478	11 72	16, 117	187, 847	11. 62
1920	199, 549	2, 279, 949	11. 43	59, 155	711, 549	12.0
1921	161, 292	1, 541, 793	9. 56	80, 723	532, 510	6.0
1922	96, 086	514, 424	5. 35	62, 354	294, 442	4.7
1923	82, 908	542, 406	6. 54	15, 791	164, 695	10.4
1924	34, 986	215, 997	6. 17	8, 852	89, 439	10.1

Division of Statistical and Historical Research.

TABLE 547.—Live sheep: Exports and imports, United States, by months, 1910-1925
. IMPORTS

Year ended June 30	July	Aug	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mai.	Apr.	Мау	June	Total
1910 1911 1912 1913	Num- bet 765 1,885 86 87 457	Num- ber 8, 683 6, 715 2, 650 413 1, 173	Num- ber 33, 002 8, 287 2, 241 1, 648 960	Num- ber 32, 896 21, 401 5, 779 3, 466 26, 035	Num- ber 29, 604 11, 559 8, 042 5, 077 46, 995	Num- ber 15, 072 224 881 792 36, 073	Num- ber 1, 014 89 33 95 15, 485	Num- ber 403 90 13 871	Num- ber 2, 014 6 7 782 13, 995	Num- ber 1, 415 860 131 2 73, 169	Num- ber 978 1, 976 2, 390 2, 769 5, 834	363 1, 339 334	
1915 1916 1917 1918 1919	4, 403 12, 377 4, 731 1, 439 672	15, 464 23, 637 8, 625 6, 980 4, 691	18, 915 19, 683 48, 650 51, 421 20, 274	13, 680 86, 765 23, 755 38, 540 82, 105	53, 253 13, 835 88, 436	20, 132 15, 458 1, 640 6, 859 22, 002	7, 223 2, 530 8, 446 1, 423 10, 684	193 42, 880 7, 085	33 3, 884 3, 193 13, 200 5, 146	1, 340 5, 785 885 1, 899 12, 203	748 5, 632 2, 258 3, 512 10, 631	6, 462 1, 524 6, 887	153, 317 235, 659 160, 422 177, 681 163, 283
1920 1921 1922 1923 1924 1925	1, 039 1, 633 856 1, 407 2, 021 355	15, 092 15, 835 10, 075 12, 666 3, 428 81		77, 705 39, 687 18, 607 31, 096 11, 023 11, 358	86, 689 11, 380 4, 512 8, 690	18, 847 19, 666 1, 483 1, 164 100 1, 924	8, 611 5, 232 7, 538 5, 347 1, 759	8, 263 261 3, 499 447 532	5, 247 1, 241 5, 537 12 88	1, 763 1, 234 2, 375 2, 599 2, 627	1, 114 416 2, 034 1, 478 930	1,864	
						EXPO	RTS	·	·	·	·	·	·
1910 1911 1912 1918	5, 584 6, 532 12, 984 10, 786 16, 587	4, 030 10, 542	3, 987 21, 312 24, 292	11, 863 15, 281 20, 090	10, 666 14, 524 18, 589	4, 184 3, 825 21, 838 31, 823 28, 760	1, 550 7, 458 12, 039 7, 645 4, 263	1, 289 8, 504 12, 359 9, 437 5, 803	452 15, 452 7, 829 5, 906 4, 940		790 20, 537 6, 234 10, 152 8, 173	12, 678 13, 037	44, 517 121, 491 157, 268 187, 132 152, 600
1915 1916 1917 1918 1919	8, 632 4, 076 8, 152 570 6, 196	5, 449 4, 833 1, 103 108	3, 281 334 39	8, 531 10, 518 14, 400 423 889	6, 172 6, 919 6, 913 266 75	236 8, 428 8, 577 5, 008 400	206 541 1, 253 6 80	125 4, 981 703 48 12	1, 130 1, 500 809 6 153	531 519 8, 226 11 4, 595	2, 485 6, 969 10, 333 96 3, 406	2, 649 4, 393 1, 831 88 214	52, 278 58, 811 7, 959 16, 117
1920	6, 557 890 15, 744 2, 887 2, 805 120		5, 984 3, 407 8, 787 1, 136 484 145	5, 075 2, 558 6, 244 575 818 16, 958	1, 806 3, 031 546 141	207 6, 937 2, 156 109 2, 695 7	149 4, 059 174 131 69	18, 320 8, 486 1, 982 83 99	4, 634 4, 006 770 783 84	147 14, 749 2, 414 8, 942 60	10, 096 1, 820 1, 727 20	14, 958 28, 482 3, 207 1, 820 147	80,758 62,854 15,751

Division of Statistical and Historical Research. Compiled from reports of the Bureau of Foreign and Domestic Commerce.

942 Yearbook of the Department of Agriculture, 1924

TABLE 548.—Sheep: Farm price per 100 pounds, 15th of month, United States, 1910-1924

Year	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Weight- ed av.
1910 1911 1912 1913	\$5. 68 4. 47 8. 89 4. 35	\$5.09 4.34 4.01 4.63	\$5. 64 4. 45 4. 12 4. 97	\$6. 10 4. 55 4. 57 5. 16	\$5. 79 4. 51 4. 74 4. 91	\$5. 44 4. 24 4. 52 4. 84	\$5. 47 4. 19 4. 21 4. 20	\$4. 68 3. 98 4. 26 4. 32	\$4. 81 3. 91 4. 11 4. 23	\$4. 68 3. 68 4. 19 4. 16	\$4. 63 8. 65 4. 05 4. 27	\$4. 54 3. 71 4. 21 4. 46	\$5. 94 4. 16 4. 24 4. 55
Av. 1910-1913	4. 58	4. 52	4. 80	5. 10	4. 99	4.76	4. 52	4. 31	4. 26	4. 18	4. 15	4. 23	4. 55
1914	4. 67 4. 95 5. 52 7. 38 10. 55 9. 68 9. 34	4. 67 5. 14 5. 90 8. 17 10. 75 9. 95 9. 97	10. 45			4. 70 5. 48 6. 54 9. 84 11. 56 10. 84 9. 13	4. 75 5. 35 6. 83 9. 32 11. 04 9. 25 8. 21	4. 87 5. 16 6. 22 9. 83 10. 99 9. 06 7. 54		4. 81 5. 18 6. 20 10. 24 10. 35 8. 46 6. 62	4. 68 5. 18 6. 41 10. 20 10. 11 8. 35 6. 20	4. 95 5. 38 6. 77 10. 44 9. 46 8. 53 5. 54	4. 79 5. 27 6. 29 9. 45 10. 95 9. 63 8. 51
Av. 1914-1920	7. 43	7. 79	8. 26	8, 69	8. 69	8. 22	7.75	7. 60	7. 55	7. 41	7. 30	7. 30	7.84
1921 1922 1923 1924	5. 30 4. 57 6. 88 6. 71	5. 01 5. 71 6. 83 6. 82	5. 27 6. 51 7. 06 7. 22	5. 11 6. 43 7. 20 7. 45	5. 11 6. 65 6. 92 7. 38	4. 74 6. 09 6. 48 7. 09	4. 34 6. 11 6. 48 6. 60	4. 38 5. 98 6. 22 6. 32	4. 11 5. 70 6 57 6. 30	3. 96 5 93 6. 33 6 32	8. 84 6. 02 6. 20 6. 39	4. 10 6 27 6. 39 6. 84	4. 65 5. 96 6. 65 6. 80

Division of Crop and Livestock Estimates.

Table 549.—Lambs: Farm price per 100 pounds, 15th of month, United States, 1910-1924

Year beginning June	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	Weight- ed av.
1910	\$7. 13 5 51 6. 02 6. 36	\$6. 71 5. 42 5. 74 6. 05	\$5. 70 5. 25 5. 60 5. 50	\$5, 85 5 02 5, 49 5, 51	\$5. 78 4. 68 5. 42 5. 51	\$5. 54 4. 68 [37 5. `4	\$5, 60 4, 93 5, 70 5, 85	\$5.71 5.22 6.03 6.16	\$5. 44 5. 15 6. 34 6. 18	\$5. 49 5 38 6. 56 6. 31	\$5. 77 5. 98 6. 59 6. 47	\$5. 74 6. 16 6. 66 6. 49	\$5. 79 5. 28 5. 96 6. 63
Av. 1910-1913	6. 26	5. 98	5. 51	5. 47	5. 35	5. 31	5. 52	5. 78	5. 78	5. 94	6. 20	6. 26	5. 76
1914 1915 1916 1917 1918 1919 1920	13, 89	13. 09	14. 20 12. 91	13. 73	18. 20	6. 14 6. 76 8. 41 13. 79 12. 54 11. 45 9. 37	12. 44	13. 83 12. 71	13. 77 13. 17	6. 06 8. 10 11. 46 14. 11 14. 03 14. 17 7. 90	14. 61	7. 32 8. 49 12. 51 15. 39 14. 34 14. 26 7. 78	6. 49 7. 38 9. 50 13. 60 13. 65 13. 05 9. 41
Av. 1914-1920	10. 92	10. 31	10. 16	10.08	9.89	9. 78	9. 80	10. 18	10. 58	10.88	11.44	11. 44	10.44
1921 1922 1928 1924	7. 59 9. 87 10. 72 11 21	7. 37 9. 55 10 60 10. 50		10. 28	10, 17	10.01			10.83		10.69	10. 89 11. 00 11. 48	7. 88 10. 30 10. 54

Divison of Crop and Livestock Estimates.

Table 550.—Farm prices of sheep, per head, by ages, United States, Jan. 1, 1912-1925

Jan. 1—	Under 1 year old	Ewes 1 year and over	Wethers 1 year and over	Rams	Jan. 1—	Under 1 year old	Ewes 1 year and over	Wethers 1 year and over	Rame
1912	\$2.64 3.11 3.22 3.62 4.13 5.63 9.06	\$8. 45 8. 96 4. 09 4. 59 5. 85 7. 48 12. 70	\$3. 48 2. 93 4. 06 4. 48 5. 02 6. 78 11. 26	\$8. 26 8. 80 8. 49 9. 01 10. 82 13. 62 20. 84	1019 1920	\$8. 82 8. 06 5. 34 4. 24 6. 66 6. 89 8. 24	\$12.44 11.03 6.37 4.84 7.60 8.06 9.90	\$11. 02 9. 60 5. 98 4. 07 6. 05 5. 95 7. 88	\$31.90 21.63 15.10 11.87 14.28 16.51 17.11

Division of Crop and Livestock Estimates.

TABLE 551.—Sheep: Farm price per 100 pounds, 15th of month, by States, 1924

State	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug.	Sept.	Oct. 15	Nov. 15	Dec. 15	Av.
Maine	5.00	Dolla. 7. 80 6. 00 5. 80	Dolls. 7. 60 5. 50 7. 00	Dolla, 8. 90 6. 50 5. 30	Dolls. 7. 50 6. 00 5. 00	Dolls. 7. 20 6. 50 4. 80	Dolls, 7. 50 6. 00 4. 50	Dolls. 7. 10 5. 59 4. 40 6. 00 7. 00	Dolla. 6. 50 6. 00 4. 20 7. 50	Dolls, 7.00 5.80 4.00 4.00 7.60	Dolls. 6. 50 4. 00 5. 00 7. 50	Dolls. 6. 40 8. 80 4. 50	Dolls. 7. 13 6. 07 4. 71 5. 84 7. 40
Connecticut New York New Jersey Permsylvania Delaware	5. 00 6. 10	9, 70 5, 60 6, 60 7, 00	6, 00 6, 90	6. 50 6. 50	6. 30 6. 50	6. 00 6. 00	5. 60 5. 60	9. 00 5. 80 6. 00 5. 80	5. 70 6. 00 5. 90	5.70 6.10	5. 30 6. 00	5, 80 6, 80	6. 19
Maryland Virginia West Virginia North Carolina South Carolina	6.00	5. 50 5. 80 5. 80 6. 70 8. 00	5. 70 5. 80 5. 90 6. 50 7. 40	5. 40 6. 00 6. 20 6. 70	6. 00 6. 20 6. 50 7. 00 6. 50	8.50 6.00 6.80 6.50 6.10	5. 00 5 70 6. 50 6 00	5. 00 5. 20 5. 60 6. 10	4 90 5. 80 5. 50 6. 20 7. 00	4.70 5.70 5.50 6.50 7.80	5. 30 5. 30 5. 80 6. 70 7. 10	5. 20 5. 60 5. 50 6. 00 8. 50	5. 81 5. 68 5. 92 6. 46 7. 88
Georgia Florida Ohio Indiana Illinois	5 60 4.70	6. 10 5. 90 4 80 6 10	6. 50 6. 50 5 70 6 60	6. 70 5. 00 7. 20 6. 10 7. 00	6. 70 6. 00 6. 40 6. 00 6. 50	7.00 5.50 6.20 5.70 6.00	7 00 6.00 5.20 5.70	6. 00 5. 70 5. 60 5. 50 5. 50	6 50 5. 50 5. 80 5. 20 5. 80	6. 00 5. 50 5. 10 5. 10 5. 80	4. 90 5. 00 5. 10 5. 00 5. 70	5. 50 5. 50 4. 90 6. 00	6. 30 5. 46 5. 87 5. 82 6. 04
Michigan Wisconsin Minnesota Iowa Missouri	5. 10 5. 80	5 80 5.40 6.40 6.30 6 00	6. 50 6. 20 6. 50 7. 00 6. 50	7. 00 6. 50 6 80 7. 59 6. 80	6. 60 6 70 7. 00 7. 00 6. 60	6. 00 6. 80 6. 50 6. 60 5. 90	5. 50 5 80 6. 20 6. 20 5. 70	5 60 5. 20 5. 30 6. 50 5. 50	5. 60 5. 00 5 60 7. 00 5. 40	5. 70 4. 90 5. 80 7. 00 5 80	5. 30 4. 90 5. 90 7. 10 5. 20	5 80 5.40 6.70 7.30 5.80	5. 94 5. 62 6. 21 6. 82 5. 84
North Dakota South Dakota Nebraska Kansas Kentucky	6.80 6 50 7.10	6 80 7, 20 7, 00 7, 50 4, 90	7. 00 7. 40 8. 00 7. 70 4. 80	7. 50 8. 00 8. 50 7. 20 5. 20	7. 80 8. 00 8. 50 7. 00 5. 50	7. 50 7. 50 8. 60 6. 90 5. 20	7.00 7 70 9 00 6.50 4.90	6. 00 7 30 8. 70 7. 00 5. 10	6 00 7. 00 8. 30 6. 80 5. 20	6. 10 6 80 7 70 6. 40 5. 80	6. 40 7. 40 7. 70 6. 30 5. 10	6. 80 7. 10 7. 30 6. 70 6. 20	6. 68 7. 85 7. 98 6. 92 5. 14
Tennessee Alabama Mississippi Louisiana Texas	7 00 5.29 4.50	5. 40 6. 50 4. 60 5 60	5. 20 6. 50 4. 60 6. 50	5. 50 7. 00 4. 50 5. 20 6. 70	5, 30 6, 50 4, 20 5 50 7, 00	8. 10 6. 20 4. 70 6. 50	4. 90 5. 90 5 00 4. 50 6. 00	5. 00 5. 60 4. 50 5. 00 6. 00	5. 80 5. 70 4. 50 5. 00 5. 80	5 00 6.00 4 00 6 10	4. 50 5. 50 3 60 6. 20 6. 60	4. 80 8, 50 6, 30	5. 08 6. 22 4. 41 5. 18 6. 28
Oklahoma Arkansas Montana Wyoming Colorado	4 60 7.50 7 90	6. 30 4 80 7. 30 8 20 7. 60	4. 70 7. 50 8. 00 3. 00	5. 00 8 00 8. 50 8. 30	4. 70 8. 00 8. 50 8. 50	4. 30 7. 80 8. 30 8. 60	5.00 7 00 7.50 7.60	5. 00 4. 00 7. 10 6. 90 6. 60	3. 80 6 90 7. 30 6. 80	7. 00 4. 00 7. 20 6. 90	6. 50 4. 40 7. 20 7 50 6. 80	5. 00 9. 00 9. 00 8. 00	6. 16 4. 48 7. 54 7. 88 7. 66
New Mexico	3. CO 3. CO 8. CO	7. 40 7. 80 7. 80	7. 90 8. 20 7. 50 8. 20	7. 60 8. 00 7. 70 8. 20	7. 60 8. 00 7. 60 8. 00	7. 60 8. 00 7. 80 8. 00	7. 50 7. 20 7. 50 7. 00	7. 40 7. 39 6. 80	7. 20 7. 30	7. 70 7. 50	7. 20	7. 50	7. 51 7. 74 7. 56 7. 75
Idaho	7. 20 7. 00 7. 90	6. 30 7. 00 7. 40 8. 00	7. 00 7. 30 7. 40 8 60	7. 50 7. 50 7. 50 8. 00	7. 00 7. 30 7. 50 7. 50	6. 70 7. 00 7. 00 7. 00	6. 00 6. 30 6. 50 6. 50	5. 30 5. 30 7. 00 6. 60	5.00 5.00 7.20 6.90	5. 50 6. 80	5. 60 5. 10 7. 00 7. 20	5. 60 7. 60 6. 70 6. 90	6. 13 6. 59 7. 11 7. 82
United States	6.71	6. 82	7. 22	7. 45	7. 38	7. 09	6. 60	6. 32	6. 30	6. 82	6. 89	6. 84	6.78

Division of Crop and Livestock Estimates.

944 Yearbook of the Department of Agriculture, 1924

* TABLE 552.—Lambs: Farm price per 160 pounds, 15th of month, by States, 1924

State	Jan. 15.	Feb. 15	Mar. 15	Apr. 18	May 15	June 15	July 15	Aug. 15	Sept.	Oct. 15	Nov. 15	Dec. 15	Av.
Maine New Hampshire Vermont Massechusetts Rhode Island	Dolls. 11.00 11.50 9.80 10.90 12.00	Dolls. 11, 90 11, 00 10, 30 12, 00	Dolls, 11.90 10.40 10.20	11.50 11.00	12.00 11.50	11.50	11.00 10.79	11.50 10.00	Dolls. 11.50 11.00 9.80	10.50 10.00 11.00	9.60 10.00	11.00	11. 55 11. 25 10. 41 10. 82
Connecticut New York New Jersey Pennsylvania Delaware	10.50	12. 70 11. 80 11. 10 12. 80	11. 50	13.00 12.00	12. 50 11. 50	12. 70 12. 00	12.40 11.00	11. 40 10. 90 10. 90	11.00	11. 2 0 10. 80	11. 10 10. 40	11. 90 11. 00	11. 9 1 11. 14
Maryland Virginia West Virginia North Carolina South Carolina	9.90 8.20	9.90 8.00	8.00	12.09 11.00 3.50	12.30 11.50	12.00 12.00	11.50 11.50 9.50	12.20 10.70 9.80 9.50 9.00	10.00 10.00 9.80	10. 10 10. 20	10 60 10.20 10.00	11. 00 10. 40 9. 20	11. 08 10. 56 9. 04
Georgia Florida Ohio Indiana Illinois	10.70 10.30	11.30 10.50		6.00 12,20 12.00	7.00 12.00 12.00	7.00 11.50 12.00	7.00 11.40 11.00	11.10 10.50	10. 90 10. 20	7.00 11.00 10.40	11.00 10.50	6. 70 11, 90 11, 00 11, 50	11. 40 10. 99
Michigan. Wisconsin. Minnesota. Iowa. Missouri	10.20 10.40 10.50	10.20 10.90 11.00	11.00 10.90 11.70	11.50 11.10	11.80 11.20 11.80	11.40 10.50 11.90	11.00 10.20 11.00	10.00 10.70 11.00	10.40 10.40 11.80	10.40 10.20 11.00	10.80 10.30 11.30	11. 80 11. 50 12. 00	10. 83 10. 69 11. 38
North Dakota South Dakota Nebraska Kansas Kentucky	9. 20 9. 50	10.50	11.20 12.00 11.00	12.00 12.50 11.10	11.60 13.00 11.50	11.20 13.10 12.00	11.30 13.10 11.00	10.30 11.60 11.20	10.50 11.50 10.90	10.70 11.50 10.60	12 00 11.50	11. 50 12. 00 11. 70	10. 90 11. 00 11. 02
Tennessee Alabama Mississippi Louisiana Texas	8, 50 7, 09 6, 00	8.00 6.20 6.00	8. 50 6. 20	6.00 6.70	6. 50 6. 80	7, 50 3, 70 6, 80	6.50 7.00	5. 80 5. 50	8.00 6.20 5.80	8. 30 5. 60	8.50 5.30 9.50	5. 00	6.68
Oklahoma Arkansas Montana Wyoming Colorado	10.50	8, 90 6, 90 10, 00 11, 00 11, 60	6. 20 10. 50 12. 00	6. 10 10. 10	6, 50 10, 50 11, 90	6.90 10,40	7.50 9.00 10.50	6.50 10.00 10.40	6, 60 9, 80 11, 00	10.50 10.50	6. 80 10. 30	11. 0 0 11. 4 0	10. 18 11. 12
New Mexico	11.00 10.20 10.50	11.00 10.60 11.00	11.80 10.90 11.90	12.00 10.80 11.80	11.50 11.00 11.80	11.00 11.00 12.00	11.00 10.50 10.50	11.00 10.40 9.60	11.30 10.00 10.00	10. 50	10.60 11.00	10. 20 10. 60	10. 92
Idaho Washington Oregon California United States			10. 80 10. 80 11. 00 12. 29	11.00 10.00 11.60	11.80 10.70 11.00	10.90 10.30 10.50	10.00 9.70 10.00	9.00 9.50 9.30	8. 90 9. 40 9. 50	9.00	9.00 8.90 10.80	9. 70 9. 30 11. 40	10. 07 9 90 10. 77
Omied States.	10.19	10.03	1	11.32	111.48	11.21	10.00	10.10	10.15	10. 30	10.00	10.96	10.72

Division of Crop and Livestock Estimates.

Table 553.—Sheep and lambs, native and western: Average price per 100 pounds Chicago, by months, 1901–1924

SHEEP

						,					,		
Year	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Aver-
	Dolls.	Dolla.	Dolls.	Dolls.	Dolls.	Dolls.	Dolls.	Dolls.	Dolls.	Dolls.	Dolls.	Dolls.	Dolla.
1906	5. 15	5. 55	5. 50 5. 28	5.08	4. 75	4.72	5. 10	4.95	4. 72	5. 10	5. 10	5. 25	5.08
1906	5. 40 5. 15	5. 12 5. 20	5.50	5. 35 5. 65	5. 55 5. 78	5. 45 5. 90	5. 25 5. 32	4.98 5.82	5. 15 5. 18	4.90 4.82	5.05 4.38	5.08 4.18	5. 21 5. 20
1907 1908	4. 82	5.00	5. 82	5. 68	5. 25	4. 70	4. 10	4.00	3 72	4, 08	4 15	4. 32	4. 64
1909		4. 92	5. 28	5. 60	6. 05	5. 28	4. 68	4. 50	4. 65	4. 85	4. 52	4. 92	4, 97
1910	5.55	6. 50	7. 60	7. 60	6. 55	5 10	4. 20	4. 20	4, 25	8.95	8 70	8. 90	5. 26
1910 1911 1912	4. 10	4. 15	4.70	4. 20	4. 45	3.80	8.95	8. 50	3.80	8.65	3 45	3. 55	8.94
1912	4. 30 5. 35	4. 15 5. 90	5. 30 6. 40	5. 90 6. 45	6. 15 5. 8 5	4. 50 .5. 05	4. 25 4. 50	4. 05 4. 35	4. 15 4. 30	4.00		4. 45 4. 95	4. 60 5. 19
		3. 50	0. 10	0. 30	0. 60		¥. 00	1. 30	2. 30	2, 00	2, (10	2. 80	0. 19
Av. 1909-1913	4 84	5. 12	5. 86	5 95	5. 81	4. 75	4. 32	4. 12	4. 23	4. 10	4 06	4. 35	4. 79
1914	5. 50	5. 70	5, 95	6. 25	5 65	5. 10	5. 40	5. 55	5. 30	5.30		5.40	5, 56
1915 1916	5.80 7.20	6. 45 7 75	7. 45 8. 25	7. 70 8. 15	7 35 8 20	5. 50 7. 35	6, 05 7, 25	6 25 7. 35	5 75 7 80	6.00 7.50	5, 85 8 00	6. 20 9. 00	6. 36 7. 82
1917	10.00	11. 25	11.70	12 10	13.00	10 00	9. 10	9. 75	11. 15	11.65	11 25	11. 50	11 04
1918	12.20	12.35	13 60	15.65	14.75	13. 40	12.65	13, 15	11 80	10.45	9 85	9.40	12,44
1917 1918 1919 1920	10 35 11 80	11 35 13. 35	14 05 13.40	14. 50 14. 25	12. 25 12. 25	9 30 8, 50	9 70 8.90	13. 15 9. 75 7 70	8, 30 6, 85	8. 15 6. 45		9.60 4.70	10.47 9.49
Av. 1914-1920									<u> </u>				
		9. 74	10 63	11. 23	10. 49	8. 45	8. 44	8. 50	8. 14	7. 93	-	7. 97	9 03
1921 1922	5.07 7.26	4 90 8, 28	6 14 9, 17	6. 58 9. 33	6. 33 7. 35	4. 46 5. 59	5.08 6.12	4. 53 5. 63	6.05	4.71	4. 40 7. 48		5. 13 7. 15
1923	7. 72	8.08	8 64	8. 90	6. 74	5.00	5. 16	7.09	7. 25		6.89	7. 37	7. 10
1924	8. 16	9.12	10.50	10. 21	8. 11	5. 82	5. 66	6. 18	5. 46	6.60	6.62	8. 45	7. 57
					LAM	BS							
1901 1902	5. 30		5. 25	5. 10	4.85	4. 60	5. 10	4. 80	4. 85	4.80			4.80
1902	5. 55	6.05	6. 15	6. 30 6. 20	6 20 6, 20	5. 80	5. 55 5 30	5 35	4. 85 4. 85	4 70 4 80	4 55	4 80	5.49
1903 1904	5 50 5 55	6. 10 5. 40	6. 60 5. 30	5.60	5, 70	5. 50 5. 60	6 15	4. 90 5. 45	4. 80 5. 15	5 15		4. 85 6. 25	5. 46 5. 57
1905	7 15 7. 25	7. 40 6. 75	7. 05 6 40	6.80 6 20	6. 25 6. 65	5 90 6.75	6, 30 6, 90	7. 05 7. 00	7.00 7.15	7. 05 6 95	6 90 6. 90	7. 25 7 10	6. 84 6 83
1907	7. 30	7 30	7. 55	8. 05	7 80	7 20	7. 05	6. 90	6 90	6.80		5. 70	7.05
1906 1907	6 80	6 70	7 20	7. 25	6 65	5. 75	6. 20	6 05	5. 35	5 50		6. 70	6. 33
1909	7. 35	7. 50	7. 65	7. 85	8. 25	7. 60	7. 70	7. 35	6 80	6. 50	7. 10	7. 50	7. 48
1910	8 30	8, 65	9 40	9. 10	8.40	7.60	7. 10	6.70	6.80	6, 65	6, 25	6. 10	7.59
1011	6 200	6.05	6. 10	5. 50	5.85	6. 10	6. 30	6. 35	5.70	5. 75		5. 75	5.98
1912 1913	6. 50 8. 55	6. 15 8. 50	7. 30 8. 60	7. 95 8. 40	8. 3 0 7. 4 0	6. 90 6. 85	7. 25 7. 55	7. 10 7. 40	7. 00 7. 15	6. 75 7. 05		7. 75 7. 60	7. 18 7 69
Av. 1909-1913		7. 37	7. 81	7 76	7. 64	7. 01	7. 18	6.98	6. 69	6.54		6.94	7, 16
					_								
1914 1915	7. 90 8. 40	7.60 8 75	7. 65 9. 55	7. 60 9. 65	8. 10 10 10	7. 95 9. 20	8. 45 8. 75	8. 15 8. 90	7.80 8.75	7. 60 8. 75	8.75	8. 30 9. 00	7.99 9.05
1916	10.80	10 90	11. 10	10.45	10.75	9.55	10. 55	10.75	10.60	10. 15	11.40	12.70	10.77
1917	13.85	14.80	14.25	14.40	16 90	15, 25	15.65	15, 50	17. 50	17. 40	16.75	16.45	15.68
1918	17. 20 16. 25	16. 60 17. 40	17. 55 19. 05	19. 20 18. 15	18. 00 16. 25	16.85 14.05	18. 50 17 10	17. 50 16. 75	17. 25 14. 85	15. 35 15. 00		14.00 16.40	16. 98 16. 31
1920	19.50	19. 95	18. 80	18. 80	17. 40		15. 55	13. 20	18. 30	12. 85		10. 96	
Av. 1914-1920	13. 84	18. 64	18. 99	14. 04	18. 93	12. 44	13 51	12. 96	12.86	12. 37	12. 40	12. 63	18. 18
				9. 69	11 07	10 67	10.00	9. 46	8. 86	8. 66	9. 25	10 86	0.04
1921 1922	10.72 12.67	9. 07 14. 49	9. 91 15. 39	14. 10	12, 95	10. 67 12. 42	10 09 13 04	12. 51	13. 53	18.94	14. 17	14. 93	9.86 18.68
1923	14.69	14.85	14.56	14. 42	14. 12	14. 81	14, 22	12.89	13 52	18. 94 12. 93	12.75	12.96	13.89
1934	13.58	14, 95	16.06	16. 22	15. 28	14. 12	13. 79	13. 57	18. 38	13. 52	14.08	16. 47	14. 57

Division of Statistical and Historical Research. Figures prior to 1921 for sheep, and prior to November, 1920, for lambs, compiled from Chicago Drovers Journal Yearbook; subsequent figures from data of the reporting service of the Livestock, Meats and Wool Division.

¹ Simple average of monthly average prices.

F TABLE 554.—Sheep: Average price per 100 pounds at six markets, by months, 1924

OHICAGO

Kind and grade	Jan.	Feb.	Mar.	Apr.	May	June	July
Slaughter sheep and lambs:					,		
Light and handy weight (84 pounds	Dollars		Dollars		Dollars	Dollars	Dollars
down) medium-prime	12.95	14.87	15. 86	15.68	14.68	18.62	18. 10
All weights, cull and common	10,70	11, 78	12.65	12, 91	11.96	10.48	10.00
Spring lambs— Medium-choice		i	ļ			16.02	ł
Cull and common						12.98	
Yearling wethers, medium-prime	10.61	11.97	18. 10	18.44	12.32	11. 18	10. 58
Wethers (2 years old and over) medium-	1						
_ prime	8.07	9. 16	10. 23	10.60	8.72	7. 79	7. 28
Ewes, common-choice Ewes, canner and cull	6. 73 3. 39	7.70 4.08	9.08	9.09 5.02	6. 70 3. 27	4. 79 2. 21	4. 91 2. 13
Feeding sheep and lambs:	0.09	2.00	0.02	0.02	0.21	2, 21	2.13
Feeding lambs, medium-choice	12. 18	18, 22	14. 67			11. 39	11. 32
Kind and grade		Aug.	Sept.	Oct.	Nov.	Dec.	Av.
Slaughter sheep and lambs:							
Light and handy weight (84 pounds	down)	Dallara	Dollars	Dollara	Dallars	Dollars	Dollars
medium-nrime	- uo#11)	12.90	12.81	13. 15	13. 58	15. 67	13. 98
medium-primeAll weights, cull and common		10.04	10.01	10.76	11.31	12.87	11. 28
Spring lambs—		l		1	l	i	
Medium-choice				{			
							11 30
Cull and common	•	0 05	0 42	0 72	10.50		
Cull and common Yearling wethers, medium-prime	rime	9. 95 7. 24	9. 43 6. 88	9. 73 6. 93	10. 50 7. 70	12.75 8.76	
Cull and common Yearling wethers, medium-prime Wethers (2 years old and ever) medium-p Rwes, common-choice.	rime	7. 24 5. 65	6. 88 5. 00	9. 78 6. 93 5. 56	7. 70 6. 38	8.76 7.39	8. 24 6. 58
Cull and common Yearling wethers, medium-prime Wethers (2 years old and ever) medium-p Ewes, common-choice Ewes, conner and cull	rime	7. 24 5. 65	6. 38	6. 93	7. 70	8.76	8. 24
Cull and common Yearling wethers, medium-prime Wethers (2 years old and ever) medium-p Ewes, common-choice Ewes, canner and cull. Feeding aheen and lambs:	rime	7. 24 5. 65 2. 37	6. 88 5. 00 2. 19	6. 93 5. 56 2. 50	7. 70 6. 38 2. 97	8. 76 7. 39 3. 86	8. 24 6. 58 3. 25
Cull and common Yearling wethers, medium-prime Wethers (2 years old and ever) medium-p Ewes, common-choice Ewes, conner and cull	rime	7. 24 5. 65 2. 37	6. 88 5. 00	6. 93 5. 56	7. 70 6. 38	8. 76 7. 39	8. 24 6. 58

EAST ST. LOUIS

Kind and grade	Jan.	Feb.	Mar.	Apr.	Мау	June	July
Slaughter sheep and lambs:							
Lambs— Light and handy weight (64 pounds	Dollara	Dollars	Dollars	Dollars	Dollars	Dollars	Dollars
down) medium-prime	12.64	14.04	15.09	15.80	14, 14	12.92	12 12
All weights, cull and common	10.05	11. 50	12, 38	12.25	11.08	9.50	8.75
Spring lambs-	1		1	1			l
Medium-oboloe					15.98	15, 02	
Cull and common	10. 17			12.86	12.85 11.72	11.30	
Yearling wethers, medium-prime	10.17	11.66	12.60	12.00	11.72	10. 51	9. 84
meines (2 years old and over) medicin-	7. 53	8.69	10.08	10.14	7, 98	6.82	1
Ewes, common-choice	6.37	7. 87	8.71	8.74	6.26	4.38	4, 10
Ewee, canner and cull	8. 20	8. 86	4.61	4.60	2 91	2, 15	2.00
Kind and grade		Aug.	Sept.	Oct.	Nov.	Dec.	Av.
Slaughter sheep and lambe;		Aug.	Sept.	Oct.	Nov.	Dec.	Av.
Slaughter sheep and lambs:	down)						A▼.
Slaughter sheep and lambs: Light and handy weight (34 pounds medium-prime.		Dellars 12.17	Dollars 12.34	Dollare 12.64	Dollars 13.06	Dollare 15.06	Dollars 13. 46
Slaughter sheep and lambs: Lambs— Light and handy weight (84 pounds medium-prime All weight, gull and common		Dellars	Dollars	Dollars	Dollars	Dollars	Dollars
Slaughter sheep and lambs: Lambs— Light and handy weight (34 pounds medium-prime. All weight, cull and common. Spring lambs—		Dellars 12. 17 8. 97	Dollars 12.34	Dollare 12.64	Dollars 13.06	Dollare 15.06	Dollars 13. 46
Slaughter sheep and lambe: Lambs— Light and handy weight (84 pounds medium-prime. All weight, cuil and common. Spring lambs— Medium-choice.		Dellars 12. 17 8. 97	Dollars 12.34	Dollare 12.64	Dollars 13.06	Dollare 15.06	Dollars 13. 46
Slaughter sheep and lambs: Lambs- Light and handy weight (84 pounds medium-prime All weight, cull and common Spring lambs- Medium-choice. Oull and common		Dellars 12.17 8.97	Dollars 12, 34 9, 13	Dollars 12.64 9.85	Dellars 13.06 10.74	Dollars 15.06 12.45	Dollars 13. 46 10. 55
Slaughter sheep and lambs: Lambs— Light and handy weight (34 pounds medium-prime. All weight, cuil and common. Spring lambs— Medjum-choice Cuil and common. Yearling wethers, medium-prime.		Dellars 12. 17 8. 97	Dollars 12.34	Dollare 12.64	Dellars 13.06 10.74	Dollars 15.06 12.45	Dollars 13. 46 10. 55
Slaughter sheep and lambs: Lambs— Light and handy weight (34 pounds medium-prime. All weight, cull and common. Spring lambs— Medium-okoice. Oull and common. Yearling wethers, medium-prime. Wethers (3 years old and over) medium-p Ewes, common-ohoice.	rime	Dellars 12.17 8.97	Dollars 12, 34 9, 13	Dollars 12.64 9.85	Dellars 13.06 10.74	Dollars 15.06 12.45	Dellers 13. 46 10. 55
Slaughter sheep and lambs: Lambs— Light and handy weight (34 pounds medium-prime. All weight, cuil and common. Spring lambs— Medjum-choice Cuil and common. Yearling wethers, medium-prime.	rime	Dellars 12. 17 8. 97	Dollars 12, 34 9, 13	Dollars 12. 64 9. 85	Dellars 18.06 10.74	Dollars 15.06 12.45	Dollars 13. 46 10. 55

Table 554—Sheep: Average price per 100 pounds at six markets, by months, 1984—Continued

FORT WORTH

Kind and grade	Jan.	Feb.	Mar.	Apr	May	June	July
Slaughter sheep and lambs: Lambs— Light and handy weight (84 pounds down) medium-prime	Dollars	Dollars	Dollars	Dollars	Dollars	Dollars	Dollars
All weights, cull and common Yearling wethers, medium-prime	8, 43		11. 25	11.08		8. 52	8, 11
Wethers (2 years old and over) medium- prime. Ewes, common-choice. Ewes, canner and cull.	6.77	7 68 6. 22 3 06	8, 88 7, 59 4 12	8. 93 7. 87 4 36	6. 76 5 48 3 00	8. 67 4. 39 2. 14	5. 90 4. 45 2. 00
Kind and grade		Aug	Sept	Oct	Nov	Dec	ΛΨ.
Slaughter sheep and lambs							
Light and handy weight (84 pounds medium-prime All weights, cull and common		Dollars	Dollara	Dollars	Dollars	Dollars 13 43	Dollars
Yearling wethers, medium-prime		8. 51	8 50			11. 05	
Wethers (2 years old and over) medium-p Ewes, common-choice Ewes, canner and cull		5.06	5. 93 4. 70 2. 03	5. 88 4. 97 2. 12	6. 48 5. 32 2. 31	7. 79 6. 74 3 12	

KANBAS CITY

Kind and grade	Jan	Feb.	Mar.	Apr.	May	June	July
Slaughter sheep and lambs:							
Lambs -	7	D-37	D - 27	D-17			l
Light and handy weight (84 pounds	Dollars	13. 58	Dollars 14 96	15. 19	Dollars 13 99	Dollars 12.96	Dollars 12, 55
down) medium-prime All weights, cull and common	0.80	10.90	12.10	12.37	11. 29	9.86	8.79
Spring lambs—	9.00	10.90	12.10	12.01	11. 28	9. 80	0.18
Medium-choice			1		15, 55	14.64	
Cull and common					12. 24	11. 12	
Yearling wethers, medium-prime.	10 12	11. 23	12. 26	12.52	11.40	9. 76	9, 82
Wethers (2 years' old and over) medium-	ł	1					
prime	7. 61	8 72	9 72	9. 93	7 52	6. 54	
Ewes, common-choice	6 47						4.74
Ewes, canner and cull	3. 17	3.86	4, 50	4 59	2 89	2, 19	2.04
Feeding sheep and lambs. Feeding lambs, medium-choice		l				ļ	1
recting lambs, medium-choice						}	
Kind and grade		Aug.	Sept.	Oct.	Nov.	Dec.	Av.
Slaughter sheep and lambs: Lambs—Light and handy weight (84 pounds	down)	Dollars	Dollars	Pollare	Dollars	Dollars	Dollars
medium-prime		12.44	12.82	12.63		14. 87	18. 42
All weights, cull and common		9, 10	9. 39	9.74	10.72	12.06	10. 51
Spring lambs— Medium-choice		1		1			1
Cull and common							
Yearling wethers, medium-prime		9.74	9 18	9. 03	9, 96	11, 60	10. 55
Wethers (2 years' old and over) medium-p	rime	6. 86	6, 30	6. 81	7. 16	8, 25	7.64
Ewes, common-choice		5. 05	4. 54	4 80	5.99	7. 13	6. 18
Ewes, canner and cull		2. 21	2.00	2. 15	2.70	8, 64	8.00
Feeding sheep and lambs:							1
Feeding lambs, medium-choice			11. 37	11. 42	12,31	13.92	

* Table 554.—Sheep: Average price per 100 pounds at six markets, by months, 1984—Continued

AHAMO

Kind and grade	Jan.	Feb.	Mar.	Apr.	May	June	July
Slaughter sheep and lambs:							
Light and handy weight (84 pounds down) medium-prime	Dollars 12. 25 9. 89	Dollars 18, 54 10, 89	Dollars 14, 82 12, 04	Dollars 15. 15 12. 37	Dollars 14. 08 11. 28	Dellars 12, 91 10, 02	Dollars 12. 6: 9. 6:
Spring lambs— Medium-choice. Cull and common Yearling wethers, medium-prime. Wethers (2 years' old and over) medium-	10. 03	11.10	12 41	12.80	15, 57 12, 66 11, 48	15. 25 12. 06 10. 61	10.0
wethers (2 years' old and over) medium- prime. Ewes, common-choles. Ewes, canner and cull. Feeding sheep and lambs:	7. 52 6, 29 3. 08	8. 49 7. 34 3. 77	9. 68 8. 64 4. 62	9. 98 8. 67 4. 67	7. 89 6. 07 2. 84	7. 17 4. 50 2. 02	6.9 4.6 2.1
Feeding sheep and lambs: Feeding lambs, medium-choice	12.07	13, 10	14. 40			11. 31	10.9
Kind and grade		Aug.	Sept.	Oct.	Nov.	Dec.	Av.
Slaughter sheep and lambs: Lambs—			•				
Light and handy weight (84 pounds medium-prime		Dollars 12. 58 9. 94	Dollars 12. 47 9. 74	Dollars 12. 80 10. 28	Dollars 13. 16 10. 90	Dollars 15. 00 12. 59	Dollar 13. 4 10. 7
Cull and common. Yearling wethers, medium-prime Wethers (2 years' old and over) medium-pi Ewes, common-choice. Ewes, canner and cull.	rime	9. 61 6. 52 5 14 2. 44	8. 72 6. 05 4. 74 2. 32	8 78 6. 27 5. 07 2. 40	9, 64 7, 06 5, 93 2, 65	11. 84 8. 48 7. 49 8. 97	10. 5 7. 6 6. 2 3. 0
Feeding sheep and lambs: Feeding lambs, medium-choice Feeding ewes, medium-choice		l	11, 74	12. 13 4. 67	12, 44 5, 19	13. 99	12. 3
801	UTH 6	. PAUL					
Kind and grade	Jan.	Feb.	Mar.	Apr.	May	June	July
Slaughter sheep and lambs:							
Light and handy weight (84 pounds down) medium-prime All weights, cull and common Spring lambs Medium-choice	Dollars 12, 22 10, 03	Dollars 13. 38 10. 85	Dollars 14. 46 11. 67	Dollars 14. 78 12. 01	Dollars 13. 74 11. 06	Dollars 12. 74 9. 88	Dollars 12, 2 9, 1
Medium-choice. Cull and common. Yearing wethers, medium-prime. Wethers (2 years' old and over) medium-	9, 87	10.98	12, 15	12. 62	11,41	14. 92 12. 00 10. 32	9. 6
wetners (2 years' old and over) medium- prime. Ewes, common-choice. Ewes, canner and cull Feeding sheep and lambs: Feeding lambs, medium-choice.	7. 40 6. 15 3. 24	8. 12 6. 86 3. 51	9. 24 8. 12 4. 44	9. 77 8. 80 4. 48	7, 80 6, 06 2, 74	6. 96 4. 17 1, 93	6. 5: 4. 44 1, 9:
Kind and grade		Aug.	Sept.	Oct.	Nov.	Dec.	Av.
llaughter sheep and lambs:	*********						
Light and handy weight (84 pounds medium-prime All weights, cull and common Spring lambs— Medium-choice		Dollars 11, 96 9, 24	Dollars 12.06 9.51	Dollars 12, 29 9, 85	Dollars 12, 94 10, 41	Dollars 14. 85 11. 61	Dellars 13, 1 10, 4
Yearling wethers, medium-prime Wethers (3 years' old and over) medium-p Ewes, common-choice	orime	9, 19 6, 42 4, 84 2, 11	8, 78 5, 63 4, 85 2, 06	8. 88 6. 12 4. 82 2. 35	9. 29 6. 65 5. 44 2. 78	11. 24 7. 67 6. 39 3. 22	10.8 7.8 5.8 2.9
Hwes, canner and cull Feeding sheep and lambs: Feeding lambs, medium-choice			11.43	11.56	12.18	18. 19	

Division of Statistical and Historical Research. Compiled from data of the reporting service of the Livestock. Meets, and Wool Division.

TABLE 555 .- Sheep and lambs: Trend of average farm prices and average market prices, per 100 pounds, at Chicago, 1910-1924

	Farm	price	Average price at		Price relatives (1913-100)				
Year	Sheep,	Lambs,	Oh	7 1	Farm	price	Market price		
	weighted average	simple average	Sheep	Lambs	Sheep	Lambs	Sheep	Lambs	
	Dollars	Dollars	Dollars	Dollars					
910	5.08	6. 40	5. 26	7. 59	118. 9	105.8	101.8	98.7	
911	4.07	5. 30	8.94	5. 98	91 3	87. 6	78. 9	77.1	
912		5. 60	4.60	7. 18	94. 2	92. 6	85, 6	93. 4	
918	4. 46 4. 79	6. 05 6. 31	5. 19 5. 56	7. 69 . 7. 99	100 0 107. 4	100. 0 104. 8	100 0 107. 1	100. 0 108. 9	
915	5. 23	6. 85	6. 36	9. 05	117. 3	113. 2	122. 5	117.	
916		8. 19	7. 82	10 77	140.6	135 4	150 7	140. 1	
917	9.54	12. 23	11. 04 12. 44	15.68	213 9 242 6	202. 1 231. 1	212. 7 239. 7	203. 9 220. 8	
918 919	10. 82 9. 35	13. 98 12. 98	12. 44 10. 47	16. 98 16. 81	242. 6 209. 6	214 5	201. 7	220. 8 212. 3	
NIB	8.00	12. 80	10. 47	10.61	208.0	213 0	201. 1	212,	
920	8.11	11.94	9. 49	15 47	181.8	197.4	182. 9	201.	
921	4. 55	7. 20	5. 13	9 86	102. 0	119.0	98. 8	128.	
922	5.96	9. 70	7. 15	13.68	133 6	160 3	137. 8	177.	
923	6.65	10. 50	7. 10	13 89	· 149. 1	173 6	136 8	180.	
924	6.80	10, 72	7. 57	14 57	152. 5	177. 2	145.9	189	

Division of Statistical and Historical Research. Farm prices from Division of Crop and Livestock Estimates; market prices from data of the reporting service of the Livestock, Meats, and Wool Division.

TABLE 556 .- Sheep and lambs: Slaughter in the United States, by States, 1909, 1914, 1919, and 1921 1

		19	09		1914 2		1919 3		1921
State	In wholesale slaughter- ing and meat- packing establish- ments	Retail slaugh- ter	On farms and ranges	Total slaugh- ter		In wholesale slaughter- ing and meat- packing establish- ments	On farms and ranges	Total wholesale and farm slaughter	In wholesale slaughter- ing and meat- packing establish- ments
Iowa. Kansas Massachusetts. Michigan Minnesota. Missouri Nebraska.	Number 1, 071, 998 55, 606 3, 892, 142 49, 577 1, 136, 027 342, 491 88, 285 133, 244 546, 649 1, 127, 962	Number 228, 012 61, 001 23, 809 18, 857 5, 504 5, 549 76, 129 58, 609 11, 194 1, 763	6, 180 2, 899 2, 412 17, 818 16, 231 7, 461 1, 753	1, 335, 925 136, 552 3, 919, 935 74, 614 1, 143, 930 350, 452 182, 232 206, 084 565, 304 1, 131, 478	370, 835 125, 537 198, 665 776, 751 1, 797, 072	Number 1, 198, 079 212, 702 4, 366, 564 264, 432 1, 200, 980 217, 146 193, 345 206, 946 742, 156 1, 575, 964	Number 20, 283 17, 678 4, 376 7, 404 4, 692 1, 601 10, 232 12, 332 8, 207 8, 160	1, 218, 362 230, 380 4, 382, 940 271, 836 1, 205, 672 218, 747 203, 577 221, 278 750, 363 1, 579, 114	Number 1, 536, 027 159, 848 8, 681, 302 200, 690 1, 309, 424 396, 669 341, 301 823, 609 1, 598, 563
New Jersey New York Ohio Pennsylvania Texas Washington All other States.	423, 724 1, 918, 721 229, 985 445, 471 77, 895 290, 383 425, 431		16, 754 28, 218 9, 396 7, 380 300, 874	503, 901 2, 248, 693 381, 563 601, 825 106, 799 325, 463 1, 506, 449	426, 068 1, 999, 134 300, 337 436, 881 284, 050 362, 854 607, 700		975 30, 845 10, 778 20, 331 9, 159 8, 656 268, 899 434, 608	426, 034 1, 530, 494 269, 069 304, 728 160, 444 246, 096 742, 774 13,981,908	586, 080 2, 123, 999 307, 385 524, 721 148, 604 269, 116 597, 552

Division of Statistical and Historical Research. Compiled from reports of the Bureau of the Census.

In addition 795,519 sheep, lambs, goats, and kids were sisughtered for others in 1914 and 269,128 in 1919,
 No corresponding data for 1909 or 1921.
 No data collected by Bureau of the Census for 1914 or 1921 on farm or retail slaughter.
 No data obtainable for retail slaughter in 1919.

950

TABLE 557.—Sheep and lambs: Monthly slaughter under Federal inspection, 1907-1924

Year	January	February	March	April	May	June	July
1907	1, 016, 701	837, 329	841, 526	861, 005 668, 624	768, 571 781, 785	785, 065 841, 716	884, 940
1908	871, 642 906, 338	724, 857 805, 561	677, 048 908, 360	839, 010	712, 103	842, 528	891, 112 964, 114
910	903, 242	770, 796	726, 675	692, 897	795, 699	926, 900	967, 878
911	1, 129, 800	1, 018, 696	1, 059, 888	974, 072	1, 085, 306	1, 146, 429	1, 149, 617
912	1, 383, 239	1, 151, 481	1, 105, 620	970, 574	962, 679	1, 028, 426	1, 181, 24
913	1, 192, 485 1, 296, 625	960, 882 1, 112, 500	883, 197 1, 143, 188	1, 048, 658 1, 149, 928	1, 127, 345	1, 134, 615 1, 113, 437	1, 273, 49 1, 171, 10
915	1, 196, 268	945, 912	986, 208	829, 906	789, 051	882, 662	988, 68
916	976, 417	908, 755	861, 470	768, 683	854, 014	989, 824	930, 18
917	954, 416	818, 640	861, 331 735, 595	777, 346	632, 451	710, 031 737, 298	688, 200
918 919	779, 934 1, 003, 880	655, 015 753, 940	737, 886	613, 814 807, 766	659, 063 894, 324	931, 466	869, 400 1, 160, 470
920	954, 607	828, 426	787, 867	713, 796	670, 674	817, 558	1, 048, 42
921	1, 068, 346	958, 019	1,075,218	1,040,628	984, 908	1, 116, 069	1,059,905
922	954, 829 1, 021, 211	775, 841 836, 473	837, 216 977, 426	739, 117 959, 697	872, 069 972, 291	1, 028, 136 914, 372	964, 10 961, 79
924	1, 083, 095	911, 988	868, 398	859, 774	959, 800	975, 866	1, 050, 73
Year	•	August	September	October	November	December	Total
Year 907		900, 462	891, 953	972, 656	793, 155	768, 707	10, 252, 070
907		900, 462 932, 867	891, 953 1, 064, 376	972, 656 1, 947, 568	793, 155 928, 266	768, 707 930, 305	10, 252, 070 10, 304, 660
907908909		900, 462 932, 867 1, 018, 698	891, 953 1, 064, 376 1, 158, 327	972, 656 1, 947, 568 1, 169, 282	793, 155 928, 266 1, 028, 673	768, 707 930, 305 999, 684	10, 252, 070 10, 304, 666 11, 342, 637
907 908 909		900, 462 932, 867	891, 953 1, 064, 376	972, 656 1, 947, 568	793, 155 928, 266	768, 707 930, 305	10, 252, 070 10, 304, 666 11, 342, 637 11, 408, 020
907 908 909 910 911		900, 462 932, 867 1, 018, 698 1, 095, 038 1, 268, 405 1, 389, 635	891, 953 1, 064, 376 1, 153, 327 1, 154, 289 1, 256, 948 1, 439, 630	972, 656 1, 047, 568 1, 169, 232 1, 206, 237 1, 428, 228 1, 722, 955	793, 155 928, 266 1, 028, 673 1, 124, 698 1, 303, 770 1, 424, 063	768, 707 930, 305 999, 684 1, 044, 173 1, 199, 787 1, 219, 756	10, 252, 070 10, 304, 666 11, 342, 637 11, 408, 020 14, 020, 446 14, 979, 254
907		900, 462 932, 367 1, 018, 608 1, 095, 036 1, 268, 405 1, 389, 635 1, 243, 440	891, 953 1, 064, 376 1, 153, 327 1, 154, 289 1, 256, 948 1, 439, 630 1, 486, 305	972, 656 1, 047, 568 1, 169, 282 1, 206, 237 1, 428, 228 1, 722, 955 1, 513, 922	793, 155 928, 266 1, 028, 673 1, 124, 698 1, 303, 770 1, 424, 063 1, 257, 546	768, 707 930, 305 999, 684 1, 044, 173 1, 199, 787 1, 219, 756 1, 283, 870	10, 252, 070 10, 304, 666 11, 342, 637 11, 408, 020 14, 020, 446 14, 979, 254 14, 405, 756
907 908 909 910 911 911		900, 462 932, 367 1, 018, 698 1, 095, 036 1, 268, 405 1, 389, 635 1, 243, 440 1, 169, 430	891, 963 1, 064, 376 1, 153, 327 1, 154, 289 1, 256, 948 1, 439, 630 1, 486, 305 1, 379, 097	972, 656 1, 047, 568 1, 169, 232 1, 206, 237 1, 428, 228 1, 722, 955 1, 513, 922 1, 330, 529	793, 155 928, 266 1, 028, 673 1, 124, 698 1, 303, 770 1, 424, 063 1, 257, 546 1, 111, 857	768, 707 930, 305 999, 684 1, 044, 173 1, 199, 787 1, 219, 756 1, 283, 870 1, 167, 069	10, 252, 077 10, 304, 666 11, 342, 637 11, 408, 021 14, 020, 446 14, 979, 254 14, 405, 751 14, 229, 342
907 908 909 910 911 912 913 914		900, 462 932, 387 1, 018, 698 1, 095, 036 1, 268, 405 1, 389, 635 1, 243, 440 1, 169, 430 1, 189, 236	891, 953 1, 064, 376 1, 153, 327 1, 154, 289 1, 256, 948 1, 439, 630 1, 486, 305 1, 379, 097 1, 219, 649	972, 656 1, 047, 568 1, 169, 232 1, 206, 237 1, 428, 228 1, 722, 955 1, 513, 922 1, 330, 529 1, 116, 002	793, 155 928, 266 1, 028, 673 1, 124, 693 1, 303, 770 1, 424, 063 1, 257, 546 1, 111, 867 1, 132, 499	768, 707 930, 305 999, 684 1, 044, 173 1, 199, 787 1, 219, 756 1, 283, 870 1, 167, 069 1, 040, 693	10, 252, 077 10, 304, 666 11, 342, 637 11, 408, 021 14, 070, 446 14, 979, 254 14, 405, 756 14, 229, 344 12, 211, 766
907		900, 462 932, 367 1, 018, 698 1, 095, 036 1, 288, 635 1, 243, 440 1, 189, 430 1, 189, 236	891, 953 1, 064, 376 1, 153, 327 1, 154, 289 1, 256, 948 1, 430, 648 1, 486, 306 1, 579, 097 1, 219, 649	972, 656 1, 047, 568 1, 169, 232 1, 206, 237 1, 428, 237 1, 722, 955 1, 513, 922 1, 130, 529 1, 116, 002	793, 155 928, 266 1, 028, 673 1, 124, 698 1, 303, 701 1, 424, 063 1, 257, 546 1, 111, 857 1, 132, 499 1, 120, 852	768, 707 930, 305 999, 684 1, 044, 173 1, 199, 786 1, 283, 870 1, 167, 069 1, 040, 693	10, 252, 077 10, 304, 664 11, 342, 637 11, 408, 024 14, 020, 444 14, 970, 575 14, 229, 341 12, 211, 764
907		900, 462 932, 367 1, 018, 698 1, 095, 036 1, 268, 405 1, 389, 635 1, 243, 440 1, 169, 430 1, 139, 236 1, 172, 838 705, 939 936, 683	891, 953 1, 064, 376 1, 153, 327 1, 154, 289 1, 256, 948 1, 439, 630 1, 486, 305 1, 379, 097 1, 219, 649	972, 656 1, 047, 568 1, 169, 232 1, 206, 237 1, 428, 228 1, 722, 955 1, 513, 922 1, 330, 529 1, 116, 002	793, 155 928, 266 1, 028, 673 1, 124, 693 1, 303, 770 1, 424, 063 1, 257, 546 1, 111, 867 1, 132, 499	768, 707 930, 305 999, 684 1, 044, 173 1, 199, 787 1, 219, 756 1, 283, 870 1, 167, 069 1, 040, 693	10, 252, 077 10, 304, 666 11, 342, 637 14, 020, 446 14, 070, 254 14, 405, 756 14, 229, 347 12, 211, 766 11, 941, 366 9, 344, 994
907		900, 462 932, 387 1, 018, 696 1, 995, 036 1, 268, 405 1, 389, 635 1, 243, 440 1, 189, 430 1, 139, 236 1, 172, 838 765, 939	891, 963 1, 064, 376 1, 153, 327 1, 154, 289 1, 256, 948 1, 439, 630 1, 486, 306 1, 379, 097 1, 218, 166 1, 188, 166 740, 1.3	972, 656 1, 047, 568 1, 169, 237 1, 206, 237 1, 428, 228 1, 722, 955 1, 513, 922 1, 330, 529 1, 116, 252 1, 172, 118 821, 933	793, 155 928, 266 1, 028, 673 1, 124, 698 1, 303, 770 1, 424, 063 1, 257, 546 1, 111, 857 1, 132, 985 763, 781	768, 707 930, 305 999, 884 1, 199, 787 1, 219, 756 1, 283, 870 1, 167, 069 1, 043, 110 808, 799	10, 252, 070 10, 304, 660
907		900, 462 932, 867 1, 018, 698 1, 096, 036 1, 268, 406 1, 389, 635 1, 243, 440 1, 169, 430 1, 189, 236 1, 172, 838 765, 939 936, 688 1, 233, 883 1, 441, 580	891, 953 1, 064, 376 1, 183, 327 1, 154, 280 1, 256, 948 1, 439, 630 1, 486, 305, 1, 379, 097 1, 219, 649 1, 188, 116 740, 1, 2 1, 28, 46 1, 291, 979	972, 656 1, 047, 568 1, 169, 232 1, 206, 237 1, 428, 228 1, 722, 955 1, 513, 922 1, 116, 002 1, 172, 118 821, 933 1, 194, 208 1, 413, 805 1, 067, 821	793, 155 928, 286 1, 028, 673 1, 124, 698 1, 303, 770 1, 424, 063 1, 27, 546 1, 111, 857 1, 132, 499 1, 120, 852 763, 781 1, 139, 292 1, 227, 190 968, 235	768, 707 930, 305 990, 684 1, 044, 173 1, 199, 787 1, 219, 756 1, 223, 870 1, 167, 069 1, 040, 693 1, 033, 110 806, 799 970, 927 1, 234, 577	10, 252, 077 10, 304, 666 11, 342, 637 11, 408, 021 14, 020, 446 14, 979, 254 14, 405, 75 14, 229, 344 12, 211, 766 9, 344, 994 10, 319, 87 11, 941, 366 9, 344, 994 11, 991, 116
907		900, 462 932, 387 1, 018, 698 1, 995, 036 1, 268, 405 1, 389, 635 1, 243, 440 1, 169, 430 1, 139, 236 1, 172, 838 765, 939 936, 683 1, 233, 1, 941, 580 1, 241, 580 1, 226, 992	891, 953 1, 064, 376 1, 153, 327 1, 154, 280 1, 256, 948 1, 430, 630 1, 486, 306 1, 379, 097 1, 219, 649 1, 188, '16 740, 1. 3 1, 028, 646 1, 291, 150, 776 1, 150, 776 1, 249, 032	972, 656 1, 047, 568 1, 169, 232 1, 206, 237 1, 428, 228 1, 722, 955 1, 513, 922 1, 330, 529 1, 116, 002 1, 172, 118 821, 933 1, 194, 208 1, 414, 208 1, 067, 821 1, 285, 430	793, 155 928, 266 1, 028, 673 1, 124, 698 1, 303, 770 1, 424, 063 1, 257, 546 1, 113, 499 1, 120, 852 763, 781 1, 139, 292 1, 227, 190 968, 235 1, 040, 390	768, 707 930, 305 930, 305 990, 884 1, 044, 173 1, 199, 787 1, 210, 756 1, 283, 870 1, 167, 089 1, 040, 683 1, 033, 110 808, 799 970, 927 1, 234, 27 1, 232, 417 889, 980	10, 252, 071 10, 304, 661 11, 342, 637 11, 408, 021 14, 020, 444 14, 979, 25- 14, 405, 751 14, 229, 344, 291, 319, 877 12, 691, 111 10, 982, 181 13, 004, 904
907		900, 462 932, 867 1, 018, 698 1, 096, 036 1, 268, 406 1, 389, 635 1, 243, 440 1, 169, 430 1, 189, 236 1, 172, 838 765, 939 936, 688 1, 233, 883 1, 441, 580	891, 953 1, 064, 376 1, 183, 327 1, 154, 280 1, 256, 948 1, 439, 630 1, 486, 305, 1, 379, 097 1, 219, 649 1, 188, 116 740, 1, 2 1, 28, 46 1, 291, 979	972, 656 1, 047, 568 1, 169, 232 1, 206, 237 1, 428, 228 1, 722, 955 1, 513, 922 1, 116, 002 1, 172, 118 821, 933 1, 194, 208 1, 413, 805 1, 067, 821	793, 155 928, 286 1, 028, 673 1, 124, 698 1, 303, 770 1, 424, 063 1, 217, 546 1, 111, 857 1, 132, 499 1, 120, 852 763, 781 1, 139, 292 1, 227, 190 968, 235	768, 707 930, 305 990, 684 1, 044, 173 1, 199, 787 1, 219, 756 1, 223, 870 1, 167, 069 1, 040, 693 1, 033, 110 806, 799 970, 927 1, 234, 577	10, 252, 071 10, 304, 68 11, 342, 63 11, 408, 02 14, 020, 44 14, 979, 25 14, 405, 73 14, 229, 34 12, 211, 76 11, 941, 30 9, 344, 99 12, 691, 11 10, 982, 19

Table 558.—Mutton and lamb, frozen: Cold-storage holdings, 1915-1924
[Thousand pounds—i. e., 000 omitted]

Year beginning November	Nov. 1	Dec. 1	Jan. 1	Feb.1	Mar. 1	Apr. 1	May 1	June 1	July 1	Aug. 1	Sept. 1	Oct.1
1915	8, 465 4, 194 8, 645 7, 894	5, 000 5, 406 9, 035 9, 409	4, 976 4, 886 7, 408 12, 760 10, 290	5, 286 5, 895 7, 315 11, 360 7, 787	5, 812 4, 949 7, 855 8, 013 5, 781	5, 084 4, 872 5, 599 6, 505 8, 517	3, 858 4, 369 3, 348 7, 623 2, 579	2, 525 3, 508 3, 860 7, 718 5, 735	1, 939 4, 380 2, 429 7, 279 4, 811	2,098 3,912 3,150 7,268 2,299	2, 185 2, 716 4, 046 7, 817 11, 021	2, 579 2, 768 5, 275 8, 318 25, 335
1920. 1921. 1929. 1928. 1924.	48, 997 6, 840 8,458 1, 997 8, 166	56, 702 7, 530 3, 688 2, 014 2, 336	68, 033 6, 444 4, 528 2, 498	78, 082 8, 914 5, 980 2, 306	59, 304 2, 863 5, 758 2, 173	38, 520 2, 878 6, 685 1, 719	25, 129 2, 071 5, 774 2, 098	15, 877 2, 310 4, 445 2, 278	8, 714 3, 720 8, 556 2, 917	6, 751 8, 308 2, 752 2, 257	5, 903 8, 376 1, 785 2, 230	5, 993 8, 473 1, 719 2, 525

TABLE 559.—Sheep, lamb, and mutton: Statement of the livestock and meat situation by months, 1924

ltem	Uı	nit	Jan.	Feb.	Mar.	Apr.	May	June	July
Inspected slaughter	Thous	ands	1, 083	912	868	860	959	975	1,051
Carcasses condemned	dc	<u>)</u>	1	1	1 1	1 1	1 1	1 1	1
A verage live weight	Pound	38	84	85	86	88	80	74	74
Average dressed weight	ac		89	40	40	39	39	36	86
Total dressed weight (carcass, not including condemned).			1	86, 158	84, 642	1 '	87, 187	35, 097	37, 540
lamb and mutton.	do		,	2, 306	2, 173	1,719	2, 093	2, 273	2, 917
Exports, fresh lamb and mutton 1	dc)	97	114	72	86	109	205	268
Imports, fresh lamb and mutton	dc)	1 55	37	215	803	342	308	42
Receipts of sheep 4	Thous	ands	1,697	1,412	1, 367	1,348	1, 344	1,550	1,672
Receipts of sheep 4	1		i	106	83	105	118	152	226
Average cost for slaughter At Chicago—	Dollar	rs	11, 56	13. 59	14. 78	14.09	13. 28	12.49	11.94
Lambs, 84 pounds down, medium-prime	dc	·	12.95	14, 37	15 36	15.63	14, 68	13.62	18, 10
Sheep, medlum-choice At eastern markets—	dc)	7.40	8, 43	9 63	9, 84	7.71	6. 29	6, 10
Lamb carcasses, good	dc)	22. 23	23.65	26, 69	28. 05	28.40	27. 60	25, 34
grade. Mutton, good grade Sheep on farms, Jan. 1	dc)	15, 54	17. 62	19, 98	20.03	17. 09	14. 45	14. 92
Sheep on farms, Jan. 1	Thous	sands	38, 361		.		.		
	1		'	1	1	1		1	1
	<u>!</u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	1	1
Item	<u> </u>		nit	Aug.	Sept.	Oct.	Nov	Dec.	Total
	!	υ	nit						
Inspected slaughter		U	nit	1, 603	1, 150	1, 148	950	972	11, 991
Inspected slaughter		Thou	nit	1,603	1, 150	1, 148 1	950 1	972	11,991
Inspected slaughter	<u>'</u>	Thou d Poun	nit sands	1, 603 1 76	1, 150 2 77	1, 148 1 80	950 1 82	972 1 83	11, 991 13 1 80
Inspected slaughter Carcasses condemned Average live weight Average dressed weight		Thou - d Poun	nit	1, 603 1 76 37	1, 150 2 77 37	1, 148 1 80 38	950 1 82 39	972 1 83 39	11, 991 13 1 80 1 38
Inspected slaughter Carcasses condemned Average live weight Average dressed weight Total dressed weight (carcass,)		Thou - d Poun	nit	1, 603 1 76	1, 150 2 77 37 42, 541	1, 148 1 80 38 43, 566	950 1 82 39 36, 606	972 1 83	11, 991 13 1 80 1 38 456, 357
Inspected slaughter Carcasses condemned Average live weight Average dressed weight Total dressed weight (carcass, and duding condemned). Storage, first of month, fresh lan	not in-	Thou d Poun 1,000	nit sands o ds o pounds	1, 603 1 76 37	1, 150 2 77 37	1, 148 1 80 38	950 1 82 39	972 1 83 39	11, 991 13 1 80 1 38
Inspected slaughter Carcasses condemned Average live weight Average dressed weight Total dressed weight (carcass, adding condemned). Storage, first of month, fresh languation. Expects, fresh lamb and mutton.	not in-	Thou d Poun 1,000	sandso	1, 603 1 76 37 38, 788 2, 257	1, 150 2 77 37 42, 541 2, 230	1, 148 1 80 38 43, 566	950 1 82 39 36, 606	972 1 83 39 37, 882	11, 991 13 1 80 1 38 456, 357
Inspected slaughter Carcasses condemned Average live weight Average dressed weight Total dressed weight (carcass, adding condemned). Storage, first of month, fresh languation. Expects, fresh lamb and mutton.	not in-	Thou d Poun 1,000	sandso	1, 603 1 76 37 38, 788	1, 150 2 77 37 42, 541	1, 148 1 80 38 43, 566 2, 525 103 72	950 1 82 39 36, 606 3, 166 58 47	972 1 83 39 37, 882 3, 326	11, 991 13 1 80 1 38 456, 357 2 2, 456 1, 507 2, 166
Inspected slaughter Carcasses condemned Average live weight Average dressed weight Total dressed weight (carcass, adding condemned). Storage, first of month, fresh languation. Expects, fresh lamb and mutton.	not in-	Thou d Poun 1,000	sandso	1, 603 1 76 37 38, 788 2, 257 222 79	1, 150 2 77 37 42, 541 2, 230 105 64	1, 148 1 80 38 43, 566 2, 525 103	950 1 82 39 36,606 3,166	972 1 83 39 37, 882 3, 326 68	11, 991 13 1 80 1 38 456, 357 2 2, 456 1, 507 2, 166 22, 201
Inspected slaughter Carcasses condemned Average live weight Average dressed weight Total dressed weight (carcass, sudding condemned), Storage, first of month, fresh lam mutton. Exports, fresh lamb and mutton Receipts of sheep ' Stocker and feeder shipments'.	not in-	Thou d Poun 1,000	sandso	1, 603 1 76 37 38, 788 2, 257	1, 150 2 77 37 42, 541 2, 230	1, 148 1 80 38 43, 566 2, 525 103 72	950 1 82 39 36, 606 3, 166 58 47	972 1 83 39 37, 882 3, 326 68 102	11, 991 13 1 80 1 38 456, 357 2 2, 456 1, 507 2, 166
Inspected slaughter Carcasses condemned Average live weight Average dressed weight Total dressed weight (carcass, aduding condemned). Storage, first of month, fresh lan mutton. Experts, fresh lamb and mutton imports, fresh lamb and mutton Receipts of sheep ' Stocker and feeder shipments '- Stocker and feeder shipments '- Prices por 100 pounds.	not in-	Thou d 1,000 dd Thou dd Thou dd	sands sands o pounds o sands o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o	1, 603 76 37 38, 788 2, 257 222 79 2, 005 444	1, 150 2 77 37 42, 541 2, 230 105 64 3, 207 973	1, 148 1 80 38 43, 566 2, 525 103 72 3, 295 1, 441	950 1 82 39 36, 606 3, 166 58 47 1, 879 676	972 1 83 39 37, 882 3, 326 68 102 1, 605 206	11, 991 180 180 138 456, 357 2, 456 1, 507 2, 166 22, 201 4, 679
Inspected slaughter Carcasses condemned Average live weight Average dressed weight Total dressed weight (carcass, aduding condemned). Storage, first of month, fresh lam mutton. Exports, fresh lamb and mutton Imports, fresh lamb and mutton Receipts of sheep 4 Stocker and feeder shipments 4. Prices per 100 pounds. Average cost for slaughter At Ohieszo— At Ohieszo—	not in-	Thou - d Poun 1,000 d d Thou d	nit sands o ds pounds o sands o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o o	1, 603 76 37 38, 788 2, 257 222 79 2, 005	1, 150 2 77 37 42, 541 2, 230 105 64 3, 207	1, 148 1 80 38 43, 566 2, 525 103 72 3, 295	950 1 82 39 36, 606 3, 166 58 47 1, 879	972 1 83 39 37, 882 3, 326 68 102 1, 605	11, 991 13 180 138 456, 357 2, 456 1, 507 2, 166 22, 201 4, 679
Inspected slaughter Carcasses condemned Average live weight Average live weight Total dressed weight (carcass, actuding condemned). Storage, first of month, fresh lan mutton. Exports, fresh lamb and mutton Imports, fresh lamb and mutton Receipts of sheep . Stocker and feeder shipments . Prices per 100 pounds. Average cost for slaughter . At Chicago— Lambs, 84 pounds dow	not in- nb and 3	Thou de 1,000	nit sands 0 0 pounds 0 sands 0 sands 0 rs	1, 603 76 37 38, 788 2, 257 222 79 2, 005 444	1, 150 2 77 37 42, 541 2, 230 105 64 3, 207 973	1, 148 1 80 38 43, 566 2, 525 103 72 3, 295 1, 441	950 1 82 39 36, 606 3, 166 58 47 1, 879 676	972 1 83 39 37, 882 3, 326 68 102 1, 605 206	11, 991 13 1 80 1 38 456, 357 2 , 456 1, 507 2, 166 22, 201 4, 679 1 12, 85 1 13, 98
Inspected slaughter Carcasses condemned Average live weight Average dressed weight Total dressed weight (carcass, aduding condemned). Storage, first of month, fresh lam mutton. Exports, fresh lamb and mutton imports, fresh lamb and mutton. Frocts of sheep '	not in- nb and 3	Thou de 1,000	nit sands 0 0 pounds 0 sands 0 sands 0 rs	1, 603 1 76 37 38, 788 2, 257 222 70 2, 005 444 11. 76	1, 150 2 77 37 42, 541 2, 230 105 64 3, 207 973 11. 76	1, 148 1 80 38 43, 566 2, 525 103 72 3, 295 1, 441 12 09	950 1 82 39 36, 606 3, 166 58 47 1, 879 676 12, 49	972 1 83 39 37, 882 3, 326 68 102 1, 605 206	11, 991 13 1 80 1 38 456, 357 2 2, 456 1, 507 2, 106 22, 201 4, 679 1 12, 85
Inspected slaughter Carcasses condemned Average live weight Average dressed weight Total dressed weight (carcass, aduding condemned). Storage, first of month, fresh lam mutton Imports, fresh lamb and mutton Receipts of sheep 4 Stocker and feeder shipments 4. Prices per 100 pounds. Average cost for slaughter At Ohicago— Lambs, 84 pounds dow dium-prime. Sheep, modium-choice. At eastern markets—	not in-	Thou d 1,000 d 1,000 d Thou d Dolla d	nit sands 0 ds 0 0 0 0 0 0 0 0.	1, 603 1 76 37 38, 788 2, 257 222 79 2, 005 444 11. 76 12. 90 644	1, 180 2 77 37 42, 541 2, 230 105 64 3, 207 973 11. 76 12. 81 5. 69	1, 148 1 80 38 43, 566 2, 525 103 72 3, 295 1, 441 12 09 13. 15 6. 24	950 1 82 39 36,606 3,166 58 47 1,879 676 12,49 13,58	972 1 83 39 37, 882 3, 326 68 102 1, 605 206 14. 34 15. 67 8. 08	11, 991 13 180 138 456, 357 2, 456 1, 507 2, 106 22, 201 4, 679 112. 85 13. 98
Inspected slaughter Carcasses condemned Average live weight Average dressed weight Total dressed weight (carcass, aduding condemned). Storage, first of month, fresh lam mutton. Exports, fresh lamb and mutton imports, fresh lamb and mutton. Frocts of sheep '	n, me-	Thou de Poun de 1,000 de Thou de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de Control de	nit sands 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1, 603 1 76 37 38, 788 2, 257 222 79 2, 005 444 11. 76 12. 90 644	1, 150 2 77 37 42, 541 2, 230 105 64 3, 207 973 11. 76 12. 81	1, 148 1 80 80 33, 588 43, 588 2, 525 103 72 3, 295 1, 441 12 09 13. 15	950 1 82 36,606 3,166 47 1,879 676 12,49	972 1 83 37, 882 3, 326 68 102 1, 605 206 14. 34 15. 67	11, 991 13 1 80 1 38 456, 357 2 2, 456 1, 507 2, 166 22, 201

Division of Statistical and Historical Research. Inspected slaughter from reports of Bureau of Animal Industry. Weights and storage holdings from reports of the Cold Storage Report Section. Receipts, shipments, and prices compiled from data of the reporting service of the Livestock, Mesta, and Wool Division, and number on farms from Division of Crop and Livestock Estimates. Exports and imports from Bureau of Foreign and Domestic Commerce.

Weighted average.
 Simple average, not total

Including reexports.
At public stockyards.

Yearbook of the Department of Agriculture, 1924 952

TABLE 560 .- Mutton and lamb: Exports from the United States, 1910-1985 [Thousand pounds-i. e., 000 omitted]

Year ended June 30—	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	To- tal
1910	127	146	142	207	147	166	128	124	296	108	282	171	1, 989
	187	139	155	154	162	196	182	234	319	225	181	126	2, 160
	157	147	282	277	242	252	828	628	380	267	324	312	3, 596
	586	348	508	431	405	564	470	487	469	294	810	399	5, 266
	286	879	458	325	878	584	366	409	298	491	409	352	4, 685
1918	824	875	421	166	144	92	330	697	328	260	457	288	8,877
1916	878	234	385	305	299	276	319	497	948	905	638	370	5,553
1917	237	248	310	286	298	262	394	298	195	277	234	217	3,196
1918	69	329	141	233	84	391	114	123	168	165	116	165	2,098
1919	192	117	100	115	58	198	236	288	160	198	195	322	2,174
1920	239 242 895 203 321 255	302 175 411 169 245 211	229 145 264 100 140 102	809 185 100 52 97 99	220 109 176 76 72 53	815 425 146 55 98 65	286 563 195 225 97	818 872 112 246 114	539 431 81 96 72	217 1,960 89 63 80	862 996 303 167 99	122 1, 702 230 317 197	8, 958 7, 255 2, 502 1, 769 1, 682

Division of Statistical and Historical Research. Compiled from Monthly Summaries of Foreign Commerce of the United States, Bureau of Foreign and Domestic Commerce.

TABLE 561 .- Mutton and lamb: International trade, calendar year, average 1911-1913, annual 1921-1923

[Thousand pounds-i. e., 000 omitted]

Country		rage -1913	19)2 1	16)22	1923 preliminary	
	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Exports
PRINCIPAL EXPORTING COUNTRIES Argentina Australia Canada Networlands Netw Zealand Union of South Africa Urugusy PRINCIPAL IMPORTING COUNTRIES	7 4, 717 76 1, 914	148, 457 149, 988 48 17, 212 285, 509 75 3, 262	1 8 4, 829 2, 717 3	145, 118 1 91, 715 6, 991 9, 308 375, 946 378 16, 165	2, 061 961 211	180, 103 1 167,618 4, 688 16, 266 331, 288 275		178, 784 1 2 38, 434 1, 707 14, 138 249, 954 179
Belgium Denmark France Germany Sweden United Kingdom United States Other countries	(1) 3, 828 980 1, 046 1, 218 596, 899 185 924 611, 744	(1) 344 384 380 100 4, 146 489 560, 284	4, 396 1, 345 22, 922 887 768, 306 25, 395 2, 446 833, 251	671 40 298 436 468 7, 515 48 654, 682	2, 246 25 14, 891 3, 674 664, 554 12, 155 1, 617 702, 489	\$34 187 776 109 808 1,951 18 704,586	2, 018 1, 699 20, 775 2, 902 668, 147 5, 215 857 700, 324	318 211 811 45 2,087 2 486,670

Division of Statistical and Historical Research. Official sources.

Year beginning July 1.
 Nine months.

Not separately stated.
Eight months, May-December.

WOOL

TABLE 562 .- Wool, raw: Production, imports, exports, and apparent consumption, United States, 1910-1924

[Thousands of pounds-i. e., 000 omitted]

Year	1	Production	n	Im-	Reex-	Net		Excess of imports 1	
1 647	Fleece	Pulled	Total	ports	ports 1	imports 1	domestic wool	over all exports	sump- tion
1910. 1911. 1912. 1913.	281, 363 277, 548 262, 543 252, 675 247, 192	40, 000 41, 000 41, 500 43, 500 43, 000	321, 363 318, 548 304, 043 296, 175 290, 192	180, 185 155, 928 238, 118 151, 814 260, 165	9, 055 3, 511 1, 816 3, 860 6, 426	171, 080 152, 412 236, 302 147, 954 253, 739	3 48 (3) 1 77 2 335	171, 082 152, 412 286, 302 147, 877 253, 404	492, 395 470, 960 540, 345 444, 052 543, 596
1915. 1916. 1917. 1918.	245, 726 244, 890 241, 892 256, 870 249, 958	40, 000 43, 600 40, 000 42, 000 48, 300	285, 726 288, 490 281, 892 298, 870 298, 258	412, 721 449, 190 420, 995 453, 727 445, 898	2, 098 2, 128 1, 421 515 5, 689	410, 623 447, 062 419, 574 453, 212 440, 204	3 8, 158 8, 919 1, 827 407 2, 840	402, 465 443, 148 417, 747 452, 805 437, 864	688, 191 781, 688 699, 689 751, 675 735, 622
1920. 1921. 1922. 1923. 1924.	235, 005 223, 062 222, 560 224, 330 238, 530	42, 900 48, 500 42, 000 42, 500 43, 800	277, 905 271, 562 264, 560 266, 830 282, 330	259, 618 320, 666 376, 673 394, 250 268, 218	12, 686 1, 605 4, 425 24, 188 27, 750	246, 982 319, 061 372, 248 370, 062 240, 456	8, 845 1, 927 453 535 309	238, 137 817, 184 371, 795 369, 527 240, 147	516, 042 588, 696 636, 855 636, 357 522, 477

Marketing Livestock, Meats, and Wool Division. Production figures 1910-1913 from the National Association of wool manufacturers; 1914-1923 from the Division of Crop and Livestock Estimates; imports and exports from the Bureau of Foreign and Domestic Commerce.

Table 563.—Wool: Estimated production, by countries and grand divisions, 1918-1923

[Million pounds-i. e., 000,000 omitted]

Country	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923
Australasa South America North America United Kingdom Russla in Europe	750	827	767	645 '	742	742	825	852	718	818	816
	531	455	477	480	470	470	484	487	592	399	471
	315	309	308	807	804	818	386	328	298	281	282
	188	125	121	121	121	125	118	99	100	103	102
	320	320	320	320	320	320	320	150	320	110	87
	78	80	75	75	65	65	50	50	40	40	42
Germany	26	26	26	26	26	26	26	87	43	52	49
	22	22	22	22	22	22	22	35	79	50	58
	225	227	239	240	240	240	236	880	317	308	279
	273	273	278	278	278	273	827	827	827	265	267
	208	208	208	208	208	208	150	220	1 0 9	278	368
Total	2, 881	2, 872	2, 836	2,717	2, 791	2, 809	2, 894	2, 965	3, 003	2, 704	2, 721

Division of Statistical and Historical Research. Compiled from Annual Wool Review of the National Association of Wool Manufacturers.

29283°-YBK 1924---61

¹ Imports and reexports include hair of camel, goat, alpaca, etc. Imports of hair not separately stated prior to July 1, 1913; since that date it has constituted less than 2 per cent of the total every year except 1915, when it was 2.4 per cent.

² Exports for fiscal years ending June 30 of the years shown.

³ Included in all other articles

⁴ No transactions.

964 Yearbook of the Department of Agriculture, 1924

TABLE 564.- Wool, fleece: Estimated production, by States, 1922-1924

	1	Production	a`	We	ight per fi	6606	Nu	mber of fle	9000
State	1922	1923	1924 1	1922	1928	1924 1	1922	1923	1934 1
	1,000	1,000	1,000		D	D4-	Thou-	Those-	Thou
Maine	pounds 589	pounds 567	pounds 542	Pounds 6. 2	Pounds 6.8	Pounds 6.8	sands 95	eande 90	sunds 86
New Hampshire	128	119	112	6.4	6.6	6.6	20	18	17
Vermont	312	275 100	273 83	6. 5 6. 0	6.4	6. 5 6. 4	48 17	48 16	42 18
Massachusetts Rhode Island	102 19	20	19	6.8	6.2	äi	18	10	8
Connecticut New York	54 2,882	44 2,968	48 8, 181	6.0	6.0	6.0 6.9	9 424	8 430	8 461
New Jersey	55	47	54	5.8	5.0	6.0	9	200	9
New Jersey Pennsylvania	3,087	3, 148	2,908	6.7	6. 5	6.7	461	484	494
Delaware	12	13	16	5. 8	5. 5	5. 5	2	2	8
MarylandVirginia	486 1,578	512 1, 622	484 1, 656	6.4 4.9	4.8	5.9 4.9	76 822	80 338	82 888
West Virginia.	2,346	2,600	2,496	4.9	5.2	5.2	479	500	480
West Virginia North Carolina	395	397	885	4.5	4.9	5.2	88	81	74
South Carolina	102	108	94	4.0	4.5	4.5	26	28	31
GeorgiaFlorida	157	156	162 157	2.9 8.2	8.0 3.4	8.0 8.2	54 49	52 48	54
Ohio	157 13, 596	163 14, 813	18, 809	7.4	7.8	7.8	1, 837	1.961	49 1, 904
Indiana	8, 527	8, 820	4,060	7.0	7. 1 7. 6	7. 8 7. 0 7. 6	504	588	590
Illinois	8, 426	3, 290	3, 625	7. 5	7. 6	1 1	457	433	477
Michigan	7, 868	7, 282	7, 252	7.8	7.4	7. 4 7. 8	1,078	984	960
Wisconsin Minnesota	2, 279 2, 457	2, 271 2, 225	2, 190	7. 3 7. 2	7.4	7.8	312 341	307 297	300 342
Iowa	5, 208	4,978	2, 599 5, 244	7. 2 7. 9	7. 5 7. 5	7. 6 7. 6	659	663	690
Iowa Missouri	5, 098	5, 411	6, 700	6. 6	7.0	6.7	772	778	1,000
North Dakota	1,715	1,648	1, 778	7. 9	8.0	7.9	217	206	225
South Dakota	4, 021	4, 021	4, 275	7. 5 8. 0	7. 6 7. 9	7. 5 7. 8	536 174	529 220	570 200
Nebraska Kansas	1, 395 1, 690	1, 738 1, 933	1, 560 1, 28 8	7. 5	7.7	7.4	225	251	174
Kentucky		2,715	2,776	6.0	4.9	4.5	536	554	617
Tennessee	1, 294 185	1, 800 227	1, 338 285	4. 5 8. 5	4. 5 3. 6	4. 4 8. 7	288 53	289	304 77
Alabama Mississippi Louisiana	446	454	376	8.0	3. 0 3. 2	3.3	149	63 142	114
Louisiana	881	885	866	8. 7 7. 2	8.4	3. 7 7. 9	103	113	99
Texas	19, 300	19, 700	22, 223		7. 4	1	2, 681	2, 662	2, 813
Oklahoma	458	490	533	7. 3	7. 0	7. 4	63	70	72
Arkansas	344 16, 770	820 17, 775	828 19, 314	. 8.0	4.7 8.4	4. 5 8. 7	76 2,096	68 2, 116	73 2, 220
Wyoming	20, 400	19, 520	19, 760	8.0	8.0	8.0	2, 550	2,440	2, 470
Montana Wyoming Colorado	6, 976	6, 580	6, 580	6. 5	7. 0	7. 0	2, 550 1, 073	940	940
New Mexico	11, 246	10, 890	12, 408	6.0	6.6	6.0	1,874	1, 650	2, 068
Arizona	6,000 16,800	5, 798 17, 210	6, 240 16, 884	6.5	6. 5 7. 9	6.0 8.2	923 2, 270	892 2, 178	1, 040 2, 059
Arizona Utah Nevada	7, 650	7, 942	8, 000	6. 5	7. 6	8.0	1, 177	1,045	1,000
IdahoWashington	16, 642	15, 455	16, 800	7. 8 7. 7	8. 1	8.0	2, 184	1, 908	2, 100
Wasnington	3,802	4,409	4, 685	7. 7 7. 5	8. 8 9. 0	9.0 9.1	1 722	501	518
Oregon Oslifornia	12, 992 18, 455	18, 200 14, 181	15, 688 16, 856	6. 9	7. 2	7.3	1, 732 1, 950	1, 467 1, 970	1, 724 2, 809
United States	222, 560	224, 830	288, 530	7.0	7.4	7.4	81, 516	30, 455	82, 280

Division of Crop and Livestock Estimates.

¹ Preliminary.

TABLE 565.—Wool: International trade, calendar years, 1909-1923

[Thousand pounds-i. e., 000 omitted]

	Average	1909-1913	19	121	19	22	1923, pre	limin ary
* Country	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Exports
PRINCIPAL EXPORTING COUNTRIES								
Algeria Argentina Australia Brazil British India	214 1 324 3 511	19, 871 828, 204 1 676, 679 2, 959 56, 496	1,865 1773 148 17,937	19, 372 370, 141 588, 103 7, 127 22, 814	2, 925 189 1 141 20, 586	16, 266 437, 479 833, 139 7, 850 51, 738	4, 040 881 4 22, 254	20, 944 808, 692 724, 981 4, 764 4 37, 718
Chile	281	28, 223 42, 684 294 8, 607	188 871 177	26, 902 68, 205 1, 397 14, 830 1, 575	189 586 1, 007	27, 980 77, 792 1, 439 9, 390 4, 099	6 444 1, 214	28, 995 56, 562 548 7, 978
New Zealand Persia Peru Spain Union of South Africa Uruguay	2, 753 8 2, 446	194, 801 10, 023 9, 333 28, 505 164, 633 139, 178	126 144 2 2, 113 179	159, 419 1, 286 4, 454 5, 257 247, 551 125, 867	180 81 5, 044 51	326, 404 10, 088 13, 449 285, 576 2 102, 328	218 2, 702 201	228, 689 11, 087 *10, 759 179, 475
PRINCIPAL IMPORTING COUNTRIES						·		
Austria- Austria-Hungary- Belgium- Canada- Czechoslovakia-	63, 942 800, 867 7, 794	9, 622 196, 440 1, 323	15, 862 204, 015 9, 204 3 87, 171	2, 482 141, 393 8, 810 462	³ 13, 517 194, 617 15, 907 ³ 36, 080	³ 2, 143 77, 138 7, 159 8, 656	19, 064 169, 473 21, 099 66, 062	1, 894 57, 444 6, 318 6, 814
Denmark Finland France Germany Italy	1, 794 601, 628 481, 988	1, 124 80 84, 978 42, 817 3, 938	1, 363 1, 934 335, 899 294, 255 44, 279	140 3 1 83, 403 7 4, 554 5, 224	1, 782 3, 928 681, 252 443, 327 85, 253	819 13 50, 598 16, 676 9, 402	3, 360 3, 063 579, 421 306, 174 77, 170	46, 067 19, 738 5, 208
Japan Netherlands Norway Poland Russia	8, 644	26, 362 123 32, 406	30, 531 14, 712 1, 636 21, 351 2437	3, 760 210 129 1, 757	75, 354 14, 777 4, 809 * 84, 378	8, 829 163 1, 030 2 10, 870	46, 035 12, 573 3, 453 34, 290	4, 665 584
Sweden	11, 211 550, 931 203, 298	149 338 42, 027 19 46 38, 702	7, 164 12, 198 466, 668 320, 666 5, 941	40 54 36, 569 1, 927 18, 984	11, 166 15, 102 751, 658 884, 360 8, 711	163 246 62, 212 453 17, 677	16, 292 15, 694 402, 759 417, 346 53	186 60, 058 535 8, 309
Total	2, 459, 331	2, 190, 905	1, 849, 304	1, 918, 149	2, 801, 352	2, 418, 764	2, 226, 850	1, 824, 806

Division of Statistical and Historical Research. Official sources except where otherwise noted. "Wool" in this table includes washed, unwashed, scoured, and pulled wool; slipe, sheep's wool on skins (total weight of wool and skins taken); and all other animal fibers included in the United States classification of wool. The fallowing items have been considered as not within this classification: Carded, combed, and dyed wool; flocks, goatskins with hair on, mill waste, noils, and tops.

¹ Year beginning July 1.
2 International Institute of Agriculture.
3 Four-year average.
4 Twelve months' sea trade; 11 months' land trade.
5 The months.
5 Three-year average.
5 Eight months, May-December.

Six months.
Bight months.
One year only.

Table 566.—Stocks of wool, tops, and noils held by dealers and manufacturers in United States, 1918–1924

[Thousand pounds—i. e., 000 omitted]

		Helo	i by deal	lers			Held by	manufa	cturers	_
Date	Grease	Scoured	Pulled	Торв	Noils	Grease	Scoured	Pulled	Торв	Noils
1918 Jan. 1 Apr. 1 July 1 Oct. 1	156, 639 91, 209 202, 241 219, 659	27, 849 22, 887 11, 721 12, 926	12, 229 14, 444 10, 478 10, 701	4, 642 3, 555 2, 074 347	7, 565 6, 054 3, 848 3, 655	172, 342 135, 685 136, 267 101, 900	29, 912 23, 672 19, 601 16, 236	9, 627 9, 322 9, 483 8, 449	18, 677 16, 117 14, 251 12, 288	13, 567 11, 387 13, 064 12, 467
Jan. 1	81, 923 28, 690 198, 298 207, 264	12, 347 7, 952 22, 155 27, 921	10, 215 5, 984 10, 108 14, 497	1, 422 898 1, 801 3, 446	5, 104 2, 828 2, 577 3, 184	58, 602 72, 637 147, 678 181, 301	13, 816 13, 664 16, 117 17, 705	5, 233 6, 603 11, 140 7, 829	10, 395 10, 962 11, 388 15, 286	12, 385 10, 881 9, 820 9, 822
1920 Jam. 1	123, 247 144, 837	24, 630 26, 279 27, 963 29, 988	17, 907 17, 710 15, 207 11, 229	4, 735 8, 646 4, 487 5, 564	3, 893 4, 305 6, 041 4, 754	148, 239 135, 645 112, 434 75, 288	20, 030 28, 100 23, 078 15, 612	10, 152 9, 339 6, 762 12, 067	13, 875 14, 328 15, 439 15, 839	7, 316 8, 670 9, 002 9, 124
1921 Jan. 1 Apr. 1 July 1 Oct. 1	194, 891	27, 814 22, 807 19, 703 19, 480	14, 352 15, 505 12, 127 11, 201	6, 616 7, 623 4, 883 4, 005	5, 434 3, 690 4, 139 3, 009	119, 766 159, 599 164, 713 180, 727	17, 291 18, 442 18, 042 19, 736	6, 895 17, 095 10, 787 10, 484	18, 851 19, 325 20, 247 23, 184	9, 991 9, 316 8, 101 7, 468
1922 1 Jan. 1 Apr. 1 July 1 Oct. 1	101, 384 70, 415 156, 523 176, 377	13, 468 10, 995 13, 447 16, 521	10, 222 6, 969 6, 988 7, 384	2, 866 2, 296 2, 627 3, 327	2, 453 1, 373 1, 619 2, 695	171, 597 171, 026 165, 810 191, 351	21, 097 25, 406 22, 201 20, 336	9, 312 10, 419 9, 642 8, 686	17, 536 18, 029 20, 720 19, 227	7, 136 7, 176 6, 709 5, 904
Jan. 1 Apr. 1 July 1 Oct. 1	134, 644 126, 158 186, 730 175, 843	22, 150 24, 734 21, 075 21, 679	11, 106 13, 503 13, 126 10, 531	3, 658 3, 378 5, 125 8, . 36	6, 158 6, 378 5, 977 5, 675	193, 492 175, 422 161, 435 130, 985	20, 596 21, 787 18, 464 15, 992	8, 824 11, 930 11, 148 8, 961	20, 211 18, 402 16, 579 16, 998	7, 644 8, 247 8, 364 7, 511
Jan. 1	100, 846	16, 665 16, 239 12, 840 12, 544	7, 700 9, 561 8, 829 7, 475	2, 988 4, 172 4, 461 3, 869	3, 783 1, 806 983 1, 994	121, 173 124, 345 126, 986 129, 330	16, 947 15, 310 13, 987 15, 165	8, 971 7, 669 6, 140 6, 748	16, 543 17, 141 16, 823 16, 562	7, 206 6, 828 5, 659 4, 867

Division of Statistical and Historical Research.

Table 567.—Wool (unwashed): Farm price per pound, 15th of month, United States, 1910-1924

Year	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Weight ed av- erage
	Cents	Cents	Cents	Cents	Cente	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents
1910	24. 5	24. 6	24. 9	22. 8	22.8	19. 5	19.0	19. 5	17. 7	18. 1	17. 9	17. 8	20. 8
1911	17. 3	17. 3	16. 8	18.7	14.7	15. 5	15. 4	16. 0	15.6	15. 5	15.6	15. 5	15.6
1912	16. 2	16. 3	16. 9	17. 8	17.8	18.7	18. 9	18.8	18.7	18. 5	18. 6	18.6	18. 1
1913	18.6	18.7	18.4	17. 7	16. 3	15.6	15. 9	15. 8	15.8	15. 5	15.6	16. 1	16.4
Av. 1910-1918	19. 2	19. 2	19. 2	18. 2	17. 9	17. 8	17. 3	17. 5	17. 0	16. 9	16. 9	17.0	17, 6
1914	15, 7	15.7	16, 4	16. 8	17. 2	18, 4	18. 5	18. 7	18.6	18. 0	18. 1	18.6	17.7
1915	18. 6	20. 2	22.8	22. 7	22. 0	23. 7	24. 2	23. 8	23. 3	22.7	22.7	23. 8	22.6
1916	23. 3	24. 2	25. 9	26. 3	28.0	28.7	28.6	29.0	28. 4	28. 7	29. 4	30. 8	27.9
1917	81. 8	32. 7	86. 7	38. 8	43. 7	49. 8	54. 3	54. 8	54. 2	55. 5	55. 9	58. 2	47.8
1918	58. 1	57. 1	60.0	60.0	58. 2	57. 4	87. 5	57. 4	87. 7	57. 7	56. 4	56. 2	57. 9
1919	55. 2	51. 1	51. 8	47. 9	48.0	50. 5	51. 8	52. 2	51. 3	50.6	51. 0	51.6	50.8
1920	53. 3	52. 5	51. 5	51. 8	50. 8	38. 6	29. 5	28.3	28.0	27. 5	24. 9	21. 9	39. 1
Av. 1914-1920	86. 6	86. 2	87. 8	87. 2	88. 2	88. 2	87. 8	87. 7	87. 4	37. 2	86. 9	37. 2	37. 6
1921	19. 6	19.8	18. 9	17. 9	16.0	15.4	15. 5	15.4	15. 5	15.8	15. 6	16. 9	16. 4
1922	18. 0	22.8	25. 0	24. 8	29. 0	82. 8	82. 5	3L 6	31, 6	82. 2	33. 2	35. 3	29.8
1923	85. 8	35. 3	87. 8	89. 2	41.7	41. 5	88. 3	87. 0	37. 1	86. 9	36. 4	36. 2	88. 6
1924	86. 6	87. 5	88. 2	38. 4	87. 4	86. 0	84. 8	88. 5	85. 5	87. 8	40.1	42. 2	36.9

Division of Crop and Livestock Estimates.

¹ Figures do not include estimates for firms not reporting.

TABLE 568.—Wool: Quarterly average price per pound on farms, by districts, 1910–1924

Date	Ohio, Penn- syl- vania, and West Vir- ginia	Michigan, Wisconsin, and New York	Ken- tucky and Indi- ana	Missouri, Iowa, and Illi- nois	Texas	Cali- fornia	Mon- tana, Wyo- ming, Utah, Idaho, Oregon, Neva- da, Ari- zona	New Mexico	Florida, Ala- hama, Missis- sippi, Louisi- ana, and Geor- gia
1910 January-March April-June July-September October-December	Cts. 81 27 28 22	Cts. 29 24 22 22	Cis. 29 26 24 22	Cts. 28 24 21 20	Cta. 21 20 19 17	Cts. 16 17 16 14	Cts. 22 19 17 17	Cts. 20 20 15 14	Cts. 29 25 23 20
January-March April-June July-September October-December	22 19 20 20	20 17 18 19	21 19 18 19	19 17 17 17	16 15 15 14	12 12 12 11	16 14 15 15	13 12 12 13	. 20 18 18 18
January-March April-June July-September October-December	20 22 24 24	19 20 23 22	20 21 22 22 22	18 19 21 20	15 15 16 15	13 14 15 15	18 17 17 17	13 13 14 15	18 17 20 19
1913 January-March April-June July-September October-December	24 20 20 20 20	21 18 19 19	22 19 19 19	20 18 17 17	15 14 13 13	15 14 15 12	17 15 14 14	15 13 12 12	19 17 17 17
1914 January-March April-Junc July-September October-December	20 21 23 23	18 20 21 21	19 21 22 20	17 18 20 19	13 15 16 14	12 15 15 15	15 16 17 17	13 15 16 15	17 16 17 17
January-March April-June July-September October-December	24 26 28 28	28 26 29 28	23 26 28 27	20 24 26 26	15 18 19 18	16 20 20 17	21 22 22 22 21	17 18 19 19	17 18 21 20
1916 January-March April-June July-September October-December	29 32 34 35	29 32 84 84	28 33 84 34	26 30 81 81	20 23 24 25	18 24 24 21	24 27 27 28	21 22 24 24	20 25 25 25 26
1917 January-March April-June July-September October-December	38 48 64 66	87 48 61 64	35 48 59 62	33 45 57 58	26 85 44 47	31 45 52 51	35 44 53 56	27 37 46 48	25 82 44 46
January-March April-June July-September October-December	69 69 67 67	65 65 65 65	62 66 65 64	59 61 61 60	50 51 52 51	53 49 50 50	57 55 55 54	47 54 49 44	45 49 58 54
January–March April–June July–September October–December	62 58 63 63	58 52 58 57	62 58 55 55	56 49 58 51	45 42 46 44	42 43 47 42	51 48 49 48	85 42 46 48	50 44 45 44
January-March April-June Tuly-September October-December	63 58 33 28	58 50 30 26	54 48 34 27	52 44 28 22	46 45 80 24	45 44 28 23	50 44 28 26	45 44 25 22	48 41 25 19
Av. 1014-1020	44	42	42	88	82	88	86	32	.32

958

TABLE 568.—Wool: Quarterly average price per pound on farms, by districts, 1910–1924—Continued

Date	Ohio, Penn- syl- vania, and West Vir- ginia	Michigan, Wisconsin, and New York	Ken- tucky and Indi- ana	Missouri, Iowa, and Illi- nois	Teras	Cali- fornia	Mon- tana, Wyo- ming, Utah, Idaho, Oregon, Neva- da, Ari- zona	New Mexico	Fiorida, Ala- bama, Missis- sippi, Louisi- and Geor- gia
January-March	Cts. 27 22 19 20	Cts. 23 19 18 18	Cta. 22 17 16 17	Cts. 18 17 15 15	Cta. 20 15 14 14	Cts. 18 10 12 18	Cts. 19 16 16	Cts. 15 14 12 14	Cte. 17 16 18 14
January-March April-June July-September October-December	25 33 38 38	23 29 33 35	19 27 31 82	19 25 80 82	17 26 33 34	23 31 35 31	24 · 31 31 34	18 26 30 32	14 18 24 28
January-March April-June July-September Ootober-December	39 43 43 42	36 42 41 41	38 40 38 38	32 39 38 36	87 40 87 34	38 42 85 38	37 42 38 36	36 40 34 34	28 27 29 83
January-March April-June July-Septamber October-December	41 42 88 45	41 40 87 42	38 38 38 42	37 86 84 88	34 38 36 41	80 35 35 37	38 38 34 40	85 32 81	31 30 81 32

Division of Statistical and Historical Research. Compiled from data of the Division of Crop and Live-stock Estimates.

TABLE 569.—Wool: Average price p r pound, Boston market, 1900-1924
[Ohio, Pennsylvania, and West Virginia, % blood—unwashed]

Year	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	ΑΨ.
1900	Cents 29 24 22 25 25	Cents 28 23 22 25 25 26	Cents 27 23 22 25 26	Cents 27 23 22 23 23 26	Cents 26 22 22 22 23 26	Cents 25 20 22 24 28	Cents 25 20 22 24 28	Cents 24 20 22 24 28	Cents 24 21 22 26 29	Cents 24 21 23 26 29	Cents 23 21 23 26 31	Cente 24 22 24 26 32	Cents 26 22 22 22 28
1905	32 34 34 31 29	31 33 84 81 30	30 33 84 80 81	31 33 38 29 38	85 83 82 26 84	36 33 32 26 35	36 83 32 25 36	35 33 33 25 36	85 33 38 26 37	35 34 33 26 37	35 34 31 27 87	84 84 80 28 87	84 83 87 84
1910 1911 1912 1918 1914	37- 29- 27- 31- 28	37 28 28 31 23	36 27 28 30 24	26 28 27 24	81 24 28 24 26	28 24 28 24 27	28 25 29 24 28	28 25 80 24 28	28 25 81 24 27	29 25 31 24 27	29 26 31 23 29	29 26 31 23 30	20 20 20 20 20
1915	31 39 48 77 75	37 40 53 77 66	88 40 54 80 60	35 40 57 78 60	35 40 61 76 60	35 40 71 76 62	87 41 75 78 72	88 42 75 76 70	87 42 77 76 70	87 41 75 78 67	87 44 76 76 68	88 49 76 76 70	84 67 67
1990 ¹ 1021 1922 1908 1994	70 29 37 56 56	70 30 41 58 58	70 30 41 57 58	86 39 58 57	61 39 43 58 58	54 28 48 58 49	50 27 47 57 50	45 26 47 56 54	48 26 48 54 58	40 27 50 54 61	82 28 54 54 64	80 82 84 86 71	81 44 54 55

1900-1920, from quarterly reports of the National Association of Wool Manufacturers; 1921-1924, from Boston Commercial Bulletin, average of weekly range.

¹ Prices June to December, 1930, are largely nominal.

TABLE 570.—Wool: Average price per pound, Boston market, 1910-1924 TERRITORY-FINE STAPLE, SCOURED

Year	Jan	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Aver- age
1910 1911 1912 1918	\$0, 74 . 61 . 61 . 66	\$0. 78 . 59 . 61 . 64	\$0.71 .54 .61 .59	\$0.68 .53 .61 .56	\$0. 63 . 52 . 61 . 55	\$0. 61 . 52 . 61 . 54	\$0.61 .55 .68 .54	\$0. 62 . 56 . 68 . 54	\$0. 62 . 59 . 68 . 54	\$0. 63 . 60 . 68 . 58	\$0. 68 . 61 . 67 . 58	\$0.63 .61 .67 .52	\$0.65 .57 .64 .56
1914 1915 1916 1917 1918 1919	. 52 . 63 . 74 1. 13 1. 80 1. 60 2. 00	. 56 . 73 . 77 1. 28 1. 80 1. 52 2. 05	. 57 . 73 . 77 1. 28 1. 83 1. 58 2. 05	. 59 . 71 . 79 1. 88 1. 85 1. 65 2. 00	.60 .69 .79 1.38 1.80 1.65 2.00	.61 .71 .81 1.74 1.80 1.75 1.75	.61 .71 .82 1.74 1.85 1.85 1.60	.63 .71 .85 1.78 1.80 1.85 1.45	.61 .71 .89 1.81 1.80 1.85 1.30	.59 .71 .89 1.80 1.85 2.00 1.20	.61 .71 .97 1.80 1.80 2.00	.61 .73 1.05 1.80 1.80 2.00	. 59 . 71 . 84 1. 57 1. 82 1. 78 1. 60
Av. 1914-1920	1. 20	1. 24	1. 26	1. 27	1. 27	1. 31	1. 31	1. 30	1. 28	1. 29	1. 26	1. 27	1. 27
1921 1922 1923 1924	. 84 . 97 1. 48 1. 37	. 90 1, 10 1, 44 1, 41	. 89 1, 10 1, 44 1, 41	. 88 1. 09 1. 49 1 86	. 86 1. 27 1. 58 1. 38	. 82 1. 34 1. 50 1. 28	. 82 1. 35 1. 44 1. 80	. 82 1. 31 1. 37 1. 36	. 82 1. 30 1. 32 1. 44	. 82 1. 34 1. 30 1. 48	. 84 1. 89 1. 30 1. 60	. 88 1. 40 1. 34 1. 68	. 85 1. 25 1 41 1. 42

Division of Statistical and Historical Research. 1910-1920 data from quarterly reports of the National Association of Wool Manufacturers. 1921-1924 data from Boston Commercial Bulletin, average of weekly range.

Table 571.—Wool: Average price per pound in England, 1909-1924 LINCOLN HOGGETS

Year	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	A ver-
1909 1910 1911 1912 1913	Cents 17. b 20. 0 20 0 21. 8 25 4	Cents 18. 0 21. 0 20. 5 20. 8 25. 9	Cents 18. 0 21. 0 20. 5 20. 8 26. 4	Cents 18. 0 21. 0 20. 5 20. 8 26. 4	Centa 18. 0 20. 5 20. 2 20. 8 26. 4	Cents 19. 5 19. 5 20. 0 20. 8 26. 9	Cents 19. 5 19. 0 20. 0 21. 8 26. 9	Cents 19 0 20 0 20 0 21 8 27 9	Cents 19. 5 20. 0 20. 0 22. 8 25. 8	Cents 19 5 20. 0 20. 0 22. 8 25. 8	Cents 20. 0 20. 0 21. 0 23. 2 25. 8	Cents 20. 5 20. 0 20. 2 23. 7 25. 8	Cents 18. 9 20. 2 20. 2 21. 7 26. 2
Av. 1909-1918	20. 8	21. 2	21. 8	21. 3	21. 1	21. 3	21. 8	21. 7	21. 5	21. 6	22.0	21. 9	21. 4
1914 1915 1916 ³ 1920 1921 1922 1923 1924	25. 8 28. 5 37. 6 42. 8 21. 9 17. 2 23. 8 25. 3	27. 8 34. 1 87. 7 39. 4 21. 0 17. 7 24 4 30. 1	27. 4 34. 5 39 7 44. 0 17. 9 17. 8 24. 5 31. 3	27. 4 85. 0 89. 7 45. 7 17. 2 18. 8 24. 2 31. 7	27. 5 33. 4 38. 7 38. 5 16. 6 19. 5 24. 1 32. 7	26. 5 85. 8 87. 7 84. 5 13. 4 20. 9 24. 5 83. 8	25. 5 85. 7 87. 7 82. 1 12. 5 22. 2 25. 8 82. 8	26 0 83. 8 87. 7 88. 2 13. 8 22. 3 25. 7 84. 7	25. 9 83. 7 88. 7 30. 7 14. 0 22. 2 25. 5 83. 8	26. 8 34. 2 39 6 27. 5 14. 5 22. 7 25. 0	28. 6 36 0 41. 6 25. 7 15. 7 22. 3 24. 2 42. 3	28. 4 86. 9 43. 5 20. 4 15. 2 23. 0 24. 5 47. 0	26.9 34.8 39.2 34.5 16.1 20.6 24.7 84.2

LINCOLN WETHERS

Year	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	A ver-
1909	Cents 15 5 18. 5 19. 7 20. 2 23. 8	Cents 16. 0 20. 0 20. 0 20. 3 25. 4	Cents 16. 0 20. 0 20. 2 19. 8 25. 9	Centa 16. 0 19. 5 20. 0 19. 7 25. 9	16. 0 19. 0	Cents 16. 5 18. 5 19. 5 19. 8 25. 9		Cents 16. 0 19. 0 19. 0 21. 8 24. 8	17. 0	Centa 17. 0 19. 5 19. 0 22. 3 24. 8	Cents 18. 0 19. 0 19. 5 22. 7 24. 8	Cents 18. 5 20. 0 19. 5 28. 2 24. 7	Cents 16. 5 19. 2 19. 5 20. 1 25, 2
Av. 1909-1918	19. 5	20. 8	20. 4	20. 2	20. 0	20. 0	19. 7	20. 0	20. 5	20. 5	20. 8	21. 2	20, 1
1914	24. 8 27. 2 87. 6 41. 8 17. 2 18. 2 18. 4 24. 8	24. 8 38. 1 87. 7 38. 9 16. 1 13. 6 19. 1 29. 6	25. 3 88. 5 89. 7 42. 5 18. 0 13. 7 19. 1 80. 4	24. 9 84. 0 89. 7 42. 4 12. 8 18. 8 18. 9 80. 8	24. 4 88. 4 88. 7 88. 7 11. 6 14. 4 19. 8 31. 8	24. 4 85. 8 87. 7 32. 1 9. 8 14. 4 19. 7 82. 4	23. 4 85. 7 87. 7 28. 1 9. 8 15. 2 20. 1 82. 3	24. 0 33. 5 37. 7 26. 4 10. 8 15. 8 20. 4 33. 8	24. 4 88. 7 88. 7 25. 6 10. 5 14. 8 20. 8 88. 4	26. 8 34. 2 39. 6 21. 7 11. 8 14. 8 20. 7 36. 0	28. 6 36. 0 41. 6 20. 0 12. 0 15. 4 21. 9 39. 4	27. 4 86. 9 48. 5 17. 5 11. 7 17. 8 28. 6 44. 0	25. 2 33. 0 39. 2 30. 8 12. 1 14. 6 20. 1 24. 5

Division of Statistical and Historical Research. From the Yorkshire Observer "Trade Review" of 12 to 1909-1922; subsequently from annual issues of that publication. Converted at par prior to 1912; and 1811, converted to cents per pound on the besis of the monthly average rate of exchange as given in Federal Reserve Bulletins.

¹ Prices June-December, 1920, largely nominal.

First shorn fleece, but not lambs' wool.
 Period of price control. Approximate issue prices: 1917, 50 cts.; 1918, 55 cts.; 1919, 46-46 cts.
 Includes all fleeces shorn after the first.

* TABLE 572 .- Wool: Consumption in United States, by Classes, 1918-1924 [Thousand pounds—i. e., 000 omitted] GREASE

			GRE.	ABE				
	Com	bing	Clot	hing	Cas	pet	To	tal
Year	Domestic	Foreign	Domestic	Foreign	Foreign Combing	Foreign Filling	Domestic	Foreign
1918. 1919. 1920. 1921. 1922. 1922.	164, 878 182, 936 184, 824 159, 340 210, 142 1\1, 494 152, 960	217, 571 172, 346 172, 546 117, 704 87, 061 169, 540 81, 685	17, 845 20, 995 17, 914 90, 248 26, 750 17, 487 15, 488	17, 850 11, 869 11, 997 11, 134 8, 344 7, 072 8, 508	16, 414 24, 672 28, 356 22, 968 56, 797 72, 231 54, 042	15, 708 28, 747 28, 364 27, 291 51, 664 63, 215 60, 047	182, 723 203, 931 152, 738 179, 583 236, 892 128, 981 168, 443	267, 088 237, 684 241, 269 179, 997 206, 866 312, 058 199, 232
January February March April May June July August September October November December	13, 331 10, 702 10, 170 9, 013 8, 781 7, 672 9, 436 13, 011 16, 333 19, 735 17, 034 16, 842	10, 666 9, 714 8, 410 7, 734 4, 163 4, 195 5, 761 6, 399 6, 928	1, 579 1, 299 1, 348 1, 288 1, 084 946 1, 349 1, 352 1, 402 1, 316 1, 285 1, 288	401 278 402 381 276 325 260 541 148 184 170	5, 228 5, 541 5, 444 5, 292 3, 573 2, 961 3, 324 3, 018 8, 976 5, 123 4, 787 5, 775	5, 545 5, 871 5, 618 5, 554 4, 201 3, 362 3, 952 4, 041 4, 717 6, 524 5, 282 5, 430	14, 910 12, 001 11, 518 10, 301 9, 815 8, 618 10, 782 15, 263 17, 785 21, 051 18, 319 18, 130	21, 849 21, 404 19, 884 18, 961 13, 494 10, 801 11, 731 12, 945 14, 602 18, 712 16, 588 18, 270
			SCOU	RED				•
1918. 1919. 1920. 1921. 1922. 1923.	11, 033 5, 767 5, 906 7, 074 8, 374 7, 051 5, 804	16, 628 4, 520 5, 492 3, 040 2, 753 3, 774 8, 409	30, 466 30, 902 30, 268 34, 630 47, 547 42, 506 40, 718	64, 846 28, 662 22, 828 18, 236 19, 347 21, 909 16, 089	1, 177 1, 279 1, 359 630 1, 285 1, 010	2, 777 4, 407 5, 648 4, 147 5, 410 4, 914 8, 122	41, 499 36, 669 36, 169 41, 704 55, 921 49, 557 46, 522	85, 423 38, 868 35, 322 26, 053 28, 795 31, 607 23, 158
January February March April May June July August September October November December		368 306 307 296 240 217 189 199 250 275 299	3, 650 3, 872 3, 569 3, 348 3, 691 2, 806 2, 807 2, 888 3, 418 3, 968 8, 377 3, 932	1, 871 1, 797 1, 618 1, 505 1, 320 1, 099 1, 116 1, 197 1, 092 1, 187 1, 185 1, 182	29 35 64 46 36 32 36 41 26 50 50	347 211 323 287 346 262 175 203 196 247 245	4, 131 4, 356 4, 144 3, 845 3, 528 3, 150 3, 280 3, 280 4, 549 8, 963 4, 438	2, 615 2, 489 2, 812 2, 134 1, 942 1, 610 1, 516 1, 640 1, 578 1, 785 1, 785
			PULI	LED				
1918. 1919. 1920. 1931. 1922. 1928.	: O. UOZ	2, 685 687 675 1, 125 900 1, 928 708	8, 497 8, 809 6, 116 11, 624 9, 840 8, 315 9, 492	2, 918 944 714 1, 052 1, 485 2, 080 1, 241	179 821 420 1, 149 2, 264 2, 884 1, 052	1, 277 2, 224 2, 499 2, 680 3, 415 5, 409 4, 707	18, 474 18, 516 18, 630 90, 469 19, 449 16, 367 15, 344	7, 059 4, 696 4, 366 6, 666 8, 124 12, 296 7, 708
January February March April May June July August Saptember Novamber December	779 1,012 409 786 867 363 434 518 871 204 274 186	95 132 130 67 46 34 41 38 16 18 21 34	835 687 900 785 841 764 648 626 886 968 784 769	163 171 207 126 102 89 47 78 86 62 38	118 88 104 138 90 72 63 76 66 58 72 112	711 638 687 809 226 220 177 181 256 416 369 348	1, 614 1, 699 1, 399 1, 521 1, 228 1, 117 1, 077 1, 144 1, 261 1, 262 1, 668	1, 067 1, 029 1, 086 835 464 408 838 866 434 569 578

TABLE 573.—Livestock: Estimated number raised on farms, and value, 1920-1924
[Thousands-i. c., 000 amitted]

Classes of ani-		1920	1	1921	1	1922	1	1923	1924, prelimi; nary		
mals	Num- ber	Value	Num- ber	Value	Num- ber	Value	Num- ber	Value	Num- ber	Value	
Cattle Horses Mules Sheep Swine Other	24, 347 1, 801 474 15, 155 60, 175 1, 582	214, 298 65, 376 136, 166 1, 524, 559	2, 094 460 17, 496	192, 672 50, 981 95, 443 1, 017, 590	1, 808 467 17, 564	954, 039 151, 492 42, 893 126, 018 1, 235, 449 6, 026	1, 586 407 18, 383 78, 118	130, 071 37, 428 144, 867 1, 183, 215	1, 685 403 18, 471 67, 989	124, 251 36, 281 147, 969 1, 008, 494	

Division of Crop and Livestock Estimates. .

Table 574.—Livestock: Receipts, local slaughter, and stocker and feeder shipments at all public stockyards in United States, 1915-1924

Thouse	nds—i. e.	. 000 or	nittedl

		Cattle			Hogs			Sheep	
Year	Receipts	Local slaughter	Stocker and feeder ship- ments	Receipts	Local slaughter	Stocker and feeder ship- ments	Receipts	Local slaughter	Stocker and feeder ship- ments
1915	14, 553 17, 676 23, 066 25, 395 24, 624 22, 197 19, 787 23, 217 23, 211 23, 695	7, 912 10, 294 13, 275 14, 874 13, 683 12, 194 11, 078 12, 435 13, 030 13, 880	(1) 8, 847 4, 803 5, 913 5, 286 4, 102 3, 504 4, 929 4, 553 3, 966	36, 213 43, 265 38, 042 44, 863 44, 469 42, 121 41, 101 44, 067 55, 330 55, 414	24, 893 80, 984 25, 440 80, 441 80, 018 26, 761 26, 335 28, 737 36, 172 35, 188	(1) 194 788 989 902 728 499 593 820 497	18, 485 20, 692 20, 216 22, 485 27, 256 23, 538 24, 168 22, 364 22, 025 22, 201	10, 254 11, 228 9, 142 10, 266 12, 646 10, 981 12, 858 10, 669 10, 271 10, 399	(1) 3, 277 4, 448 5, 208 6, 956 5, 180 3, 095 4, 167 4, 478 4, 679

Division of Statistical and Historical Research. Compiled from data of the reporting service of the Live-stock, Meats, and Wool Division.

Table 575.—Livestock: Number of animals slaughtered at Federal-inspected plants, 1907-1924

Year ending June 30—	Cattle	Calves	Sheep	Goats	Swine	Horses	Total
1907	7, 225, 337 7, 902, 189 7, 781, 030 7, 582, 005 7, 155, 839 6, 724, 117 6, 904, 152 7, 404, 288 9, 299, 489 10, 938, 287 11, 241, 991 9, 709, 819 8, 179, 572	1, 763, 574 1, 995, 487 2, 046, 711 2, 295, 099 2, 242, 929 2, 098, 484 1, 814, 904 1, 735, 992 2, 048, 022 2, 679, 047 3, 223, 077 3, 674, 227 4, 227, 558 3, 282, 337, 780 4, 337, 780 4, 667, 948	9, 681, 876 9, 702, 545 16, 872, 908 11, 149, 937 13, 006, 502 14, 208, 724 14, 724, 465 14, 908, 834 12, 909, 069 11, 943, 418 8, 769, 498 11, 208, 370 12, 334, 827 12, 334, 827 11, 403, 703 11, 968, 434 11, 403, 703 11, 505, 601	52, 149 45, 953 69, 193 115, 811 54, 145 68, 963 66, 553 166, 533 180, 356 174, 649 149, 803 125, 660 77, 270 20, 027 13, 758 25, 129 31, 279	31, 816, 900 35, 427, 931 27, 956, 021 29, 916, 363 34, 966, 378 32, 287, 538 36, 247, 358 40, 482, 799 40, 210, 247 44, 308, 389 38, 981, 914 44, 308, 389 38, 981, 914 44, 308, 389 38, 911, 439 48, 600, 069 54, 416, 481	1, 089 1, 335 1, 998 1, 459 4, 699	50, 985, 216 53, 978, 337 53, 672, 075 49, 179, 087 59, 976, 948 59, 014, 019 56, 322, 882 58, 906, 387 58, 022, 884 62, 101, 391 70, 708, 637 65, 332, 477 62, 252, 477 62, 252, 477 72, 387, 676

¹ Complete information for 1915 and 1916, particularly on disposition of stock, is not obtainable from many markets.

962

TABLE 576 .- Livestock: Combined farm values, by States, Jan. 1, 1919-1925

New Hampshire		Catt	le, hogs sheep	, and	Hors	es and :	mules	Total shee mul	(cattle p, horses)	, hogs, as, and	Rani to va	t in tal lue
Maine.	State -	age, 1919-	1924	1925	age, 1919-	1924	1925	age, 1919-	1924	1925	1924	1925
New York	New Hampshire Vermont	lion dolls. 18 11 26 20	lion della. 15 9 25 16	?ion dolls. 14 9 24 15	iion dolls. 14 5 10 7	lion dolle. 11 4 8	lion dolls. 10 8 8	lion dolls. 32 16 38 27	lion dolls: 26 18 83 22	lion dolls, 24 12 32 21	46 89 44	42 46 39 44 48
Virginia. 58 39 28 42 32 28 100 71 66 24 24 39 37 3 8 42 32 28 100 71 66 24 39 37 3 North Carolina. 50 35 32 91 50 46 111 96 78 19 2 Bouth Carolina. 31 18 16 48 35 32 79 53 48 31 3 Georgia. 65 36 37 72 48 50 137 84 87 20 20 Florida. 34 21 19 12 10 94 63 128 40 40 Ohjo. 181 133 138 83 64 66 289 197 204 8 Indiana. 110 113 78 52 51 229 102 164 <td>New York New Jersey Pennsylvania</td> <td>167 21</td> <td>129 16 104</td> <td>122 15 101</td> <td>70 11 68</td> <td>56 9 53</td> <td>#2 8 8</td> <td>287 82</td> <td>185 25 157</td> <td>174 28 151</td> <td>10 43 18</td> <td>45 10 43 12 47</td>	New York New Jersey Pennsylvania	167 21	129 16 104	122 15 101	70 11 68	56 9 53	#2 8 8	287 82	185 25 157	174 28 151	10 43 18	45 10 43 12 47
Florida	Virginia West Virginia North Carolina	58 89 50	39 28 35	38 26 32	18 61	82 14 50	28 18 46	100 57 111	71 42 86	66 39 78	24 87 19	28 24 87 21 88
Wissonsin 212 169 164 71 60 68 288 229 217 5	Georgia	34 181 151	21 133 110	19 138 118	12 88 78	10 64 52	9 88 51	46 269 229	81 197 162	28 204 164	40 8 12	20 40 7 11 8
Nebrasks. 207 178 179 76 56 56 56 283 234 234 4 Kansas 169 131 181 95 55 56 264 186 187 9 Kentucky 68 43 42 68 38 33 131 81 75 23 2 Tennessee 62 36 35 68 46 40 130 82 75 21 2 Aliabams 50 28 26 57 42 38 111 70 63 25 2 Mississippi 54 28 25 57 42 38 111 70 63 25 2 Louisiana 39 22 20 40 27 25 79 49 45 34 3 Texas 258 171 180 165 127 121 423 298 </td <td>Wisconsin</td> <td>212 189 383</td> <td>169 157 308</td> <td>164 166 825</td> <td>71 80 125</td> <td>60 61 1 99</td> <td>58 64 98</td> <td>283 269 568</td> <td>229 218 407</td> <td>217 280 418</td> <td>5 6 1</td> <td>14 6 5 1 8</td>	Wisconsin	212 189 383	169 157 308	164 166 825	71 80 125	60 61 1 99	58 64 98	283 269 568	229 218 407	217 280 418	5 6 1	14 6 5 1 8
Aisbans	South Dakota Nebraska Kansas	180 207 169	103 178 131	108 179 181	51 76 95	56 55	- 55 - 56	181 283 264	140 284 186	188 234 187	15 4 9	17 15 4 9 22
Arkansas 44 20 28 52 29 30 96 49 58 28 28 38 Montana 81 69 76 36 20 18 117 80 94 17 1 Wyoming 69 51 54 10 6 5 79 57 59 29 2 Colorado 94 70 71 30 19 17 124 89 88 16 1 New Mexico 66 44 43 18 8 7 79 52 50 33 3 Arisona 54 44 39 11 9 9 65 53 48 32 3 Utah 42 89 40 10 8 7 52 47 47 36 3 Nevada 29 23 22 8 3 3 3 32 26 25 41 4 1 1 1 79 64 62 28 2 1 1 1 1 1 1 79 64 62 28 2 1 1 1 1 1 1 79 64 62 28 2 1 1 1 1 1 1 79 64 62 28 2 1 1 1 1 1 1 1 79 64 62 28 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Alabama Mississippi Louisiana	50 54 39	28 28 22	26 25 20	52 57 40	41 42 27	86 88 25	102 111 79	69 70 49	62 63 45	26 25 34	28 27 26 36 3
Rdaho 58 50 51 21 14 11 79 64 62 28 7 7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	ATPROPER	44 81 69	20 69 51	-23 76	52 86 10	29 20 6	80 18	96 117 79	49 89 57	58 94 59	85 17 29	19 39 16 29 18
Washington 39 85 85 26 18 15 65 58 50 30 8	1	54 42 29	44 89 23	89 40 22	11 10 8	. 8	9 7 8	65 52 82	58 47 26	48 47 25	82 86 41	81 84 85 41
Uregon	Washington Oregon California	39 60 150	85 48 182	85 50 119	26 24 42	18 17 88	15 15 80	65 84 · 192	58 65 165	50 65 149	80 27	28 23 25 13

Division of Crop and Livestock Estimates.

40

MEAT PRODUCTS

TABLE 577.—Meat and meat products prepared under Federal inspection, 1907-1924
[Thousand pounds-4. e., 000 omitted]

Year ending June 80—	Placed in cure	Sau- sage chop- ped	Canned meats	Lard	Lard com- pounds and substi- tutes	Oleo prod- uots	Oleo- mar- garine	All other prod- uots	Total
1907 1908 1909 1910 1911 1912	8, 059, 814 2, 912, 759	267, 760 416, 200 457, 095 485, 864 488, 814 523, 898	105, 196 92, 582 123, 810 127, 263 144, 942 153, 871	1, 003, 602 1, 433, 778 1, 308, 986 948, 468 1, 185, 503 1, 309, 140	853, 549 436, 448 488, 249 671, 526 672, 845 648, 443	283, 971 293, 425 295, 889 296, 429 830, 638 297, 038	55, 694 79, 380 91, 068 139, 158 117, 848 128, 319	746 146, 671 1, 113, 581 1, 130, 599 1, 205, 539 1, 390, 794	4, 464, 213 5, 958, 298 6, 791, 487 6, 223, 964 6, 984, 283 7, 279, 569
1918 1914 1915 1916 1917 1918	2, 728, 550 8, 150, 693 8, 096, 391 8, 206, 074	581, 626 542, 017 502, 675 565, 047 635, 860 624, 827	115, 237 120, 473 235, 968 164, 200 283, 819 468, 633	1, 222, 857 1, 187, 963 1, 277, 734 1, 277, 870 1, 119, 315 943, 851	670, 802 590, 409 520, 899 897, 089 466, 198 453, 164	264, 705 274, 625 278, 049 287, 047 279, 197 268, 630	145, 356 143, 999 145, 931 152, 388 225, 074 265, 335	1, 441, 750 1, 445, 260 1, 426, 126 1, 534, 962 1, 448, 596 1, 431, 752	7, 094, 810 7, 033, 296 7, 538, 070 7, 474, 994 7, 663, 638 7, 905, 185
1919	4, 047, 787 8, 100, 776 2, 630, 543 2, 670, 023 8, 585, 622 8, 716, 660	667, 602 682, 521 583, 777 568, 626 679, 315 707, 602	632, 259 211, 521 86, 240 109, 481 160, 182 182, 747	1, 256, 043 1, 816, 918 1, 487, 820 1, 659, 831 2, 017, 939 2, 110, 660	469, 782 828, 567 839, 366 812, 014 836, 843 368, 180	266, 808 364, 992 253, 397 268, 034 278, 137 258, 494	251, 170 217, 561 151, 638 118, 197 129, 767 148, 560	1, 577, 641 1, 552, 802 1, 595, 039 1, 521, 410 1, 700, 792 1, 922, 592	9, 169, 042 7, 755, 158 7, 127, 820 7, 427, 116 8, 888, 547 9, 404, 896

Bureau of Animal Industry.

Table 578.—Livestock: Condemnation of animals and primal parts under Federal meat inspection, 1907–1924

Year	Ca	ttle	Cal	ives	Sh	ee p	Go	ats	81	wine	Ho	1908	т	otal
ended June 80	Car- casses	Parts	Car-	Parts	Car- casses	Parts	Çar- casses	Parts	Car- casses	Parts	Car- casses	Parts	Car- casses	Parts
1908 1909 1910 1911	39, 402	67, 482	5, 854 8, 218 7, 524 7, 654	896 409 500 781		198 179 24, 714 7, 394	83 82 226 61	1 1 1	105, 879 127, 938 86, 912 52, 439 59, 477 129, 002	686, 589 799, 800 726, 829 877, 528			149, 792 175, 126 141, 057 113, 742 117, 383 203, 778	704, 666 899, 628 874, 211 1, 009, 672
1914 1915 1916 1917	48, 356 52, 665 57, 673 78, 778	130, 139 138, 085 178, 409 188, 915 249, 637 178, 940	6, 696 6, 380 6, 840 10, 168	1, 234 1, 750 1, 988 2, 927	16, 657 20, 568 17, 650 15, 063 16, 758 12, 568	1, 564 298 1, 007 413	746 658 667 1, 351	14 161 42	173, 987 204, 942 222, 605 206, 711 164, 682 116, 948	422, 275 464, 217 546, 290 528, 288			250, 661 281, 303 299, 958 286, 954 271, 732 206, 265	563, 166 644, 688 738, 361 781, 307
1920 1921 1922 1923	58, 621 46, 881 55, 188 73, 380	166, 791 194, 058 176, 762 166, 985 176, 882 176, 093	13, 820 7, 720 11, 409 11, 824	2, 866 2, 823 2, 876 2, 883	14, 385 20, 031 12, 682 10, 488 13, 325 12, 853	627 270 496	135 23 30 81	1 10 21	131, 274 135, 477 124, 208 162, 926 199, 689 232, 670	550, 580 492, 132 697, 393	84	7		671, 504

¹ The above figures do not represent production, as a product may be inspected more than once in course of further manufacture.

TABLE 579.—Livestock, cattle and values: Causes of condemnation of carcasses, Federal meat inspection, 1907-1924

CATTLE

Year ended June 30	Actinomy- cosis (lump jaw)	Bone dis- eases	Ema- cistion	Icterus (jaun- dice)	Injur- ies, bruises, etc.	Imma- turity	Pneu- monia, pleur- isy, en- teritis, hepati- tis, ne- tritis, me- tritis, etc.	Septi- cemia, pye- mia and uremia	Tuber- culosis	Tu- mors and ab- scesses	All other causes	Total
1907 1908 1909 1910	661 667 589 527 547	33333	(1) (1) (1) 6,476 4,492	(1) 125 60 74 49	2, 290 1, 856 2, 261 3, 833 2, 222		1, 376 1, 506 1, 418 1, 872 2, 281	917 1, 015 845 1, 027 1, 320	19, 305 24, 371 24, 525 27, 638 27, 186	180 116 107 171 156	3, 204 8, 560 5, 298 1, 308 1, 149	27, 933 33, 216 35, 108 42, 426 39, 462
1912 1913 1914 1915 1916	880 430 598	933333	5, 722 6, 575 6, 697 6, 360 7, 122	40 78 55 34 60	1, 892 3, 013 3, 151 2, 968 2, 204		3, 092 4, 001 4, 502 5, 081 5, 953	1, 468 1, 501 1, 699 1, 539 1, 572	35, 273 33, 001 29, 738 32, 644 37, 065	190 232 328 344 464	1, 960 1, 999 1, 761 2, 908 1, 919	50, 968 50, 775 48, 356 52, 496 57, 579
1917 1918 1919 1 92 0	1, 204 391 850 556	333	14, 254 12, 492 6, 048 7, 652	45 40 71 61	3, 829 2, 950 2, 553 2, 896		7, 920 6, 575 6, 348 5, 945	2, 443 2, 529 2, 801 2, 861	46, 351 40, 792 37, 600 37, 492	563 732 611 606	2,097 1,655 1,170 1,033	78, 706 68, 156 59, 847 58, 602
1921 1922 1923 1924	591 786 785 658	(1) 45 139 77	2, 313 2, 767 4, 895 6, 609	97 84 103 123	1, 576 1, 756 3, 612 4, 188		5, 406 5, 952 8, 181 7, 855	2, 248 2, 582 3, 368 4, 393	33, 328 39, 434 49, 839 56, 760	510 966 1, 332 1, 486	785 798 1,046 1,854	46, 854 55, 170 73, 300 83, 928
,					CAI	VES	***************************************					
1907 1908 1909 1910 1911	3 1 26	333333	(1) (1) (1) 1, 762 1, 203	(1) 183 45 43 31	464 815 841 499 873	3, 588 0, 097 4, 376 3, 472 3, 533	656 267 295 346 525	234 302 523 309 440	68 159 177 184 204	62 46 28 35 27	1, 345 1, 482 2, 428 873 1, 292	6, 414 5, 854 8, 213 7, 524 7, 654
1912 1913 1914 1915 1916	7 8 9 12 16	333333	1, 574 2, 301 1, 295 760 1, 438	37 26 35 28 67	429 684 542 425 880	4, 511 8, 848 2, 297 2, 352 1, 501	841 920 626 757 1,385	326 266 253 249 296	276 450 407 440 687	17 20 22 28 29	909 698 1,210 890 882	8, 927 9, 216 6, 696 5, 941 6, 681
1917 1918 1919 1920	10 21 30 13	3333	2,855 2,041 1,971 3,106	51 57 91 132	478 402 449 553	1, 851 1, 749 8, 131 6, 224	2,868 1,678 1,508 1,764	890 879 580 687	656 477 508 545	25 52 49 29	928 753 890 767	10, 112 8, 109 9, 202 13, 820
1921 1922 1923 1924	45 27 45 30	(1) 55 161 102	1, 285 2, 009 1, 796 2, 185	129 180 127 136	375 405 697 894	2, 825 5, 087 4, 257 4, 661	1, 234 1, 574 2, 310 2, 321	733 553 926 1, 260	558 659 747 634	78 104 63 56	446 805 686 457	7, 708 11, 408 11, 815 12, 786

I Included in "All other causes."

Table 580.—Livestock, sheep and hogs: Causes of condemnation of carcasses, Federal meat inspection, 1907-1924

SHEEP

Year ended June 30	Bone dis- eases	Ema- cia- tion	Icterus (jaun- dice)	Injur- ies, bruises, etc.	Pneu- monia, pleurisy, enteritis, hepatitis, nephritis, metritis, etc.	Septi- cemia, pyemia, and uremia	Tuber- culosis	Tumors and ab- scesses	Caseous lym- phad- enitis	All other causes	Total
1907	33355	(1) (1) (1) 5, 876 5, 038	(1) 869 862 909 989	793 647 763 657 621	1, 093 1, 100 1, 479 1, 572 1, 838	779 586 676 589 705	8 21	402 105 102 164 181	1, 360 1, 034 1, 028 1, 122 1, 078	5, 097 3, 739 5, 821 788 438	9, 524 8, 690 30, 747 11, 127 10, 789
1912 1913 1914 1915 1916	33353	7, 542 5, 586 6, 425 4, 318 3, 593	1, 308 1, 881 1, 898 1, 351 1, 324	725 1, 150 934 782 627	2, 614 8, 650 4, 463 5, 344 4, 983	780 876 1, 041 694 576	8 1 4 6	122 106 119 67 89	1, 597 2, 340 4, 695 4, 367 3, 190	711 1, 067 984 732 675	15, 402 16, 657 20, 568 17, 611 15, 057
1917 1918 1919 1920	EEEE	5, 531 4, 979 5, 148 9, 485	1, 256 762 1, 488 1, 216	572 278 485 582	5, 479 4, 000 4, 789 5, 313	641 638 557 879	12 17	118 98 96 141	2, 672 1, 566 1, 481 2, 060	477 243 365 345	16, 749 12, 564 14, 371 20, 028
1921	(1) 107 288 281	8, 520 2, 195 2, 240 2, 811	1, 594 1, 247 2, 079 1, 715	628 784 560 602	4, 448 3, 964 5, 480 4, 739	827 766 1, 101 1, 314	12 3 8 13	158 202 138 152	1, 089 740 950 876	395 498 473 350	12, 666 10, 476 13, 317 12, 858

SWINE

									Hog cholera		
1907	333333	(1) (1) (1) 932 690	(1) 1, 784 1, 623 1, 248 1, 594	592 354 372 383 412	4, 540 6, 846 6, 329 4, 502 4, 601	5, 545 7, 076 7, 173 5, 561 6, 056	65, 618 77, 584 45, 113 28, 882 31, 517	1, 483 1, 280 1, 178 932 1, 086	21, 506 27, 234 20, 789 7, 677 10, 721	6, 595 5, 775 4, 335 2, 322 2, 800	105, 879 127, 988 86, 912 52, 439 59, 477
1912 1913 1914 1915 1916	933339	1, 568 1, 256 914 904 949	2, 975 3, 242 3, 075 2, 624 8, 090	728 1, 046 1, 197 1, 066 1, 360	8, 997 14, 115 17, 011 21, 540 20, 671	8, 607 10, 228 11, 738 13, 184 14, 122	42, 267 47, 630 48, 252 66, 023 74, 109	1, 654 1, 715 2, 179 1, 811 2, 185	56, 931 88, 547 116, 107 101, 953 64, 464	5, 275 6, 158 4, 469 4, 780 14, 157	129, 002 173, 937 204, 942 213, 905 195, 107
1917 1918 1919 1920	(1) (1) (1)	1, 081 544 728 966	2, 697 2, 109 2, 824 3, 885	1, 332 698 · 725 847	18, 920 15, 363 19, 079 22, 306	13, 784 9, 810 10, 761 11, 652	76, 807 59, 740 65, 838 . 65, 609	1, 548 1, 158 1, 317 1, 493	33, 450 20, 967 23, 928 23, 789	8, 911 2, 690 3, 605 3, 429	158, 480 113, 079 128, 805 133, 476
1921 1922 1928 1924	182 2, 928 6, 101 7, 652	745 756 1, 331 1, 316	4, 002 4, 619 6, 154 5, 971	1, 008 1, 461 1, 723 1, 861	18, 822 23, 852 31, 776 83, 470	11, 014 15, 405 21, 383 24, 997	64, 830 70, 304 88, 688 100, 110	1, 793 2, 197 3, 199 4, 814	16, 693 32, 562 28, 815 44, 725	3, 525 6, 049 7, 205 8, 254	122, 609 160, 188 196, 325 232, 670

^{&#}x27; Included in "All other causes"

Beef

TABLE 581 .- Meat and lard: Production, 1807-1924

Veal

Production

Lamb and mut-ton

Pork (not including

							4	l			l		•	_{-1
Year	Un- der Fed- eral in- spec- tion	Other	Total	Under Federal inspection	Other	Tota	Total beef and veal	Un- der Fed- eral in- spec- tion	Other	Total	Un de Fed ers in spe tio	Oth	Total	Total, all meats:
1907 1908 1909 1910 1911 1912 1918	Mil- lion lbs. 4, 319 8, 936 4, 168 4, 033 8, 961 3, 705 3, 569	Mil- libs. 2, 988 2, 721 2, 882 2, 679 2, 513 2, 189 2, 318	Mil- lion lbs. 7,802 6,657 7,050 6,712 6,474 5,894 5,887	Million lbs. 209 202 229 234 228 238 175	Mil- lion 1bs. 416 402 454 452 428 429 812	Mil- lion lbs. 625 604 683 686 686 687 487	Mil- Hon lbs. 7, 927 7, 781 7, 789 7, 180 6, 561 6, 374	lion lbs. 431 428 466 463 568 607	Mil- lion lbs. 128 127 138 137 169 180	Mil- lion lbs. 559 555 604 600 787 787 787	Million 100 4, 44, 45, 44, 45, 44, 45, 44, 45, 45,	n lion lbs. 34 8,07 39 3,87 37 2,74 38 2,41 19 3,08	llon lbs. 1 7, 475 3 8, 212 4 6, 681 1 5, 874 0 7, 499 7 7, 170	Mil- lion lbs. 15, 961 16, 028 15, 018 13, 872 15, 366 14, 518 14, 579
Av. 1909- 1918	8, 887	2, 516	6, 408	221	415	686	7, 039	584	159	698	4, 06	38 2,85	1 6, 939	14, 671
1914 1915 1916 1917 1918 1919	3, 574 8, 948 4, 326 5, 182 5, 608 4, 746 4, 371	2, 038 1, 837 1, 756 1, 517 1, 682 1, 509 1, 885	5, 612 5, 785 6, 082 6, 649 7, 290 6, 255 6, 256	157 167 219 295 351 377 870	275 260 316 366 413 426 436	432 427 535 661 764 803 806	6, 044 6, 212 6, 617 7, 310 8, 054 7, 058 7, 062	481 471 363 380 469	165 144 140 109 108 182 115	719 625 611 472 488 601 528	4, 28 4, 7; 5, 10 4, 00 5, 50 5, 50 5, 50	23 3, 10 34 3, 32 54 2, 83 35 3, 30 37 3, 34	1 7, 824 3 8, 487 0 6, 884 3 8, 838 9 8, 916	13, 963 14, 661 15, 715 14, 666 17, 390 16, 575 15, 761
Av. 1914– 1920	4, 529	1, 746	6, 275	277	356	633	6, 906	447	131	578	4, 91	3, 13	3 8, 046	15, 532
1921 1922 1923 1924	4, 087 4, 578 4, 686 4, 829	2, 081 2, 137 2, 191 2, 240	6, 168 6, 710 6, 877 7, 069	366 895 443 499	381 397 427 432	747 792 870 931	6, 915 7, 502 7 747 8, . 90	418 446	107 116 123 132	600 534 569 588	5, 32 5, 83 7, 20 6, 90	39 3, 29 3 3, 94	3 9, 1 32 0 11, 1 4 3	15, 966 17, 168 19, 459 19, 197
				Pro	ductio	n		-	Perc	entage	of to	otal prod	luction	
,	Year		Under Federal inspec- tion	Lard	T	1	Total meats and lard	Beef	Vea	l a	eef nd eal	Lamb and mutton	Pork	Total meats
1907 1908 1909 1910 1911 1912			Million Ibs. 998 1,094 888 793 1,013 909 1,011	Millio lbs. 69 76 61: 55 70 67- 70:	0 1, 0 1, 8 1, 1 1, 4 1,	8. 683 654 508 344 717	Million 1bs. 17, 644 17, 882 16, 524 15, 216 17, 083 16, 161 16, 292	Per cent 45. 8 41. 5 47. 0 48. 4 42. 1 40. 6 40, 4	Per ce 8. 3. 4. 4. 4. 4. 3.	9 4 5 5 9 8	cent 19. 7 15. 8 11. 5 13. 3 16. 4 15. 2	Per cent 3. 5 3 5 4 0 4. 3 4. 8 5. 4 5. 1	Per cent 46. 8 51. 2 44. 5 42. 4 48. 8 49. 4 51. 2	Per cent 100, 0 100, 0 100, 0 100, 0 100, 0 100, 0
-	909-191		934	65			6, 255	48. 7	4.	3 4	8. 0	4.7	47. 3	100.0
1914 1915 1916 1917 1918 1919			975 1, 086 1, 164 930 1, 268 1, 827 1, 326	671 71- 75: 64: 75: 76:	4 1, 9 1, 7 1, 2 2, 2 2,	900 1 923 1 577 1 015 1	15, 615 16, 461 17, 638 16, 243 19, 395 18, 664 17, 788	40. 2 39. 5 38. 7 45. 3 41. 9 87. 7	8. 2. 3. 4. 4. 4.	9 4 5 4 9 4	13. 8 12. 4 12. 1 19. 8 16. 8 12. 6	5. 1 4. 8 8. 9 3. 2 2. 8 8. 6 8. 4	51. 6 58. 8 54. 0 47. 0 50. 9 58. 8 51. 8	100. 0 100. 0 100. 0 100. 0 100. 0 100. 0

Division of Statistical and Historical Research. Compiled from report of Bureau of Animal Industry, issued 1924; quantities based on carcass weight; edible offal not included because of the variable percentage used in edible products. Subject to revision.

17, 400

18, 061 19, 498 22, 380 21, 970

40. 4

38. 6 39. 1 35. 3 36. 8

4.1

4.7 4.6 4.5 4.8

44. 5

43. 8 43. 7 89. 8 41. 6

3. 7

3, 8 3, 1 2, 9 3, 1

51.8

52. 9 58. 2 57. 8 55. 8

100.0

100 0 100.0 100.0 100.0

1, 158

1, 384 1, 581 1, 980 1, 919

715

1,868

2, 095 2, 830 2, 871 2, 778

Av. 1914-1920.....

1921

Not mobiding goat meat.

TABLE 582.-Meat and lard: Consumption, 1907-1924

				Consu	mption	1 ,	· · · · ·		Pe	roenta	e of to	otal cor	sump	tion
Ýear	Beef	Veal	To- tal, beef, and yeal	Lamb and mut- ton	Pork	To- tal, meats	Lard	To- tal, meats and lard	Beef	Veal	To- tal, beef, and veal	Lamb and mut- ton	Pork	To- tal, meats
1907	Mil- lion lbs. 6, 948 6, 429	604	Mil- lion lbs. 7, 578 7, 083		7, 580	Mil- lion lbs. 14, 990 15, 166	1, 267	Mil- lion lbs. 16, 079 16, 438	42.4	Per cent 4. 2 4. 0		8. 6	50.0	
1909 1910 1911 1912 1913	6, 886 6, 601	686 656	7, 287 7, 039	601 598 734 781	6, 196 5, 550 7, 029 6, 714	14, 366 13, 435 14, 802 14, 000 14, 097	1, 044 962 1, 107 1, 088	15, 410 14, 397 15, 909 15, 085 15, 229	47. 9 49. 1 43. 1 41. 7		52, 7 54, 2 47, 5 46, 5	4. 2 4. 5 5. 0 5. 6	48, 1 41, 8 47, 5 47, 9	100. 0 100. 0 100. 0
▲v.1909-1913	6, 317	636	6, 958	689	6, 498	14, 140	1, 066	15, 206	44.7	4. 5	49. 2	4. 9	45. 9	100.0
1914 1915 1916 1917 1918 1919	5, 523 5, 728 6, 200	428 536 662 765 808	5, 951 6, 264 6, 862 7, 488 6, 865	630 618 471 481 606	6, 918 7, 329 5, 942 6, 969 7, 170	13, 779 13, 499 14, 211 13, 275 14, 933 14, 641 15, 008	1, 306 1, 442 1, 218 1, 406 1, 342	14, 966 14, 805 15, 658 14, 490 16, 339 15, 983 16, 391	40.9 40.8 46.7 45.0 41.4	3. 2 3. 8 5 0 5. 1 5. 5	44. 1 44. 1 51 7 50. 1 46. 9	4. 7 4. 3 3. 5 3. 2 4. 1	51. 2 51. 6 44. 8 46. 7 49. 0	100. 0 100. 0 100. 0 100. 0
Av. 1914-1920	6, 042	636	6, 678	589	6, 925	14, 192	1, 326	15, 518	42. 6	4. 5	47. 1	4. 1	48. 8	100.0
1921 1922 1923 1924	6, 665	797 872	7,462	545 572	8, 254 10, 048	15, 378 16, 261 18, 362 18, 481	1, 581 1, 798	16, 582 17, 792 20, 157 20, 257	41.0 87.5	4.9 4.7	45. 9	3. 8 8. 1	50.8 54.7	100.0

Division of Statistical and Historical Research. Compiled from report of Bureau of Animal Industry, issued 1924; quantities based on carcass weight; edible offal not included because of the variable percentage used in edible products. Subject to revision.

TABLE 583.—Meat and lard: Annual per capita consumption, 1907-1924

Year	Beef	Veal	Lamb and mutton	Pork, not in- oluding lard	Total meat ¹	Lard	Total meat and lard
1907	Pounds 79. 5 72. 2	Pounds 7. 1 6 8	Pounds 6. 4 6. 2	Pounds 78. 4 85 1	Pounds 171. 4 170. 3	Pounds 12.5 14.3	Pounds 183. 184.
1909 1910 1011 1912 1913	75. 9 71 5 68. 1	7. 5 7. 4 7. 0 7. 0 8. 0	6. 6 6. 5 7. 8 8. 2 7. 6	68. 3 60 2 75. 0 70. 6 72. 5	158 8 145. 6 157. 9 147. 2 146. 0	11. 6 10. 5 11. 8 11. 4 11. 7	169. 156. 169 158. 157.
Average, 1909-1913	67. 6	6. 8	7. 3	69. 3	181. 0	11.4	162.
1914 1915 1916 1917 1917 1918 1919	58. 9 55. 6 56. 8 60. 7 64. 9 57. 7 59. 2	4. 4 4. 3 5. 3 6. 5 7 4 7. 7 7. 6	7. 5 6 4 6. 2 4. 6 4. 6 5. 8 5. 5	69. 8 69. 6 72. 7 58. 2 67. 3 68. 3 68. 7	140, 6 135, 9 141, 0 180, 0 144, 2 189, 5 141, 0	12. 1 13. 2 14. 3 11. 9 12. 6 12. 8 13. 0	152. 149. 156. 141. 157. 152.
- Average, 1914-1920	<i>5</i> 9. 1	· 6. 2	5.8	67. 8	138. 9	18. 0	151.
1921 1922 1923 1924	57. 5 61. 0 62. 1 62. 6	7. 0 7. 3 7. 9 8. 3	5. 7 5. 0 5. 2 5. 2	72. 5 75. 6 90. 8 88. 8	142. 7 148. 9 166. 0 164. 9	11. 2 14. 0 16. 2 15. 8	158. 162. 182. 180.

Division of Statistical and Historical Research. Compiled from report of Bureau of Animal Industry, issued 1924; quantities based on carcass weight; edible offal not included because of the variable parcantage used in edible products. Subject to revision.

¹ Not including goat meat.

Table 584.—Livestock slaughter statistics: Sources of supply, classification slaughter costs, weights and yields, 1922–1924 i

CATTLE

97	obta	um of ining oply	Sex	classific	ation	A ver-	Aver-	Dressed weight	(on	roduct basis of weight)	live
Year and month	Stock- yards	Other	Bulls and stags	Cows and heifers	Steers	per 100 pounds	age live weight	centage	Edible fat	Edible offal	Hide
July 1922 July 1922 August 1920 September 1920 October 1920 December 1920	89. 13 89. 63 88. 29 91. 40	Per cent 11. 10 10. 87 10. 37 11. 71 8. 60 7. 74	Per cent 5. 10 4. 08 4. 27 4. 34 4. 36 4. 10	Per cent 85, 60 40, 16 43, 84 50, 99 51, 93 49, 85	Per cent 59. 30 55. 81 51. 89 44. 67 48. 71 46. 05	Dol- lars 7. 36 6. 94 6. 53 6. 09 5. 63 6. 07	Pounds 985, 46 972, 85 965, 37 957, 77 946, 17 957, 52	Per cent 54. 60 54. 05 58. 29 52. 32 51. 84 52. 66	Per cent 4. 02 3. 73 3. 46 8. 15 8. 11 3. 57	Per cent 2. 95 2. 85 2. 84 2. 83 2. 72 2. 81	Per cent 6. 6 6. 7 6. 8 6. 7
January February March April May June	90. 27	8, 11 8, 87 9, 55 8, 85 9, 73 11, 88	8. 51 4. 80 3. 18 2. 82 6. 70 3. 89	49. 58 44. 18 42. 57 47. 54 87. 51 37. 41	46. 91 51. 02 54. 25 49. 64 55. 79 58. 70	6. 58 6. 89 7. 19 7. 51 7. 82 7. 90	979. 66 973. 54 973. 12 970. 54 949. 66 955. 28	\$4. 80 \$4. 80 55. 06 55. 51 55. 79 55. 01	4.09 4.28 4.38 4.48 4.26 4.18	2.77 2.90 2.92 2.85 2.85 2.84	6. 6 6. 7 6. 7 6. 7 6. 7
kulyAugust	88. 12 92. 12 91. 28 88. 27 88. 76	16, 69 11, 88 7, 88 8, 72 11, 73 11, 24	4. 46 3. 91 4. 58 3. 63 4. 17 3. 29	43. 18 48. 29 49. 52 54. 40 61. 19 54. 78	52. 86 47. 80 45. 90 41. 97 34. 64 41. 98	7. 26 7. 03 6. 59 6. 01 5. 64 6. 28	942. 18 933 38 939. 07 940. 04 933. 51 952. 37	53, 99 53, 97 53, 38 52, 79 53, 83 52, 39	3. 78 3. 42 8. 75 3. 21 3. 12 3. 54	2. 80 2. 74 2. 79 2. 82 2. 77 2. 56	6. 7 6. 8 6. 7 6. 9
1924 Vanuary February March April May	90. 11 88. 70 88. 41 91. 43 90. 09 89. 81	9. 89 11. 80 11. 59 8. 57 9. 91 10. 19	8. 16 8. 39 5. 89 5. 28 4. 71 3. 52	51. 68 50. 40 46. 99 42. 25 88. 77 40. 35	45. 16 46. 21 47. 62 52. 47 56. 52 56. 18	6. 65 6. 67 7. 14 7. 57 7. 92 7. 40	965, 94 966, 46 967, 21 962, 00 948, 28 951, 14	53. 16 58. 94 54. 09 54. 35 55. 17 54. 94	8.84 8.94 4.13 4.19 4.33 4.29	2.85 2.86 2.93 2.86 2.88 2.89	6. 6 6. 7 6. 7 6. 7
fuly	91, 13 91, 23 91, 41 92, 23 91, 08	8. 87 8. 77 8. 59 7. 77 8. 92 8. 27	3, 01 4, 04 5, 28 5, 38 8, 22 2,61	41. 96 44. 86 50. 33 56. 97 62. 61 57. 19	55.01 1.10 4.39 37.65 34.17 40.20	7. 19 7. 06 6. 33 5. 75 5. 34 5. 66	940, 28 951, 55 938, 50 938, 68 932, 89 947, 26	54. 96 54. 35 53. 51 52. 32 51. 06 51. 88	4. 21 3. 98 3. 74 8. 40 3. 30 3. 47	2.82 2.76 2.87 2.81 2.90 2.77	6. 8 6. 8 6. 8

CALVES

Year and month	Medium ing s	of obtain- apply	Average live cost per 100	Average live weight	Dressed weight as percent- age of	weight)		
	Biock- Fards	Other sources	pounds	weight	five weight	Edible fat	Edible offal	
July 1922 July August September October November December 1923 January February March April May June 1902	Per cent 85. 60 83. 89 85. 93 89. 13 88. 76 88. 96 89. 15 86. 03 86. 99 85. 78 82. 41	Per cent 14. 40 16. 11 14. 07 10. 87 11. 34 11. 04 10. 51 10. 85 18. 97 13. 01 14. 27 17. 59	Dollars 7. 85 8. 02 7. 69 6. 96 7. 18 7. 79 8. 51 9. 34 8. 80 7. 98 8. 97 8. 24	Pounds 171. 57 192. 73 199. 71 197. 18 188. 61 176. 09 168. 42 162. 67 148. 83 141. 78 146. 39 161. 85	Per cent 56. 92 56. 55 46 53. 46 57. 71 59. 09 59. 44 59. 28 57. 88 56. 19 57. 78	Per cent 0. 65 71 . 75 . 74 . 68 . 70 . 72 . 65 . 62 . 57 . 62	Per cent 3.71 2.38 3.38 3.38 3.50 8.78 4.14 4.14 4.25 5.78 8.81	
Inly August Begramber October November December	82. 71 82. 91 88. 36 87. 50 86. 58 85. 46	17. 29 17. 09 11. 64 12. 50 18. 42 14. 54	8. 60 7. 53 7. 80 6. 94 6. 39 7. 19	176. 77 195. 99 204. 48 199. 69 189. 87 181. 29	57. 46 56. 08 54. 78 55. 68 57. 84 57. 46	. 50 . 85 1. 10 . 88 . 84 . 78	8. 06 8. 84 2. 78 8. 95 8. 86 8. 40	

¹Based on reports from about 750 packers and slaughterers, whose slaughterings equaled nearly 35 per cent of satisfactored under Federal inspection.

² Unrapidered.

TABLE 584.—Livestock slaughter statistics: Sources of supply, classification, slaughter costs, weights and yields, 1922-1924—Continued

CALVES-Continued

Year and month	Medium ing su	of obtain- ipply	Average live cost	Average	Dressed weight as percent-	By-product yields (on basis of live weight)		
	Stock- yards	Other sources	per 100 pounds	live weight	age of live weight	Edible fat	Edible offal	
January 1924 January Pebruary March April May June June	Per cent 88, 47 87, 46 86, 41 86, 83 86, 25 85, 11	Per cent 11. 58 12. 54 13. 59 13. 17 13. 75 14. 89	Dollars 8. 29 9. 45 8. 85 8. 49 8. 19 7. 68	Pounds 176, 80 162, 63 152, 08 146, 92 157, 40 167, 98	Per cent 58, 68 57, 16 60, 63 60, 59 60 64 57, 48	Per cent . 76 . 73 . 71 . 68 . 72 . 73	Per cent 3, 67 3, 97 4, 08 4, 02 3, 80 3, 98	
July	86, 51 83, 72 86, 96 89, 04 87, 92 89, 10	13. 49 16. 28 13. 04 10. 96 12. 08 10. 90	7, 61 7, 42 7, 23 6, 81 6, 24 7, 15	181. 40 197. 19 201. 45 196. 39 197. 60 183. 47	56, 60 55, 49 56, 22 55, 20 54, 28 57, 03	.77 .77 .79 .78 .75	3, 56 3, 80 8, 29 3, 88 8, 35 8, 58	

SWINE

	obtain	um of ing sup- ly	Sex	classific	ation	Aver-	A	Dressed weight	By-pr	oduct sis of li	y i e l d ve weig	ls (on ht)
Year and month	Stock- yards	Other sources	Sows	Bar- rows	Stags and boars	live cost per 100 pounds	Aver- age live weight	as per- cent- age of live weight	Lard (ren- dered)	Edible offal	Trim- mings	Inedible grease (un-rendered)
July	Per cent 77. 50 78. 32 77. 18 76. 79 75. 87 72. 47	Per cent 22, 50 21, 68 22, 82 23, 21 24, 13 27, 58	Per cent 58. 40 62. 99 60. 74 54. 99 53. 58 50. 02	Per cent 40, 90 36, 31 38, 62 44, 36 45, 33 49, 43	Per cent 0. 70 . 70 . 64 . 65 1. 09 . 55	Dol- lars 10. 00 8 85 8. 85 8. 99 8. 54 8, 17	Pounds 239, 39 241, 50 234, 25 219, 47 214, 88 220, 07	Per cent 76. 58 75. 41 75. 86 75. 51 78. 65 77. 03	Per cent 16. 04 15. 45 16. 56 14. 99 15. 81	Per cent 2. 18 2 22 2. 42 2. 61 2. 38 2. 24	Per cent 4. 07 4. 35 4. 96 5. 33 4. 92 4. 44	Per cent 1. 36 1. 25 1. 36 1. 83 1. 27 1. 34
1928 January February March April May June	74. 03 74. 85 74. 49 78. 24 78. 55 76. 80	25. 97 25. 65 25. 51 21. 76 21. 45 24. 20	48. 42 47. 40 46. 58 48. 49 50 16 58. 75	50. 92 51. 95 52. 78 50. 72 49. 08 45. 51	. 66 . 65 . 64 . 79 . 76 . 74	8. 35 8. 22 8. 17 8 04 7 44 6. 83	227. 30 227. 63 227. 82 228. 85 223. 51 227. 78	77. 78 78. 14 77. 70 77. 11 76. 47 76. 71	16. 27 16. 76 17. 50 17. 19 17 31 17. 60	2.06 2.17 2.08 1.99 2.02 2.00	4. 07 4. 36 4. 17 4. 37 4. 82 4. 86	1. 35 1. 38 1. 37 1. 42 1. 37 1. 46
July	73. 89 75. 58 79. 83 80. 11 74. 60 74. 64	26. 11 24. 42 20. 17 19. 89 25. 40 25. 36	56. 66 62. 42 61. 15 61. 59 52. 54 51. 20	42. 56 36. 81 37. 94 37. 59 46. 80 48. 16	.78 .77 .91 .82 .66	6: 91 7: 78 8: 49 7: 38 6: 83 6: 82	232, 06 236, 22 229, 27 219, 48 215, 74 217, 80	76. 33 76. 74 75. 87 75. 26 76. 09 76. 20	17. 08 17. 39 15. 82 14. 63 1452 15. 91	2. 06 2. 07 2. 52 2. 40 2. 30 2. 12	4. 58 4. 71 5. 29 5. 20 4. 86 4. 42	1. 48 1. 87 1. 40 1. 24 1. 27 . 1. 85
January February March April May June	76, 51 77, 94 78, 88 78, 90 76, 50 88, 55	28. 49 22. 06 24. 47 21. 10 28. 50 16. 45	48. 55 46. 13 47. 71 49. 81 50. 94 54. 41	50. 79 58. 29 51. 50 49. 78 48. 26 44. 99	. 66 . 58 . 79 . 96 . 80	7. 09 7. 07 7. 19 7. 24 7. 26 6. 98	217. 13 220. 80 222. 65 223. 67 224. 84 228. 87	76. 42 76 65 76. 11 76. 10 75. 45 75. 41	17. 07 17. 21 18. 08 17. 82 17. 49 17. 58	2.04 2.04 2.09 2.02 2.00 1.88	4. 81 4. 20 8. 99 4. 82 4. 80 4. 58	1. 88 1. 40 1. 43 1. 48 1. 30
July August September October November December	75. 98 78. 33 79, 44 81. 48 75. 75 78. 16	24. 07 21. 67 20. 56 18. 52 34. 25 21. 84	58. 84 61. 30 66. 44 59. 42 58. 22 51. 84	40. 38 37. 99 38. 83 39. 89 46. 14 48. 11	.78 .71 .73 .69 .64	7. 60 9. 47 9. 68 10. 08 9. 01 9. 17	287. 22 239. 29 282. 27 219. 79 211. 67 208. 96	75. 32 75. 08 74. 59 78. 11 78. 87 74. 72	17. 81 16. 29 15. 28 13. 69 18. 68 15. 00	1.86 2.23 2.48 2.62 2.75 2.43	4. 18 4. 91 5. 37 5. 82 8. 34 4. 61	1. 36 1. 42 1. 34 1. 25 1. 28 1. 19

Table 584.—Livestock slaughter statistics: Sources of supply, classification, slaughter costs, weights and yields, 1922-1924.—Continued

SHEEP AND LAMBS

			~						
	Med of obt sup	sining	Age clas	sification	Aver-	Aver-	Dressed weight as per-	By-prod (on basi well	uct yields s of live ght)
Year and month	Stock- yards	Other sources	Sheep	Lambs and year- lings	oost per 100 pounds	age live weight	centage of live weight	Edible fat 2	Edible offal
July	87. 47 85. 22 84. 93	Per cent 15 29 12. 53 14. 78 15. 07 11 99 10 87	Per cent 8 80 11 20 13. 41 20. 54 16. 59 14. 65	Per cent 91, 20 88, 80 86, 59 79, 46 83, 41 85, 35	Dollars 11. 58 12. 37 11. 55 12. 14 12. 21 12. 64	Pounds 72. 70 76. 05 77. 68 80. 15 83. 36 85. 81	Per cent 48 56 48 07 48. 17 48. 03 47. 80 47 70	Per cent 2. 35 2. 37 2. 54 2. 56 2. 90 3. 22	Per cent 2. 35 2. 20 2. 21 2. 17 2. 21 2. 14
January		12. 41 12 54 13 97 14. 02 18. 96 20. 43	17. 10 16. 84 10. 18 11. 17 18. 92 12. 51	82. 90 83. 16 89 82 88. 83 81 08 87. 49	12, 67 12, 50 12, 85 12, 41 12, 31 11, 14	87 61 88. 19 85. 13 81 95 78 69 76. 05	47 59 47 22 47 36 47, 97 49 37 48 43	3. 44 3. 38 8. 30 8. 50 3 00 2. 06	2. 13 1. 90 1 86 2. 28 2. 06 1. 91
July August September October November December	83 88 94.09 86 59	21. 55 16 12 5 91 13 41 14. 30 12. 45	10. 69 11. 21 10. 47 11 26 16 26 11. 73	89 31 88. 79 89 53 88 74 83 74 88. 27	11. 99 11. 52 11. 81 11. 37 11. 96 11. 54	75 37 76. 88 78. 04 79 65 76. 75 83 09	48 51 47. 85 48. 04 47. 76 50 61 47. 13	2. 23 2. 19 2. 40 2 44 2 62 2. 73	2. 19 1. 85 1. 45 1 66 2. 07 1. 68
January February March May June June	80 86	13 18 23 29 19. 14 17. 87 27. 72 19. 34	10. 22 12. 21 7. 92 12. 25 14. 48 10 01	89 78 87. 79 92. 08 87 75 85 52 89. 90	11. 56 13. 59 14. 78 14. 09 13. 28 12. 49	83 92 85. 40 86 24 83 19 80 10 73. 64	46 82 46 48 46. 30 47. 37 48 44 48. 90	8 01 2 89 3 20 3 45 2 95 2.44	1. 95 1. 96 1 95 1 74 1. 84 2. 10
July August September October November December	88. 45 87. 26 86. 76 83 36	13. 45 11. 55 12. 74 13. 24 16. 64 14 87	7 59 11. 44 15. 78 8. 96 8 64 8. 41	92, 41 88, 56 84, 22 91 04 91 36 91 59	11. 94 11. 76 11. 76 12. 09 12. 49 14. 34	73 84 76. 27 76. 96 79. 67 81 76 83. 22	48 42 47.90 48.14 47.71 47.19 46.89	2 38 2.36 2 46 2.60 2.75 2.76	1. 90 1. 76 1 92 2. 03 2. 13 2. 13

Division of Statistical and Historical Research From reports of the Cold Storage Report Section.

Unrendered.

TABLE 585.—Meats, fresh: Supply at eastern markets, by months, 1924
RECEIPTS

				Carcass	es				Cuta	ı	
Market and month	Steers	Cows	Bulls	Veal	Hogs	Lambs	Mut- ton	Beef	Pork	Veal	Lamb
Boston. January February March	No. 10, 024 7, 120 6, 154 9, 171	No 8, 211 6, 090 5, 269 5, 182	314 240	4, 406 5, 869	50	No. 69, 498 52, 806 43, 879 49, 312	2, 266 2, 200	Pounds 27, 784 22, 782 38, 495 45, 138	1, 225, 931	3, 200	
MayJuneJulyAugust	9, 285 11, 354 13, 761 12, 066	4, 215 3, 807 3, 168	320 223 239	5, 556 5, 418		47, 883 52, 244 55, 452 49, 444	4, 964 4, 353 1, 257		1, 705, 210 1, 896, 228	. 8	28
September October November December	10, 658 14, 018 9, 209 11, 522	9, 051	282 136	6, 892 5, 931			1,770 1,487	11, 000 10, 661 4, 471 15, 766	2, 114, 230 2, 452, 119		
Total	124, 830	78, 811	8, 149	68, 038	636	676, 368	29, 838	292, 097	22, 228, 333	6, 408	2

TABLE 585.—Meats, fresh: Supply at eastern markets, by months, 1924—Contd.

RECEIPTS—Continued

				Carcass	es				Cuts		
Market and month	Steers	Cows	Bulls	Veal	Hogs	Lambs	Mut- ton	Beef	Pork	Veal	Lamb
New York: January February March April	No. 39, 732 29, 759 25, 825 36, 476	4, 369 4, 215	1, 227 959		628 175		No. 24, 661 21, 427 18, 934 21, 979	Pounds 1, 383, 052 903, 309 907, 925 1, 246, 595	5, 597, 522 5, 548, 010	85, 692 172, 893	
May June July August		4, 488 3, 767	1, 116 1, 626	50, 762 54, 650		79, 769	29, 614 27, 999 17, 758 19, 925	1, 302, 032 1, 420, 033		471, 429 429, 636	22, 996
September October November December	33, 461 41, 389 31, 018 38, 208	6, 670 5, 782	1,730 1,012	41, 943 60, 789 41, 055 57, 162	35 311	132, 888 85, 939	20, 384 29, 040 12, 062 19, 998	750, 465 461, 571	4, 797, 030 5, 483, 008	24, 649 259 30, 000 36, 985	
Total Philadelphia January February March April May June	10, 923 10, 823 8, 948 12, 029 11, 950 12, 915	3, 676 3, 004 3, 539 3, 787 2, 551 2, 667	1, 038 840 812 779 759 1, 067	7, 941 8, 037 9, 389 12, 544 8, 639 10, 247		36, 955 31, 906 28, 306 32, 967 29, 915 29, 805	7, 402 7, 386 4, 050 5, 935 8, 534 7, 898		2, 596, 919 2, 492, 979 2, 187, 753 2, 142, 942 1, 461, 569 1, 636, 757		
July		2, 357 1, 958 2, 845 3, 880 3, 606	1, 199 987 977 1, 320 1, 119	9, 471 6, 587 7, 329 9, 360 9, 121		39, 240 30, 100 38, 454 48, 961 37, 672 37, 706	6, 845 5, 654 5, 296 8, 117 3, 537		1, 965, 132 1, 163, 589 1, 393, 243 1, 825, 118 1, 901, 427 2, 546, 792		
Total	145, 148	39, 039	11, 853	108, 539		421, 987	77, 339		2 3, 314, 220		

SLAUGHTER

	υ	nder Fede	ral inspecti	lon	1	Under city	inspection	1
Market and month	Cattle	Calves	Hogs	Sheep	Cattle	Calves	Hogs	Sheep
Boston. January February March April	5, 593 6, 916	Number 7, 436 5, 278 7, 734 12, 408	Number 114, 499 64, 408 56, 495 55, 321	Number 26, 501 21, 122 16, 951 23, 095	Number 112 69 61 145	Number 1, 747 2, 116 4, 863 5, 399	Number 5, 965 4, 747 4, 704 5, 252	
MayJuneJuly. August	6, 874 6, 203 6, 695 5, 533	9, 540 7, 895 9, 170 6, 085	58, 749 78, 656 92, 430 42, 124	21, 865 24, 474 27, 723 28, 106	189 248 136 131	2, 733 1, 699 1, 597 1, 046	3, 855 3, 706 3, 510 2, 711	1
September October November December	8,758	7, 265 9, 523 7, 284 6, 644	42, 186 51, 572 95, 808 181, 557	26, 763 30, 503 24, 228 19, 673	279 748 387 614	1, 121 1, 743 1, 434 1, 995	3, 648 5, 140 4, 404 6, 002	2
Total	93, 861	96, 257	933, 805	291, 004	3, 119	27,493	53, 644	68
New York: January February March April	51, 044 39, 591 38, 450 48, 477	62, 164 49, 399 56, 205 89, 841	344, 499 272, 580 246, 746 293, 526	225, 871 167, 237 156, 282 181, 518	113 60 76 78	14, 153 12, 161 16, 634 19, 875	732 856 232 153	1, 186 1, 314 2, 303 4, 182
MayJune JulyAugust	40, 511 37, 606 48, 470 40, 147	69, 096 61, 937 71, 702 56, 174	220, 956 194, 002 211, 521 158, 607	187, 890 158, 924 217, 123 197, 150	36 313 38 29	9, 784 7, 265 4, 325 3, 812	17 15 2	1, 868 494 89 19
September October November December	41, 589 46, 390 44, 436 57, 337	58, 069 61, 231 51, 643 77, 292	194, 684 280, 389 259, 318 367, 550	201, 596 257, 377 210, 343 227, 178	59 140 116 110	6, 518 8, 997 6, 743 11, 630	59 430 1,618 1,876	217 471 735
Total	534, 048	764, 775	3, 039, 378	2, 332, 989	1, 168	121, 897	5, 490	12, 867

Table 585.—Meats, fresh: Supply at eastern markets, by months, 1924—Contd.

SLAUGHTER—Continued

	Ur	der Feder	ral inspecti	ora .	Under city inspection					
Market and month	Cattle	Calves	Hogs	Sheep	Cattle	Calves	Rogs	Sheep		
Philadelphia: January February March	10, 196 7, 383 7, 921	6, 613 5, 084 5, 982	125, 589 96, 777 85, 592	19, 056 15, 029 13, 919	1, 815 1, 385 1, 784	3, 476 3, 455 8, 261	2, 020 1, 496 995	8, 982 6, 381 6, 765		
April May June July August	9, 471 7, 438 6, 843 8, 313 7, 183	9, 027 8, 533 8, 192 8, 179 6, 305	107, 478 · 89, 768 74, 459 76, 775 61, 125	18, 880 11, 784 11, 150 16, 020 15, 160	1, 995 1, 501 1, 243 1, 307 980	4, 295 3, 558 3, 963 5, 134 3, 685	566 445 382 472	8, 820 8, 452 8, 792 12, 289 8, 486		
September October November December	7, 671 9, 120 6, 949 7, 829	6, 137 6, 250 5, 852 5, 800	68, 381 95, 026 96, 331 114, 069	14, 303 20, 819 16, 126 14, 892	1, 153 1, 369 1, 288 1, 392	3, 904 4, 891 4, 328 4, 533	962 2, 538 2, 422 2, 400	9, 479 11, 597 7, 765 10, 439		
Total	96, 267	81, 952	1, 091, 370	186, 588	17, 212	48, 433	15, 364	108, 197		

SUMMARY

Market and	l I	Beef	v	eal	P	ork	Lamb an	d mutton
month	Carcasses	Cuts	Carcasses	Cuts	Carcasses	Cuts	Carcasses	Cuts
Boston	Number	Pounds	Number	Pounds	Number	Pounds	Number	Pounds
January	27, 615	27, 784	13, 878	3, 200	120, 464	1, 323, 700	98, 680	
February	19, 186	22, 782	11, 795		69, 155	1, 375, 136	76, 198	
March	18, 640	38, 495	18, 466	3, 200	61, 249	1, 225, 931		
April	23, 533	45, 138	25, 526	ļ	60, 810	1, 723, 936	75, 962	
May	20, 883	32, 148 66, 386	17, 829	 	62, 604	1, 705, 210	74, 713	
June	21,835	66, 336	15, 012	8	82, 362	1, 896, 228	81,072	
July	23, 999	3, 519	16, 227	8	95, 940	1, 720, 860	84, 432	25
August	22, 869	13, 997	11, 196		44, 835	1, 211, 819	79, 297	
September	23, 163	11,000	14, 118		45, 834	1, 553, 637	89, 272	•
October	32, 857	10,661	18, 1 3		56, 712	2, 114, 230	111,969	
November	29, 871	4, 471	14, 64.	1	100, 385	2, 452, 119	78, 855	
December	33, 819	15,766	14, 929		187, 735	3, 925, 527	83, 798	
Total	298, 270	292, 097	191, 783	6, 408	988, 085	22, 228, 333	997, 278	25
New York								
January	97, 314	1, 383, 052	125, 219	l	347, 080	8, 227, 521	862, 752	
February	75,006	903, 309	108, 576	85, 692	273, 564	5, 597, 522	275, 435	
March	69, 525	907, 925	117, 021	172, 893	247, 153	5, 548, 010	256, 409	
A pril	91, 588	1, 246, 595	180, 048	868, 511	293, 897	5, 737, 893	300, 060	184, 312
May	77, 930	1, 203, 755	133, 629	416, 556	221, 398	4, 445, 262	232, 072	1, 974
June	80, 764	1, 302, 032	119, 964	471, 429	194, 054	4, 608, 287	262, 186	6, 502
July	91, 391	1, 420, 033	130, 677	429, 636	212, 421	4, 641, 480	343, 694	22, 996
August	77, 702	1, 108, 567	94, 060	239, 464	153, 609	2, 912, 653	294, 534	14, 268
September	81, 182	517, 004	106, 550	24, 649	194, 803	3, 548, 602	329, 231	6, 058
October	96, 319	750, 465	131,017	259	280, 854	4, 797, 030	419, 522	
November	82, 364	461, 571	99, 441	30,000	261, 247	5, 483, 008	308, 815	
December	104, 425	652, 958	146, 084	36, 985	370, 485	7, 539, 977	351, 562	
Total	1,025,510	11, 857, 266	1, 492, 286	2, 276, 074	3, 050, 565	63, 087, 245	3, 736, 272	236, 110
Philadelphia.								
January	27, 648		18, 031		127, 609	2, 596, 919	72, 845	
February	23, 385		16, 576		98, 273	2, 492, 979	60, 702	
March	23,004		18, 632		86, 587	2, 187, 753	53, 040	
April	28, 061		25, 866		108, 144	2, 142, 942	66,052	
May	24, 199		20, 780		90, 334	1, 461, 569	58, 685	
June	24, 735		22, 402		74, 904	1, 636, 757	57, 645	
July	28, 344		22, 784		77, 157	1, 965, 132	74, 394	
August	23, 662		16, 527		61, 597	1, 163, 589	59, 400	
September	24, 534		17, 870		69, 343	1, 393, 243	67, 49 2 89, 494	
October	30, 620		20, 501		97, 564	1, 825, 118	89, 494	
November	23, 731		19, 301		98, 753	1,901,427	65, 100	
December	27, 596		20, 204		116, 469	2, 546, 792	69, 722	
Total	369, 519		238, 924		1, 106, 784	23, 314, 220	794, 111	

Division of Statistical and Historical Research. Compiled from data of the reporting service of the Livestock, Meats, and Wool Division.

Table 586.—Meat and meat products: International trade, calendar year, average 1911-1913, annual 1921-1923

[Thousand pounds-i. e., 000 omitted]

G-m-t	Aver	age	1911-1	913		19	21			18	22		1923	, pre	limin	ary
Country	Impo	rts	Expo	rts	lmpc	rts	Expo	rts	Impo	rts	Expo	rts	lmp	orts	Exp	orts
PRINCIPAL EXPORTING COUNTRIES																
Argentina	3,	487	1, 178,	461			1, 242,			291	1, 440,	264		529	1, 961	, 05
Australia ¹	54,	967	507,	143 520	10	772 232		160	;2	156	331,	273			1 104	, 062 . 078
Canada	43.	327		242		436	158.		70.	211		648		393		. 66
Chile		738		728		252		552	,	459		147				083
China		85		684		363	71,	190		141	44,	701	1	, 414	56	, 377
Denmark	32,	184	368,	188	18,	117	237,	755		486			19	479	478	, 46
HungaryNetherlands	359,	084	497,	400	219.	701	316.	127		673 659		654 986		, 812 , 927		, 440 , 500
New Zealand		960	326,			922				834		904		832		, 71
Sweden	24.	215	39.	768	34.	919	66.	513	43.	162	47.	713	40	. 443	47	. 090
United States	18,	719	1, 277,	524		584	1, 948,	962	125,		1, 863		80	, 387	2, 342	. 80
Uruguay Yugoslavia	8	702	196,	911		17										-==
Y ugosiavia							58,	941			40	, 018			48	, 67
FRINCIPAL IMPORTING COUNTRIES																
Austria		1			131,	345	9,	287	123,	925	8	278	159	, 040		89
Austria-Hungary Belgium	49,			420				700		:::						- 55
Cuba	179, 128,		127,	001		536 472	48,	723	192,	144 061	23	595	200	, 817	1 2	, 23
Czechoslovakia					66,	028	1,	314		919	2	870	160	, 266		34
Finland	14.	973	2.	081	14.	272	8.	779	14.	652	8	347	20	, 180	3	, 19
France	111,	496	98.	281	300,	528	66,	803	240,	906	94	547	378	002	91	. 04
Germany	559.	752	19,	525	808,			298		035		961	698	, 880	15	, 981
Italy Japan	104,	619 727		708		992 528		418	132,	419	25,	208	140	, 178	17	, 36
Japan	11,	121			70,	028						• • • •				
Norway	42,	416	3,	365	73,	733		026	79,	033	2,	732	67	, 493	2	. 50
Norway Philippine Islands Poland	21,	902			23,	503				071				, 424		-==
PolandRussia	130.	807		175					23,	222	4.	061	34	, 908	4	, 59
Spain		974		200	21,	070	6,	578	21,	045	6	155	23	, 085	9	, 53
Switzerland	an	174		140	80	811		088	20	026	,	726	20	, 432	,	. 88
Union of South Africa	31.	103	٥,	169 404	6.	276	4.	658	9	906	2	767	16	100	9	. 09
United Kingdom	2, 843,	605	117,		3, 331,	055	90,		3, 322				3, 909			, 70
Other countries	111,	722	35,	935	179,	755	32,	065	116	425	31	, 768	99	, 289	11	, 51
All countries:													-			
Reef	2, 044,	172	2, 162,	336	2, 402,	064	2, 322,	286	2, 271	960	1, 995	, 701	2, 686	, 860	2, 459	, 72
Mutton Pork	611,	744	560,	284	833,	251	654,	682	702	489	704	, 586	700	324	480	, 67
Other	1, 632, 702.	082	1, 638, 663.	145	Z, Z/7,	731	2, 234, 537.	404	2, 127	, 172 , 246	2,008	, 500 , 077	2, 054	i, 884 7. 901	4, 777	, 26) 27
				_	-											
Total						^	i				l		1			

Division of Statistical and Historical Research. Official sources.

¹ Year beginning July 1.
2 Nine months.
3 One year only.
4 Less than 500 pounds.
5 Eight months, May-December.

Table 587 .- Meats: Stocks in cold-storage warehouses and meat-packing establishments, 1916-1924

[Thousand pounds—i. e., 000 omitted]

Year beginning November	Nov. 1	Dec. 1	Jan. 1	Feb. 1	Mar. 1	Apr. 1
1916	587, 245 882, 230 880, 719 670, 295 490, 648 512, 396 628, 578 535, 760	709, 043 938, 066 865, 101 655, 636 504, 659 569, 165 739, 493 598, 345	803, 669 981, 378 1, 199, 292 1, 015, 558 820, 245 566, 603 754, 489 900, 242	875, 450 1, 117, 965 1, 452, 312 1, 186, 530 976, 058 624, 278 876, 251 987, 773	913, 659 1, 265, 554 1, 436, 378 1, 278, 729 1, 138, 033 680, 533 957, 908 1, 062, 816	851, 990 1, 354, 961 1, 388, 764 1, 304, 142 1, 107, 706 717, 417 1, 031, 808 1, 107, 861
Year beginning November 1916	May 1 827, 951 1, 319, 328 1, 332, 443 1, 251, 508 1, 042, 552 712, 887 1, 063, 765 1, 063, 635 535, 760	June 1 831, 867 1, 299, 779 1, 283, 768 1, 208, 728 1, 017, 209 745, 022 1, 045, 224 1, 028, 288 598, 345	July 1 878, 598 1, 149, 377 1, 254, 457 1, 194, 464 989, 402 816, 689 1, 040, 751 1, 005, 002	893, 472 1, 136, 501 1, 171, 381 1, 115, 082 899, 406 788, 524 983, 159 930, 589	Sept. 1 778, 119 1, 035, 861 1, 061, 274 977, 225 776, 981 727, 111 868, 016 825, 651	Oct. 1 632, 802 905, 326 984, 259 783, 777 607, 455 589, 188 723, 459 672, 437

Division of Statistical and Historical Research. From reports of the Cold Storage Report Section.

Table 588.—Meats, fresh and smoked: Average wholesale price per 100 pounds at Chicago and New York, by months, 1924 CHICAGO

Class of meat	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept	Oct	Nov.	Dec.	Av.
Beef. Steer Choice Good Medium. Common	19. 02 17. 17 14. 28	18. 50 16. 73 14. 34	18, 50 16, 66 14, 51	Dolls. 18. 50 17. 00 15. 15 13. 40	18. 38 17. 28 15. 64	17. 84 16. 48	17. 33 16. 00 14, 61	18. 11 16. 85	18. 02 16. 86 14. 26	18. 24 16 78 14 00	16 50 13 60		18. 30 16. 76 14. 48
Cow— Good Medium Common Bull—	12. 11 10. 57 8. 38	11. 75 10. 12 8. 38	11, 81 10, 60 8, 79	12. 30 11. 00 9. 50	13. 00 11. 50 9. 70	1. 64 12. 18 10. 04	13. 92 12. 31 10. 23	14. 02 11. 50 8. 16	13. 16 11. 25 8. 90	12 58 10.97 8 56	12. 25 10 75 7 80	11, 85 10 30 7, 50	12. 70 11. 09 8. 88
Common Choice	14.04	19. 18 17. 15	18, 55 16, 52 14, 02	18. 06 16. 46	17. 50 16. 25 14. 08	16. 90 15. 44 13. 40	17. 15 15. 54 13. 68	1	19. 34 16 02 12. 10	17 74 14 50 10. 31	15 31 12 50 9, 31	16. 30 13. 83 9. 30	17. 81 15. 61 12. 70
Lamb and mutton: Lamb— Choice Good Medium Common	23. 06 21. 16 19. 80 17. 34	22. 15 19. 78	25. 72 24 35	26, 66 24, 86	28.00 26.10	23, 32	26, 20 22, 44	19.69	22, 71 20, 09	18. 87 17 34	20. 82 18. 70	22, 97 20, 63	21. 42
Mutton— Good Medium Common Fresh pork cuts: Hams—	14. 44 12. 32 8. 90	12.65	16, 25	16.84	14, 42	16. 28 13. 70 9. 72	11.69	14. 51 11. 05 8. 46	10.50	10. 50	10 50	12, 91 10, 99 8, 74	12.62
12-16 pounds	15, 25 13, 82	15. 44 13. 85				16. 38 16. 76						17. 90 16. 41	16. 58 18. 56
average 12-14 pounds average 14-16 pounds average	13. 03 12. 41 11. 64	12. 32	13, 00	14, 82	15, 70	15. 24 13. 75 12. 81	15. 03	22. 28 18. 26 14. 11	20. 44	20. 86	14. 53	15. 72 14. 90 14. 10	15. 50
16 pounds and over Shoulders— Skinned Picnics—	10. 70 9. 40	9. 69	9. 56	9. 59	9. 96	9. 58	10, 65	12. 85 13. 44	14, 47	16. 08	13. 34	12. 66	11. 54
4-6 lbs 6-8 lbs Butts— Boston style. Spare ribs	9. 17 8. 55 10. 78 8. 44	8.30 11.59	8. 58 11. 62	8, 89 12, 94	8. 81 18. 41	8. 82 13. 51	9, 29 14, 07	10. 36 17. 30	19. 19	12. 71 21. 35 13. 86	14.71	14. 61	10. 17 8. 95 14. 59 9. 56

Table 588.—Meats, fresh and smoked: Average wholesale price per 100 pounds at Chicago and New York, by months, 1924—Continued

OHICAGO-Continued

Class of meat	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Av.
Cured pork cuts and lard: Hams, smoked, 14-16 pounds									Dolls.				
sverage Shoulders, pic- nics smoked		11. 18	11. 53	11. 37	12. 06	12.50	13. 25	13. 41	21. 62 13. 62				
Bacon, breakfast_ Lard, tierces Lard, substitutes		16. 38 13. 03	17. 38 12. 84	18. 35 12. 50	18.88	18. 38	19. 55	22, 85	23.60	26.65	26 62	25. 20	20 9
tierces	14. 20	13. 47	13. 06	12, 88	12.94	12.88	14, 23	15, 12	15. 19	14. 35	14 44	14. 60	13. 9

NEW YORK

				NI	EW Y	ORK							
Beef:													
Steer												1	
Choice	19. 35		18, 00	18. 74	18.65	17. 19	16 97	18.48	18. 27			19 63	
Good	16 68			17. 15	16.94								16. 19
Medium Common	14 15 12 86		14 29 12, 86		15.00	13 79 11. 5 6	13 70 11, 48						
Common	12,00	12, 00	12, 00	10, 10	10. 20	11.00	11, 20	10. 24	10.00	9. 40	9. 22	9. 66	11. 38
Good	11. 95	12, 32	12, 38	13, 88	14.08	13. 36	12, 73	13. 30	12.38	11. 39	10 76	10.64	12.43
Medium	10. 67	11. 24	11. 35	12. 32									
Common	9. 34	10.02	10.30	11, 20	11. 50		9, 94				7. 28		
Bull—											1		
Common	9. 01	8, 68	8.75	8.95	8, 96	9. 22	8.90	7. 82	7.64	7. 21	7. 25	7. 36	8. 31
Veal.			40.40	40.04					~ ~	~~ ~~			
Cholce	22, 12 19, 98			18. 34 15. 86		17. 40	17. 77 15 94	20, 50 17, 58				19. 10	19. 54
Good Medium	16. 74			13. 78				14.00				10.90	17. 34 14. 27
Common		11. 62		10. 91	11.86	11 05		10. 91				10 30	10.98
Lamb and mutton:	-00	11.02		-0.00		1	-0.01	1 20.02	200	0.00	20.00	20.00	10.00
Lamb-						1			i				
Choice	23. 32		28. 28	29.94		27. 82		25. 85	24. 72	22. 24		26.88	
Good						26. 19							
Medium	20. 19							21.08	20. 26				
Common	19. 04	19. 33		25. 67	25. 15	22, 22	19.69	17, 35	17. 48	16.86	18. 38	19 82	18. 42
Mutton— Good	15. 84	17. 50	10.00	19. 10	18 51	13. 48	15, 38	15 95	14. 40	12.82	15. 12	15. 40	15. 90
Medium	14. 28	15. 85			14 84	11 72	13. 32	12. 82	12.09	10 72		14.00	14.08
Common	12.72	13, 97		15. 50							10 62	11. 40	
Fresh pork cuts		20. 0.	10. 20	20.00				20, 10	0,00			11. 10	
Hams-]		
12-16 pounds													
average	16.90	18, 25	17. 44	17.40	17.00	16. 50	17 20	20. 50	19. 50	20 50	20,00	19. 29	18. 37
Loins-											1		l
8-10 pounds average	15. 36	14. 63	15 90	18. 05	19, 22	18, 65	18, 67	26, 48	26. 97	26 18	10.40	17 00	19.66
10-12 pounds	10.00	14, 00	10. 20	10.00	10. 24	10,00	10.07	20, 20	20.91	20 10	19. 20	17 00	19.00
average	14, 48	13, 86	14, 36	17. 03	18, 05	17. 52	17 51	24, 78	25. 00	24. C1	18. 15	16. 42	18. 51
12-14 pounds				200	,		11. 51					10	
average	13. 53	12, 78	13.46	15.86	16.79	16. 19	16, 19	21, 15	20.95	22.65	17. 39	15. 79	16 89
14-16 pounds													
average	12.80	12, 22	12, 82	14. 79	15, 79	14. 76	14, 93	19. 25	19. 24	21.07	16. 53	15. 12	15. 78
16 pounds	11 00	11 44	11.00	10 71	14 40	12.00	10 00	17 20	17 64	10 45	15 90	14 04	14.46
and over Ehoulders—	11.98	11.44	11.96	13. 71	14. 39	13. 29	13, 83	17. 30	17. 54	18. 45	15. 38	14. 24	12. 20
Skinned	10. 32	10. 15	10.40	10. 54	10 84	10.68	10.60	14 61	14. 51	16 98	14, 92	13. 71	12.36
Picnics-	10.00	10, 10	10, 10	10.01	10.01	20.00	10.00	12.02	i i	20.00		-0	~= 00
4-6 lbs	10. 11	9.82	9. 54	10.06	10 20	9.79	10, 12	13. 10			13. 89	13. 05	10.97
6-8 lbs	9. 25	8, 85	8.68	9.06		9.08	9. 02	11.90	13.00	15. 13	13. 54	12-28	10.76
Butts—													
Boston style.							14. 26	18, 15	19. 49	22. 56	17. 30	16. 33	
Spare ribs	8.80	9.00	9. 00	9.00	9.00	8.75	9.00	11.75	11.80	18. 80	12, 50	11. 20	10. 30
Cured pork cuts and lard:	1					1							ĺ
Hams, smoked,										i			l
10-12 pounds													l
average	21. 20	20, 00	19. 62	19. 60	20, 12	20. 50	21, 20	23, 00	20. 56	21. 90	19, 62		
Shoulders, pic-						ا ا							ı
nics, smoked	12.80			10.95	11, 12	11. 72	12, 40	14. 81	18. 75		15. 75		
Bacon, breakfast.	18. 20	19.00	20.00	21.00	21, 00	19. 81	19. 60	22, 69 15, 72	22, 50			17 16	717-67
Lard, tlerces	14. 28	12, 19	12,00	12, 30	12.09	12, 15	13. 35	10, 72	15, 62	17. 82	19.00	17.13	14.34
Lardsubstitutes, tieroes	13. 55	11.84	19 04	12, 60	12 60	12 88	18 00	15 59	15 10	12 20	14 04	14.00	18. 52
MOT 008	10, 00	AL, OR	15, 00	12,00	12.00	12, 00	20. 00	10, 30	10, 10	10.00	42.00	421.00	20.00
	!		<u> </u>		<u> </u>	<u></u>						<u> </u>	

Division of Statistical and Historical Research. Compiled from data of the reporting service of the Live-stock, Meats, and Wool Division.

HIDES AND SKINS

Table 589.—Hides and skins: Quarterly stocks of hides in United States, 1921-1924 [Thousands—i. e., 000 omitted]

Ð	4 1	37	D	•	^	KE	Ð
ж.	А١	rv .	•	•	u	D.E	л

					AUREN				,
Description and year	Mar. 31	June 80	Sept.30	Dec. 31	Description and year	Mar.31	June 30	Sept. 30	Dec. 81
CA.					Mixed cattle				
Steers:	1,564	1,522	1,451	1,090	1921	265	378	273	305
1921	1,255	1,402	1,342	1,370	1922	202	202	208	241
1923	1,448	1,492 1,532	1,590	1,166	1922	239	188	164	241 210
1924	1,111	1,270	1, 108	1,051	1924	186	140	154	210
COWB:			l		Calfskins:	616			
1921	2, 251	1,537	1,169	1,173	1921	913	1,073	775	531
1922 1923	1,145 1,365	1,054 1,182	1,186 1,279	1,584 1,492	1922 1923	703 731	713 683	670 584	596 509
1924	1,303	946	1,038	1,559	1924	487	613	472	476
Bulls.	2,002		2,000	2,000	Kip skins:				1.0
1921	188	165	162	125	1921	377	290	240	193
1944	100	99	132	144	11/22	124	87	196	274
1923	138 138	111 123	148 120	161 109	1923 1924	234 150	142 166	220 273	188 216
1924	150	123	120	109	1021	100	100	210	210
DOMEST	ric an	D FOR	EIGN	CATTL	E HIDES (OTHE	R THA	N PAC	CKER)	
Calf, dry or dry					Steers, green				
salted:			}		saited.		l	1	
1921	384	456	590	564	1921	685	545	354	259
1922	486	378	572	760	1932	291	202	340	405
1923	316	420	544	318	1 1923	444	522	282	133
	220	348	376	206	1924 Mixed cattle,	151	206	194	283
Calf, green salted 1921	1,763	2, 362	2,110	1,870	green salted				
	1 775	2, 507	2, 432	1,942	. 1921	1, 109	847	1, 191	1,021
1923 1924.	1,643	2.362	1.516	1,357	1922	801	706	790	787
1924	1,205	1,702	1,800	1, 483	1920	1,081	813	698	705
Cattle, dry or dry					Kip, dry or dry	892	611	528	685
salted:	984	885	937	1,012	Kip, dry or dry saited:		}		
1921	1,064	968	1,020	1,143	1921	20	46	61	45
1923	1,217	1,144	872	595	1922	461	455	447	319
1924	344	276	255	212	1923	258	356	206	111
Bulls, green salted:					1094	124	73	89	50
salted:					Kip, green salted	0410	0.54	000	800
1921	58	76	54 37	58 37	1921	396 330	254 334	269 346	392 570
1922 1923	54 45	44 43	43	41	1922	518	397	359	453
1924	44	49	44	28	1923 1924	328	295	330	399
Cows, green salted:									
salted:								Ì	
1921	703	1, 105	496	775					
1922 1923	660 768	579 551	462 412	636 582				l '	
1924	520	343	334	448				1	
	-	0.0	001	0					İ
		MISC	ELLAN	meous	HIDES AND SKI	NB			
Buffalo hides:					Cattle hides:				
1921	211	188	170	141	1921	7, 807	7,078	6,086	5, 819
1922	138	139	156	109		5, 662	5.347	5.515	6, 346
1923	117	180	117	88	1923	5, 662 6, 749	6, 086 3, 968	5, 487 3, 775	6, 346 5, 086
1924 Cabretta skins:	59	54	14	11	Deer and elk	4, 689	3, 963	3,775	4, 585
Cabretta skins:			791	F477	Beer and elk		1		
1921	1, 579 861	1, 219 878	810	547 930	8KIJIS:	119	212	216	275
1929	966	1, 128	914	736	1921 1922	136	166	187	188
1923 1924 Calf and kip skins	608	559	509	458	1923	192	827	274	309
Calf and kip skins					1924	311	397	418	380
					Goat and kid		1	1	l
1921 1922	4, 302	4, 926	4, 413	3,990	skins:	8, 652	0 000	10 740	10 994
1922	3, 881 3, 700	4, 926 4, 474 4, 360	4, 664 8, 429	4, 462 2, 935	1921 1922	8,044	9, 680 10, 799	10,746	10, 380 8, 730
1928 1924	2,516	8, 197	3, 429 3, 840	2, 881		8, 044 7, 779	10, 187	8, 641 10, 999	8, 730 9, 926
Cattle and kip hides and skins	70.0	٠, ٠٠٠	-, -, -, -	,	Horse, colt, ass, and mule hides:	7, 195	9, 196	8,018	6, 153
hides and skins			l		Horse, colt, ass,				
(foreign tanned)					and mule hides:				
1921	293 124	240 62	202 46	181 75		385 254	386 140	806 100	260 128
1922	76	72	23	19	1922	106	128	100 100	128 111
1928	18		19	16	1928 1924	156	98	1 62	*\$8

TABLE 589.—Hides and skins: Quarterly stocks of hides in United States, 1921-1924—Continued

[Thousands-i. e., 000 omitted]

MISCELLANEOUS HIDES AND SKINS-Continued

Description and year	Mar. 31	June 80	Sept. 30	Dec. 31	Description and year	Mar.31	June 30	Sept.30	Dec. 31
Horse, colt, ass,					Pig and hog skins:				
and mule butts:	(i		í	1921	251	120	89	97
1921	222	193	191	207	1922	111	111	106	96
1922		224	310	456	1923	88	55	65	71 23
1923	491	448	186	166	1924	79	83	23	23
1924	113	119	88	131	Pig and hog strips	ì	-	ŀ	1
Horse, colt, ass,	1		1		(pounds):	1	l	l	1
and mule fronts.	ł	1	į į		1921	1, 163	859	349	517
1921	43	57	57	62	1922	226	483	390	819
1922	44	62	94	115	1923	412	604	645	575
1923	145	139	97	101	1924	561	738	390	202
1924	50	98	3i	86	Sheep and lamb	001	100		
Horse, colt, ass,	1 00	1 00	٠.	"	skins:				ı
and mule shanks:	1	1	ł i		1921	10 071	18, 755	12,606	10.001
1921.	72	109	65	60	1922	12, 971			12,661
1922	1 12				1922	11,941	10, 971	10, 475	9, 151
		42	60	154	1923	8, 993	9,916	9, 203	7,400
1923	36	92	23	95	1924.	6, 193	6, 321	7, 282	5,515
1924	15		11	17	Skivers and flesh-	1	}		i
Kangaroo and	1	l	l	i i	ers (pieces):	}		l	
Wallaby skins:					1921	1,611	1,778	1, 784	1,770
1921		363	359	389	1922	1,732	1,858	2,031	2, 141
1922		240	177	243	1923		1,638	1,584	1,408
1923		456	358	486	1924	1,345	1,516	1,780	1,327
1924	397	278	175	335		1		1	1

Division of Statistical and Historical Research Compiled from reports of the Bureau of Census

TABLE 590 .- Hides and skins: Imports into the United States, 1910-1924

Buffalo hides, dry	Calfs Dry	Green or	Cattle	hides	Goat	skins
dry	Dry					
		pickled	Dry	Green or pickled	Dry	Green or pickled
(1) 3, 425 4, 906 16, 235 14, 493 12, 423 13, 004 27, 095 10, 498 9, 515 14, 682 4, 617 3, 084 2, 586 1, 478	(2) 23, 522 41, 992 39, 974 27, 768 15, 678 26, 913 33, 936 8, 894 11, 602 43, 209 11, 810 16, 175 14, 988 10, 754	3 75, 593 36, 261 63, 260 54, 585 54, 636 30, 289 37, 222 12, 400 4, 208 9, 046 25, 151 23, 780 26, 383 30, 736 18, 412	(1) 54, 630 78, 131 82, 595 71, 486 93, 001 153, 339 161, 237 76, 655 33, 182 111, 252 24, 814 18, 439 58, 770 18, 208	3 318, 004 95, 448 172, 881 185, 447 208, 478 241, 340 280, 839 225, 363 190, 844 220, 695 328, 209 173, 759 186, 498 346, 613 158, 267	(*) 64, 338 69, 143 70, 563 63, 374 50, 713 85, 506 92, 425 56, 736 78, 159 103, 828 36, 816 68, 228 70, 794 51, 811	115, 845 22, 576 26, 198 26, 687 21, 385 15, 834 15, 152 13, 215 10, 195 23, 167 4, 912 15, 307 18, 607 14, 070
lorse and	ass skins Green or pickled	Kangaroo and wallaby skins	Sbeer Dry	Oskins Green or pickled	Allother	Total
(3) 4, 551 7, 194 10, 979 7, 620 5, 425 6, 780 12, 185 2, 699 2, 762 13, 910 1, 142 1, 295 11, 295 11, 388	3 19, 512 5, 704 5, 675 8, 448 4, 645 3, 800 11, 347 15, 485 6, 360 3, 551 22, 407 5, 461 3, 430 10, 461 6, 415	(4) (4) (4) (1) (9) 1,097 1,329 769 671 1,053 1,193 878 724 1,152 1,256	(1) 18, 787 25, 645 31, 132 29, 338 20, 886 54, 600 55, 294 32, 239 26, 464 42, 501 12, 593 3, 828	467, 406 36, 930 34, 755 40, 653 40, 739 37, 834 46, 859 40, 447 23, 230 35, 431 58, 365 35, 899 36, 245 48, 744	12, 259 8, 669 7, 988 4, 802 15, 780 10, 226 10, 890 10, 176 9, 226 5, 837 10, 695 5, 503 29, 871 19, 192	608, 619 - 374, 891 537, 768 572, 197 561, 071 538, 218 743, 670 700, 207 432, 517 448, 142 798, 529 352, 198 392, 904 58, 185 352, 498
= 1	4, 906 16, 235 14, 493 12, 423 13, 004 13, 004 18, 9, 515 14, 682 4, 617 3, 084 2, 596 1, 478 Orse and Dry (1) 4, 551 7, 194 10, 979 7, 629 2, 762 2, 699 2, 762 13, 910 11, 142 11, 989 18, 985	4: 906	4 906 41, 992 63, 260 16, 235 39, 974 54, 585 16, 483 27, 708 54, 686 12, 423 15, 678 30, 289 13, 004 26, 913 37, 222 27, 095 33, 936 12, 400 10, 498 8, 894 4, 298 9, 515 11, 602 9, 046 14, 682 43, 209 25, 151 4, 617 11, 810 23, 780 3, 084 16, 175 25, 383 2, 596 14, 988 30, 736 1, 478 10, 754 18, 412 corse and ass skins (1) 19, 512 (*) 4, 551 5, 704 7, 194 5, 675 (*) 10, 979 8, 448 1, 097 7, 620 4, 645 1, 329 6, 780 11, 347 1, 219 12, 185 15, 485 959 6, 780 11, 347 1, 219 12, 185 15, 485 959 6, 780 11, 347 1, 219 12, 185 15, 485 959 13, 910 22, 407 1, 193 13, 910 22, 407 1, 193 13, 910 22, 407 1, 193 11, 142 5, 461 1, 296 3, 430 11, 936 10, 461 1, 152	4. 906	4. 906	4. 906

Division of Statistical and Historical Research.

¹ Included in cattle hides. ² Included in green or pickled.

Includes dry hides.
Included in all other.

^{*}Except sheepskins with wool on.

978 Yearbook of the Department of Agriculture, 1924

TABLE 591.—Hides and skins: International trade, calendar years, 1909-1923
[Thousand pounds-i. e., 000 omitted]

<u> </u>			1				1	
Country	Average,	1909-1913	19	21	19	22	1923 pre	liminary
	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Exports
PRINCIPAL EXPORT- ING COUNTRIES								
Algeria	3, 103 207	9, 335 293, 950 83, 252	955	10, 484 245, 424 99, 700	2, 225	10, 850 405, 422	5, 829	11, 204 888, 819
British India Canada	20, 376 46, 820	169, 857 45, 469	8, 040 25, 356	92, 318 36, 716	6, 171 44, 131	113, 195 101, 738 50, 455	6, 538 43, 884	127, 421 105, 000 54, 521
Chile	2, 317	13, 235 72, 751	4, 618	9, 886 55, 598	85 6, 943	8, 888 62, 552	5, 042	9, 955 64, 926
Cuba	9, 842 135	14, 293 21, 998 16, 708	6, 236 371	10, 053 22, 187 9, 899	357 4, 927 188	14, 847 26 987 14, 159	11, 690	20, 507 11, 361
Egypt Madagascar		10, 754 14, 502	405	4, 988 4, 667	616	4, 899 16, 065	297	6, 720
Morocco Netherlands New Zealand	78, 691 752	10, 347 67, 636 25, 577	51, 302 210	4, 863 47, 379 31, 042	34, 046 373	7, 456 47, 681 31, 833	46, 374 226	47, 747 25, 742
Norway Peru Switzerland Union of South Africa.	13, 979	13, 852 6, 195	6, 186	9, 009 3, 505	8, 011	10, 587 4, 614	9, 504	11, 065 8, 589
Union of South Africa. Uruguay Venezuela	6, 659 219	22, 866 50, 737 71, 105	4, 379 417 62	10, 872 45, 735 39, 795	7, 547 152	11, 649 63, 312	13, 094 301	13, 300 59, 466
PRINCIPAL IMPORT-		9, 764		4, 624		5, 449		³ 1, 065
ING COUNTRIES Austria Austria-Hungary			15, 260	1, 004	11, 223	1, 271	14, 142	299
Belgium British Malaya	180, 980	79, 265 117, 213 4 6, 436	78, 207 7, 803	41, 558 1, 410	60, 911	20, 289	73, 804	17, 900
Czechoslovakia			24, 281	1, 173	6, 229	5, 361	15, 881	2, 482
Finland France Germany	155, 508 440, 200	7, 136 131, 041 152, 373	6, 365 78, 856 24 5, 502	2, 661 92, 129 5 1, 151	12, 138 120, 136 240, 566	3, 404 88, 130 4, 382	17, 506 170, 319 204, 798	5, 328 84, 025 4, 142
Greece Hungary	5, 770	2, 283	8, 164	5, 181	9, 122 1, 376	4, 855 4, 993	7, 318 4, 388	4, 629 81 5
Italy Japan	53, 524 6, 321 110, 143	48, 428 710 96, 351	47, 567 23, 919	47, 779	70, 547	51, 650	72, 252	61, 434
Russia Spain	19, 119	17, 457	17, 442	11, 738	22, 560	18, 111	16, 293	27, 541
Swedeh United Kingdom United States Other countries	25, 662 107, 350 514, 249 54, 823	24, 130 38, 100 25, 432 200, 817	21, 873 80, 006 348, 047 13, 609	21, 879 18, 500 30, 577 25, 152	29, 258 116, 611 543, 487 5, 926	24, 793 27, 019 28, 700 36, 982	38, 599 149, 984 508, 481 5, 591	21, 667 28, 659 36, 012 27, 218
Total	1, 959, 521	1, 991, 355	1, 120, 648	1, 100, 586	1, 366, 124	1, 332, 078	1, 442, 130	1, 284, 054

Division of Statistical and Historical Research. Official sources.

Less than 500 pounds. Java and Madura only.

Six months.
Singapore only.

Eight months, May-December.

Table 592.—Hides, heavy native steer: Average price per pound at Chicago, 1910-1924

PACKER HIDES

Year	Jan.	Feb.	Mar.	Apr.	Liay	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	A ver- age
1910 1911	. 13	. 13	. 13	. 13	. 14	. 16	. 16	. 16	.16	. 16	. 16	\$0.14 .16	\$0. 16 . 15
1913	. 16	.16	.16	.16	.17	.17	.18	. 19	. 20	. 20	. 20	. 19	. 18
1914	. 18	. 18	. 18	.18	. 18 . 22	. 19	. 20	. 21 . 27	. 21 . 26	. 21 . 26	. 22	. 23	. 20
1916 1917 1918	. 23	.23	.30	.23 .30 .27	. 26	.27	.27	. 26	. 26	. 28	.35	. 33	. 26 . 32
1919	.32 .28 .40	. 29 . 28 . 40	. 26 . 28 . 37	.31	.31 .37	.33 .41 .36	. 33 . 50 . 31	. 30 . 53 . 28	.30 .46 .28	.30 • .48 .26	. 29 . 47 . 22	. 29	. 30 . 40 . 32
Av. 1914-1920	. 28	. 27	. 26	. 26	. 29	.30	. 31	. 31	. 30	. 30	. 30	. 29	. 29
1921 1922	. 17 . 16	. 15	. 13	.11	. 12 . 15	.14	. 14	. 14	. 14	. 15 . 23	. 16	. 16 . 21	. 14
1923 1924	. 20 . 14	.20	.19	.19	.19	116	.15	1.15	.14	. 15	. 15	.14	. 17

COUNTRY HIDES

1910	\$0. 14 . 11 . 13 . 15	\$0. 13 . 11 . 13 . 15	\$0 12 .11 .13 .15	\$0. 13 . 11 . 13 . 15	\$0. 12 .11 .14 .14	\$0. 12 . 12 . 14 . 14	\$0 11 .13 .14 .15	\$0. 12 . 13 . 15 . 15	\$0 13 .13 .16 .16	\$0 12 .13 .16 .17	\$0.12 .14 .16 .17	\$0.11 .13 .16 .16	\$0. 12 . 12 . 14 . 15
1914	. 16 . 20 . 18 . 24 . 23 . 22 . 33	. 16 . 20 . 19 . 24 . 21 . 22 . 33	. 16 . 18 . 18 . 24 . 17 . 22 . 30	. 15 . 17 . 19 . 24 . 19 . 24 . 28	.17 .17 .20 .25 .28 .28	. 16 . 18 . 20 . 26 . 28 . 34 . 24	. 16 21 . 20 . 26 . 28 . 43 . 23	. 16 . 20 . 21 . 27 . 24 . 47 . 20	. 17 . 20 21 24 . 24 41 19	. 17 . 22 . 23 . 28 . 24 . 38 . 18	. 19 . 21 . 27 . 29 . 22 . 36 . 16	. 20 . 20 . 26 . 26 . 22 . 28 . 14	. 17 . 20 . 21 . 26 . 23 . 32 . 24
Av. 1914-1920	. 22	. 22	. 21	. 21	. 23	. 24	. 25	. 25	24	. 24	. 24	. 22	23
1921 1922 1923 1924	. 13 . 10 . 13 . 09	.11 .09 .13 .09	.10 .08 .13	.09 .09 .14 .09	.09 .09 .14 .09	.09 .11 .12 .08	. 08 . 13 . 11 . 09	.08 .14 .11 .11	.08 .14 .10 .11	.09 .15 .10 12	.10 .15 .08 .13	.10 .14 .08 .13	.10 .12 .11 .10

Division of Statistical and Historical Research. Compiled from data in "Hide and Leather."

HORSES AND MULES

Table 593.—Horses and mules: Number and value on farms, United States, January 1, 1910-1925

		Horses			Mules	
Jan. 1—	Number	Price per head Jan. 1	Farm value Jan. 1	Number	Price per head Jan. 1	Farm value Jan. 1
1910, Apr. 15	20, 567 20, 962 21, 195 21, 159 21, 210	Dollar # 108. 08 111. 46 105. 94 110. 77 109. 32 103. 33 101. 60 102. 89 104. 24 98. 45 96. 51	Thousand dollars 2, 142, 524 2, 259, 981 2, 172, 694 2, 278, 222 2, 291, 638 2, 190, 102 2, 149, 786 2, 182, 307 2, 246, 970 2, 114, 897 1, 907, 646	Thousands 4, 810 4, 823 4, 362 4, 386 4, 449 4, 479 4, 593 4, 723 4, 873 4, 954 5, 427	Dollars 120, 20 125, 92 120, 51 124, 31 123, 85 112, 36 113, 83 118, 15 128, 81 135, 83	Thousand dollars 506, 049 544, 359 525, 657 545, 245 551, 017 503, 271 522, 834 558, 006 627, 679 673, 922 806, 495
Av. 1914-1920	21, 047	102. 38	2, 154, 764	4, 785	126. 62	605, 889
1921 1922 1923 1924 1924	19, 208 19, 056 18, 627 18, 059 17, 589	84, 31 70, 54 69, 83 64, 45 62, 95	1, 619, 423 1, 344, 136 1, 300, 729 1, 163, 914 1, 107, 248	5, 455 5, 467 5, 485 5, 446 5, 411	116. 69 88. 09 85. 94 84 18 80. 60	636, 568 481, 578 471, 385 458, 463 486, 122

Division of Crop and Livestock Estimates; figures in italics are census returns.

¹ Preliminary.

* Table 594.—Horses and mules: Number and value on farms, by States, January 1, 1924 and 1925

•			3	Horses					M	ules		
State		aber.	prio	rage e per ad,	Farm Jar			aber, 1. 1	Ave price her Jan	ad,	Farm Jar	
	1924	19251	1924	1925	1924	19251	1924	19251	1924	1925	1924	1925
Maine	Them- sands	Thou-	Dol- lars 122. 00	Dol- lars	Thou- sand dollars 10, 736	10 224	Thou- sands)	dollars	sand dollar
lew Hampshire		32	111, 00	103 00	3, 774 7, 696	3, 296						
ermont	74	73	104.00	102. 00 123. 00	7, 696	7, 446						
Assachusetts		44	136, 00	123, 00 122, 00	6, 256 738	5, 412						
lhode Island	6		125. 00	122.00	100	010						
Connecticut	36	34	128.00	125.00	4, 608	4, 250						
lew York	505	485	110.00	106.00	55, 550	51, 410	7 6		113.00 120.00			77
lew Jersey Pennsylvania	70 476	466	50 W	109. 00 94. 00	8, 050 47, 124	7, 303 43, 804	55		110.00	108.00		5, 5
ennsyrvania Delaware	25	24	63.00	73.00	1, 575	1, 752	ÿ		83 00		747	7
F13	135	132	77 00	74 00	10.208		1	99	101 00	02 00	2 222	3, O
Maryland Virginia	285	276	77 00 77 00	70.00	10, 395 21, 945	9, 768 19, 320	97	96	101 00 100 00 87. 00	90.00	3, 333 9, 700	8.6
Vest Virginia	159	157	77 00 79 00	75 00	12, 561	19, 320 11, 775	15	15	87. 00	84.00	1, 305	1.2
Iorth Carolina	163	158	103 00	98 00	12, 561 16, 789	15.484	200	260	128, 00	118 00	33, 280	80, 6
outh Carolina	64	62	103. 00	96 00	6, 592	5, 952	213	215	134. 00	121.00	28, 542	26, 0
eorgia	89	86	83 00	86 00	7, 387	7, 396	371		109.00		40, 439	42, 7
lorida	37		101.00		3, 737	3, 492	43	43	141 00	138 00	6,063	5, 9
hio	763 682		80 00	84.00	61,040	62, 832	32 101	101	89 00 70 00	70.00	2,848 7,070	2, 8 7, 0
ndiana Ilinois		655 1, 125			45, 012 76, 916	43, 885 75, 375	170	107	73.00	72.00	12, 410	12, 0
•	1	1	1				1		i	1		
Aichigan	570	542			45, 600	44, 444	6	6				
Visconsin Jinnesota	624 852	605 843	71 00		59, 904 6, 492	63, 225	10	10	78.00	80 00		
0W8	1. 241	. 1. 229	74.00		91, 834	52, 685 63, 225 86, 030	97	97	77. 00	73 00		
owa	826	793	48.00	46.00	39, 648	36, 478	369	369	63.00	60 00	23, 247	22, 1
Iorth Dakota	1 .	765	1	53 00	38, 269	40, 545	8	8	61 00	63. 00	488	5
outh Dakota	745	745	48 00	46 00	35, 760	34, 270	14	14	61 00	61.00	854	8
Jebraska	883	857			48, 565	47, 135	114				7, 866	8,0
Kansas Kentucky	958 344	920 334			39, 278 19, 264	40, 480 16, 700	286 278	272 272	55.00 66 00			15, 5 16, 3
-	1		ļ						ŀ	ł	ł	1
Connessee	300	291		60 00	19, 800	17, 460 8, 349	336	326 314	78.00 99 00	70.00 89 00	26, 208 31, 086	22, 8 27, 9
lindama	123 190	121	69.00	69, 00 61 00	9, 471 13, 110	10, 980	314 308	308	95. 00		29, 260	26, 7
labama Aississippi ouisiana	160	150	66.00	60 00	10, 560	9,000	180	180	93. 00	89 00	16, 740	16, 0
exas	980	980	55. 00	53.00	53, 900	51, 940	854	854	86.00	81.00	73, 444	69, 1
klahoma	653	633	34. 00	38. 00	22, 202	24, 054	337	330	53. 00	58. 00	17, 861	19, 1
rkansas	218	218			9, 156	8, 938	328	328	61 00	63.00	20,008	20, 6
MontanaVyoming	611	593			18, 941	8, 938 17, 790	9			50.00		4
Vyoming	190 400	180 384	30.00 42.00	28.00 40.00	5, 700 16, 800	5, 040 15, 360	3 36					
'olorado	(302	92.00	30.00	10, 800	10, 300	7 00	30	J 36 W	04.00	2,000	1,0
lew Mexico	176			37.00	6, 864	6, 179	21	21	60.00	58. 00	1, 260	1,2
rizona		130	62.00	58.00	8,060	7, 540	12	12	93. 00 59. 00	84.00	1, 116 177	1,0
Itah	124 47	119 44			7, 688 2, 538	6, 902 2, 376	2				110	
			ļ			} `	ł	1	ł	į.	j	1
daho	265 230	252 223			18, 250	10, 836 13, 380	8 22		63.00 78.00	53. 00 66. 00	504 1, 718	1,4
r adulugion Tragon	230	223 221		60.00 64.00	16, 100 15, 870	14, 144	13			71.00	928	1, 2
Vashington Pregon Salifornia	323	317	83.00		26, 809	24, 092	62		103.00	91.00		
	1 1		1	1 1		l	1)	ĺ	l		1
Inited States	18, 069	17, 589	64. 45	62.95	1, 163, 914	1, 107, 248	5 5, 446	8, 411	84. 18	80.60	458, 463	435, 1

Division of Crop and Livestock Estimates.

As reported by farmers.
Preliminary.

Table 595.—Horses and mules: 1 Estimated yearly losses per 1,000 from disease, 1888-1924

Year ended Apr. 30-	Losses per 1,000	Year ended Apr. 30—	Losses per 1,000	Year ended Apr. 30—	Losses per 1,000	Year ended Apr. 30—	Losses per 1,000
1888 1889 1890 1891	18. 3 14. 6 16. 4 16. 6 15. 8	1898 1899 1900 1901	20. 0 23. 4 18 3 18. 2 20. 2	1908 1909 1910 1911	17 1 18. 2 19 9 19 0 21. 9	1918 1919 1920 1921 1922	16. 5 15. 7 17. 8 14. 7 15. 7
1893	17 0 21 0 22.3 20.2 21 8	1903	19 7 19 6 17. 9 17. 7 18 9	1913 1914 1915 1916 1917	22. 6 20. 6 17. 5 16 9	1923 1924	15, 0 15, 2

Division of Crop and Livestock Estimates. As reported by crop reporters on May 1 for year ending Apr. 30.

TABLE 596.—Horses and mules: Receipts at principal markets and at all markets reported, 1900-1924

[Thousands-i. e , 000 omitted]

Year	Chi- cago	Den- ver	East St. Louis	Fort Worth	Kan- sas City	Oma- ha	St. Jo- seph	St. Paul	Sioux City	Total	All other mar- kets report- ing	Total all mar- kets report- ing 1
1900	99 109 102 101 106	23 17 24 19 13	145 129 109 129 181	(2) (2) 5 10 18	103 97 77 67 68	60 36 42 53 47	13 23 20 20 20 29	27 15 8 8	31 18 19 12 4	501 444 406 419 472		
1905	127 127 102 92 91	16 17 11 11 15	178 166 117 109 122	18 21 19 12 21	66 70 62 56 68	45 42 44 40 82	32 28 27 23 23	6 9 15 7 6	15 19 16 13 15	503 499 413 363 393		
1910 1911 1912 1913 1914	83 105 93 91 106 165	16 18 15 16 17	130 171 164 157 148 271	34 37 49 57 48 55	70 85 73 82 87	30 32 33 32 31 42	28 42 39 32 25 41	5 8 5 6	16 17 10 10 10	412 515 481 482 478 780	327	1, 107
1916 1917 1918 1919	205 107 88 46 43	53 20 15 23	267 280 242 250 141	79 115 79 60 45	123 128 85 83 72	27 23 22 25 19	27 34 39 48 30	12 10 7 11	17 29 23 16 23	810 756 600 557 401	668 720 616 511 324	1, 478 1, 476 1, 216 1, 068
1921 1922 1923 1924 1924	34 32 26 21	10 13 23 37	68 95 102 64	13 29 58 46	30 38 43 36	7 9 17 12	12 16 15 11	5 2 3 4	7 8 15 14	186 242 302 245	131 201 249 228	817 443 551 468
January February March April May June	1 3 4 2 2	2 2 3 1	15 8 4 8 2 2	10 5 2 2 2	5 5 8 2 1	(*) (*)	2 1 1 1 (3)	(f) 1 (f) (f) (f)	1 2 2 1 (4)	28 21 12 8 5	30 18 18 7	58 89 25 15
JulyAugust September October November	1 2 1 1	2 3 5 6 5 4	4 7 5 6	1 4 7 6 5	1 8 4 4	1 2 1 2	1 2 1		1 2 1 1 2	22 29 26 24	5 9 21 26 24	16 81 50 52 48 48
December	2	8	6	8	4	1	1	1	1	22	21	43

Division of Statistical and Historical Research. Prior to 1915 receipts compiled from yearbooks of stockyard companies; subsequent figures compiled from data of the reporting service of the Livestock, Meats, and Wool Division.

¹ Including mules since 1912.

¹ Figures prior to 1915 not available.

Not in operation.

Table 597.—Horses and mules: Receipts at public stockyards in the United States, 1915-1924

Market	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
Albany, N. Y	Number	Number 6, 014	Number 3, 303	Number	Number	Num- ber	Num- ber 40	Num- ber	Num- ber	Num- ber 33
Albany, N. Y Amarillo, Tex Atlanta, Ga	5, 006	14, 390	13, 367	14, 655	15, 014	12, 804	2, 050	8, 331 7, 955	6, 230	6, 994
Augusta, Ga			23, 125	78, 160 33, 219	60, 327 22, 089	25, 931 7, 055	3, 119 905	7, 900 269	33, 865 471	35, 195 182
Augusta, Ga Baltimore, Md	3, 956	13, 901	28, 125 7, 442	8, 670	4, 961	4, 313	2, 284	2, 453	2,714	1, 416
Boston, Mass Buffalo, N. Y Cheyenne, Wyo Chicago, Ill		8, 106 56, 482 205, 449	627 16, 515 5, 539 107, 311	258 10, 034 3, 824 87, 820	276 18, 594 2, 076 45, 762	22, 526 1, 782 43, 020	23, 687 965 83, 723	21, 159 3, 264 31, 689	18, 365 1, 365 26, 065	12, 312 1, 406 21, 030
	,	,				1			-	
Cincinnati, Ohio Cleveland, Ohio		19, 671	27, 279 9, 060	18, 521 4, 3 2 0	18, 880 5, 260	14, 181 5, 580	5, 699 2, 300	4, 248 2, 020	4, 244 1, 100	3, 486 440
Dayton, Ohio Denver, Colo Detroit, Mich		221	58	74	47			-10-10-	52	117
Detroit, Mich	71, 870	52, 800	19, 758 13, 755	14, 599 3, 544	22, 936 1, 835	17, 591 2, 584	9, 639 667	13, 485 821	22, 591 1, 847	36, 844 2, 572
East St. Louis, 111	270.612	266, 818	279, 837	241, 751	250, 311	141, 230	67,758	95, 048	101, 535	64, 012
El Paso, Tex	7, 892	23, 385	15, 052	9, 126	16, 295	13, 931	9, 574	6, 106	6, 758	5, 879
Evansville, Ind Fort Wayne, Ind Fort Worth, Tex Indianapolis, Ind		658	993	1, 080	1 '		43	192	412 2	761
Fort Worth, Tex	53, 640 28, 203	79, 209 29, 444	115, 233 61, 692	78, 881 19, 608	60, 363 9, 080	45, 362 8, 814	13, 086 2, 710	28, 610 2, 481	58, 437 1, 409	46, 071 1, 269
Jacksonville, Fla	20, 200	526	131	19, 000	ช, บอ บ 18	6,012	2, 710	2, 301	1, 407	286
					<u></u> .					
Jersey City, N. J Kansas City, Mo	62, 122	154, 721 123, 141	70, 268 127, 823	42, 185 84, 628	10, 574	2, 624 71, 797	1, 602 30, 453	1, 267 88, 310	678 42, 987	1, 771 36, 288
Knoxville, Tenn	102, 153 7, 040	7, 378	8, 254	6,430	7, 214	4, 160	2, 276	4, 057	9, 122	5, 999
Knoxville, Tenn Lancaster, Pa	1,017	1, 417	8, 342	11, 228	2, 068	3, 432	1, 360	4, 057 1, 790	2, 603	1, 474
	1								801	625
Laredo, Tex									130	24
Louisville, Ky	2, 800	5, 200	14, 127	16, 967	11, 274	9, 031	1, 598	2, 718	2, 487	1, 344
Marion, Ohio				141	977	2, 444	836	914	480	336
Memphis, Tenn		39, 816	60, 848	8L 116	32, 598	8,006	14, 770	46, 249	60, 216	47, 283
Milwaukee, Wis	1, 126	1,714	1, 849	2, .95 24, 102	1.879	2.246	1, 243	1.878	1, 502 4, 801	1, 573
Montgomery, Ala		15, 855	7, 169	24, 102	22, 291 97, 425	! 11, 96 9	4,002	14, 133	4, 801	9, 430 436
Memphis, Tenn Milwaukee, Wis Montgomery, Ala Nashville, Tenn New Orleans, La		852	1, 849 7, 169 74, 280 2, 614	103, 818 556	368	29, 572 1, 254	51	224	268	657
			1	ì	1	1		1		
New York, N. Y North Salt Lake,	17, 447	8, 529	7, 574	807	1, 952	1,723	568	1, 007	2, 340	2, 280
		1,785	1,981	1, 573	1, 484	1, 641	627	1,715	2, 867	2, 303
Ogden, Utah			25, 425	18,809	6.407	5, 630	1,460	1, 387	2, 359	1, 970
Ogden, Utah Oklahoma, Okla O maha, Nebr	86, 954	47, 381	62, 306 32, 781	12, 687 22, 212	9, 951	5, 847	1,824		8, 321	10, 155
	,	27, 486	02, 161	20, 210	25, 201	18, 751	6,779	8, 871	16, 809	16, 400
Pasco, Wash Peoria, Ill. Philadelphia, Pa Pittsburgh, Pa Portland, Oreg				159	380	303	126	320	226	235
Peoria, Ill	389	764	687	125		535	501	475	851	591 2, 065
Pittaburgh, Pa	7, 214 48, 340	11, 002 53, 505	9, 892 39, 073	7, 800 35, 265	7, 222 17, 992	5, 792 20, 472	2, 731 10, 742	2, 836 14, 131	2, 902 12, 442	8, 854
Portland, Oreg	4,668	2, 904	6, 933	2, 483	2, 308	1,887	1,042	1, 076	1, 388	8, 854 2, 039
	1	9 980	0.005	3, 798	2 819	9 549	857	1 214	1	1
Pueblo, Colo Richmond, Va	8, 359	8, 250 17, 514	6, 665 25, 004			8, 563 16, 167	10, 266	1, 314 18, 161	1, 429 16, 185	2, 671 8, 616
Roanoke, Va			L			I		1	22	
Richmond, Va Roanoke, Va St. Joseph, Mo St. Paul, Minn	41, 254 10, 091	27, 206 11, 777	33, 584 9, 959	39, 260 6, 541	43, 380 11, 228	29, 768 10, 488	11, 580 4, 848	15, 961 2, 058	15, 199 3, 809	11, 066 8, 578
		1	1	1)	1	1	z, vos	1	l
Ban Antonio, Tex	14, 094	41, 105	31, 898	29, 955	29, 881	24, 573	6, 314	9, 212	10, 531	14, 405
Seattle, Wash	21, 742	20	29, 391	4.20	923	1 671	292	443 7, 954	413	1 607
Sioux Falls. S. Dak	a1, 142		(49	243	253		69	375	14, 921 370	189
Ban Antonio, Tex Seattle, Wash Sioux City, Iowa Sioux Falls, S. Dak. Spokane, Wash	8, 657	6, 493					761		828	991
	1	1, 386	1,969	1, 789	2, 788	4, 558	960	922	442	297
Toledo, Ohio Washington, D. C		1,000	1.556	396	1 30	n RO	44.30	220	64	18
Wichita, Kans Discontinued	14, 472 7, 509	17, 146 49, 717	1, 556 19, 312 27, 089	11, 150 15, 300	16, 750 16, 347	24, 714 7, 512	10, 885	17, 936	22, 863	21, 356
Discontinued 1	7, 509	49, 717	27, 089	15, 800	16, 347	7, 512	869	691	431	
Total	1, 106, 501	1, 477, 983	1, 475, 854	1, 215, 776	1, 067, 597	724, 811	817, 445	442, 646	550, 703	467, 798
	1				<u> </u>	<u> </u>	<u> </u>	1	<u> </u>	
						_				

Division of Statistical and Historical Research. Compiled from data of the reporting service of the Livestock, Meats, and Wool Division.

Includes only those markets which have been totally discontinued.

Table 598 .- Horses and mules: Receipts at all public stockyards, 1915-1924

[Thousands-i. e., 000 omitted]

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept	Oct.	Nov.	Dec.	Total
1915 1916 1917 1918 1919 1920 1921 1922 1923	97 118 148 161 115 146 35 48 86 77	95 105 95 149 87 112 41 37 54 58	95 111 117 133 71 87 44 47 61 39	88 84 93 44 53 48 25 29 36 25	98 120 68 36 37 43 18 21 20	108 104 63 45 43 84 14 16 14	94 162 83 53 53 38 11 17 17	74 138 58 84 92 75 17 24 32	85 139 129 128 148 62 22 41 50	111 153 236 162 130 40 36 61 75	97 129 223 145 146 28 29 55 59	70 115 163 76 93 17 25 47 47	1, 107 1, 478 1, 476 1, 216 1, 068 725 317 443 551 468

Division of Statistical and Historical Research. Compiled from data of the reporting service of the Livestock, Meats, and Wool Division.

TABLE 599.—Horses and mules: Imports, exports, and prices, 1896-1924

•	In	ports of hor	80 8	E	ports of hors	308	Ex	ports of mul	es
Year ended June 30—	Num- ber	Value	A verage import price	Number	Value	Average export price	Number	Value	Average export price
1896 1897 1898 1899 1900	9, 991 6, 998 3, 085 3, 042 3, 102	\$662, 591 464, 808 414, 899 551, 050 596, 592	\$66 32 66 42 134, 49 181, 15 192, 32	25, 126 39, 532 51, 150 45, 778 64, 722	\$3, 530, 703 4, 769, 265 6, 176, 569 5, 444, 342 7, 612, 616	\$140. 52 120. 64 120. 75 118 93 117. 62	5, 918 7, 473 8, 098 6, 755 43, 369	\$406, 161 545, 331 664, 789 516, 908 3, 919, 478	\$68. 63 72. 97 82. 09 76. 52 90. 38
1901 1902 1903 1904 1905	3, 785 4, 832 4, 999 4, 726 5, 180	985, 738 1, 577, 234 1, 536, 296 1, 460, 287 1, 591, 083	260, 43 326, 41 307 32 308, 99 307, 16	82, 250 103, 020 34, 007 42, 001 34, 822	8, 873, 845 10, 048, 046 3, 152, 159 3, 189, 100 3, 175, 259	107 89 97 53 92 69 75 93 91 19	34, 405 27, 586 4, 294 3, 658 5, 826	3, 210, 267 2, 692, 298 521, 725 412, 971 645, 464	93. 31 97. 60 121. 50 112 90 110. 79
1906 1907 1908 1909	6, 080 5, 487	1, 716, 675 1, 978, 105 1, 604, 392 2, 007, 276 3, 296, 022	285. 11 325. 35 292. 40 283 35 283. 65	40, 087 33, 882 19, 000 21, 616 28, 910	4, 365, 981 4, 359, 957 2, 612, 587 3, 386, 617 4, 081, 157	108. 91 128. 68 187. 50 156. 67 141. 17	7, 167 6, 781 6, 609 3, 432 4, 512	989, 639 850, 901 990, 667 472, 017 614, 094	138. 08 125. 48 149. 90 137. 53 136. 10
1911 1912 1913 1914 1915	6, 607 10, 008	2, 692, 074 1, 923, 025 2, 125, 875 2, 605, 029 977, 380	280 63 291. 06 212 42 78 89 77. 25	25, 145 34, 828 28, 707 22, 776 289, 340	3, 845, 253 4, 764, 815 3, 960, 102 3, 388, 819 64, 046, 534	152, 92 136, 81 137, 95 148, 79 221, 35	6, 585 4, 901 4, 744 4, 883 65, 788	1, 070, 051 732, 095 733, 795 690, 974 12, 726, 143	162, 50 149, 38 154, 68 141, 51 193, 44
1916 1917 1918 1919 1920	12, 584 5, 111 4, 003	1, 618, 245 1, 888, 303 1, 187, 443 750, 264 799, 012	104. 03 150. 06 232. 33 187. 43 162. 86	357, 553 278, 674 84, 765 27, 975 18, 952	73, 531, 146 59, 525, 329 14, 923, 663 5, 206, 251 3, 285, 066	205. 65 213. 60 176. 06 186. 10 173. 34	111, 915 136, 689 28, 879 12, 452 8, 991	22, 960, 312 27, 800, 854 4, 885, 406 2, 333, 929 1, 815, 888	205. 16 203. 39 169. 17 187. 43 201. 97
1921 1922 1923 1924	3, 136 2, 816	1, 205, 457 531, 783 845, 658 942, 170	298. 09 169. 57 300. 30 383. 81	12, 638 17, 827 8, 641 11, 693	1, 923, 041 1, 868, 099 1, 048, 339 954, 534	152. 16 104. 79 121. 32 81. 63	6, 770 11, 241 12, 719 16, 170	1, 063, 254 1, 009, 567 1, 324, 566 1, 711, 611	157. 05 89. 81 104. 14 105. 85

Division of Statistical and Historical Research.

*Table 600.—Horses and mules: Farm price per head, by age groups, United States, Jan. 1, 1894–1925

		Horses			Mules	
Jan. 1	Under 1 year old	1 and under 2 years	2 years and over	Under 1 year old	1 and under 2 years	2 years and over
894	\$20. 19 14. 79	\$30. 20 22. 39	\$57. 32 43. 60	\$26, 79 19, 79	\$39. 11 29. 26	\$72. 9 56. 0
895	13. 49	20. 29	39. 73	17. 87	26. 46	53.6
897	13. 07	19. 47	37. 77	16.96	24, 94	48. 9
898	14, 94	21. 76	40.78	18.03	26, 17	51. 4
899	16. 51	24. 05	44. 40	18. 81	27. 20	52, 5
900	19. 44 20. 44	28. 67 30. 59	53. 01 57. 63	22. 71 26. 14	32. 87. 87. 74	62, 2 69, 6
901 902	20. 44	33, 39	63.99	20. 14 27. 01	89, 55	73. 6
903	25. 08	39. 21	67. 46	31, 96	47. 78	78. 0
904	26.86	42.19	73, 68	34, 39	51. 78	84. 9
905	28.05	43. 67	76. 30	37. 85	56. 93	94. 1
906	32.91	51. 36	87. 35	43, 46	64, 36	106. 0
907	39. 12	61. 77	101. 02 (¹)	51. 85 (1)	74. 73	120. 8 (¹)
909	(1)	(1)	(1)	(1)	(1)	(1)
910	46, 05	72, 68	116, 57	56.76	84, 53	`í28. 9
911	48. 09	75. 68	120.04	59.89	88. 13	135.
912	45. 75	71. 96	114. 24	56, 12	83.00	129.
013	48. 75	76. 54	121.06	59. 31	86. 56	134.
914	47. 95	74. 87	119.77	57. 45	83. 87	133.
915	45. 36 44. 30	70, 62 69, 08	113, 10 111, 34	51. 80 51. 59	76, 46 76, 82	121. 4 123. 8
916 917	45, 17	70. 21	112.64	53. 98	80. 28	128.
918	45. 20	70. 21	114.30	57. 61	86, 32	139.
919	42.62	65. 94	108. 17	59. 14	89. 14	147.
920	87. 22	58. 88	103. 53	66. 12	90.48	160.
921	31. 57	49. 72	90.70	47. 49	71. 76	126.
922	26, 32 26, 14	4. 24 41. N	76. 02 75. 07	35. 18 34. 20	58. 04 51. 54	95. 93.
23	24. 08	37. 85	69. 34	34. 20 31. 71	48. 43	93. 91.
925	24. 07	37. 65	67. 68	81. 41	47. 18	87.

Division of Crop and Livestock Estimates.

Table 601.—Horses: Farm price per head, 15th of month, United States, 1910-1924

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov	Dec.	Weight- ed av- erage
1910	\$140	\$147	\$150	\$154	\$148	\$151	\$148	\$148	\$145	\$144	\$143	\$141	\$146
	143	144	145	147	146	145	139	141	139	137	136	184	141
	134	137	140	142	144	145	142	142	141	140	139	139	140
	140	146	146	148	145	146	143	141	141	138	136	185	142
Av. 1910-1913	139	144	145	148	146	147	143	148	142	140	138	137	142
1914	137	139	138	138	139	136	187	135	132	131	130	130	185
	130	132	132	132	133	132	184	181	131	129	127	126	180
	128	129	131	133	184	132	183	181	181	130	129	129	130
	129	131	133	136	138	137	135	132	182	130	129	129	132
	130	133	137	137	136	135	132	131	128	126	122	121	180
	120	121	124	127	129	127	127	125	119	114	113	113	121
	118	123	127	131	132	130	127	124	119	112	108	97	119
1921	96	98	101	100	98	98	94	98	89	85	82	81	92
1922	82	84	86	87	89	88	88	86	84	81	79	79	84
1923	81	85	85	86	88	87	85	78	82	80	78	75	82
1924	73	74	75	76	78	77	77	79	78	77	76	78	76

No data.

TABLE 602.—Horses: Farm price per head, 15th of month, by States, 1924

State	Jan. 15	Feb. 15	Mar. 15	Apr.	Мау 15	June 15	July 15	Aug. 15	Sept.	Oct. 15	Nov. 15	Dec. 15	Av.
Maine	\$160 130 130 140	\$160 125 125	\$160 130 120	\$156 130 121	\$155 180 115	\$150 130 110 150	\$152 130 105 150	\$154 150 100 160 150	\$151 148 100	\$155 150 100 100	\$150 95 125	\$145 100 93	\$154 132 110 138 139
Connecticut New York New Jersey Pennsylvania Delaware	150 120 125 100 70	140 120 120 105 70	140 122 125 110 70	145 120 125 112 72	145 120 125 110 70	150 115 130 108 75	150 117 130 110 75	150 120 133 110 76	150 118 135 108 75	150 116 140 110	158 112 140 105	155 114 145 105 72	148 118 131 108 72
Maryland Virginia West Virginia North Carolina South Carolina	75 80 80 102 103	75 80 80 100 102	74 82 85 100 100	75 83 87 100 100	78 80 88 105 101	76 80 90 105 98	74 78 88 104 99	80 81 86 103 95	78 83 84 102 98	76 85 80 100 95	80 82 81 100 98	78 78 79 96 95	77 81 84 101 98
Georgia	90 100 90 72 75	90 97 92 73 76	92 100 95 75 78	91 68 96 78 80	89 100 100 76 82	90 98 95 73 80	88 100 97 71 82	90 97 75 82	85 95 95 73 85	80 90 90 71 83	80 85 92 69 80	77 90 93 71 75	87 96 94 73 80
Michigan	95 102 78 89 50	94 104 80 88 52	95 106 85 90 53	96 108 86 92 54	98 109 88 93 54	100 110 90 93 52	100 108 92 94 55	97 110 98 96 56	95 112 95 98 55	100 109 90 98 52	102 105 89 94 52	98 100 90 88 48	98 107 88 93 53
North Dakota South Dakota Nebraska Kansas Kentucky	56 63 70 50 63	58 65 72 51 61	60 66 75 53 62	63 68 78 55 60	64 70 80 57 62	65 69 79 58 63	65 67 79 60 64	69 65 83 63 65	68 67 80 60 63	70 63 75 57 64	70 61 73 55 60	65 60 70 53 56	64 65 76 56 62
Tennessee Alabama Mississippi Louisiana Texas	67 74 63 68 64	69 75 64 68 61	70 77 64 68 61	70 78 63 66 60	72 80 65 68 62	73 82 67 69 63	71 79 66 70 61	69 75 70 70 60	68 68 67 68 59	65 67 64 65 57	62 70 67 60 58	59 65 64 55 59	68 74 65 66 60
Oklahoma Arkansas Montana Wyoming Colorado	44 50 44 42 54	45 51 42 43 55	43 53 43 44 57	45 54 45 43 58	47 55 46 43 60	47 54 43 45 59	48 53 45 45 60	47 54 45 48 60	44 53 46 49 62	45 52 44 45 58	43 53 46 60	45 50 43 40 55	45 54 44 44 58
New Mexico Arizona Utah Nevada	60 81 85	58 78 87	59 75 88 95	57 72 90	57 70 90	57 68 90	57 66 85	55 70 86	70 82	75 81	80	82	58 72 86
Idaho Washington Oregon California	70 87 76 94	65 83 76 89	67 84 78 90	65 82 75 85	65 80 75 86	62 80 75 88	60 82 72 90	65 87 80 100	67 85 78 98	65 96	62 77 78 93	59 72 73 91	64 82 76 92
United States	78. 43	73. 78	75. 46	76 40	77.55	77.08	77.47	79. 14	78. 33	76. 54	75. 60	72. 93	76. 14

Division of Crop and Livestock Estimates, as reported by country dealers.

29283°--- үвк 1924-----63

TABLE 603.—Livestock in specified countries

[Thousands--i. e., 000 omitted]

Country	Date	Cattle ¹	Swine	Sheep	Goats	Horses	Mules	Asses	Mis- cella- neous
United States (see general note)	Jan. 1, 1914 Jan 1, 1924	56, 800 68, 500	55, 000 68, 200	42, 200 38, 800	3 3, 030 3 3, 564		4, 719 5, 814	123 87	
Alaska (on farms and not on farms).	Jan. 1, 1910 Jan. 1, 1920	(4)	(4) 1	(3)	(2)	2 1		83	5 18 5 111
Hawaii (on farms and not on farms)	Apr. 15, 1910 Jan. 1, 1920	149 14 9	3 1 3 9	77 44	8 8	28 24	11	3	
Panama, Canal Zone. Porto Rico (on farms and not on farms).	Apr. 15, 1910 Jan. 1, 1920	316 279	106 137	6	(4) 49 58	(1) 58	(4)	1	
SamoaVirgin Islands. On farms	Nov. 1, 1917	(¹) ² /3	4	1	2	(¹) 57 2	2	1	
Not on farms	Sept , 1913 Sept., 1923	(1) 1,108 1,022	(4) 112 111	(4)	(1) 3,848 3,768	(1) 216 195	(*) 193	(4) 272 269	6 202 6 197
Andaman and Nicobar Islands (British) Argentina	1923 June 1, 1914 Dec 31, 1922	9 25, 867 37, 065	2, 901 1, 437	1 43, 225 36, 209	4, 325 7 4, 820	(4) 8, 32 4 7 9, 432	565 7 623	260 7 289	
Australia	Dec. 31, 1913 Dec. 31, 1922 Dec. 31, 1910 8 _	11, 484 14, 337 2, 356	801 986 1, 932	85, 057 78, 803 301	262 230 239	2, 522 2, 390 319	4	13	6 13 6 11
Azores and Madeira Islands	Mar. 7, 1923	2, 163 89	1, 473 93	597 87	382	282 2	3	9	
Bahanias Barbados	1913 1918 1913	2 2	12	12 14	5 6	1 1 2	4	 Б	
BasutolandBechuanaland Protecto-	1922 1911 1921	487 574		1,369 1,854	989 894	2 88 152	1		
rateBelgum	1911 1921 Dec 31, 1910 ⁸	324 426 1, 925	1,553	120 189	358 238 230	2 325	3	.g 6 60	
Bolivia Brazil	Dec 31, 1923 1910 1912-13 Sept 1, 1020	1,603	1, 176 114 18, 401	126 1,449 10,550	9 33 468 10, 049	243 97 7, 290	45 3, 2	173 208	
British Cameron British Guiana	1913	111	16, 169 10 6 14	7, 935 31 18	δ, 087 55 14	5, 2 54	1, 8	6	
British South West Africa (former German Southwest Africa)	1923	102 206	12 8	15 555	8 517	2 16	2		•1
Bulgaria 11	1923. Dec 31, 1910 ⁶ . Dec. 31, 1920	550 1 2, 048 1 2, 295	6 546 1,090	937 8, 551 8, 995	924 1, 632 1, 532	21 425 398	2 24 2 6		(1)
Cape Verde Islands (Portuguese)	1914 1916	8 9	14 17	4 6	30 38	1 1	1 1	10 17	
Canada	June 30, 1914 June 15, 1923	6, 037 9, 246	3, 434 4, 405	2,058 2,754		2, 948 3, 531	9		
Ceylon	1922 1913 1923	1 1 1, 484 1 1, 398	86 50	90 60	(*) 203 158	(*) 5 2	(4)	(4)	

¹ Buffaloes included with cattle for countries reporting buffaloes ² Census 1910. ³ Census 1920.

Less than 500

Includes 22,000 reindeer and 20,000 work dogs in 1910 and 93,000 reindeer and 18,000 work dogs in 1920.

Camels. Year 1921.

Estimated for present boundaries.

Year 1920.

¹⁰ Data for preceding year.

11 The number of work animals only within present boundaries in 1921 compared with the estimated number within the same territory in 1910, in parentheses, is as follows. Cattle, 875,000 (837,000); buffaloes, 148,000 (150,000); horses, 174,000 (149,000).

TABLE 603.—Livestock in specified countries—Continued

[Thousands-i. e., 000 omitted]

Country	Date	Cattle	Swine	Sheep	Goats.	Horses	Mules	Asses	Mis- cella- neous
Ohile	1913	2, 084	184	4, 567	288	489		30	
China	1922 1914	1, 996 21, 997	263 76, 819	4, 569 22, 186	5 25	329 4, 934		34 4, 394	
Colombia	1916 ¹²	15, 973 3, 03 5 9, 428	44, 711 711	22, 232 16		4, 401 520	201	3, 660 139	
Costa Rica	1914. 1923	336 426	64 92	(1)	1	5£ 105		(3)	
Cuba	Dec. 31, 1913 Dec. 31, 1923 Mar 31, 1914	3, 141 5, 085				625 844	77	`´2	
Cyprus	Mar. 31, 1923	61 47	37 39	18 269 18 255	255 177	3		43	
Czechoslovakia	1910-11 Dec 31, 1920	4, 596 4, 377	14 12, 201	1, 322 986	711 1, 221				
Denmark	1913-14 July 15, 1924	2, 718 2, 660	2, 715 2, 862	533 302	44 29	548			
Dominican Republic (Santo Domingo) Dominica (British)	May 15, 1921	647 1	674	ì	708	165 1	65		
Dutch East Indies Java and Madura	1915	1 5, 784 1 5, 060	97	842	1, 421	304			
Outer possessions	1915	1 1, 874				323			
Dutch West Indies: Curacao and depend- encies.	1916	4		18	61	1		4	
Dutch Guiana or Surinam	1923 Dec. 31, 1913	3	5 5		67	1 ''	8	5	
Egypt 16	Dec. 31, 1923	14 11,169	6		4		(*) (*) 22	632	• 118
	September- October, 1923.	1 1, 291		962		37	22	603	6 14
Esthonia	Summer, 1913 8	528 513				193 210			
Eritrea (Italian)	1915 1922	517 553	(4)	1, ! 1, '	585 701	2 2	9 10	34 47	6 51 6 68
Falkland Islands (Brit- ish)	1913	8	9	698		4			
Faroe Islands (Danish).	1922. 1914. 1919.	8	(4)	667 112 69		1			
Fiji Islands (British)	1913 1922	49 59		8	14		7 8	,	
Finland	September, 1910.	1,605	422	·	11	366			16 1 87
France	Dec 31, 1913 *.	1, 844 15, 338	378 7, 529	16, 176	1, 510	3, 359	188	358 284	8 16 Kg
French Cameron French Equatorial Af	Dec. 31, 1923 1922	18, 749 290		298		15			
rica (French Congo) French establishments in India.	1922	750 1 51			128	(4)		(4)	
French Guiana	1923 1916	i 84 6			(4)	(9)		(8)	
French Indo-China	1916 1922	1 4, 616 1 3, 680				_ 70 114	1		

¹ Buffaloes included with cattle for countries reporting buffaloes.

Buffaloes included with cattle for countries reporting buffaloes.
 Census 1920.
 Less than 500.
 Camels.
 Estimated for present boundaries.
 Extinated for present boundaries.
 Extinated for present boundaries.
 Extinate for provinces of Szechwan, Kwangtung, Yunnan, Kweichow, and Hunan in 1916. The number in these provinces in 1914 were estimated as follows: Cattle, 8,476,000; swine, 33,794,000; sheep,4,279,000; horses, 567,000; asses, 163,000.
 One year of sage and over, 30 per cent may be added for rough approximation of number under that age.
 No official estimate was made of hogs over 1 year, exclusive of boars and sows, for 1920. Assuming the percentage decrease in this class to be the same as that for all other swine an estimate has been made and included in the 1920 figure
 Excludes animals belonging to British Army.
 Reindeer.

¹⁶ Reindeer.

TABLE 603.—Livestock in specified countries—Continued

[Thousands-i. e., 000 omitted]

Country	Date	Cattle	Swine	Sheep	Goats	Horses	Mules	A.8866	Mis- cella-
									neous
French West Africa:									
Ivory Coast	1922	56	17	111 86	164 105	1 2		(4)	
Dahomey	1922 1922	102 389	43	91	100	3			
French Guinea Upper Volta	1923	400	3 2	600		40		55	
Mauritania	1921	219		2, 1	06	3		47	* 38
Niger	1922	563		527	676	44		79	4 82
Senegal	1922	427	5	215	259	30	-	43	64
French Sudan	1923	1, 215	7 28 22, 533	2, 324 4, 988	1, 724 3, 164	48 3, 807	10 2	92 10 g	6 10 22
Germany	Dec. 1, 1913 Oct. 1, 1923	18, 474 16, 691	17, 308	6, 105	4, 675	10 3, 651		10 5	
Gold Coast (British)	1913	50	11	28	50	2	(3)	8	
	1921	80	15	38	52		(4)	9	
Grenada (British)	1911	5				2			
Classes	1918	665	346	5, 884	3, 759	204	121	250	
Greece	1921	689	404	5, 789	3, 717	177	127	244	
Guadeloupe	1914	26	51	12	17	9	4	4	
•	1920	22	50	11	16	7	3	4	
Guatemala	1913	557	188	514	11	64	33		
YVdu Tranship of	July, 1922 1913-14	319 489	96 180	185	17 23	86 68	20		
Honduras, Republic of	1918	466	100	U	ن م	00	20	•	
Hongkong (British)	1913	1		(1)	(3)	(4)			
	1922	2		(t) (t)	(4)				
Hungary	1911	2, 193	3, 200	2, 302	34	881	(4)	8	
Iceland	1922	1,828 27	2, 473	1, 352 635	1	717 47			
Iceiand	1922	26		571	3	51			
India (British)	1913-14	1143,179		23, 081	30, 694	1, 644	79	1, 508	6 492
, ,	1921-22	1145,00		22, 082		1,684	76		6 410
India (native States)	1913-14	114,046		8, 3	326	176		82 308	6 54
Italy	1921-22 Mar. 19, 1908	1 34, 375 6, 590	2, 685	11, 930 11, 615	7, 306 2, 784	515 982	392		6 118
Italy	1918 8	6, 624	2, 509	12, 029	3, 146	1,015	500		
Jamaica	1913	1'6	31	10	10 17	53			
	1922	14.	32	7	30	50		17	
Japanese Empire:	73 . 01 1010	1 000	310	3	89	1, 582	1	{	
Japan	Dec 31, 1913 Dec. 31, 1922	1, 389 1, 459		11	151	1, 576			
Chosen (Korea)	Dec. 31, 1913	1, 211	761	(4)	10	51	i	18	
(02000)	1922	1,608	1.101	2	23	53	2	10	
Formosa (Taiwan)	Dec 31, 1913 Dec. 31, 1921	1 419	1, 822	8	129	8			
TV free -	Dec. 31, 1921	1 422	1, 281	(1)	102	(9)			-
Karafuto	Dec. 31, 1913 Dec. 31, 1922	3	2			8			
Kwantung (Japa-	1700.01,1000		_			1			
nese leased territory)	Dec. 31, 1913	31	66	2	12				
T \	1922	33	100	1	8	7	17	30	
Kerrya Colony and Pro- tectorate (British East							ł	l	ł
Africa).	Mar., 1913	780	3	6, 500	4,020	1		·	
	June, 1923	3, 190	12	2, 547	3, 406	2		36	6 150
Latvia	1913	912	557	996	104	320			
T Mhouse	1923	911 918	487 1, 358	1, 488 1, 152	20	341 451			
Lithuania	1923	1, 285	1, 697	1, 113		506			
Luxemburg	Dec. 1, 1913	108	197	5	10	19			
	Dec. 31, 1922	83	89	4	10	17			
Madasgascar	1915	6,606	666	299	173	3			
Malay States, Un-	Feb. 28, 1923	7,819	10 400	10 175	10 150				
federated:		1]			1		1	l
Kedah	1922	76		(4)	26			l	l
Kelantan	1921	146							
Perlis	1922	12 40			300				
Trengganu	1923 Mar. 31, 1914	40	1	180 15					-
A12.047	1923	9	7	29	44			7	
Mauritius 17	1913	. 22	7 8 3	1 2	10 6	i	(4)	1 (1)	
	1923								

¹ Buffaloes included with cattle for countries reporting buffaloes.
4 Less than 500.
6 Camels.
7 Year 1821.
8 Estimated for present boundaries.
10 Data for preceding year.
17 Animals on sugar estates only.

TABLE 603.—Livestock in specified countries—Continued [Thousands—i. e., 000 omitted]

County	Date	Cattle	Swine	Sheep	Gosts	Horses	Mules	Asses	Mis- cella- neous
Mexico	1902	5, 148 1, 750	616	3, 424 1, 382	4, 206	859		288	
Morocco, French	1923	1 676	- 5 58	8, 175	1, 571 1, 062	356 1	23	226	6 59
Mozambique (Portu-	1923	1, 683	49	7, 121	2, 359	162	63	483	6 106
guese East Africa)	1913	25 303	15 18 24	10 18 10	29 18 34				
Netherlands	June, 1913 May-June, 1921	2, 097 2, 063	1, 350 1, 519	842 668	232 272	334 364			
New Caledonia (French)		130				7			
Newfoundland	1911	32 28	19 14	86	15 14	13 16			
New Zealand	April, 1911 Jan. 31, 1924	2, 020 3, 546	349 42 1	25, 996 1923, 585	10 17	404 331	(4) (4 10)	(3)	-
Nicaragua	1908	252 1, 200	12	(4)	1	28	` ´6	1	
Nigeria (British)	1922 Dec 31, 1907.	2,910	51	1, 832 990	4, 272 222	171 162		442	6 10 4
Norway 10	Nov. 20, 1923	1, 022 1, 131	158 237	1,525	242				
Nyasaland Protectorate.	Mar. 31, 1914	76 120	23 30	28 60	137 176	(1) 10 6	(4)	(4)	
Palestine Panama	1923 1916	1 10 93 200	(4)	271	496				6 16
Papua (territory of Brit-	1913	1		(4)	1		1		
ish)	1921	2 2	(1)	(8)	1			(4)	
Paraguay	1915	5, 249 11 4, 000	61 22 87	800 23 600	87 22 93				
PeruPhilippine Islands	Apr. 1, 1923 Dec. 31, 1913	1, 293 418	429 2, 017	11, 034 104	74 529				28 2, 200 24 1, 047
	1921	1,806	4,477	223 4, 268	892	279			M 1, 536
Poland	Pre-war Sept 30, 1921	8, 351 7, 895	5, 231 5, 1 7 1	2, 178		3,201			
Portugal	October, 1906 March, 1920	703 741	1, 111 921	3, 073 3, 851	1,084 1,493	88 90		144	
Rhodesia	1911-12 Dec 31, 1923	719 1. 921	10 22	300 10 317	602 25 20	3	2	20 10	
Rumania	1910-11 8	1 5, 648	3, 262	11, 128	558	1, 911	14	1	
Russia (European, in-	1923	1 5, 739	2, 925	12, 481	585	1,828	ျ	- 11	
cluding Ukraine and Northern Caucasia)	1913 8	30, 132	11, 250	41,995	1, 160				
Asiatic	1922 1913 ⁸	27, 747 15, 609	6, 722 2, 037	32, 476 33, 237	758 4, 442				
	1922 26 1906	7, 278 284	1, 038 423	9, 314 21	1, 745				
Salvador St Helena (British)	1911	1	(1)	4	, 1	(4)			
St Lucia (British)	1921 1914	1	(4)	5	1	(4)	(1)	1	
Shetland Islands	1922 1919	14	····(4)	141		1 r.			
Seychelles Islands (Brit-	1913	1	6			(A)		,	
18h)	1923	i	3	8	(3)	(5)	(1)	(1)	
Siam	Mar. 31, 1913 Mar. 31, 1924	1 4, 501 1 6, 270	749 10 864			81 166			
Sierra Leone (British)	1910 1921	2 21	(4)	1		(1)			
Somaliland (Italian)	February, 1920	1, 246		1, 666	9 901	11 542	948	849	6 2, 101
Spain	1913 1923	2, 879 3, 435	2, 710 4, 728	16, 441 18, 550	8, 394 3, 804				

¹ Buffaloes included with cattle for countries reporting buffaloes

¹ Buffaloes included with cattle for countries reporting buffaloes
4 Less than 500.
6 Cample.
8 Estimated for present boundaries
10 Data for proceding year
10 Pata for proceding year
11 Year 1916.
12 Apr. 30.
13 In rural districts only. The numbers in cities on Jan. 1, 1918, compared with Dec 31, 1907, in parentheses were as follows. Cattle, 3,764 (5,133); swine, 4,478 (5,772); sheep, 1,479 (1,650); goats, 843 (600); horses, 7,945 (8,580).
11 Unofficial.
12 Year 1918.
13 Year 1918.
14 Llamas and alpacas.
15 European owned.
16 European owned.
17 Includes 1920 census figures for Turkestan and Azerbaijan.

TABLE 603.—Livestock in specified countries—Continued

[Thousands-i. e., 000 omitted]

Country	Date	Cattle	Swine	Sheep	Cloats	Horses	Mules	Asses	Mis- cella- neous
Straits Settlements and									
Labuan	1913	46	158			2			
Samuelland (Dalulah)	1919	67 73	267 9	17		2		2	
Swaziland (British)	1913	268	10				83	3	
Sweden	Estimated	-~					\ \ \	٦	
	av., 1913-14	3, 069	1, 023	1, 205	119				
Garden and and	1920	2,736	1, 011						
Switzerland	Apr. 11, 1911 Apr. 11, 1921	1,445 1,425	570 640				3		
Syria	1923	196		2, 047		.04	4		0 46
Tanganyika Territory						Ì	1	1	1
(former German East	1011			١.,			į.	ł :	1
Africa)	1911	1, 489 3, 800	1 2		90	(4)	(+)	25	
Trinidad and Tobago	Mar. 31, 1914.	3, 300		2		5		20	
-	1920	10	9	3	(4)	4			
Tunis	Dec. 31, 1913	217							
Turkey, European and	1923 1907 and	400	13	1,451	777	72	31	123	6 114
Asiatic	1909 8 27	28 6, 438	79	29 16, 218	29 14, 534	950	163	1.411	6 248
21514(10	1923	3, 551				350			
Turks and Calcos Islands		1	(3)	(9)		(9)			
Time and a Durat continued a	1919	1 775	(4)	(6)		(3)			
Uganda Protectorate	May 31, 1914. 1923	920	(4)				(9)	(4)	
Union of South Africa	Dec. 31, 1911	5,797	(4) 1,082	30,657		719	1 94	357	
	Apr. 30, 1922	9, 201	941	31, 696	8, 337	988	129	809	
United Kingdom:	T 4 1014	r 070	0.401	17 000		1, 400	l		ł
England and Wales	June 4, 1914 June 4, 1924	5, 878 5, 894	2, 481 3, 227	14 843		1, 200			
Scotland	June 4, 1914	1, 215	153			209			
	June 4, 1924	1, 163	198			193			
Northern Ireland	June 4, 19148	815	222	366					
Irish Free State	June 4, 1924 June 4, 1914	736 4, 237	140 1,083						
II Su Flee State	June 4, 1923	4. 215	1,003						
Uruguay	1908	8.193	. 80	26, 886	20	556	2	2	
	1923	21 9, 000	18 304						
Venezuela	1912	2,004 2,778	1,618	177 10 113	1,667	191 10 168	10 55		
Yugoslavia	1922 1910-11 ⁸	5, 155	3, 956						
- uposiavia	Jan. 1, 1024	3, 870	2, 497					10 89	
	,						<u> </u>		
Comparable totals: 10		E10 055	170 115	stree nee	11100 000	11111 001	251 1 000	16 0 177	1
Pre-war Post-war		518, 957 578, 565	179, 115	32400 043	31108,603 32100,441	3492.801	3611.378	36 8 30K	
Estimated world		010,000	110, 201	100,040	-100,411	02,000	12,570	٥, ٥٥٥	
totals *7.							l	1	l
gre-war		566, 000	260, 800		150, 300				
Post-war.		625, 600	201, 400	563, 700	139,000	100, 200	12,300	13,900	

Division of Statistical and Historical Research Census returns are in italies, other returns are in Roman. United States flures for cattle, sheep, and swine are estimates prepared in Bureau of Animal Industry by adjustment of the consus flures to a Jan 1 basis and include all ages and all animals in towns, villages, and ranges, as well as on farms. The estimates of the Division of Crop and Livestock Estimates have been used to obtain the fluctuations between consus years. The figures for horses and mules comprise these of the Division of Crops and Livestock Estimates for animals on farms and the 1910 and 1920 census figures for animals not on farms.

^{&#}x27;Less than 500.

Camels.

Estimated for present boundaries.

Data for preceding year.

Year 1909 for Asiatic Turkey and 1907 for European Turkey
In addition there were 832,163 buffaloes.

POULTRY

TABLE 604.—Poultry and chickens on farms, and chicken eggs produced, United States, 1919-1925

		On han	d Jan. 1		Production						
Year	All pe	oultry	Chie	ekens	Ohio	ckens	Chicke	n eggs			
	Number	Value	Number	Value	Number	Value	Dozens	Value			
1910 (census)	Thou- sands 1 372, 825 370, 600 423, 400 439, 900 487, 700 442, 800	Thousand dollars 1 373, 394 373, 880 349, 006	Thou- sands 1 359, 537 357, 700 408, 600 424, 800 470, 300 427, 000	Thousand dollars 1 349, 509 319, 415 330, 015 316, 940 348, 105 336, 177	Thou- sands 473, 302 474, 700 549, 700 579, 000 648, 900 678, 300	Thousand dollars 386, 240 412, 734 392, 334 378, 450 417, 080 445, 018	Thou- sands 1, 654, 045 1, 647, 043 1, 888, 318 1, 970, 755 2, 176, 558 1, 968, 276	Thousand dollars 676, 137 725, 188 552, 616 509, 592 593, 648 521, 574			

Division of Crop and Livestock Estimates.

¹ Census.

Table 605.—Poultry: Number of different kinds in specified countries 1

[Thousands-- e , 000 omitted]

Country	Date	Chick- ens	Turk- keys	Ducks	Geose	Guinea fowls, pigeons, and undesig- nated poultry	Total
United States	Apr 15, 1910 Jan. 1, 1920 Jan 1, 1921 Jan 1 1922 Jan 1, 1923	359, 537 357, 700 408, 600 424, 800		2, 907 2, 818	4, 432 2, 939	4, 496 5, 904 12, 900 14, 800 15, 100	295, 865 572, 825 370, 600 423, 400 439, 900
Alaska.	Jan 1, 1924 . Apr 15, 1910 Jan 1, 1920			(3)	(1)	17, 100	491, 600 5 5
Hawati	Apr. 15, 1910 Jan. 1, 1920	66	2	26	(1)	2	96 79
Porto Rico	Apr 15, 1910 Jan 1, 1920 dodo	599 599 13	14 12	8	1 2	46 57	669 678 13
Austria	Dec. 31, 1910 Mar 1923 3	31,743	<u>-</u>	(2) 647 74	1,990 115	1,601	35, 981 5, 907
Bulgaria	Dec. 31, 1900 . 1914	4,045	200	134	375		4, 752 656
Canada	June 1, 1911 June 15, 1923	29, 773 41, 356	863 2, 105	527 1, 046	630 961		31, 793 45, 468
China Denmark	1919 4 July 15, 1914	128, 550 15, 140	49	41, 397 1, 022	162		169, 947 16, 373
Finland.	July 15, 1923 4. Sept 1, 1920	869	51	793	283	10	21, 127 879
French Indo-China	Dec. 1, 1913 Dec. 1, 1922				5, 392	18, 982 71, 880	18, 982 71, 880 65, 205
Greece	1917					3, 794 5, 073	3, 794 5, 073
Italy	1906 1924					\$ 50,000 \$ 65,000	6 50, 000 6 65, 000

¹ Census returns in italics, other returns in Roman For earlier years see the United States Department of Agriculture Yearbook for 1923, p. 1037. No data available for Argentina, Australia, Belgium, Brazil, Chile, France, Hungary, India, Rumania, Tunis, Uruguay, and Venezuela.
¹ Less than 500
² New boundaries.
⁴ Excluding provinces of Kwangtung, Kwangsi, Szechwan, Yunnau, and Kweichow
⁴ Includes South Jutiand, where the number of chickens amounted to 900,000 in 1923; turkeys €,000; ducks 14,000; geese 13,000
⁴ Unofficial estimates based on information gained from poultry investigators, instructors, wholesalers, and superintendents of markets in important Italian cities

TABLE 605 .- Poultry: Number of different kinds in specified countries-Contd. [Thousands-i. e. 000 omitted]

Country	Date	Chick- ens	Turk- keys	Ducks	Geese	Guinea fowls, pigeons, and undesig- nated poultry	Total
Japanese Empire							
Japan	1913	19, 533		337			19,870
-	1921	27, 781		496			28, 227
Chosen (Korea) and Kara-		ł					· .
futo	1913	l				4, 211	4, 211
	1920					6,002	6,002
Kenya Colony (British East	****	1	1				
Africa Protectorate)	1923	428				7 39	7 89
Luxemburg	Dec. 31, 1922 May-June.	9,778				}	428 9,778
Netherlands	1910.	8,110					8,770
	May-June,	9,661					9, 661
New Zealand	1911	3. 215	98	329		1 6	3, 693
	Jan. 31, 1921	3, 492	73	380	46 10		3,991
Norway	Sept 30, 1907 8_	1,391	3	8	10		1,412
· .	June 20, 1918 8.					1,676	1,676
	June 20, 1918					1,736	1,736
Poland	Sept. 30, 1921	19,148			3,609	2, 454	25, 191
Rhodesia 7	Dec. 31, 1923					161	161
Russia. European, including Uk- raine and Northern Cau-							
casia	1920		309	1,801	4, 829		70, 712
Asiatic	1920		86	927			16, 411
Spain	1921	l	:-			25, 103	25, 103
Sweden	June 1, 1917	8, 035	5 4	23 17	17		6, 080 4, 871
Switzerland	June 1, 1919 1918	4,829 2,386			9 21		2,405
DWICZERING	Apr. 21, 1921	3, 247			B		3, 296
Turkey (Asistic)	1909	, ~4.		1		35, 063	35, 063
Turkey (Asiatic) Union of South Africa	1911	9.381	269	612	272	00,000	10,584
	Apr. 30, 1922	9, 182	262	416	204		10,064
United Kingdom	•		1				•
England and Wales	June 4, 1908	28, 249	628	2, 669			32, 232
	June 4, 1913	29, 026	652	2, 188			32, 443
Scotland	June 4, 1921		445	2,391 209			28, 169 4, 341
Bcottanu	June 4, 1913 June 4, 1921		57 70	240			4, 549
	June 4, 1921		67	243	23		4,608
Ireland 10	June 4, 1914	7, 210					26, 919
	June 4, 1918					24, 424	24, 424
Yugoslavia	Jan. 31, 1921			,			15, 175
	, ,	1	1			1	1

Owned by Europeans only.
 Rural communities only.
 The sgricultural schedule for 1921 included an inquiry as to the number of poultry on farms on June 4.
 Similar inquires were made in 1908 and 1913.
 It was found impracticable to make an estimate of the number of poultry in 1919 and 1920, but the returns indicated an increase.

Table 606.—Poultry, dressed: Receipts at four markets, 1920-1924

[Thousand pounds-i. e., 600 omitted]

Market and year	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total
Boston.													
1920			1, 597	1,037	1, 464	2, 221	1,858	1,696	2,096	2, 628	5, 911	7,895	34, 086
1921	3, 377		1,465	1,707	1, 795	2,086	1,499	2, 437	2,482	3, 581	7,472	9, 791	39, 921
1922	4, 175			1, 700	2, 551	2, 883	2,091	2, 198				10, 444	
1923	7, 690				2, 439	2,778	2, 427	2,661	2,074	4, 418	10, 752	11, 526	56, 013
1924	6, 210	4, 607	3, 072	2, 235	2, 602	2, 952	3, 492	2,850	3, 270	4, 402	11, 842	13, 724	61, 264
New York.			0.00	1 007	F 400	- ~~	4 100	4 400	0.070			00 710	
1920	11, 217			1, 367	0, 180	0, 292	6, 129	4,428	0, 273	8, 003	17, 001	23, 718	101, 093
1921		7,006	5, 190	5, 021	4, 883	6, 150	0, 314	8, 992	10, 277	11, 887	21, 182	27, 208	124, 551
1922		6, 909		6, 399	7,890	8, 822	0, 785	7,768	9, 110	12, 594	22, 232	32, 538	138, 212 163, 948
1923		12, 335		6, 916	6, 804	8, 589	V, 414	9,497	9, 653	16, 509	20, 822	27, 289	163, 948
1924	15, 603	11, 927	, 9, 893	7, 368	10, 172	10, 157	10, 602	10, 504	12, 981	19, 810	28,875	35, 464	179, 362
Philadelphia:				010		1						l	
1920	1,553	1,881	1,906	918	1,466	1, 286	1,019	1,215	1,044	1,588	2, 348		21,606
1921			1,411			1,565	1, 226	1,419	1,587	2, 020		5, 905	
1922					1, 182								
1923	2, 206					1,509	1,343		1,348				
1924	2,614	1,818	1, 704	1, 194	1, 234	1,458	1, 536	1,660	1,421	1,873	4,053	7,075	27,640
Chicago:	1 .						l				l		
1920	6, 646		980	816	1, 512	2, 369	2, 379	2,659	3, 370	4,001	10, 752	19, 153	57, 324
1921	6, 343			2, 104	2, 421	2, 524	2,097					17,082	
1922	5, 345			2,744	2,744	3, 597		4, 250	4, 290	4, 178	13, 167	23, 320	
	11, 497				2,912		3,679		4, 724	5, 411		27, 743	
1924	12, 723	8,043	5, 675	4, 385	3, 311	3, 295	4,042	2, 523	2, 196	4, 791	15, 675	21, 805	88, 464
Total four mar-						ł	ł	1	l	1	1	1	1
kets.	1	1 1			l	l	({	í	1	1	1	İ
	23, 350	13, 874	8,411	4, 138	9, 922	11, 168	11, 385	9,998	12, 783	16, 270	36, 662	56, 148	214, 109
1921	22,659	13, 634	10,860	9,837	10, 402	12, 325	10, 136	15, 463	18, 150	21,645	47, 259	59, 986	252, 356
1922	22, 250	14, 506	13, 320	11, 512	14, 373	16,606	13, 703	15, 433	17, 121	21, 434	45, 540	71,957	277, 755
1923	43, 123	22,858	16, 752	12, 436	13, 210	16, 205	16, 863	17, 794	18, 399	28, 087	56, 018	73, 100	334, 845
1924	37, 150	26, 395	20, 344	15, 182	17, 319	17, 862	19, 572	17, 543	19, 868	26, 982	60, 445	78, 068	356, 730
	1				1	1	1]	1	'	1		

Division of Statistical and Historical Research Compiled from reports of the Division of Dairy and Poultry Products.

Gross weight.

Table 607.—Poultry, dressed: Receipts, gross, at five markets, by States of origin, 1924

[Thousand pounds-i. e, 000 omitted]

BOSTON

State	Jan	Feb.	Mar.	Арı	Мау	Juno	July	Λug.	Sept	Oct.	Nov.	Dec.	Total
Chicago	111 3, 294 605 628 126	118 2, 343 487 489 128	84 1, 603 338 176 80	887 246 218 103	16 1, 183 382 164 255	38 1, 077 510 221 349	46 970 565 357 366	5 617 660 447 238	3 898 688 447 121	40 1, 289 990 679 162	928	106 2, 390 983 2, 007 557	587 19, 568 7, 382 6, 834 2, 864
Kentucky Maine Maryland Massachusetts Michigan	32 59 1 11 81	3 26 76 4 49	2 14 5 17	2 11 9 9 9	3 9 	39 17	19	21 38 29 39	63 67 75	133 1 47 118	415 178 2 40 198	375 117 2 80 302	854 706 91 344 911
Minnesota	193 70 80 3	76 82 7 84 3	19 132 7 63 1	54 201 93 1	179 72	75 284 98 2	213 250 242 2	217 127 155 6	298 210 140 7	255 273 65 8	760 231 29 97 9	1, 719 501 94 197 8	3, 879 2, 540 137 1, 336 50
New York	132 22 44 134 5	116 20 88 151 8	210 87 29 122	97 3 6 173 1	23 8 100 23	34 16 141 16	76 88 29	13 66 45 26	32 97 58 1	25 165 68	325 74 404 260 2	85 159 217 398 2	1, 111 315 1, 216 1, 738 114
South Dakota Texas Vermont Wisconsin Other States	21 4 5 549	1 2 2 294	3 51 78	112	149	1 21 12	37 	2 74 32	2 45 19	10 40 34	3, 183 58 144 87	3, 002 22 137 223	100 6, 185 105 612 1, 686

Table 607.—Poultry, dressed: Receipts, gross, at five markets, by States of origin, 1924—Continued

[Thousand pounds—i. e., 000 omitted]

NEW YORK

State	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total
Indiana		13 6 4, 403 834 1, 380	144 2 4, 352 1, 061 597	39 4 3, 048 936 223	82 4 4, 135 1, 083 691	6 8 3, 781 709 873	881	∂92	1, 354	3 4 4, 922 1, 142 2, 378	103 10 6, 833 2, 031 3, 057	65 17 9, 846 3, 057 3, 585	528 84 57, 246 44, 886 18, 775
Kansas Kentucky Maryland Massachusetts Michigan	76	430 139 126 21 134	460 449 13 11 22	284 616 10 54 11	437 676 20 331 62	622 392 42 38 44	583 309 52 235 264	794 239 54 77 143	651 391 56 79 80	959 442 80 22 119	1, 029 721 178 68 297	1, 156 489 252 482 148	8, 429 5, 082 959 1, 409 1, 399
Minnesota	418	689 885 539 292 531	425 587 236 88 491	178 420 145 43 821	138 853 79 60 309	441 1, 384 283 54 183	664 1, 446 286 52 62	438 1, 724 279 47 93		1, 124 2, 184 531 74 41	1, 952 2, 547 655 166 91	1, 824 3, 614 649 256 159	9, 142 18, 629 4, 610 1, 661 3, 120
North DakotaOhioOklahomaPennsylvaniaSouth Dakota	40 384 129 85 188	34 383 199 34 32	887 158 68 48	3 139 2 76	810 196 43	251 95 60 46	130 90 83 47	169 162 102 71	170 77 195 65	286 2 157 131	125 828 704 119 219	307 901 739 126 452	518 4, 338 2, 553 1, 148 1, 299
Tennessee	127 1, 259 112	187 297 58	70 162 	202 47	349 132 	241 125 214	290 69 	385 78 	356 53 2 344	671 20 354	621 4, 857 44 431	571 5,009 69 468	4, 070 12, 106 118 2, 589
Washington	290	109 82	28 6 10	2 41 11 2	18 108 23	27 222 15	208 59	261 30	236 15	48 205 17	21 702 465	452 659 162	173 2, 865 1, 456

PHILAD SLPHIA

Delaware	3 1, 199	2 734	901	3 499	8 451	2 521	2 569	3 528	2 478	7 726	23 1, 163	20 1, 687	77 9, 456
Illinois Indiana	84	78	51	81	56	74	91	146	99	42	140	289	1, 231
	159	61	36	27	70	39	120	115	206	316	334	401	7, 883
Iowa Kansas	120	114	48	33	36	33	51	110	23	52	109	313	932
B.BUSBS	120	114	40	00	יייי	90	01		ے.	02	100	910	902
Kentucky	1	43	81	63	89	105	42				4	31	459
Maryland	ā	ğ	3	ı s	4	7	30	1	6	12	36	45	162
Minresota	28ĭ	72	55	, š	21	101	76	101	67	100	308	976	2, 252
Missouri	91	47	28	84	74	107	25	74	46	45	131	250	1,002
Nebraska	32	57	-	58	' *	62	84	iô	40	ĭ	31	77	452
Henraska	-	٠.				- 02	0.			•	٠.		102
New Jersoy	28	4	2	1	93				75	23		1	227
New York	82	113	126	3	26	i		213	21	33	104	325	1, 047
North Carolina	3	ī	2	Ĭ Ă	ğ	8	1	2	-ŝ	8	4	i	56
North Dakota	43	28	6	l î		,	•		٧.		42	475	595
Obio	122	127	53	21	7	59	70	137	26	92	265	227	1, 206
OD10	122	121	~		'	00		201	-~	02	200	221	1, 200
Oklahoma	1		24	1		63	143	106	60	43	246	192	880
Pennsylvania	RX	60	52	68	75	70	65	69	76	71	140	105	
Tennessee	68 3	ě	ï	-		, ,,				, , ,	41	8	919 62
Texas	22	24								1	202	549	798
1 0485	24	22								•		020	,
Virginia	161	165	140	165	147	117	90	104	115	141	459	644	2,448
West Virginia	69	58	60	54	69	49	48	51	52	50	176	246	892
Wisconsin	29	2	81	1 02	1	40	29	1 01	ا (22	23	92	268
Other States	7	9	2	21		1 20	,		24	-	72	111	246
OHER DIA108	' '	, ,	-	1 21					-		1 12	111	270

Table 307.—Poultry, dressed: Receipts, gross, at five markets, by States of origin, 1924—Continued

[Thousand pounds—i. e., 000 omitted]

CHICAGO

State	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total
Arkausas Indiana Illinois Iowa Kansas	32 157 2, 220 2, 706 292	25 94 1, 475 1, 725 130	91 66 1, 284 1, 03 J 90	75 58 1, 717 781 35	24 51 1, 275 607 61	8 52 1, 068 699 74	12 47 1, 171 893 91	34 251 738 121	2 10 216 643 239	1 56 359 1, 761 387	8 140 658 3, 690 715	33 84 1, 490 5, 750 1, 017	315 849 13, 184 21, 024 3, 252
Kentucky Michigan Minnesota Mississippi Missouri	36 45 1, 924 4 696	59 13 1, 100 5 306	95 11 663 8 228	104 13 348 9 210	82 11 140 6 321	34 10 105 7 198	50 12 149 5 429	5 2 129 	1 107 459	660 521	32 30 2, 485 1 857	10 85 3, 615 4 1, 307	508 186 11, 425 49 5, 980
Montana Nebraska New York North Dakota	340 232 734	292 138 	187 131 411	26 51 18 68	4 67 61 41	2 82 35 32	104 27 14	35 50 35	93 22 34	27 87 . 64	557 243 15 1, 545	687 487 24 2, 309	2, 094 1, 690 339 5, 984
OhioOklahomaSouth DakotaTennessee	1 162 766 52	93 690 69	79 554 31	29 338 43	1 97 79 18	1 91 178 18	5 72 141 46	1 45 151 88	1 161 81	222 267 74	14 426 1, 383 7	13 847 1, 688 37	38 2, 164 6, 396 564
Texas Wisconsin Wyoming All other	1, 190 1, 112 10 12	371 741 8 12	46 591 10 68	1 446 15	56 307 2	28 570 3	118 654 2	88 298	1 126	118 174 8	1, 127 1, 469 39 234	933 1, 283 42 110	4, 077 7, 771 109 466

SAN FRANCISCO

CaliforniaIdaho Illinois Kansas	639 24 60	834	99 28 71	61 52 118	46 13 84	182	299 26 28 45	116 27	55 51	71 71 25	759 33	1, 017 96 52	4, 178 336 164 458
Nevada Oregon Washington All other	3 12 3 25	15 34 35	21 12 54	17 32 49	 11	30 24	2	22	9 111	40 74	232 245 70	14 29 92	230 414 339 314

Division of Statistical and Historical Research. Compiled from monthly reports of the Division of Dairy and Poultry Products.

Table 608.—Frozen poultry: Cold-storage holdings, 1916-1924

[Thousand pounds—i. e. 000 omitted]

Year beginning September	Sept.1	Oct. 1	Nov.1	Dec. 1	Jan. 1	Feb. 1	Mar. 1	Apr. 1	May 1	June 1	July 1	Aug.1
1916	56, 093 23, 034 32, 918 21, 331	29, 798 30, 492 22, 953	44, 433 33, 139 31, 070	71, 238 54, 749 49, 046	108, 722 87, 512 79, 025	119, 675 92, 253 81, 096	56, 950 109, 627 78, 421 79, 001	44, 115 92, 897 61, 436 62, 315	26, 523 74, 162 40, 525 47, 651	18, 929 55, 616 30, 535 35, 408	17, 652 49, 212 24, 790 27, 268	40, 573 22, 364 21, 188
1921 1922 1923 1924	20, 064 27, 671 34, 131 33, 837	25, 984 33, 142	30, 238	51, 781 63, 274	100, 170 93, 434	121, 632	88, 709 113, 503 93, 497	94, 872	74, 562	57, 274	49, 100	30, 659 41, 250 33, 604

Division of Statistical and Historical Research.

TABLE 609.—Poultry (live): International trade, calendar years 1909-1923 [Thousands—i e., 000 omitted]

•	Average	1909-1913	19	121	18	922	1923, pro	eliminary
Country	Imports	Exports	Imports	Exports	Imports	Exports	lmports	Exports
PRINCIPAL EXPORTING COUNTRIES								
Austria-Hungary	2, 453 8, 435	4, 114 16, 617					942	14
Canada China Finland	15 15 17	(1) 2, 462 30	249 36 (1)	857 3, 871 (1)	418 31	609 3, 743	473 27	579 8, 639
Italy 1 Netherlands	2,010 (1)	9, 606 (1)	786 24	2, 185 129	3, 967 63	2, 575 339	5, 552 83	2, 742 247
PRINCIPAL IMPORTING COUNTRIES								
Belgium 1	1, 797 26	685 2	763 2	383 (1)	1, 299	1, 442	1,024	2, 158
France 1	8, 967	795	11, 345	`118	17, 504	294	21, 252	1, 041
Geese Other poultry Switzerland United Kingdom.	8, 111 29, 829 1, 382 877	32 278 28 50	297 256 1, 144 61	⁸ 1 ⁸ 55 4 8	54 339 879 239	1 76 4 14	25 115 987 1,170	(8) 36 5 18
Total reported in number.	11, 514	6, 690	669	4, 866	807	4, 706	2, 720	4, 497
Total reported in pounds.	52, 420	28, 009	14, 294	2, 745	23, 988	4, 391	28, 930	5, 982

Division of Statistical and Historical Research. Official sources.

TABLE 610.—Poultry (dead): Inter-utional trade, calendar years 1909-1923 [Thousand pounds-i e., 000 omitted]

Outendance	Average,	1909-1913	19	21	19	22	1923, pre	liminary
Country	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Exports
KRINCIPAL EXPORTING COUNTRIES								
Austria-Hungary Belgium China Finland France Italy Netherlands PRINCIPAL IMPORTING	371 232 (1) 373 2, 920 288 * (1)	9, 854 1, 649 1, 211 1, 162 12, 296 6, 019	149 (1) 1 1,997 957 37	89 1, 644 876 5, 334 2, 335 502	159 (1) 3, 659 1, 029 44	290 1, 989 797 6, 627 3, 786 933	138 (¹) 3, 672 792 68	902 2, 837 914 11, 141 4, 075 1, 653
COUNTRIES Austria	76		3, 012 866	288	147		7, 560	491
Denmark Germany Norway	1, 765 18, 875 68	10 5 3 5	418 95 24	25 51 2	866 65 75	89 69 (1)	166	44
Sweden Switzerland United Kingdom	349 8, 319 10, 994	12 13 127	227 4, 196 8, 818	4 2 185	284 4, 245 18, 644	2 4 272	4, 884 84, 825	12 821
Total, 15 countries	44, 625	32, 888	20, 797	11, 337	29, 217	14, 808	52, 105	22, 890

Division of Statistical and Historical Research. Official sources.

¹ 1,000 pounds. ² Expressed only in value. ³ Less than 500.

Not separately stated.
Eight months, May-December.

¹ Not separately stated.

Eight months, May-December.

I Less than 500.

Table 611.—Chickens: Farm price per pound, 15th of month, United States, 1910-1924

Year beginning July—	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Мау	June	Weighted average
1010	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents
1910	12. 2 11. 2	12.0 11.2	11. 8 11. 0	11. 4 10. 6	11. 0 10. 0	10.6 9.7	10.6 10.0	10. 6 10. 4	10. 7 10. 6	10. 9 11. 0	11.0	11.1	11.0
1912	11. 2	11.3	11.4	11.4	11.0	10.8	10. 8	11.0	11.4	11.7	11.9	12.0	ii.
1913	13. 0	12.8	12.7	18. 0	11. 4	11. 3	11. 5	12.0	12.4	13. 0	12 7	13. 1	12.0
Av. 1910-1918	11 9	11 8	11.7	11.6	10.8	10.6	10.7	11. 0	11. 3	11.6	11. 7	11.8	11.
1914	13 4	13. 1	12.8	12.0	11.1	10.7	10. 9	11. 3	11.7	11. 9	12.0	12. 2	11.
1915	12. 2	12. 2	12.0	11.8	11 5	11. 2	11. 5	12 1	12 5	13. 1	13. 6	14.0	12.0
1916	14. 1	14 1	14. 2	14. 4	13 9	13 6	14. 1	15 1	15. 7	17. 3	17 5	17. 7	14.6
1917	17. 4	16. 7	18.4	18. 5	17. 0	17. 5	18.4	20 3	20. 2	20. 7	20 6	21. 3	18.4
1918	23. 2	23. 4	23. 6	22. 2	21. 7	22. 4	22. 1	21.8	23. 4	25. 7	26. 7	26. 4	23.0
1919	26.8	26. 1	25.0	23. 8	22. 0	22: 0	23. 3	25. 7	26. 9	28. 4	28.0	27 4	24.
1920	28. 4	26. 6	26. 9	24. 6	2 2. 9	20. 6	21.7	22. 3	22. 8	22 2	21.8	21. 5	22.8
Av. 1914-1920	19 4	18 9	19 0	18. 1	17. 2	16 9	17.4	18 4	19 0	19 9	20.0	20. 1	18.
1921	21. 7	21. 4	20. 2	19. 1	18. 6	18. 2	18. 9	19 0	19 4	20 0	20 2	20 6	19.
1922	20. 7	18 9	18 6	18. 1	17 2	17. 2	17 3	18.6	18.8	19 4	20. 1	20. 3	18.5
1923	20 6	19 8	19. 7	19 0	17 7	16.6	17. 5	18. 2	18 9	19.4	20, 3	20 5	18.
1924	20. 2	20.0	19.8	19.4	18.5	17.9							

Division of Crop and Livestock Estimates.

Table 612.—Turkeys: Farm price per pound, 15th of month, United States, 1912-1925

Year begin- ning Octo- ber—	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Year begin- ning Octo- ber—	Oct. 15	Nov. 15	Dec 15	Jan. 18
1912	Cents 13 6 14 6 14.1 13 7 17 0 20.0 23 9	Cents 14. 4 15. 2 14 1 14 8 18 6 21 0 25. 7	Cents 14. 8 15. 5 14. 5 15. 5 19. 6 23. 0 27. 0	Cents 14. 9 15. 5 14 5 15 6 19 5 22. 9 27. 3	1919	Cents 26. 6 30 0 25. 7 25. 1 26. 6 23. 3	Cents 28. 3 31. 8 28 2 29 5 27. 9 24. 2	Cents 31. 1 33. 1 32. 5 32. 3 24 5 25. 8	Cents 32. 0 33. 0 30. 7 29. 7 23. 1 26. 2

Division of Crop and Livestock Estimates.

EGGS

Table 613.—Eggs: receipts, at five markets, 1917-1924

[Thousand cases-i. e., 000 omitted].

Market and year	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total
Boston:									٠				
1917	56	75	171	252	318	193	113	87	84	80	43	- 30	1, 502
1918	31	59	192	309	305	171	133	119	91	96	46	52	1,604
1919	67	116	184	327	235	189	148	128	80	97	48	40	1,659
1920	72	118	149	253	384	204	119	110	95	66	49	34	1,648
1921	84	138	206	359	294	183	137	130	100	88	52	52	1,823
1922	101	133	214	403	312	224	148	105	85	106	74	70	1,970
1923	99	106	244	285	381	219	128	131	101	108	73	69	1,944
1924	91	97	185	282	367	212	163	121	85	90	64	72	1,829
New York:		•											.,
1917	143	139	405	747	738	565	395	337	833	284	169	102	4.357
1918	106	155	712	908	681	551	483	450	833	288	188	177	5, 027
1919	214	486	667	1,026	911	669	532	438	377	318	192	178	6,008
1920	207	815	618	563	697	725	470	370	334	272	209	211	4, 991
1921	814	476		1, 012	742	681	525	517	440	362	251	260	6, 579
		424		1, 178	994	784	574	427	381	837	226	242	6, 821
1922	835				1, 163	796	596	528	416	877	270	272	
1923	386	447	981	924		789	599	429					7, 156
1924	301	410	717	1,082	970	199	088	220	405	361	221	259	6, 548

TABLE 613.—Eggs: Receipts at five markets, 1917-1924—Continued [Thousand cases—i. e., 000 omitted]

Market and year	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total
Philadelphia:													
1918			112	164	190	164	147	107	102	112	63	56	1, 217
1919		100	174	301	271	195	129	115	107	119	76	63	1,704
1920	76	81	120	164	242	180	107	116	118	81	57	54.	1,396
1921	64	120	202	237	235	158	121	145	124	100	66	70	1,642
1922	109	113	192	316	273	142	126	124	108	76	60	64	1,703
1923	104	111	179	187	278	196	131	128	141	110	74	88	1,727
1924	88	96	152	270	249	158	139	117	108	90	50	78	1,595
Chicago:			l	ļ						·			l '
1917	118	86	376	927	1, 200	897	626	450	361	295	193	150	5, 679
1918	108	29	415	1,027	926	733	564	460	338	240	124	86	5,050
1919	101	253	458	1,024	915	767	401	275	220	125	51	27	4, 617
1920	109	251	458	840	800	620	380	260	217	132	47	40	4, 154
1921	133	356	679	750	684	460	297	258	201	137	86	114	4, 155
1922	210	296	525	887	898	695	389	300	191	140	82	71	4.684
1923	198	308	619	775	943	763	424	332	276	191	84	96	5,009
1924	176	347	519	823	879	637	458	318	228	156	76	62	4,679
San Francisco:													,
1917	50	76	94	91	92	79	52	45	35	37	28	37	716
1918	53	81	80	93	83	71	51	39	34	27	26	29	667
1919	48	59	73	83	93	80	66	62	42	32	27	33	698
1920	44	55	102	114	80	76	67	55	42	43	36	48	757
1921	58	71	123	100	100	79	62	57	44	40	33	35	811
1922	54	59	102	118	106	81	72	63	51	45	42	45	838
1923	65	60	95	97	87	92	70	61	54	58	51	62	855
1924	58	56	81	82	79	75	72	57	50	51	46	53	760
				,	, , ,			1 .	1		1		

Division of Statistical and Historical Research. Compiled from reports of the Division of Dairy and Poultry Products.

Table 614.—Eggs: Receipts, at five markets, by States of origin, 1924 [Thousand cases-i e , 000 omitted]

•					BOST	ON							
State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept	Oct	Nov	Dec.	Total
Chicago Illinois Indiana Iowa Kansas	9 31 7 3 5	7 40 5 3 5	5 93 19 8	38 38 20 2	148 49 44 3	2 79 21 19 2	1 43 15 31 2	1 26 11 19 11	19 7 14 5	24 6 13 6	2 16 4 7 8	3 14 3 5 6	33 659 185 186 57
Kentucky Maine Massachusetts Michigan Minnesota	1 10	9 3 1	1 11 1 1 16	1 13 2 6 30	14 1 1 11 36	10 1 9 30	9 8 24	6 1 4 14	6 3 14	3 2 3 11	1 2 1 3 5	6 2 1 8	99 16 48 191
Missouri Nebraska New Hampshire New York North Dakota	4 2 3 3	6 4 3 1	7 2 4 1 1	13 3 3 1 2	18 2 3 4 3	9 2 3 3 1	8 4 2 3 3	5 4 1 2 2	2 1 2 1 1	2 4 1 5	2 1 1 6	4 2 2 7	80 31 28 37 13
Ohio	3 3 2	2 2 6	4 2 6	10 3 2 4	14 4 3 6	13 8 3 3	6 2 2 1	7 2 3 2	6 2 2	5 1 2 1	1 2	3 1 1 4	75 25 19 37
				N	EW Y	ORK							
California Delaware Illinois Indiana Lowa	22 6 42 16 16	67 7 60 22 11	53 10 158 47 59	14 12 251 98 163	15 12 176 96 168	5 10 158 77 151	11 8 108 53 11	16 5 77 40 83	13 4 64 31 88	30 3 69 25 60	85 2 33 12 21	50 3 27 9 12	331 82 1, 223 526 942

9 16 4 18 20 14 37 9 19 16 50 13 18 41 4 12 14 40 2 8 6 24

Kentucky... Maryland... Michigan Minnesota...

Table 614.—Eggs: Receipts, at five markets, by States of origin, 1924—Continued [Thousand cases—i. e., omitted]

NEW YORK-Continued

							,				,	,	
State	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total
Missouri Nebraska New Jorsey New York	18 2 20 42	27 4 20 39	57 9 24 50	88 15 30 83	54 6 34 96	41 6 25 87	21 3 18 62	24 2 13 43	25 6 10 36	29 2 8 28	14 1 8 19	17 1 12 30	415 57 222 615
Ohio	10 4 21	8 5 17	19 9 27	60 2 41 2	77 5 40 2	52 1 32 4	37 30 1	16 1 23 2	21 4 17	17 3 10 3	6 1 7	4 5 9	327 40 274 14
Tennessee Texas Utah	12 3	23 7 5	40 9 11	28 8	12 5	3	4	1 1 2	3	2	3	7	141 17 46
Virginia Washington Wisconsin Parcel post Other States	9 28 1 3 4	24 1 3 13	13 27 3 5 16	26 14 10 7 9	15 16 18 7 5	8 17 9 5 5	7 19 7 5 2	11 6 4 2	3 17 4 4 3	3 19 7 3 4	26 1 2 2	37 1 2 4	254 68 51 69
				PHI	LADI	(LPH)	[A	·	•				
Delaware	3 20 3 1 5	5 22 2 1 10	6 44 2 3 4	7 45 22 20 2	7 31 20 26 2	5 25 13 16 1	3 24 15 9 3	2 20 9 9 6	16 7 10 4	2 19 6 7 3	1 15 2 2 2	2 23 2 2 2 3	46 - 304 103 106 45
Maryland Michigan Minnesota Missouri Nebraska	5 1 4 8 2	6 2 7 4	10 2 8 18 2	12 29 10 23 2	7 37 8 11 1	6 24 6 10 2	3 18 6 11 1	2 11 10 11 1	2 11 14 10	2 10 10 9	1 2 4 7	2 3 2 9	58 148 84 134 15
New York	4 4 14 1	2 2 15	2 3 18 1 1 2	21 26 2	2 24 23 1 2	12 17	10 14 3	11 9 2	1 9 7 2 1	2 4 5 1	3 2 4 1	9 1 4	26 103 156 12 12
Virginia West Virginia Wisconsin Other States	9 2 1 1	10 2 6	14 2 2 2 9	33 3 5 7	30 3 9 5	14 2 4 1	14 2 3	10 1 1 1	6 1 3 2	5 1 2 1	2 1 1	6 1 4 2	153 21 35 35
				(сніол	AGO	^			(aller (1 - La - arre)	<u> </u>	<u> </u>	
Indiana	1 8 34 19	1 14 56 60 1	1 18 64 83	2 38 181 51 2	3 33 187 52 3	3 32 135 37 6	1 21 97 29 2	1 11 43 46 1	1 7 36 22 1	1 5 27 17	3 18 7 1	1 4 14 10	16 194 892 433 20
Minnesota Missouri Nebraska North Dakota Oklahoma	26 26 16 1	35 36 35 3 28	73 65 67 6 28	119 127 66 7 6	126 132 79 9	84 107 58 3	64 54 57 5	44 33 45 5	35 30 23 5 1	25 25 14 2	8 14 3	5 12 2 	644 661 465 46 72
South Dakota Texas	11 1 25 3	27 16 29 6	63 2 42 6	107 116 1	107 1 146 1	84 85 2	69 58 1	53 1 33 1	40 27	21 17 1	10 4 7	3 7 2	595 25 592 24
The second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second secon				SAN	FRA	NOISC	00						
California Other States	57 1	56	80	78 4	76 3	70 5	69 3	56 1	48 2	49 2	45	58	787 23

Division of Statistical and Historical Research. Compiled from monthly reports of the Division of Dairy and Poultry Products.

Yearbook of the Department of Agriculture, 1924 1000

TABLE 615.—Case eggs: 1 Cold-storage holdings, 1915-1924

[Thousand cases—i. e., 000 omitted]

Year beginning March	Mar. 1	Apr. 1	May 1	June 1	July 1	Aug. 1	Sept. 1	Oct. 1	Nov 1	Dec. 1	Jan. 1	Feb. 1
1915	35 7 20 26	264 190 344 320	2, 327 2, 105 2, 957 3, 278	4, 593 4, 922 5, 499 6, 098	5, 574 6, 617 6, 554 7, 659	6, 060 6, 895 6, 568 7, 850	5, 683 5, 600 6, 436 6, 265 7, 685	5, 019 4, 868 5, 837 5, 369 6, 858	3, 687 3, 985 4, 638 3, 812 5, 087	2, 788 2, 146 2, 948 2, 071 3, 841	1, 508 920 1, 300 740 1, 542	456 149 200 130 342
1920	29 43 18 18 44	122 1,926 950 453 579	2, 135 4, 909 4, 648 3, 737 3, 563	5, 143 6, 844 8, 056 7, 890 6, 875	6, 747 7, 534 9, 811 10, 222 8, 685	6, 872 7, 605 10, 161 10, 509 9, 267	6, 372 7, 210 9, 608 9, 883 8, 778	5, 295 6, 269 7, 924 8, 737 7, 409	3, 838 4, 380 5, 726 6, 645 5, 267	1, 824 2, 403 3, 257 4, 028 3, 102	408 889 1, 811 1, 927	43 179 213 500

Division of Statistical and Historical Research.

Table 616.—Eggs in the shell: International trade, cclendar years, average 1909–1913, annual 1921-1923

[Thousand dozen-i e., 000 omitted]

		rage, -1913	19	21	19	22		23, ninary
Country	Im- ports	Ex- ports	Im- ports	Ex- ports	lm- ports	Ex- ports	Im- ports	Ex- ports
PRINCIPAL EXPORTING COUNTRIES								
Argentina Austria Austria-Hungary	2, 351 91, 561	177, 168	11 5, 4 17	6, 358	317	3, 557	9, 564	3, 336 26
Ohina. Denmark	270 2, 243	25, 542 34, 340	139 86	98, 393 54, 007	234 414	98, 498 61, 258	788 1, 403	91, 754 66, 602
FinlandItalyNetherlandsUnited States	2, 899 4, 104 19, 542 1, 701	33, 482 29, 360 12, 108	(1) 316 1, 047 3, 063	871 392 9, 738 33, 291	2, 534 1, 392 1, 019	324 13, 363 13, 087 34, 620	3, 621 964 412	35 13, 173 19, 874 30, 659
PRINCIPAL IMPORTING COUNTRIES								
Belgium Canada Cuba	19, 148 6, 341 4, 732	11, 521 148	4, 413 6, 583 16, 353	137 5 , 444	9, 506 8, 141 11, 006	1, 181 3, 619	5, 414 6, 623	5, 356 2, 900
France	37, 215 228, 279	8, 920 675	11, 847 2, 038	1,451 944	26, 711 194	6, 588 1, 069	28, 983 l, 150	30, 763 93
Japan Norway Sweden Switzerland United Kingdom	6, 867 387 4, 207 19, 747 190, 015	3, 781 48	58, 277 4, 089 2, 637 14, 685 105, 305	2 977 (¹) 28	4, 522 2, 519 14, 633 135, 670	3 814 (¹) 38	1,828 3,992 17,623 200,487	1, 127 2
Total 19 countries	641, 609	337, 095	231, 306	212, 033	218, 812	238, 019	281, 952	265, 700

Division of Statistical and Historical Research. Official sources.

^{1 30-}dozen cases.

Less than 500 dozen.
 One year only.
 Eight months, May-December.

TABLE 617.—Eggs not in the shell: International trade, calendar years 1909-1928 [Thousand pounds-i. e , 000 omitted]

Country	A vei 1909	rage, -1913	19	21	19	22	19: prelin	23, ninary
33.2,	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Exports
PRINCIPAL EXPORTING COUNTRIES								
Austria-Hungary China	1, 100	188 17, 217		64, 545		94, 455		100, 38
PRINCIPAL IMPORTING COUNTRIES								
Donmark France Germany Italy	526 1,967 11,214 381	1 6 426 3, 225 4	291 2, 037 7, 582 202	9 26 3 556 27	557 3, 860 9, 717 1, 056	15 1,362 6	5, 764 6, 417 949	5: 1, 35
Netherlands Sweden United Kingdom United States	3 255	(4) (5)	3, 014 195 42, 609 22, 537	486 5 453 (6)	3, 247 318 41, 875 24, 809	796 12 452 718	2, 833 54, 060 23, 300	3, 58
Total, 10 countries	15, 443	21,066	78, 467	66, 107	85, 439	97,818	93, 323	105, 70

Division of Statistical and Historical Research Official sources.

- i Three-year average i Eight months, May—December i Two-year average

- Less than 500 pounds.
 Not separately stated
 Expressed only in value.

Table 618.—Eggs: Farm price per dozen, 15th of month, United States, 1910-1924

Year beginning April	Apr	May	June	July	Aug	Sept.	Oct	Nov	Dec	Jan.	Feb.	Mar.	Weight- ed av.
1910	Cents 18. 6 14. 8 17. 4 15 9	Cents 18 4 14. 6 16. 9 16 5	Cents 18. 2 14. 4 16 7 16 8	Cents 17 9 14. 8 17. 0 16. 4	Cents 18 5 16 4 18. 2 17 7	Cents 20 9 18. 7 20 6 21 3	Cents 23 8 21 8 24 0 26 0	Cents 27 2 26 1 27 8 31 3	Cenus 29 7 29 1 28 2 32 9	Cents 26 2 29 3 24. 8 29. 8	Cents 19. 3 26 8 21 1 25 3	Cents 15 7 21. 2 17. 9 22 2	Cents 19. 3 18. 2 18. 9 19. 8
Av. 1910-1913	16. 7	16. 6	16 5	16 5	17. 7	20. 4	23 9	28 1	30 0	27 5	23 1	19. 2	19. 0
1914	16 4 16.6 17 7 28 5 30.4 36.0 36 6	16 9 16 5 18 5 30 2 30 6 38 9 37 5	17 2 16. 1 18. 9 29. 9 29 5 36 1 35. 9	17. 5 16 3 19. 9 29. 0 33. 0 37. 9 37 8	19 1 17. 3 21 6 30 5 35. 2 40. 6 42 5	22. 5 20 6 25 3 35 8 39. 1 43 1 48. 6	23 7 24 6 30 4 38 5 44 9 51. 0 54 6	28 2 29. 4 34 9 41 2 51 7 59. 1 62. 9	31. 9 31. 1 38. 3 45. 9 59 3 69 6 67. 1	81 7 28 8 38 1 48. 9 55. 3 60 9 54 5	23 7 24. 2 35 7 45 8 34 8 48 5 31 0	16 5 18. 2 25 3 30 9 33 9 40. 5 26. 8	19. 8 19. 0 23. 3 33. 0 34. 9 41. 8 39. 3
1921/	20. 5 20 0 21. 6 19. 1	19 4 20 9 21. 8 19. 8	20. 2 20. 2 20. 9 21. 1	24. 3 20. 3 21. 3 22. 8	28. 9 20. 6 23 6 26 1	36 9 27 3 29 8 31 8	39 4 34 6 34 6 38, 2	50 0 43 6 45 6 45 8	51. 1 47 2 45 5 49 9	31. 7 37. 8 35. 4	31 4 29 9 33 6	19. 5 25 4 20 4	25. 3 24. 7 25. 2

Divisionof Crop and Livestock Estimates.

^{°-}твк 1924-64

1002 Yearbook of the Department of Agriculture, 1924

Table 619.—Eggs: Average price per dozen at certain cities, 1910-1924
Western Firsts, At Boston

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct	Nov.	Dec.	Aver- age
1910	\$0. 32 . 27 . 33 . 26	\$0 27 .19 .36 .24	\$0. 23 . 17 . 22 . 20	\$0. 22 . 17 . 21 . 20	\$0 21 . 17 . 20 21	\$0, 20, . 16 . 19 . 20	\$0. 19 . 18 . 20 . 18	\$0. 21 . 18 . 21 . 23	\$0. 24 . 20 . 25 . 28	\$0. 26 . 25 . 28 . 30	\$0 30 . 29 . 31 . 40	\$0. 32 . 33 . 30 . 36	\$0. 21 . 21 . 26
1914	. 33 . 36 . 31 45 . 63 . 63	.30 .27 .27 .43 .57 .45 .60	. 25 . 20 . 23 . 31 . 38 . 42 . 48	. 20 . 21 . 22 . 34 . 36 . 44 . 45	. 21 . 20 . 23 . 36 . 35 . 47 . 45	. 20 . 19 . 23 . 33 . 35 . 43 . 43	. 21 . 19 . 24 . 34 . 41 . 45 . 45	. 23 . 20 . 27 . 37 . 42 . 46 . 50	. 25 . 25 . 31 41 . 46 . 47 . 55	. 26 . 28 . 34 . 41 . 54 . 61 . 62	. 34 . 32 . 40 . 49 . 65 . 67 . 76	. 38 . 34 . 46 . 56 . 68 . 80	. 20 . 21 . 20 . 40 . 45 . 55
Av. 1914-1920	49	41	. 32	. 32	32	. 31	. 33	. 35	. 39	. 44	.52	. 57	40
1921 1922 1923 1924	. 68 . 42 . 43 . 44	. 43 . 40 . 38 . 38	.31 .26 .31 .25	. 27 . 26 . 28 . 24	. 25 . 27 . 27 . 26	. 26 . 25 . 25 . 27	. 32 . 24 . 25 . 28	. 34 . 25 . 28 . 32	. 38 . 38 . 33 . 37	. 49 . 44 . 40 . 44	. 60 . 53 . 55 . 52	. 54 . 55 . 48 . 58	. 41 . 32 . 32 . 36

				1			·	1	-	·	1		
1910	\$ 0 38	\$0 27	\$0. 23	\$0. 22	\$0, 21	\$0 20		\$0. 21	\$0. 24	\$0.26		\$0.34	\$0 25
1911	. 28	. 19	. 17	. 17	. 17	15	. 17	. 18	. 21	. 24	. 32	. 35	. 22
1912	. 34	. 36	. 22	. 20	. 19	. 19	. 20	, 21	. 24	. 26	. 31	. 29	. 25
1913	24	. 22	. 19	. 19	. 20	. 19	. 19	23	. 27	. 29	. 39	. 36	. 25
1011	200		00	, 20	90	. 21	. 21	. 24	. 26	27	. 35	20	~
1914	. 33	. 29	. 26		. 20			. 24				. 38	. 27
1915	. 38	. 26	. 20	. 21	. 20	. 20	. 20	. 22	. 26	'30	. 35	34	26
1916	31	26	. 22	22	22	23	. 25	. 29	. 33	.34	. 41	. 46	. 30
1917	. 46	. 45	. 31	. 34	. 35	. 33	. 34	38	. 41	.11	. 49	. 57	40
1918	. 65	. 58	. 38	. 35	35	36	. 41	. 43	47	53	. 65	67	49
1919	. 62	. 44	. 44	. 43	46	. 44	46	48	51	12	. 69	. 79	53
1920	. 71	. 59	. 48	. 44	44	. 43	. 47	. 51	. 57	. (4	. 77	78	. 57
Av. 1914-1920	. 49	41	. 33	. 31	34	. 31	. 33	36	40	41	53	. 57	. 40
Av. 1914-1920	1	l	, 00	. 01	.,,,,	. 01	. 00	- 00	40	71			. 40
1921	. 67	. 42	, 31	. 27	. 25	27	33	. 35	. 39	. 48	. 58	. 54	. 41
1922	.41	. 38	. 25	. 26	. 27	. 25	, 24	. 26	39	43	. 53	. 53	. 35
1923	.42	37	.31	. 27	27	. 24	. 25	29	. 35	39	. 53	.47	. 35
		39	25	. 24	. 25	. 27	.29	33	.39	. 44	.52	57	. 36
1924	. 42	1 . 39	. 40	. 24	. 20	1 . 21	. 20	00	1 . 38	. 44	. 02	1 01	. 00
	i	1	į	j	·	l	1	1	l	l		1	

WESTERN EXTRA FIRSTS AT PHILADELPHIA

1910 1911 1912 1913	\$0.36 .28 .34 .26	\$0 29 . 21 . 36 . 23	\$0. 23 . 18 . 23 19	\$0. 22 . 18 . 21 . 19	\$0. 22 . 18 . 20 . 21	. 17 . 21 . 21	\$0. 22 . 18 . 22 . 22	\$0. 24 . 20 . 23 . 27	\$0. 26 . 23 . 26 . 30	\$0. 29 . 27 . 30 . 33	\$1, 33 , 34 , 34 , 39	\$0. 37 . 33 . 31 . 37	\$0. 2 . 2 . 2 . 2
1914 1915 1916 1917 1918 1919	. 34 . 39 . 31 . 47 . 62 . 63 . 73	. 28 . 27 . 26 . 45 . 61 . 44 . 62	. 27 . 20 . 23 . 31 . 37 . 41 . 48	. 20 . 21 . 22 . 35 . 37 . 44 . 44	. 21 . 20 . 23 . 36 . 36 . 47 . 45	. 22 . 20 . 24 . 35 . 39 . 46 . 47	. 22 . 20 . 26 . 36 . 43 . 51 . 50	. 26 . 23 . 29 . 39 . 46 . 52 . 54	. 28 . 27 . 33 . 42 . 50 . 54 . 60	.30 .32 .36 .42 .56 .65	. 35 . 31 . 41 . 48 . 67 . 73 . 81	. 40 . 36 . 45 . 56 . 69 . 80	. 22 . 22 . 34 . 41 . 54
Av. 1914–1920	. 50 . 66 . 42 . 43 . 43	. 42 . 43 . 40 . 38 . 40	. 32 . 32 . 26 . 31 . 24	. 32 . 28 . 27 . 28 . 25	. 33 . 25 . 27 . 29 . 27	. 33 . 28 . 27 . 27 . 29	. 35 . 35 . 26 . 29 . 31	. 38 . 39 . 27 . 33 . 37	. 42 . 41 . 39 . 42 . 48	. 47 . 53 . 48 . 43 . 52	. 55 . 64 . 59 . 62 . 61	. 58 57 .55 .52 .53	. 41 - 41 - 37 - 38 - 38

Table 619.—Eggs: Average price per dozen at certain cities, 1910-1924—Continued

FRESH FIRSTS AT CHICAGO

Year	Jan.	Feb.	Mar.	Apr	Мау	June	July	Aug.	Sept.	Oct	Nov.	Dec.	Aver-
1910	\$0. 34 . 26 . 33 . 24	\$0. 26 . 18 . 32 . 21	\$0. 21 . 16 . 21 . 18	\$0. 20 . 15 . 19 . 18	\$0. 19 . 15 . 18 . 18	\$0. 18 . 13 . 17 . 18	\$0. 16 . 14 . 18 . 17	\$0 18 . 16 . 19 . 21	\$0. 22 . 18 . 22 . 24	\$0. 24 . 21 . 24 . 26	\$0. 28 . 28 . 26 . 33	\$0. 30 . 29 . 25 . 33	\$0. 23 . 19 . 23 . 23
1914 1915 1916 1917 1918 1919	. 32 . 34 . 29 . 41 . 58 . 58 . 65	. 27 . 25 . 24 . 42 . 51 . 38 . 52	. 22 . 18 . 19 . 28 . 35 . 39 . 45	. 18 . 19 . 20 . 32 . 33 40 . 41	. 19 . 18 . 21 . 34 . 32 . 43 . 41	. 18 . 17 . 21 . 31 . 32 . 40 . 39	. 19 . 17 . 22 . 32 . 37 . 42 . 42	. 21 . 19 . 24 . 34 . 38 . 42 . 47	. 22 . 23 . 28 . 37 . 43 . 46 . 53	. 23 . 26 . 31 . 37 . 50 . 57	. 28 . 29 . 36 . 43 . 61 . 63 . 68	. 32 . 29 . 39 . 48 . 62 . 73 . 71	. 23 . 23 . 26 . 37 . 44 . 48 . 52
Av. 1914-1920	. 45	. 37	. 29	. 29	. 30	. 28	. 30	. 32	. 36	. 40	. 47	. 51	36
1921 1922 1923 1924	. 60 . 37 . 38 . 41	. 35 . 32 . 33 . 35	. 27 . 23 . 26 . 22	24 . 23 . 25 . 22	. 22 . 24 . 24 . 24	. 24 . 22 . 23 . 25	. 28 . 21 . 23 . 26	. 30 . 22 . 26 . 30	. 33 . 29 . 31 . 36	. 44 . 35 . 35 . 41	. 52 . 48 . 48 . 48	. 51 . 48 . 42 . 52	. 36 . 30 . 31 . 34

FRESH EXTRAS AT SAN FRANCISCO

											, -		
1910	\$0.34 .31 .33 28	\$0. 26 . 25 . 24 . 21	\$0. 21 . 19 . 20 . 18	\$0. 24 . 19 . 21 . 19	\$0 25 . 21 . 21 . 20	. 21 . 22 . 24	\$0. 30 . 26 . 25 . 27	\$0 35 . 31 . 29 32	\$0 41 . 38 . 38 . 39	\$0. 47 46 . 44 50	\$0 54 . 51 . 48 . 57	\$0. 40 . 40 . 34 . 47	\$0, 34 . 31 . 30 . 32
1914 1915 1916 1917 1918 1919	. 40 . 31 . 33 . 38 . 63 . 61 . 64	. 27 . 23 . 26 . 32 . 46 . 41 . 49	. 20 . 21 20 . 26 . 39 42 44	. 22 . 22 . 22 . 31 . 40 48 . 44	. 23 . 23 . 23 . 34 . 40 . 52 . 46	. 24 . 23 . 25 . 31 . 43 . 52 . 47	. 28 . 25 . 27 . 35 . 48 . 54 . 57	. 33 . 31 . 33 . 43 . 55 . 59	. 40 . 36 . 39 . 46 . 62 . 69	. 47 . 46 . 47 . 53 . 75 . 78 . 83	. 48 . 51 . 50 . 57 . 82 . 87 . 87	. 46 . 41 . 40 . 52 . 80 . 78 . 78	.33 .31 .32 40 .56 .60
Av. 1914–1920	47	. 35	. 30	. 33	. 34	. 35	. 39	. 45	. 52	. 61	. 66	. 59	. 45
1921 1922 1923 1924	. 60 . 39 . 38 . 34	. 37 . 30 . 28 . 26	. 33 . 26 . 24 . 23	. 29 . 28 . 27 . 23	. 26 . 27 . 27 . 23	. 29 . 28 . 28 . 29	. 41 . 29 . 27 . 31	. 45 . 33 . 34 . 35	. 52 . 48 . 38 . 41	. 65 . 64 44 . 45	. 68 . 61 . 43 . 47	. 57 . 52 43 . 45	. 45 . 39 . 33 . 34

Division of Statistical and Historical Research Average of daily prices from New York Journal of Commerce, Philadelphia Commercial List, and Price Current and Chicago Dairy Produce, average of weekly prices in reports of the Boston Chamber of Commerce and Pacific Dairy Review.

SILK

Table 620.—Raw silk: Production in specified countries, average 1909-1913, annual 1916-1923

[Thousand pounds-i. e , 000 omitted]

								-	
Country	A verage 1909- 1913	1916	1917	1918	1919	1920	1921	1922	1923
WESTERN EUROPE									
Italy	8, 524 992 182	7, 963 485 198	6, 217 452 154	5, 942 529 165	4, 079 408 154	7, 330 551 177	7, 154 430 132	8, 234 437 170	10, 803 562 154
Total	9, 698	8, 646	6, 823	6, 636	4, 641	8, 058	7, 716	8, 841	11, 519
Eastern Europe, Levant, and Central Asia 1	6, 611	2, 623	2, 624	2, 624	2, 039	1, 653	1, 213	1, 543	1, 675
China FAR EAST									
Exports from Shanghal Exports from Canton	12, 576 5, 146	10, 340 5, 346	10, 097 5, 170	10, 251 4, 134	8, 598 5, 071	7, 860 4, 167	8, 840 5, 688	10, 648 7, 000	9, 689 5, 97 5
hama British India Exports from	21, 898	29, 431	34, 050	31, 416	32, 188	24, 008	40, 984	41, 546	38, 107
Bengal and Cashmere Indo-China Exports from	428	254	232	242	220	176	187	165	110
Saigon, Haiphong, etc	2 32	7	11	11	11	33	44	55	88
Total	40, 080	45, 378	49, 560	46, 054	46, 088	36, 244	55, 743	*59, 414	53, 96 9
Grand total	56, 389	56, 647	59, 007	55, 314	52, 768	45, 955	64, 672	69, 798	67, 163

Division of Statistical and Historical Research Compiled from Statistique de la Production de la Soie, Silk Merchants Union, Lyon, France.

Table 621.—Silk, Japanese, filatures, Kansai No. 1: Average wholesale price per pound, New York, 1890-1924

Year	Jan	Feb.	Mar.	Apr	Мау	June	July	Aug.	Sept.	Oct	Nov	Dec	A ver-
1909 1910 1911 1912 1913	Dols. 4 098 3 516 3. 795 3 322 3 468	3.468	3, 322 3 659 3, 444	Dols. 4 195 3. 419 3. 480 3. 444 3. 492	3. 516 3. 407 3. 444	3 407 3.395	3 856 3, 419 3, 359 3, 322	3. 662 3 371 3. 310 3 444	3 419 3, 419 3 589	3. 613 3 274 3 686	3, 516 3, 856 3, 274 3, 192	3, 953 (1) 3 414	3 524 3.445
A▼. 1909-1913	3 640	3, 659	3. 613	3. 606	3. 524	3 519	3, 514	3 567	3. 623	3 599	3 565	3. 606	3 612
1914	3. 832 2. 910 4. 462 5 335 5 384 5. 675 16 975 6 368	14 065	5 432 4. 947 5. 481 6. 063 12. 998	9 506	4 462 5, 287 6, 160 7, 663 6, 305	3 201 4 363 5 675 6 160 9 603 6 451	3. 007 4. 527 5. 675 6. 887 9. 749 4. 608	3. 080 4. 874 6 645 6. 790 8. 827 4. 705	3 322 4 704 6. 063 6. 887 9. 506 6. 321	3, 322 4 996 5, 432 6, 742 11, 058 5, 978	3, 783 5, 432 5, 432 6 984 12 368	5 384 5.093 6.548 13.629 4.635	3. 318 4 867 5. 509 6 273 8. 880 8. 277
1921 1922 1923 1924	5. 782 6 762 8. 183 7, 350	6. 566 8. 771	6. 027 8 624	6. 517 9. 310	7 203 8, 428	7. 301 7. 693	7.056 7.154	7 105 7, 350	7. 644 9. 800	8, 330 7, 840	7.889 7.840	8. 132 7. 742	7. 219 8. 228

Division of Statistical and Historical Research. Compiled from Bureau of Labor Statistics reports.

¹ Includes Hungary, Czechoslovakia, Yugoslavia, Rumania, Bulgaria, Greece, Salonika, Adrianople, Crete, the Caucasus, Anatolia, Turkestan, Cent. Asia, Syria, Cyprus, and Persia ² For years 1911–1913

¹ No quotations.

FORESTRY AND FOREST PRODUCTS

TABLE 622.—Forest areas, United States

			Present forest areas											
Region ¹	Original area				Saw t	imber	Gd	Not re-	01	vi				
			Tota	al º	Virgin	Second growth	Cord- wood	stock- ing	Coni- fers	Hard- woods				
New England ³ Middle Atlantic ⁴ Lake ³ Central ⁴ South Atlantic and East Gulf? Lower Mississippi Val- ley ³ Rocky Mountain ³ Pacific ¹⁰	1,000 ucres 38,908 69,610 103,680 170,500 170,240 128,400 63,720 77,120	Per cent 4 7 8 5 12.6 20.7 20 7 15 6 7 8 9 4	1,000 acres 25, 708 28, 678 57, 100 60, 182 99, 000 78, 865 60, 842 59, 100	Per cent 5.5 6.1 12.2 12.8 21.1 16.8 12.9 12.6	1,000 acres 2,000 1,896 10,100 7,600 18,300 20,835 37,746 39,683	1,000 acres 9, 261 9, 559 13, 930 24, 301 27, 900 20, 200 3, 313 5, 292	1,000 acres 8, 872 10, 793 12, 570 26, 011 32, 080 24, 075 14, 533 7, 425	1,000 acres 5,575 6,430 20,500 2,270 20,720 13,755 5,250 6,700	1,000 acres 16, 208 11, 550 28, 150 3, 220 71, 700 42, 664 60, 842 59, 100	1,000 acres 9,500 17,128 28,950 56,962 27,300 36,201				
United States	822, 238	100 0	469, 475	100. 0	138, 160	113, 756	136, 359	81, 200	293, 434	176, 041				

Forest Service Compiled from report on Senate Resolution 311 and "Forest Resources of the World."

Table 623 .- National forests Areas, by Forest Service districts, June 30, 1924

-	District			National forest area						
No	Name	Headquarters	Num- ber of for- ests	Gross	Alienated land ¹	Net				
1 2 3 4 5 6 7 8	Northern		24 26 14 28 17 22 15 2	Acres 26, 522, 589 22, 542, 676 21, 066, 968 30, 649, 129 24, 443, 727 27, 074, 345 9, 809, 609 20, 708, 116	Acres 4, 110, 810 2, 438, 025 2, 112, 590 1, 199, 925 5, 136, 203 3, 922, 430 6, 341, 619 52, 764 25, 314, 866	Acres .22, 411, 779 20, 104, 651 18, 954, 378 29, 449, 204 19, 307, 524 23, 151, 915 3, 467, 990 20, 655, 352				

For the areas of national forest land within each State, see Table 623, national forests, State forests and parks, and municipal forests, areas 1923.

Areas of national forests are shown individually and by States in the Forest Service area table compiled at the end of each fiscal year.

¹ Alaskan areas are not tabulated because so little is known of the interior forests that the best estimates are only approximations. The figures now commonly used indicate 65,000,000 acres of coniferous forest and 5,000,000 acres of hardwoods. The bulk of the merchantable timber is confined to a belt along the coast of the southeastern part of the Territory, containing approximately 5,000,000 acres of forest.

3 The areas given in this table refer only to land capable of producing saw timber or pulp timber in commercial quantities, and do not include the open woodland and chaparral of the Southwest.

4 Niew England Maine, New Hampshire, Vermont, Massachusetts, Connecticut, Rhode Island.

4 Middle Atlantic. New York, Pennsylvania, New Jersey, Delaware, Maryland, District of Columbia.

5 Lake Michigan, Wisconsin, Minnesota.

6 Central Ohio, Indiana, Ilinois, Iowa, West Virginia, Kentucky, Missouri, Tennessee.

7 South Atlantic and East Gulf Virginia, N. Carolina, S Carolina, Georgia, Alabama, Florida.

8 Lower Mississippi Velley Mississippi, Louisiana, Arkansas, Texas, Oklahoma.

8 Rocky Mountain. Montana, Idaho, Wyoming, Nevada, Utah, Colorado, Arizona, New Mexico.

10 Pacific. Oregon, Washington, California

¹ Land within forest boundaries but not part of forest.

Table 624.—National farests, State forests and parks, and municipal forests, areas 1923 1

				State fores	t lands.		Munici-
State	Aggregate	National forests (net area) ²	Total 1	State forests	State parks	Other State forest land	pal and county forest land
AlabamaArizona	Acres 291, 430 11, 235, 434	Acres 97, 198 11, 204, 304	Acres 175, 000 31, 130	Acres	Acres	Acres 175, 000 31, 130	Acres 19, 232
Arkansas	11, 235, 434 957, 247 19, 211, 472 13, 426, 668	957, 247 19, 147, 587 13, 277, 038	56, 245 120, 000		11, 400	44, 845 120, 000	7, 640 29, 630
Connecticut District of Columbia	28, 472 1, 632		14, 150	6, 529	5, 121	2, 500	14, 322 1, 632
FloridaGeorgiaIdaho	339, 858 153, 457 19, 984, 185	337, 938 153, 457 19, 056, 871	1, 920 927, 154	685, 000	1, 920 14, 814	227, 340	160
IllinoisIndiana	25, 040 4, 351		40 4, 351	2, 851	40 1, 500		25, 000
Iowa Kansas Maine	4, 500 455 418, 059	32, 258	4, 500 255 385, 000		4, 500 255	385, 000	200 803
Maryland	13, 235	02, 200	5, 835 83, 353	3, 835 50, 353	13,000	2, 000 20, 000	7, 400 46, 160
Massachusetts Michigan Minnesota Missouri	129, 513 773, 117 1, 784, 069 50, 000	124, 082 1, 047, 941	648, 000 736, 068 50, 000	338, 000 381, 000	10, 000 5, 068	300, 000 350, 000 50, 000	1, 035 60
Montana Nebraska	16, 447, 715 205, 986	15, 881, 711 205, 944	566, 000	460, 000		106, 000	42
New Hampshire New Jorsey	4, 976, 513 431, 951 53, 164	4, 976, 513 404, 945	18, 950 17, 064	18, 000 16, 504	560	950	8, 056 36, 100
New Mexico New York	8, 705, 984 2, 215, 853 390, 279	8, 535, 984 359, 690	170,000 2.046,853 3,725	1, 992, 516 300	33, 962 1, 225	170, 000 20, 375 2, 200	169, 000 26, 864
North Carolina North Dakota Ohio	250 250 54, 948	339, 090	250 43, 471	20, 371	250 200	22, 900	11, 477
Oklahoma Oregon	61, 480 13, 217, 047	61, 480 13, 137, 447	74, 800 1, 174, 401	1, 126, 237	800 1,410	74, 000 46, 754	4, 800 18, 733
Pennsylvania Rhode Island South Carolina	1, 193, 134 104 18, 558	18, 558	1, 112, 401	1, 120, 201			104
South Dakota	1, 145, 587 266, 210 310	1, 057, 747 241, 210	87, 840 25, 000	61, 440		26, 400 25, 000	310
UtahVermont	7, 455, 110 43, 945	7, 453, 400	42, 100	29, 300	800	12,000	1,710 1,845
Virginia Washington West Virginia	443, 301 10, 776, 483 132, 108	431, 513 9, 900, 869 132, 108	2, 088 863, 600	588 58, 000	5, 600	1, 500 800, 000	9, 700 11, 964
Wisconsin	300, 055 8, 417, 773	8, 417, 773	300, 055	300, 000	55		
Alaska Hawaii Porto Rico	20, 571, 549 579, 936 12, 443	20, 571, 549 12, 443	579, 936	579, 936			
Total	166, 949, 920	157, 236, 807	9, 259, 134	6, 180, 760	112, 480	3, 015, 894	453, 979

¹ Few if any of the public forests are entirely covered with saw timber. They contain lakes, rocky mountain tops and other barrens, open grazing land and natural meadows, unproductive burns, brush lands, and scrub timber useful chiefly for fuel, posts, and similar small material. These are usually inseparable parts of the administrative units.

¹ National forest areas are corrected to June 30, 1923. These figures do not of course include the forested land within Indian reservations, national parks, national monuments, military reservations, and the unreserved public domain. The State and municipal forests are as of July 1, 1922.

TABLE 625.—State forestry: Appropriations, 1925 1

State	Adminis- tration pub- lications	Prote	ection	Nurseries and refores-	Purchase and main-	Total s
State	and investi- gations	Fire	Insect and disease	tation work	tenance of State forests	I Oral -
Alabama California Colorado	3 \$15, 000 12, 690 5, 000	³ \$35, 000 42, 124		\$2,500	\$30, 300	² \$50, 000 ⁸ 87, 614 5, 000
Connecticut Idaho		30, 000 45, 000	\$37, 500 2, 500	5, 000	5, 000	87, 500 47, 500
Illinois Indiana Kentucky Louisiana	5,000	35, 000		8, 025 6, 000 4, 000	6, 000	³ 9, 000 ³ 13, 025 6, 000 60, 000
Mane	19,000	4 167, 000 5, 625 51, 000	25, 500 148, 000	1,000 2,150 30,000	2, 400 162, 500	210, 800 29, 175 427, 550
Minnesota Montana	12,000	265, 000 166, 400 16, 000		14, 000	28, 700 18, 000 13, 725	324, 400 196, 400 39, 725
New Hampshire New Jersey New Mexico	13, 981	34, 300 68, 680 1, 960	25, 000 125, 000	8, 500	5, 000 6, 611	81, 300 214, 272 1, 960
New York North Carolina	6, 500	169, 500 23, 000	223, 174	73, 320 500	5 1, 752, 930 300	2, 242, 588 30, 300
OhioOregon	11, 400	9, 000 31, 100		12, 500	118, 000	159, 500 42, 500 3 688, 250
Pennsylvania Rhode Island South Dakota		378, 700 3, 500 5, 820	18, 500	35, 715	167, 900 500	24, 800 8, 620
Tennessee	5, 130 10, 400	12, 060 15, 200 7, 300	2,000	500 4, 000	10, 000 7, 300	17, 690 39, 600 323, 000
Vermont Virginia Washington	5, 175	19, 350 48, 300	4,000	225	106,000	24, 750 163, 500
West Virginia	9, 000	20, 000 20, 800		4, 000		20, 000 33, 800
Total	423, 125	1, 726, 719	607, 174	211, 935	2, 441, 166	5, 410, 119

Forest Service From information furnished by State Forestry Departments,

Exclusive of appropriations for educational institutions

Estimated. Derived from privilege taxes on lumbering, turpentining, and other forest industries.

Decrease from previous appropriation.

Tax on timberlands; available until expended.

\$1,729,330 from an issue of bonds.

\$100,000 from an issue of bonds.

TABLE 626 - Forest areas of the world, by principal divisions and countries

Division and country	Forest area	Division and country	Forest area
Asiatic Russia	## Acres ## Acres 1, 136, 153, 150 280, 139, 520 190, 000, 000 154, 339, 000 90, 484, 6-0 264, 898, 280 2, 096, 014, 590 1, 000, 000, 000 224, 000, 000 150, 000, 000 150, 000, 000 1528, 000, 000 2222, 860, 000 223, 860, 000 224, 690, 000 506, 746, 000 550, 000, 000 74, 100, 000 128, 111, 000 128, 111, 000 128, 111, 000 128, 111, 000 128, 111, 000 128, 111, 000 128, 111, 000 128, 111, 000 128, 111, 000 128, 111, 000 128, 111, 000 128, 111, 000 128, 111, 000 128, 111, 000 128, 111, 000 128, 111, 000 128, 111, 000 128, 111, 000 128, 111, 000 128, 111, 000 128, 111, 000 100, 000 128, 111, 000 100, 000 128, 111, 000 100, 000 128, 111, 000 100, 000 100, 000 128, 111, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 000 100, 00	Belgian Congo Rhodesia. Nigeria French Congo Cameroon Ivory Coast Other Africa Africa Russia Sweden Finland Germany France Other Europe Europe New Gulines Australian Commonwealth New Zealand Other Oceania Australia and Oceania	Acres. 180, 000, 000 170, 304, 000 189, 776, 000 80, 000, 000 35, 000, 000 162, 378, 900 400, 000, 000 400, 000 45, 550, 000 49, 410, 000, 30, 905, 840 25, 508, 420 172, 744, 200 774, 118, 460 160, 020, 000 90, 291, 500 17, 073, 920 16, 073, 800

Forest Service. Compiled from "Forest Resources of the World."

¹ Includes approximately 80,000,000 acres incapable of producing saw timber on a commercial scale. The figures for many other countries also include areas of low-grade forest land.

Table 627.—Forest planting, United States, to December 31, 1923

	1									·	Γ
					State	group					Per
Period and class of owner	New Eng- land 1	Mid- dle Atlan- tic ²	Cen- tral hard- woods	Lake 4	South Atlan- tic s	Gulf Coast	Plains and prai- ries ⁷	Rocky Moun- tains	Pacific Coast	Total	plant- ed by each class of own- er
Farmers and estate owners Large timberland	Acres 18 15, 000 10, 700 32, 490	53, 626 20, 575	1,060	Acres 10, 972 16, 810	28 1,000	300 300	Acres 20, 182 760, 900	100 80	60	Acres 179, 789 86, 104 33, 715 1, 085, 687	6. 0 2. 3
owners and oper- ators, and wood- using industries Rallroads Pulp companies Mining companies Others	12, 600 62 1, 650	9, 950 5, 000 2, 000	500	2, 470 9 125 100	300 58 300 5 458	4, 800 1, 300	50 1, 510 20		50 1, 200 1, 150 10, 000	8, 600 3, 375	1. 0 6 2
	74, 230	127, 026	29, 125	203, 336	8, 299	9, 278	782, 612	112, 467	101, 662	1, 448, 030	100.0
Per cent planted by each State group	5.1	8.8	2. 0	14. 0	. 6	. 6	54. 1	7.8	7. 0	100. 0	-
To December, 1923 Forest Service	7			2, 173	110		1, 162	2, 806	1,615	7, 873	

Forest Service. Includes relatively small areas sown with forest seeds. None sown in 1923.

Table 628 .- National forests: Construction, improvement, and maintenance of roads and trails

	Fiscal 19		Т	otal to Ju	ne 30, 1	924	Expenditures to June 30, 1924					
State	Const	ructed	Const	Constructed		tained	Federal	Cooperative	Total			
	Roads	Trails	Roads	Trails	Roads	Trails	funds	funds	funds			
	Miles	Miles	Miles	Miles	Miles	Miles	A		*** *** **			
Alabama			*		43.0		\$11,004.18		\$11,004.18			
Alaska	44. 7 88. 5	71. 1 244. 0					1, 520, 053. 76 1, 707, 656. 39	\$192, 015 74 691, 396, 53				
Arizons	47.8	51.8			214.7		438, 798, 03	25, 876 19				
California	236. 7	493. 6		1 870 3	1, 021. 1				6, 393, 692 72			
Camorma		300.0	102. 1	2,010.0	1, 001. 1	0, 0.2.0	2, 020, 000. 22	1, 100, 100, 00	0,000,002 12			
Colorado	74.0	549.6	671. 2	1, 180. 8	414.1	8, 144, 7	2, 519, 336. 03	545, 400. 28	3, 064, 736, 31			
Florida	10 2		63. 8		103, 2	36. 5			182, 823, 27			
Georgia		2.0							134, 825, 32			
Idaho	206.6	887. 3	1, 146. 6	2,707 6	429.8	4, 829. 7	4, 985, 025. 75	1, 188, 749, 70				
Kansas			3.4				2, 111. 51		2, 111, 51			
			ا ا			AT A	10 4770 00		10 480 00			
Maine	0.7	1.8		81.3	7. 6 73. 0	87.0	12, 473, 90 8, 382, 89	243. 45	12, 473, 90 8, 626, 84			
Michigan	58. 5	28. 0	40. 4 129. 0	67. 0		259. 0	200, 404, 73					
Minnesota Montana	94.2		484.0									
Nebraska	10.0	017. 4	84.6	1, 201. 1	14.0	U, 024. V	30, 430, 43	221, 010, 14	80, 480, 48			
74401 0979	10.0		04.0		12.0		00, 200. 10		00, 200. 20			
Nevada	88.0	159. 0	372. 3	499, 8	109.9	220, 0	429, 620, 11	100, 263, 27	529, 883, 38			
New Hampshire.	8. 9	25. 5		35. 5	38. 9	287.4	74, 687. 55	5, 985, 42	80, 672 97			
New Mexico	35. 3	208. 4	329. 2	1, 078. 7	678.0		1, 431, 978. 92	199, 051, 81	1, 631, 030. 78			
North Carolina	15.0	66. 7	42.1	509.8	89.4	509.8	258, 949. 06					
'North Dakota	ll		1.0				65. 75		65.75			

New England: Maine, New Hampshire, Vermont, Massachusetts, Rhode Island, Connecticut.
 Middle Atlantic: New York, New Jersey, Penr sylvania
 Central hardwoods. Ohlo, Indiana, Illinois, Kentucky, Tennessee, Arkansas, Missouri.
 Lake Michigan, Wisconsin, Minnesota.
 South Atlantic: Delaware, Maryland, Virginia, West Virginia, North Carolina, South Carolina, Georgia, Florida.
 Gulf Coast: Alabama, Mississippi, Louisiana, Texas.
 Plains and prairie: North Dakota, South Dakot. Iowa, Nebraska, Kansas, Oklahoma
 Rocky Mountain: Idaho, Montana, Wyoming, N. vada, Utah, Colorado, Arizona, New Mexico.
 Pacific Coast. Washington, Oregon, California.

Table 628.—National forests: Construction, improvement, and maintenance of roads and trails—Continued

	Fisca 19	l year 24	То	tal to Ju	ıne 30, 1	924	Expenditures to June 30, 1924					
State	Const	ructed	Const	ructed	Main	tained	Federal	Cooperative	Total			
	Roads	Trails	Roads	Trails	Roads	Trails	funds	funds	funds			
Oklahoma Oregon Pennsylvania Porto Rico South Carolina South Dakota Tonnossee Utah Virginia Washington West Virginia Wyoming Total	Miles 13 1 337. 9 13. 0 37. 2 2 2 0 151. 1 16. 0 111. 1 2 0 165. 0	35. 4 393. 5 82 5 335. 8	952. 2 42. 0 477 4 2. 0 617 9	35. 3 4. 0 20. 6 367. 7 1, 133 5 557 4 919 6 71 0 500 9	14 1 90. 9 15. 5 261. 1 103 5 525. 7 17. 5 605. 6	30. 3 1. 5 367. 7 275 0 557 4 4, 581. 8	2, 101. 36 9, 162. 17 58, 305. 52 352, 700. 61 128, 194. 96 1, 639, 192. 98 187, 693. 02 3, 074, 859. 08 8, 260. 36 1, 808, 270. 60	12, 691 42 118, 150 75 80, 050 00 641, 728 97 24, 499 40 1, 073, 659 32 500 00	7, 798, 932, 89 2, 101, 36 9, 162, 17 70, 996, 94 470, 851, 36 208, 244, 96 2, 280, 921, 95 212, 192, 5 4, 148, 518, 40 8, 760, 36 2, 061, 911, 63			

¹ Includes \$995,151.30, "Other Federal funds."

Table 629.-Forest fires: Number, damage, and area, United States, 1916-1923

generalização per escribir de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de la compressa de		Num	Number of fires, by size				ge caused	by fires	Areal	ourned
Group	Cal- endar year	Un- der 1/4 acre	14 to 10 acres	Over 10 acres	Total	Damage to timber	Other damage	Total	Forest land	Total
United States	1916 1917 1918 1919 1920 1921 1922 1923	4, 965 6, 412 7, 258 8, 689 11, 204	8, 357 9, 414 9, 985 14, 983 20, 752	12, 839 11, 179 10, 910 14, 763 19, 935	26, 161 27, 005 28, 153 38, 435 51, 891	\$8, 839, 719 10, 102, 911 13, 549, 911 11, 821, 291 6, 965, 453 10, 092, 591 13, 365, 451 23, 742, 304	27, 001, 623 2, 662, 253 1, 939, 687 1, 870, 561 3, 313, 034	14, 483, 544 8, 905, 140 11, 933, 152 16, 678, 485	7, 085, 623 5, 725, 290 3, 564, 757 4, 737, 408 8, 194, 189	10, 842, 329 8, 250, 355
Adjusted average of 8-year period.		9, 209	15, 298	16, 996	41, 503	12, 372, 351	5, 513, 516	17, 885, 867	9, 051, 398	12, 855, 703
8 u m m ar y b y groups, 1 Northeastern—Softwood sub-group. Hardwood sub-group Appalachian Southeastern. East Mississippi Wost M ississippi Lake States Prairie Rock y Moun-	1923 1923 1923 1923 1923 1923 1923 1923	379 343 401 7, 408 675 1, 993 414 9	3, 200 2, 056 14, 937 1, 483 4, 690 922	968 3, 240 17, 276 2, 150 6, 106 2, 241	4, 511 5, 697	901, 774 1, 945, 159 14, 412, 257 920, 368	68, 815 250, 506 1, 210, 283 254, 122 259, 265	970, 589 2, 195, 665 15, 622, 540 1, 174, 490 2, 078, 689	184, 103 514, 377 16, 710, 242 503, 846 2, 139, 603 1, 259, 517	212, 387 785, 912 19, 123, 856 616, 889 2, 643, 334 1, 497, 394
Northern sub- group Southern sub- group Pacific	1928 1928 1923	977 334 1, 921	199	85	618			16, 446	22, 823	30, 776

Forest Service. Compiled from Forest Service and State data.

¹ For composition of groups see following table.

TABLE 630.—Forest fires: Causes, United States, 1916-1923

	<i>a</i> ,	Number of fires, by causes											
Group	Cal- endar year	Light- ning	Rail- roads	Camp fires	Smok- ers	Brush burn- ing	Incen- diary	Lum- ber- ing	Mis- cella- neous	Un- known	Total		
United States	1916 1917 1918 1919 1920 1921 1922 1923	3, 434 2, 523 3, 066 2, 721 3, 956 2, 188 3, 933 3, 605	6, 209 4, 467 3, 820 4, 818 5, 515 7, 139	5, 182 3, 441 4, 041 3, 679 7, 638 5, 272		6, 623 5, 668 3, 256 3, 106 3, 188 4, 358 7, 492 14, 077	2, 317 3, 125 3, 078 5, 336 10, 201	2, 594 1, 406 1, 435 1, 724 1, 826 2, 694	2, 185 1, 959 2, 039 1, 781 2, 804 4, 074	8, 526 6, 249 6, 718 5, 929 8, 770 5, 392	41, 003 38, 303 26, 161 27, 005 28, 153 38, 435 51, 891 78, 829		
Adjusted average of 8-year period		3, 197	5, 714	1 6,676		6, 032	7, 038	2, 431	2, 959	7, 456	41, 503		
Summary by groups: Northeastern 2— Softwood subgroup. Hardwood subgroup. Appalaohian 3— Southeastern 4— East Mississipp 14 West Mississipp 16 Lake States 7 Prairie 4 Northern subgroup.	1923 1923 1923 1923 1923 1923 1923	26 1 30 685 277 196 13 13	1, 603 1, 650 2, 819 564 474 680 1	117 1, 143 1, 950 576 1, 107 487	811 230 3, 707 870 829 259 7	426 600 7, 649 904 8, 338 611 5	78 529 14, 917 942 3, 629 37 1	371 3, 242 238 527 90	330 319 3, 029 361 2, 270 282	1, 337 825 1, 623 76 419 1, 118	3, 577 28 1, 264		
Southern subgroup. Pacific 10	1923 1923	326 1, 313			128 983						618 4, 683		

Forest Service. Compiled from Forest Service and State data.

TABLE 631.—Grazing in the national forests. Number of permits issued and stock grazed, 1905-1923

	C	cattle, horses	, and hog	3	Sheep and goats		
Year ended June 30-	Number	Nu	mber graze	d	Number	Number grazed	
	of per- mits	Cattle	Horses	Hogs	of per- mits	Sheep	Coats
1904	14, 093 17, 979 19, 845 22, 163 20, 692 21, 188 22, 032 23, 757 25, 641 28, 052 31, 136 32, 600 32, 528 31, 301 2, 146 31, 027	632, 793 1, 015, 148 1, 200, 168 1, 304, 142 1, 491, 385 1, 409, 873 1, 351, 922 1, 403, 025 1, 455, 922 1, 455, 923 1, 455, 923 1, 455, 923 1, 517, 045 1, 627, 764 1, 628, 764 1, 953, 198 2, 137, 854 2, 137, 854 2, 135, 527 2, 033, 809 1, 882, 491 1, 804, 274	59, 331 (1) (7) (76, 003 90, 019 84, 652 91, 516 95, 343 97, 919 99, 835 96, 983 98, 880 102, 156 6, 444 78, 115 67, 856 64, 104	2, 076 4, 601 3, 145 4, 550 4, 330 8, 277 3, 381 2, 792 2, 968 8, 371 5, 184 4, 066 1, 010 2, 453 2, 149 1, 847	(2) 2, 500 3, 809 4, 282 5, 074 4, 995 5, 105 5, 313 5, 434 5, 188 4, 969 5, 276 6, 513 6, 624 6, 199 65, 214 5, 811 5, 811 5, 814	1, 709, 987 5, 762, 200 6, 657, 683 6, 960, 919 7, 679, 698 7, 558, 650 7, 371, 747 7, 467, 890 7, 580, 186 7, 322, 205 7, 586, 034 8, 454, 240 7, 321, 136 8, 454, 240 7, 321, 136 6, 836, 377 6, 497, 912 6, 377, 759	(?) (1) (2) (2) (3) (9) (30) (9) (7) (88) (83) (84) (74) (84) (84) (84) (84) (85) (84) (84) (85) (84) (85) (84) (85) (85) (86) (86) (86) (86) (86) (86) (86) (86

Forest Service.

Includes smokers 1922 and 1923.

Northeastern: Softwood subgroup—Maine, New Hampshire, Vermont, New York; hardwood subgroup—Massachusetts, Rhode Island, Connecticut, New Jersey.

Appalachian: Pennsylvania, Delaware, Maryland, Virginia, West Virginia.

Southeastern: North Carolina, South Carolina Georgia, Florida, Alabama, Mississippi.

East Mississippi: Ohio, Indiana, Illinois, Keni eky, Tennessee.

West Mississippi: Missouri, Arkansas, Oklahom, Louisiana, Texas.

Lake States: Michigan, Minnesota, Wisconsin.

Prairie: North Dakota, South Dakota, Nebraska, Kansas, Iowa.

Rocky Mountain: Northern subgroup—Montana, Idaho, Wyoming; southern subgroup—Colorado, New Mexico, Arizona, Utah, Nevada.

Pacific: California, Oregon, Washington.

¹ Included with cattle.

Included in number of permits for cattle.

³ Included with sheep.

Table 632.—National forests: Permits for special uses, by districts, in force Dec. 31, 1923

			Ch	arge per	mits b	distric	ets		
Nature of permit	1	2	3	4	5	6	7	8	All dis- triets
Agriculture and cultivation	86	320	377 10	93	185 56	53	273	8	1, 395
Aplary Bark, herbs, seeds, sand, gravel, etc Barn, garage, stable Cabin	3 12 20	5	1 8 5	5	2 24	1 3 23	7 5 1	ī	14 63 49
CampCorral	12	12 2	7 2		12 8	7	7		57 20
Dam and weir Dipping vat Drift fence	3		3		1				8 8 1
Fish and fruit cannery and saltery	<u>5</u>	27		1 3			1	74	75 33
Fish hatchery, etc Fishing, hunting, and trapping Fox and rabbit ranch Golf and tennis grounds		3		3	4	1 4 1		173	184 1
Hay cutting Hotel and roadhouse Icehouse plant and pond. Log chute, flume, skidway, etc	16 11	17 19	1 5 1	7 7	3 142 1 4	11	1	3	45 197 5
Lumber yard	2	1	2	3	3 5	2	i		15
Mining and prospecting			i		1	1	1 19 8		19 9
Park, playground, etc	ŀ	1, 236	1, 995	274	594	303	58	1	4,890
Quarry Railroad (logging) Railroad (common carrier)	4 3	2 5	i 1	3	12 5 2	10	2	12	25 14 21
Refuse and storage grounds	13 374 13	3 663 60	2 290 26	1 266 18	3, 875 132	3 616 25	2 94 12 4	186	25 6, 364 288
Sanitarium Sawmill	î 5	10		1	1 6	6	5		5 2 33
Schoolhouse Settlers (miscellaneous occupancy) Slaughter pen Station grounds		5	3 2	1 1	1 1 3	2	5		15 15 4 5
Stock tankStore, shop, and office	1 8	8	53 13	5	89 1	12		9	54 144 2
Telegraph line Telephone connection Telephone line	18 1	192 37	17 3	23 16	3 1	29 17	1		283 75
Theater	4	13	2	1 3	3	1	1 1	1 	28 1 11
etc)	4 3	22	7	5	10 5	12 3	4	3	67 13
Water power permits: Transmission line only Power house, reservoir, conduit, etc.			12 2		16 2		1		29 4
Total	1, 070	2, 669	2, 855	738	5, 217	1, 150	521	476	14, 696

TABLE 632.—National forests: Permits for special uses, by districts, in force Dec. 31, 1925—Continued

			Fr	ee perm	its by c	listricts			
Nature of permit	1	2	3	4	5	6	7	8	All dis- tricts
Agriculture and cultivation. Bark, horbs, seeds, sand, gravel, etc Barn, garage, stable. Botanical garden	11 3 4	3 2 8	25 8	3 1 2 1	5 3 15	4 2 7	8	17	71 12 44 1
Cabin	93	250	119	109	138	95	7	92	903
Camp. Cemetery	13 7 1	33 7 3	16 11	3 2	67 4	5 4	2 3 4	1 2	139 39 1 15
Corral	25	140	997	245	81	49	6		1, 543
Dam and weir Dipping vat Drift fence Excavation of ruins. Fence (other than drift)	8 1 175 1 4	573 1	8 6 1,016	4 36 163	559	191	3 31		28 48 2, 708 2 9
Ferry Fish hatchery, etc Fishing, hunting, and trapping Golf and tennis grounds	2 1	8	2 1	1 3	2 1 1	11 2	1 13	1	1 30 17 1 1
Icehouse plant and pond Log chute, flume, skidway, etc Lumber yard Mill and factory site	15 2	3	1	4	2	3		1	24 2 19
Monument Observatory			<u>î</u> -		<u>î</u>	1	3		3
Orchard	2 21	41	1 3 408	76 2	5 101 5 3	2 25			1 12 772 5 6
Railroad (electric) Railroad (logging) Railroad (common carrier) Refuse and storage grounds Reservoir	5 1 153	5 15 2 457	9 10 4 83	10 4 195	12 10 2 119	7 23 60	1 2	1	1 34 74 13 1, 070
Residence	6 1 42 49 39	4 33 161 50	49 1 18 44 30	21 5 31 190 13	6 13 44 35 27	3 24 14 15	2 8 13	3 1 10 2	84 38 206 503 189
Settlers (miscellaneous occupancy)	2 16 4	11 2 2 2	7 1 2 656 1	16	3 13 1	1 3 2 2	2	1	19 6 10 707 8
Telegraph line Telephone connection Telephone line Tramway Warehouse	1 248 85 4	2 21 192 4	5 22 89	16 92 2 2	14 115 268 5	4 67 155 5	10 16	4 9	26 493 901 26
Watershed Water supply (wells, spring, windmill, etc.). Water transmission (conduit, ditch, etc.). Wharf, boathouse, etc.	1 13 210	17 43 495	560 367	18 402	26 595	10 270 1	6	23 2	26 663 2, 368
Water-power permits Transmission line only Power house, reservoir, conduit, etc.	1		4 1		2 6		1		
Total	1, 270	2, 697	4, 595	1,668	2, 319	1,079	151	172	13, 951

TABLE 633.—Timber sales from national forests, 1905-1925

	Number o	Number of sales			board ted)	Value of timber cut			Other
Year ended June	Com- mer- cial "Cost sales		Com- mer- cial sales	"Cost"	Total	Com- mercial sales	"Cost" sales 1	Total	ber prod- ucts 3
1905 1906 1907 1908 1909	1, 023	1,023 1,508 5,062	138, 665 194, 872 392, 792		138, 665 194, 872	* 203, 333 337, 952 794, 252		* \$85, 597 * 203, 333 337, 952 794, 252 677, 784	
1910	5, 653 5, 772	5, 653 5, 772 6, 182	374, 678 431, 492 494, 950	718	374, 678 431, 492 495, 668	842, 993 942, 819 1, 074, 082	\$503		
1915. 1916. 1917. 1918.	6, 407 4, 43	3 10, 840 6 11, 607 7 13, 037	575, 552 706, 558 706, 342	19,470 20,858 21,641	595, 022 727, 416 727, 983	1, 241, 105 1, 190, 814 1, 507, 121	14, 593 16, 095 16, 300	1, 255, 698 1, 506, 909 1, 523, 421	\$394 4, 837
1920. 1920 (last 6 months) 1921 (calendar year) 1922 (calendar year) 1923 (calendar year)	7, 690 5, 58 3, 608 3, 06 7, 069 6, 63 7, 200 5, 73 7, 730 4, 96	5 6, 653 1 13, 690 6 12, 926	489, 841	14, 272 21, 731 20, 826	504, 113	2, 218, 165	9, 874 16, 364 17, 332	1, 603, 182 2, 235, 497	7, 562 4, 511 8, 096

Forest service.

Table 634.—Timber granted without charge from national forests, to local residents, under "free use" regulations, 1907-1923

Year ended June 30—	Num- ber of users	Amount cut, M board feet	Esti- mated value	Year ended June 30—	Num- ber of users	Amount cut, M board feet	Esti- mated value
1907	17, 399	86, 818	\$100, 362	1916	42, 070	119, 488	\$184, 720
1908	30, 377	131, 977	169, 320		41, 427	113, 073	149, 802
1909	33, 431	105, 205	169, 081		38, 073	96, 616	127, 688
1910	35, 364	104, 796	176, 167		34, 017	90, 798	113, 117
1911	40, 660	123, 488	196, 930		37, 336	88, 060	113, 000
1912	38, 749	123, 283	196, 335		21, 168	56, 813	60, 391
1913	38, 264	121, 750	191, 825		40, 535	123, 245	117, 054
1913	29, 466	120, 575	183, 223		37, 158	89, 510	98, 843
1914	40, 040	123, 269	206, 597		34, 032	96, 985	97, 934

Forest Service.

^{1 &}quot;Cost" sales are special sales made to farmers and settlers who are entitled by law to purchase for domesticuse mature or dead national forest timber at the cost of making and administering the sale.

2 Value of other timber products, not convertible into board feet, taken from the national forests.

3 Estimated.

TABLE 635 .- Lumber: Production by States, 1899, 1909, 1919-1982

Thousand	faati a	000 077	ittedi
1 I HUUNMHU	1001-1. 0	UUU UU	monit

	1899	1909	1919	1920	1921	1922
State	Quantity	Quantity	Quantity	Quantity	Quantity	Quantity
Alabama Arizona Arkansas California. Colorado.	1, 101, 386	1, 691, 001	1, 798, 74 6	1, 439, 200	1, 386, 426	1, 457, 608
	36, 182	62, 731	73, 655	121, 160	46, 418	88, 800
	1, 623, 987	2, 111, 300	1, 772, 157	1, 452, 200	1, 301, 095	1, 382, 032
	737, 035	1, 143, 507	1, 259, 363	1, 513, 600	1, 350, 438	1 1, 720, 556
	133, 746	141, 710	64, 864	70, 000	41, 076	38, 917
Connecticut Delaware Florida Georgia Idaho	108, 093	188, 371	86, 708	71, 600	64, 841	53, 198
	35, 955	55, 440	27, 437	19, 800	20, 839	14, 139
	790, 373	1, 201, 734	1, 137, 432	1, 000, 900	922, 332	980, 014
	1, 311, 917	1, 342, 249	893, 965	761, 800	792, 579	809, 391
	65, 363	645, 800	765, 388	970, 000	542, 620	857, 581
Illinois	388, 469	170, 181	64, 628	56, 900	42, 531	24, 387
Indiana	1, 036, 999	556, 418	282, 487	258, 300	138, 397	148, 569
Iowa	352, 411	132, 021	18, 493	14, 300	5, 372	6, 131
Kansas	10, 665	4, 716	2, 840	14, 500	(1)	3 3, 657
Kentucky	774, 651	860, 712	512, 078	421, 100	255, 922	210, 360
Louisiana	1, 115, 306	3, 551, 918	3, 163, 871	3, 120, 000	3, 215, 110	3, 386, 000
Maine	784, 647	1, 111, 565	596, 116	505, 600	421, 536	362, 224
Maryland	183, 711	267, 939	113, 362	85, 600	71, 169	54, 358
Massachusetts	344, 190	361, 200	166, 841	139, 200	136, 736	94, 656
Michigan	3, 018, 338	1, 889, 724	875, 891	749, 800	571, 387	656, 952
Minnesota Mississippi Missouri Montana Nebraska	2, 342, 338 1, 206, 265 723, 754 255, 685 4, 655	1, 561, 508 2, 572, 669 660, 159 308, 582	699, 639 2, 390, 135 321, 383 287, 378 505	576, 300 2, 224, 000 274, 200 410, 000 (4)	412, 145 2, 081, 520 158, 418 213, 989 (*)	511, 744 2, 267, 695 201, 849 303, 458 (4)
Newada	725	(8)	20, 335	(*)	(4)	(*)
	572, 447	649, 606	338, 777	248, 600	261, 999	180, 706
	74, 118	61, 620	36, 888	23, 300	23, 860	9, 553
	30, 880	91, 987	86, 808	112, 240	94, 520	126, 449
	878, 448	681, 446	857, 764	410, 900	283, 863	222, 257
North Carolina	1, 286, 638	2, 177, 715	1, 654, 435	1, 246, 700	931, 015	936, 248
Ohio	990, 497	542, 904	280, 076	247, 400	133, 218	136, 877
Oklahoma	22, 104	225, 730	168, 403	163, 400	120, 371	149, 323
Oregon	734, 538	1, 898, 995	2, 577, 403	3, 317, 000	2, 022, 219	3, 023, 768
Pennsylvania	2, 333, 278	1, 462, 771	630, 471	520, 000	368, 102	333, 289
Rhode Island South Carolina South Dakota Tennessee Texar	18, 528	25, 489	11, 030	8, 900	4, 946	3, 030
	466, 429	897, 660	621, 679	610, 500	684, 333	854, 799
	6 33, 734	31, 057	42, 970	45, 100	27, 062	35, 395
	950, 958	1, 223, 849	792, 132	779, 800	451, 937	485, 979
	1, 232, 404	2, 099, 130	1, 379, 774	1, 328, 800	1, 502, 333	1, 542, 708
Utah	17, 548	12, 638	11, 917	7, 750	7, 689	6, 827
	375, 809	351, 571	218, 479	164, 500	139, 183	95, 967
	959, 119	2, 101, 716	1, 098, 038	1, 014, 400	592, 979	617, 493
	1, 429, 032	3, 862, 916	4, 961, 220	5, 525, 000	3, 831, 800	5, 836, 277
West Virginia	778, 051 3, 389, 166 16, 963 7 6, 571	1, 472, 942 2, 025, 038 28, 602 8 11, 230	763, 103 1, 116, 338 8, 674	697, 600 1, 059, 900 7, 550	467, 002 800, 477 5, 750 9 13, 310	554, 277 775, 540 7, 850
United States	10 35, 084, 166	44, 509, 761	10 11 34,552,076	19 33, 798, 800	13 26, 960, 864	¹⁹ 31, 568, 888

I Includes cut of Nevada.
Includes cut of Nebraska.
Included in "All other."
Included with Kansas.
Included with California.
Included with California.
Includes cut of North Dakota.
Reported as cut of Alaska.
Includes cut of Nebraska and Nevada.
Includes cut of Kansas, Nebraska, and Nevada.
Includes 2,655 mills cutting less than 5,000 feet each per year
Mills cutting less than 50,000 feet each year excluded.
Excludes custom mills.

TABLE 635.—Lumber: Production by States, 1899, 1909, 1919-1922—Continued [Thousand feet-i. e., 000 omitted]

84-4-	1899	1909	1919	1920	1921	1922	
State	Quantity	Quantity	Quantity	Quantity	Quantity	Quantity	
State groups: Northeastern Central Southern North Carolina pine Lake North Pacific South Pacific	5, 709, 224	5, 197, 012	2, 583, 873	2, 198, 000	1, 797, 074	1, 423, 377	
	5, 643, 379	5, 487, 165	3, 015, 887	2, 735, 300	1, 784, 009	1, 762, 298	
	8, 403, 802	14, 795, 731	12, 704, 483	11, 490, 300	11, 321, 766	11, 974, 771	
	2, 712, 186	5, 177, 091	3, 374, 152	2, 871, 600	2, 208, 327	2, 408, 540	
	8, 749, 842	5, 476, 270	2, 691, 868	2, 386, 000	1, 647, 425	1, 944, 236	
	2, 163, 570	5, 761, 911	7, 538, 623	8, 842, 000	5, 854, 019	8, 860, 566	
N. Rocky Mountain S. Rocky Mountain Prairie	737, 760	1, 143, 507	1, 279, 698	1, 513, 000	1, 350, 438	1, 720, 556	
	321, 048	954, 382	1, 052, 766	1, 380, 000	756, 609	1, 161, 039	
	235, 319	337, 668	245, 918	318, 700	195, 453	268, 843	
	14 408, 036	14 179, 024	64, 808	63, 900	14 45, 744	45, 183	

Forest Service. Compiled from Forest Service and Bureau of the Census reports. Figures for 1920 include estimates for firms not reporting
Northeastern: Connecticut, Delaware, Maine, Maryland, Massachusetts, New Hampshire, New Jersey, New York, Pennsylvania, Rhode Island, Vermont.
Central. Illinois, Iudiana, Kentucky, Missouri, Ohio, Tonnessee, West Virginia.
Southern: Alabama, Arkansas, Florida, Georgia, Louisiana, Mississippi, Oklahoma, Texas.
North Carolina pine: North Carolina, South Carolina, Virginia.
Lake Michigan, Minnesota, Wisconsin
North Pacific: Oregon, Washington.
South Pacific: Cregon, Washington.
South Pacific: California, Nevada
North Rocky Mountain: Arizona, Colorado, New Mexico, Utah, Wyoming.
Prairie: Iowa, Kansas, Nebraska, South Dakota,

14 Includes "All other."

TABLE 636.—Lumber production: By species, 1899, 1909, 1919-1922 [Thousand feet-i. e., 000 omitted]

	,	Ousand 1000	0., 000 000	,Cuj		
Species or kind of wood	1899	1909	1919	1920	1921	1922
Yellow pine	3, 420, 673	16, 277, 135 4, 856, 378 3, 900, 034 3, 051, 399 1, 499, 985	13, 062, 938 5, 902, 169 1, 723, 642 1, 754, 998 1, 755, 015	11, 091, 000 6, 960, 000 1, 500, 000 1, 850, 000 2, 290, 000	10, 959, 863 4, 642, 122 1, 273, 710 1, 201, 063 1, 432, 273	11, 500, 771 6, 831, 580 1, 382, 755 1, 534, 641 2, 080, 994
Spruce Cypress. Redwood Cedar Lareh	495, 836 360, 167 232, 978 50, 619	1, 748, 547 955, 635 521, 630 346, 008 421, 214	979, 968 656, 212 410, 442 332, 234 388, 121	825, 000 625, 000 476, 500 260, 000 390, 000	629, 256 770, 920 467, 804 234, 576 213, 397	731, 371 868, 952 565, 965 334, 083 274, 589
White fir. Sugar pine. Balsam fir. Lodgepole pine. All other soft woods		89, 318 97, 191 108, 702 23, 733	223, 422 133, 658 68, 030 16, 281	280, 000 146, 000 85, 000 31, 000	186, 363 133, 566 29, 350 11, 241	297, 727 194, 067 32, 908 13, 986
Softwoods	26, 153, 063	33, 896, 959	27, 407, 130	26, 809, 500	22, 185, 504	26, 644, 834
Oak Maple Gum, red and sap Yellow poplar Chestnut	4, 438, 027 633, 466 285, 417 1, 115, 242 206, 688	4, 414, 457 1, 106, 604 706, 945 858, 500 663, 891	2, 708, 280 857, 489 851, 431 328, 538 545, 696	2, 500, 000 875, 000 850, 000 350, 000 475, 000	1, 592, 175 609, 852 683, 398 235, 418 312, 486	1, 605, 154 639, 781 808, 461 273, 971 810, 801
Birch Beech Basswood Elm Cottonwood	308, 069 456, 731	452, 370 511, 244 399, 151 347, 456 265, 600	875, 079 858, 985 183, 562 194, 417 144, 155	405, 000 325, 000 195, 000 225, 000 155, 000	319, 192 190, 387 125, 633 132, 276 122, 305	263, 094 163, 448 134, 168 142, 702 113, 829
Ash Hickory Tupelo Walnut	96, 636	291, 209 333, 929 96, 676 46, 108	154, 931 170, 013 143, 730 39, 218	170, 000 150, 000 180, 000 35, 000	127, 843 73, 528 134, 751 31, 121	130, 735 56, 682 158, 938 88, 735
Sycamore	29, 715	56, 511	28, 114	81,000	17, 982	17, 901
Cherry		24, 594 37, 557	61, 308	68, 300	67, 068	66, 154
Hardwoods	8, 634, 021	10, 612, 802	7, 144, 946	6, 989, 300	4, 775, 360	4, 924, 554
Total	34, 767, 084	44, 509, 761	84, 552, 076	33 , 798, 800	26, 960, 864	81, 568, 888

Forest Service. Compiled from Forest Service and Bureau of the Census reports. Figures for 1920 include estimates for firms not reporting.

Table 637.—Lath and shingles: Production, by States, calendar years, 1899, 1909, 1919, 1922

[Thousands, i. e., 000 omitted]

			1				,	
State	18	199	19		19	19	19	22
Diane	Lath	Shingles	Lath	Shingles	Lath	Shingles	Lath	Shingles
Alabama Arizona Arkansas	28, 721 2, 040 21, 164	267, 273 350 349, 522	7, 816	245, 871 583 208, 080	42, 502 18, 402 72, 827	62, 241 176 98, 937	50, 885 20, 287 75, 172	27, 108 130 6, 571
California Colorado	11, 507 5, 558	(650, 090	82,615	574, 342	53, 042 1, 927	191, 831 500	1 88,018	184, 009 198
Connecticut Delaware District of Columbia.	418 1, 130	3, 214 30			325 552	770	305 460	241 26
FloridaGeorgia	21, 761 31, 496	177, 123 243, 797	55, 741 58, 704	283, 206 443, 260	76, 402 19, 718	128, 286 114, 806	153, 329 57, 784	43, 295 29, 847
Idaho	3, 220 30, 674 10, 138	15, 806 42, 825 34, 198	1,055	2, 245	69, 150 10 155	22, 657 420	99, 420 100 304	35 , 048
Indiana Iowa Kansas	58, 638	66, 140	22, 978	8, 264	15			
Kentucky Louisiana Maine	17, 091 99, 852 217, 376 5, 369	465, 862	377, 708 337, 086	757, 868 598, 131	199, 018 104, 223	2, 562 300, 784 188, 576	188, 706	2, 032 208, 604 144, 941
Maryland Massachusetts	8, 807	22, 824 20, 500	•	ĺ	[3, 282 760		303 563
Michigan Minnesota Mississippi Missouri	259, 917 387, 064 6, 083 24, 835	1, 926, 110 498, 800 32, 027 28, 227	478, 008 90, 926 19, 931	891, 649 74, 818 151, 303 51, 932	1,724	144, 173 4, 451 34, 002 9, 541	197, 927 161, 897 822	110, 945 11, 170 14, 481 4, 978
Montana	14, 231 1	6, 880	35, 430	525	21, 362	253	53, 312	202
New Hampshire New Jersey New Mexico	74, 221 3, 559 2, 165	40, 499 33, 835 4, 800	(2) (2) 2a. 873 19, 43 10, 5, 1	35, 727	6,016	3, 386 9, 440	5, 550 2, 869 23, 220	2, 448
New York North Carolina North Dakota	66, 468 48, 782	160, 294 212, 467	70, 878 70, 724	91, 886 280, 942	3, 537 19, 079	4, 935 92, 139	6, 909 21, 642	
Ohio Oklahoma	18, 519 3 75	13, 605 3 103	17, 506 1, 233	3, 227 4, 635	1, 612 9, 905	100 80	495 20, 183	125
Oregon Pennsylvania Rhode Island	41, 779 266, 949 16	31, 189 369, 858 2, 267	161, 512 143, 059	293, 644 79, 336 1, 000	122, 848 14, 287	530, 066 8, 027 685	275, 590 6, 871	488, 116 1, 939
South Carolina South Dakota	26, 311 1, 856	88, 878 800	28, 303 5, 730	122, 709 93	6, 656 1, 534	11, 932 100	35, 610 7, 921	8, 881 189
Tennessee	33, 199 4, 181 793	59, 735 210, 633 2, 460	31, 179 59, 627 264	35, 692 137, 719 725	8, 997 35, 916 147	6, 574 13, 581 531	12, 722 60, 287 404	8, 400 5, 5 6 2 675
VermontVirginia	9, 314 36, 502	2, 460 52, 899 27, 784	7, 249 127, 555	24, 001 39, 172	1, 089 27, 073	8, 343 1, 637	943 35, 995	3, 638 2, 096
Washington	145, 134 58, 440 418, 011 629	4, 337, 992 34, 350 994, 427 2, 185	451, 384 150, 820 299, 845 1, 224 4 500	6, 829 392, 863	339, 058 22, 005 138, 936 10	7, 095, 122 120 96, 928	618, 102 49, 651 158, 275 60	6, 664, 876 74, 852 313
United States	2, 523, 998	12,102,017			1, 724, 078	9, 192, 704	2, 940, 714	8, 181, 242

Forest Service. Compiled from Forest Service and Bureau of the Census reports.

¹ Includes cut of Nevada.

¹ Included in "All other States."

Includes Indian Territory.
 Includes Nebraska and Nevada.

TABLE 638.—Lumber: Quantity used in manufactures, by kinds of wood

Kind of wood	Quantity	Kind of wood	Quantity
Yellow pine	Feet b. m. 8, 610, 685, 624	Buckeye	Feet b. m. 5, 486, 047
White pine	3, 112, 698, 017	Persimmon	3, 571, 760
Douglas fir	2, 273, 788, 484	Cucumber	2, 660, 700
Oak	1, 983, 584, 491	Butternut	2, 310, 793
Maple	919, 420, 274	Red alder	2, 248, 700
Spruce		Lodgepole pine	1, 979, 500
Red gum	797, 343, 658	Red fir	1, 854, 830
Hemlock Yellow poplar	708, 752, 769 680, 936, 848	Circassian walnutPadouk	1, 744, 779 1, 386, 530
Cypress		Hackberry	1, 128, 000
O J [// 000	000,000,012		1, 120, 000
Western yellow pine	563, 816, 810	Lignum-vitæ	952, 126
Birch	481, 293, 680	Teak West Indian boxwood	926, 969
HickoryBasswood		Alpine fir	870, 412 780, 000
Cottonwood		Locust	639, 228
			,
Chestnut		Hornbeam	608, 484
AshBeech		Ebony Osage orange	528, 812 520, 076
Elm		Rosewood	471, 784
Tupelo		Primavera	380, 568
Redwood Larch		Sassafras Eucalyptus	360, 268 338, 800
Cedar		Applewood	320, 935
Sugar pine	59, 211, 298	Cocobola	279, 400
Balsam fir	53, 262, 030	Yucca	172, 300
35-1	FO 575 000	77-11	00.000
Mahogany Spanish cedar		Holly Laurel	86, 680 72, 400
Sycamore		Satinwood	67, 958
Black walnut	23, 988, 346	Koko	32, 600
Cherry	12, 047, 210	Turkish boxwood	29, 189
White fir	11, 338, 580	Miscellaneous foreign	630, 345
Willow		Miscellaneous native	432, 158
Dogwood	7, 518, 177		
Noble fir		Total	24, 576, 556, 564

Forest Service.

Compiled from Forest Service and State bulletins on secondary wood-using industries, showing quantity used in one year, based on studies made from 1909 to 1913.

29283°--увк 1924----65

TABLE 639 .- Lumber: Quantity used in manufactures, by industries and by States

	Γ		
Industries	Quantity	States	Quantity
	Feet b m.		Feet b. m.
Planing-mill products, sash, doors, blinds, and general millwork.	13, 428, 862, 066	New York	1, 738, 522, 217
Boxes and crates	4, 550, 016, 430	Illinois	1, 731, 637, 120
Car construction	4, 550, 016, 430 1, 262, 090, 371	Washington Arkansas	1, 631, 859, 030
Furniture Vehicles and vehicle parts	944, 677, 807	Arkansas	359, 039, 000 1, 351, 204, 101
Vehicles and vehicle parts	739, 144, 483	Louisiana	1, 351, 204, 101
Woodenware, novelties, and dairymen's, poulterers', and apiarists' supplies.	405, 286, 436	Michigan	1, 276, 661, 200
Agricultural implements	321, 239, 336 289, 790, 560 280, 234, 571	Penusylvania	1, 111, 959, 150
Chairs and chair stock.	289, 790, 560	Minnesota	956, 765, 396
Handles Musical instruments	280, 234, 571	OhioVirginia	915, 272, 369 882, 534, 684
Patasical instruments		Auginia	002, 001, 001
Tanks and silos	225, 619, 686 199, 598, 228 187, 132, 848 153, 394, 557	Wisconsin.	838, 256, 464
Ship and boat building Fixtures	199, 598, 228	Oregon	
Fixtures	187, 132, 848	Texas	762, 091, 112
Caskets and coffins Refrigerators and kitchen cabinets	137, 616, 266	Alabama North Carolina	721, 116, 900 666, 950, 200
Mentigerators and kinchen caomets	131, 010, 200	North Caronna	000, 800, 200
Matches and toothpicks	85, 442, 111	Indiana	649, 742, 593
Laundry appliances	85, 442, 111 79, 502, 040	Mississippi California	649, 742, 593 617, 270, 080
Shade and map rollers Paving material and conduits	79, 291, 575	California	010, 795, 551
Paving material and conduits	76, 067, 000 74, 667, 997	Georgia Massachusetts	554, 940, 426
Trunks and vanses	14,001,991	WIRSHCHUSEUB	532, 874, 001
Machine construction	69, 459, 430 66, 240, 200	Florida	521, 166, 078
Boot and shoe findings	66, 240, 200	Missouri	439, 367, 993
Picture frames and molding	65, 477, 783	South Carolina	423, 640, 507
Shuttles, spools, and bobbins	65, 148, 190	New Hampshire Tennessee	
Tobacco boxes	64, 127, 476	1 ennessee	407, 453, 167
Sewing machines	59, 946, 527	Kentucky	395, 434, 300
Sewing machines Pumps and wood pipe	55, 826, 938	Maryland	271, 984, 395
Pulleys and conveyors Professional and scientific instruments	35, 862, 900	West Virginia	271, 904, 150
Professional and scientific instruments	35, 070, 928 28, 926, 552	New Jersey	262, 596, 757 261, 676, 895
Toys	20, 920, 002	146W 3618EY	201, 070, 090
Gates and fencing	27, 450, 540	Maine	243, 114, 150
Gates and fencing Sporting and athletic goods	25, 191, 907	Vermont	219, 121, 636
Patterns and nasks	24, 299, 403	ldaho	132, 739, 050
Bungs and faucets Plumbers' woodwork	21, 112, 342 20, 313, 450	Connecticut Oklahoma	110, 051, 373 84, 901, 676
Flumbers woodwork	20, 313, 400	O A I A I I I I I I I I I I I I I I I I	04, 801, 070
Electrical machinery and apparatus	18, 188, 910	Kansas	61, 107, 064
Mine equipment	16, 987, 697	Montana	58, 718, 787
Brushes	12, 878, 986	Delaware	54, 376, 889
Dowels Elevators.	11, 980, 500 10, 018, 680	Colorado	42, 429, 496 36, 961, 190
MIGABINIS	10,010,000	Colorado	30, 801, 180
Saddles and harness	9, 218, 000	New Mexico	36, 946, 000
Playground equipment	9.064.812	Arizons	35, 287, 900
Butchers' blocks and skewers	8, 197, 050	Nebraska	27, 870 500
Clocks	7, 894, 249 6, 888, 366	UtahSouth Dakota	14, 874, 600 6, 058, 600
mem and hamererererererererererererererererererer	0, 000, 000	Double Danova	0,000,000
Printing material	5, 324, 794	District of Columbia	4, 473, 515
Weighing apparatus Whips, canes, and umbrella sticks	5, 021, 550	Wyoming	2, 954, 100
Whips, canes, and umbrella sticks	4, 946, 880	Nevada	1, 674, 285
Brooms and carpet sweepers	2, 277, 334	North Dakota	1,086,000
Firearms	2,093,931		
Artificial limbs	2, 093, 931 687, 080		
Tobacco pipes	489, 515		
Airplanes	74, 300		
All industries	24, 576, 556, 584	United States.	24, 576, 556, 584
	, 0.0, 000, 004		, 0117, 000, 001

Forest Service. Compiled from Forest Service and State bulletins on secondary wood-using industries howing quantity used in one year, based on studies made from 1909 to 1918.

Table 640.—Lumber: Average prices per M feet, f. o. b. mill, Douglas fir and southern yellow pinc, 1913-1924.

	Doug	las fir	Yello	A bine		Doug	las fir	Yellov	w pine
Year	Price	Index (1913=- 100)	Price	Index (1913= 100)	Year	Price	Index (1913— 100)	Price	Index (1913— 100)
1918 1914 1915 1916 1917 1918 1919 1919 1920 1921 1922 1923 1924	10. 58 9. 80 11 63 16, 93 21. 21 25, 83 36, 78 19, 98 23, 90	100. 0 92. 5 85. 5 101 7 147 9 186. 3 225. 3 225. 3 174 7 208. 9 252. 9 202. 3	\$14 77 13. 68 13. 02 16. 12 21. 13 26. 45 33. 94 21. 18 26. 44 30. 81 28. 16	100 0 92.6 88.2 109 2 143.1 179.1 229 8 302.9 143.4 179.0 208.6 190.7	January February March April May June July August September October November	28, 54 29, 42 30, 22 31, 46 31, 02 30, 36 27, 68 26, 97 27, 18 27, 24 28, 97 26, 94	249 5 257. 2 264. 2 275 0 271. 2 265. 4 211 9 235 7 237. 5 238. 5 253. 2 253. 2	30, 42 32 81 33, 71 33, 38 33, 85 32, 40 31, 14 30, 82 27, 53 28, 77 27, 83 26, 56	205. 9 222. 1 228. 2 226. (229. 2 219. 4 210. 8 208. 6 184. 7 188. 4
January February March April May June July August September October November December	46 31 46 66 43 15 40 21 36.05 33.69 32.86 31.29 27.57 24 05	366. 0 404. 8 407 0 377 1 351 2 315 1 294 5 287 2 273 4 241. 0 197. 6	52. 21 57. 94 61 60 57 53 54. 65 40 05 41 34 43. 42 41. 09 34 44 26. 67 25. 88	353. 5 392 3 417 1 389 5 370. 0 271 2 279. 9 294. 0 278. 2 233. 2 180. 6 175 2	January February March April May June July August September October November December	22 99	247 4 230 2 215 8 213 2 195 8 201 0 191. 7 196 0 188 6 184 5 187 7 190. 7	29 40 30. 16 29. 83 27. 14 27. 36 25. 91 27. 77 29 46 26. 71 25 81 30. 13	199. 1 204 202. 0 197. 1 186. 1 175. 1 188 (199 1 180 8 174. 2

Forest Service Compiled from reports of actual sales.

Table 641.—Lumber prices per M feet, in eastern markets of the United States, 1890-1923

••		uality, ach	Averag	e quality, uch		First quality, 1 inch		Average quality,	
Year	Soft- woods	Hard- woods	Soft- woods	Hard- woods	Year	Soft- woods	Hard- woods	Soft- woods	Hard- woods
1890 1891 1892 1893	32. 43	33 07 33. 11 32. 86 36. 10	16. 40 16. 00 18. 50 17. 45 17. 43	24. 80 24. 80	1907		17. 79 50 92 47. 16 49. 17 50. 59	27 87 27. 14 25. 44 24. 60 24. 52	36. 94 38. 12 34. 72 35. 61 35. 45
1895	28. 77 28 75 28. 68	34, 52 34, 51 34, 51 24, 26	16. 55 16. 54 17. 09 16. 23	24. 73 24. 76 24. 76 24. 76 24. 76	1912 1913 1914 1915	44. 53 44. 92 42 76 41 89	51 44 53, 99 54 94 52, 94	25. 29 27 88 25 19 24. 68	35. 73 38. 61 38. 23 35. 49
1899 1900 1901 1902	34. 06 33 98	35 72 39, 29 37 06	16. 01 21. 50 21. 32	24. 69 27 57 29. 32	1916 1917 1918 1919	41, 53 42, 60 51, 45 61, 58	54, 59 56 00 66, 65 72, 62	26. 86 29. 09 39. 90 44. 42	87. 64 38, 92 46. 42 55. 54
1903	41. 93 39. 09 42. 59 44. 65	46. 43 46. 07 41. 97 44. 47	20 40 21, 20 22, 06 24, 99	31. 75 33. 72 31. 80 34. 06	1920 1921 1922 1923	131. 55 85. 17 72. 45 67. 87	1"8, 82 140, 26 120 21 129, 20	73. 26 58 98 53. 13 51. 02	128. 80 94. 89 70. 12 77. 35

Forest Service. Compiled from reports of actual sales.

¹ The year 1920 was the peak year for lumber prices in the United States

Table 642.—Wood and saw timber: Annual world production and consumption
[Thousand cu. ft., i. e., 000 omitted]

	Produ	iction	o	onsumptio	n
Country	Total	Saw	Wo	od	Saw
	wood	timber	Total	Per capita	timber
United States	24, 300, 000 2, 500, 000	13, 750, 000 1, 106, 900 42, 000	24, 104, 000 2, 058, 440	228. 0 285. 0 45. 8	13, 556, 000 665, 340 52, 000
MexicoOther North and Central America	700, 000 306, 420	86, 715	710, 000 819, 350	20.0	98, 42 5
North America	27, 806, 420	14, 985, 615	27, 191, 790	188. 0	14, 371, 765
Russia. Sweden. Finland Germany. France Great Britain and Ireland Other Europe	7,000,000 1,564,826 1,316,664 1,172,395 963,000 45,000 4,941,202	4,000,000 1,191,415 877,776 604,583 300,000 20,000 2,166,462	6, 600, 000 749, 710 1, 001, 504 1, 702, 395 1, 098, 910 693, 719 4, 795, 059	66. 0 129 3 299 0 27. 0 26. 0 15. 3	3, 600, 000 383, 355 606, 930 1, 134, 583 426, 410 668, 719 2, 024, 294
Europe		9, 160, 236	16, 641, 297	35 8	8, 844, 291
Japan China India Asiatic Russia Other Asia	2, 255, 620 1, 972, 263 1, 572, 275 1, 100, 000 1, 028, 872	383, 455 284, 163 174, 000 571, 000 143, 650	2, 220, 000 1, 986, 000 1, 575, 000 1, 098, 000 1, 037, 516	28 4 6. 0 5. 0 52. 1	347, 835 297, 900 176, 725 569, 000 147, 113
Asia	7, 929, 030	1, 556, 268	7, 916, 516	9 1	1, 538, 573
Brazil. Chile. Argentina Colombia. Other South America.	1, 300, 000 684, 020 197, 800 110, 000 199, 645	100, 000 45, 700 77, 800 10, 000 25, 105	1, 296, 900 687, 620 225, 800 110, 000 206, 570	42. 5 177 7 27. 3 20 1	96, 900 49, 300 106, 800 10, 000 31, 390
South America	2, '91, 465	258, 605	2, 526, 890	39. 2	294, 390
Rhodesia	126, 962 86, 250 65, 942 438, 219	10, 141 2, 005 19, 803 30, 501	127, 186 86, 250 85, 399 475, 481	73 6 5 0 14, 2	10, 365 2, 005 39, 260 62, 490
Africa	717, 373	62, 450	774, 316	5. 7	114, 126
Australian Commonwealth New Zealand Cocania	197, 379 67, 000 10, 309	49, 874 42, 000 867	213, 752 63, 269 19, 741	41. 8 59. 7 10. 0	66, 247 38, 269 9, 888
Australia and Oceania	274, 688	92, 741	296, 762	36. 4	114, 404
Total world production	56, 222, 063	26, 115, 915	1 55,347, 571	32. 2	1 25, 277, 549

Forest Service. Compiled from "Forest Resources of the World."

¹ The figures for total world consumption do not exactly correspond with those for production, although they must be approximately equal. The differences are due to various discrepancies in the data, such as differences in the years for which figures on individual countries are based, different converting factors used in different countries, and differences in the completeness of customs statistics. Data represent averages of recent years.

TABLE 643.—Lumber: Imports and exports, and pulpwood imports, 1907-1924

		Lun	aber		Pulpw	rood
	Imp	orts	Exp	orts	Impo	rts
Year	Boards, plani other saw	rs, deals, and ed lumber	Boards, pl	anks, and tlings	Quantity	Value
	Quantity	Value	Value Quantity Value		L	
1907 1908 1909 1910 1911 1912 1913 1914 1914 1916 1916	1, 144, 187	\$16, 255, 350 15, 212, 788 15, 946, 755 19, 332, 768 14, 908, 160 17, 883, 048 17, 616, 587 17, 166, 638 19, 550, 480 23, 427, 488 27, 600, 247 34, 100, 528 36, 883, 985	M feet b. m. 1, 688, 815 1, 575, 462 1, 379, 944 1, 710, 761 2, 224, 422 2, 451, 076 2, 592, 453 1, 789, 741 1, 127, 365 1, 094, 500 1, 019, 647 1, 023, 769 1, 311, 210	\$39, 861, 352 35, 607, 508 29, 056, 579 36, 774, 219 47, 482, 840 55, 985, 732 63, 081, 723 40, 734, 159 26, 653, 732 26, 518, 542 33, 870, 262 49, 177, 518 64, 860, 806	Cords 827, 089 810, 256 907, 963 931, 731 889, 257 933, 565 1, 034, 885 999, 649 975, 974 1, 097, 577 1, 031, 934 1, 370, 027 1, 047, 299	\$4,002,798 4,698,163 5,613,710 6,109,574 5,682,716 6,227,346 7,007,350 6,773,198 7,202,570 8,563,488 13,302,566 10,458,753
1920 1921 1922 1923 1924 ¹	1, 338, 530 830, 533 1, 554, 075 1, 959, 334 1, 722, 959	56, 639, 885 28, 793, 181 45, 902, 649 62, 205, 721 51, 872, 797	1, 551, 358 1, 204, 808 1, 532, 913 1, 752, 852 1, 906, 418	96, 380, 344 45, 699, 379 57, 415, 062 81, 057, 020 78, 630, 682	1, 241, 444 1, 081, 684 1, 044, 816 1, 347, 927 1, 279, 975	16, 902, 939 15, 387, 355 11, 002, 636 13, 405, 927 13, 107, 647

Forest Service. Compiled from reports of the Bureau of Foreign and Domestic Commerce. Pulpwood is stated in cords of 128 cubic feet. The earliest Government record of pulpwood commerce shows 322,758 cords imported in the last half of 1908. Reports of manufacturers, which are not comparable with the Government record, show foreign pulpwood, consumed in calendar years antedating this table, as follows. In 1899, 369,217 cords, in 1905, 645,428 cords; in 1906, 738,872 cords.

Table 644.—Cooperage stock, tight: Production, 1905-1911, 1918, 1919, 1921

			Staves			Heading				
Year	Total	Sawed	Bucked and split	Hewed	Beer and ale	Total	Sawed	Beer and ale		
1905	1,000 pieces 241, 193 267, 827 385, 232 345, 280 379, 231 355, 660 357, 198 286, 401 353, 825 255, 047	1,000 pieces 202, 369 219, 524 325, 653 301, 728 341, 269 304, 060 312, 172 280, 171 348, 812 252, 533	1,000 pieces 10,792 18,352 25,062 18,339 15,104 21,306 20,020 1,391 1,193	1,000 pieces 10, 396 9, 781 12, 737 8, 319 6, 321 5, 042 7, 187 4, 295 3, 269 453	1,000 pieces 17, 636 20, 170 21, 780 17, 194 16, 547 25, 252 17, 819 544 551 1, 392	Sets 12, 959, 000 17, 774, 375 27, 692, 994 20, 515, 072 20, 691, 201 26, 073, 754 30, 310, 255 20, 711, 271 24, 274, 172 20, 504, 949	Sets 11, 023, 000 16, 115, 030 25, 828, 909 19, 703, 525 19, 735, 693 24, 342, 536 28, 316, 552 20, 063, 254 24, 265, 547 20, 493, 195	Sets 1, 936, 000 1, 659, 345 1, 864, 985 811, 547 955, 608 1, 731, 218 1, 993, 703 648, 017 8, 630 11, 754		

Forest Service. Compiled from bulletins of the Bureau of the Census and the Forest Service. A set of heading supplies both heads for a barrel or similar vessel.

¹ Preliminary.

TABLE 645.—Cooperage stock, tight: Production, 1905-1911, 1918, 1919, 1921

			Staves				Headin	3
State	Sawed	Bucked and split	Hewed	Beer and ale	Total	Sawed	Beer and ale	Total
Alabama Arkansas Georgia. Kentucky Louisiana. Maine. Mississippi Missouri Now Hampshire. Oregon Tennessee Texas. West Virginia All other States. Total	1,000 pieces 12,603 48,989 13,365 8,080 15,986 (1) 19,934 10,651 19,959 46,015 21,281 1,205 27,889	1,000 pieces 184 100 435	1,000 pieces 67 28 17 341	1,000 pieces 114 55 1,223	1,000 pieces 12,603 49,304 49,304 13,365 8,235 19,014 (1) 20,386 10,651 19,959 46,015 21,281 2,709 3,576 3,576 1,278,889	125, 635 1, 759, 900 2, 432, 047 2, 729, 902 (1) (1) 3, 132, 193	Sets 900 10,800 (1) (1) 54	Sets 99, 312 4, 457, 634 1, 029, 450 41, 150 1, 075, 948 224, 968 2, 796, 736 1, 759, 900 2, 432, 047 2, 729, 902 (1) 3 3, 132, 247 20, 504, 949

Forest Service. Compiled from bulletins of the Bureau of the Census and the Forest Service

Table 646.—Cooperage stock, slack: Production, 1906-1911, 1918, 1919, 1921 [Thousand pieces-i. e , 000 omitted]

Years	Staves	Heading	Hoops	Years	Staves	Heading	Ноорв
1906	1, 097, 063 1, 175, 977 1, 557, 644 2, 029, 548 1, 460, 878	129, 555 106, 074 123, 849 140, 234 97, 037	330, `92 490, 570 336, 484 375, 793 295, 712	1911 1918. 1919. 1921.	1, 328, 968 1, 009, 971 1, 121, 324 893, 621	106, 407 60, 751 87, 381 66, 747	353, 215 332, 684 140, 772 137, 380

Forest Service. Compiled from bulletins of the Bureau of the Census and the Forest Service

Table 647.—Cooperage stock, slack: Production, by States, 1921

State	Staves	Head- ing	Нооря	State	Staves	Head- ing	Hoops
Alabama Arkansas Florida Georgia Indiana Louisiana Maine Maryland Massachusetts Michigan Minnesota Missiasippi Missouri New Hampshire New York	1,000 pieces 37, 575 255, 537 15, 131 5, 680 (1) 44, 202 27, 763 14, 638 14, 638 (1) 57, 447 88, 223 20, 681 22, 992	1,000 pieces 19,744 1,530 385 2,868 (1) 450 1,516 100 378 4,045 4,728 (1) 2,940 1,180 2,171	1,000 pieces 23,771 (1) 22,369 224 (1) 8,357 36,713 11,316	North Carolina Ohio Pennsylvania Bouth Crolina Tennessee Texas Virginia West Virginia Wisconsin All other States Total	1,000 picees 58, 279 (1) 30, 318 38, 128 24, 833 (1) 98, 816 1,010 7,759 228, 658	1,000 pieces 5,542 1,610 (1) 1,959 472 3,623 491 3,274 3,7,741 66,747	1,000 pieces (1) 21,60 (1) 7,17 (2) 4 4,81 187,36

Forest Service. Compiled from bulletins of the Bureau of the Census and the Forest Service.

¹ Included in "All other States."

3 California, Florida, Maine, Massachusetts, North Carolina, South Carolina, Washington

4 Includes California, Florida, Iowa, Massachusetts, North Carolina, South Carolina, Ohio, Texas, Washington, West Virginia.

Included in "all other States."

Solifornia, Delaware, Illinois, Indiana, Kentucky, Minnesota, New Jersey, Ohio, Oregon, Texternont.

Solifornia, Indiana, Kentucky, Mississippi, Oregon, South Carolina, Vermont.

Florida, Georgia, Illinois, Massachusetts, North Carolina, Pennsylvania, Wisconsin.

Table 648.—Cooperage stock, slack: Production, by kinds of wood, 1906-1911, 1918, 1919, 1921

[Thousands—i. e., 000 omitted]

STAVES

Pine.												
Pine. 187, 584 205, 878 275, 239 306, 621 267, 628 229, 220 109, 349 377, 875 174, 02 Ash 47, 603 70, 128 74, 494 17, 705 66, 234 66, 716 83, 022 53, 056 66, 68 Elm. 248, 118 158, 440 192, 882 245, 172 130, 374 92, 614 83, 188 61, 100 64, 41 Tupelo. 2.00 65, 120 22, 500 30, 605 37, 501 28, 751 92, 205 54, 88 Birch. 62, 754 21, 479 52, 739 78, 897 61, 438 57, 929 31, 758 35, 691 27, 50 Cottonwood. 21, 912 40, 923 61, 062 66, 280 44, 175 37, 382 28, 714 17, 511 26, 33 Maple. 99, 642 97, 819 124, 747 133, 255 79, 113 66, 647 22, 457 50, 446 23, 96 Pruce 31, 605 76, 445 60, 012 72, 219 59, 898 70, 189 3, 224 29, 683 18, 78 Beech. 80, 052 125, 364 166, 383 288, 237 146, 451 121, 727 47, 228 36, 460 18, 66 Douglas fir. 516 516 516 516 516 516 516 516 516 516	Kind of wood	1906	1907	1908	1909	1910	1911	1918	1919	1921		
Ash 47, 603 70, 128 74, 494 71, 705 65, 234 66, 716 83, 022 53, 058 66, 66, 62	Red gum											
Elm. 248, 118 158, 440 192, 862 245, 172 130, 374 92, 614 83, 188 61, 100 64, 41 Tupelo. 2, 000 5, 120 22, 500 30, 605 37, 501 28, 751 9, 206 54, 85 Birch. 622, 754 21, 479 52, 739 78, 897 61, 438 67, 929 31, 758 35, 691 27, 51 Maple. 99, 642 97, 319 124, 747 133, 265 79, 113 66, 647 22, 457 50, 446 23, 95 Birch. 31, 603 70, 445 60, 012 72, 219 59, 898 70, 189 3, 224 29, 683 18, 75 Beech. 80, 052 126, 584 166, 383 288, 227 146, 451 121, 727 47, 228 30, 460 18, 66 Douglas fir. 70, 869 37, 871 53, 737 66, 675 54, 202 50, 043 15, 951 38, 920 17, 56 Chestnut. 69, 674 74, 982 79, 633 93, 200 90, 475 71, 273 13, 075 36, 303 17, 54 All other. 34, 298 48, 344 104, 580 182, 982 98, 646 89, 146 33, 394 42, 844 16, 56 Total. 1, 097, 063 1, 175, 977 1, 557, 644 2, 029, 548 1, 460, 878 1, 328, 968 1, 009, 971 1, 121, 324 893, 62 HEADING—(SETS) Pine. 28, 730 27, 208 39, 347 38, 926 19, 806 25, 513 26, 735 42, 401 27, 73 Beech. 11, 686 17, 711 15, 294 19, 269 15, 932 11, 915 5, 930 4, 942 4, 940 Beech. 11, 686 17, 711 15, 294 19, 269 15, 932 11, 915 5, 930 4, 942 4, 941 6, 56 Tupelo. 20 4, 237 3, 296 2, 946 3, 891 2, 184 1, 031 2, 65 2, 481 2, 209 2, 484 3, 441 4, 901 2, 485 3, 490 1, 986 1, 986 2, 578 2, 485 3, 490 1, 986 1, 986 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588 2, 588	Pine				306, 621							
Tupelo 2 2 000 5, 120 22, 500 30, 605 37, 501 28, 751 9, 206 54, 58 Birch 62, 754 21, 479 52, 739 78, 897 61, 438 67, 929 31, 788 35, 691 27, 58 Cottonwood 21, 912 46, 923 51, 062 66, 260 44, 175 37, 382 28, 714 17, 511 26, 38 Maple 99, 642 97, 319 124, 747 133, 255 79, 113 66, 647 22, 457 50, 466 23, 618 18, 78 Beech 80, 052 126, 354 166, 383 288, 237 146, 401 121, 727 47, 228 36, 400 18, 98 Douglas fr 70, 869 73, 871 53, 787 66, 675 54, 202 50, 043 15, 951 38, 920 17, 501 38, 393 17, 501 38, 393 17, 501 38, 393 17, 501 38, 920 17, 501 38, 920 17, 501 38, 393 17, 502 38, 401 18, 982 98, 646 89, 145	Ash	47, 603			71, 705	65, 234	66, 716		53, 058	66, 632		
Birch 62, 754 21, 479 52, 739 78, 897 61, 438 57, 929 31, 758 35, 691 27, 58	Elm	248, 118	158, 440		245, 172	130, 374	92, 614		61, 100	64, 415		
Birch 62, 754 21, 479 52, 739 78, 897 61, 438 57, 929 31, 758 35, 691 27, 58	Tupelo		2,000	5, 120	22, 500			28, 751		54, 899		
Maple	Birch	62, 754								27, 551		
Spruce					66, 260	44, 175				26, 327		
Beech	Maple	99, 642		124, 747	133, 255	79, 113				23, 902		
Douglas fr	Spruce	31, 605		60, 012	72, 219	59, 898	70, 189	3, 224		18, 784		
Douglas fr	Beech	80, 052	125, 354	166, 383		146, 451		47, 228		18, 689		
Chestnut	Douglas fir				5, 165			13, 931		17, 681		
All other. 34, 298 48, 344 104, 580 182, 982 98, 646 89, 145 33, 034 42, 844 16, 56 Total 1, 097, 063 1, 175, 977 1, 557, 644 2, 029, 548 1, 460, 878 1, 328, 968 1, 009, 971 1, 121, 324 893, 62 HEADING—(SETS) Pine. 28, 730 27, 208 39, 347 38, 926 19, 806 25, 513 26, 735 42, 401 27, 72 Red gum 16, 519 11, 466 17, 249 16, 700 11, 160 12, 558 12, 656 13, 003 12, 62 Elm 19, 472 9, 165 4, 978 6, 535 3, 906 2, 492 199 1, 872 57, 78 Maple. 9, 317 11, 695 13, 323 13, 663 12, 628 10, 794 2, 493 7, 319 3, 22 Tupelo. 1, 665 7, 434 4, 297 5, 245 5, 537 7, 302 1, 447 2, 318 1, 93 Basswood. 15, 653 9, 685 7, 434 4, 297 5, 245 5, 537 7, 302 1, 477 2, 318 1, 93 Basswood. 15, 653 9, 685 13, 910 189 13, 131 4, 940 2, 485 3, 460 Cottonwood 9, 162 1, 784 2, 092 1, 963 2, 332 5, 578 620 1, 986 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987 1, 987	Oak	70, 869			66, 675	54, 202		15, 951	38, 920	17, 581		
Total					93, 290	90, 475		13, 075		17, 557		
Pine	All other	34, 298	48, 344	104, 580	182, 982	98, 646	89, 145	33, 934	42, 844	16, 507		
Pine												
Pine	Total	1, 097, 063	1, 175, 977	1, 557, 644	2, 029, 548	1, 460, 878	1, 328, 968	1, 009, 971	1, 121, 324	893, 621		
Pine				l	l	i	1 1			-		
Pine												
Red gum 16, 519 11, 486 17, 249 16, 700 11, 180 12, 558 12, 656 13, 003 12, 65 Elm 19, 472 9, 165 4, 978 6, 535 3, 900 2, 492 199 1, 872 5, 75 Beech 11, 686 17, 711 15, 294 19, 269 15, 932 11, 915 5, 930 4, 942 4, 33 Maple 9, 317 11, 995 13, 323 13, 663 12, 628 10, 794 2, 493 7, 319 3, 7, 319 2, 43 7, 319 2, 483 7, 319 2, 483 7, 319 2, 66 Ash 2, 946 3, 891 2, 184 1, 031 2, 66 Ash 2, 946 3, 891 2, 184 1, 031 2, 66 Ash 2, 946 3, 891 2, 184 1, 031 2, 66 Ash 2, 946 3, 891 2, 184 1, 031 2, 66 Ash 2, 2, 484 3, 131 4, 940 2, 485 3, 400 1, 482 3, 14 4, 940 2, 485 3, 400 1, 428 3, 13 4, 940 2, 485 3, 400 1, 428 2, 332 5, 57		l	HEADING—(SETS)									
Red gum 16, 519 11, 486 17, 249 16, 700 11, 180 12, 558 12, 656 13, 003 12, 25 13, 003 12, 25 12, 18 12, 656 13, 003 12, 25 57 18, 003 12, 28 10, 794 14, 303 12, 28 10, 794 14, 237 11, 915 5, 930 4, 942 4, 33 13, 903 12, 628 10, 794 2, 493 199 1, 873 3, 323 13, 663 12, 628 10, 794 2, 493 19, 199 1, 73, 19 3, 24 4, 237 3, 296 2, 946 3, 891 2, 148 1, 319 2, 66 7, 319 3, 28 1, 48 1, 685 1, 7, 419 4, 237 3, 296 2, 946 3, 891 2, 148 1, 031 2, 66 4, 237 3, 296 5, 245 5, 537 7, 302 1, 947 2, 318 1, 98 1, 88 1, 96 1, 28 1, 1, 100 1, 1, 100 1, 1, 100 1, 1, 100 1, 1, 100 1, 1, 100 1, 1, 100 1, 1, 100 1, 1, 100 1, 1, 100 1, 1, 100 1, 1, 100 1, 1, 100 1, 1, 100 1, 1, 100 1, 1, 100 1, 1, 100		l					•					
Red gum 16, 519 11, 486 17, 249 16, 700 11, 180 12, 558 12, 656 13, 003 12, 65 Elm 19, 472 9, 165 4, 978 6, 535 3, 900 2, 492 199 1, 872 5, 75 Beech 11, 686 17, 711 15, 294 19, 269 15, 932 11, 915 5, 930 4, 942 4, 33 Maple 9, 317 11, 995 13, 323 13, 663 12, 628 10, 794 2, 493 7, 319 3, 7, 319 2, 43 7, 319 2, 483 7, 319 2, 483 7, 319 2, 66 Ash 2, 946 3, 891 2, 184 1, 031 2, 66 Ash 2, 946 3, 891 2, 184 1, 031 2, 66 Ash 2, 946 3, 891 2, 184 1, 031 2, 66 Ash 2, 946 3, 891 2, 184 1, 031 2, 66 Ash 2, 2, 484 3, 131 4, 940 2, 485 3, 400 1, 482 3, 14 4, 940 2, 485 3, 400 1, 428 3, 13 4, 940 2, 485 3, 400 1, 428 2, 332 5, 57				1	l l	1	1			· · · · · · · · · · · · · · · · · · ·		
Red gum 16, 519 11, 486 17, 249 16, 700 11, 180 12, 558 12, 656 13, 003 12, 25 13, 003 12, 25 12, 18 12, 656 13, 003 12, 25 57 18, 003 12, 28 10, 794 14, 303 12, 28 10, 794 14, 237 11, 915 5, 930 4, 942 4, 33 13, 903 12, 628 10, 794 2, 493 199 1, 873 3, 323 13, 663 12, 628 10, 794 2, 493 19, 199 1, 73, 19 3, 24 4, 237 3, 296 2, 946 3, 891 2, 148 1, 319 2, 66 7, 319 3, 28 1, 48 1, 685 1, 7, 419 4, 237 3, 296 2, 946 3, 891 2, 148 1, 031 2, 66 4, 237 3, 296 5, 245 5, 537 7, 302 1, 947 2, 318 1, 98 1, 88 1, 96 1, 28 1, 1, 100 1, 1, 100 1, 1, 100 1, 1, 100 1, 1, 100 1, 1, 100 1, 1, 100 1, 1, 100 1, 1, 100 1, 1, 100 1, 1, 100 1, 1, 100 1, 1, 100 1, 1, 100 1, 1, 100 1, 1, 100 1, 1, 100	Pine.	28, 730	27, 208	39, 347	38, 926	19, 806	25, 513	28, 735	42, 401	27, 720		
Elm	Red gum	16, 519	11, 466	17, 249						12, 628		
Beech 11, 686 17, 711 15, 294 19, 269 15, 932 11, 915 5, 930 4, 942 4, 33 3, 28 12, 628 10, 794 2, 937 7, 319 3, 23 3, 28 12, 628 10, 794 2, 937 7, 319 3, 28 2, 248 3, 891 2, 184 1, 031 3, 26 2, 948 3, 891 2, 184 1, 031 3, 26 2, 486 3, 891 2, 184 1, 031 2, 67 6, 745 5, 245 5, 537 7, 302 1, 947 2, 318 1, 93 3, 26 Ash 2, 2, 856 3, 985 10, 186 13, 910 1, 947 2, 318 1, 93 1, 947 2, 318 1, 93 1, 947 2, 318 1, 93 1, 947 2, 318 1, 93 1, 947 2, 318 1, 93 1, 947 2, 318 1, 93 1, 947 2, 318 1, 94 2, 057 6, 74 2, 318 1, 31 4, 940 2, 485 3, 400 1, 947 2, 318 1, 94 2, 957 2, 325 1, 82 <t< td=""><td>Elm</td><td>19, 472</td><td></td><td></td><td></td><td>3, 906</td><td>2, 492</td><td></td><td></td><td>5, 719</td></t<>	Elm	19, 472				3, 906	2, 492			5, 719		
Maple	Beech	11, 686				15, 932	11, 915			4. 372		
Tupelo. 206 4, 237 3, 296 2, 946 3, 891 2, 184 1, 031 2, 65 Ash. 2, 856 7, 434 4, 297 5, 245 5, 537 7, 302 1, 947 2, 318 1, 93 Basswood. 15, 653 9, 885 10, 186 13, 910 2, 948 2, 948 2, 146 3, 961 4, 328 3, 131 4, 940 2, 885 13, 450 14, 940 2, 948 2, 710 2, 814 2, 092 1, 983 2, 332 3, 578 620 1, 986 1, 38 Cottonwood 9, 162 1, 784 2, 067 6, 742 4, 062 2, 535 1, 005 1, 005 1, 38 Epruce. 1, 027 2, 555 2, 245 1, 861 2, 368 3, 647 588 2, 508 All other 9, 475 2, 305 4, 573 7, 796 13, 239 15, 242 3, 959 6, 511 1, 31 Total 129, 555 106, 074 123, 849 140, 234 97, 037 106, 407 60, 751 87, 381 66, 74 HOOPS HOOPS HOOPS	Maple	9, 317	11, 695	13, 323	13, 663	12, 628		2, 493	7, 319	3. 262		
Ash. 2, 856 7, 434 4, 297 5, 245 5, 537 7, 302 1, 947 2, 318 1, 92 8asswood. 15, 653 9, 585 10, 138 13, 910	Tupelo									2, 671		
Basswood	Ash	2, 856		4, 297		5, 537	7, 302	1, 947	2, 318	1.928		
Birch. 2, 948 2, 146 3, 961 4, 328 3, 131 4, 940 2, 485 3, 490 1, 64 60 ak 2, 710 2, 814 2, 092 1, 963 2, 332 5, 578 620 1, 986 1, 35 60 1, 62 1, 784 2, 067 6, 742 4, 062 2, 535 1, 005	Basswood	15, 653	9, 585		13, 910		.,	_,	2,010	1, 858		
Oak 2, 710 2, 814 2, 902 1, 983 2, 332 5, 578 620 1, 986 1, 35 Cottonwood 9, 162 1, 784 2, 067 6, 742 4, 062 2, 535 1, 005 1, 986 1, 32 Spruce 1, 027 2, 555 2, 245 1, 861 2, 368 3, 647 538 2, 508 9 All other 9, 476 2, 305 4, 573 7, 796 13, 239 15, 242 8, 959 6, 511 1, 31 Total 129, 555 106, 074 123, 849 140, 234 97, 037 106, 407 60, 751 87, 381 66, 74 HOOPS Elm 302, 628 469, 734 326, 894 339, 477 283, 629 333, 297 330, 383 133, 983 136, 44 All other 28, 264 20, 836 9, 590 36, 316 12, 683 19, 918 2, 331 6, 789 93							4, 940	2, 485	3, 490	1.642		
Cottonwood 9, 162 1, 784 2, 267 6, 742 4, 062 2, 535 1, 005 1, 005 2, 52 45 1, 007 2, 555 2, 245 1, 861 2, 388 3, 647 638 2, 508 3, 647 641 2, 508 2, 508 3, 647 641 2, 508 2, 508 3, 647 641 2, 508 2, 508 3, 647 641 2, 508 2, 508 3, 647 641 2, 508 2, 508 3, 647 641 2, 508 2, 508 3, 647 641 2, 508 2, 508 3, 647 641 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2, 508 2,	Oak	2.710	2.814		1, 963	2 332	5, 578			1, 399		
Spruce 1, 027 2, 585 2, 245 1, 961 2, 388 3, 647 638 2, 508 0, 476 2, 305 4, 573 7, 796 13, 239 15, 242 8, 959 6, 511 1, 31 Total 129, 555 106, 074 123, 849 140, 234 97, 037 106, 407 60, 751 87, 381 66, 74 HOOPS Elm 302, 628 469, 734 326, 894 339, 477 283, 629 333, 297 330, 353 133, 983 136, 44 All other 28, 264 20, 836 9, 590 36, 316 12, 683 19, 918 2, 331 6, 789 93	Cottonwood	9, 162			6,742	4, 062			-,	L 242		
All other 9, 476 2, 305 4, 573 7, 796 13, 239 15, 242 8, 959 6, 511 1, 31 Total 129, 555 106, 074 123, 849 140, 234 97, 037 106, 407 60, 751 87, 381 66, 74 HOUPS HOUPS Elm 302, 628 469, 734 326, 894 339, 477 283, 629 333, 297 330, 353 133, 983 136, 44 All other 28, 264 20, 836 9, 590 36, 316 12, 683 19, 918 2, 331 6, 789 33	Spruce			2 245		2, 358			2.508	987		
Total 129, 555 106, 074 123, 849 140, 234 97, 037 106, 407 60, 751 87, 381 66, 74 HOOPS Elm 302, 028 469, 734 326, 894 339, 477 283, 029 333, 297 330, 353 133, 983 136, 44 All other 28, 264 20, 836 9, 590 36, 316 12, 683 19, 918 2, 331 6, 789 93	Allother				7, 796	13, 239				1, 319		
HOOPS HOOPS HOOPS All other 28, 264 20, 836 9, 590 36, 316 12, 683 19, 918 2, 331 6, 789 93	,,,, o,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			2,010			,			1, 010		
HOOPS HOOPS HOOPS All other 28, 264 20, 836 9, 590 36, 316 12, 683 19, 918 2, 331 6, 789 93	Total	129, 555	106, 074	123, 849	140, 234	97, 037	106, 407	60, 751	87, 381	66, 747		
Elm 302, 628 469, 734 326, 894 339, 477 283, 029 333, 297 330, 353 133, 983 136, 44 All other 28, 264 20, 836 9, 590 36, 316 12, 683 19, 918 2, 331 6, 789 93		,		,	,	,	,	,	0.,002	00, 12,		
Elm 302, 628 469, 734 326, 894 339, 477 283, 029 333, 297 330, 353 133, 983 136, 44 All other 28, 264 20, 836 9, 590 36, 316 12, 683 19, 918 2, 331 6, 789 93					·							
Elm 302, 628 469, 734 326, 894 339, 477 283, 029 333, 297 330, 353 133, 983 136, 44 All other 28, 264 20, 836 9, 590 36, 316 12, 683 19, 918 2, 331 6, 789 93		I				HOOP8						
All other 28, 264 20, 836 9, 590 36, 316 12, 683 19, 918 2, 331 6, 789 93		I										
All other 28, 264 20, 836 9, 590 36, 316 12, 683 19, 918 2, 331 6, 789 93				·								
All other 28, 264 20, 836 9, 590 36, 316 12, 683 19, 918 2, 331 6, 789 93	Flm	200 600	460 724	206 904	330 477	283 020	922 207	220 252	122 009	128 444		
	All other		208, 104	0.500								
Total 330, 892 490, 570 336, 484 375, 793 295, 712 353, 215 332, 684 140, 772 137, 38	An other	40, 404	20, 630	a, 990	00, 010	12, 085	19, 919	4, 031	0, 189	935		
10001 600, 002 200, 010 000, 201 010, 100 200, 112 000, 210 032, 004 140, 112 181, 30	Total	220 900	400 570	228 404	275 709	905 710	253 215	222 804	140 770	197 200		
	1 Ofg1	000,092	400, 370	000, 201	010,190	400, 112	aus, 215	334, 984	140, 112	107, 000		
			L									

Forest Service. Compiled from bulletins of the Bureau of the Census and the Forest Service. ¹ Included in all other (staves).

TABLE 649.—Cooperage stock: Exports of staves and heading, 1909-1923

	Stav	es	Head	ing
Calendar year	Quantity	Value	Quantity	Value
1909 \\ 1910 \\ 1911 \\ 1912 \\ 1913 \\ 1914 \\ 1915 \\ 1916 \\ 1917 \\ 1918 \\ 1919 \\ 1919 \\ 1919 \\ 1919 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \\ 1920 \	47, 554, 889 58, 651, 374 66, 097, 087 73, 909, 719 91, 309, 115 54, 048, 147 51, 325, 917 58, 058, 719 60, 005, 602 53, 373, 526 81, 657, 792 82, 583, 710	\$4, 478, 532 5, 297, 466 6, 005, 916 6, 144, 896 7, 231, 934 3, 835, 176 3, 839, 026 3, 565, 142 3, 688, 684 3, 605, 332 13, 160, 377 15, 408, 334		\$155, 572 291, 292 421, 325 840, 867 325, 643 248, 804 367, 459 239, 844 294, 248 563, 564 591, 021 1, 028, 026
921 1922 1923	34, 690, 525 48, 315, 799 64, 187, 121	3, 601, 022 2, 591, 524 3, 950, 387	2, 552, 346 2, 995, 585	194, 504 292, 597 448, 321

Forest Service. Compiled from "Monthly Summary of Foreign Commerce of the United States," Bureau of Foreign and Domestic Commerce, Department of Commerce.

This table gives only a partial view of cooperage exports, since it does not show cooperage shooks, or knockdown barrels, which in 1692 amounted to 1,163,742 sets, valued at \$2,877, 235, besides 507,429 barrels, casks, or hogsheads, empty, valued at \$1,534,083. Imports of cooperage as such are relatively unumportant.

Table 650.—Crossties: Number purchased by steam and electric railroads, 1905-1911, 1918

Number of ties, by years

	Transfer of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the grant of the gr											
Wind of Mood	1	[·			i				
•	1905	1906	1907	1908	1909	1910	1911	1915				
Oak	34, 677, 304				57, 132, 000							
Southern pine. Douglas fir	1 18, 351, 037 3, 633, 276	18, 841, 210 7, 248, 562		21, 530, 000 7, 988, 000	21, 385, 000 9, 067, 000	26, 264, 000 11, 629, 000	24, 265, 000 11, 253, 000					
Cedar Chestnut	6, 962, 827 4, 717, 604	7, 083, 442	8, 954, 000	8, 172, 000	6, 777, 000	7, 305, 000						
Cypress	3, 483, 746	, ,	,									
Eastern tama-	8,060,082											
Western yel-	1 ' '				' '	· ·						
low pine Lodgepole pine	(3)	3, 969, 605 554, 738		3, 093, 000	6, 797, 000	4, 612, 000	2, 696, 000	1, 402, 83 1, 316, 81				
Western larch .	311, 120							1, 251, 30				
Beach Maple	34, 227 25, 500		52, 000	192, 000 151, 000	195, 000 158, 000	798, 000 773, 000						
Hemlock	1, 713, 090		2, 367, 000	3, 120, 000	2, 642, 000							
Redwood	590, 852	1, 248, 629	2, 032, 000 15, 000	871, 000 262, 000	2, 088, 000 378, 000							
Birch	35, 500							465, 8				
All other	ļi	4 2, 201, 454										
All kinds.	77, 981, 227	102, 834, 042	153, 703, 000	112, 466, 000	123, 751, 000	148, 231, 000	135, 053, 000	97, 106, 6				

Forest Service. Compiled from Forest Service and Census bulletins.

¹ Includes western pine, white pine, and lodgepole pine.
2 Included in southern pine.
3 Includes 378,387 white pine crossies.
4 Includes 148,168 spruce crossiles.
5 Steam railroads only.

Table 651.—Poles: Number purchased, by kinds of wood and classes of users, 1906-1911. 1915

		P	y kinds	of wood			Вус	lasses of	users	
Year	Cedar	Chest- nut	Oak	Pine	Cy- press	All other	Tele- phone and tele- graph com- panies	Steam rail- road com- panies	Street railroads, electric light and power com- panies	Total
1907 1908 1909 1910	2, 174, 279 2, 109, 477 2, 200, 139 2, 439, 825 2, 431, 567 2, 100, 144 2, 521, 769	630, 282 516, 04 9	76, 450 160, 702 236, 842 265, 290 199, 590	155, 960 116, 749 179, 586 184, 677 161, 690	100, 868 90, 579 77, 677 75, 459 72, 995	190, 112	2, 311, 651 2, 562, 239 2, 916, 005 (1) (1)	294, 788 155, 418	676, 829 531, 497 627, 414 (1) (1)	3, 283, 268 3, 249, 154 8, 738, 740 3, 870, 694 3, 418, 020

Forest Service. Compiled from bulletins of the Bureau of the Census and the Forest Service.

1 Undistributed by classes of users.

Table 652.—Veneers: Wood consumed in manufacture, by kinds, 1905-1911, 1919 and 1921.

[Thousand board feet-i e., 000 omitted]

Kind of wood⊕	1905	1906	1907	1908	1909	1910	1911	1919	1921
Domestic.									
Red gum	39, 573	73, 062	102, 932		129, 930	158, 157		198, 641	146, 740
Yellow pine	12,688	45, 581 16, 823	32, 450 18, 079	42, 342 17, 769	48, 143 24, 643	40, 324 27, 633	35, 400 24, 208	67,071 54,079	42, 195
BirchCottonwood	10 357	29, 063	33, 174	33, 904	30,842	33, 149	34, 911	36, 739	37,070 27,882
Tupelo	314	8, 311	15, 097	16, 442	18, 476	26, 548	20, 976	34 , 175	21, 494
Yellow poplar	26, 164	21,619	28, 764	22, 898	28, 826	33, 812	25, 835	32, 653	18, 370
Douglas fir		370 5, 121	3, 952	333 5, 176	1, 111 2, 400	2,006 2,724	6, 262	10,604	16, 518
White oak	16 190	38, 848	23, 872	20,700	28, 742	33, 005	4, 121 41, 742	14, 060 30, 654	15, 443 11, 852
Maple	26, 246	30, 084	28, 175	27, 886	35, 444	39, 471	29, 762	15, 723	10, 619
Elm	1	12, 122	12, 615	12,714	16, 254	17,272	18, 340	9, 578	7,698
Basswood	11.376	15, 659	13, 561	11, 609	13, 715	11,003	11.602	11. 134	5, 977
Spruce		6, 477	6,060	5,413	4, 111	6, 271	9, 108	11, 355	5, 827
Spruce Red oak	4, 955	8, 109	4, 629	4, 449	6, 661	9, 769	9, 297	3, 161	4, 407
Sycamore	576	4,530	3, 554	5, 279	4, 404	2, 548	2, 316	1,802	3, 675
Cypress				153	202		(1)	1,924	2, 659
CedarBeech			4 907	104	101			(1)	2, 894
Mamolia	1,400	0, 324	4, 367	8, 515 315	9, 950 252	10, 550	12,023	3,922 268	2, 140 994
Magnolia Western pine				(1)	(1)		(1)	1,659	985
Ash	i .	ı	ł	2, 490	2, 703	2, 356	2, 491	3, 254	559
Chestnut	(1)	0, 217	400	1, 138	1,577	1,736	1,539		(1)
Redwood					2,0,,	2, 100	2,000	8	. 439
WillowAll other				(1)	60		(1)	(1)	207
All other	2, 995	2, 869	2, 200	3, 410	2,884	2,611	6,716	1, 699	471
Imported:					1			-	
Mahogany Spanish cedar			6,722	11, 487	16, 057	8,773	4, 790	27, 628	11, 452
Spanish cedar			3,922	6, 558	5, 140	5,099	5, 348	4,771	2, 202
All other			1,000	1,973	3, 353	2, 662	1,557	27	119
Total	181, 146	329, 186	348, 523	382, 542	435, 981	477, 479	444, 886	576, 581	400, 388

Forest service. Compiled from bulletins of the Bureau of the Census.

NOTE.—Quantity is 1,000 feet board measure, log scale—i. e., the lumber that could be cut from the logs used.

¹ Included in "All other" domestic.

TABLE 653 .- Pulp wood: Consumption, by States and kinds, 1922

•	Num- ber of	Spi	1100		Yellow	1	plar	Bal-	Yellow
State	estab- lish- ments	Do- mestic	Im- ported	Hem- lock	pine	Do- mestic	Im- ported	sam fir	poplar
Maine Wisconsin	32 41	Cords 865, 05 292, 16		9 6,08	1	94,990 4,220)	9 75, 80 110, 36	
New York Pennsylvania New Hampshire	80 13 8	251, 87 7 185, 03	0 117, 67	75 21,83	0 82,68	25, 410 5 4, 177 241	64, 52	3 9,000	8, 933
Michigan Minnesota Virginia Washington Louisiana	12 7 7 5 8	82, 41 282, 07 48, 61 28, 57	8 8,09	3 27,98	84,82			25,00	33, 827
Vermont	4	58, 91 84, 90 25, 48 84, 69 22, 97	2 3, 52 5 2	4, 72 112, 68	2 4, 27	0 4, 791 0 1, 404		-	59, 440
United States	241	2, 162, 84	8 870, 04	893, 19	372, 32	4 157, 939	179, 99	2 308, 26	102, 200
State	Num- ber of estab- lish- ments	Tama- rack or larch	Gum	Jack pine	White fir	Bass- wood	All other	Slabs and other mill waste	Total
Maine	32 41		Cords		Cords	Cords 1, 648	Cords 27, 261 3, 259	Cords 670	Cords 1, 238, 910 1, 037, 991
New York Pennsylvania New Hampshire	80 13 8				-	-	36, 240	37, 137 6, 578	872, 636 405, 197 302, 146
Michigan	12 7 7 5 8	19, 311	5, 187		57		5, 743 26, 127	8, 740	239, 245 235, 216 219, 577 153, 875 74, 684
Vermont	4				45, 012		87, 736	5, 588 29, 010	63, 589 43, 222 41, 469 192, 386 428, 700
United States	241	68, 294	52, 058	50, 400	45, 069	12, 136	186, 366	87, 718	5, 548, 842

Bureau of the Census.

1 Delaware, 1 establishment; District of Columbia, 1; Georgia, 1; Maryland Carolina, 2; Ohio, 2; South Carolina, 1; Tennessee, 1; Texas, 1

TABLE 654.—Pulp wood consumption, by States, 1899, 1904-1911, 1914, 1916-1922

									-			
Year	Califor- nia	Mai	Ine	Massa- chu- setts	Michi- gan	Mir 80		New Hamp- shire	Ne Yo		Nortl Caro lina	
	Cords	Cor		Cords	Cords	Co	rds	Cords	Con		Cord	Cords
1899	20,000		, 347 , 557	39, 070 46, 998	34, 300 82, 386	, (¹	181	196, 900 290, 518		, 162 , 214		31,000
1905	(1)		807	34, 362	109, 764		802	233, 700	1,301			40, 478 54, 000
1906 1907		- 617	, 743	33, 302	115, 272	31,	848	319, 729	1, 295	, 904		34, 728
1907	- (1)	942	, 437	47, 443	125, 550	43,	173	429, 342	990	, 666	(1)	59, 110
9108	(1)	717	, 813	37, 079	114, 917	41,	795	284, 756	792	921	76, 80	
1909	(1)		, 962	45, 899	132, 846	47,	373	349, 997		, 882	145, 00	0 55, 275
1910			, 029 , 768	40, 146 46, 587	136, 851 144, 446	40,	604 729	423, 931 403, 013		916	152, 26 159, 62	1 38,698 4 32,064
	1			20,001	111, 110	74,	.20	•	1	, 110	100,02	2 02,002
1914		- 941	, 204		100 000		-22.5-	381, 958		, 098		<u></u>
1916		1, 198	703	27, 640 55, 897	186, 993 187, 117		1006	471, 041 416, 55°	1,094	, 513 558	85, 70 175, 43	3 (1)
1918	2 239, 774	1, 234	969	45, 754	203, 516	182,	002	345, 272		, 742	186, 16	8 (1)
1919	3 171, 765	1, 279	250	51, 981	207, 234	203,	940	375, 597	1, 055	145	158, 76	3 26, 967
1920		1, 389		56, 049	243, 632	254.	193	403, 530	1, 130		166, 58	2 32, 336
1921	192, 869	1,005	158	34, 874	186, 532	164,	547	258, 206	781	, 168	(1)	(1)
1922	3 192, 386	1, 238	, 910	43, 222	239, 245	235,	215	302, 146	872	, 636	(1)	(1)
					-	' -				7	<u> </u>	
	i i	Penn-	Vei	. 37	ir- W	ash-	We	st v	iscon-	İ		
Year	Oregon	syl-	mor			gton	Vi	r-	sin	All	other	Total
		vania					gin	118.		ł		
			ļ							-		
	Cords	Cords	Cor			ords	Cor		Cords	. 0	ords	Cords
1899		181, 850 243, 420	59, 2 75, 1				18, 52,	534	211, 054 3 87, 4 01	11	35, 112 14, 869	1, 986, 31 3, 050, 71
1905	31,001	250, 826	22, 2	271 89.			96,	357	382, 471	6	83, 337	3, 192, 22
1906	72, 174	282, 973	34, 9	68 81,	764	(1)	61,	736 .	542, 354	12	36, 686	3, 661, 17
1907	80, 614	318, 477	89, 2	238 88,	491	(1)	96,	185	507, 295	7 14	14, 639	3, 962, 66
1908	83, 646	272, 980	119, 1	26 61.	266	(1)	93,	154	176, 619	8 19	27, 892	3, 346, 95
1909	104, 021	295, 038	70, 9	77 92.	039	999	109,	166	576, 019	8 1	52, 023	4, 001, 60
1910 1911		322, 161	69, 5 82, 3	646 89,	637 618	8	108, 114,	121	523, 924 591, 918	8 10	33, 785 72, 300	4, 094, 30 4, 328, 05
1911	119, 890	315, 682	02, 0	190 90,	018	•	114,	907	M1, M10	1	2, 300	2, 320, 00
1914		375, 730		-:::-		(1)	-:::-	!	714, 094	1, 16	33, 679	4, 470, 76
1916		123, 843 115, 776	87, 6 109, 6			10)	127, 119,	978	743, 595 305, 490		33, 605 19, 581	5, 228, 55 5, 480, 07
1917 1918		383, 699	99, 6			10)	109,		360, 857		25, 832	5, 250, 79
				1 '	- 1			1	•	1	· 1	
1919	(10) 4 (10) 4	123, 822 190, 784	111, 6	79 126, 65 166,	153 139 547 143	, 365 , 794	83, 84,		354, 185 964, 781	11 20	07, 872 79, 955	5, 477, 88 6, 114, 07
1921	(10)	26, 486	47, 4	71	149	, 691	61,	282	367, 195	11 48	31, 700	4, 557, 17
1922	(10)	105, 197	63, 5	89	153	, 875	41,		037, 991	11 72	22, 961	5, 548, 84

Forest Service. Cords of 128 cubic feet.

1 Included in "all other"

1 Includes Oregon and Washington

2 Includes Oregon and Washington

3 Includes Oregon.

4 Includes Delaware, Illinois, Indiana, and Maryland.

5 Includes Delaware, Illinois, Indiana, Maryland, and New Jersey

6 Includes Delaware and Maryland.

7 Includes Delaware, Illinois, Indiana, Maryland, South Carolina, and Texas

8 Includes Delaware, Illinois, Indiana, Maryland, South Carolina, and Texas

9 Includes Delaware, Maryland, South Carolina, and Texas.

9 Included in California.

10 Included in California.

11 Includes Delaware, Georgia, Louisiana, Maryland, Mississippi, South Carolina, and Texas.

4 TABLE 655 .- Wood pulp: Production by States, 1899, 1904, 1907-1911, 1914.

Year	Calif.	Me.		Mich.	Minn.	N. H.	N. Y.	N. C.	Ohio
	Tons	Tons 231, 619	Tons 24, 964	Tons 20, 707	Tons (1)	Tons 119, 590	Tons 394, 635	Tons	Tons 13, 805
1904. 1907. 1908.	7, 500 (¹) (¹)	456, 921 653, 385 490, 365	28, 445 27, 811 20, 626	38, 612 64, 166 54, 288	22, 479 84, 286 32, 572	173, 888 250, 721 181, 338	606, 014 731, 278 566, 658	(¹) 36, 024	29, 274 81, 205 23, 258
1909.	()	603, 852	25, 804	64, 369	37, 295	212, 599	686, 323	53, 926	26, 977
1910 1911 1914		607, 842 623, 242	27, 482 30, 522	66, 180 70, 168	33, 562	251, 408 245, 974	709, 860 773, 607	59, 292 62, 967	16, 932 14, 49 6
1916 1917	188, 782 213, 813	852, 276	19, 247	99, 601 96, 623	138, 799 140, 353	341, 365 266, 645	787, 397 798, 616	35, 348 64, 548	
1918 1919	168, 654 123, 990	872, 779 916, 764	30, 674 32, 611	101, 036 106, 194	121, 444 129, 560	229, 774 232, 134	749, 176 811, 958	54, 169 61, 161	(1) 10, 449
1920 1921	148, 877 124, 494	942, 730 710, 329	84, 687 22, 064	132, 776 103, 532	170, 216 117, 934	239, 634 152, 797	830, 045 606, 869	64, 773	12, 549 (1)
1922	156, 218	862, 672	27, 797	148, 912	162, 220	179, 135	675, 825	(1)	(1)
Year	Oreg.	Pa.	Vt.	Va.	Wash.	W. Va.		All other	Total
	Tons 1, 154	Tons 85, 433	Tons	Tons	Tons	Tons	Tons	Tons	Tons
1904.			64. 951	6. 117					
	31, 549	83, 114	64, 951 60, 747	6, 117 42, 307		13, 471	137, 098 241, 537	65, 981 70, 686	1, 179, 525 1, 921, 768
1907. 1908.	31, 549 61, 366 64, 852						137, 098	65, 981	1, 179, 525 1, 921, 768 2, 547, 879
	61, 366	83, 114 143, 663	60, 747 74, 246	42, 307 49, 970		13, 471 47, 525	137, 098 241, 537 299, 784	65, 981 70, 686 2 78, 473 8 66, 637	1, 179, 525 1, 921, 768
1908. 1909. 1910. 1911.	61, 366 64, 852	83, 114 143, 663 124, 377	60, 747 74, 246 107, 067	42, 307 49, 970 35, 443		13, 471 47, 525 46, 986	137, 098 241, 537 299, 784 268, 461	65, 981 70, 686 2 78, 473 3 66, 637 3 79, 741 8 84, 846 3 89, 141	1, 179, 525 1, 921, 768 2, 547, 879 2, 118, 947 4 2, 491, 406 2, 533, 976 2, 686, 134
1908. 1909. 1910.	61, 366 64, 862 83, 692 82, 230	83, 114 143, 663 124, 377 135, 525 154, 700	60, 747 74, 246 107, 067 59, 356 59, 566	42, 307 49, 970 35, 443 48, 641 50, 535		13, 471 47, 525 46, 986 48, 797 48, 319	137, 098 241, 537 299, 784 268, 461 324, 509 282, 456	65, 981 70, 686 2 78, 473 3 66, 637 3 79, 741 8 84, 846 3 89, 141	1, 179, 525 1, 921, 768 2, 547, 879 2, 118, 947 4 2, 491, 406 2, 533, 976
1908. 1909. 1910. 1911. 1914. 1916. 1917.	61, 366 64, 852 83, 692 82, 230 90, 842 (*) (*)	83, 114 143, 663 124, 377 135, 525 154, 700 147, 624 216, 964 215, 060 195, 451 215, 686	60, 747 74, 246 107, 067 59, 356 59, 566 67, 311 73, 813	42, 307 49, 970 35, 443 48, 641 50, 535 47, 272 75, 972 61, 929	(°) 83, 575	13, 471 47, 525 46, 986 48, 797 48, 319 55, 043 58, 913 54, 813 48, 261 39, 195	137, 098 241, 537 299, 784 268, 461 324, 509 282, 456 334, 363 451, 651 456, 129 473, 890 506, 549	65, 981 70, 686 78, 473 66, 637 79, 741 8 84, 846 8 89, 141 102, 250 102, 792 115, 110 100, 252	1, 179, 525 1, 921, 768 2, 547, 879 2, 118, 947 4 2, 491, 406 2, 533, 976 2, 686, 134 5 2, 893, 150 3, 435, 001 3, 509, 939 3, 313, 861 3, 517, 952
1908. 1909. 1910. 1911. 1914. 1916. 1917.	61, 366 64, 852 83, 692 82, 230 90, 842 (*)	83, 114 143, 663 124, 377 135, 525 154, 700 147, 624 216, 964 215, 060 195, 451	60, 747 74, 246 107, 067 59, 356 59, 566 67, 311 73, 813 94, 975 83, 548	42, 307 49, 970 35, 443 48, 641 50, 535 47, 272 75, 972	(°) 83, 575 95, 465 95. 161	13, 471 47, 525 46, 986 48, 797 48, 319 55, 043 58, 913 54, 813 48, 261	137, 098 241, 537 299, 784 268, 461 324, 509 282, 456 334, 363 451, 651 456, 129 473, 890	65, 981 70, 686 2 78, 473 3 66, 637 3 79, 741 2 84, 846 3 89, 141 102, 250 102, 792 115, 110	1, 179, 525 1, 921, 768 2, 547, 879 2, 118, 947 4 2, 491, 406 2, 533, 976 2, 686, 134 5 2, 893, 150 3, 435, 001 3, 509, 939 3, 313, 861

Forest Service. From Bureau of the Census and Forest Service data. In short tons of 2,000 lbs

Included in "all other."

Includes Delaware, Illinois, Indiana, Maryland, South Carolina, and Texas.

Includes Delaware, Maryland, South Carolina, and Texas.

Includes Delaware, Maryland, South Carolina, and Texas.

4,117 tons of unclassified pulp not included.

Not reported by States. Total includes screenings

Included in California.

Includes Delaware, Georgia, Louisiana, Maryland, Mississippi, South Carolina, and Texas.

Includes Delaware, District of Columbia, Georgia, Isouisiana, Maryland, Mississippi, South Carolina, Tennessee, and Texas.

Table 656.—Pulp wood, wood pulp, and paper: Imports from Canada, 1899, 1904, 1909, 1914, 1917-1922 1

	United S per cons	tates pa- umption			We	ood pulp			Paper		Tota	al
Year	Paper	Pulp wood equiva- lent	Pulp w import		Actual imports	Pulp wood equiva- lent	Per- cent- age of im- ports	Actual imports	Pulp wood equiva- lent	Per- cent- age of im- ports	Pulp wood equiva- lent	Per- cent- age of con- sump- tion
1904 1909 1914 1917 1918 1919 1920	3, 050, 000 4, 224, 000 5, 496, 000 6, 256, 000 6, 387, 000 6, 493, 000 7, 861, 000		574, 000 794, 000 830, 000 774, 000 745, 000 1, 032, 000 1, 099, 000	P. ct. 88 75 77 51 37 29 38 35	31, 511 113, 585 164, 404 316, 735 438, 986 571, 675 519, 212 655, 144	183, 000 204, 000 422, 000 629, 000 973, 000 853, 000 1, 129, 000	24 20 26 31 39 31 36	11, 879 16, 941 282, 279 497, 276 606, 132 674, 963 720, 439	6, 000 27, 000 378, 000 660, 000 805, 000 856, 000 921, 000	3 23 32 32 31 29	Cords 420, 000 763, 000 1, 025, 000 1, 630, 000 2, 063, 000 2, 523, 000 2, 741, 000 3, 149, 000 2, 378, 000	23 23 28 30 40 40 38

Forest Service. Quantity in tons (2,000 pounds) and cords (128 cubic feet).

Table 657.—Wood pulp and paper: Imports from countries other than Canada, 1899, 1904, 1909, 1914, 1917-1922

From Norway, Sweden, Finland, and Germany

Year	Wood	pulp	Pa	per	Total		
1 024	Actual imports	Pulp wood equiv- alent	Actual imports	Pulp wood equiv- alent	Pulp wood equiv- alent	Percentage to- tal im- ports	
1899. 1904. 1609. 1914.	Tons 5, 494 43, 398 129, 365 348, 940 237, 390	Cords 11, 000 70, 000 258, 000 705, 000 461, 000	Tons 8, 564 929 25, 411 31, 189 3, 698	Cords 15, 000 1, 000 36, 000 54, 000 6, 000	Cords 26, 000 71, 000 294, 000 759, 000 467, 000	P. ct. 69 45 87 95 95	
1918	6, 534 113, 414 242, 253 284, 980 601, 765	13, 000 230, 000 462, 000 527, 000 1, 202, 000	396 922 57, 671 148, 482 109, 358	1, 000 1, 000 72, 000 200, 000 247, 000	14, 000 231, 000 534, 000 727, 000 1, 449, 000	45 97 94 94 96	

				Tota	.1			
	Wood	pulp	Pa	per	To	tal	100	
Year	Actual imports	Pulp wood equiv- alent	Actual imports	Pulp wood equiv- alent	Pulp wood. equiv- alent	Per- centage total im- ports	Pulp wood equiv- alent	Per- centage U. S. con- sump- tion
1890. 1914. 1909. 1914. 1917. 1918. 1919. 1920. 1921.	Tons 312 5, 189 13, 354 9, 890 1, 465 3, 390 8, 900 9, 274 11, 054	Cords 1, 000 8, 000 27, 000 20, 000 1, 000 6, 000 15, 000 21, 000	Tons 6, 919 59, 021 12, 054 12, 741 16, 184 12, 449 7, 800 15, 580 18, 420 28, 800	Cords 11, 000 79, 000 16, 000 20, 000 22, 000 18, 000 2, 000 20, 000 41, 000	Tons 12, 000 87, 000 43, 000 40, 000 23, 000 18, 000 8, 000 43, 000 62, 000	P. ct. 31 55 13 5 5 55 6	Cords 38, 000 158, 000 337, 000 799, 000 490, 000 32, 000 239, 000 569, 000 770, 000 1, 511, 000	P. ct. 2 5 8 14 7 1 4 7 12 17

Forest Service. Quantity in tons (2,000 pounds) and cords (128 cubic feet.)

¹ Includes Newfoundland and Labrador

TABLE 658 .- Wood pulp: International trade, calendar years, 1909-1913, 1921-1923 [Thousand pounds-i. e., 000 omitted]

	Average,	1909-1913	19	21	16	22	1923, pre	liminary
Country	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Exports
PRINCIPAL EXPORT-								
Austria Austria-Hungary	13, 366	205, 364	22, 876	68, 069	24, 272	100, 501		
Canada Finland	9, 481 526	606, 203 236, 881	84, 710 2	1, 054, 446 422, 886	84, 601	1, 636, 498 549, 231	34, 458	1, 750, 718 61 4, 375
Germany Norway Sweden Switzerland	112, 660 1 64, 911 9, 515 21, 059	384, 709 1, 437, 078 1, 822, 023 13, 072	68, 612 55, 450 8, 153 7 840	1 84, 452 804, 851 1, 166, 880 21, 300	158, 765 176, 169 7, 489 12, 601	162, 972 1, 834, 497 2, 586, 200 25, 003	70, 008 20, 115	246, 650 1, 547, 596 2, 302, 080 29, 642
PRINCIPAL IMPORT- ING COUNTRIES								
ArgentinaBelgiumDenmarkFrance	52, 016 291, 254 110, 866 836, 899	80, 646 1, 720	27, 110 144, 929 43, 012 385, 666	10, 855	31, 245 258, 140 99, 689 861, 194	7,411 302 119	34, 000 210, 951 125, 775 830, 837	4, 856
Italy Japan Netherlands Russia	179, 267 79, 260 56, 072	485 52, 735	86, 022 87, 527 43, 051	2, 748 2, 558 860	197, 253 148, 694 99, 826	1, 128 670	145, 998 3 34, 229 81, 822	3, 229 2, 183
Spain	92, 770 1, 891, 006		52, 091 1, 315, 227 1, 394, 201 13, 805	688 56, 965 158	144, 379 2, 067, 249 2, 517, 921 29, 070		109, 128 2, 534, 482 2, 768, 183 1, 913	152 46, 135
Total	4, 856, 963	4, 938, 507	3, 790, 284	3, 697, 267	6, 868, 557	6, 578, 473	7, 001, 899	6, 547, 973

Division of Statistical and Historical Research. Official sources. All kinds of pulp from wood are included, but no pulp made from other fibrou. substances.

Table 659.—Wood pulp, sulphite, domestic, unbleached: Average wholesale price per 100 pounds, New York, 1914-1924.

Year	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Aver age.
1914	Dols 2 125 2 125 2 125 5 375 5 375 2 800 3 688 3 625	2 100 2. 050 2. 575 5 525 2. 800 3 500	2. 150 2. 850 5. 400 2. 913 3. 500	2. 050 2. 100 3 150 5. 475 3. 285 3. 400	2. 050 2. 100 3. 825 5. 475 3. 594 3. 375	5. 475 4. 250 3 375	2. 075 2. 075 3 625 4 975 4. 250 9, 375	2, 000 2, 075 8, 875 4 975 4 325 3, 563	2. 375 2. 075 4. 250 5. 375 4. 638 3. 625	2. 325 2. 075 5. 125 3. 675 4. 975 3. 625	2 325 2. 150 5 125 3. 225 4. 500 3. 625	2 350 5 375 2 800 3 975 3 625	2 11 3.81 4.81 3.84 3.55
Av. 1914-1920 1921 1922	6. 000 2. 545	4. 656 2. 525	2, 525	3. 344 2. 525	3. 875 2. 525		3 438 2 525	2. 625 2. 525	2 538	2. 625 2. 635	2. 625 2. 675	2 675	3 5 2 5
1923	2. 675 2. 610					3. 225 2. 600							

Division of Statistical and Historical Research. Compiled from Bureau of Labor Statistics reports.

Eight months, May-December.
Four-year average.
Six months.

TABLE 660 .- Paper: Raw materials consumed in manufacture, census years, 1879-1919

Year	Wood pulp	Rags	Waste paper	Manila stock	Straw	All other
1879 1880 1890 1904 1909 1914 1919	Tons 1 22, 570 349, 917 1, 172, 880 2, 018, 764 2, 826, 591 3, 490, 123 4, 019, 696	Tons 200, 005 246, 892 234, 514 294, 552 357, 470 361, 667 277, 849	Tons 87, 840 139, 061 356, 193 588, 543 983, 882 1, 509, 981 1, 854, 386	Tons 84, 786 524, 862 99, 301 107, 029 117, 080 121, 170 116, 994	Tons 245, 838 355, 131 367, 305 304, 585 303, 137 307, 839 353, 399	Tons 1, 218 29, 422 97, 276 106, 850

Bureau of the Census. Short tons (2,000 pounds.) Calendar years.

Table 661.—Lumber and paper: Estimated production, exports, imports, and per capita consumption, by decades, 1809-1899; by years, 1904-1923

				Lumber			Paper cons	umption
Year	Population at middle of census				Consun	nption		Per capita
	period	Production	Estimated exports	Estimated imports	Total 1	Per capita rounded to nearest 5 feet ²	Total	rounded to nearest pound
1809 1819 1829	Number 7, 341, 769 9, 618, 465 12, 866, 020	M feet b m 106, 000 320, 000		M feet b m	M feet b. m 1 106, 000 320, 000	Feet b m 15 35	Short tons 3, 000 12, 000	Pounds
1839 1849 1859 1869 1879 1889 1899	17, 120, 473 22, 893, 147 31, 026, 803 38, 220, 182 49, 580, 060 62, 309, 003 75, 353, 110 82, 601, 384	1, 604, 000 5, 392, 000 8, 029, 000 12, 755, 543 18, 091, 356 27, 038, 757 35, 077, 595 43, 000, 000			1, 604, 000 5, 392, 000 8, 029, 000 13, 329, 411 18, 354, 334 27, 225, 560 34, 596, 700 41, 589, 975	95 235 280 350 370 435 460 505	38, 000 78, 000 127, 000 391, 000 457, 000 1, 121, 000 2, 158, 000 3, 050, 000	4 7 8 20 18 36 57
1905 1906 1907 1908 1909 1910 1911	84, 219, 378 85, 837, 372 87, 455, 366 89, 073, 360 90, 691, 354 92, 267, 080 93, 682, 189	43, 500, 000 46, 000, 000 46, 000, 000 42, 000, 000 44, 509, 761 44, 500, 000 43, 000, 000	2, 012, 049 2, 817, 477 1, 501, 486 2, 064, 748 2, 293, 242 2, 652, 197 3, 009, 434 3, 038, 173	938, 001 1, 178, 701 1, 056, 965 894, 877 1, 083, 018 1, 017, 504 925, 488 1, 084, 720	42, 425, 952 44, 861, 224 45, 555, 479 40, 830, 129 43, 299, 537 42, 865, 307 40, 916, 054 43, 046, 547	505 525 520 460 475 465 435	4, 224, 000	93
1918 1914 1915 1916 1917 1918	96, 512, 407 97, 927, 576	44, 000, 000 40, 500, 000 38, 000, 000 40, 000, 000 36, 000, 000 32, 000, 000 34, 552, 076	3, 293, 037 2, 294, 475 1, 526, 618 1, 571, 545 1, 346, 519 1, 233, 706 1, 677, 843	1, 013, 016 949, 136 1, 096, 287 1, 265, 561 1, 234, 447 1, 246, 712 1, 190, 845	41, 719, 979 39, 154, 661 37, 569, 669 39, 694, 016 35, 887, 928 32, 013, 006 34, 065, 078	430 400 380 395 350 310 825	5, 496, 000 6, 256, 000 6, 387, 000 6, 493, 000	112 122 123 124
1920 1921 1922	106, 418, 175 107, 833, 284 109, 248, 393 110, 663, 502	33, 800, 000 26, 960, 864 31, 568, 888 37, 165, 540	1, 916, 166 1, 511, 396 1, 960, 639 2, 472, 352	1, 416, 175 902, 216 1, 560, 623 1, 994, 043	83, 300, 009 26, 351, 684 31, 168, 872 36, 687, 231	315 245 285 330	7, 861, 000 6, 054, 000 8, 003, 000 9, 338, 463	148 112 147 169

Compiled from data from Bureau of the Census, Forest Service, and the Bureau of Foreign and Domestic

¹ Production: exports and imports, not reported, are assumed to be equal.

Derived from preceding three columns.

I Derived from preceding three columns.
In observing the great increase in per capita consumption of lumber the reader is liable to gain a false impression. The per capita consumption of wood has been high in the United States at all periods shown by this table, but in earlier decades the greater part of the wood used was round or in forms howed out by the ax rather than sawed. There was also a considerable amount of lumber sawed by man power, not reported to the Census, and which consequently does not appear in these estimates.

Preliminary.

TABLE 666 .- Rosin: International trade, calendar years 1909-1913, 1921-1923 [Thousand pounds-i. e., 000 omitted]

Country		rage, -1913	19	21	19	22		23, ninary
	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Exports
PRINCIPAL EXPORTING COUNTRIES								
China				5, 458		2, 179		1, 131
France	2, 432 35	118, 286 10, 423	456	164, 913 6, 072	949	128, 166 9, 359	598	112, 982 7, 656
Spain	1.827	20, 078	990	22, 416	290	24, 213	439	20, 958
United States	2,02,	655, 520		280, 432		399, 587	200	837, 313
PRINCIPAL IMPORTING COUNTRIES		·				,		00.,020
Argentina	32, 719	1 45	43, 890		83, 652		51, 140	
Austria	75, 705	2, 205	5,014	723	5, 572	903	6, 296	1,706
Austria-Hungary Belgium	47, 163	32, 830	106, 840	47.304	81, 250	13.724	17, 343	3, 963
Brazil	36, 905	04,000	16, 628	21,002	31, 682	10, 122	17,040	0, 200
British India Canada Chile Cuba Czechoslovakia	6, 171 25, 506 7, 410 4, 123		1, 073 20, 905 1, 550		2, 020 27, 210 4, 167 3, 692 14, 872	60	2,808	
Denmark	3, 236		2,074	2	4, 149	1	4, 597	
Dutch East Indies	15, 039		16, 658		16, 345		2 22, 141	1 39
Finland	6, 027	144	429	163	5,756	872	4,972	392
GermanyItaly	233, 100 34, 171	50, 110 33	91, 509 55, 280	* 1, 216 419	92, 180 41, 637	1, 105 170	72, 319 49, 863	2, 648 263
Japan Netherlands	10, 073 73, 991	59, 366	18, 019 7, 416	182	9, 952	75	12,002	84
NorwayRussia	6, 732 68, 429		1, 188	(4)	4, 515	117	5, 523	
Sweden	3, 896	12	5, 089	22	10, 775	96	15, 310	
Switzerland	4, 983	18	3,077	5	4, 993	5	7, 353	
United Kingdom	166, 075		85, 260	<u> </u>	136, 915	l	153, 837	l
Other countries	34, 693	الا ن 1,	7, 121	11	6, 396	125	6, 673	6
Total	900, 441	950, 381	508, 133	529, 338	488, 969	580, 757	486, 066	489, 141

Division of Statistical and Historical Research. Official sources. For rosin only the resinous substance known as "rosin" in the exports of the United States is taken.

Table 667.—Turpentine (spirits): Average wholesale price per gallon (in barrels), New York, 1890-1924

Year	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Aver- age
1890. 1891. 1892. 1893.	. 405 . 340 . 305	. 345 . 332	. 403 . 420 . 345	Dols. 0.400 .405 .370	. 390 . 340 . 310	. 382 . 290 . 288	. 372 . 295 . 290	. 361 . 285 . 262	. 370 . 278 . 275	. 368 . 285 . 280	. 355 . 310 . 295	. 335 . 315 . 295	. 380 . 323 . 300
1894	. 292 . 271 . 305 . 266 . 332 . 452	. 275	. 312 . 335 . 292 . 298 . 356 . 465	. 288 . 335 . 285 . 292 . 325 . 425	. 296 . 305 . 289 . 305 . 339 . 445	. 260 . 268 . 282	. 290 . 252 . 265 . 262	. 270 . 240	. 240 . 298 . 295	. 285 . 282 . 280 . 325 . 308 . 520	. 281 . 280 . 310 . 370	. 278 . 278 . 268 . 325 . 390 . 515	. 293 . 292 . 274 . 292 . 322 . 458
1900	. 525 . 380	. 545 . 405 . 442	. 550	. 560 . 365 . 485	. 505 . 345 . 455 . 480 . 580	. 495 . 355	. 465 . 370 . 475 . 495	. 445 . 355 . 460	. 365	. 405 . 365	. 440 885 . 545 . 600	. 425 . 375 . 535 . 593 . 500	. 477 . 373 . 474 . 572 . 576
1905	. 530 . 685 . 710 . 435	. 682	. 539 . 719 . 755 . 535	. 610 . 708 . 730 . 565	. 605 . 675 . 675 . 475	. 640 . 435	. 606 . 610 . 420	. 600 . 590 . 410		. 692 . 652 . 550 . 390	. 701 . 540 . 400	. 650 . 700 . 490 . 430	. 665 . 634 . 453

Four-year average.
 Java and Madura only
 Eight months, May-December.

Less than 500 pounds. Three-year average.

Table 667.—Turpentine (spirits): Average wholesale price per gallon (in barrels), New York, 1890-1924.—Continued

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	A ver- ago.
1909	Dols. 0. 415 . 592 . 808 . 540 . 425	0. 450 . 632 . 872	0.425	. 630 1. 070 . 505	. 625 . 772 . 530	0. 425 . 592 . 568 . 480	0.462 .672 .560 .479	.715	0. 595 . 745 . 548 . 425	. 765 . 535 . 428	0.602 .810 .492 .420	. 785 . 484 . 380	. 683 . 679 . 470
Av. 1909-1913	. 556	. 580	. 584	. 614	. 547	. 494	. 514	. 520	. 547	. 553	. 555	. 536	. 550
1914 1915 1916	. 458 . 452 . 572 . 550	. 510 . 445 . 578 . 540			. 460 . 488 . 410 . 520	. 435	. 430 . 415	. 480 . 420 . 468 . 428	. 422 . 398 . 465 . 423	. 478 . 415 . 462 . 485	. 538 . 480	. 477 . 570 . 525 . 505	
1918 1919 1920	. 490 . 755 1. 885	. 474 . 709 1 985	. 439 . 720 2 238	. 426 . 773 2. 575	. 507 . 831 2. 475	. 636 1. 095 1. 868	1. 176	. 622 1. 724 1. 624	. 661 1. 683 1. 473		1.689	1.656	. 594 1. 201 1. 737
Av 1914-1920	. 737	. 749	. 767	. 825	. 813	. 770	. 748	. 824	. 789	. 761	. 799	. 748	. 778
1921	. 724 . 909 1. 522 1. 007	. 609 . 903 1 493 1. 022	. 584 . 869 1. 548 1. 024	. 591 . 866 1. 524 . 965	. 717 . 944 1. 167 . 901	. 604 1. 110 1. 046 . 844	1. 207 . 943	. 633 1. 194 . 951 . 898	1. 298 . 971	. 755 1. 530 1 007 . 880	1. 578 . 954	1.403	1. 151

Division of Statistical and Historical Research. Compiled from Bureau of Labor Statistics reports.

Table 668.—Rosin, common to good, strained: Average wholesale price per barrel, New York, 1890-1924

			,			,		,					
Year	Jan	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Aver-
1890 1891 1892 1893	1. 438 1. 425 1. 325	1. 450 1 400 1 425	1. 500 1. 350 1. 475	1. 612 1. 388 1. 375	1. 700 1. 475 1. 300	1. 450 1. 600 1 325 1 275	1.412 1 250 1 225	1. 400 1 275 1. 013	1. 400 1. 262 1. 000	1. 400 1 250 1. 175	1 375 1. 350 1. 213	1. 400 1. 350 1. 338	1. 474 1. 342 1. 262
1895 1896 1897 1898 1899	1. 700 1. 750 1 450 1. 400	1. 625 1 700 1. 450 1. 350	1. 675 1 700 1. 450 1. 312	1. 762 1. 650 1 450 1. 312	2. 025 1. 650 1. 450 1. 462	1. 800 1. 750 1 450 1. 400	1.688 1 750 1 450 1.300	1. 600 1. 550 1. 350 1. 300	1. 600 1 500 1. 300 1. 300	1 700 1 450 1, 300 1, 262	1. 925 1. 450 1 500 1. 325	1. 850 1. 450 1. 450 1. 425	1. 562 1. 746 1. 612 1. 421 1. 346
1900 1901 1902 1903 1904	1. 750 1 550 1 925 2. 575 2. 825	1 550 2 100 2 975 2 875	1 625 1. 550 2 275 2. 700 2 900	1 700 1 500 1 662 2 300 2 800 3 000	1. 600 1 638 2. 125 2. 850 3. 250	1. 550 1. 588 2 075 3. 050 4. 100	1. 438 1. 575 2 062 3. 000 3 600	1 400 1.575 1.975 2.650 3.600	1 400 1. 550 2. 100 2. 700 3. 700	1. 425 1. 550 2. 300 2. 800 3 850	1. 450 1. 788 2 775 2. 950 4. 125	2. 950 3. 250	1. 602 1 530 1. 613 2 216 2. 833 3. 423
1906 1907 1908 1909	3 650 4 250 3. 200	3.925	4. 425 3. 750	4 000 4 550 3 900 3, 275	4. 050 4. 800 3. 600	4.000 4.800	4. 425 3. 150	4. 500 3. 000	4. 350 2. 800	4. 225 2. 880	4. 200 2. 900	3. 550 3. 250	
1910 1911 1912 1913	4 200 6 200 7.150 5 950	4. 400 6 750 6. 650 5. 750	4 550 7 450 6 700 6, 500	4 650 8 500 6 900 5 500	4. 500 7. 750 6. 500 4. 750	4.500 6.750 6.550 4.800	5 300 6. 250 6 450 4. 000	6. 050 5. 400 6. 475 4. 250	6. 100 6. 250 6 850 4 200	6 400 6 400 6.600 4.000	6. 100 6. 600 6. 500 4. 000	6. 050 6. 300 6. 375 4 100	5 283 6.717 6.642 4.817
Av. 1909-1913 1914 1915 1916 1917	4 000 3.600 5 950 6.600	4. 400 3. 500 5. 750 6. 550	4 250 3.400 5.400 6.275	5. 765 4. 150 3 400 5. 200 6. 000	4. 100 3. 650 4. 300 6. 300	4. 050 3. 200 5. 100 6. 300	4. 200 3. 450 5. 500 6 000	3. 950 3. 250 6. 650 5. 850	3 750 3. 250 6. 150 6. 000	3. 700 6. 250 6. 800	3. 750 4. 800 6. 550 6. 850	3. 750 6 000 6. 800 7. 175	4. 017 3. 767 5. 800 6. 392
1918	18. 588	6. 969 13. 463 18. 125 8. 394	18. 080	6. 070 12. 185 18. 500 7 929	19. 750	16. 700	12 413	13. 900	13. 644 17. 330 13. 713 9. 120	12. 825	11. 830	9. 063	15. 291
1921 1922 1923 1924	8. 813 5. 353 6. 115	7. 500 5. 325 5. 969 5. 800	5. 850 5. 188 6. 150	4. 950 5 213 6. 225	5. 260 5. 300 6. 070	5. 050 5. 350 5. 825	5. 050 5 538 5. 820	4. 970 5. 900 5. 750	5. 425 6. 356 5. 850 6. 115	5 600 6.865 5.840	5. 680 6. 581 5. 775	5. 325 6. 219 5. 669	5. 789 5. 773 5. 992

TABLE 669.—Tanning materials, crude: Consumption by kinds, 1899, 1904-1909. 1919, and 1923

Year	Total	Hemlock bark	Oak bark	Chestnut wood	Other crude vegetable materials
1899 ¹	Short tons 1, 616, 065 1, 422, 597 1, 104, 045	Short tons 1, 170, 131 1, 000, 828 799, 755	Short tone 445, 984 422, 269 304, 290	Short tons	Short tons
1905 ¹ 1906 ¹ 1907	1, 371, 842 1, 214, 401	931, 152 815, 840	429, 161 374, 052		11, 029 24, 509
1908	1, 127, 400 1, 078, 910 609, 130 4 508, 608	810, 231 698, 365 284, 323 172, 200	307, 817 324, 070 261, 519 142, 009	18, 527 32, 526 \$ 139, 107	9, 352 37, 948 30, 762 52, 287

Forest Service. Compiled from Forest Service and Census bulletins.

Table 670.—Tanning materials, extracts Consumption by kinds, 1899, 1904-1909, 1919

Year	Chestnut	Oak	Hemlock	Quebracho	Spruce	Sumac	All other	Total
1899	Pounds	Pounds 27, 115, 100	Pounds 6, 406, 000	Pounds	Pounds	Pounds	Pounds	Pounds 33, 521, 500
1904 1905.: 1906	25, 612, 000 128, 535, 018	107, 195, 500	10, 883, 000 26, 215, 000			15, 911, 000	555, 000 2, 747, 952	1 133, 989, 500 146, 199, 500
1907 1908 1909		21, 705, 775 38, 419, 398	10, 862, 540	145, 324, 677 143, 174, 614 147, 109, 443 159, 320, 510		350, 535 6, 669, 642		392, 101, 087 386, 817, 895

Forest Service. Compiled from bulletins of the Bureau of the Census and the Forest Service

TABLE 671.—Wood distillation: Quantity distilled 1899, 1904-1911, 1914, 1919

			Hard	wood		
Year	Michigan	New York	Pennsyl- vania	Wisconsin	All other States	Total
1899	Cords	Cords	Cords	Cords	Cords	Cords 487, 800
1904	89, 992 541, 119 602, 216 310, 910	19, 937 91, 380 127, 150 68, 071	242, 519 390, 752 358, 489 302, 703	000	57, 322 121, 645 131, 916 196, 948	1, 018, 072 659, 770 1, 144, 890 1, 219, 771 878, 632
1909. 1910. 1911.	457, 362 518, 842 896, 916	139, 941 129, 161 132, 400	368, 126 398, 616 364, 539	(9)	185, 318 211, 878 165, 100	1, 149, 84; 1, 257, 99; 1, 058, 95; 970, 30;
1919	648, 910	104, 493	281, 320	60, 544	91, 210	1, 186, 47

^{&#}x27;Included in "All other States."

¹ Includes myrobalan nuts, wattle bark, valonia cups and beards, divi-divi pods, sumac leaves, quebracho wood, mangrove bark, etc.

³ From 1899 to 1906 original records are given in cords, which are here considered the equivalent of tons

of 2,000 pounds.

^{*} Process Politics 33,917 tons of oak and chestnut mixed 4 Includes 206,162 cords of chestnut wood and oak, hemlock, and fir bark. 4 Cords.

¹ In addition, 80,610 bales of gambier and \$2,490,487 worth of quebracho were used, as well as other material and chemicals.

Table 671.—Wood distillation: Quantity distilled 1899, 1904-1911, 1914, 1919—Continued

				Soft	wood				Total hard-
Year	Ala- bama	Florida	Georgia	Louisi- ana	North Carolina	South Carolina	All other States	Total	wood and softwood
1899	Cords	Cords	Cords	Cords	Cords	Cords	Cords	Cords 3, 184 31, 431	Cords 490, 939 1, 049, 503
1905 1906 1907 1908	3, 236 (1) (1)	10, 160 11, 224 15, 480	8, 925 14, 986 9, 409 18, 513	(2) (2) (3) (4)	4, 624 16, 382 28, 278 5, 221	1, 970 2, 972 (¹) (¹)	1, 450 2, 608 13, 438 59, 998	16, 969 50, 234 62, 349 99, 212	1, 049, 306 676, 739 1, 195, 130 1, 282, 120 977, 844
1909 1910 1911 1914 1919	46, 478 64, 963 (1) 41, 416	25, 318 52, 144 41, 499 86, 065	21, 400 25, 412 29, 824	7, 818 (1) 18, 005	6, 059 6, 713 5, 474	5, 721 30, 954 38, 136	10, 334 4, 438 47, 471 6, 748	115, 310 192, 442 162, 404 72, 209 256, 198	1, 265, 157 1, 450, 439 1, 221, 359 1, 042, 517 1, 442, 675

Forest Service. Compiled from Forest Service and Census bulletins

Table 672.—Wood subjected to preservative treatment, 1914-1923 CREOSOTE

				CREUSUI	P.			
Year	Crossties	Piles	Poles	Wood blocks	Cross arms	Construc- tion timbers	Miscel- laneous lumber	Total material treated
1914 1915 1916 1917 1918	Cubic feet 67, 774, 329 51, 231, 207 62, 576, 403 48, 685, 554 34, 638, 147	Cubic feet 7, 804, 657 6, 288, 238 8, 524, 680 8, 493, 715 7, 620, 974	Cubic feet 1, 188, 511 2, 336, 318 6, 303, 954 5, 930, 559 4, 540, 620	Cubic feet 3, 127, 506 6, 064, 758 7, 205, 953 4, 610, 427 4, 825, 766	Cubic feet 395, 403 87, 373 178, 210 239, 764 210, 903	Cubic feet 8, 389, 158 9, 264, 164 9, 521, 609 7, 830, 673 7, 606, 153	Cubic feet 1, 348, 566 881, 028 691, 870 706, 084 707, 294	Cubic feet 90, 028, 130 76, 153, 086 95, 002, 679 76, 496, 776 60, 149, 857
1919 1920 1921 1922 1923	44, 938, 215 40, 114, 551 66, 139, 398 60, 625, 086 104, 167, 710	9, 151, 972 8, 013, 192 5, 528, 275 7, 494, 649 9, 569, 443	6, 649, 491 10, 309, 746 10, 906, 157 16, 482, 963 26, 235, 810	3, 372, 828 6, 741, 410 6, 202, 904 3, 947, 551 4, 464, 277	75, 310 318, 707 108, 715 374, 829 420, 206	9, 220, 880 9, 054, 413 9, 052, 679 10, 632, 378 16, 484, 703	553, 750 1, 139, 307 663, 183 1, 029, 509 2, 720, 457	73, 962, 446 75, 691, 326 98, 601, 311 100, 586, 965 164, 062, 608
			ZIN	C CHLOR	IDE			
1914 1915 1916 1917 1918 1919 1920	50, 020, 755 53, 457, 852 43, 859, 028 44, 529, 954 51, 166, 146 58, 912, 323 87, 398, 160 90, 797, 841	(1) 4, 726 859 7, 093 57, 845 2, 919 (1) 298	(P) (1) 164 45, 788 (1) (1) (1) (1) (1)	(1) (1) (1) 10, 421 13, 939 (1) (1)	00000 00000	1, 317, 925 2, 406, 150 1, 526, 881 2, 127, 872 2, 337, 169 2, 164, 007 1, 823, 437 2, 738, 292	4, 355 275, 279 346, 047 5, 070 30, 790 63, 987 94, 151 67, 835	51, 343, 036 56, 144, 007 45, 732, 979 46, 726, 198 53, 605, 889 61, 143, 236 89, 315, 748 93, 604, 266
1922 1923	52, 254, 303 46, 138, 005	(1) 2, 029	8	()	8	1, 296, 980 1, 948, 562	19, 564 26, 872	53, 572, 876 48, 113, 439
			ZII	1C-CREOS	OTE			
1914 1915 1916 1917 1918	5, 868, 834 6, 548, 136 5, 935, 242 6, 482, 046 6, 023, 334	(1) 2, 320 837 (1) 167, 438	(1) 110, 220 53, 933 (1) 12, 300	(1) (1) (1) (1) (2) 76, 393	(1) (1) (1) (1) (1) 209, 927	140, 718 40, 396 359, 428 1, 102, 635 164, 813	(*) 4, 822 (1) 847 125, 327	0, 009, 552 6, 705, 814 6, 349, 440 7, 585, 528 6, 779, 532
1919 1920 1921 1922 1923	8, 850, 222 7, 414, 866 9, 183, 702 11, 045, 913 10, 507, 178	14, 059 79, 354 61, 386 111 (1)	99999	99999	93353	562, 403 484, 123 48, 237 684, 242 403, 581	58, 399 5, 231 2, 499 14, 176 35, 525	9, 485, 083 7, 983, 574 9, 295, 824 11, 744, 442 10, 946, 229

Included in "All other States."
 Includes mill waste and sawdust not shown by States.

None reported.
 Figures if used would reveal identity of reporting firms.

TABLE 672.—Wood subjected to preservative treatment, 1914-1923—Continued MISCELLANEOUS

Year	Crossties	Piles	Poles	Wood blocks	Cross arms	Construc- tion timbers	Miscel- laneous lumber	Total material treated
1914 1915 1916 1917 1918	Cubic feet 7, 877, 043 19, 560 37, 431 680, 856 (1)	Cubic feet 257, 245 (1) 56, 458 85, 204 463, 115	Cubic feet 293, 896 66, 242 389, 031 749, 156 62, 850	Cubic feet 3, 741, 864 1, 643, 213 2, 738, 731 4, 464, 382 1, 381, 196	Cubic feet 22, 511 3, 254 2, 634 16, 274 2, 541	Cubic feet (1) 123, 377 166, 183 433, 896 107, 456	Cubic feet 9, 363 330 47, 416 100, 316 60, 452	Cubic feet 12, 201, 922 1, 855, 976 3, 437, 884 6, 530, 084 2, 077, 612
1919 1920 1921 1922 1928	3, 021 35, 019 29, 606 24, 120 17, 637	(1) (1) 2,040 (1) (1)	11, 775 (1) 53, 099 525, 677 651, 094	1, 340, 850 (1) (1) (1) (1) 468, 030	93333	114, 583 283, 838 37, 500 99, 480 999	(1) (1) 19, 584 66, 787 115, 434	1, 470, 229 318, 857 141, 827 716, 064 1, 253, 194

ALL PRESERVATIVES

1914	131, 540, 961	8, 061, 902	1, 482, 407	6, 869, 370	417, 914	9, 847, 801	1, 362, 284	159, 582, 639
1915	111, 256, 755	6, 295, 284	2, 512, 780	7, 707, 971	90, 627	11, 834, 087	1, 161, 459	140, 858, 963
1916	112, 408, 104	8, 582, 834	6, 747, 082	9, 944, 684	180, 844	11, 574, 101	1, 085, 333	150, 522, 982
1917	100, 378, 410	8, 586, 012	6, 725, 503	9, 085, 230	256, 038	11, 495, 076	812, 317	137, 338, 586
1918	91, 827, 627	8, 309, 372	4, 615, 770	6, 297, 294	423, 371	10, 215, 593	923, 863	122, 612, 890
1919	112, 703, 781	9, 168, 950	6, 661, 266	4, 713, 678	75, 310	12, 061, 873	676, 136	146, 060, 994
1920	134, 962, 596	8, 092, 546	10, 309, 746	6, 741, 410	318, 707	11, 645, 811	1, 238, 689	173, 309, 505
1921	166, 150, 545	5, 591, 999	10, 959, 256	6, 202, 904	108, 715	11, 876, 708	753, 101	201, 643, 228
1922	123, 949, 422	7, 496, 789	17, 008, 640	3, 947, 551	374, 829	12, 713, 080	1, 130, 036	166, 620, 347
1923	160, 830, 525	9, 569, 443	26, 886, 904	4, 932, 307	420, 206	18, 837, 795	2, 898, 288	224, 375, 468

Forest Service.

Forest Service.

Converting factors: To obtain the number of crossties, divide figures shown by 3. To obtain the number of linear feet of piling, divide the figures shown by 0.6763. To obtain the number of poles, divide the figures shown by 17.6. To obtain the number of square yards of wood blocks, divide the figures shown by 2.625. To obtain the number of board feet of construction timbers, multiply the figures shown by 12. To obtain the number of crossarms, divide the figures shown by 0.6188. To obtain the number of board feet of miscellaneous lumber, multiply the fig. res shown by 12.

Table 673.—Wood preservatives consumed by treating plants, 1914-1923

	Num-			Cree	osote.					
Year	ber of plants	Distillate coal-tar creosote	Creosote coal-tar solution	Refined water- gas tar	Water- gas tar solution	Im- ported	Total	Paving o!l	Zinc chloride	Other preserv- atives
1914 1915 1916 1917 1918 1919 1920	115 122	(1) (1) (1) (1) 24, 286, 851 25, 483, 230 19, 460, 500	27, 921, 614 23, 283, 046	1, 377, 702 3, 185, 610	(1) (1) (1) (1) 2, 334, 727 4, 399, 282 2, 391, 816	9, 575, 680 28, 242, 307	80, 859, 442 90, 404, 749 75, 541, 737 52, 776, 386 65, 556, 247 68, 757, 508 76, 513, 279	3, 205, 563 5, 675, 095 7, 579, 819 4, 057, 862 2, 412, 592 1, 848, 911 1, 060, 753	26, 444, 689 31, 101, 111 43, 483, 134 49, 717, 929 51, 375, 360	1, 693, 544 582, 754 137, 361 28, 013 102, 011 1, 772, 084 1, 810, 294
1922 1923							80, 321, 389 127, 417, 305		29, 868, 639 28, 830, 817	

Forest Service.

Statistics not available.

None reported.

TABLE 674.—Rubber: International trade, calendar years, 1909-1913, 1921-1923 [Thousand pounds-i. e., 600 omitted]

Country	A ve 1909-		19	21	199	22	19 prelin	23 ninary
-	Imports	Exports	Imports	Exports	Imports	Exports	Imports	Exports
PRINCIPAL EXPORTING COUNTRIES								
AngolaBelgian Congo	l	5, 620 7, 755		1,746		1 259		
Bollvia		8, 395		1 4, 802				
Brazil British India		84, 938 11, 504	1 54 8	38, 217 11, 883	i	43, 180 10, 875	13	39, 672 14, 37
British Malaya		1 85, 435 10, 953	306, 202 3, 867	431, 525 88, 125	394, 192	564, 647		
Ceylon Dutch East Indies	3 1	7, 679	0,007	164, 045	5, 475	200 227		4 72 78
Ecuador		1,040		103, 030		201, 201		1, 29
French Congo	(9)	8, 797		1 3, 160		1 1, 536		
French Guinea	1 241	3, 937	11	1 577		1 666		
French Indo-China		398		1 8, 043		1 10, 192		
Gold Coast		2, 393		1 103		1 16		l
Kamerun		6, 409		1 1, 553		¹ 1, 236		
Malaoca	1 164			1 56, 643	1 12, 520	1 74, 890		-
Nigeria		3, 054		1 237				
Peru		5, 030		335		3, 299		
Senegal Venezuela		1, 087 772		1 42 50		1 21 2		7 1, 347
PRINCIPAL IMPORTING COUNTRIES								
Austria	1		4, 927	1 227	5, 430	407	5, 396	96
Austria-Hungary	6, 696	1,619			0, 200			1
Belgium	25, 891	20, 749	7, 140	3, 321	5, 316	4, 932	7, 132	2, 51 (⁸)
Canada	3,945		18, 476	l	21, 076	1	29,696	
Czechoslovakia			i 647	1 41	1 655	1 52	3, 412	
Denmark			563		194		804	
France				7, 762	67, 893	5, 907	81,726	
Germany		9,844	49, 379	8 277	63, 483			
Hungary Italy		225	1 860 9, 745		791 14, 435	32		
_			** 000	ļ				1
Japan Netherlands	1,917		51, 888	30, 869	37, 142 19, 628		7 15, 179	
Netnerlands			32,657 1 397		1 5, 345	28, 153	17, 791	16, 01
Spain			7, 968		5, 103		4, 870	
Sweden						1 125	3, 119	
Switzerland								
United Kingdom			94, 275				28, 449	
United States	100, 180		415, 283		674, 410		692, 483	
Other countries	5, 799	72, 353	1, 276	21, 648	2, 830	1, 429	3, 683	57
Total	356, 196	377, 778	1, 057, 677	876, 673	1, 365, 470	1, 087, 682	958, 072	164, 98

Division of Statistical and Historical Research. Official sources except where otherwise noted. Figures for rubber include "India rubber," so called, caoutchouc, caucho, jebe (Peru), hule (Mexico), borracha, assaranduba, amabeira, manicoba, sorva, and seringa (Brazil), gomelastick (Dutch East Indies), eaura, ser nambi (Venezuela).

International Institute of Agriculture
 Three-year average.
 One year only.
 Java and Madura only.

Less than 500 pounds.
Two-year average.
Six months.
Eight months, May-Decembes.

Table 675.—Rubber, Para Island, fine: Average wholesale price per pound, New York, 1890-1924

Year	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Aver-
1890 1891 1892 1893 1894	\$0. 725 . 780 . 635 . 685 . 688		. 885 . 680 . 755		\$0. 885 . 900 . 685 . 755 . 655	\$0. 980 . 885 . 690 . 740 . 655	. 855 . 700 . 725	. 810	. 615 . 635 . 660	\$0. 850 . 645 . 690 . 705 . 685	\$0. 805 . 640 . 670 . 680	\$0. 750 . 655 . 685 . 690 . 705	. 791 . 676 . 717
1895 1896 1897 1898 1899	. 740 . 750 . 820 . 815 . 942	. 735 . 710 . 820 . 862 1. 005	. 830 . 930	. 825 . 930	. 720 . 820 . 855 . 922 1. 015	. 750 . 880 . 840 . 930 . 992	. 835 . 840 . 960	. 715 . 830 . 855 1. 012 . 972	. 885 1. 000	. 765 . 825 . 870 . 932 . 982	. 815 . 828 . 870 . 920 . 990	. 755 . 832 . 835 . 910 1. 075	
1900 1901 1902 1903 1904	1. 062 . 875 . 805 . 865 . 915	1. 068 . 850 . 760 . 835 . 985	. 845 . 725 . 895	1. 075 . 840 . 715 . 875 1. 090	1. 065 . 890 . 715 . 895 1. 085	. 880 . 870 . 708 . 860 1. 095	. 925 . 855 . 705 . 885 1. 085	. 678 . 905	. 880 . 730 . 965	. 985 . 850 . 728 1 015 1. 095	. 925 . 800 . 732 . 955 1. 125	. 875 . 805 . 728 . 915 1. 265	. 982 . 850 . 727 . 905 1. 088
1905 1906 1907 1908	1. 125 1. 255 1. 180 . 765	1. 215 1. 235 1. 185 . 712	1. 255 1. 235 1. 185 . 695	1. 280 1. 245 1. 150 . 752	1. 285 1. 235 1. 140 .805	1. 325 1. 220 1. 090 . 875	1. 275 1 190 1. 045 . 885		1. 265 1. 190 1 030 . 905	1 255 1.190 .995 .965	1. 195 . 915	1 189 780	1. 242 1. 213 1 063 871
1909 1910 1911 1912 1918	1. 155 1. 695 1. 150 . 975 1. 005	1. 155 1. 790 1. 180 1. 060 . 975	1 215 1. 995 1. 580 1. 085 . 915	1. 185 2. 600 1. 360 1. 145 . 835	1. 232 2. 600 1. 130 1. 100 . 780	1. 335 2. 295 . 940 1. 045 . 835	. 925 1. 010	2. 070 1. 040	1 080	1 985 1. 370 1. 050 1. 065 . 715	1 810 1. 190 . 940 . 975 . 675	1 715 1 235 . 950 . 980 . 645	1 481 1.908 1 110 1 052 .807
Av. 1909-1913	1 196	1. 232	1. 358	1.425	1. 368	1. 290	1. 286	1. 346	1 297	1. 237	1. 118	1 105	1. 272
1914 1915 1916 1917	. 605 . 710 . 885 . 700	. 655 . 550 . 685 . 680	. 695 . 535 . 05 . 750	. 695 . 535 . 695 . 740	. 725 . 545 . 660 . 725	. 610 . 545 . 590 . 725	. 575 . 535 . 590 . 705	. 580 . 522 . 585 . 613	. 600 . 500 . 582 . 595	. 525 . 508 . 665 . 568	. 495 . 548 . 670 . 505	. 630 . 655 . 720 . 468	. 616 . 557 . 669 648
1918' 1919 1920	. 501 . 525 . 463	. 479 . 491 . 432	. 483 . 482 . 412	. 516 478 . 111	. 566 . 474 . 404	. 590 . 474 . 385	. 590 . 475 . 353	. 590 . 475 . 303	. 590 . 480 . 253	. 572 . 483 . 217	. 570 . 483 . 192	. 548 . 479 . 180	. 550 . 483 . 334
Av. 1914-1920	. 627	. 567	. 580	. 581	. 586	. 560	. 546	. 524	. 514	. 505	. 495	. 526	. 551
1921 1922 1923 1924	. 173 . 193 . 272 . 199	. 168 . 163 . 307 . 191	. 180 . 161 . 290 . 171	. 178 . 171 . 274 . 168	. 179 . 176 . 249 . 173	. 164 . 169 . 250 . 164	. 164 . 172 . 239 . 170	. 165 . 176 . 238 . 211	. 174 . 171 . 246 . 227	. 210 . 196 . 215 . 262	. 215 . 219 . 204 . 286	. 211 . 223 203 . 315	. 182 . 182 . 249 . 211

Division of Statistical and Historical Research. Compiled from Bureau of Labor Statistics reports.

EXPORTS AND IMPORTS OF AGRICULTURAL PRODUCTS

TABLE 676.—Agricultural exports (domestic) of the United States, 1922-1924

	Year ended June 30									
Article exported		Quai	Value							
·	Unit	1921-22	1922-23	1923–24 prelimi- nary	1921-22	1922-23	1928–24 prelimi- nary			
ANIMALS AND ANIMAL PRODUCTS										
Animals, live:		Thou-	Thou- sands	Thou- sands	1,000 dollars	1,000 dollars	1,000 dollars			
Cattle	No	1 90	(2)	(1)	1 4, 345	(3)	(1)			
Bulls for breeding	No	8 1	2	1	8 189	274	125			
Cows for breeding	No	1 3	20	9	* 347	884	495			
Other cattle	No	8 60 1 18	, 40			1,796	676			
Horses	No No		(3)		1 1, 265 1 132	(4)	(4)			
Other horses	No		8		471	912	842			
Mules, asses, and burros	No	11	13	16	1,010	1, 324	1,712			
Sheep	No	62			294	165	89			
Swine	No	98	76			990				
PoultryOther live animals	Lb	(6)	491 429	695 520	525	268 168	323 196			
Total animals, live					14, 951	6, 918	5, 787			
5 .										
Dairy products Butter Cheese	Lb Lb	7, 512 7, 471	9, 410 8, 446			3, 706 2, 170	2, 471 1, 087			
Milk and cream— Fresh and sterilized	Gal	(6)	89	89	294	80	86			
Condensed (sweetened)	Lb	79, 525	47, 966			6, 760	9, 812			
Evaporated (unsweetened).	Lb	197, 786	109, 072	146, 503	18, 363	10, 107	14, 109			
Powdered (dried)		11, 318	2, 918	2, 704	1, 462	504	609			
Total dairy products					36, 375	23, 327	28, 174			
Eggs and egg products:										
Eggs in shell	Doz	33, 762	34, 284	32, 832	10, 015	9, 311	8, 659			
Eggs and yolks (frozen, dried,	١.,			400	100					
or canned)	Lb	(6)	555	488	132	89	75			
Total eggs and egg products.					10, 147	9, 400	8, 734			
Hides andskins, raw (except fur):										
Calf	Lb	4, 939	3, 158		1, 099	764	1, 536			
Cattle	Lb Lb	26, 686 740	11, 200 974	72, 172 1, 806	2, 687 8 148	1, 796 227	7, 643 388			
Sheep and goat Other (including fresh and	10	7,40	979	1, 500	1190	421	000			
pickled splits)	Lb	4, 634	5, 656	9, 819	639	709	1, 095			
Total hides and skins	Lb	36, 999	20, 988	90, 908	4, 573	3, 496	10, 662			
Meats and meat products: Meats—										
Beef and veal—	l									
Beef, canned	Ļb	3, 749	2, 312		971	630	387			
Beef, freshPickled or cured	LD	3, 866 26, 774	3, 656 24, 185	2, 476 21, 851	519 2, 398	7555 2,308	423 2, 170			
Veal, fresh	Lb	26, 774 127	361	342	2, 390 8 23	2, 306 55	2, 170			
Total beef and veal		34, 516	30, 514	26, 260	3, 911	3, 548	3, 040			
Mutton and lamb	Lb	2, 502	1, 769	1, 633	425	331	307			
MILLON SUU BIND	20	2, 002	2, 100	2, 000	220	301				

¹July 1-Dec 31, 1921. ² Classified as "Bulls for breeding," "Cows for breeding," or "Other cattle." ¹ Jan. 1-June 30. ⁴ Classified as "Horses for breeding" or "Other horses." ² Less than 500. ⁴ Reported in value only.

Table 676.—Agricultural exports (domestic) of the United States, 1922-1924—Con.

	Year ended June 30										
Article exported		Quan	tity		Value						
•	Unit	1921-22	1922-23	1923-24 prelimi- nary	1921-22	1922-23	1923–24 prelimi- nary				
ANIMALS AND ANIMAL PRODUCTS— continued											
Meats and meat products—Contd. Meats—Continued. Pork—	Lb	Thou- sands 350, 549	Thou- sands 408, 334	Thou- sands 408, 099	1,000 dollars 50,978	1,000 dollars 59,052	1,000 dollars 50, 951				
Bacon Canned	Lb	2, 263	2, 699	2, 725	669	942	706				
Carcasses, fresh	Lb Lb	2, 263 7 22, 826 271, 642	319, 269	2, 725 12, 555 369, 459	55, 217	1, 338 55, 205	1, 485 56, 252				
Loins and other fresh pork Pickled Sides—	Lb Lb	33, 510	40, 934	36, 558 37, 469	3 547 3, 941	5, 437 4, 953	5, 392 4, 293				
Cumberland Wiltshire	Lb Lb	(8)	(6)	3 15, 401 3 12, 105	(8) (9)	(8)	3 2, 009 3 1, 544				
Total pork	Lb	683, 875	815, 008	894, 371	114, 667	126, 927	122, 632				
Poultry and game— Canned Fresh	Lb	(6)	126 5, 905	69 4, 042	³ 11 <u>4</u> 1, 789	46 1, 744	33 1, 185				
Canned	Lb Lb	1, 964 7, 208	2, 894 7, 719	3, 213 8, 707	624 2, 250	712 2, 059	901 2, 114				
Meat canned, n. e. s	Lb	l ''	7, 522	9, 412	3, 914	2, 898	2, 897				
cluding edible offal) Meat extracts and bouillon	Lb	(6)	47, 292	56, 869	4, 047	4, 493	4, 973				
cubes	Lb	153	482	289	212	546	443				
Total meats	Lb		919, 031	1, 004, 865	131, 953	143, 304	138, 525				
Oils and fats, animal— Lard	Lb	812 370	052 842	1, 014, 898	95, 007	116, 594	129, 091				
Lard compounds	Lb	30, 328	11, 140	6, 907	3, 515	1, 397	935				
Lard, neutral	Lb	19, 573 493	26, 494	24, 239 715	2, 420 51	3, 424 89	3, 242 81				
Lard oil	Lb	8 471	1, 233	1, 349	3 84	188	235				
Oleomargarine	Lb	1, 989 117, 174 8, 564	2, 028	1, 124	354	328	180				
Oleo oil	Lb Lb	117, 174	104, 956 12, 521	92, 965 11, 345	12, 367 806	12, 068 1, 359	11, 358 1, 277				
Stearing and fatty acids	Lb	1 20, 595	(10)	(10)	1 2, 082	(10)	(10)				
Grease stearin	Lb	1,791	2, 962 2, 379	`4, 097	3 141	278	382				
Oleic acid or red oil	Lb	1, 783	2, 379	2, 693	3 141	202					
Oleo and lard stearin		5, 419 3 2, 973	10, 135 11 3, 686	7, 081 2, 191	³ 523 ³ 281	1, 051 11 404	761 281				
Other fatty acids	Lb	(12)	8 66	291	(12)) × 7	25				
Tallow Edible	Lb Lb	1 8, 956 3 1, 007	(18) 1, 914	(18) 1, 175	607 8 80	(18) 161	(13) 92				
Inedible	Lb	* 17, 695	23, 751	36, 197	1, 181		2, 855				
cluding other animal oils.	Lb			80, 164	4, 777	4, 375	6, 910				
Total oils and fats	Lb	1, 053, 889	1, 209, 637	1, 287, 431	124, 417	143, 864	157, 925				
Total meats and meat products	Lb	1, 784, 404	2, 128, 668	2, 292, 2 96	256, 370	287, 168	296, 450				

¹ July 1-Dec. 31, 1921
1 Jan. 1-June 30.
Reported in value only.
Includes all "Loins and other fresh pork" prior to Jan 1, 1922
1 Included, with bacon.
Included with hams and shoulders.
I Classified as "Grease stearin," "Oleic acid or red oil," "Oleo and lard stearin," or "Stearic and other atty acids."
I Includes "Other fatty acids" prior to Jan. 1, 1923.
I Not separately classified.
I Classified as "Edible" and "Inedible."
I Classified as "Edible" and "Inedible."
Figures cover "Other animal oils" ("other animal greases, oils, and fats" given in value only.)

TABLE 676.—Agricultural exports (domestic) of the United States, 1922-1924—Con.

	Year ended June 30										
Article exported		Quant	ity			Value					
	Unit	1921-22	1922-23	1928-24 prelimi- nary	1921-22	1922-23	1928-24 prelimi- nary				
ANIMALS AND ANIMAL PRODUCTS— continued		Thou-	Thou-	Thou-	1,000 dollars	1,000 dollars	1,000 dollars				
Wool and mohair (unmanufactured) Miscellaneous animal products: Beeswax	Lb	924 102	451 79	465 136	201 28	121 25	134 43				
Bones, hoofs and horns (un- manufactured)	Lb	(•)	6, 201	5, 457	172 280	310 810	286 232				
Feathers, crude	Lb Lb	- (6) 2, 101	4, 370 310 2, 905	3, 093 418 2, 295	8 62 349	201 431	279 369				
Hair, unmanufactured Hair, cattle Other hair	Lb Lb	(*) 3 4, 071 3 3, 337	(15) 7, 369 8, 068	(18) 5, 087 9, 869	1 259 3 296 3 301	(18) 424 824	(18) 441 1,075				
Honey	Lb Lb Lb	2, 407 27, 769 894	2, 891 20, 043 2, 177	1, 922 27, 427 2, 404	262 5, 814 8 69	290 4, 934 223	5, 454 245				
Total animals and animal products	Lb				330, 509	338, 402	358, 5 93				
VEGETABLE PRODUCTS Chocolate and cocoa:											
Chocolate and cocoa prepared or manufactured. Chocolate, including sweetened. Cocoa, powdered.	Lb Lb	(6) 362 3 8, 421	(16) 974 8, 047		1 308 8 82 8 337	` 224	(16) 372 337				
Coffee: Green Roasted Extracts and substitutes	Lb Lb	29, 793 1, 130 3 283	26, 272 1, 319 713	23, 845 2, 028 695	5, 434 288 193	4, 949 361 380	538				
Cotton: Upland and other(500 lbs.) Long staple(1½ inches or over)—	Bale	1 3, 762	(1/)	(17)	1 321, 685	(17)	(17)				
Sea Island(5001bs.) Other long staple (5001bs.) Short staple (under 1½ inches)	Bale	(8) 8 579	(⁸) 886	1	38 3 59, 140	148 114, 285	1				
(500 lbs)	Bale	³ 2, 251 126	4, 319 48	4, 847 115	* 213, 321 2, 195	542, 871 1, 679	753, 289 4, 793				
Total cotton	Bale	6, 718	5, 253	5, 899	596, 379	658, 983	903, 975				
Dried and evaporated Apples	Lb Lb	12, 431 16, 736 6, 260	12, 817 11, 193	30, 410 38, 777 12, 975	1, 772 3, 231 741	1, 447 2, 617 711	3, 336 4, 427 996				
Prunes	Lb Lb	109, 398 49, 639 (6)	5, 586 79, 229 93, 962 10, 672	88, 152	9, 755 8, 029	7, 583 10, 284	8, 572 7, 893				
Total dried and evaporated	Lb		213, 419	320, 695	24, 543	23, 994	26, 572				
Fresh— Apples Apples Berrics Citrus—	Bbl Box Lb	629 8 1, 395 (6)	593 3, 491 8, 180	6, 198	* 3, 813	6,525	13, 655				
Grapefruit Lemons Oranges	Box Box Lb	3 140 234 1, 641	159 1, 799	228 2, 592	3 456 1, 211 7, 535	830 909 7,7561	952 8, 566				
Grapes Pears Peaches Pineapples Other fresh fruits ¹⁸	Lb Lb Box	(°) 611 27	36, 785 13, 170 37	50, 237 15, 065 41	1, 477 8 36 3 131	1, 617 583 157	2, 499 574				
	Lb	\$ 19 2, 575	36, 555	32, 373	30 3, 070	1, 489	1, 417				
Total fresh fruits					23, 594	24, 277	40, 448				

¹ July 1-Dec. 31, 1921.
2 Jan. 1-June 30.
3 Less than 500.
3 Less than 500.
3 Classified as "Cattle, hair," or "Other hair."
4 Classified as "Cattle, hair," or "Other hair."
4 Classified as "Long staple" or "Short staple."
4 Includes other subtropical fruits.
5 Other fresh fruits reported in value only.
5 60,220 from Jan. 1-June 30.

TABLE 676.—Agricultural exports (domestic) of the United States, 1922-1924—Con.

	Year ended June 30										
Article exported		Quant	tity			Value					
	Unit	1921-22	1922-28	1923-24 prelimi- nary	1921-22	1922-23	1923–24 prelimi- nary				
VEGETABLE PRODUCTS—continued											
Fruits—Continued Prepared or preserved—		Thou-	Thou- sands	Thou- sands	1,000 dollars	1,000 dollars	1,000 dollars				
Canned Apples and apple sauce.	Lb	(12)	(11)	8 4 499	(12)	(18)	272				
Apricots	Lb	(12) (12)	8 13, 809	26.047	(12) (12)	1, 187	2, 037				
Cherries	Lb	1 8 X 50 H	2 251	2, 204	3 59	869	299				
Peaches	Lb	(6)	54, 624	50, 374	4, 998	5, 388	4, 436				
Pears	Lb	(6) (6) (7) (9) (9)	49, 358	38, 431	4, 254	6, 105	4, 144				
Pineapples	Lb	(6)	21, 848	25, 238	2, 579 1 78	2, 346	3, 058				
Plums	Lb	952	1,942	1, 918 834	, ° 78	174	148				
• Prunes	I.b	(12)	(11)		(13)	(13) 0 010	* 103				
Miscellaneous	Lb	(•)	63, 388	16, 280	4, 405	`6, 910	1, 765				
Total prepared or preserved	Lb				16, 373	22, 479	16, 262				
Preserved jellies and jams Fruit preparations n. e. s , in-	Lb	(6)	2, 217	2, 246	514	456	437				
cluding fruit pulp (cannery waste)	Lb	1, 348	1, 565	10, 163	46	47	800				
Total fruits					65, 070	71, 253	84, 519				
Grains and grain products: Grains—	_					10 501	0.000				
Barley	Bu	22, 400	18, 193	11, 209	16, 614	13, 591	8, 897				
Buckwheat	Bu	383	140	82	405	152	83				
Corn Oats Rice Rye	Bu	176, 386	94, 064	21, 186	115, 862	75, 031	19, 553 613				
Dies.	Bu	15, 987 21 507 , 898	18, 574 318, 941	1, 149	7, 985 21 18, 905	9, 282 12, 379	8, 36				
Dyo	Lb Bu	20, 684	51, 412	190, 616 17, 705	32, 898	47, 513	14, 34				
Wheat	Bu	208, 321	154, 951	78, 793	279, 656	192, 015	87, 71				
Meal and flour-	************	200,021	1.71, 001	,	2.0,000	202, 020	01,12				
Buckwheat	Lb	3 2, 836	892	291	⁸ 100	41	10				
Corn	Вы	776	633	487	2, 634	2, 470	2, 22				
Oatmeal	Lb	94, 491	123, 115	137, 649	3, 457	4, 406	4, 92				
Rice flour, meal, and broken					1		1				
f100	Lb	33, 611	51, 729	37, 141	3 734	1, 142	910				
Rye	Bbl	43	42	366	230	213	1, 519				
Wheat	Bbl	15, 797	14, 883	17, 253	97, 386	83, 991	88, 20				
Total grains and flour					576, 866	442, 226	237, 360				
Missellaneous seein products											
Miscellaneous grain products— Bran and middlings	Ton	14	3	9	309	97	78				
Bread and biscuit	Lb	7, 055		12 452		1, 303	1, 730				
Cereal breakfast foods, n. e. s.	Lb	(6)	11,051	12, 452 11, 900	2, 152	1,005	1, 13				
Corn feeds	Ton	` ' 3 3	1	2	3 70	23	5				
Corn products for table use		1					•				
(miscellaneous, n. e. s.)	Lb	3 1,008	5, 081	5, 924	a 56	304	394				
Hominy and grits	Lb	208, 036	79.979	32, 160	3, 553 370	1, 335	643				
Macaroni, spaghetti, etc	Lb	* 4, 089	6, 292 ., 088	32, 160 7, 260	370	502					
Malt.	Bu	5, 654	s, U88	2, 975	5, 824	3, 970	3, 02				
MIII 1000B, IIIISCCHADOUS,	Them	22	33	٥	623	698	31				
n. e. s.	Ton	22	30	۰ ا	023	086	91				
Prepared feeds, not medici-	Lb	11, 263	19, 664	17, 364	189	401	390				
Screenings	Lb	11, 263 3, 260	10, 037	12,664	3 67	167	33				
Sorghum, kafir, and mile		, 230	_2, 55	, 552			1				
maire	Bu	¥ 53	58		3 86						
	Lb	1, 933	4, 229	5, 137	* 101	821	39				
Wheat products for table use	WV										
Wheat products for table use Other grain products	Lb	³ 1, 933 (6)	6, 467	5, 791	1, 423	375	870				
Wheat products for table use Other grain products	Lb	(6)	6, 467	5, 791	1, 423	375	87				
Wheat products for table use	Lb	(6)	6, 467	5, 791	1, 428 592, 592						

⁴Jan. 1-June 80. ⁶ Reported in value only. ¹⁸ Not separately classified. ²¹ Includes "Flour, meal, and broken rice" prior to Jan. 1, 1922.

TABLE 676.—Agricultural exports (domestic) of the United States, 1922-1924—Con.

	Year ended June 30									
Article exported		Quan	tity			Value				
_	Unit	1921-22	1922-23	1923-24 prelimi- nary	1921-22	1922-23	1923–24 prelimi- nary			
VEGETABLE PRODUCTS—continued		Thou-	Thou-	Thou-	1,000	1,000	1,000			
Nuts: Peanuts Other nuts. Oilseeds and oilseed products: Oil cake and oil-cake meal— Cake—	Lb Lb	sands 12,858 (°)	sands	sands 3, 994 6, 263	dollars 815 745	dollars 681 724	dollars 381 793			
Coconut	LbLbLbLbLbLbLbL	14, 725 3, 596 415, 257 469, 397 8 14, 493 42, 954	3, 860 686 342, 544 586, 555 692 3, 092	58 (12) 200, 927 546, 848 (12) 1, 233	178 62 8,506 10,423 154 705	66 12 7,789 11,577 12 66	(12) 4, 261 11, 221 (12) 21			
Cottonseed Linseed Other oil cake meal	Lb Lb	117, 464 14, 631 3 6, 698	111, 806 38, 057 2, 732	49, 439 13, 267 5, 322	2, 330 320 8 93	2, 302 841 54	276			
Total oil cake and oil- cake meal Oils—	Lb	1, 099, 245	1, 040, 024	817, 094	22, 771	22, 719	16, 917			
Fixed or expressed— Cocoa butter Coconut oil Corn oil Cottonseed oil Crude Refined	Lb Lb Lb Lb Lb	1, 856 10, 185 5, 280 1 52, 263 20, 473 8 18, 879	957 12, 993 5, 224 (³³) 25, 933 38, 359	887 19, 423 4, 196 (¹²) 23, 534 15, 884	505 885 588 1 4, 584 3 1, 609 3 2, 207	287 1, 088 652 (²³) 2, 258 4, 239	233 1, 676 540 (²²) 2, 208 1, 806			
Total cottonseed	Lb	91, 615	64, 292	39, 418	8, 400	6, 497	4, 074			
Lard compound, vege- table	Lb Lb	³ 13, 820 2, 744 ³ 154 1, 802	17, 984 3, 105 1, 736 188	7, 029 2, 628 271 168	⁸ 1, 604 299 ⁸ 21 185	2, 221 410 236 21	993 347 44 14			
Soybean on Soap stock, vegetable Stearin, vegetable Other vegetable oils	Lb Lb Lb	³ 6, 436 1, 949	2, 495 3, 611 564	2, 892 3, 996 176	35 8 343 195	219 239 56	311 230 25			
and fats Total fixed or ex-	Lb	(6) 6 136, 378	8,063 121, 212	6, 951 88, 035	13, 641	863	851			
pressed	Lb	155	102 584	160 1,098	315	12, 789 291 611	9, 338 537 745			
Total volatile or essential	Lb	155	686	1, 258	837	902	1, 282			
Total vegetable oils	Lb	136, 533	121, 898	89, 293	14, 478	13, 691	10, 620			
Oilseeds	Lb	2, 504 3 778	2,722	4, 083	93	76	246			
Alfalfa. Clover (except red)	LbLbLbLbLbLbLbL	3, 259 1 747 2, 384 4, 094 20, 150 3 8, 515 (5)	2, 492 1, 839 4, 151 4, 091 20, 132 4 409 (12)	484 301 5, 162 3, 405 15, 502 3, 180	632 3 170 3 125 686 1, 350 4 673 (1) 531	76 524 365 221 648 1,401 822 (17)	59 93 52 212 497 1, 287 686			
Total seeds (except oilseeds)	Lb	24 39, 927	87,514	28, 347	4, 314	4, 057	2, 886			

¹ July 1-Dec. 31, 1921. 2 Jan. 1-June 30. 3 Reported in value only.

<sup>Not separately classified.
Classified as "Crude" and "Refined."
Excludes "Other seeds."</sup>

TABLE 676.—Agricultural exports (domestic) of the United States, 1922-1924—Con.

			Year	nded Jun	e 30		
Article exported		Quant	tity			Value	
	Unit .	1921-22	1922-23	1923-24 prelimi- nary	1921-22	1922-23	1923-24 prelimi- nary
VEGETABLE PRODUCTS—continued		Thou-	Thou-	Thou- sands	1,000 dollars	1,000 dollars	1,000 dollars
Spices Sugar, molasses and strup:	Lb	(6)	1, 645		167	201	199
Molasses Sirup (including maple)	Gal	5, 775 6, 741	4, 773 25 5, 905	2, 065 3, 789	697 1, 855	528 1, 584	394 1, 364
Sugar (includir:g maple) (2,000				·			1
1bs)	Ton	1,001	375	135	77, 495	41,012	16, 588
Total sugar, molasses and sirup					80, 047	43, 124	18, 346
Tobacco (unmanufactured):							
Leaf tobacco Bright flue cured	Lb Lb	451, 889 (13)	8 57, 092	(%) 264, 844	156, 773 (12)	1 77, 846 22, 715	(%) 106, 559
Burley	Lb	(12) (12) (12)	3, 464 242	6, 946	(11) (18)	22, 715 874 208	1, 580 391
Cigar leaf Dark-fired Kentucky and	Lb						
Tennessee	Lb	(12) (12)	3 73, 451 34, 719	169, 315	(12) (12)	⁸ 13, 870 ⁸ 17, 967 ⁸ 2, 843 ⁸ 563	28, 327 11, 373
Dark Virginia Green River (Pryor)	Lb	(12)	• 10. 010	1 14 2XH	(12)	2, 843	2, 999
Maryland and Ohio export	Lb	(12)	⁸ 5, 335 ⁸ 31, 357	17, 608 52, 306	(12) (12)	* 563 * 8, 739	3, 505 11, 707
Total leaf tobacco	Lb	451, 889	445, 142	557, 288	156, 773	145, 625	186, 441
cems, trimmings, and scrap							
tobacco	Lb	11, 500	9, 222	40, 342	544	607	1, 625
Total tobacco (un- manufactured)	Lb	463, 389	454, 364	597, 630	157, 317	146, 232	168, 066
Vegetables.							
Dried and fresh-	'						
Dried or dehydrated vege- tables, miscellaneous	Lb	* 285	444	1, 648	1 34	57	93
Dried beans	Bu	1, 100	672	695	3, 745 324	2, 483	2, 500
Dried peas Onions	Bu Bu	89 658	95 703		1, 457	411 994	998
Potatoes (white)	Bu	2, 327	2, 980	3,075	3, 411 2, 884	3, 190 3, 130	4, 327 3, 324
Other dried and fresh Prepared or preserved—	Lb		80, 277	90, 677		1	1
Asparagus Beans	Lb Lb	3 2, 334 3 4, 111	8, 500 5, 643	9, 934 6, 704	³ 378 ³ 325		1, 899 605
Corn	Lb	(6)	2, 882	5, 354	202	235	373
PeasPickles and sauces	Lb	(6) 3 883 (6)	3, 073 11, 8 2 9	3, 867 1 5, 885	3 87 1, 675	280 1, 590	
Pickles	Lb	(17)	(27)	1, 339	(37)	(27)	1 118
Ketchup and other to- mato sauces	Lb	(27)	(27)	3 3, 560	(27)	(37)	3 501
Othersauces and relishes	Lb	(27)	(37)	1 3 1, 358	(27)	7275	1 95A
Soups Tomatoes	Lb	(8)	12,786 8,917	13, 024 9, 152	1, 180 459	1, 382 565	1, 506 568
Other canned	Lb	(6)	3, 203	2, 819			
Other vegetable prepara- tions, n. e. s.	Lb	3 486	900	993	3 56	97	112
Total vegetables					17, 307	16, 689	19, 222
Miscellaneous vegetable products:				ric Tables			
Beverages-	Cal	45	184	251	43	187	199
Malt beverages Spirits, distilled	Gal Pf. gal	186	370	272	678	1, 116	581
Spirits, distilled	Gal	21	38	19	27	29	21
e.s	Gal	(6)	161	262	391	176	290

I July 1-Dec. 31.
Jan. 1-June 30.
Reported in value only.
Note separately classified.
Includes maple sugar prior to January 1, 1923.
Includes maple sugar prior to January 1, 1923.
Classified as "Bright flue cured," "Burley," "Cigar leaf," "Dark-fired Kentucky and Tennessee,"
Oark Virginia, "Green River," "Maryland and Ohio export," or "Other leaf"
Included in "Pickles and sauces."

Table 676.—Agricultural exports (domestic) of the United States, 1922-1924—Con.

	Year ended June 30									
Article exported		Quant	ity			Value				
	Unit	1921-22	1922-23	1923-24 prelimi- nary	1921-22	1922-23	1923–24 prelimi- nary			
VEGETABLE PRODUCTS—continued										
Miscellaneous vegetable products— Continued. Broomcorn	Ton	Thou- sands 4	Thou- sands 4	Thou- sands 5	1,000 dollars 456	1,000 dollars 882	1,000 dollars 833			
crude Ginseng	Lb	190	175	177	1, 605	2, 417	2, 607			
Other crude vegetable drugs Flavoring extracts **	LbLb	(2)	4, 235 1, 733	6, 115 1, 550	761 799	970 643	1, 394 569			
Flowers, cut	Lb)6) (6)	116	161	101	88	99			
Glucose (corn sirup)	Lb Lb	258, 448 499	156, 315 715	141, 141 961	6, 110 56	4, 788 82	4, 860 91			
Grape sugar (corn sugar)	Lb	15, 534	6, 379	6, 910	448	225	324			
Hay Hops Nursery and greenhouse stock Fruit stock, cuttings and	Ton Lb	19, 522 (⁶)	47 13, 497 (**)	20, 461 (¹⁹)	1, 044 4, 852 1 119	940 2, 590 (**)	428 6, 501 (**)			
seedlings	No	³ 837	1, 877	1, 613	1 82	148				
Other nursery or greenhouse Starch, corn	NoLb	2, 586 348, 940	4, 558 254, 060	5, 896 255, 135	3 120 7, 295	200 6, 741				
Starch, except corn Vinegar	Lb Gal	37, 933 198	6, 736 193	7, 707	904 62	239	278			
Y east	Lb	(9)	2, 751							
Other miscellaneous vegetable products, n. e. s	Lb	3 634	2, 678	5, 203	3.6	61	274			
•		- 002	2,010	0, 200						
Total vegetable products					1, 585, 357	1, 400, 766	1, 508, 304			
Total animal and vegetable products FOREST PRODUCTS					1, 915, 866	1, 799, 168	1, 866, 897			
Dyeing and tanning materials, crude	Ton	1	1	2	101	₹4	107			
Dye extracts				l		,	1			
LogwoodOther dye extracts	Lb Lb	8	2, 437 2, 776	1, 336 1, 777	557 732	365 394				
Tanning extracts— Chestnut	Lb	1 4, 894	7, 387	9, 309	³ 150	268	301			
Other (vegetable and chem-	ŀ					1				
ical) Naval stores, gums and resins:	Lb	(6)	24, 943	23, 400	1, 104	1, 174	1, 148			
Rosin	Bbl.**	786	1, 040	1, 208	6, 621	10, 157	10,660			
Spirits of turpentine Tar and pitch, wood	Gal Bbl 31	10, 786	9, 012 34		8, 072 8 87	205	10, 607 427			
Tar, turpentine, and pitch	Bbl. 81	(19)	(33) 1 344	(33)	1 63	(88) 3 145	(11)			
Turpentine substitutes	Gal	8 265	398	494	3 207	331	425			
Other gums and resins	Lb	3 746	2, 160	1,843	³ 165	590	635			
Total naval stores, gums, and resins.					15, 215	22, 909	23, 179			
Wood										
Boards, deals, planks, etc.— Hardwoods—			ł				i			
Ash	M (t	(13)	8 9		(11)	₹ 682				
ChestnutGum	Mft	87	10 54		1, 905	803 2,963	528			
HickoryMahogany	M ft	1 1	1.8	3	3 82	237	343			
Mahogany	Mft	(12)	(11)	162	(13) 5, 933	(12) 9, 645	10, 904			
Popiar	Mft	14	20	28	1, 388 279	1,849	2, 241			
Walnut Other hardwoods	Mft Mft	53	6 56		4, 280	878 5, 065				
Total hardwoods				l	14, 140					
TOWN HOLDWOODS					12, 140	20, 122	20,000			

¹ July 1-Dec. 31.
1 Jan. 1-June 30.
Reported in value only.
11 Not separately classified.
12 Includes fruit Jules prior to Jan. 1, 1924.
13 Includes fruit Jules prior to Jan. 1, 1924.
14 Classified as "Futi-stock, cuttings, and seedlings" or "Other nursery or greenhouse stock."
15 Barrels of 280 pounds.
16 Classified as "Wood turpentine" or "Tar and pitch, wood."

TABLE 676.—Agricultural exports (domestic) of the United States, 1922-1924—Con.

	Year ended June 30										
Article exported		Quan	lity		Value						
	Unit	1921-22	1922-23	1923-24 prelimi- nary	1921-22	1922-23	1923-24 prelimi- nary				
FOREST PRODUCTS—continued											
Wood—Continued. Boards, deals, planks, etc.— Continued Softwoods—	3.F. 6.	Thou- sands	Thou- sands	Thou- sands	1,000 dollars	1,000 dollars	1,00° dollars				
Cypress Douglas fir Dressed	M ft M ft M ft	678 (13)	10 1 228 1 11	(³⁸)	405 14,640 (18) (18)	* 486	(#) 1, 31				
Rough Redwood Southern yellow pine	M ft M ft M ft	(11) 25 458	* 229 45 1 241	601 52 (11)	1, 388 15, 740	3 6, 325 2, 813 1 9, 581	17, 113 8, 656 (38)				
Dressed Rough Spruce	M ft M ft M ft	(15) (15) 26	104 242 25	105 513 38	(12) (12) 783	3 4, 566 8 10, 615	4, 497 21, 627 2, 298				
Western hemlock Western yellow pine White pine	M ft M ft M ft	(18) 4 21	30 14 27	136 20 21	(12) 199 1, 443	1, 224 739 569 1, 898	3, 93 94 1, 49				
Other softwoods Total softwoods	M ft	125	47	30	3, 986 38, 534	1, 800 46, 526	1, 860 59, 30				
Cooperage and box material—	B ft	(6)	1 30, 497	(34)	1, 954	1 1, 017	(14)				
Box shooks Southern yellow pine. Western hemlock Other box shooks	B.ft B.ft	(19) (19) (19)	3 16, 177 (13) 3 31, 356	16, 241 13, 249 74, 722	(12) (12) (13)	¹ 690 (¹²) ¹ 1, 036	83: 2 13: 3, 14:				
Cooperage— Heading Staves————————————————————————————————————	Set No	(8) 1 12, 165	2, 774 (35)	3, 045 (35)	203 1 955	380 (14)	48 (35)				
Slack	No No Set	15, 892 7, 105 1 231	36, 057 21, 409 (35)	40, 088 20, 780 (35)	3 289 3 789 1 774	771 3, 043 (⁸⁶)	72 3, 09 (35)				
Slack Tight	Set	⁸ 168 ⁸ 343	199 1, 386	575 1, 045	⁸ 95 ⁸ 1, 0 57	90 4, 007	31 3, 16				
Total cooperage and box mate- rial					6, 116	11, 034	11, 88				
LathsLogs and round timber-	М	• 6	42	39	⁸ 48	267	24				
Herdwoods	M ft	7	11	20	458		1, 37				
Cedar Douglas fir Yellow pine (Southern).	M ft M ft M ft	1 28 14 8	57 42 4	112 16 7	³ 949 235 308	2, 284 728 140	3, 74 31 22				
Other softwoods Total loss and round	M ft	42	6	4	1,709	129	9				
timber	M ft	99	120		3, 659						
Piling Pulp wood Railroad ties	Lin. ft Cu. ft No	(6) 8 1, 791 1 1, 014	(6) ,1, 303 (36)	(86)	128 138 1,394	319 92 (M)	58 18 (86)				
Hardwood	No	1 250 1 665	643 1,817	558 2, 201	³ 366 ³ 507	\$80 1,605	2, 23				
Total railroad ties	No	1, 929	2, 460	2, 759	2, 267	2, 485	3, 08				

¹ July 1-Dec. 31.

3 Jan, 1-June 30.

6 Reported in value only.

13 Not separately classified.

14 Classified as "Dressed" and "Rough."

14 Classified as "Southern yellow pine," "Western hemlock," or "Other box shooks."

15 Classified as "Slack" or "Tight."

16 Classified as "Hardwood" or "Softwood."

TABLE 676.—Agricultural exports (domestic) of the United States, 1922-1924-Con.

	Year ended June 30										
Article exported		Quant	ity			Value					
	Unit	1921-22	1922-23	1923-24, prelimi- nary	1921-22	1922-23	1923-24, prelimi- nary				
FOREST PRODUCTS—continued		Thou-	Thou-	Thou- sands	1,000 dollars	1,000 dollars	1,000 dollars				
Wood-Continued.		00,000	00,,,00	00		40004					
Shingles.	M	26	26	30	131	154	171				
Telegraph, trolley, and electric	37-		30		¥ 90	014	044				
Timber, hewn or sawed—	No	• 11	30	53	• 90	214	344				
Hardwoods											
Oak	M ft	* 1	3	4	3 45	166	216				
Other hardwoods	M ft	5	1	5	289	110	287				
Softwoods Cedar	354		••			1 010	0 104				
Douglas fir	Mft	3 4 3 97	19 179		3 184 3 2, 090	1, 013 4, 514	2, 124 1 8, 376				
Treated	Mft	(12)	(12)	1 12	(13)	(13)	370				
Untreated	Mft	(12)	(12)	3 282	(11)	(13)	8, 323				
Southern yellow pine	Mft	118	172	1 73	3,406		1 3,058				
Treated Untreated	Mft Mft	(13)	(12)	3 1 3 93	(11)	(18) (19)	3, 614				
Other softwoods	Mit	43	(**)		1,023	286	1,066				
Total timber hewn or sawed.				İ	7, 037	12, 883	27, 50				
Miscellaneous forest products:		1		1	1	Í	1				
Firewood and other unmfd.	Cu. ft	(A)	2, 566	2, 467	279	211	187				
Hardwood flooring	M ft. b m.	(0)	2, 300	2, 307	(13)213	158					
Moss	Lb	(6)	906		71	83					
Veneers and plywood	8q. ft	18, 766	50, 360			1,452	1,681				
Wood alcohol	Gal	737	1,528	³⁷ 1, 089	566	1, 333	a7 1, 080				
Soda wood pulp	Tons	12	3	9	3 162	301	192				
Sulphite wood pulp	Tons	3 10	14		3 434	801	986				
Other wood pulp	Tons	13		5	680	82					
Miscellaneous lumber	B ft	(6)	9, 512	5, 823	1, 247	406	4.89				
Total forest products					94, 115	129, 982	162, 789				
m-4-3											
Total vegetable products in- cluding forest products					1 470 479	1, 590, 748	1 671 005				
cidding forest products					1,010, 112	1, 080, 740	1, 071, 000				
Total vegetable products ex-					1						
cluding forest products					1, 585, 357	1, 460, 766	1, 508, 304				
Total agricultural ave											
Total agricultural exports in- cluding forest products			ļ		2.009.981	1, 929, 150	2. 029. 686				
Stating totost products					2, 000, 301	-, 020, 100	, 020, 000				
Total agricultural exports ex-			1	i	l						
cluding forest products	1	1	1	ı	1, 915, 866	11 700 1 <i>6</i> 9	11 RAR 20'				

Division of Statistical and Historical Research. Compiled from Monthly Summaries of Foreign Commerce of the United States, June, 1923 and 1924, Bureau of Foreign and Domestic Commerce.

¹July 1-Dec. 31.
4Jun. 1-June 80.
6 Reported in value only.
13 Not separately classified.
14 Includes "Other alcohol, pure and denatured" and "Menthanol, pure and denaturing grade."

^{29283°---} үвк 1924-----67

Table 677.—Shipments of agricultural products from the United States to Alaska, Hawaii, and Porio Rico, 1922-1924

ALASKA

			Year e	nded Ju	ne 80		
Articles		Qua	ntity			Value	
all product	Unit	1922	1928	1924, prelim- inary	1922	1928	1924, prelim- inary
ANIMALS AND ANIMAL PRODUCTS Animals, live: Cattle	No No No Lb	Thou-sands (1) (1) (2) (3)	Thou-sands (1) 1 (1) (1) (3)	Thou-sands (1) 1 (1) (1) 215	1,000 dollars 25 22 12 (1) 28	1,000 dollars 7 22 14 (1)	1,000 dollars 11 12 11 (1) 80
Total live animals					82	70	114
Dairy products: Butter	Lb Lb Lb	1, 335 266 4, 429	1, 487 279 4, 902	1, 523 294 5, 040	542 76 436	686 81 456	689 89 481
Total dairy products	Lb	6, 030	6, 668	6, 857	1,054	1, 223	1, 259
Eggs	Doz Lb Lb	1, 254 3, 035 148 130	1, 506 3, 424 199 866	1, 516 3, 889 171 131	476 428 27 15	518 495 36 60	547 578 82 13
Total beef and veal	Lb	8, 313	3, 989	4, 191	470	591	623
Mutton and Lamb Pork— Bacon Hams and shoulders, cured	Lb Lb Lb	470 693 788	463 803 776 528	493 811 969	72 253 279 155	87 270 233 81	98 232 254 169
Pickled	Lb	807		1,062			
Total pork Poultry and game Sausage, canned or not canned Misoellaneous meats and meat products—	Lb Lb	(1)	2, 102 (³) 235	2, 842 346 304	687 95	584 89 47	655 111 59
Canned meats, n. e. s	Lb Lb	(*) (*) 858	(3) (3) 436	222 331 482	(3) 192 56	113 88 71	52 49 76
Lard compounds	Lb		400 33	310 83		62 4	48 8
Total oils and fats	Lb	4 358	869	875	4 56	137	132
Total meats and meat products					1, 572	1, 736	1, 779
Miscellaneous animal products, n. e. s	 Lb		6 49	150		0.5	13
Total animals and animal products.					3, 184	3, 552	3, 712
VEGETABLE PRODUCTS Cocoa and chocolate Coffee	Lb	728	(³) 824	64 933	226	24 272	18 302
Fruits: Dried or fresh— Apples. Oranges. Raisins. Other dried or fresh	Box Box Lb	30 12 (?)	21 12 210 (³)	42 17 278 3, 299	85 78 (1) 263	85 81 80 174	90 88 29 298
Total dried or fresh					426	870	500
Prepared or preserved— Canned fruits Preserved fruits, jellies, and jams	Lb	(3)	6 1, 219 (8)	2, 443 804	(³) 262	• 148 198	283 64
Total fruits					7 688	711	847
1 Year thou EOO 4 Wowland on	·	,		4 Ion	-Tune 3	`	

Less than 500,
 Not separately classified.
 Reported in value only.

For lard only.
Excludes "Canned meats, n. e. s."

Jan. 1-June 30.
Excludes "Canned fruits."

Table 677.—Shipments of agricultural products from the United States to Alaska, Hawaii, and Porto Rico, 1982-1984.—Continued

ALASKA-Continued

			Year e	nded Ju	ne 30		
Articles		Qua	ntity			Value	
	Unit	1922	1923	1924, prelim- inary	1922	1923	1924, prelim- inary
VEGETABLE PRODUCTS—continued							
Grains and grain products:		Thou-	Thou-	Thou- sands	1,000 dollars	1,000 dollars	1,000
Grains— Barley	Bu		5	5	(1)	6	dollars B
Corn	Bu	(3)	. 5	8	(a)	6	Ĭ.
Oats	Bu	128	152	121	88	105	76
Rice	Lb Bu	1,065	1, 404 8	1, 326 3	(3)	90	85
Wheat	Би	(1)					8
Total grains					150	211	178
Meal and flour-							
Corn meal and flour	Вы	(3)	3	2	(1)	14	12
Corn meal and flour Oatmeal and rolled oats	Lb	521	625	543	(1) 27	33	28
Wheat flour	Bbl	51	48	49	414	862	832
Total grains and flour					* 591	620	545
Total Rights and nont					- 001	020	040
Miscellaneous grain products—		1	l		1		
Miscellaneous grain products— Bran, middlings, and mill feeds	Ton	(³) 969	2	2	(3)	60	75
Bread, biscuits and crackers	Lb	969	919	1,035	130	122	145
Bread, biscuits and crackers Cereal table foods, n. e. s Other grains and flours	Lb	(3)	(3)	662	50	66	81
Other grains and nours	Lb	(*)	(9)	221	101	61	14
Total grains and grain products					9 872	929	860
Nuts	Lb	(3)	(3)	147	34	37	35
Oilseeds and oilseed products:	10		(7			٠.	
Oil cake and meal	Lb	(2)	194	68	(3)	4	1
Oils, expressed— Cottonseed	Lb	(3)	14	23	(2)	2	8
Linseed	Lb	(2)	122	129	(2)	18	17
Other vegetable oils and fats	I.b	(1) (1)	(3)	218	(3)	84	45
Total oils, expressed		(3)			55	54	65
Total oilseed and oilseed products					55	58	66
-		(4)				1 9	
Seeds, field and vegetable	Lb	(3)	• 155	30	(2)		7
Sugar, molasses and sirups:	Gal			40			
Molasses and sirups (2,000 lbs.)	Ton	50 3	61	46 2	60 399	63 492	53 548
Dugat	1011				000	102	010
Total sugar, molasses, and sirups					459	555	599
Tea	Lb	158	176	152	75	85	84
Tobacco, leaf (unmanufactured)	Lb	(3)	17.0	102	(n)"	68	2
Vegetables.	20,	\ \'	1	1 -	''	1	_
Dried and fresh-				_	i .		
Beans and peas, dried	Bu	,8	11	9	82	44	86
Onions Potatoes	Bu Bu	14 104	17 134	126	136	31 131	36 159
Canned vegetables	Lb	(1)		3, 229	(1)	813	345
Other vegetables and preparations of	Lb	8	8	8, 127	`413	180	221
	1		<u> </u>		625	699	797
Total vegetables					040	008	- 191
Miscellaneous vegetable products:	١ ا				l		۰
Beverages and fruit juices	Gal		• 40	71		42	90
	Ton	8	76	59	82	110	94
Hay			1 10			7	6
Starch	L.D		6 99	40		84	1 14
StarchVegetable food products, n. e. s	Lb		6 22 6 66	49 85		14	
Starch	Lb		• 22		8, 116	8, 549	14 4 3, 825

Not separately classified.
Reported in value only.
Jan. 1-June 30.

Excludes "Barley," "Corn," "Wheat," and "Corumeal and flour."
Excludes "Bran, middling, and mill feeds."

Table 677.—Shipments of agricultural products from the United States to Alaska, Hawaii, and Porto Rico, 1922-1924—Continued

ALASKA-Continued

	Year ended June 30								
Articles		Qua	atity			Value			
	Unit	1922	1923	1924, prelim- inary	1922	1923	1924, prelim- inary		
FOREST PRODUCTS Naval stores: Rosin, tar, turpentine, and pitch Wood:	Lb	Thou- sands (*)	Thou- sands (*)	Thou- sands 1, 183	1,000 dollars 80	1,000 dollars 80	1,000 dollars 51		
Boards, planks, and deals— Douglas fir— Pine. Redwood Other boards	M.ft M.ft M.ft M.ft	9	(1, 0) (1) (1)	(1) (1) (1) (2)	88	872 • 9 11 12	413 8 1 4		
Total boards, planks, etc	M. ft	18	12	15	461	404	426		
Box shooks Cooperage shooks Logs and timber Shingles Other lumber	Set Set M ft M ft Bd. ft.	00000	(3) 6 42 6 6 1	2, 624 419 5 2 220	282 (3) (3) (2) (100	488 • 117 • 110 • 5 47	556 312 103 6 25		
Total wood					10 793 823	1, 166 1, 196	1, 428 1, 479		
Total value of shipments, including					7, 123	8, 297	9, 016		
forest products					6, 300	7, 101	7, 537		
	HAWA	VII	1	I		1			
ANIMALS AND ANIMAL PRODUCTS									
Animals, live: Cattle Hogs Horses Mules Other live animals	No No No No Lb	3555	(1) (1) (1) (8)	(1) 6 (1) (1) 319	(1) 9 40 106	47 81 16 107 132	26 96 6 78 102		
Total live animals					207	383	808		
Nairy products: Butter Cheese Milk, condensed or preserved	Lb Lb Lb	1, 332 428 4, 497	1, 024 435 4, 758	1, 007 459 5, 501	574 114 564	531 121 624	486 130 723		
Total dairy products	Lb	6, 257	6, 217	6, 967	1, 252	1, 276	1, 339		
Eggs	Doz	1, 538	1, 473	1,605	497	467	488		
Beef and veal, fresh Beef, canned Beef, pickled or cured	Lb Lb Lb	78 698 69	52 1,026 55	46 615 32	16 132 13	170 12	6 140 7		
Total beef and veal	Lb	845	1, 133	693	161	190	153		
Mutton and lambPork—	Lb		17	24		4	6		
Bacon Hams and shoulders, cured Pickled	Lb Lb Lb	867 1, 197 2 07	380 1, 027 234	404 1, 166 886	144 398 45	129 859 44	116 323 147		
Total pork	Lb	1, 771	1, 641	2, 456	587	582	586		

Less than 500.
 Not separately classified.
 Reported in value only.
 Jan. 1-June 30.
 Excludes "Cooperage shooks," "Logs and timber," and "Shingles."

Table 677.—Shipments of agricultural products from the United States to Alaska, Hawaii, and Porto Rico, 1982-1984—Continued

HAWAII-Continued

	Year ended June 30								
Articles		Qua	ntity			Value			
	Unit	1922	1923	1924, prelim- inary	1922	1928	1924, prelim- inary		
ANIMALS AND ANIMAL PRODUCTS—continued Meat and meat products—Continued. Poultry and game. Sausage, canned or not canned. Miscellaneous meat and meat products—	Lb Lb	Thou- sands (3) 278	Thou- sands (3) 488	Thou- sands 387 533	1,000 dollars 107 61	1,000 dollars 89 108	1,000 dollars 128 128		
Canned meats, n. e. s. Other meat products Oils and fats, animal— Lard	Lb Lb	(3) 270	(*) 302	495 512 279	151 149 37	99 209 43	127 115 88		
Lard compounds Miscellaneous oils and fats	Lb	1,661	1, 787 6 76	1, 512 314	244	268 6 15	225 58		
Total oils and fats	Lb	1, 931	2, 165	2, 105	281	826	821		
Total meat and meat products					1, 497	1, 557	1, 564		
Miscellaneous animal products, n. e. s	Lb		6 19	1, 041		64	42		
Total animals and animal products.					8, 453	3, 687	3, 741		
VEGETABLE PRODUCTS	1								
Cocoa and chocolate	Lb	(3) 63	(¹) 92	405 374	112 15	134 23	105 66		
Dried or fresh— Apples Oranges Raisins Other dried or fresh	Box Box Lb	84 52 (³)	48 69 50	99 83 271 8, 200	167 255 (³) 271	157 241 7 290	145 289 28 250		
Total dried or fresh					693	695	712		
Prepared or preserved— Canned fruits Preserved fruits, jellies, and jams	Lb	(3)	(³) • 266	1, 483 411	210 (*)	238 6 36	170 65		
Total fruits	 				11 903	969	947		
Grains and grain products: Grains— Barley	Bu Bu Lb	184 137 61 39, 194 67	308 129 70 54, 293 77	652 174 129 60, 797 100	141 129 36 1, 780	250 140 45 2, 530 106	559 195 77 8, 072 117		
Total grains					2, 176	8, 071	4, 020		
Meal and flour— Corn meal and flour— Oatmeal and rolled oats— Wheat flour————————————————————————————————————	Bbl Lb Bbl	(2) (2) 116	1 419 129	1 448 130	(³) (³) 797	5 20 877	75 20 774		
Total grains and flour					13 2, 973	8, 973	4, 819		
Miscellaneous grain products— Bran, middlings and mill feeds Bread, biscuit and crackers Careal table foods, n. e. s. Other grains and flour	Ton Lb Lb Lb	14 545 (³)	21 498 (*)	26 528 1, 494 957	448 129 196 536	799 115 168 334	1, 052 108 146 46		
Total grains and grain products	į				4, 282	5, 389	6, 171		
	1								

Not separately classified.
 Reported in value only.
 Jan. 1-June 83.
 Excludes "Preserved fruits, jellies, and jams."
 Excludes "Corn meal and flour" and "Oatmeal and solled oats."

Table 677.—Shipments of agricultural products from the United States to Alaska, Hawaii, and Porto Rico, 1922–1924—Continued

HAWAII-Continued

			Year	ended Ju	ne 30		
Articles		Que	ntity			Value	· · · · · · · · · · · · · · · · · · ·
	Unit	1922	1923	1924, prelim- inary	1922	1923	1924, prelim- inary
VEGETABLE PRODUCTS—continued		Thou-	Thou-	Thou-	1,000 dollars	1,000 dollars	1,000 dollars
NutsOilseed products:	Lb	(3)	(3)	431	85	93	95
Oil cake and meal	Lb	(1)	2, 248	4, 327	(3)	443	84
Oils, expressed— Cottonseed	Lb	(2)	388	557	(2)	73	98
Linseed	Lb	355	488	518 321	46	72	79 58
Other vegetable oils and fats	Lb	(1)	(3)	321	- "	54	- 05
Total oils, expressed					123	199	230
Total oilseeds and oilseed products.					18 123	242	314
Goods Mald and manatable	Lb	(9)	• 83	183	(1)	6 21	21
Seeds, field and vegetable	ı	(3)		1	(3)		31
Molasses, and sirups (2,000 lb.)	Gal Ton	38 5	43	73	33 605	36 789	48 571
Sugar(2,000 10.)	1011			°			
Total sugar, molasses, and sirups					638	825	619
TeaTobacco, leaf (unmanufactured)	Lb	(1) 39	49 6 3	45 1	(³)	20 6 3	22 1
Vegetables: Dried and fresh—	1	1			1		
Beans and peas, dried	Bu	23	16	20	74	65	72
Onions	Bu	48 283	66 296	68 270	74 292	63 210	76 324
Canned vegetables. Other vegetables and preparations of	Lb	8	(3)	4,774	336	509	458
Other vegetables and preparations of	Lb	(1)	(*)	2, 220	88	152	200
Total vegetables					864	999	1, 130
Miscellaneous vegetable products— Beverages and fruit juices							
Hay	Gal Ton	5	6 51	114	136	45 138	107 140
Starch	Lb	157	240	135	10	12	11
Vegetable food products, n. e. s Other vegetable products, n. e. s	Lb		6 169 6 212	178 177		6 22 6 10	39 19
Total vegetable products					7, 184	8, 945	9, 817
FOREST PRODUCTS							
Naval stores—Rosin, tar, turpentine, and pitch Wood:	Lb	(9)	(4)	901	30	51	57
Boards, planks, and deals— Douglas fir	Mft	47	64	67	1, 140	1.984	2, 338
Pine	Mft	(1)	(1)	2	19	21	68
RedwoodOther boards	Mft	8	4	1 1	126 38	218 54	167 26
Total boards, planks, etc	Mft	51	69	74	1, 323	2, 277	2, 599
Box shooks	Set	(A)	(1)	5, 163	474	722	1,000
Box shooks Cooperage shooks Logs and timber	Set	8	(1)	10		4 2	13
Logs and timber	M ft	(3)	38	3 37	(³) 84	19 148	95 126
Shingles Other lumber	Bd. ft.	(4)	(3)	994	186	125	91
Total woodTotal forest products					14 2, 067 2, 097	8, 293 3, 344	3, 924 3, 981
Total value of shipments, including							
forest products					12, 734	15, 976	17, 539
Total value of shipments, excluding forest products			 		10, 637	12, 632	13, 558
						,	,

Less than 500.
 Not separately classified.
 Reported in value only.

Jan. 1-June 30.
 Excludes "Oil cake and meal."
 Excludes "Cooperage shooks" and "Logs and timber."

Table 677.—Shipments of agricultural products from the United States to Alaska, Hawaii, and Porto Rico, 1982-1984—Continued

PORTO RICO

			Year	ended Ju	ne 30		
Articles		Qua	ntity			Value	
	Unit	1922	1923	1924, prelim- inary	1922	1923	1924, prelim- inary
ANIMALS AND ANIMAL PRODUCTS Animals, live: Cattle	No No No Lb	Thou-sands (2) (1) (1) (2)	Thou- sands (1 6) (1 6) (1 6) (2)	Thou-sands 1 (1) (1) 15	1,000 dollars (2) (3) (2) (5)	1,000 dollars • 30 • 16 • 4 49	1,000 dollars 71 21 11 8
Total live animals	·				163	99	111
Butter Cheese Milk, condensed or preserved	Lb Lb	996 2, 583 3, 107	1, 114 2, 302 3, 012	1, 311 2, 888 3, 717	304 615 449	372 571 435	427 715 477
Total dairy products	Lb	6, 686	6, 428	7, 916	1, 368	1,378	1, 619
Eggs Meat and meat products:	Doz	(2)	61	86	(3)	20	30
Beef and veal, fresh	Lb Lb Lb	118	177 133 3, 925	719 142 2, 972	24 240	33 22 298	85 21 245
Total beef and veal	Lb	6 3, 028	4, 235	3, 833	15 264	353	351
Mutton and lamb	Lb		6 24	41		47	12
Pork— Bacon Hams and shoulders, cured Pickled	Lb Lb	78 4, 965 12, 663	71 6, 215 13, 541	112 7, 694 13, 583	16 895 1, 310	15 909 1,614	21 980 1, 555
► Total pork	Lb	17, 706	19, 827	21, 389	2, 221	2, 538	2, 556
Poultry and game Sausage, canned or not canned	Lb	1, 114	(3) 1, 517 (3)	32 2, 108 360	221 50	15 290 48	12 416 63
Other meat products	Lb	(8)	(4)	2, 997	260 1, 376	301 1,618	265 1,982
Lard Lard compounds Miscellaneous animal oils and fats	Lb Lb	4.986	11, 579 3, 757 226	14, 364 1, 476 406	600	507 6 28	185
Total oils and fats	Lb	1614,477	15, 562	16, 246	14 1, 976	2, 151	2, 222
Total mest and mest products					4,992	5, 703	5, 897
Miscellaneous animal products, n. e. s	Lb		120	83		66	26
Total animals and animal products					6, 523	7, 206	7, 688
VEGETABLE PRODUCTS Cocoa and chocolate	Lb	(4)	(³) 10	875 4	136	164 2	193
Dried or fresh— Apples	Box Lb Lb	(*) 1111 (*)	13 253 (*)	19 834 983	(³) 17 122	35 33 98	56 88 122
Total dried or fresh					139	166	211
						,	

Less than 500.
 Not separately classified.
 Reported in value only.
 Jan. 1-June 30.
 Excludes "Beef and veal, fresh."
 Excludes "Miscellaneous animal oils and fats."

Table 677.—Shipments of agricultural products from the United States to Alaska, Hawaii, and Porto Rico, 1982-1984—Continued

PORTO RICO-Continued

was a state of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of t			Year	ended Ju	12se 30		
Articles		Qua	ntity			Value	
	Unit	1922	1923	1924, prelim- inary	1922	1923	1924, prelim- inary
VEGETABLE PRODUCTS—continued							
Fruits—Continued. Prepared or preserved— Canned fruits. Preserved fruits, jellies, and jams	Lb Lb	Thou- sands	Thou- sands 6 603	Thou- sands 1,915 116	1,000 dollars 161	1,000 dollars 81 108	1,000 dollars 220 24
Total fruits					800	850	455
Grains and grain products: Grains— Barley	Bu	(3)	8	2	(2)	7	8
Corn Oats Rice	Bu Bu Lb	204 159, 147	77 260 174, 587	15 810 190, 476	(1) (1) 101 5, 837	78 149 6, 475	16 180 8, 318
Total grains					5, 938	6, 709	8, 517
Meal and flour— Corn meal and flour Oatmeal Wheat flour	Bbl Bbl	78 (³) 391	77 518 424	- 92 677 431	283 (1) 2, 583	280 47 2, 506	396 63 2, 350
Total grains and flour					8, 804	9, 542	11, 326
Miscellaneous grain products— Bran, middlings and mill feeds. Bread, biscuit and crackers. Cereal table foods, n. e. s. Other grains and flour	Ton Lb Lb	3, 112 (3) (3)	3, 705 (3)	12 5, 397 1, 122 2, 119	(²) 474 144 602	255 489 116 239	621 683 83 69
Total grains and grain products					10, 024	10, 641	≠ 12, 782
Nuts Oilseeds and oilseed products:	Lb	(1)	(3)	162	16	18	28
Oil cake and meal	Lb	8, 072	2, 890	1, 574	61	77	40
Cottonseed Linseed Other vegetable oils and fats	Lb Lb Lb	110 701 (*)	238 815 (³)	81 886 1,556	18 77 4 5	33 109 54	11 115 206
Total oils, expressed					135	196	832
Total oilseeds and oilseed products					196	273	372
Seeds, field and vegetable Sugar, molasses and sirups:	Lb	(1)	6 51	48	(3)	68	8
Molasses and sirups (2,000 lbs.)	Gal Ton	(³) 4	16 8	12 4	(1) 402	13 497	9 611
Total sugar, molasses, and sirups	Lb Lb	6 704	9 3, 054	2, 794	17 402 4 231	510 4 770	620 2 706
Dried and fresh— Beans and peas, dried Onions Potatoes	Bu Bu Bu	391 68 407 (8)	360 82 470 (8)	463 94 457 1, 559	1, 556 169 461 105	1, 285 186 456 175	1,669 166 551 153
Canned vegetables. Other vegetables and preparations of	1/0	(8)	8	972	87	41	88
Total vegetables					2, 328	2, 093	2, 627

Not separately classified
 Reported in value only.

⁶ January I–June 30. ¹⁷ Excludes "Molasses and sirups."

Table 677.—Shipments of agricultural products from the United States to Alaska, Hawaii, and Porto Rico, 1922-1924—Continued

PORTO RICO-Continued

			Year	ended Ju	me 30		
Articles	•	Qua	ntity		Value		
	Unit	1922	1923	1924, prelim- inary	1922	1923	1924, prelim- inary
VEGETABLE PRODUCTS—continued Miscellaneous vegetable products: Beverages and fruit juices	Lb	Thou-sands	Thou- sands 6 130 1 645 6 354 6 72	Thou- sands 323 1 1, 267 422 253	1,000 dollars 17	1,000 dollars 139 18 22 29 14	1,000 dollars 319 17 41 51 24
Total vegetable products					13, 654	15, 055	18, 246
FOREST PRODUCTS							
Naval stores-Rosin, tar, turpentine, and pitch Wood:	Lb	(2)	(4)	673	(2)	18	19
Boards, planks and deals— Douglas fir————————————————————————————————————	M ft M ft M ft	42	3 44 (1)	80 1	(³) 1, 429 60	58 1, 232 24	2, 212 28
Total boards, planks, etc	M ft	43	47	68	1, 489	1, 314	2, 283
Box shooks Cooperage shooks. Logs and timber. Other lumber.	Set	(2)	(3) 6 39 (1 6) (3)	2, 062 105 (¹) 975	220 (²) (²) 34	358 6 32 6 10 87	401 118 14 55
Total wood Total forest products					18 1, 749 1, 749	1,801 1,819	2, 871 2, 890
Total value of shipments, including forest products					21, 926	24, 080	28, 819
Total value of shipments, excluding forest products					20, 177	22, 261	25, 929

Division of Statistical and Historical Research. Compiled from Monthly Summaries of Foreign Commerce of the United States, June, 1923 and 1924, Bureau of Foreign and Domestic Commerce.

¹ Less than 500.
2 Not separately classified.
3 Reported in value only.
6 Jan. 1-June 30.
18 Excludes "Cooperage shooks," "Logs and timber," and "Douglas fir."

TABLE 678.—Agricultural imports of the United States, 1922-1924

	Year ended June 80										
Article imported		Quar	itity			Value					
	Unit	1922	1923	1924, prelimi- nary	1922 .	1923	1924, prelimi- nary				
ANIMALS AND ANIMAL PRODUCTS		Thou-	Thou	Thou-	1.000	1,000	1,000				
Animals, live:	•	sands	sands	sands	dollars	dollars	1,000 dollars				
Cattle	No	152	252	155	3, 055	6, 622	5, 341				
Horses	No No	8	8	2	532	846	942				
Sheep	No	96	83	35	515	543	216				
Birds	No	1 (2)	353	460	(1)	* 317	595				
PoultryOther live animals	Lb	8	2 932	1, 264 (³)	(1)	1 225	278				
Other live animals		(•)	(3)	(*)	1, 748	1, 068	1, 427				
Total animals, live					5, 850	9, 621	8, 799				
Dairy products:											
Butter and butter substitutes	Lb	9, 551	15, 772	29, 466	3, 257	5, 821	10, 740				
Casein or lactarene	Lb	10, 529	26,095	29, 466 17, 441	707	4, 136	1,948				
Cheese and substitutes	Lb	10, 529 34, 271	54, 555	66, 597	10, 816	4, 136 17, 318	21, 066				
Milk and cream— Condensed, evaporated, etc	Lb	2, 037	7, 276	4 7, 679	317	934	1, 101				
Cream— Fresh	Gal	(4)	(1)	§ 1, 646	(1)	(1)	⁸ 2, 475				
Powder, malted milk, etc	Lb	(‡)	(1)	§ 159	(1)	(1)	6 12				
Milk— Condensed and evapo-											
rated-		(a)	(1)	40 750		(1)	8 429				
Sweetened Unsweetened	Lb		XX	\$ 2,752 \$ 98	532	5.2	129				
Powder	Lb	1 77 1	<u>}1</u>	810	(3)	(1)	8 131				
Sweet sour or butter	10	(-)	(1)	, 910	(9)	(2)	, 191				
Sweet, sour, or butter- milk Milk, sweet or sour, and but-	Gal	(1)	(1)	⁸ 1, 80 8	(1)	(1)	⁸ 316				
termilk	Gal	4, 536	5, 148	4 4, 814	3, 132	4, 148	4 3, 420				
Total dairy products					18, 229	82, 352	41, 650				
Eggs and egg products:											
Egg albumen, dried.	Lb	(1)	(1)	s 311	(1)	(1)	• 232				
Egg albumen, dried and frozen, etc.	Lb	(1) 7, 388	3, 213	4 6, 331	1, 980	1, 369	4 2, 368				
Egg albumen, frozen, prepared or		,,,,,,,			-,						
progorved	Lb	(1)	(1)	å 636	(1)	(1)	\$ 75				
Eggs and egg yolks preserved Eggs in shell	Lb	16, 540	14, 821	4 14, 830	2, 415	2, 828	4 3, 535				
Eggs in shell	Doz	1, 224	535	426	328	159	125				
Whole eggs, dried Whole eggs, frozen Yolks, dried	Lb	(3)	33	544	(1)	(1)	184				
Whole eggs, irozen	Lb	53	33	1, 106 522	S2 1	255	* 167 * 130				
Yolks, frozen	Lb Lb	(i)	3	1, 210	£5	(i)	5 214				
10120, 1102001	ш			- 1, 210			- 217				
Total eggs and egg products.					4, 723	4, 356	7, 030				
Hides and skins, raw (except fur):											
Buffalo hides— Dry and dry salted	Lb	3 064	9 898	1 479	528	352	307				
Wet salted.	Lb	3, 084 (1)	2, 585 3 1, 216	1, 478 789	(1) 528	² 215	151				
Total buffalo hides	Lb	6 8, 084	3, 801	2, 267	6 528	567	458				
Calf—											
Dry and dry salted (less than					1						
6 lbs.)	Lb	7 16, 175	14, 988	10, 754	7 3, 218	4,001	3, 476				
Total calf	Lb	7 25, 383 7 41, 558	80, 786	18, 413 29, 167	7 5, 354	* 7, 048 * 11, 049	7 420				
	40	71,008	70, (24	##, 10/	. 0, 007	- 11, 040	7, 620				
Cattle-					1						
Dry and dry salted	Lb	18, 488	58, 770	18, 208	2, 912	9, 936	2, 992				
Wet salted	Lb	186, 498	346, 613	158, 267	23, 687	54, 576	20, 615				
	Lb										

Not separately classified.
 Beginning Sept. 22, 1922.
 Reported in value only.
 July 1-Dec. 31, 1923.

Beginning Jan. 1, 1924.
Excludes "Buffalo hides, wet salted."
Includes "Kip skins."
Includes "Kip skins." until Sept. 21, 1922.

TABLE 678.—Agricultural imports of the United States, 1922-24-Continued

			Year	ended Ju	ae 3 0		
Article imported		Quar	itity			Value	
	Unit	1922	1923	1924, prelimi- nary	1922	1923	19 24, prelimi- nary
ANIMALS AND ANIMAL PRODUCTS—COD.							
Hides and skins, raw—Continued. Goat and kid— Dry and dry salted	Lb Lb	Thou- sands 68, 228 15, 307	Thou- sands 70, 794 18, 607	Thou- sands 51, 811 14, 070	1,000 dollars 29, 443 3, 337	1,000 dollars 83, 247 4, 365	1,000 dollars 24,677 3,410
Total goat and kid	Lb	83, 535	89, 401	65, 881	32, 780	87, 612	28, 087
Horse, colt, and ass— Dry and dry salted Wet salted	Lb	1, 295 3, 430	11, 939 10, 462	3, 885 6, 415	139 217	1, 4 51 944	540 564
Total horse, colt and ass	Lb	4, 725	22, 401	10, 300	356	2, 395	1, 104
Kangaroo and wallaby	Lb	724	1, 152	1, 256	492	1,085	1, 171
Nip— Dry and dry salted (6-12 lbs) Wet salted (less than 12 lbs.)	Lb	8	² 11, 628 ² 9, 168	3, 579 7, 853	8	³ 2, 120 ³ 1, 908	
Total kip	Lb	(9)	² 20, 796	11, 437	(9)	1 4, 028	2,00
Sheep and lamb— Dry. Green or pickled. Slats, dry and pickled. Split, fleshers and skivers, dry and pickled.	Lb Lb Lb	12, 593 86, 245 (¹)		(11)	3, 131 5, 222 (¹)	10 853 10 2, 416 2 8, 137 2 702	11,771
Total sheep and lamb	Lb	48, 838	61, 668	48, 744	8, 353	12, 108	12, 22
Miscellaneous hides and skins, n. e. s	Lb	5, 504	7, 859	G, 966	1, 224	1, 939	1, 442
Total hides and skins	Lb	392, 904	658, 185	352,493	78, 899	135, 295	77, 721
Meats and meat products. Meats— Beef and veal, fresh Reef, fresh Veal, fresh	Lb Lb Lb	28, 001 (1) (1)	32, 481 (1) (1)	* 13, 043 * 8, 678 * 3, 423	2, 989 (1) (1)	3, 189 (1) (1)	1, 594 6 794 4 462
Total	Lb	28, 001	32, 481	25, 144	2, 989	3, 189	2, 850
Mutton and lamb, fresh Lamb, fresh Mutton, fresh	Lb Lb	12, 855 (1) (1)	8, 709 (¹) (¹)	4 1, 737 8 825 8 935	2, 045 (1) (1)	1, 421 (i) (i)	4 382 5 110 5 84
Total mutton and lamb	Lb	12, 855	8, 709	3, 497	2, 045	1, 421	570
Pork, fresh	Lb	930	998	1, 218	177	188	278
Poultry and game— Dead or prepared Dead Prepared	Lb Lb Lb	83	2, 907	4 937 4 477 8 297	(2)	1, 186 (1) (1)	4 318 6 106 8 198
Miscellaneous meats— Meats, prepared or pre- served	Lb Lb Lb Lb	5, 129 (1) (1) (1) (1)	8, 991 (1) (1) (1)		(1)	1,118	356 100 261
e. s	Lb	4, 619	2, 340	1, 483	1, 845	559	810
Total meats					7, 657	7, 661	6, 060

¹ Not separately classified.
2 Beginning Jan. 1, 1924.
3 Beginning Sept. 22, 1922.
4 July 1-Dec. 31, 1923.
10 Classified as "Calfakins."
11 Ulassified as "Calfakins."
12 Ulassified as "Slats, dry and pickled," "Splits, fieshers and skivers, dry and pickled," or "Wooled, dry and green."

TABLE 678.—Agricultural imports of the United States, 1922-24—Continued

			Year	ended Ju	ne 80	····	
Article imported		Quan	itity			Value	
•	Unit	1922	1928	1924, prelimi- nary	1922	1928	1924, prelimi- nary
ANIMALS AND ANIMAL PRODUCTS—COR.							
Meats and meat products—Contd. Oils and fats, animal— Beef and hog fats Gresse and oils, n. e. s. Wool gresse	Lb Lb	Thou- sands 1, 789 25, 290	Thou- sands 11, 016 10 12 1,465 (1)	Thou- sands 2,783 (*) 8,581	1,000 dollars 113 1,334	1,000 dollars 838 19 619	1,000 dollars 234 398
Wool grease	Gal	4, 961	(1) 10 400	*8, 581 (¹)	2, 703 4, 150	(1) 16 154 1, 611	(1) 862
Total meats and meat prod- ucts					11, 807	9, 272	6, 922
Silk (unmanufactured): Cocoons Raw silk Waste	Lb Lb Lb	161 48, 179 9, 097	880 52, 684 10, 124	156 46, 205 10, 284	120 800, 446 6, 717	383 405, 796 7, 388	132 350, 028 8, 632
Total silk (unmanufactured)	Lb	57, 437	63, 188	56, 595	307, 283	413, 567	858, 792
Wool and mohair (unmanufactured): Carpet wool. On the skin or in the grease Washed or scoured	Lb Lb Lb	148, 787 (1)	171, 879 (1) (1)	4 33, 376 4 69, 445 5 15, 554	19, 979 (1) (1)	34, 946 (1) (1)	4 7, 154 5 15, 734 5 3, 604
Total carpet wool	Lb	148, 787	171, 879	118, 375	19, 979	84, 946	26, 492
Clothing wool- In the grease and washed Scoured	Lb Lb Lb	82, 821 (1) (1)	43, 703 (1) (1)	4 4, 581 6, 675 1, 614	6, 939 (1) (1)	14, 555 (1) (1)	4 1, 615 5 2, 453 6 909
Total clothing wool	Lb	32, 821	48, 708	12, 820	6, 939	14, 555	4, 977
Combing wool	Lb Lb	69, 233 (1) (1)	298, 496 (1) (1)	4 23, 218 8 76, 900 9 2, 885	17, 585 (1) (1)	108, 117 (1) (1)	4 7, 983 4 34, 528 5 1, 440
Total combing wool	Lb	69, 233	298, 496	103, 003	17, 585	108, 117	43, 951
Hair of the angora goat (mo- hair), alpaca, and other like animals Mohair (angora) In the grease and washed.	Lb Lb	4, 246 (1)	10 2, 851 17, 221	(18) 4 1, 126	1, 146 (¹)	10 1, 069 2, 857	(18) 4 758
washed Scoured Cashmere, alpaca, etc	Lb Lb Lb	89	(1) (1) 3 1, 822	⁵ 2, 405 ⁶ 53 1, 341	(1) (1)	(1) (1) 551	⁸ 1, 027 ⁸ 20 504
Total mohair, cashmere, alpaca, etc	Lb	4, 248	11, 394	4, 925	1, 146	4, 477	2, 309
and green	Lb	(1)	1 24, 708	12, 725	(1)	³ 5, 096	3, 131
(unmanufactured)	Lb	255, 087	550, 180	251, 848	45, 649	167, 191	80, 860
Miscellaneous animal products: Beeswax Blood, dried Bones, boofs, and borns (unmany)	Lb Lb	3, 101 (1)	8, 921 (1)	3, 271 4 3	(¹) 581	(¹)	703 8 182
Bones, hoofs, and horns (unmanufactured) Bristles, crude, not sorted, etc Bristles, sorted, bunched or pre-	Lb Lb	48, 360 6	101, 209 61	101, 152 6	591 11	1, 484 21	1, 382 17
paredFeathers, except ostrich	Lb	8, 158 8, 614	5, 628 4, 821	5, 787 4, 286	4, 305 1, 155	7, 778 2, 075	9, 748 2, 278

¹ Not separately classified.
3 Beginning Sept. 22, 1922.
8 Reported in value only.
4 July 1-Dec. 31, 1923.
3 Beginning Jan. 1, 1924.
19 July 1-Sept. 21, 1922.
19 Excludes "Grease and oils, n. e. s.," dutiable.
11 Classified as "Mohair (angora)," "In the grease and washed," or "Scoured" or "Cashmere, alpaca, etc."

TABLE 678.—Agricultural imports of the United States, 1922-24—Continued

			Year	ended Ju	ne 30	*	
Article imported		Quan	tity			Value	
•	Unit	1922	1923	1924, prelimi- nary	1922	1923	1924, prelimi- nary
ANIMALS AND ANIMAL PRODUCTS—con. Miscellaneous animal products—Con. Feathers, ostrich. Gelatin. Glue and glue size. Glue stock and hide cuttings. Hair, horse. Hair, other animals. Heney. Sausage casings. Miscellaneous, n. e. s.	Lb Lb Lb Lb Lb Lb Lb	4, 175 25, 322 3, 945 4, 298 2, 557	Thou- sands 179 4, 379 6. 930 29, 758 7, 493 9, 609 693 18, 503 (1)	Thou- sands 159 5, 274 8, 062 28, 412 4, 990 8, 807 348 20, 386 1, 446	1,000 dollars 964 998 574 1,150 1,538 419 119 7,184 83	1,000 dollars 1,140 1,576 702 1,167 8,300 1,196 60 11,891 1,670	1,000 dollars 787 1,842 668 1,099 2,551 1,242 36 13,955 2,542
Total animals and animal prod- ucts.			-		492, 112	806, 523	620, 803
VEGETABLE PRODUCTS Chocolate and cocoa:					100,112	000,020	020, 000
Chocolate and cooos, prepared	Lb Lb Lb Lb Lb	(1) (1) 817, 124 1,238,012	(1) (1) 381, 508	4 1, 456	27, 349 148, 503	(1) (1) 34, 547 181, 689 (1)	105 196 28, 346
Long staple(478 lbs.) Short staple(478 lbs.)	Bale Bale	46 32 9	159 33 5	129 176	7, 189 36, 769	22, 032 38, 608	21, 142 22, 619
Total cotton (unmanufactured).	Bale	875	494	305	43, 958	60, 640	43, 761
Fruits: Dried— Currants Dates Figs Raisins and other dried grapes.		46, 742 43, 139 18, 363	18, 924 52, 037 36, 585 12, 335	17, 155 44, 143 31, 668 5, 744	3, 710 2, 417 3, 413 1, 936	1, 632 2, 685 1, 993 1, 177	1, 352 1, 817 2, 094 501
Total dried fruits 14	Lb	157, 711	119, 881	98, 710	11,476	7, 487	5, 764
A pples	Bu Bunch Lb Lb	(1) 46, 120 (1) (1)	153 44, 504 1, 248 (1)	131 44, 923 3, 639 2, 970	(1) 19, 951 (1) (1)	18, 909 18, 111 (1)	244 20, 461 373 249
Grapefruit. Lemons. Limes. Oranges. Oranges and limes. Grapes. Pineapples.	Lb Lb Lb Lb Cu. ft	(3) 101, 592 (1) (1) (3) (3) (4)	(*) 122, 818 (1) (1) (3) 1, 855 (9)	11, 755 75, 297 2, 144 2245 43, 331 831 (3)	589 2, 113 (1) (1) 274 1, 246 2, 187	643 2, 690 (1) (1) 224 1, 920 2, 589	348 1,729 570 8 4104 1,534 2,642
Total fresh fruits 14					26, 360	27, 835	27, 762
Prepared or preserved— Cherries	Lb Lb	(1)		1, 380 2, 611 (11) 387	(1) (1) 1, 558 (1)	(1) (1) 16 505 (1)	5 150 5 396 (16) 5 58
In their own juices, or in sugar or spirits. Jellies, jams, marmalades and fruit butter	Lb	(ı)	³ 772 (²)	1, 372 4 1, 392	(1) (1)	a 102 (1)	170 • 221

¹ Not separately classified.
2 Beginning Sept. 22, 1922.
3 Reported in value only.
4 July 1-Dec. 31, 1923.
3 Beginning Jan. 1, 1924.
10 July 1-Sept. 21, 1922.
14 Excludes "Miscellaneous fruits, n. e. s."
15 Classified as "Citron or citron peel," "Ginger root, preserved", "Jellies, jams, marmalades, and fruit butter," "Other prepared and preserved."

TABLE 678.—Agricultural imports of the United States, 1922-24—Continued

			Year	ended Jun	e 30		
Article imported		Quar	itity			Value	
-	Unit	1922	1923	1924, prelimi- nary	1922	1923	1924, prelimi- nary
VEGETABLE PRODUCTS—continued							
Fruits—Continued. Prepared or preserved—Contd. Olives	Gal Lb Lb Lb	Thou- sands (3) (1) (1) (2)	Thou- sands (3) (1) 2 8, 171 (3)	Thou- sands 6, 848 5 2, 975 6, 013 32, 502	1,000 dollars 3, 125 (1) (1)	1,000 dollars 4,870 (1) 2 1,026	5 214 746
Miscellaneous fruits, n. e. s				32, 502	4, 848	8, 325	
Total fruits					47, 362	44, 650	42, 059
Grains and grain products: Grains—							
Buckwheat	Lb Bu Bu	(1) 125 1, 733	. ⁽¹⁾ 138 298	4 7, 394 228 4, 244	(1) 137 799	(1) 158 178	
Cleaned (except patna) Uncleaned Wheat	Lb Lb Bu	66, 707 6, 122 14, 466	56, 947 11, 678 18, 013	32, 193 5, 118 27, 284	2, 307 372 16, 934	1, 772 862 20, 034	1, 252 264 25, 994
Total grains					20, 549	22, 504	29, 884
Meal and flour-				,,,,,,,,,,,			
Rice flour, meal, etc	Lb Bbl	790 619	911 429	900 169	3, 560	57 2, 30 8	55 838
Miscellaneous grain products— Biscuits, wafers, cakes, etc. Bran, shorts, and other by-	Lb	310	846	1, 119	72	203	281
product feeds. Bread, yeast, leavened. Macaroni, vermicelli, etc. Other grain products, n. e. s.	Ton Lb Lb	(1) (1) 1,992 (1)	(1) (3, 254 (1)	167 4 1, 015 8, 870 16 1, 913	(1) (1) 177 1, 863	² 1, 824 (1) 250 1, 041	1 121
Total grains and grain prod- uots					26, 277	28, 187	35, 562
Nuts:							
Almonds— Shelled Unshelled Brazil and cream nuts Chestnuts, including marrons Coconuts, in the shell	Lb Lb Lb Lb	26, 619 4, 723 38, 870 22, 502 82, 001	22, 972 4, 576 39, 808 20, 151 77, 033	23, 411 2, 654 45, 241 27, 209 65, 301	8, 039 543 1, 810 1, 048 2, 162	5, 641 425 2, 045 941 1, 743	2, 451 1, 024
Coconut meat, desiccated or pre-	Lb	44, 382	32, 496	45, 137	3, 511	2, 871	3, 619
Ffiberts— Shelled Unshelled	Lb	5, 43 4 1 4, 133	6, 20 9 1 4, 36 6	7, 353 14, 111	818 1, 154	948 1, 057	1, 102 909
Peanuts————————————————————————————————————	Lb Lb Lb	7, 42 7 3, 37 6 (1)	42, 439 3, 862 (1) (1)	48, 310 3, 561 5 192 5 1, 207	349 146 (1)	2, 011 171 (1)	2, 130 149 42 8 461
Walnuts— Shelled Unshelled Miscellaneous, n. e. s	Lb Lb	17, 027 48, 206 (³)	17, 606 19, 913 (*)	18, 765 18, 245 8, 287	7, 190 5, 378 921	4, 438 2, 406 1, 715	4, 462 1, 894 622
Total nuts					33, 069	25, 912	25, 665

Not separately classified.
 Beginning Sept. 22, 1922.
 Reported in value only.
 Beginning Jan. 1, 1924.
 "All other dutiable" not included.

TABLE 678.—Agricultural imports of the United States, 1922-24—Continued

			Year o	ended Jur	e 80		
Article imported		Quai	ntity			Value	
·	Unit	1922	1923	1924, prelimi- nary	1922	1923	1924, prelimi- nary
VEGETABLE PRODUCTS—continued Oilseeds and oilseed products: Oil cake and oil-cake meal Bean Coconut. Miscellaneous (except bean and coconut)	Lb Lb Lb	Thou-sands 75, 628 (1) (1)	Thou- sands 10 24, 251 3 22, 772 3 46, 055	Thou- sands (17) 81, 909 58, 162 39, 020	1,000 dollars 1,660 (1)	1,000 dollars 10 636 2 422 2 565	1,000 dollars (¹⁷) 576 542
Total oil cake and oil-cake					1, 660	2, 016	
Oils: Essential and distilled— Bergamot. Citronella and lemon grass. Geranium. Lavender. Lemon. Orange Otto of roses. Sandal wood. Thyme. Other.	Lb	(1) (1) (1) 767	² 113 ³ 976 (1) ³ 244 447 ³ 188 (1) (1) (2) (3)	801 42 153 543	562 030 030 030 030 4,004	3 295 3 559 (1) 3 383 278 2 361 (1) (1) (1) (1) (1)	567 5 246 8 34 3 48 4 97 5 127 5 200
Total essential and distilled oils					4, 566	5, 375	5, 112
Expressed and fats— Chinese wood or nut oil. Cocos butter Coconut oil. Cottonseed oil. Linseed oil. Olive oil, edible. In peckages weighting less	Lb Lb Lb	230, 236	89, 392 3, 010 212, 573 (1) 56, 764 74, 626	1, 169 181, 230 (1) 17, 840	5, 142 1, 728 16, 378 (18) 11, 978 12, 216	10, 189 757 14, 968 (1) 5, 053 12, 852	207 13, 934 (¹) 1, 871
Olive oil, edible In packages weighing less than 40 pounds Other Olive oil, inedible Denatured Sulphured or foots Palm kernel oil Pam oil Peanut oil Rape oil Soybean oil Vegetable tallow Vegetable wax Miscellaneous oils, n. e. s	LbLbLbLbLbLbLbLb	(1) 23, 781 (1) (1) (1) 89, 159 2, 878 1, 352 8, 283	7, 553 1, 770 38, 635	5 6, 239 5 14, 943 5 1, 101 86, 784 15, 058 2, 068 17, 631 3, 887	(1) (1, 680 (1) (1) (2, 421 (1) (2, 421 (2, 421 (1, 013 (1, 013 (1, 013 (1, 013	2,412 584	5 1,376 5 100 5,788 1,287 1,366 1,156 278 1,159
Total expressed and fats	ì				55, 028	64, 479	
Total vegetable oils	}		25, 982 25, 986	299, 774 89, 416	2, 046 9, 404 (1) 26, 019	2, 876 11, 594 439 50, 435	3,192 12,803 1,512
	1	(1)	3 6, 317 81, 406	19, 577 4, 750 31, 780	20	1,849	1,309
Total oilseeds					87, 489	67, 326	55, 654

¹ Not separately classified.
2 Beginning Sept. 22, 1922.
3 Reported in value only.
4 July 1-Dec. 31, 1923.
5 Beginning Jan. 1, 1924.
19 July 1-Sept. 21, 1922.
19 July 1-Sept. 21, 1922.
19 Classified as "Bean," "Coconut," or "Miscellaneous (bean and coconut)."
18 Less than 500.

TABLE 678.—Agricultural imports of the United States, 1922-24—Continued

•	Year ended June 30									
Article imported		Quan	tity			Value				
	Unit	1922	1928	1924, prelimi- nary	1922	1923	1924, prelimi- nary			
VEGETABLE PRODUCTS—continued		Thou-	Thou-	Thou-	1 000	1,000	1,000			
Seeds (except oilseeds): Alfalfa	Lb	sands (1)	sands 5, 165	sands 12, 899	1,000 dollars (1)	dollars	dollars 1, 628			
Clover— Alsike	Lb	(1)	2, 242	10, 978	(r)	257	1, 248			
Crimson	Lb	(1)	1, 451	7, 729	8	* 188	567			
Red	Lb	9, 290	609	24, 287	1, 532	91	8, 620			
Miscellaneous, n. e. s	Lb	16,663	9, 601	10, 102	2, 149	1, 149	1, 424			
Garden and other seeds— Cabbage	Lb	1 0	3 685	238	/N	1 gg	104			
Canary	Lb	83	30.550	9, 864	X	305	874			
Turnin	I I.h	1 83	9, 559 596	1, 487		1 97	170			
Miscellaneous garden and			1	-, -0.	` ' '					
Miscellaneous garden and flower seeds, n. c. s	Lb	(8)	(4)	4, 339	2, 238	1, 282	1,008			
Grass seed	LD	22, 352		4, 623	2, 838	996	896			
Sugar beet	i i.h	4.193	15, 890	11, 620	546	1, 579 839	1, 121			
Vetch and other field seeds, n.e.s. Miscellaneous seeds	Lb	(1)	² 7, 139	8, 652	(1)		1,025			
DI IBORIIRII COUR SCOUR	110	<u></u>	(-)	84, 187	2, 046	1, 341	1, 494			
Total seeds (except oilseeds)					11, 344	8, 812	14, 174			
• •										
Spices:	١	1				445				
Anise seed Capsicum, red pepper, cayenne pepper and paprika Ground Unground Cardamon seed Cardamon seed Cardamon seed	Lb	(1)	(1)	₺ 282	(1)	(1)	s 33			
Capsicum, red pepper, cayenne		l	[
Depres and paproxa—	Lb	3, 185	3, 642	9 159	464	494	554			
Unground	Lb	2, 994	6,772	8, 152	427	693	638			
Caraway seed	Lb	a a	1 71 17	4, 854 6 947	(1)	ຕິ	4 209			
. Cardamon seed	Lb	(1)	8	4 80	(1)	Ю	4 80			
		(`'							
	L	(¹)	(1)	(\$ 18)	(1)	(1)	(8 18)			
Unground	Lb	9,501	10, 294	9, 107 421	490		558			
Celery seed	LD	9, 501 (1)	(1)	421	(1)	33	⁸ 108			
Claman and chips of	₽D	5, 797	(1)	660	1, 282	(2),,,,	8 109			
Unground Celery seed Cinnamon and chips of Cloves, unground Corlander seed	T.b	(1) (1)	6, 776 (1)	6, 0 50 552	1,202	(1) (1) 1, 144 (1) (1)	1, 435 8 32			
Cummin seed	Lb	1 83	1 13 1	555 555	(1)	- X	8 111			
Cummin seed		1 '	()		()	(-)				
served	Lb	6, 689	6, 818	4, 964 392	623	675	679			
Mace, unground	Lb	(1)	(1)	á 392	(1)	(1)	§ 167			
Mustard—			ا محمد ا							
Ground or prepared	Lb	1, 594	1, 764 13, 216 5, 258	1, 456	922	1,018	755			
Mustard seed, whole	Lb	12, 490 4, 144	13, 210	16, 136	487 469	600 699	800 592			
Penner, unground	Lb	36, 948	10 8, 339	3, 327	2, 588	10 587	(10)			
Nutmegs, unground Pepper, unground Black White Allspice (pimento), unground Pimiento, whole	Lb	(1)	1 20, 386	22, 353	(1)	1,346	1, 534			
White	Lb	£ £ £	3 4, 828	4, 982		1 483	566			
Alispice (pimento), unground	Lb	(1)	8	⁸ 1, 430		(1)	148			
Pimiento, whole	Fp	(9,	()	1,753	(1)	(1)	8 211			
Vanilla beans	L/D	1, 248 8, 714	1, 281 18, 640	828	2, 279	2, 884 2, 200	3, 610			
adiscentaneous spices, n. e. s	Lb	8, 714	18, 040	11, 344	564	2, 200	1, 761			
Total spices					10, 595	13, 440	14, 585			
Sugar, molasses, and sirups:		I								
Beet sugar(2, 000 lbs) Cane sugar(2, 000 lbs.) Maple sugar and maple strup	Ton	(18)	(1) 4, 367 8, 217	(1) 3,765 1,784	(18)	(1)	(1)			
Cane sugar (2, 000 lbs.)		4, 232	4, 867	3, 765	200, 774	865, 101	873, 361 320			
Mapie sugar and maple strup	LD.	8, 672 87, 908	8, 217	1, 784 174, 037	(18) 200, 774 342 1, 667	601	320			
Molasses	Gal	01, 800	161, 135	114,001	1,667	2, 985	6, 667			
Total sugar, molasses, and sirups.					202, 783	368, 687	380, 348			
	Lb	86, 142	96, 669	105, 37			29, 993			
Tea	<i>1</i> 0	60, 142	eu, 000	100, 87	U 10, U4U	26, 308	av, v46			
Tobacco (unmanufactured):										
Cigar leaf—	Lb	m	* 9, 529	* 11 012	a	30040	18, 642			
StemmedUnstemmed	Lb	(3)	10, 598	11, 013 12, 750	83	1 9, 948 1 8, 888	12,071			
A			,		(7)	- 3,000				

Not separately classified.
 Beginning Sept. 22, 1922.
 Reported in value only.
 Beginning Jan. 1, 1924.

¹⁰ July 1-Sept. 21, 1922
10 Less than 500.
10 Classified as "Black" or "White."

TABLE 678.—Agricultural imports of the United States, 1922-24—Continued

			Year	ended Jur	ю 80		
Article imported		Quan	ntity			Value	
	Unit	1922	1923	1924, prelimi- nary	1922	1923	1924, prelimi- nary
VEGETABLE PRODUCTS—continued Tobacco (unmanufactured)—Contd. Cigarette leaf. Leaf suitable for cigar wrappers	Lb Lb	Thou- sands (1) 5, 211	Thou- sands 32, 822 8, 794	Thou- sands 21, 058 6, 414	1,000 dollars (1) 10, 940	1,000 dollars 22, 413 19, 432	1,000 dollars 17, 949 15, 230
Product of the Philippine Islands. Scrap and other unmanufactured tobacco	Lb Lb	(1) 59, 511	1, 924 3 1, 990 10 10, 129	2, 118	(1) 46, 058	228 596 10 8, 193	146 877
Other leaf	Db	00, 011	10, 128		57, 050	69, 193	<u> </u>
Vegetables:					01,000		55, 510
Dried and fresh— Beans, dried	Lb Lb	31, 171 (1)	157, 356	53, 152 8 4, 226	1, 216 (1)	5, 512 (¹)	1, 958 • 190
tapioca Garilc Mushrooms and truffles Mushrooms	Lb Lb Lb	6, 856 6, 185	(1)	6, 416 42, 516 52, 146	2, 069 327 1, 881 (¹)	3, 465 346 1, 817 (1)	264 7 4 722 8 672
Truffles Onions Peas, dried Potatoes—	Lb Lb	(1) 141, 791 59, 832	1	1	3, 306 2, 155	1, 900 1, 020	671
Natural state Dried or prepared and	Lb	126, 572 2, 040		33, 843	1, 793	836 10 14	
flour	Lb Lb Lb Lb	(i) (i) (i) (ii)	100, 256 (1)	⁽¹⁾ ³ 50, 838 140, 000 ⁽³⁾	(1) (1) (3) 3, 399	(1) 297 3, 551	* 1, 626 673
Canned— Peas Tomatoes Other Bean cake, miso, or similar	Lb Lb Lb	(31) (22) (31)	² 845 ² 20, 166 ² 2, 267		(21) (21) (31)	³ 111 ³ 1, 280 ³ 229	150 1, 646 389
products Lentils	Lb	(1)	(2)	5 692 5 5, 028	(1)	8	5 828
Miscellaneous edible vegeta- tables, n. e. s	Lb Lb Lb Lb Lb Lb	S SSSSS	3655533	(3) 4 4, 939 3 354 5 4, 679 5 4, 164 6 1, 341 19, 424	373 2, 375 (1) (1) (1) (1) (1) 8, 316	1, 519 1, 171 (1) (1) (1) (1) (1) 2, 262	4 434 4 48 5 388 5 421 5 69
Total vegetables					22, 315	25, 330	22, 849
Miscellaneous vegetable products: Argols or wine lees Beet pulp, dried	Lb Ton	18, 749 (¹)	21, 950 2 17	17, 6 50	1, 218 (¹)	1, 739 9 605	1, 244 · 905
Beverages— Distilled liquors Champagne and other spark- ling wines Still wines	Pf. gal Gal	350 83 646	14 • 162	48 2 91	1, 530 278 913	_203 83 259	12
Ginger ale, nonalcoholic Lemon, lime, and sour orange juice not more than 2 per cent alcohol Other beverages and fruit	Gal	(i)	⁽¹⁾	4, 296	(1) (1)	(1) 1 120	512
cent alcohol	Lb	(i)	¹ 1, 165 (¹)	4, 296 (³)	(¹) 32 5		1

¹ Not separately classified.
2 Beginning Sept. 22, 1922.
3 Reported in value only.
4 July 1-Dec. 31, 1923.
4 Beginning Jan. 1, 1924.
10 July 1-Sept. 21, 1922.
20 Classified as "Cigar leaf (stemmed or unstemmed)" or "Cigarette leaf."
21 Included in "Vagetables:—Prepared or preserved—Other."

TABLE 678 .- Agricultural imports of the United States, 1922-24-Continued

			Year	ended Ju	ne 3 0		
Article imported		Quar	ntity			Value	
·	Unit	1922	1923	1924, prelimi- nary	1922	1923	1924, prelimi- nary
VEGETABLE PRODUCTS—continued							
Miscellaneous vegetable products-	-						
Continued. Drugs, herbs, leaves, roots, etc.— Cinchona hark or other from which quinine may be ex-		Thou-	Thou-	Thou- sands	1,000 dollars	1,000 dollars	1,000 dollars
tracted	Lb	767	3, 443	2, 422	277	1, 110 300	692
Licorice extract	Lb	(1) 62, 388	1, 329 35, 339	1, 163 87, 684	(1) 2, 681	1, 195	222 2, 906
Nux vomics Opium, crude Pyrethrum or insecticide flow-	Lb	(1)	2,078 109	1, 262 79	(1) 385	352	37 396
ers	Lb	(1)	3, 148	2, 954 2, 968	(1)	³ 1, 479 ³ 208	1, 316 281
Senna Other	Lb	(1)	2, 623 22, 480		83	2,556	2, 709
Total drugs, herbs, leaves, etc.					3, 343	7, 298	8, 562
Fibers, vegetable-							
Flax (unmanufactured)— Hackled	Топ	2	2	1	1, 946	2, 281	1, 363
All other	Ton	3	6	4	959	2, 019	891
Hemp (unmanusctured)	Ton	8 10			898 754	1, 411 890	452 1, 483
Istle, or tampico		1	1	13	/ 34		1,400
Jute and jute butts, unmanu- factured	Ton	62	10 8 3 66	(**) 71	5, 415	10 985	(23) 7, 904
JuteJute butts	Ton	8	100	12	(1)	³ 10, 132 ³ 532	684
Kapok	TOB	10	9	6	8, 254	4, 125	3, 324
Maguey or cantala	Ton	(1)	1 1 98	1 99	5, 89 1	13, 202	64 13, 524
Sizal and henequen	1.00	72	98	88 97	7, 725	9,806	11, 801
Miscellaneous, n. e. s	Ton	9	19	13	992	2, 478	1, 624
Hay Hops	Ton Lb	893		360 761	85 341	345 257	3, 898 296
Indigo and derivitives	Lb	466	87	15	304	40	11
Moss, seaweeds, etc., crude	Lb	7, 747	12, 537	8, 604	458	571	355
Nursery and greenhouse stock— Bulbs, roots and corms	M	199	10 160	(28)	4, 612	10 4, 330	(28)
Hyacinth	M	Ğ,	3 6	33	(1)	218	1, 190
Lily, tulip, and narcissus. Crocus and other	M M	3	3 56 1 8	210 21	(1)	3 1, 854 2 117	4, 943 216
Trees, plants, cuttings, and seedlings.	i		J	1			
seedlings	M	3333	(³) _{2 17}	(¹⁴)	,,, 839	10 4 200	(²⁴)
Fruit stock	M	8	111	12	(1)	189	149
Miscellaneous, n. e. s	М	(1)	(1)	(8)	66	136	130
Total nursery and					5, 017	7, 048	6, 792
Miscellaneous feeds and fodders, n. e. s.		(1)	(n)	(8)	(ı)	1925	1, 584
Miscellaneous vegetable products, n. e. s		(8)	(3)	(8)	156	2, 372	1, 675
Starch	Lb	(³) 7, 876	12, 715	12, 126	357	406	431
Vegetable ivory	Lb	28, 745	83, 571	29, 973	770	918	916
Total vegetable products					700 769	1, 098, 722	1 005 021

¹ Not separately classified.
2 Beginning Sept. 22, 1922.
3 Reported in value only.
19 July 1-Sept. 21, 1922.
3 Classified as "Jute" or "Jute butts."
3 Classified as "Jute" or "Jute butts."
34 Classified as "Fruit stock," "Rose stocks and plants," or "Miscellaneous, n. e. s."

TABLE 678.—Agricultural imports of the United States, 1922-24-Continued

			Year	ended Jur	ne 30		
Article imported	-	Quan	tity		***************************************	Value	
•	Unit	1922	1923	1924, prelimi- nary	1922	1923	1924, prelimi- nary
FOREST PRODUCTS							
Dyeing and tanning materials: Extracts for dyeing, coloring, etc Extracts for tanning—	Lb	Thou- sands 2, 485	Thou- sands 3, 556	Thou- sands 3, 949	1,000 dollars 169	1,000 dollars 270	1,000 dollars 332
Quebracho	Lb	134, 274	120, 224	119, 086	5, 206 260	4, 796 213	3, 552 202
Other Logwood	Lb Ton	7, 606 31	7, 266 27	6, 826 31	645	426	590
Mangrove bark Myrobalans fruit	Ton	2	7	2	41	200	37
Myrobalans fruit	Ton	(¹) 24	1 22 43	14 29	(1) 266	² 429 556	352
Quebracho wood	Ton	6	R	4	200 268	434	440 359
ValoniaOther crude	Lb	(1)	² 7, 638	17, 029	(1)	² 160	309
Other crude	Lb	(4)	(1)	62, 591	1, 011	1, 372	1, 024
Total dyeing and tanning materials					7, 866	8, 856	7, 197
Gums, resins, and balsams:							
Balsams, crude	Lb	363	521	314	151	206	205
Natural. crude	Lb	1, 592	3, 498	1, 955	921	2, 226	1, 179
Refined and synthetic	Lb	1,652	3, 541	3, 275	1, 144	2, 534	2, 240
Chicle	Lb	8, 283	9, 125	7, 175	4, 095	4, 563	3, 649
Gums and resins, n. e. s — Arabic	Lb	8, 934	11,001	6, 959	734	1, 341	797
Arabic	Lb	9,818	7, 727	4, 743 948	391	460	378
Tragacanth	Lb	(1)	² 1,075	948	(1)	3 538	354
Other Tar, pitch, and turpentine	Lb	13, 408	9, 712 (3)	7, 611 (3)	1, 415	1, 168 4 130	760 136
Varnish gums and resins-		(1)	(9)	(*)	(-)	- 190	190
Varnish, gums, and resins— Copal, damar, kauri Damar Kauri	Lb	27, 194	10 11, 590	(25)	2, 967	10 1, 380	(26)
Damar	Lb	(1)	3 9, 383	8,746	(1)	* 1, 299	1,100
Shellac	Lb	30, 768	9, 383 7, 256 32, 773	8, 746 7, 713 28, 512	15, 657	1, 595 21, 034	1, 519 15, 171
Other	Lb	(1)	31,308	27, 995	(1)	3, 264	3, 293
Total gums, resins, and balsams.					27, 475	41, 738	30, 781
Rubber and similar gums:					1 000	000	732
Balata Guayule	Lb Lb	1, 867	1,757	1,335	1, 063 (¹)	980 (¹)	1 224
Gutta-percha	Lb	2, 481	1, 903	2, 723	363	336	422
Jelutong or pontianak	Lb	2, 481 5, 782	(i) 1, 903 8, 713	1, 252 2, 723 11, 077	453	702	1,016
Rubber, crude, and milk of	Lb	568, 381	797, 655	617, 102	86, 751	169, 108	155, 234
Total rubber and similar gums.					88, 630	171, 126	157, 62 8
Wood:							
Boards, planks, deals, etc	M ft	1, 124	436	(26)	34, 530	12,700	(%)
Hardwood	M ft	83	\$ 52	87	(i)	2, 824	4,856
Softwood	M ft	(1)	³ 1, 470	1, 699	(1)	43, 539	51, 701
Cedar	M ft	8	10	10	526	619	
Mahogany	M ft	40	43		3, 297	3, 312	4, 350
Mahogany Product of the Philippine Islands	M ft	(1)	(n)	<i>i</i> 1	(1)	(1)	* 36
Other	M ft	(3)	(3)	(3)	351	(1) 743	664
Laths	M	ì, 182	1, 563	1, 535	6, 595	9, 529	9, 438
Logs, and round timber (except	Ì	101	017	192	9 700	9 045	3, 587
cabinet woods) Philippine mahogany (sawed)	M ft M ft	(1) 161	(¹)	192 110	2, 708	3, 897	3, 587
Pickets and palings	M		1 38	52	ES ES	(1)	530
Poles, telegraph, telephone, etc	No	(1)	* 291	608	(1)	² 1, 096	2,774
Pulp wood—		E70	773	945	6, 262	7 ***	
Peeled	Cord	576			0,402	7, 555	9, 339
Rossed	Cord	1 72	131 804	107	1, 032	1,714	1, 420

Not separately classified.
 Beginning Sept 22, 1922.
 Reported in value only
 July 1-Dec. 31, 1923.

Beginning Jan. 1, 1924.

July 1-Sept. 21, 1922.

Glassified as "Damar" or "Kauri."

Classified as "Hardwood" or "Softwood."

Table 678 .- Agricultural imports of the United States, 1922-24-Continued

			Year	ended Ju	ne 30		
Article imported		Quar	itity			Value	
	Unit	1922	1923	1924, prelimi- nary	1922	1923	1924, prelimi- nary
FOREST PRODUCTS—continued Wood—Continued. Railroad ties	No M ft M ft	Thou-sands (1) 9 2, 190 (3)	Thou- sands 622 4 2, 695 (3)	Thou- sands 975 3 2,417 3	7, 906	147	1,000 dollars 637 232 8, 763 133
Total wood			(4)		69, 588		
Miscellaneous forest products:						-	
Brier, ivy or laurel root	Lb	(1)	8	4, 438		⁽¹⁾ 718	8 145 657
factured) Osler or willow for basket making. Rattan (unmanufactured) Wood pulp—	Lb Lb Lb	37, 485 (1) (3)	68, 818 3 1, 813 (3)	58, 217 2, 293 13, 926	1, 024 (¹) 758	129	1, 546 136 1, 136
Chemical wood pulp— Sulphate, bleached Sulphate, unbleached Sulphite, bleached Sulphite, unbleached Mechanically ground	Ton Ton Ton Ton	6 230 147 312 207	254	7 244 239 464 233	12, 733 17, 374	16, 234 22, 003 26, 297	20, 080 26, 807
Total forest products					245, 474	405, 725	374, 339
Total vegetable products, including forest products.					1, 036, 242	1, 504, 447	1, 470, 270
Total vegetable products, excluding forest products.					790, 768	1, 098, 722	1, 095, 931
Total agricultural imports, including forest products.			*******		1, 528, 354	2, 310, 970	2, 091, 073
Total agricultural imports, excluding forest products.					1, 282, 880	1, 905, 245	1, 716, 73 4

[·] Division of Statistical and Historical Research. Compiled from Monthly Summaries of Foreign Commérce of the United States, June, 1923 and 1924, Bureau of Foreign and Domestic Commerce.

Not separately classified.
 Beginning Sept. 22, 1922.
 Reported in value only.
 Beginning Jan. 1, 1924.

Table 679.—Shipments of agricultural products to the United States from Alaska, Hawaii, and Porto Rico, 1922-1924

ALASKA

Articles Animals Vood pulp Vood, timber and lumber Total value of shipment ANIMALS AND ANIMAL PRODUCTS Animals Jeewax Jeewax Jeewax Joney Joney Joney Meat products—tallow Vool, raw Total animals and animal prod-	Unit No	1922 Thousands (1) (2) (3) (1) HAWAII (1) (1) (1) (2) (3) (1) (3) (4) (5) (5) (5) (5) (5) (6) (8) (8)	(1) 35 55 1, 512 1, 668 428 333	1924 preliminary Thousands 1 3 3 2 5 2,009 1,647 467 121	1922 1,000 dollars . 3 (1) 10 13	1923 1,000 dollars 6 8 61 123 190 5 7 2 176 79 30 118	1924 preliminary 1,000 dollars 18 36
Animals Vood pulp	No M ft F	Thou-sands (1) (2) (3) (1) (1) (1) (1) (1) (2) (1) (2) (3) (4) (1) (3) (4) (1) (1) (3) (4) (1) (3) (4) (1) (525 (1) (3) (3) (3) (3) (4)	Thou-sands (1) 3 3 (1) 35 55 1, 512 1, 668 428	preliminary Thousands 1 3 3 3 2 5 105 2,009 1,647 467	1,000 dollars 3 (1) 10 13	1,000 dollars 6 8 61 123 190 5 7 7 2 2 176 79	preliminary 1,000 dollars 12 5 18 36
Total value of shipment ANIMALS AND ANIMAL PRODUCTS Animals	No Lb Lb Lb	(1) (2) (3) (4) (4) (4) (4) (5) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7	(1) 3 3 (1) 3 3 5 5 5 1, 512 1, 668 4282	9 2,009 1,647 467	88 21 145 644 18	dollars 6 8 61 123 190 5 7 2 176 79 30	dollars 12 5 18 36
Total value of shipment ANIMALS AND ANIMAL PRODUCTS Animals	No Lb Lb Lb	(1) HAWAII (1) 10 (1) 525 1, 353 361	(4) 35 55 1, 512 1, 668 428	9 25 105 2,009 1,647 467	10 13 8 8 2 1 145 64 18	123 190 5 7 2 176 79 30	18 36 2 17
ANIMALS AND ANIMAL PRODUCTS Animals	No Lb Lb Lb	(1) 10 (1) 1, 525 1, 353 361	35 55 1,512 1,668 428	105 2, 009 1, 647 467	8 2 1 145 64 18	5 7 2 176 79 30	27 17 9
nimals	No Lb Lb Lb	(1) 10 (1) 1, 525 1, 353 361	35 55 1,512 1,668 428	105 2, 009 1, 647 467	2 1 145 64 18	7 2 176 79 30	17 9
nimals	Lb Lb Lb Lb	10 (1) 1, 525 1, 353 361	35 55 1,512 1,668 428	105 2, 009 1, 647 467	2 1 145 64 18	7 2 176 79 30	17 9
Jeeewax Sones, hoofs, horns, etc Iides and skins Ioney Meat products—tallow Vool, raw	Lb Lb Lb Lb	10 (1) 1, 525 1, 353 361	35 55 1,512 1,668 428	105 2, 009 1, 647 467	2 1 145 64 18	7 2 176 79 30	17 9
3ones, hoofs, horns, etclides and skins Honey Meat products—tallow Vool, raw	Lb Lb Lb Lb	(1) 1, 525 1, 353 361	55 1, 512 1, 668 428	105 2, 009 1, 647 467	145 64 18	176 79 30	17
Ildes and skins Inney Meat products—tallow Vool, raw	Lb Lb Lb	1, 525 1, 353 361	1, 512 1, 668 428	2, 009 1, 647 467	145 64 18	176 79 30	17
Honey Meat products—tallow Vool, raw	Lb	1, 353 361	1,668 428	1, 647 467	64 18	79 30	1 -
Vool, raw		361	428	467			1 :
		80	383	121	10		
Total animals and animal prod.				1			
ucts					254	417	8
VEGETABLE PRODUCTS	ł						
Breadstuffs:							
RiceOther	Lb	1,091	799 146	165 121	55 9	41 11	
Coffee	Lb	3,713	2, 281	2, 049	570		4
Fibers (unmanufactured), sisal Fruits:	Ton	(4)	(4)	(4)	3		_
Canned— Pineapple Dried, green or ripe—	Lb	(1)	257, 86 5		19, 737	22, 322	28, 2
Bananas	Bunch Box	(1)	218 9	218 13	182 31	222 25	2
Prepared or preserved Pineapple juice	Lb	以	29 4	49 39	12 81	(4)	
Nuts	Lb	\ \i\	178		5	8	
Sugar and molasses: Molasses	Gal	3, 686	5, 862	10, 914	204	232	3
Sugar— Refined	Lb	20, 818	13, 810	6, 600	1, 202	1, 240	5
Unrefined	Lb	1, 170, 807	1, 181, 269	1, 164, 788	43, 907	68, 346	73, 9
Total sugar(2,000 lbs.)	Ton	596	598	586	45, 109	69, 586	74, 5
Pobacco, unmanufactured leaf	Lb	(1)	28 600	19 524	3 36	33	
Total vegetable products					66, 037	92, 896	103, 8
FOREST PRODUCTS							
Lumber—boards, planks, and deals	M ft	(1)	(1)	(4)	1	(4)	(4)
Total value of shipments, in-				1			
cluding forest products					66, 292	93, 313	104, 2
forest products	PO	RTO RIC	30		66, 291	93, 313	104, 2
	1	1	<u> </u>	<u> </u>			1
ANIMAL PRODUCTS	Lb	14	29	29	2	5	1
Hides and skins	Lb	1.062	15)	-(4)	78	(4)	(4)
Cattle	Lb	(3)	510	589	8	1.00	
Other	Lb Lb	1,092	673 2, 023	72 2, 763	(*) 50	108 118	1
Pallow	Lb	(1)	2,020	(3) 100	(4)	(1)	(n)*
Total animal products.					180	286	- 17
Total animas brongosessesses					100	200	4

Table 679.—Shipments of agricultural products to the United States from Alaska, Hawaii, and Porto Rico, 1922-1924—Continued

PORTO RICO-Continued

			Year	ended Jur	ie 30		
Articles		Qua	ntity			Value	
	Unit	1922	1923	1924 prelim- inary	1922	1923	1924 prelim- inary
VEGETABLE PRODUCTS		Thou-	Thou- sands	Thou-	1,000	1,000	1,000
Coffee	Lb	66	*ana* (6) 71	sands (6)	dollars 13	dollars (6) 14	dollars (6)
Paur	Lb	(4)	71	317	(3)	14	71
Prepared (roasted, powdered)	Lb	(2)	1 (-7	1	(2)		(9)
Cotton (unmanusactured)	Lb	283	655	496	129	261	182
Fruits: Fresh				ì	ì	ł	
Grapefruit	Box	361	461	667	1 101	1, 382	1 000
Oranges	Box	388	733	192	1, 101 924	1,749	1, 999
Oranges Pineapples	Crate	(1)		270	600	726	812
Other	Lb	(4)	8	1,707	115	131	38
Prepared or preserved (canned or otherwise)—			1				
Grapefruit	Tp	(2) (3) (1)	1 4, 060	3, 862	(3)	481	306
Guavas Pineapples	Lb	1 8	(1) 3	1,470	(3)	(3 4)	1 1
Other	Lb	X	(3)	1, */0	42	12	163
	170		- (-)				
Total fruits					2, 853	4, 595	3, 792
Nuts:							
Cocoputs	M	(1)	(1)	18	478	567	605
Copra	Lb		(¹) 1 45	218		12	. 7
Other	Lb			71			9
`Annato	Lb	(1)	4 3 227	359	11	3 21	77
Other	Lt	()	(1)	80	• •	17	ie
Sugar and molasses:			\ '			••	10
Molasses and sirups Sugar(2,0001bs.)	Gal	11, 363	13, 209	11,067	499	358	427
Sugar(2,0001bs.)	Ton	470	355	372	40, 785	46, 176	47, 793
Tobacco (unmanufactured):	* .						400
LeafStemmed	Lb	17, 439	7 11, 465	(8)	8, 149	7 6, 144	(1)
Unstemmed	Lb		3 3, 360 3 80	18, 842 992	(3)	¹ 2, 295	11, 903 655
Stems, scraps, and trimmings	Ĺb	4, 931	4, 669	3, 500	845	972	612
Total tobacco (unmanufactured)	Lb	22, 370	19, 574	20, 334	8, 994	9, 459	13, 170
Vegetables	Lb	(1)	15,574	962		1 30	30
Miscellaneous vegetable products:	MV	(7)	- 002	902	(3)	• 30	30
Alcohol, denatured	Gal	(3)	8 104	321	(2)	* 32	124
Bay oil	Lb		1 5	12		87	18
Roots and plants-							
Ginger rootOther	Lb		3 44 3 2	48 9		(34)	4
Straw (unmanufactured)	Lb	(2)	(34)	1	(1)	83	(4)
1						(-7	
Total vegetable products					53, 762	61, 513	66, 326
FOREST PRODUCTS							
Wood (unmanufactured)	Ft. b. m.	(2)	³ 37	62	(1)	12	3
Total value of shipments, in-							
cluding forest products					53, 892	61, 801	66, 581
Total value of shipments,					i		00,001
excluding forest products					53, 892	61, 799	66, 578

Division of Statistical and Historical Research. Compiled from Monthly Summaries of Foreign Commerce of the United States, June, 1923 and 1924, Bureau of Foreign and Domestic Commerce.

Reported in value only.

Not separately classified.

Jan. 1-June 30.

Less than 500.

Classified as "Raw" and "Prepared."

July 1-Dec. 31, 1922.

Classified as "Stemmed" and "Unstemmed."

Table 680.—Value of principal groups of farm and forest products exported from and imported into the United States, 1922–1924

			Year ende	d June 30		
Article	Exports	(domestic :	merchan-		Imports	
	1922	1923	1924 prelim- inary	1922	1923	1924 prelim- inary
ANIMALS AND ANIMAL PRODUCTS	1,000 dollars	1,000 dollars	1,000 dollars	1,000 dollars	1,000 dollars	1,000 dollars
Animals, live	14, 951 36, 375	6, 918 23, 327	5, 787 28, 174	5, 850 18, 229	9, 621 32, 352	8, 799 41, 650
Dairy products Eggs and egg products	36, 375 10, 147	23, 327 9, 400	28, 174 8, 784	4, 723	4, 356	7,030
Hides and egg products Hides and meat products Meats and meat products	4, 573	3, 496	10, 662	78, 899	135, 295	7, 030 77, 721
Meats and meat products Silk (unmanufactured)	256, 370	287, 168	296, 450	11, 807 307, 283	9, 272 413, 567	6, 922 358, 792
Wool and mohair (unmanufactured)	201	121	134	45,649	167, 191	80,800
Animal products, miscellaneous	7,892	7,972	8, 652	19, 672	34, 869	39,029
Total animals and animal products	330, 509	338, 402	358, 593	492, 112	806, 523	620, 803
VEGETABLE PRODUCTS			i			
Chocolate and cocoa	727 5, 915	613 5, 690	709 5, 957	27, 804 148, 504	35, 096 181, 639	29, 004 206, 546
Coffee Cotton (unmanufactured)	596, 379	658, 983	903, 975	43, 958	60, 640	43, 761
Fruits	65,070	71, 253 452, 786	84, 519 246, 869	47, 362	44, 650	42, 059 35, 562
Grains and grain products	592, 592 1, 560	1.405	1, 174	26, 277 33, 069	28, 187 25, 912	25, 665
Oilseeds and oilseed products	37, 342	36, 505	1, 174 27, 783	98, 743 11, 344	139, 196 8, 812	120, 372
Spices.	4, 314 167	4, 057 201	2, 886 199	10, 595	13, 440	14, 174 14, 585
Seeds, except oilseeds Spices. Sugar, molasses, and sirups. Tea.	80, 047	43, 124	18, 346	10, 595 202, 783 18, 040	368, 687 26, 308	380, 348 29, 993
TODACCO (uninanulactured)	107,017	146, 232	168, 066	57,050	69, 193	59, 915
Vegetables	17, 307 26, 620	16, 689 23, 228	19, 222 28, 599	22, 315 42, 924	25, 330 71, 632	22, 849 71, 098
Total vegetable products	1, 585, 357	1, 460, 766	1, 508, 304	790, 768	1, 098, 722	1, 095, 931
Total farm products	1, 915, 866	1, 799, 168	1, 866, 897	1, 282, 880	1, 905, 245	1, 716, 784
FOREST PRODUCTS						
Dyeing and tanning materials	2, 644 15, 215	2, 275 22, 909	1, 972 23, 179	7, 866 27, 475 88, 630	8, 856 41, 738 171, 126	7, 197 30, 781 157, 628
Wood Forest products, miscellaneous	72, 288 3, 968	99, 971 4, 827	132, 112 5, 526	59, 588 51, 915	105, 132 78, 873	104, 392 74, 341
Total forest products.	94, 115	129, 982	162, 789	245, 474	405, 725	874, 339
Total farm and forest products	2, 009, 981	1, 929, 150	2, 029, 686	1, 528, 354	2, 310, 970	2, 091, 073
	Shipmer	nts from thes to Porto	e United	Shipmer to th	nts from Po	orto Rico
ANIMALS AND ANIMAL PRODUCTS		1	1		1	l
Animals, live	163 1,368 (1)	99 1,378 20	111 1,619 30			
Hides and skins, raw (except fur) Meats and meat products				78	163	70
Meats and meat products Animal products, miscellaneous	4, 992	5, 703 1 6	5, 897 26	(2) 52	(²) 123	(1)
Total animals and animal products	6, 523	7, 206	7, 683	130	286	252
VEGETABLE PRODUCTS						
Chocolate and cocoa	136	164	193	l		
Chocolate and cocoa Coffee		2	1	13 129	14 261	71 183
Fruits. Grains and grain products. Nuts	4 800	350	455	2, 853	4, 565	8, 795
Grains and grain products Nuts	10, 024 16	10, 641 18	12, 782 28	478	869	62

<sup>Not separately classified.
Less than 500.</sup>

Jan. 1-June 30. Excludes "Canned fruits."

Table 680.—Value of principal groups of farm and forest products expo and imported into the United States, 1922-1924—Continued

			Year onde	d June 30		
Article	Exports	(domestic 1	merchan-		Imports	
	1922	1923	1924 prelim- inary	1922	1923	1924 prelim- inary
		ts from the			ts from Po United S	
VEGETABLE PRODUCTS—continued Oilseeds and oilseed products	1,000 dollars 196	1,000 dollars 283	1,000 dollars 372	1,000 dollars 11	1,000 dollars 38	1,000 dollars 93
Sugar, molasses, and sirups	1 402	510	620	41, 284	46, 534	48, 220
Tobacco. Vegetables Vegetable products, miscellaneous.	231 2, 328 17	770 2,093 222	706 2,627 452	8, 994 (¹) (¹)	9, 459 3 80 43	13, 170 30 147
Total vegetable products	13, 654	15, 055	18, 246	53, 762	61, 513	66, 326
Total farm products	20, 177	22, 261	25, 929	53, 892	61, 799	66, 578
FOREST PRODUCTS						
Rosin, tar, turpentine, and pitch	(¹) 6 1,749	18 1, 801	19 2,871	(1)	12	š
Total forest products	1,749	1, 819	2, 890	(1)	32	3
Total farm and forest products	21, 926	24, 080	28, 819	53, 892	61, 801	66, 581
		ts from th			ts from H United Sta	
Animals and animal products Animals, live	207	383	308	8	5	22
Dairy products Eggs and egg products Hides and skins, raw (except fur) Meats and meat products	1, 252 497	1, 276 467	1, 339 488	145	176	173
Meats and meat products	1, 497	1, 557	1, 564	18 16	30 118	30 43
Animal products, miscellaneous		3 4	42	67	88	102
Total animals and animal products	3, 453	3, 687	3, 741	254	417	370
VEGETABLE PRODUCTS						
Chocolate and cocoa Coffee. Fruits. Grains and grain products. Nuts. Oilseeds and oilseed products.	7 903 4, 282 85 8 123	134 23 969 5, 389 93 242	105 66 947 6, 171 95 314	570 20, 043 64 5	406 22, 576 52 8	431 28, 503 20 4
Seeds, except oilseeds Sugar, molasses, etc Tea	(1) 638 16	825 20	31 619 22	45, 813	69, 818	74, 886
Tobacco	(1) 864 146	999 227	1, 180 316	3 36 3	33 2	21 30 2
Total vegetable products	7, 184	8, 945	9, 817	66, 037	92, 896	103, 897
Total farm products	10, 637	12, 632	13, 558	66, 291	93, 313	104, 267

Not separately classified.
 Jan. 1-June 30.
 Excludes "Molasses and sirups."
 Excludes "Cooperage shooks," "Logs and timber," and "Douglas fir."
 Excludes "Preserved fruits, jellies, and jams."
 Excludes "Olloake and meal."

Table 680.—Value of principal groups of farm and forest products exported from and imported into the United States, 1922-1924—Continued

			Year ende	d June 30		
Article	Exports	(domestic : dise)	merchan-		Imports	
	1922	1923	1924 prelim- inary	1922	1923	1924 prelim- inary
		ts from th tes to Hav		Shipme: the	nts from H United St	awaii to
FOREST PRODUCTS	1,000 dollars	1,000 dollars	1,000 dollars	1,000 dollars	1,000 dollars	1,000 dollars
Rosin, tar, turpentine, and pitch	9 2, 067	3, 298	8, 924	1	(3)	(1)
Total forest products	2, 097	3, 344	3, 981	1	(1)	(3)
Total farm and forest products	12, 734	15, 976	17, 539	66, 292	93, 313	104, 267
ANIMALS AND ANIMAL PRODUCTS	Shipmen Sta	ts from th	e United	Shipmen the	ts from United St	Alaska to
Animals, live Dairy products. Eggs and egg products Meats and meat products. Animal products, miscellaneous. Total animals and animal products.	82 1,054 476 10 1,572	70 1, 223 518 1, 736 1 5	114 1, 259 547 1, 779 13	3	6	125
VEGETABLE PRODUCTS	5, 101	0,002	0,112			
Chocolate and cocos Coffee Fruits. Grains and grain products. Nuts. Oilseeds and oilseed products. Seeds, accept oilseeds.	226 4 688 11 872 34 55 (1)	24 272 711 929 37 58	18 302 847 860 35 66			
Sugar Tea. Tobacco Vegetables. Vegetable products, miscellaneous	459 75 (1) 625 82	555 85 8 3 699 167	599 84 2 797 208			
Total vegetable products	3, 116	8, 549	3, 825			
Total farm products	6, 300	7, 101	7, 537	3	6	125
FOREST PRODUCTS	٠.					
Rosin, tar, turpentine, and pitch	12 793	30 1, 166	51 1, 42 8	10 (¹)	123 8 61	188 , 52
Total forest products	828	1, 106	1, 479.	10	184	240
Total farm and forest products	7, 123	8, 297	9,016	13	190	365

Division of Statistical and Historical Research. Compiled from Monthly Summaries of Foreign Commerce of the United States, June, 1923 and 1924, Bureau of Foreign and Domestic Commerce.

¹ Not separately classified.
2 Less than 500.
3 Jan. 1-June 30.
4 Excludes "Canned fruits."
5 Excludes "Cooperage shooks", and "Logs and timber."
5 Excludes "Canned meats, n. e. s."
10 Excludes "Bran, middlings, and mill feeds."
11 Excludes "Cooperage shooks," "Logs and timber," and "Shingles."

Table 681.—Exports of selected domestic agricultural products, 1901-1924

)	I	acking-h	ouse produ	cts		
Year ended June 30	Cattle	Cheese	Beef, cured— salted or pickled	Beef, fresh	Beef oils— oleo oi	Beef tallow		Pork, cured— bacon	Pork, cured— hams and shoul- ders	Pork, cured— salted or pickled
1901 1902 1903 1904 1905	402 598	1,000 pounds 39, 814 27, 203 18, 987 23, 335 10, 134	1,000 pounds 55, 313 48, 633 52, 801 57, 585 55, 935	1,000 pounds 351, 748 301, 824 254, 796 299, 580 236, 487	161, 65 138, 54 126, 01 165, 18	1 77, 16 6 34, 06 0 27, 36 4 76, 92	s pounds 7 705, 105 6 596, 255 9 546, 055 4 663, 147	1,000 pounds 456, 123 383, 151 207, 386 249, 666 262, 247	1,000 pounds 216, 572 227, 653 214, 183 194, 949 203, 459	138, 644 115, 896 95, 287 112, 225
1906	584 423 349 208 139	16, 562 17, 285 8, 439 6, 823 2, 847	81, 088 62, 645 46, 958 44, 494 36, 554	268, 054 281, 652 201, 154 122, 953 75, 730	209, 65 195, 33 212, 54 179, 98 126, 09	8 97, 56 7 127, 85 1 91, 39 5 53, 33 2 29, 38	7 732, 885 8 689, 752 8 579, 303 3 418, 844 0 286, 296	861, 211 250, 419 241, 190 244, 579 152, 163	194, 211 209, 481 221, 770 212, 170 146, 885	141, 821 166, 427 149, 566 52, 355 40, 032
1911 1912 1913 1914 1915	106 25 18 5	10, 367 6, 338 2, 599 2, 428 55, 368	40, 284 38, 089 25, 857 23, 266 31, 875	42, 511 15, 264 7, 362 6, 394 170, 441	126, 46 92, 85 97, 01 80, 48	7 39, 45 0 30, 58 7 15, 81 2 20, 24	1 233, 925 6 170, 208 3 151, 212 0 394, 981	156, 675 206, 574 200, 994 193, 964 346, 718	157, 709 204, 044 159, 545 165, 882 203, 701	56, 321 53, 749 45, 543 45, 656
1916 1917 1918 1919	13 18 42	44, 394 66, 050 44, 308 18, 792	38, 115 58, 054 54, 468 45, 066	231, 214 197, 177 370, 033 332, 205	67, 11 56, 60 59, 29	0 15, 20 3 5, 01 2 16, 17	9 423, 674 5 600, 132 2 591, 302	815, 294 1,238,247	282, 209 266, 657 419, 572 667, 240	46, 993 33, 222 31, 504
1920	146	19, 378 10, 826 7, 471 8, 446 3, 938	82, 384 23, 313 26, 774 24, 185 21, 851	153, 561 21, 084 3, 993 4, 017 2, 817	106, 41 117, 17 104, 95	5 16, 84 4 27, 65 6 25, 66	4 203, 815 8 222, 462 5 194, 912	408, 334	275, 456 172, 012 271, 642 319, 269 381, 564	33, 286 33, 510 40, 934
	P	scking-ho	use prod	uets	Ī			-		
Year ended June 30	Por	k- its uc tot fa asce	k and prod- its— al, as r as r tain- ole !	Lard com- ounds		Corn ind corn meal (in terms of grain)	Cotton	Glucose and grape sugar	Corn oil cake and oil- cake meal	Cotton- seed oil cake and oil- cake meal

!	1 BUKI	rig-10 mag pr	outuris			ľ		Corn	
Year ended June 30	Pork— lard	Pork and its prod- ucts— total, as far as ascertain- able !	Lard com- pounds	Apples, fresh	Corn and corn meal (in terms of grain)	Cotton	Glucose and grape sugar	oil cake and oil- cake meal	Cotton- seed oil cake and oil- cake meal
	1.000	1.000	1.000	1.000	1,000	1.000	1,000	1,000	1,000
	pounds	pounds	pounds	barrels	bushels	pounds	pounds	pounds	pounds
1901	611, 358	1, 462, 370	23, 360	884 460	181, 405 28, 029	3, 359, 062	204, 210 130, 420	12, 703 14, 740	1, 258, 687 1, 050, 466
1902	556, 840 490, 756	1, 337, 316 1, 042, 120	36, 202 46, 130	1,656	76, 639	3, 528, 975 3, 569, 142	126, 240	8, 093	1, 100, 393
1904	561, 308	1, 146, 255	53, 604	2,018	58, 222	3, 089, 856	152, 769	14, 015	820, 349
1905	610, 239	1, 220, 032	61, 215	1, 500	90, 293	4, 339, 322	175, 251	24, 171	1, 251, 908
1906	741, 517	1,464,960	67, 621	1, 209	119, 894	3, 634, 045	189, 656	48, 421	1, 110, 835
1907	627, 560	1, 268, 065	80, 149	1,539	86, 368	4, 518, 217	151, 629 129, 687	56, 809 66, 128	1, 340, 987
1908	603, 414 528, 723	1, 237, 211 1, 053, 142	75, 183 75, 183	1,050 896	55, 064 37, 665	3, 816, 999 4, 447, 985	112, 225	53, 234	929, 287 1, 233, 750
1910	362, 928	707, 110	74, 557	922	38, 128	3, 206, 708	149, 820	49, 109	640, 089
1911	476, 108	879, 455	73, 754	1,721	65, 615	4, 033, 941	181, 963	83, 385	804, 597
1912	532, 256	1,071,952	62, 523	1,456	41,797	5, 535, 125	171, 156	72, 490	1, 293, 690
1913	519, 025 481, 458	984, 697 921, 913	67, 457 58, 304	2, 150 1, 507	50, 780 10, 726	4, 562, 296 4, 760, 941	200, 149 199, 531	76, 263 59, 031	1, 128, 092 799, 974
1915	475, 532	1, 106, 180	69, 961	2, 852	50, 668	4, 403, 578	158, 463	45, 026	1, 479, 065
1916		1, 462, 697	52, 843	1,466	39, 897	8, 064, 070	186, 406	18,996	1,057,222
1917	444, 770	1, 501, 948	56, 359	1,740	66, 753	3, 088, 081	214, 973	15,758	1, 150, 160
1918	392, 506 724, 771	1, 692, 124 2, 704, 694	31, 278 128, 157	635 1,576	49, 073 23, 019	2, 320, 512 2, 762, 947	97, 858 186, 230	458 562	44, 681 311, 624
				1,051			1 '	511	449, 573
1920	587, 225 746, 157	1,762,611 1,522,162	44, 196 42, 156	2, 665	16, 729 70, 906	3, 543, 743 2, 811, 389	245, 264 141, 954	1.795	454, 701
1922	812, 379	1, 516, 320	30, 328	1,094	179, 490	3, 358, 879	273, 982	3, 596	532, 791
1923	952, 642	1, 794, 880	11, 140	1,756	96, 596	2, 626, 732	162, 693	686	454, 350
1924 1	1,014,898	1, 934, 223	6, 907	4,098	23, 135	2, 949, 356	148, 051		250, 366
						-			,

*Includes canned, cured, and fresh beef, oleo oll, oleo stock, oleomargarine, tallow, and stearin from animal fats.

* Preliminary.

* Includes canned, fresh, salted, or pickled pork, lard, neutral lard, lard oll, bacon, and hams.

TABLE 681.—Exports of selected domestic agricultural products, 1901-1924—Con.

Year ended June 80	Prunes	Tobacco	Hops	Oils, vegeta- ble- cotton- seed oil	Rice and rice bran, meal, and polish	Sugar, raw and refined	Wheat	Wheat flour	Wheat and wheat flour (in terms of grain)
1901 1902 1903 1904	23, 359 66, 385 73, 146	1,000 pounds 815, 788 301, 007 368, 184 311, 972 334, 302	1,000 pounds 14, 964 10, 715 7, 795 10, 986 14, 859	1,000 gallons 49, 357 33, 043 85, 643 29, 014 51, 536	1,000 pounds 25, 528 29, 591 19, 750 29, 122 113, 283	1,000 pounds 8, 875 7, 572 10, 520 15, 419 18, 348	1,000 bushels 132,061 154,856 114,181 44,230 4,394	1,000 barrels 18,651 17,759 19,716 16,999 8,826	1,000 bushels 215, 990 234,773 202, 906 120, 728 44, 113
1906 1907 1908 1909 1910	24, 870 44, 400 28, 148 22, 602 89, 015	312, 227 840, 743 330, 813 287, 901 357, 196 355, 327	13, 027 16, 810 22, 920 10, 447 10, 589 13, 105	43, 794 41, 880 41, 020 51, 087 29, 861 30, 069	38, 142 80, 174 28, 444 20, 511 26, 779 30, 063	22, 176 21, 238 25, 511 79, 946 125, 507 54, 947	34, 973 76, 569 100, 371 66, 923 46, 680 23, 729	13, 919 15, 585 13, 927 10, 521 9, 041 10, 129	97, 609 146, 700 163, 044 114, 268 87, 364 69, 312
1912 1913 1914 1915	74, 328 117, 951 69, 814 43, 479	379, 845 418, 797 449, 750 348, 346 443, 293	12, 191 17, 591 24, 263 16, 210 22, 410	53, 263 42, 031 25, 738 42, 449 35, 535	39, 447 38, 908 22, 414 77, 480	79, 594 43, 995 50, 896 549, 007 1, 630, 151	30, 160 91, 603 92, 394 259, 643 173, 274	11, 006 11, 395 11, 821 16, 183 15, 521	79, 589 142, 880 145, 590 332, 465 243, 117
1916	59, 645 82, 927 59, 072 114, 066	411, 599 289, 171 629, 288 648, 038 506, 526	22, 410 4, 825 3, 495 7, 467 30, 780 22, 206	21, 188 13, 437 23, 828 21, 253 37, 769	121, 967 181, 372 196, 363 198, 128 483, 385 440, 855	1, 030, 131 1, 248, 908 576, 483 1, 115, 865 1, 444, 031 582, 698	173, 274 149, 831 34, 119 178, 583 122, 431 293, 268	11, 943 21, 880 24, 182 21, 652 16, 180	243, 117 203, 574 132, 579 287, 402 219, 865 366, 077
1922 1922 1923 1924	109, 398 79, 229	463, 389 454, 364 597, 630	19, 522 13, 497 20, 461	12, 215 8, 572 5, 256	741, 509 370, 670 227, 757	2, 002, 039 749, 855 270, 942	208, 321 154, 951 78, 793	15, 797 14, 883 17, 253	279, 407 221, 923 156, 430

Division of Statistical and Historical Research. Compiled from Foreign Commerce and Navigation of the United States, 1901-1918, and Monthly Summaries of Foreign Commerce of the United States, June, 1920, 1922, 1923, and 1924, Bureau of Foreign and Domestic Commerce.

Cottonseed oil, 1910, pounds reduced to gallons at the rate of 7 5 pounds per gallon. It is assumed that 1 barrel of corn meal is the product of 4 bushels of corn, and 1 barrel of wheat flour the product of 4½ bushels of wheat.

Table 682.—Imports of selected agricultural products, 1901-1924

Year ended June 30	Cheese	Silk 1	Wool	Al- monds	Argols or wine lees	Cocoa and choco- late, total	Coffee	Corn	Oats, includ- ing oat- meal	Wheat
1901	17, 068 20, 671	1,000 pounds 10, 406 14, 235 15, 271 16, 723 22, 357	1,000 pounds 103, 584 166, 577 177, 138 173, 743 249, 136	1,000 pounds 5, 140 9, 869 8, 142 9, 839 11, 745	1,000 pounds 28, 599 29, 276 29, 967 24, 572 26, 282	1,000 pounds 47, 620 52, 879 65, 047 75, 071 77, 383	1,000 pounds 854, 871 1,091,004 915,086 995,043 1,047,793	1,000 bushels 5 18 41 17	1,000 bushels 82 39 150 184 56	1,000 bushels 600 119 1,077 7 8,103
1906 1907 1908 1909 1910	40, 818	17, 352 18, 744 16, 662 25, 188 23, 457	201, 689 203, 848 125, 981 266, 409 263, 928	15, 009 14, 234 17, 145 11, 029 18, 556	28, 141 30, 541 26, 739 32, 116 28, 183	84, 127 97, 060 86, 605 132, 661 111, 071	851, 669 985, 321 890, 640 1, 049, 869 871, 470	10 11 20 258 118	40 91 383 6, 692 1, 035	58 375 342 `41 164
1911 1912 1913 1914 1915	45, 569 46, 542 49, 388 63, 784 50, 139	26, 666 26, 585 32, 102 34, 546 31, 053	137, 648 193, 401 195, 293 247, 649 308, 083	15, 523 17, 231 15, 671 19, 038 17, 111	29, 175 23, 661 29, 479 29, 793 28, 625	140, 971 148, 786 143, 510 179, 364 194, 734	875, 367 885, 201 863, 131 1, 001, 528 1, 118, 691	9, 898	2, 622 724 22, 274 631	569 2, 699 798 1, 979 426
1916 1917 1918 1919		41, 925 40, 351 43, 681 50, 069 58, 410	534, 828 872, 372 379, 130 422, 415 427, 578	16, 597 23, 424 23, 840 30, 328 33, 682	34, 721 23, 926 30, 267 32, 228 23, 638	245, 579 340, 483 399, 312 313, 195 421, 880	1, 201, 104 1, 319, 871 1, 143, 891 1, 046, 029 1, 414, 228	5, 208 2, 267 3, 196 3, 311 10, 229	2 665 2 762 2 2, 591 551 6, 044	5, 708 24, 139 28, 177 11, 121 4, 780
1921 1922 1923 1924 4	16, 585 84, 271 54, 555	34, 778 57, 437 63, 188	318, 236 255, 087 3 550, 180 3 251, 848	20, 497 81, 348 27, 549 26, 065	26, 486 18, 749 21, 950 17, 650	328, 447 318, 969 383, 929 886, 227	1, 348, 926 1, 238, 012 1, 305, 188 1, 429, 742	5, 743 125 138 228	8, 796 1, 733 293 4, 244	51,004 14,466 18,013 27,284

tIncludes "Silk, raw or as reeled from the cocoon," "Silk waste, and "Silk cocoons." Does not include catmeal.
Includes wooled sheep and lamb skins, dry and green.
Preliminary.

² Preliminary.

TABLE 682.—Imports of selected agricultural products, 1901-1924—Continued

Year ended June 30	i When	at incl r wh	8 F.	ax- ma	n- inu- ured acco	lax Hem	p Hops	Jute and jute butts
1901 1902 1908 1904 1906		le bue 1 1 1, 47	000 1,0 hels bus 603 1, 121 080 218 286	hels poi 632 26 477 29 129 34	000 1, inds long , 851 , 429 , 017 , 163	000 1,000 tons long to 7	1,000 ns pounds 4 2,607 6 2,805 5 6,013 6 2,758 4 4,389	1,000 long tons 103 129 80 97
1906 1907 1908 1909 1910		45 48 40	590 520 457 816 5,	90 40 57 85 594 43 002 46	, 126 , 899 , 005 , 123 , 853		5 10, 114 9 6, 212 6 8, 493 5 7, 387 6 3, 201	104 104 108 157 68
1911 1912 1913 1914 1915	1	59 8, 08 1.	414 6, 282 5, 384 8,	499 48 842 54 294 67 658 61 666 45	, 208 , 740 , 977 , 175 , 809		5 8, 558 5 2, 991 8, 494 5, 382 11, 651	65 101 125 106 83
1916 1917 1918 1919	6	75 24 , 75 81.	925 12, 215 13,	394 49 367 86	, 078 , 105 , 991 , 951		676 237 121	108 113 78 53
1920 1921 1922 1928 1924 4.	1, 4 6	29 19,	945 25,	392 94 170 58 632 65 906 75 577 54	, 005 , 923 , 225 , 786 , 341	5 5 5	2, 696 4, 808 1, 295 761	77 90 62 85 84
Year ended June 30	Manila	Mo- lasses	Olive oil, for t ble use	Opium, orude	Pota- toes	Rice and rice flour, rice meal, and bro- ken rice	Sisal grass	Sugar, raw and refined
1901 1902 1903 1904 1905	1,000 long tons 44 56 62 66 62	1,000 gallons 11,453 14,391 17,240 18,829 19,478	1,000 gallons 983 1,339 1,494 1,714 1,923	1,000 pounds 583 534 517 573 585	372 7, 656 359 3, 167	117, 200 157, 659 169, 656 154, 222	90 87 109	1,000 pounds 3,975,006 3,031,916 4,216,108 3,700,624 3,680,933
1906 1907 1908 1909	59 55 52 62	16, 021 24, 631 18, 883 31, 292	2, 447 8, 450 8, 799 4, 129 8, 702	469 565 286 517 449	177	209, 603 212, 783 222, 900	99 104 91	3, 979, 331 4, 391, 840 8, 371, 997 4, 189, 421 4, 094, 546
1911 1912 1918 1914 1915		28, 828 33, 927 51, 410 70, 840	4, 406 4, 837 5, 221 6, 218 6, 711	630 400 508 455 484	327 3, 646	190, 063 222, 104 300, 195	114 154 216	3, 937, 978 4, 104, 618 4, 740, 041 5, 066, 822 5, 420, 982
1916 1917 1918 1919		85, 717 110, 288 130, 731 130, 075	7, 224 7, 538 2, 538 4, 288	147 87 158 846		216, 049 456, 059	143 150	5, 633, 162 5, 832, 746 4, 908, 327 5, 836, 048
1920 1921 1922 1923 1924 4.		154, 670 113, 414 87, 908 161, 185 174, 087	6, 813 4, 443 7, 941 9, 950 10, 784	77 144 109 79	6, 941 3, 423 2, 110 572 564	96, 805 73, 620 69, 536	159 72 98	7, 596, 032 7, 012, 679 8, 464, 329 8, 733, 488 7, 530, 000

⁴ Preliminary.

^{*} Less than 500 barrels.

⁶ Includes all olive oil from 1901-1905.

Table 682.—Imports of selected agricultural products 1901-1924—Continued

Year ended June 30	Beeswax	Omons	Plums and prunes	Raisins	Currants	Dates	Figs
1901 1902 1903 1904 1904	1,000 pounds 214 409 489 425 374	1,000 bushels 774 796 926 1,171 856	1,000 pounds 746 522 634 494 672	1,000 pounds 3, 861 6, 684 6, 716 6, 868 4, 042	1,000 pounds 16, 049 36, 239 33, 878 38, 348 31, 743	1,000 pounds 20, 014 21, 681 43, 815 21, 058 19, 257	1,000 pounds 9,934 11,087 16,482 13,178 13,364
1908	588 917 672 765 972	873 1, 126 1, 275 575 1, 024	497 323 335 296	12, 415 3, 967 9, 132 5, 794 5, 043	37, 078 88, 393 38, 653 32, 482 33, 326	22, 436 31, 271 24, 058 21, 869 22, 694	17, 562 24, 346 18, 837 15, 236 17, 362
1911	1,077 829	1, 515 1, 436 789 1, 115 829		2, 479 3, 256 2, 580 4, 555 2, 809	33, 440 33, 151 30, 844 32, 033 30, 351	29, 505 25, 208 34, 305 34, 074 24, 949	23, 460 18, 765 16, 838 19, 285 20, 780
1916	2, 146 2, 586 1, 827 2, 127	816 1,758 1,313 152		1, 024 1, 850 844 120	25, 373 10, 477 5, 168 842	31, 075 25, 485 5, 578 20, 192	7, 153 16, 480 10, 473 9, 239
1920 1921 1922 1923 1924 4	3, 924 2, 215 3, 101 4, 095 3, 271	1, 884 689 2, 488 1, 781 1, 406		13, 897 43, 269 18, 363 12, 335 5, 745	38, 225 50, 178 49, 467 18, 924 17, 155	36, 893 35, 267 46, 742 52, 037 44, 143	28, 552 25, 424 43, 139 36, 588 31, 668
	Hides an	d skins, ot furs	her than	Macaroni, vermi-			
Year ended June 30	Cattle	Goat	Other than cat- tle and goat	celli, and all similar prepara- tions	Lemons	Oranges	Walnuts
1901 1902 1903 1904 1905	1,000 pounds 129, 175 148, 628 131, 644 85, 370 113, 177	1,000 pounds 73,746 88,039 85,114 86,339 97,804	1,000 pounds 77, 990 89, 458 102, 340 103, 025 126, 894	1,000 pounds 28,788 40,224 53,441	1,000 pounds 148, 515 164, 075 152, 004 171, 923 139, 084	1,000 pounds 50, 333 52, 742 56, 872 35, 893 28, 881	1,000 pounds 12,363 23,671 21,684
1906	156, 155 134, 671 98, 353 192, 252 318, 004	111, 097 101, 202 63, 641 104, 048 115, 845	158, 045 135, 111 120, 771 148, 254 174, 771	77, 926 87, 721 97, 234 85, 114 113, 773	138, 717 157, 860 178, 490 135, 184 160, 215	31, 134 21, 267 18, 397 8, 436 4, 676	24, 917 32, 598 28, 887 26, 158 33, 641
1911	150, 128 251, 013 268, 042 279, 963 344, 341	86, 914 95, 341 96, 250 84, 759 66, 547	137, 850 191, 415 207, 904 196, 348 137, 439	114, 779 108, 231 106, 501 126, 129 56, 542	184, 969 145, 639 151, 416	7, 672 7, 629 12, 253	33, 619 37, 214 26, 662 37, 196 33, 446
1916 1917 1918	434, 178 886, 600 267, 500 253, 877	100, 657 105, 640 66, 923 89, 005	208, 835 207, 967 98, 054 105, 260	21, 790 3, 473 670 592	(7)	(7)	36, 859 38, 725 23, 299 10, 937
1920 1921 1922 1923 1924 '	439, 461 196, 573 204, 936 405, 383 176, 475	126, 996 41, 728 83, 535 89, 401 65, 881	232, 113 111, 891 104, 433 163, 401 110, 137	800 1, 297 1, 992 3, 254 3, 870	(7) (7) 101, 592 122, 818 75, 297	(7) (7) (7) (7) (7) (7) (8)	44, 783 23, 166 60, 233 37, 520 37, 010

Division of Statistical and Historical Research. Compiled from Foreign Commerce and Navigation of the United States, 1901–1918, and Monthly Summaries of Foreign Commerce of the United States, June, 1920–1924, Bureau of Foreign and Domestic Commerce.

Where figures are lacking, either there were no imports or they were not separately classified for publication.

tion.

[·] Preliminary.

⁷ Value only given.

⁸ Beginning Jan. 1.

TABLE 683.—Exports and imports of selected forest products, 1901-1924

		Dom	estic exp	ports		lmports					
Year ended	Lur	Lumber			Tim-			Lumber			
June 30	Boards, deals, and planks	Staves	Rosin	Spirits of tur- pentine	ber, hewn and sawed	Cam- phor, crude	Rubber gums, total	Boards, deals, planks, and other sawed	i	Shellac	Wood pulp
1901 1902 1903 1904 1905	943 1,066	Thou- sands 47, 363 46, 999 55, 879 47, 420 48, 286	1,000 barrels 2, 821 2, 536 2, 396 2, 585 2, 310	1,000 gallons 20, 241 19, 178 16, 379 17, 203 15, 895	1,000 M feet 590 477 570 604 533	1,000 pounds 2, 176 1, 831 2, 472 2, 820 1, 904	1,000 pounds 64,927 67,790 69,312 74,328 87,004	1,000 M fee t 491 666 721 589 711	1,000 M 556 708 724 770 759	1,000 pounds 9,609 9,065 11,591 10,933 10,701	1,000 long tons 47 67 117 145 168
1906	1,624	57, 586 51, 120 61, 697 52, 583 49, 784	2, 439 2, 561 2, 713 2, 170 2, 144	15, 981 15, 855 19, 533 17, 502 15, 588	595 640 522 419 491	1, 669 3, 138 2, 814 1, 990 3, 007	81, 109 106, 748 85, 810 114, 599 154, 621	950 934 791 846 1,054	901 881 988 1, 058 763	15, 780 17, 786 13, 362 19, 185 29, 402	157 213 238 274 378
1911 1912 1913 1914 1915	2, 307 2, 550 2, 405	65, 726 64, 163 89, 006 77, 151 39, 297	2, 190 2, 474 2, 806 2, 418 1, 372	14, 818 19, 599 21, 094 18, 901 9, 464	532 438 512 441 174	3, 726 2, 155 3, 709 8, 477 3, 729	145, 744 175, 966 170, 747 161, 777 196, 122	872 905 1,091 929 939	643 515 560 895 1, 487	15, 495 18, 746 21, 912 10, 720 24, 153	492 478 503 508 588
1916 1917 1918 1919	1, 177 I, 042 1, 068 1, 073	57, 538 61, 469 63, 207 62, 758	1, 571 1, 639 1, 071 882	9, 310 8, 842 5, 095 8, 065	201 184 106 92	4, 574 6, 885 3, 638 2, 623	304, 183 364, 914 414, 984 422, 215	1, 283	1, 769 1, 924 1, 878 1, 757	25, 818 32, 540 22, 913 14, 269	507 699 504 475
1920 1921 1922 1923 1924	1, 269 1, 543 1, 549	80, 791 65, 710 35, 162 57, 466 60, 868	1, 322 877 786 1, 040 1, 208	7, 461 9, 742 10, 786 9, 012 11, 194	234 123 268 383 815	4, 026 2, 093 1, 592 3, 498 1, 955	660, 610 371, 300 578, 512 810, 028 633, 489	920 1, 124 1, 958	2, 152 1, 831 2, 190 2, 695 2, 417	34, 151 23, 872 30, 768 32, 773 28, 512	727 624 902 1, 293 1, 187

Division of Statistical and Historical Research. Compiled from Foreign Commerce and Navigation of the United States, 1901-1918, and Monthly Summaries of Foreign Commerce of the United States, June, 1920-1924, Bureau of Foreign and Domestic Commerce.

Table 684.—Destination of principal farm products exported from the United States, 1922-1924

	Year ended June 30							
Article and country to which exported	1922	1923	1924	1922	1923	1924		
ANIMALS AND ANIMAL PRODUCTS Cattle: Belgium Canada Cuba Germany Mexico. United Kingdom Other countries	3, 831 5, 799 106, 131 34, 158	Number 1, 443 1, 601 2, 529 49, 223 6, 417 273	Number 2, 398 962 3, 046 1 26, 006 3 3	Per cent 3. 2 2 5 3. 7 68. 3 22. 0	Per cent 2.3 2.6 4.1 10.4	Per cent 7.3 2.9 9.3 (1) 79.4 (1) 1.1		
Total	155, 281	61, 486	32, 761	100. 0	100. 0	100. 0		
Horses: Belgium Canada Cuba Germany Merico Spain United Kingdom Other countries	2, 915 782 221 11, 747 1, 206	4 2,496 491 10 3,802 1,214 158 466	40 1, 754 604 4 1, 7, 579 1, 011 110 554	.6 16.4 4 4 1.2 65.9 6.8 1.8 2.9	28. 9 5. 7 . 1 44. 0 14. 0 1. 8 5. 4	3 15. 0 5. 2 . 4 64. 8 8. 6 . 9		
Total	17, 827	8, 641	11,698	100. 0	100 0	100 0		

¹ Less than 0.05 per cent.

¹ Preliminary.

Table 684.—Destination of principal farm products exported from the United States, 1922-1924—Continued

Article and country to which		Year	ended June 3	0	-	-
exported	1922	1923	1924	1922	1923	1924
ANIMALS AND ANIMAL PRODUCTS-contd.						
Butter:	Pounds	Pounds	Pounds	Per cent	Per cent	Per cent
Canada	874, 712 780, 011	76, 314	42, 085	11.7	.8	.8
Cuba.	780, 011	767, 108	804, 905	10.4	8.2	14.8
Germany Haiti	1, 817 456, 037	2, 228 615, 399	64, 685 512, 453	6.1	6.5	1. 2 9. 4
Janan	67, 168 866, 259	51, 201 904, 158	512, 453 149, 805 843, 245	.9	. 5	2.8 15.5
MexicoOther South America	866, 259	904, 158	843, 245	11 5	9.6	15 5
Other West Indies	429, 292 1, 637, 662	359, 809 1, 433, 345	209, 866 791, 720	5 7 21 8	3. 8 15. 2	3. 9 14. 6
Panama		657, 793	739, 120	93	7.0	13, 6
Peru	266, 233	234, 975	518, 243	3. 5 3. 7	2.5	9.6
United Kingdom	276, 549 572, 227	354, 889 3, 408, 128	249, 749 51	7.6	3. 8 36. 2	4. 6 (¹)
Perc Philippine Islands United Kingdom Other countries	585, 868	544, 490	499, 872	7.8	5. 9	`9. 2
Total	7, 511, 997	9, 409, 837	5, 425, 299	100 0	100. 0	100.0
Oheese:						
Canada	1, 283, 337	660, 943	264, 967 114, 722	17. 2	7.8	67
China	182, 952 1, 448, 039	190, 980 1, 498, 424	1, 122, 695	2 4 19. 4	2.3 17.7	2.9 28.5
Mexico	1, 497, 279	1, 037, 719 276, 221	824, 468	20 0	12 3	21.0
Other Central America. Other West Indies (including Bermuda)	270, 681	276, 221	280, 679	3.6	3. 3	7.1
other west indies (including ber-	807, 936	679, 867	518, 422	10.8	8.0	13. 2
Panama	358, 301	344, 933	1 339, 431	4.8	4.1	8.6 2.7
Peru	11, 482	51, 500 104, 799	107, 874 97, 980	1, 2	1.6	2.7 2.5
Philippine Islands Sweden	92, 695 288, 347	8, 054	3, 489	3 9	1, 2	.1
United KingdomOther countries	757, 617	3, 296, 276	65, 046	10 1	39.0	1.7
Other countries	472, 886	298, 605	198, 538	6 4	3.6	5.0
Total	7, 471, 452	8, 446, 321	3, 938, 311	100. 0	100 0	100.0
Beef, canned:			_			
British Guiana	14, 344 173, 600	38, 021 93, 900	13, 650 31, 735	4 6	1.6	.9
Canada Cuba	28, 882	89, 166	35, 230	*.8	4, 1 3, 9	2 1 2.3
Dutch East Indies French Guiana	51, 185 6, 249 13, 181	116, 252	9,459	1.4	5. 1	.6
French GuianaGermany	6, 249	10, 944 52, 192	6, 973 387, 733	.2	. 5 2, 3	. 5
Honduras	22, 802	i 44.202	57, 852	. 6	19	25. 1 3. 7
Japan	102, 059	58,885	45, 887	27	2.6	3.0
Mexico	84, 085 46, 975	81, 189 64, 663	77, 627 52, 264	2. 2 1. 3	3. 5 2. 8	5. 0 3. 4
Newfoundland and Labrador Other West Indies (including Ber-	1	· ·	02, 202			l
muda)	344, 142 22, 701	426, 235	118,025	9. 2	18.4	7.6
PanamaPhilippine Islands	94,610	28, 454 291, 241	37, 788 113, 388	.6 2 5	1. 2 12. 6	2.4 7.3
United Kingdom	94, 610 2, 463, 365 280, 306	291, 241 722, 441 194, 695	303,680	65.7	31 2	197
Other countries	280, 306	194, 695	253, 416	7.4	8.3	16. 4
Total	3, 748, 486	2, 312, 480	1, 544, 707	100. 0	100. 0	100. 0
Beef, pickled and other cured:						
Belgium British West Africa	693, 384 425, 220	363, 751 817, 731	384, 705 1, 277, 336	2.6 1 6	1. 5 3. 4	1-8
Canada	1, 079, 987	1,400,891	1, 966, 340	4.0	6.0	5 8 4 9
Cuba	126, 133	175, 718	123, 317	. 5	. 7	. 6
Denmark	308, 725 1, 390, 643	196, 700 1, 137, 500	108, 520 855, 750	1. 2 5. 2	4.7	3.9
Dutch Guiana French Guiana	405, 329	481, 00C	855, 750 338, 675 447, 215	1.5	2.0	1.5
Germany	954, 126	481, 000 462, 936	447, 215	3. 6	1.9	2.0
Newfoundland and Labrador	178, 266 6, 942, 314	190, 989 6, 627, 439	62, 462 7, 420, 262	. 7 25. 9	. 8 27. 4	. 8 84. 0
Norway	3, 481, 835	1, 785, 320	1, 105, 581	13. 0	7.4	5.1
Germany Netherlands Newfoundland and Labrador Noway Other West Indies (including	4, 985, 528	5, 308 574	4, 875, 662	18.6	21. 9	22.3
Panama	272, 320	259, 924	223, 229	1.0	1.1	1.0
United KingdomOther countries	3, 513, 473	5, 308, 574 259, 924 3, 084, 799 1, 831, 991	223, 229 1, 667, 4 <i>5</i> 7 1, 899, 470	13. 1 7. 5	12. 8 7. 6	7. 6 8. 7
Other countries	2, 016, 841					
Total	26, 774, 124	24, 185, 263	21, 850, 981	100. 0	100.0	100.0

¹ Less than 0.05 per cent.

Table 684.—Destination of principal farm products exported from the United States, 1922-1924—Continued

Article and country to which		Year	ended June 3	0		
exported	1922	1923	1924	1922	1923	1924
AMIMALS AND ANIMAL PRODUCTS—contd.				Per	Per	Per
Oleo oil: Belgium Denmark	Pounds 1, 472, 357 2, 493, 656 3, 892, 117 14, 878, 393 1, 877, 494	Pounds 1, 665, 677 2, 581, 795 245, 712 18, 987, 054	Pounds 1, 843, 777 8, 279, 632	1. 3 2. 1	1. 6 2. 5	cent 2.0 3.8
France	3, 892, 117	245, 712	19, 111 11, 218, 141	3. 3 12. 7	. 2	(¹) 12.1
Greece	1, 877, 494	1. 1MIL 0/40	4,701,901	1.6	18. 3 1. 1	5.1
Greece Netherlands Newfoundland and Labrador	46, 629, 929 1, 168, 096 15, 956, 477	47, 052, 888 1, 522, 240	41, 649, 811 1, 282, 125 12, 142, 884	39. 8 1. 0	44, 8 1, 5	44. 8 1. 4 13. 1
Norway	2 676 865	1, 522, 240 12, 133, 362 2, 383, 367	12, 142, 884 1, 223, 004	13 6 2. 3	11. 6 2. 3	13. 1
Turkey in Europe	11, 148, 201 11, 081, 989	4, 123, 958	18, 901 12, 177, 331	9. 5 9. 5	3. 9	(1)
Turkey in Europe United Kingdom Other countries	3, 898, 686	4, 123, 958 14, 967, 025 3, 102, 720	3, 348, 333	3. 3	14. 3 2. 9	3.6
Total	117, 174, 260	104, 956, 378	92, 965, 001	100. 0	100. 0	100.0
Lard compounds containing animal fats:	157, 360	76, 933	89, 108	. 5	.7	
Bermuda British West Africa	1 20 222	78, 051	64,269	. 3	.7	
Cantral America Chile	416, 069 1, 303, 627	64, 281 748, 478	141, 132 701, 491	1. 4 4. 8	. 6 6. 7	2. 0 10. 2
ChileCuba	7, 885 3, 965, 013	166, 690 1, 413, 857	701, 491 91, 698 930, 353	(1) 13. 1	1. 5 12. 7	1, 8 13, 8
Dominican Republic	l 41.851	46, 307	36, 099	. 1	. 4	١ ١
Dutch West Indies. Germany.	253, 407 3, 046, 988	271, 488 3, 473	236, 185 94, 198	. 8 10. 0	2.4	3. 4 1.4
Haiti	1 1883 007	1, 444, 849 155, 905	1, 498, 345	6.2	13.0	1 4 21. 7
Jamaica	232, 990 7, 277, 069 18, 183	2, 692, 365 80, 228	50, 668 1, 307, 222 90, 993	24. 0	1. 4 24. 2	18 9
Netherlands Newfoundland and Labrador	I XX. 374	80, 228 112, 614	90, 993 94, 727	.1	1.0	1.8
	1 1 207 252	735, 077	86, 150	4.6	6. 6	1, 4 1, 2
Panama. Switzerland Trinidad and Tobago Ukraine.	582, 151 44, 608	357, 509	315, 049	1.9 .1	3. 2	4.6
Trinidad and Tobago	1,571,869	400, 339	19, 281	5. 2 3. 3	3. 6	. 8
United Kingdom.	1 9,020,010	1, 575, 543	265, 037	13. 3	14. 1	3, 8
United KingdomVirgin IslandsOther countries	295, 826 2, 642, 160	130, 556 585, 187	283, 383 561, 978	1 0 8.7	1 2 5 3	4. 1 8. 2
Total	30, 328, 176	11, 139, 730	6, 907, 366	100. 0	100. 0	100.0
Bacon Balgium	16, 743, 147	23, 215, 436	16, 089, 326	4.8	5. 7	3.8
Belgium Canada Cuba Denmark	11, 021, 627 23, 461, 552 3, 623, 419	0.005.000	9, 975, 533	3. 1	2.4	2.4
Denmark	3, 461, 552 3, 623, 419	24, 829, 609 2, 456, 058	26, 055, 330 1, 601, 989	6 7 1. 0	6. 1 . 6	6.2
Prance.	1. 383. 454	7, 758, 436	14, 941, 288	2.7 15.2	1. 9 18. 2	3. 8 19. 0
Germany Italy Mexico	53, 252, 825 2, 481, 861	24, 829, 609 2, 456, 058 7, 758, 436 74, 441, 278 9, 259, 356	80, 390, 080 38, 399, 216	.7	2.8	9
Mexico	416, 135 20, 847, 482	30 971 830	414, 907 37, 111, 960	5.9	7. 6	8.8
Norway	0 148 802	12, 268, 761	l 10 497 177	2.6	3.0	2.8
Rweden	6, 749, 329 184, 703, 155 8, 738, 774	12, 268, 761 9, 768, 261 188, 274, 240 14, 771, 022	6, 876, 016 161, 028, 296	1. 9 52. 7	2. 4 46 1	1. 6 38. 0
	8, 738, 774	14, 771, 022	20, 188, 926	2 6	3. 6	4.6
Total	350, 548, 952	408, 334, 340	423, 500, 044	100. 0	1 0 0. 0	100.0
Hams and shoulders, cured: Belgium	9, 690, 036	13, 978, 797	21, 184, 772	3. 6	4.4	5. 6
Canada	10, 663, 674 9, 070, 883	19, 535, 776	16, 778, 985	3. 9 3. 3	6. 1 4. 0	4.4 8.7
Cuba Dominican Republic	9, 070, 883 321, 805	325, 649	16, 778, 985 14, 249, 467 832, 694 4, 586, 967	.1	.1	. 1
Mexico.	894, 348 889, 958	325, 649 2, 142, 135 1, 027, 949	1.003.290	.8	.7 .8	1. 2
Newfoundland and LabradorPanama	482, 578 472, 999 233, 566, 413	648, 577	804, 218	.2	.2	2
United Kingdom	233, 566, 413	648, 577 630, 989 259, 352, 777	983, 826 307, 771, 027	86.0	81. 2	80. 7
Other countries	5, 589, 592	8, 842, 306	13, 808, 488	2.1	2.8	8. 5
Total	271, 641, 786	319, 269, 073	381, 563, 734	100. 0	100. 0	100.0

¹ Less than 0.05 per cent.

Table 684.—Destination of principal farm products exported from the United States, 1922-1924—Continued

Article and country to which		Year	ended June 30)		
exported	1922	1923	1924	1922	1923	1924
ANIMALS AND ANIMAL PRODUCTS—contd.				Рет	Per	Per
Lard.	Pounds	Pounds	Pounds	cent	cent	cent
Belgium	43, 591, 420	50, 472, 076	40, 634, 402	5.4	5.8	4.0
Canada	8, 852, 480	14, 318, 375	15, 230, 837	1.0	1.5	1.
Cuba	73, 926, 475 6, 922, 941 3, 050, 146	87, 897, 540	92, 082, 570	9.0	9. 2	9.
Denmark Dominican Republic Ecuador	3 050 148	5, 699, 646 4, 200, 001	7, 364, 675 4, 148, 800	. 4	:4	:
Founder	3, 501, 343	4, 518, 308	4, 052, 907	.4	. 5	:
	37.089.312	37, 801, 672	32, 616, 060	4 6	4.0	3.
Germany Haiti Italy	260, 716, 401 1, 431, 574	328, 111, 752 1, 763, 529	329, 792, 983 2, 238, 522	32. 1	34.4	82.
Haiti	1, 431, 574	1, 763, 529	2, 238, 522	. 2	3. 1	7.
Italy	9, 051, 392	29, 570, 822	77, 209, 556	1. 1	3.1	7.
MexicoNetherlands	44, 435, 678	44, 951, 072 47, 802, 425 7, 799, 400	45, 809, 783 71, 570, 259	5 5 5 3	4.7 5.0	4. 7.
Netherlands	42, 830, 544 5, 118, 918	7 700 400	10, 133, 557	.6	.8	í.
Peru Poland and Danzig	2 716 022 (B. 708. UM	3, 279, 220	.3	. 7 1	
Sweden	5, 389, 566 3, 830, 264 244, 465, 234	5. 941, 585	5, 498, 148	.7	.6	
Switzerland United Kingdom	3, 830, 264	2, 789, 067	2, 722, 105	. 5	.3	
United Kingdom	244, 465, 234	241, 144, 099	240, 007, 876	30 1	25. 3	23,
Venezueia	659, 156	2, 192, 440	2, 101, 955	.1	.2	2
Other countries	14, 820, 530	28, 959, 805	28, 404, 178	1.8	3 2	Z
Total	812, 379, 396	952, 641, 705	1,014,898,388	100 0	100. 0	100.
ard, neutral				1		
Belgium	641,869	971, 168	801, 047	3 3	3.7	3.
Deninai k	1, 238, 503	1, 212, 976	1, 284, 990	6 3	4.6	5 10
Germany	2, 618, 949 5, 910, 743 664, 227	2, 059, 671	2, 411, 557	13 4 30 2	7. 8 33. 1	33.
Netherlands Newfoundland and Labrador	5, 910, 743	8, 778, 345 784, 755	8, 027, 907 999, 405	30 2	8.0	4.
Norway	4, 444, 394	4, 314, 719	3, 293, 354	3 4 22 7	16 3	13.
Sweden	1, 219, 533	1, 439, 750	1, 401, 896	6 2	5. 4	5.
United Kingdom	2, 019, 690	5, 476, 907	4,609,418	10 3	20 7	19.
United KingdomOther countries	815, 032	1, 439, 750 5, 476, 907 1, 455, 788	1, 409, 407	4 2	54	5.
Total	19, 572, 940	26, 494, 079	24, 238, 981	100. 0	100.0	100.
Pork, pickled:				-		_
Reignim	628, 129	328, 441	723, 541	19	.8	1.
British Guiana	696, 250	700 010	776, 440	21	2 4 1 7	2. 1.
British Guiana British Honduras British West Indies	567, 479	972, 334 708, 250 3, 377, 783	676, 121 3, 083, 656	81	8 3	Ŕ
Canada	2, 711, 473 10, 856, 771	1 13 34× 745	8 436 629	32 4	32 6	8 22
Cuba	1, 319, 231	1, 379, 111 3, 523, 805 1, 269, 842	4, 411, 895 3, 308, 819 1, 304, 729	39	3.4	11
Cuba Germany	1, 746, 028 1, 222, 747	3, 523, 805	3, 308, 819	5 2 3 6	8.6	8
Haiti Newfoundland and Labrador	1, 222, 747	1, 209, 842	1, 304, 729		3.1	.3
Newfoundland and Labrador	4, 756, 298	5, 265, 840	5, 154, 915	14 2 3 8	12.9 3.8	13 6
Norway	1, 257, 909	1, 567, 944 5, 852 630	2, 349, 184	14 7	14 3	11
United KingdomOther countries	4, 913, 655 2, 834, 176	3, 339, 031	4, 105, 706 3, 137, 734	8 4	8.1	8
	33, 510, 146	40, 933, 756	37, 469, 399	100 0	100 0	100
Total	33, 310, 140	10,,600, 100	37, 103, 037	100 0	100 0	
VEGETABLE PRODUCTS	l					
Austria	2, 003, 919 93, 136, 041	1, 478, 876	1, 072, 094 84, 484, 106	.1 2.8	.1	(¹) 2
Belgium	93, 136, 041	92, 884, 508	84, 484, 106	2.8	3. 5	2
Canada	100, 583, 080	108, 525, 863	75, 865, 482	3 0 2.0	4.1	-
China	67, 196, 247 897, 059	11, 556, 176 495, 567 352, 099, 567	13, 812, 830 26, 227 375, 712, 020 872, 777, 083	(1)	(1) -	(1)
Propos	410, 024, 663	352, 099, 567	375, 712, 020	12. 2	13. 4	12
FranceGermany	808, 336, 738	472, 823, 551	1 012, 111, 000	24. 1	18.0	22
Italtr	1 234. ZWO. UDO	286, 034, 186	281, 866, 511	70	10. 9	9
Japan	447, 683, 525	339, 579, 297 7, 745, 906	291, 978, 531 540, 865	13. 3	12.9	g
Japan Mexico Netherlands	447, 683, 525 3, 097, 263 48, 101, 703	7,745,906	K6 997 099	1.4	. 3 1. 4	(¹) 1
Netherlands	48, 101, 703	37, 809, 219	56, 227, 936 2, 468, 546	1.4	.1	. *
Norway	9 081 184	2, 099, 248 11, 111, 022 14, 106, 863	4, 377, 654	.8	.4	
Portugal	10, 277, 523	14, 106, 863	4, 377, 654 9, 372, 335		.5	
Portugal Spain	170, 775, 695	125, 121, 820	108, 126, 492	5.1	4.8	8
		30, 295, 627	36, 161, 419	.8	1.2	1
Switzerland.	2, 476, 800 903, 371, 622	125, 121, 820 30, 295, 627 1, 569, 927 701, 503, 949	1, 969, 616	1 .1	A-1	28
Switzerland United Kingdom Other countries	903, 371, 622	29, 890, 975	847, 447, 334 85, 069, 327	26.9	26.7 1.2	28
Other countries	17, 952, 170	28, 08U, 815	30, 000, 327			
Total	3,358,878,748	2,626,732,147	2,949,356,388	100.0	100.0	100

¹ Less than 0.05 per cent.

Table 684.—Destination of principal farm products exported from the United States, 1929-1924—Continued

		Year	ended June 3	0	·	
Article and country to which exported .	1922	1923	1924	1922	1923	1924
VEGETABLE PRODUCTS—continued						
Fruits: Apples, fresh 2— Argentina Brazil. Canada. Cuba. Denmark Gernany. Mexico. Norway. Sweden. United Kingdom Other countries Total.	Box48 4, 200 8, 280 264, 677 10, 365 23, 587 2 26, 011 57, 534 33, 309 939, 675 27, 204	Boxes 60, 777 39, 580 847, 919 49, 973 21, 969 14, 483 103, 824 128, 537 25, 264 2, 503, 633 195, 325 3, 491, 244	Boxes 86, 716 84, 543 645, 817 85, 425 118, 238 476, 633 126, 223 175, 862 179, 274 3, 661, 826 557, 642	Per cent .3 .6 19.0 .7 1.7 (1) 1.9 4 1 1 2.4 67.4 .9	Per cent 1. 7 1. 1 10. 0 1. 4 8. 0 3 7 71. 7 5 7	Per cent 1.4 1.4 1.9 7.7 2.6 2.8 2.9 59 1
Apples, fresh— Argentina. Brazil Canada. Cuba. Denmark Germany. Movico. Norway. Sweden. United Kingdom. Other countries. Total.	Barrels 7, 857 6, 774 44, 824 20, 523 9, 031 74 20, 983 27, 839 2, 803 458, 227 30, 246 629, 181	Barrels 13, 083 1, 602 47, 005 20, 156 7 18 4, 414 13, 261 1, 180 480, 437 11, 418 592, 581	Barrels 20, 794 2332 45, 459 24, 537 26, 428 42, 568 1, 749 30, 244 78, 708 1, 734, 780 20, 676 2, 032, 241	1 2 1 1 7 1 1 3 3 3 1 4 4 4 72 8 5.0 100 0	2 2 2 3 7.9 3.4 (1) (1) (1) 7 2.2 81.1 2 0 100 0	1.3 (1) 2 2 1 2 1.3 2.1 1.5 3 9 85 4 1 0
Apples, dried— Argentina. Belgium Canads. China. Denmurk Finland France Germany. Netherlands Norway. Sweden United Kingdom Other countries. Total	Pounds 20, 609 300, 180 22, 753 348 1, 309, 312 273, 500 1, 327, 993 1, 281, 310 4, 603, 615 505, 974 1, 376, 597 1, 477, 420 282, 410	Potends 53, 735 402, 105 250, 246 62, 332 991, 536 619, 591 1, 124, 350 836, 205 3, 701, 850 808, 108 1, 674, 428 1, 677, 141 475, 565	Pounds 111, 049 394, 650 70, 439 65, 639 1, 585, 798 439, 134 249, 303 12, 211, 971 9, 384, 147 480, 481 2, 504, 713 2, 171, 010 651, 952 30, 410, 339	2 5 2 5 8 10 5 2 2 2 10 7 10.3 37 0 4 1 10.9 8 4 2 2	.4 3 1 2 0 4 7.7 4.8 8 8 6 5 29 3 7.0 13 1 13.1 3 8	. 4 1 3 . 2 5 2 5 2 1. 4 40 2 30 9 8 5 7 1 2. 2
Apricots, dried— Belgium Canada. Denmark. France Germany. Japan. Nétherlands. New Zealand. Norway. Sweden. United Kingdom Other countries Total	718, 051 659, 949 1, 237, 817 3, 858, 817 2, 477, 502 220, 170 1, 642, 587 284, 150 806, 752 879, 145 3, 585, 399 862, 670	394, 945 802, 276 1, 243, 494 3, 305, 111 323, 556 405, 946 897, 500 226, 795 1, 085, 049 801, 447 1, 246, 608 459, 456	1, 911, 302 2, 162, 860 3, 538, 724 647, 675 9, 262, 229 396, 348 9, 896, 670 143, 016 1, 455, 814 1, 670, 560 6, 419, 083 1, 237, 552	4 3 3.9 7.4 23.1 14 8 1 3 9.8 1 7 4 8 5.3 21.4 2.2 100.0	3.5 7 2 11 1 29.5 2 9 3.6 8.0 2.0 9.7 7.2 11.1 4.2	4. 6 5. 6 9. 3 1. 7 23. 9 1. 0 25. 5 4. 8 4. 8 10. 6 3. 0
Oranges— Canada United Kingdom Other countries	Boxes 1, 531, 364 17, 515 91, 959 1, 640, 838	Boxes 1, 674, 106 27, 572 97, 535	Boxes 2, 334, 329 80, 074 177, 405	93. 4 1. 0 5. 6	93. 1 1. 5 5. 4	90 1 3 1 6 8
Total	Pounds	1, 799, 213 Paunds 2, 515, 887 13, 951, 017 2, 003, 032 26, 586, 389 263, 056	2, 591, 808 Pounds 3, 522, 498 15, 209, 349 2, 935, 746 3, 694, 496 51, 125, 557	3. 6 13. 0 3. 8	3. 2 17. 6 2. 5 33. 6	2. 6 11 1 2. 2 2. 7 37. 8

¹ Less than 0.05 per cent.

¹ Included in "Apples, fresh-Barrels" prior to Jan. 1, 1922.

Table 684.—Destination of principal farm products exported from the United States, 1982-1984—Continued

Water and a second a		~~~~~~				
Article and country to which		Year	ended June 3	0		
exported	1922	1923	1924	1922	1923	1924
VEGETABLE PRODUCTS—continued						
Fruits-Continued.		·	1	Per	Per	Per
Prunes—Continued. Mexico	Pounds 700, 885	Pounds 1,029,352	Pounds 819 708	cent	cent 1.3	cent
Netherlands	4.441.962	1, 771, 449	812, 708 12, 015, 176	4.1	2.2	88
New Zealand	1, 204, 320 563, 781	1, 520, 060 742, 431	1.428.849	1.1	10	1.0
Norway Sweden	5, 489, 977	4.864.105	1, 233, 414 7, 047, 069	5.0	6.1	.9 52
Swoden United Kingdom Other countries	29, 561, 264 3, 371, 248	4, 864, 105 18, 905, 239 5, 076, 736	30, 160, 616 7, 263, 072	27 0	23. 9	22.1
				3.2	6 5	5 3
Total	109, 398, 133	79, 228, 753	136, 448, 485	100.0	100.0	100 0
Raisins— Canada	27, 365, 435	30, 764, 423	34, 093, 277	55. 1	32 7	38 7
China	163, 601	1, 320, 312	4, 962, 689	.3	1 4	56
Denmark Japan	163, 601 191, 786 2, 722, 984	2, 774, 732 4, 632, 227	4, 962, 689 4, 705, 554 7, 695, 360	5 5	3. 0 4 9	5 8 8.7
Mexico	773, 421	1, 254, 672	1, 586, 697	16	13	1.8
Netherlands	477, 100	6, 546, 300	4, 107, 251	10	7.0	4.7
New Zealand United Kingdom	2, 086, 978 14, 447, 997	5, 062, 815 37, 411, 094	4, 079, 832 20, 607, 010	4 2 29 1	39 8	4.6 23 4
Other countries	1, 409, 812	4, 195, 787	6, 313, 974	2 8	4 5	7.2
Total	49, 639, 114	93, 962, 362	88, 151,644	100 0	100 0	100 0
Fruits, canned 3—	Dollars	Pounds	Pounds	9	. 7	0.7
Belgium Canada	149, 831 679, 743 38, 601	1, 515, 930 10, 191, 798	4, 413, 633 10, 364, 589	4 1	4 9	2 7 6 3
Cuba	38, 601	4 091 997	6, 573, 053	2	20	4 0
Dutch East Indies	229, 578 435, 083	2, 198, 419 6, 454, 478 1, 941, 947	1, 149, 110 3 340 040	1.4 2.7	1. 1 3. 1	2.7
Netherlands	435, 083 107, 689	1, 941, 947	3, 340, 040 3, 009, 816	.7	9	18
Norway	(64, 991	1 2/32, 0/4	1 738, 177	4	.4	.4
Norway Philippine Islands United Kingdom	46, 471 13, 686, 171 933, 061	1, 011, 011 164, 760, 873	658, 346 120, 394 446	83 6	79 5	72 6
Other countries		14, 191, 477	15, 183, 478	5 7	6 9	9 1
Total	16, 373, 219	207, 220, 004 Pounds	165, 824, 988 Pounds	100 0	100 0	100 0
Argentina	Pounds 3, 544, 514	4, 485, 924	3, 293, 295	1.4	2.9	23
Belgium British South Africa	13, 725, 027	6, 384, 683 3, 737, 884 2, 277, 590	4, 882, 669	5 3	4 1	2 3 3 5 2.7
Canada	2, 926, 270 4, 595, 089	2, 277, 590	3, 795, 921 1, 958, 100	11	2 4 1 5	1.4
Cubs	748, 445 4, 578, 321	2, 037, 531	2, 795, 377	. 3	13	2.0
Egypt France	4, 578, 321 7, 240, 544	11, 091, 619 1, 322, 484	8, 421, 800 35, 361	1 8 2 8	7. 1 . 8	(1)
Germany	26, 104, 465	1, 794, 295	667, 460	10 1	11	Т. К
Greece	1, 603, 104	3, 585, 359 1, 202 , 379	3, 876, 155	1.8	23	2 7 2 9
Mexico	1, 603, 104 1, 277, 617 1, 822, 090	2, 638, 923	4, 075, 938 2, 671, 755	17	1.7	1.9
Netherlands New Zealand	1 14, 205, 088	2, 307, 945	3, 593, 020	5.5	15	25
New Zealand	2, 418, 252 2, 262, 350	2,412,760 2,293,561	2, 272, 816 2, 075, 660	.9	1 5	1 6 1.5
Sweden	1,064,443	1, 542, 520	3, 034, 040	4	10	21
Turkey in Europe	6, 080, 132 744, 962	2, 573, 522 2 687 695	2, 683, 746 1, 672, 963	2 4	1 6 1 3	1 9 1 2
Turkey in Europe	147, 372, 610	2, 087, 695 93, 054, 723	77, 681, 081	57 0	59 6	55 U
Other countries	13, 134, 564	9, 483, 839	11, 654, 063	5 0	6.0	8 3
Total	258, 447, 803	156, 314, 639	141, 141, 220	100 0	100 0	100 0
Grains and grain products. Corn—	Bushels	Bushels	Bushels		-	
Belgium	4, 470, 782 61, 643, 197	1, 930, 687	563, 830 8, 257, 917	2 5 34 9	2. 1 34. 2	2 7 39. 0
Canada Cuba	2, 694, 132	32, 153, 890 2, 778, 141	2, 615, 050	1.5	3 0	12.3
Denmuek	2, 694, 132 7, 265, 933 2, 974, 911 27, 175, 436	3, 320, 120	885, 964 380, 313	41	3.5	4. 2 1. 8
france	2, 974, 911 27, 175, 438	3, 174, 168 11, 806, 514	380, 313 672, 586	1 7 15, 4	3. 4 12 6	1.8 3.2
Italy		960, 110	11	.8	1.0	(1)
Italy Mexico Netherlands	10, 101, 521 22, 839, 667	288, 487 13, 961, 586	336, 830 2, 368, 892	5.7 12.9	14. B	1.6 11.2
Norway	1.095.491	823, 113	85, 744	3.3	. 9	7.4
Russia in Europa	5, 872, 664 2, 208, 652	823, 113 3, 392 422, 375	151, 462	3, 3 1, 3	(1)	7
United Kingdom	22, 074, 350	21, 271, 980	4, 448, 973 418, 772	12.5 2.8	22.6	21.0
Other countries	4, 569, 754	1, 170, 390	21, 186, 344	100.0	1.2	1. 9
Total	176, 385, 614	94, 064, 053	21, 100, 344	100.0	190.0	100.0

¹ Less than 0.05 per cent.

Reported in value only prior to July 1, 1922.

Table 684.—Destination of principal farm products exported from the United States, 1922-1924—Continued

		Continu	eu 			
Article and country to which		Year	ended June 3	0		
exported	i922	1923	1924	1922	1923	1924
VEGETABLE PRODUCTS—continued						
Grains and grain products—Continued. Rye— Canada Denmark Finland Germany Netherlands Norway Ru.sia in Europe United Kingdom Other countries	Bushels 8, 427, 829 994, 996 1, 399, 420 5, 727, 866 3, 675, 069 4, 802, 300 2, 623, 538 847, 729 1, 184, 855	Bushels 14, 212, 391 1, 005, 705 1, 240, 592 16, 417, 691 9, 238, 062 5, 906, 453 928, 824 985, 605 1, 476, 227	Bushels 8, 579, 023 523, 949 430, 935 4, 486, 418 891, 742 1, 212, 953 4, 328 168, 386 1, 406, 827	Per cent 28. 4 3. 4 7 19 3 12. 4 16 2 8. 8 9 3 9	Pcr cent 27. 6 2. 0 2 4 31. 9 18. 0 11. 5 1. 8 2. 9	Per cent 48. 5 3. 0 2. 4 25. 3 5. 0 6. 9 (1) 1. 0 7 9
Total	29, 683, 602	51, 411, 550	17, 704, 561	100 0	100.0	100. 0
Rye flour— Austria Belgium	Barrels	Barrels 478	Barrels 10, 443		11	2 9
Brazil Canada Denmark Finland France Germany Latvia Netherlands Norway Sweden Turkey in Europe	15.852	503 4, 367 1, 724 8, 443 1, 125 1, 466 3, 244 3, 273 5, 062 7, 527	4, 108 7, 513 23, 675 26, 714 189, 407 60, 747 888 27, 688	2 8 3 6 4 1 36 5 6 7 3 13. 4 11 4 3 3 12 2	1. 2 10. 4 4 1 20 1 2 7 3 5 7 7 7 8 12. 1 18 0	1. 1 2. 1 6. 5 7. 3 51. 7 19. 0 2 7. 6
Turkey in Europe United Kingdom Virgin Islands Other countries	484 914 1,047	709 3, 982	1, 185 753 4, 072	1 1 2 1 2 5	1 7 9 6	.3 .2 1.1
Total	43, 375	41, 903	366, 193	100 0	100 0	100 0
Wheat— Belgium France Germany Gibraltar Italy Netherlands Norway Portugal Russia in Europe Spain	Bushels 17, 526, 947 5, 694, 338 21, 782, 679 2, 079, 257 35, 656, 391 19, 257, 764 262, 671 808, 666	Bushels 11, 345, 230 14, 750, 870 8, 492, 567 1, 096, 580 33, 771, 801 12, 246, 730 1, 241, 986	Rushels 4, 289, 722 2, 400, 865 1, 919, 085 183, 592 7, 814, 642 4, 207, 748 67, 200	8 4 2 7 10 5 1 0 17 1 9 2 .1	7 3 9. 5 5 5 21. 8 7. 9 . 8	5 5 3.1 2.4 .2 9 9 5.4
Russia in Europe Spain United Kingdom Other Europe	775, 817 2, 448, 806 48, 808, 181 2, 097, 057	85, 274 23, 997 28, 237, 471 1, 858, 269	16, 811, 144 1, 069, 762	1 2 23 4 1 1	(1) 18 2 1 2	21. 3 1 4
Total Europe	157, 198, 574 29, 341, 265 2, 033, 553 11, 002, 363 8, 745, 336	113, 150, 775 31, 992, 628 1, 106, 580 5, 353, 422 3, 347, 566	38 823, 760 17, 979, 540 8, 301, 021 10, 255, 908 3, 432, 805	75 5 14. 1 1. 0 5. 3 4 1	73. 0 20. 6 . 7 3 5 2 2	49 3 22. 8 10, 5 13. 0 4. 4
Total	208, 321, 091	154, 950, 971	78, 793, 034	100 0	100 0	100 0
Wheat flour— Belgium Denmark Finland Germany Greece Italy Netherlands Norway Poland and Danzig Russia in Europe Sweden Turkay in Europe United Kingdom Other Europe	Barrels 123, 479 359, 403 422, 881 1, 518, 853 60, 058 917, 560 448, 410 146, 744 1, 381, 963 3, 190, 762 408, 937	Barrels 42, 072 194, 899 655, 565 1, 062, 684 317, 738 64, 280 082, 736 216, 555 188, 785 313, 519 105, 507 472, 378 1, 913, 833 518, 670	Barrels 58, 834 174, 494 619, 589 1, 488, 329 388, 512 163, 333 1, 641, 398 119, 770 34, 716 252 143, 574 22, 799 1, 451, 452 90, 560	.8 23 27 9.6 .3 5.8 26 .9 1.0 9.8.7 20.2 2.6	.3 1.3 4.4 7.1 2.1 6.6 1.5 1.1 2.7 3.2 12.9	.3 1.0 3.6 8.6 2.9 3 10.7 .7 .2 (1) 8.4 .5
Total Europe Brazil British West Africa Canada 4.22 Central America China	9, 292, 566 327, 018 65, 574 68, 216 499, 827 228, 871	7, 009 221 477, 568 108, 703 66, 936 537, 868 1, 475, 848	6, 597, 621 530, 160 124, 229 114, 361 562, 360 2, 938, 805	58. 8 2. 1 . 4 . 4 8. 2 1. 4	47. 1 8. 2 . 7 . 4 8. 6 9. 9	38. 2 3. 1 . 7 . 7 8. 3 17. 0

¹ Less than 0.05 per cent.

Table 684.—Destination of principal farm products exported from the United States, 1922-1924—Continued

Asticle and country to which		Year	ended June 30)		
Article and country to which exported	1922	1923	1924	1922	1923	1924
VEGETABLE PRODUCTS—continued						
Grains and grain products—Continued. Wheat flour—Continued. Cuba	Barrels 1, 008, 721 190, 224 162, 488 973, 255 629, 012 344, 567 265, 670 608, 775 95, 120 333, 046 77, 308 686, 566	Barrels 1, 088, 582 293, 147 281, 000 825, 197 224, 560 384, 909 305, 664 473, 121 88, 240 409, 838 83, 061 609, 256	Barrels 1, 114, 100 128, 906 428, 634 1, 364, 656 171, 050 934, 358 405, 263 524, 137 85, 503 525, 419 59, 692 503, 246	Per cent 6.8 1.2 1.0 0.2 2.2 1.6 8.2 2.1 5.4 3	Per cent 7.3 2.0 1.9 5.5 1.6 2.5 3.26 4.1	Per cent 6.5 .7 2.5 .5 .1.0 5.4 2.9 100 0
	Pounds	Pounds	Pounds			
Hops: Australia Belgium Canada Germany Japan United Kingdom Other countries Total	488, 666 1, 292, 799 2, 762, 124 121, 976 167, 320 13, 845, 499 843, 263 19, 521, 647	382, 633 6, 852, 576 3, 031, 538 63, 270 168, 521 2, 351, 910 656, 726	55, 670 5, 290, 342 3, 142, 801 1, 308, 643 552, 500 8, 341, 301 1, 769, 448 20, 460, 705	2. 5 6 6 14. 1 . 6 9 70 9 4 4	2.8 50 8 22.5 .4 1 2 17 4 4 9	.3 25.9 15 4 6.4 2.7 40.8 8.5
Oil cake and oil-cake meal						
Cottonseed cake— Denmark Germany Sweden United Kingdem. Other countries Total	264, 890, 758 117, 369, 484 20, 929, 920 10, 955, 664 1, 110, 853 415, 256, 679	195, 357, 016 132, 347, 954 4, 264, 960 7, 775, 307 2, 798, 957 342, 544, 194	150, 179, 071 39, 142, 550 2, 953, 708 4, 890, 946 3, 760, 879 200, 927, 154	63 8 28. 3 5 0 2. 6 . 3	57 0 38 6 1 2 2 3 . 9	74 7 19. 5 1 5 2. 4 1. 9
Cottonseed meal—			449 000	4 1	2 0	
Belgium Canada Germany Netherlands Norway United Kingdom Other countries	4,812,760 4,146,348 6,953,787 1,927,000 13,710,014 75,395,136 10,518,912	3, 603, 903 2, 627, 740 3, 566, 500 3, 284, 869 11, 201, 439 83, 015, 447 4, 505, 912	448, 000 1, 863, 430 4, 039, 575 3, 920, 000 35, 136, 660 4, 031, 456 49, 439, 121	4.1 3.5 5 9 1 6 11 7 64 2 9 0 100 0	3. 2 2 4 3. 2 2. 9 10 0 74. 2 4 1	7 9 71 1 8.1 100 0
Linseed or flaxseed cake— Belgium	152, 114, 660	91, 655, 770	86, 467, 843	32.4	17. 1	15.8
Germany Netherlands United Kingdom Other countries	276, 237, 018 27, 731, 137 6, 879, 426	16, 215, 405 351, 445, 009 69, 518, 709 7, 720, 345	17, 184, 173 361, 799, 262 77, 948, 602 3, 447, 672	1. 4 58. 8 5. 9 1 5	3. 0 65 5 13 0 1. 4	3. 1 66 2 14. 3 . 6
Total	469, 397, 376	5 36, 555, 23 8	546, 847, 552	100 0	100 0	100 0
Oils, vegetable: Cottonseed— Argentina Canada Chile Cuba Denmark Dominican Republic French Quiann French West Indies Germany Greoce Italy Mexico Netherlands Norway Panama United Kingdom Uruguay Other countries Total Total	3, 384, 751 38, 402, 691 1, 372, 553 2, 914, 611 7, 867, 074 723, 408 523, 554 2, 623, 449 1, 099, 753 887, 962 887, 962 887, 962 887, 962 887, 962 887, 962 887, 962 887, 967 887, 967 887, 967 887, 967 91, 614, 635	3, 840, 798 26, 549, 253 4, 174, 868 3, 442, 620 1, 705, 794 1, 705, 794 231, 380 361, 201 302, 320, 309 6, 711, 448 1, 312, 695 5, 155, 490 515, 414 342, 188 1, 997, 893 564, 201, 860	642, 753 20, 516, 191 868, 662 2, 200, 244 19, 016 1, 070, 257 188, 324 25, 628 119, 734 18, 877 11, 779 8, 876, 445 1, 824, 917 588, 598 19, 697 289, 552 2, 696, 868 39, 417, 542	3 7 42.0 1.5 8.2 8.6 2.9 1.2 2.1 0.3 6 4.7 10.0 0	6.0 41.3 6.5 5.4 2.7 1 6 .3 10 4 2.0 8.8 .5 3 1 10 0	1. 6 52. 0 2. 2 5. 6 (1) 2. 7 . 5 . 1 (1) (2) 21, 8 . 1. 4 (1) 7, 7, 0 100. 0

¹ Less than 0.05 per cent.

Table 684.—Destination of principal farm products experted from the United States, 1922-1924—Continued

www.	1022-1024	COHOLEGE				
Article and country to which		Year	ended June 3	0		
experted	1922	1923	1924	1922	1923	1924
VEGETABLE PRODUCTS—continued				Per	Per	Per
Tobacco, leaf: Argentina	Pounds 1,065,975 15,241,757	Pounds 2, 486, 390 18, 030, 795	Pounds 2, 302, 490	cent	cent	cent
Australia	15, 241, 757	18, 030, 795	24, 388, 905 35, 065, 658	3 4 4.8	4 0 5 1	4.4 6.3 1.7 2.4
Belgium British West Africa Canada	21, 610, 307 7, 148, 018 13, 117, 029	22, 022, 338 10, 330, 701 14, 134, 995	9, 430, 198 13, 156, 799	16	0 2	1.7
Canada	1 22 4455 1457	14, 134, 995	13, 156, 799 66, 017, 078	2 9 5.1	32	2.4 11.8
Denmar!.	3, 829, 171 43, 166, 050	39, 792, 536 5, 037, 335 37, 638, 320 5, 292, 900	5, 531, 686 29, 376, 348	.8	3 2 8 9 1 1	10
France French Africa	2 858 538	5 292 900		9. 6 . 6	8 5 1 2	5. 3 1. 6
Germany	29, 988, 577	1 30.081.022	55, 607, 010 1, 362, 450 718, 104	6.6	6.9	10.0
Haiti Hongkong	1,409,940	1, 430, 497 1, 394, 714	1, 362, 450	.3	.3	.1
Italy Japan Maxico. Netherlands	46, 971, 663	42, 400, 610	20, 200, 000	10.4	9.5	45
Japan Mexico	2, 339, 513 2, 542, 100 19, 870, 686	2, 471, 857 434, 837	11, 615, 799 1, 502, 878	.5 6	. 6	2.1
Netherlands	19, 870, 686	18 901 535	50, 302, 163	44	3 8	9.0
Norway Portugal Spain	3, 622, 038 5, 814, 821	3, 425, 895 5, 714, 648 13, 794, 761	4, 275, 471 3, 757, 887 22, 072, 215	1.8	1 3	-8 -7
Spain	12, 534, 194	13, 794, 761	22, 072, 215	2.8	3. 1	4.0
Switzerland	4, 231, 477 2, 685, 712 178, 817, 343	5, 919, 714 2, 056, 692	6, 991, 487 2, 378, 141	. 9	1 3	1 3 . 4
Sweden. Switzerland United Engdom. Other countries.	178, 817, 343	2, 056, 692 152, 700, 297	2, 378, 141 161, 237, 389	39 6	34 3	28 9
Total	9, 440, 332 451, 888, 436	10, 148, 858	15, 986, 452 557, 288, 267	2 1 100 0	100 0	100 0
Potatoes (white):	Bushels	Bushels	Bushels		-1	
Bermuda British Guiana Canada	19, 071	22, 959 31, 548	17, 505 27, 958	. 8 . 6	11	. 6 . 9
Canada	15, 044 339, 236	1 414.187	1 536, 653	14.6	18 0	17. 5
Cuba Dominican Republic Mexico	1, 479, 437 35, 112	1, 921, 631	1, 931, 518 31, 777 203, 156	63.6	64 5 1 3	62 8 1 0
Mexico	173 577	1, 921, 631 37, 759 143, 690 157, 326	203, 156	1 5 7 5	4 8 5 3	6 6
Panama Philippine Islands United Kingdom Venezuela	126, 034 8, 268	157, 326 46 190	156, 259 12, 452	5 4	5 3 1 6	5 1 .4
United Kingdom	2, 295	46, 190 27, 286 25, 734		.1	. 9	
Venezuela Other countries	19, 446 109, 627	25, 734 151, 341	22, 142 135, 466	4.7	.9	44
Total	2, 327, 147	2, 979, 951	3, 074, 946	100 0	100 0	100 0
FOREST PRODUCTS						
Naval stores Rosin—	Barrels	Barrels	Barrels	1		
Argentina Australia Belgium	89, 643	86, 328 10, 830	97, 151	11 4	8.3	80
Australia	14, 857 21, 969	10, 830 22, 660	97, 151 22, 316 32, 732	1 9 2 8	1.0 2 2	1 8 2 7
Brazil	88,842	103, 318	1 110.398	11 3	9.9	91
Canada Cuba	49, 802 18, 719	58, 698 16, 022	60, 206 16, 063	6. 3 1. 7	5. 6 1. 5	5.0 13
Cuba Dutch East Indies	18, 719 81, 961	16, 022 46, 215	20.001	4.1	4,4	1 3 2 1 21.8
Germany Italy	115, 247 17, 711 44, 146 12, 833	162, 485 34, 827	263, 325 30, 529	14. 7 2 3	15 6 3.3	21.8
Japan Netherlands	44, 146	34, 827 86, 739	69,019	5.6	8.3	2.5 5.7
Sweden	16, 943	16, 917 27, 148	31, 748 22, 024	1 6 2 2 26 2	1 6 2 6	2. 6 1. 8
United Kingdom	205, 681 9, 962	27, 148 277, 269 14, 765	22, 024 327, 760 12, 470	26 2 1 3	26.7	27.1 1 0
Sweden United Kingdom Uruguay Other countries	52, 797	75, 521	87, 096	1 3 6.6	1 4 7 6	7 5
Total	786, 113	1, 039, 742	1, 208, 388	100. 0	100.0	100. 0
Turpentine, spirits of-	Gallons	Gallons	Gallons			
Argentina.	455, 009 596, 074 772, 324 217, 634 71, 997	397, 356 481, 344 291, 953	406, 222 708, 413	4.2 5.5	4. 4 5. 3	3 6 6 3 4 2
Australia Belgium	772, 324	291, 953	708, 413 467, 216 138, 609	5 5 7 2	5.3 8.2	4 2
Brazil British South Africa	217, 634	131, 229 75, 452 884, 901	138, 609	2.0	1.5	1 1.2
Uanada	973, 587	884, 901	72, 831 947, 853	9.0	9.8	.7 8.5
Germany	835, 407 899, 236	<i>t</i>	1 951.021	7. 7 8. 3	5, 5 7, 8	8. 5 7. 4
Netherlands United Kingdom Other countain	5, 491, 387	796, 906 5, 012, 968 538, 916	826, 215 6, 077, 604 598, 089	50.9	55.6	54.3
Other countries	473, 635 10, 786, 280	9, 012, 356	598, 089 11, 194, 173	100.0	100.0	100.0
A VIII	20, 100, 200	0,012,000	1, 104, 110	200.0	200.0	100.0

¹ Less than 0.05 per cent.

Table 684.—Destination of principal farm products experted from the United States, 1922-1924.—Continued

Article and country to which		Year	ended Juns 30)		
exported	1922	1923	1924	1922	1923	1924
FOREST PRODUCTS—continued						
Wood:						
Lumber—	300.4	356.4	36.6.4	Per	Per	Per
Fir— Australia	M feet	M feet 77, 819 15, 725	M foot 54, 745	cent 90	cent 16, 6	cent 8, 7
British South Africa	60, 995 3, 798	15, 725	2, 914	. 6	8.4	5
Canada	2, 564	11, 185	12, 458	.4	2.4	2.0
Chile Chma	5, 477 118, 0 61	14, 420 68, 121	30, 267 72, 937	. 8 17 4	3. 1 14. 5	4.8
Cuba	8. 443	8, 509	10, 881	. 5	1.8	11.6
Japan Mexico	8, 443 397, 484	8, 509 185, 259	823, 286	58.6	89. 6	51.4
Mexico	8, 141	12, 494	21, 227	1.2	2.7 7.4	3, 4 8, 8
Peru Unsted Kingdom	44, 024 9, 813	34, 479 15, 144	55, 494 12, 012	6. 5 1. 4	8. 2	1.9
Other countries	24, 683	25, 133	32, 332	3. 6	5. 3	5. 2
	OFF. BOD :	480,000	000 550	100 0	100.0	100.0
Total	678, 393	468, 288	628, 553	100 0	100, 0	100.
Oak-						
Argentina	6, 932	9, 155	7,953	7.9	6.6	4.9
Belgium British South Africa.	8, 174 567	10, 101	14, 920 3, 521	9.8	7.3	9.2 22.2
Canada	23, 991	37, 879	35,940	27 4	27.4	22.2
Netherlands	784	1, 393 1, 787 67, 544	2, 528	.9	1.0	1 1.6
SpainUnited Kingdom	558 42, 184	1,787 87 544	1, 520 85, 213	48.2	1.3 48.9	52, 7
Urnguay	1, 288	2,042	1,061	1 4	1.5	.:
Urnguay Other countries	3, 074	6, 908	9, 103	8.7	5, 1	5, €
Total	87, 527	138, 118	161, 757	100 0	100, 0	100. €
Pine, yellow, long leaf					-	
Argentina	120, 174	178, 209	154, 254	26 2	80.3	24. 9
Argentina. Belgium	27, 405	14, 217	21, 168	8 9	2.4 5.6	3. 4 6. 2
CanadaCuba.	15, 420 61, 6 01	33, 006 125, 354	88, 137 124, 266	13. 8	21.3	20. 1
Dominican Republic	5, 384	5, 519 6, 265	9. 037	1. 2	.9	1.1
France	7,003	6, 265	5, 336	1, 5 1 8	1. 1 1. 8	2,6 9,8
Italy	8, 400 60, 262	10, 6 38 54, 495	15, 918 60, 472	13 2	9. 3	9.8
Netherlands Other West Indies	7, 542	5, 817	9,060	1.6	10	1.8
Other West Indies	26, 695	5, 817 37, 574	42,311	5.8	6.4	6.8
Panama	4, 626 20, 317	4,202 21,646	5, 808 23, 560	4 4	8 7	3.8
Spain United Kingdom	39, 827	41.208	44, 136	87	7.0	7.1
Cruguay	12, 206	15, 203	18, 279	87 27	2 6	8.0
Other countries	41, 761	34, 021	46, 750	9 2	5. 9	7. 6
Total	458, 023	587, 565	618, 493	100 0	100 0	100.0
Railroad ties—	Number	Number	Number			İ
British Indis	44, 002 843, 770	215, 458 614, 412	638, 646	2 3 43 8	8. 8 25. 0	23. 1
Chile	21,060	52,500	000,010	1.1	2, 1	
ChileChina	6, 115	52, 500 86, 016	59, 083	.3	15	2.
Chosen	22, 479	23, 935	51, 335 32, 781	1. 2	1.0	1.9
Costa Rica	1, 546	15, 725	28.617	.1	. 6	· 1.9
Cuba Guatemala	2, 012 65, 325	39, 841	50, 078	.1	1.6	1.8
Guatemala	65, 325 218, 506	15, 725 39, 841 153, 811 481, 947	173, 042 402, 522	8. 4 11. 8	6 3 19.6	6.8 14.0
Honduras Jamaica	6. 243	29, 379	53, 739	.8	1.2	1.1
Japan	68, 423	29, 379 233, 382 282, 933 117, 963	53, 739 209, 788	8,5	9.5	7.0
Mexico Palestine and Syria	1 397, 552	282,933	766, 0 17	20.6	11. 5 4. 8	27. 8
Palestine and Byria	12, 100 22, 248	117,968	11, 277	1 2	(1)	
Panama Para	45, 500	103, 400	228, 850	2, 4 8, 8	4.2	8.7
United Kingdom	73, 6 06	33, 181	9,560	8. 5	1.3	
Other countries	78, 086	25, 270	48, 618	4,0	1.0	1.7
Total	1, 928, 526	2, 459, 543	2, 758, 958	100. 0	100.0	100.0

Division of Statistical and Historical Research. Compiled from Monthly Summeries of Foreign Commerce of the United States, June, 1923 and 1924, Bureau of Foreign and Domestic Commerce.

¹ Less than 0.05 per cent.

Table 685.—Origin of principal agricultural products imported into the United States, 1922–1924

	States, 198	22-1924				
		Year	ended June 80			
Article and country of origin	1922	1923	1924	1922	1923	1924
ANIMALS AND ANIMAL PRODUCTS						
Cattle: Canada Mexico United Kingdom Other countries	Number 128, 803 22, 076 246 408	Number 230, 227 20, 301 737 622	Number 141, 171 12, 853 680 32	Per ct. 85 0 14.6 .2 .2	Per ct. 91. 4 8. 1 . 3 . 2	Per ct. 91.2 8.3 .5
Total	151, 533	251,887	154, 736	100 0	100.0	100.0
Horses: Canada Mexico United Kingdom Other countries	2, 566 293 188 89	2,165 203 810 138	1,900 30 419 109	81. 8 9 3 6 0 2. 9	76 9 7.2 11.0 4.9	77, 3 1, 2 17 0 4, 5
Total	3, 136	2, 816	2,458	100 0	100 0	100 0
Butter: Argentina Australia Canada. Denmark Netherlands Now Zealand United Kingdom Other countries	Pounds 403, 538 2, 055, 537 3, 101, 084 2, 888, 338 91, 117 845, 065 70, 991 95, 622	Pounds 783, 479 130, 036 2, 999, 355 7, 371, 147 109, 861 3, 887, 174 369, 106 112, 127	Pounds 4, 212, 842 74, 368 6, 451, 170 10, 457, 458 440, 423 5, 047, 654 1, 719, 622 1, 062, 287	4 2 21 5 32.5 30 2 1.0 8.8 .7 1.1	5.0 .8 19 0 46 7 .7 24 6 2.3 .9	14.3 .3 21.9 35.5 1.5 17.1 5.8 3.6
Total	9, 551, 292	15, 772, 285	29, 465, 824	100 0	100 0	100.0
Cheese: Argentina. Canada. France. Greece. Italy. Netherlands. Norway. Spain. Switzerland. United Kingdom. Other countries.	5, 626, 213 4, 823, 777 2, 200, 502 808, 433 12, 085, 693 1, 614, 852 236, 290 531, 020 5, 450, 139 261, 051 572, 634	4,000,545 5,858,305 4,537,008 922,287 20,571,704 2,147,774 409,419 12,391 14,765,121 531,157 739,559	2, 736, 340 1, 803, 217 4, 418, 938 2, 055, 266 32, 922, 074 3, 048, 284 467, 630 22, 958 16, 140, 224 560, 432 2, 421, 403	16 4 14.1 6.6 2 4 35 3 4.7 1.5 15.9	7 3 10.7 8.3 1 7 37.7 3.9 (1) 27.1 1 0 1 4	4 1 2.7 6.6 3.1 49 4 4.6 (1) 24.2 3.8
Total	34, 270, 604	54, 555, 270	66, 596, 706	100.0	100 0	100 0
Fibers, animal: Silk, raw in skeins reeled from cocoon— China	7, 328, 677 259, 414 1, 613, 784 38, 590, 110 386, 979	10, 584, 948 408, 684 1, 818, 206 37, 989, 046 1, 882, 720	8, 718, 404 386, 454 1, 576, 078 34, 478, 018 1, 046, 455	15.2 .5 3 3 80.1	20.1 .8 3.5 72.1 3.5	18.9 .8 3.4 74.6 2.3
Total	48, 178, 964	52, 683, 604	46, 205, 409	100.0	100.0	100.0
Wool, unmanufactured— Carpet wool— Argentina. British India. British South Africa Chile. China. Denmark France Germany Greece Italy. Palestine and Syria Persia. Spain Turkey in Asia. United Kingdom Urriguay Other countries	26, 279 66, 679, 144 1, 022, 300 3, 641, 970 2, 060, 172 69, 501 4, 141, 621 219, 789 211, 1008	8, 695, 254 3, 696, 097 220, 748 86, 119 65, 140, 551 1, 021, 014 6, 156, 173 4, 205, 049 175, 175 6, 062, 134 2, 856, 141 303, 263 681, 433 2, 4565, 828 60, 859, 099 266, 526 9, 003, 583	7, 758, 910 3, 432, 146 97, 498 92, 556 57, 718, 076 41, 349 2, 982, 313 1, 577, 217 207, 774 2, 823, 275 4, 191, 409 681, 037 357, 545 2, 071, 319 29, 396, 257 4, 192, 194	8.8 2.0 (1) 44.8 7.2.4 1.4 (1) 2.8 .1 .1 .2 33.8 2.6	5.1 2.2 .1 87.9 .6 2.4 .1 .1 3.5 1.7 .2 4 1.4 35.4 .1	8.6 2.5 48.8 (1) 2.1 1.2 2.4 3.6 (1)
Total	148, 786, 906	171, 879, 192	118, 375, 163	100.0	100.0	100.
•				: 		-

¹ Less than 0.05 per cent.

Table 685.—Origin of principal agricultural products imported into the United States, 1922-1924—Continued

		Year e	ended June 30			
Article and country of origin	1922	1923	1924	1922	1923	1924
ANIMALS AND ANIMAL PRODUCTS— Continued						
Fibers, animal—Continued. Wool, unmanufactured—Contd. Clothing, wool— Argentina. Australia. British South Africa. Canada. Chile. China. New Zealand. Peru United Kingdom. Uruguay. Other countries.	Pounds 6, 002, 098 8, 610, 375 1, 842, 901 726, 628 1, 116, 755 73, 992 2, 780, 246 31, 569 2, 801, 571 8, 376, 306 458, 115	Pounds 9, 762, 888 5, 195, 722 1, 225, 269 3, 405, 426 1, 036, 420 334, 253 665, 235 235, 407, 663 4, 363, 494 1, 976, 011	Pounds 3, 101, 080 881, 209 346, 769 1, 145, 330 674, 544 305, 066 129, 963 4, 236, 568 1, 137, 585 861, 622	Per ct. 18.3 26.2 5.6 2.2 3.4 .2 8.5 .1 8.5 25.5	Per ct. 22.3 11.9 2.8 7.9 2.4 .8 1.5 .6 35.3 10.0 4.5	Per ct. 24. 2 6. 9 2. 7 8. 9 5. 3 2. 4 1. 0 33. 0 8 9 6. 7
Total	32, 820, 886	43, 703, 289	12, 819, 736	100 0	100.0	100.0
Combing wool— Argentins. Australia. British South Africa. Canada. New Zealand United Kingdom. Uruguay. Other countries.	14, 023, 407 20, 477, 363 4, 499, 919 540, 807 8, 208, 408 4, 880, 008 14, 596, 556 2, 006, 432	77, 256, 141 69, 406, 989 16, 187, 811 5, 952, 834 13, 606, 196 58, 657, 619 42, 040, 631 15, 327, 931	19, 787, 998 33, 180, 931 3, 224, 939 4, 813, 879 5, 884, 796 23, 751, 430 6, 572, 372 5, 786, 534	20. 3 29 6 6. 5 . 8 11 9 7. 0 21. 1 2. 8	25. 9 23. 3 5. 4 2. 0 4. 6 19. 7 14. 1 5. 0	19. 2 32. 2 3. 1 4. 7 5. 7 23. 1 6. 4 5. 6
Total	69, 232, 960	298, 496, 152	103, 002, 879	100. 0	100.0	100.0
Hair of the Angora goat, alpaca, etc.— British South Africa— Chile— China— Germany— Peru— Turkey in Asia— Turkey in Europe— United Kingdom— Other countries	1, 003, 713 25, 743 328, 724 7, 436 389, 601 530, 368 1, 949, 548 11, 351	3, 469, 041 274, 764 12, 354 309, 003 28, 380 2, 601, 308 4, 674, 695 24, 380	715, 599 134, 818 911, 394 1, 255, 881 1, 852, 429 54, 460	23. 6 . 6 7. 7 . 2 9. 2 12. 5 45. 9 . 3	30. 5 2. 4 .1 2. 7 .3 22. 8 41. 0 .2	14. 5 2. 7 18. 5 25. 5 87. 6 1. 2
Total	4, 246, 484	11, 394, 024	4, 924, 581	100 0	100.0	100.0
Wooled sheep and lamb skins— Argentina Australia Brazil. British South Africa Canada. Chile Denmark France Greece New Zealand Spain United Kingdom Uruguay Other countries		3, 589, 607 3, 042, 277 369, 676	1, 133, 977 733, 849 1, 405, 110 406, 596 616, 488 1, 719, 746 309, 173 327, 021 429, 312 214, 479 1, 676, 924 2, 822, 562 428, 281 1, 002, 032		14. 5 12. 3 1. 5 4. 4 6. 4 5. 0 3. 6 1. 4 1. 3 3. 7 8. 9 24. 9 5. 9 6. 2	8. 9 5. 8 11. 0 3. 2 4. 8 13. 5 2. 4 2. 4 1: 7 13. 2 18. 3 4 7. 8
Total	(2)	* 24, 707, 558	12, 725, 550	(2)	³ 100. 0	100.0
Hides and skins other than furs: Caliskins, dry— Argentina	57, 835 324, 786 136, 923 985, 266 70, 259 186, 148 229, 597 654, 082	4, 474, 240 30, 678 219, 201 38, 365 1, 224, 488 159, 923 30'2, 684 546, 288 1, 519, 034	1, 673, 587 407, 497 47, 464 67, 092 735, 369 40, 728 475, 374 1, 084, 443 198, 582	54. 2 . 4 2. 0 . 8 6. 1 4 1. 2 1. 4	29. 9 . 2 1. 5 . 3 8. 2 1. 1 2. 0 3. 6 10. 1	15. 6 3. 8 . 4 . 6 6. 8 . 4 4. 4 10, 1

Included with "Sheep and lamb skins."
 Includes "Sheep and lamb skins" prior to Sept. 22, 1922.

Table 685.—Origin of principal agricultural products imported into the United States, 1922-1924—Continued

		Year e	nded June 30			
Article and country of origin	1922	1923	1924	1922	1923	1924
ANIMAL AND ANIMAL PRODUCTS-COLL.						
Hides and skins other than furs—Con. Calfskins, dry—Continued. Germany————————————————————————————————————	Pounds 94, 936 112, 618	Pounds 587, 6 69 90, 331	Pounds 818, 101 42, 750	Per ct	Per et. 3. 9	Per cl. 3. 0
Letvin Netherlands New Zealand Norway	166, 120 646, 738 13, 306 523, 791 256, 631	534, 818 1, 070, 450 171, 016 797, 118 162, 886	1, 302, 671 509, 728 1, 611, 853 390, 814 135, 176	1. 0 4. 0 . 1 3. 2 1. 6	3 6 7. 1 1. 1 5. 3 1 1	12. 1 4. 7 9. 4 3. 6 1. 3
Polend Russia in Europe Sweden Switzerland United Kingdom	665, 899 203, 789 652, 285 949, 615	269, 914 961, 618 87, 171 1, 225, 966	74, 518 128, 713 476, 850	4. 1 1 3 4. 0	1 8 6 4 . 6 8 2	1. 2 1. 2
United Kingdom Uruguay Other countries	949, 615 475, 130	106, 712 407, 515	774, 580 858, 148	5 9 3. 0	2 7	7. 2 8. 1
Total	4 16, 174, 682	⁸ 14, 988, 085	10, 754, 038	100.0	⁵ 100 0	100.0
Calfskins, wet— Argentina Australia Belgium	978, 216 352, 817 1, 094, 940	1, 144, 697 148, 134 1, 084, 696	620, 425 542, 203 129, 756	3.9 1.4 4 3	3. 7 . 5 8 5	3 4 2.9
Canada Denmark Finland France	4, 311, 897 1, 545, 066 269, 759 7, 233, 314	5, 068, 156 2, 103, 810 623, 330 8, 833, 727	5, 412, 337 477, 312 639, 043 3, 395, 954	17 0 6 1 1 1 28 5	16 5 6 8 2 0 28.7	29 3 2. 6 3 5 18. 4
Italy Netherlands New Zealand Norway	1, 185, 736	1, 243, 504 1, 560, 670 126, 460	373, 937 425, 084 392, 815	4.7 7.6 4.8	4 0 5. 1 . 4	2.0 2.3 2.1
Poland Sweden Switzerland	1, 567, 035 1, 267, 438	461, 508 448, 907 3, 065, 676 1, 085, 592	291, 977 145, 102 1, 295, 525 515, 619	1.4 1.9 6 2 5 0	1. 5 1. 5 10. 0 3. 5	1. 6 . 8 7. 0 2. 8
United Kingdom Uriguay Other countries	596, 897 90, 518 914, 329	2, 805, 954 9, 808 921, 469	2, 154, 343 11, 951 1, 627, 493	2 4 3 3	9, 1 (¹) 3 2	11. 7 . 1 8 8
Total	4 25, 383, 880	⁵ 30, 735, 598	18, 450, 876	100.0	5 100 0	100.0
Kip skins, dry— Argentina Belgium		7, 202, 064 82, 718	2, 381, 371		61 9	67. 3
Rip skins, d'y— Argontias Belgium British India British West Africa Canada China		118, 042 365, 978 290, 142 248, 207	85, 425 40, 161 140, 922 28, 516		1 0 3.1 2 5 2.1	2 4 1 1 4.0
France Lithuania Notheriands Swoden United Kingdom		538, 270 108, 831	28, 516 154, 251 28, 209		4.6	4.4
Sweden United Kingdom Uruguay Other countries		174, 860 831, 957 746, 250 920, 130	105, 950 297, 708 105, 953 172, 085		1.5 7.2 6 4 8.1	3 0 8 1 3 0 4 8
Total	(6)	7 11, 628, 449	3, 540, 851	(6)	7 100. 0	100.0
Kip skins, wet— Argentina		2, 999, 463	2, 927, 009		82 7	37 3
Argentina Belgium Canada China France		258, 875 702, 258 555, 793 3, 149, 255	102, 272 1, 010, 218 435, 059 1, 801, 337		2 8 7. 7 6. 1 34 4	12 5 5 22 5
France. Lithuania. Netherlands. Sweden		415, 409 188, 252	149, 520 226, 589 93, 113		4. 5 2. 1 1. 2	1.5 2.5 1.5
United Kingdom Other countries		113, 494 785, 24 0	464, 106 648, 440		1.2 B.5	5 8.
Total.	(6)	1.9, 167, 539	7, 857, 723	(4)	7 100. 0	100

<sup>Includes "Kip skins."
Includes "Kip skins" prior to Sept. 22, 1922.
Included with "Calfskins."
Includes "Calfskins" prior to Sept. 22, 1922</sup>

TABLE 685.—Origin of principal agricultural products imported into the United States, 1922-1924—Continued

		Year e	nded June 30-	•		
Article and country of origin	1922	1923	1924	1922	1923	1924
ANIMALS AND ANIMAL PRODUCTS—con.						
Hides and skins other than furs-Con.					_	
Cattle hides, dry— Argentina	Pounds 4, 321, 139	Pounds 17, 719, 184	Pounds 2, 509, 740	Per ct.	Per ct.	Per ct.
Australia	77, 156 94, 878	126, 878 1, 709, 727	2, 509, 740 488, 810 144, 644	.4	.2	13. 9 2. 7
Brazil British India	94, 878 182, 043	1, 709, 727 1, 221, 562	144, 644 82, 965	1.0	29	
Canada China	1,724,734	4, 186, 832	1, 466, 187	9 4	7.1	8. 1 5. 7 34. 6
Colombia	1, 649, 188 5, 283, 996	6, 905, 968 7, 865, 138	1, 466, 187 1, 028, 209 6, 271, 063	8 9 28.7	11.7 18.4	5.7
Cuba	42, 700	1 692, 290	1, 724	.2	1.2	(1)
Cuba	1, 644, 993	2,582,016	1, 724 317, 622	8 9	4.4	(¹) 1.8
France	149, 652 147, 131	349, 107 2, 441, 200	100, 624 604, 716	.8	4.2	8.8
France. Guatemala. Honduras	51,466	18, 962	12, 507	.3	(1)	1 1
Italy	209, 598 10, 402	112, 121 366, 540	214, 683 37, 111	1.1	.2	1.2
Mexico New Zealand Nicaragua	389, 328	425, 597	1 240.454	2.1	.7	1.8
New Zealand	3, 138 736, 175	198, 220 634, 478	73, 964 445, 524	(1)	1.1	2.5
Parii	1 01 945	442, 858	95.041	.5	.8	1 .5
Switzerland	660, 643	151, 535	1, 800 191, 395	3 6	5.6	(1)
Switzu land United Kingdom Uruguay	1, 576	3, 279, 153 1, 097, 292	1 347, 144	(1)	19	1.9
VenezuelaOther countries	823, 105 145, 141	2, 383, 540 3, 860, 936	2, 114, 545 1, 321, 372	4 5	6 5	11 7 7. 1
Total	18, 438, 517	58, 770, 243	18, 111, 934	100 0	100 0	100.0
Cattle hides, wet—	86, 679, 343	100 000 000	00 880 975	46 5	F2 0	co. 0
Argentina Australia	2, 415, 991	186, 696, 992 5, 082, 759	99, 880, 875 1, 833, 715	1 3	53 9 1 5	62. 9 1. 2
Brazil	15, 687, 498	24, 403, 024	1, 833, 715 2, 511, 514	8 4	70	1 6 18 1 1. 3 1. 7
CanadaCuba	34, 190, 737 15, 206, 397	30, 489, 525 12, 418, 583	28, 602, 925 2, 019, 120	18 3 8 2	8 8 3.6	18 1
France	1, 222, 972	12, 418, 583 12, 840, 861	2, 019, 120 2, 658, 590	.7	3 7	1.7
Uruguay	1,641,136 17,945,386	5, 667, 392 34, 551, 249	701, 266 11, 714, 089	9.8	1. 6 10. 0	7.4
Italy Uruguav Venezuela	17, 945, 386 816, 269	375, 171	84, 107	.4	. 1	.1
Other countries	10, 692, 188	34, 087, 902	8, 576, 629	5. 7	98	5. 3
TotalGoat and kid skins, dry—	186, 497, 917	346, 612, 958	158, 362, 830	100 0	100, 0	100 0
Aden	3, 112, 822	4, 549, 505	2, 855, 206	4.6	6.4	5.5
Aden	851, 855 6, 372, 141	1, 137, 958 4, 843, 644	811, 789	9.3	16	1 6 6 0
Oluxii	4. 684. 504	4, 569, 259	3, 130, 925 4, 132, 230	6.9	6 8 6, 5	
British East Africa	1, 047, 094 19, 904, 558	849, 862	470.050	1 1 5	28. 0	25. 4 2.1 2.0
British India British South Africa	033, 335	19, 597, 086 1, 859, 964	13, 173, 680 1, 066, 425	29. 2 1 4	1.9	25.4
Brilish west Airica	764, 944	1, 147, 479	1 1,023,036	111	1.6	2.0
China Dutch East Indies	15, 035, 533 826, 707	1, 147, 479 12, 148, 704 1, 248, 198	8, 636, 578 1, 634, 425	22 0 1. 2	17 2 1.7	10. 7 3. 2 1. 2
rance	1 415.50R	1 1.361.982	632, 390	.6	1.9	1, 2
Greece Mexico	477, 339 2, 086, 054 351, 542	325, 808 2, 783, 963	220, 157 2, 804, 017	3.1	8.9	.4
Morocco	351, 542	401, 520	2, 804, 017 175, 133	.5	. 6	- 3
Netherlands Peru	363, 132	593, 985	247, 226 - 863, 757	14	1.2	3.7 6.1
Spain	979, 674 2, 605, 221	853, 525 8, 45 1, 782	3, 158, 354	38	4.9	6. 1
United Kingdom	1. 396. 0 13	1, 925, 208	1.263.918	2.0 2.6	4.9 2.7 2.5	2.4
Venezuela Other countries	1, 772, 041 4, 247, 537	1, 801, 211 6, 843, 457	1, 438, 685 4, 072, 877	6.4	8.8	2.4 2.8 7.8
Total	68, 227, 549	70, 794, 050	51, 810, 858	100. 0	100.0	100. 0
Goat skins, wet—	77, 877	158, 018	53, 962	.5	.8	. 4
Brazil British India British South Africa		9,828			.1	
British South Africa	14, 692, 364 38, 67 7	16, 824, 162 147, 200	12, 989, 559 409, 640	96.0	90.4 .8	92.8 2.9
China		15, 733	6, 573	.0.	.1	(1)
Spain Other countries	498, 674	97, 928 1, 354, 177	610, 247	8. 2	7.3	4.4
	15 207 200	18, 607, 046		100.0		_
Total	15, 307, 092	18, 007, 040	14, 069, 981	100.0	190. 0	100,

¹ Less than 0.05 per cent.

Table 685.—Origin of principal agricultural products imported into the United States, 1922-1924—Continued

		Year	ended June 30			
Article and country of origin	1922	1923	1924	1922	1923	1924
ANIMALS AND ANIMAL PRODUCTS— continued						
Hides and skins other than furs—Con. Sheep and lamb skins, dry and	Pounds	Pounds	Pounds 489, 606	Per ct.	Per ct.	Per ct.
Aden Argentina Argentina	406, 100 12, 964, 069	12, 639, 805 1, 796, 439 1, 481, 257 1, 44, 459 1, 422, 258 2, 083, 303 261, 855	11, 308, 405 1, 940, 409 2, 154, 337	26. 5 1. 5	20. 5 2. 9	23. 2 4. 0
Australia Brazil	712, 350 1, 846, 780 1, 367, 388 1, 490, 700	1, 481, 257	2, 154, 337	3. 8 2 8	2.4	4.4
Brazil British India British South Africa	1, 490, 700	1, 422, 258	148, 947 960, 399 845, 981 54, 846	3.1	2.3	20
Canada	2, 189, 962 138, 348	2, 083, 303 261, 855	845, 981 54, 846	4.5	3. 4 . 4	1.7
Chile	31,063			1 .1	1 2	1. 6 1. 1
FranceGreeco	346, 835 120, 079	722, 151 248, 381 12, 740, 486	557, 836 166, 785 12, 702, 800	.7	. 4	.3
Greece New Zealand	120, 079 13, 351, 877 1, 507, 417	12, 740, 486 1, 784, 401	1 370 007	27 3 3.1	20 7 2. 9	26 1 2 8
Spain United Kingdom	9, 953, 330	1 21, 201, 197	10, 377, 669	20 4	34. 4	21 3
Uruguay Other countries	712, 923 1, 690, 176	1, 870, 692 1, 853, 814	10, 377, 669 2, 328, 779 2, 514, 874	1.5 3 4	3 O 3 O	4.8 5 3
Total, wet and dry	8 48, 838, 392	9 61, 668, 061	48, 720, 183	100 0	100 0	100 0
VEGETABLE PRODUCTS						
Cocoa or cacao beans:						
Brazil British West Africa British West Indies	18, 975, 068	59, 978, 071 122, 276, 584	71, 736, 843 152, 532, 542	6, 0 30 6	15. 7 32 1	18.7 39.8
British West Indies	97, 125, 629 36, 052, 288	39, 938, 150	1 35 004 010	114	10 5	9.1
Cuba	0, 827, 024	504, 7 83 42, 457, 894	84, 900 42, 368, 024 30, 310, 474	2 2 15, 9	11.1	(i) 11.1
Ecuador	37, 438, 630	42, 457, 894 40, 886, 824 5, 026, 713 2, 398, 716	30, 310, 474	11 8	10 7	7.9
Haiti.	8, 638, 744 4, 392, 107	5, 026, 713 2, 398, 716	2, 648, 900 1, 675, 833	11	1.3 6	.7
United Kingdom	21, 177, 841	1 10. 000. 041	9, 525, 066	67	4 2 5 8	2. 5 4. 0
Dominican Republic. Ecuador. Haiti Portugal United Kingdom. Venezuela Other countries.	21, 177, 841 20, 002, 934 20, 931, 283	21, 990, 119 30, 019, 663	9, 525, 066 15, 253, 536 21, 831, 114	66	7 9	5.8
Total.	317, 124, 373	381, 508, 058	382, 971, 242	100. 0	100. 0	100 0
Coffee:	1 004 000	0 426 100	5 157 OCE	1	,	4
AdenBrazil	1, 604, 622 756, 581, 844	2, 436, 100 840, 038, 490 125, 398, 369	5, 157, 285 950, 950, 167 90, 816, 554	61. 1	64 4	66 5
Central America	756, 581, 844 99, 134, 597 234, 921, 617 22, 831, 697	125, 398, 369 193, 889, 565	90, 816, 554 254, 381, 159	8. 0 19 0	9 6 14. 9	6 4 17.8
Colombia Dutch East Indies	22, 831, 697	20, 987, 513	21 084 533	1.8	1.6	1.5
Mexico		39, 490, 998 58, 509, 417	31, 601, 993 59, 967, 439 5, 295, 525	3 1 5. 3	3.0 4.5	2. 2 4. 2
West Indies	65, 267, 153 6, 626, 607 12, 599, 772	58, 509, 417 10, 500, 978 13, 936, 254	5, 295, 525 10, 487, 425	1 1	.8 10	.4
		1, 305, 187, 684	1, 429, 742, 080	100 0	100, 0	100 0
Total	1, 200, 012, 010	1, 300, 161, 064	1, 428, 722, 000	100 0	100.0	100 0
Fibers, vogetable: Cotton, raw—	l			į		[
Rritich India	5, 166, 749	8, 894, 607 24, 792, 329 157, 990, 018	16, 302, 430 21, 577, 342 78, 631, 055	2 9 4.3	3.8 10.5	11.2 14 8
Egypt	7, 656, 667 110, 921, 695	157, 990, 018	78, 631, 055	61. 9	66.9	538
China Egypt Mexico Peru	110, 921, 695 26, 818, 225	1 15 SAS 478	13 442 659	15.0 9.7	6.7 4.4	9. 2 6. 8
United Kingdom Other countries	17, 433, 458 5, 599, 225	10, 335, 486 5, 274, 508 12, 936, 993	9, 955, 561 4, 181, 765 1, 932, 732	3.1	2.2	2.9
	5, 569, 036			3. 1	5. 5	1 3
Total	179, 165, 065	236, 092, 419	146, 023, 533	100.0	100 0	100 0
Flax—	Tons 593	Tons 765	Tons 290	11.8	9.3	5 9
Bolgium Canada	710	2,001	1,202	14. 1	25 5	26 4
Chile Denmark	. 8	73 150	39	. 2	1.8	8
France	.1 4	3 471	4 2	,.1	(1)	(1)
Germany Italy	85 60	451	297	1.7	5 7 5.5	6.1

Less than 0.05 per cent.
 Includes "Sheep and lamb skins, wooled."
 Includes "Sheep and lamb skins, wooled," prior to Sept. 22, 1922.

Table 685.—Origin of principal agricultural products imported into the United States, 1922-1924—Continued

	Year ended June 30									
Article and country of origin	1922	1923	1924	1922	1923	1924				
VEGETABLE PRODUCTS—continued										
Fibers, vegetable—Continued. Flax—Continued.	Tons	Tons	Tons	Per et.	Per ct.	Per ct.				
Japan	670	126	316	13 3	1.5	6.5				
Latvia Netherlands	706	484 282	341 170	(1) 14, 1	5. 9 · 3. 4	7. 0 3. 5				
Poland	9	344	62	.21	4.2	1.3				
United KingdomOther countries	2, 171 4	2, 661 306	1,699 373	43.2	32. 4 3 9	34. 8 7. 6				
Other countries										
Total	5, 021	8, 207	4, 885	100.0	100 0	100.0				
Manila fiber	40.400	04 750	0= 001	00.4						
Philippine IslandsOther countries	43, 463 260	96, 758 851	97, 261 771	99 4	99. 1 . 9	99. 2				
	ļ									
Total	43, 723	97, 609	98, 032	100 0	100 0	100.0				
Sisal grass—	748	864	4, 759	10	a	4.9				
Relgium British East Africa	1,316	3, 104	1,875	18	.9 3.2	i 9				
Dutch East Indies	3, 085	8,932	11, 172	4 3	9 2 79 3	115				
Mexico.	64, 000 770	77, 383 1, 185	71, 162 905	88.4	79 3 1. 2	73.4				
United Kingdom Other countries	2, 440	6, 114	7,096	3 4	6 2	7.4				
Total	72, 359	97, 582	96, 969	100.0	100 0	100.0				
Fruits:					-					
Bananas	Bunches	Bunches	Bunches							
Central America	29, 952, 565	29, 076, 239	27, 941, 739	64.0	65 3	62.2				
Colombia	29, 952, 565 2, 587, 000 1, 880, 952	29, 076, 239 2, 466, 880 1, 716, 376	27, 941, 739 2, 343, 982 2, 277, 353	5 6 4 1	5. 5 3. 9	5. 2 5. 1				
Cuba Jamaica	10, 440, 110	9, 881, 633	9, 406, 524	22 6	22. 2	20. 9				
Other countries	1, 259, 005	1, 363, 118	2, 953, 207	28	3. 1	6.6				
Total	46, 119, 632	44, 504, 246	44, 922, 805	100 0	100 0	100 0				
Currants-	Pounds	Pounds	Pounds							
Greece	10 47, 887, 459	18, 556, 646 367, 498	16, 809, 739 345, 692	96.8	98 1	98.0				
Other countries	1, 579, 079	367, 498	345, 692	32	19	2.0				
Total	49, 466, 538	18, 924, 144	17, 155, 431	100 0	100. 0	100.0				
Dates-										
British India	2, 272, 300	42, 384, 714 2, 168, 026	68, 728 36, 530, 223	4 9	81 5 4 2	. 2 82, 8				
Hejaz, Arabia, etc Palestine and Syria	2 293 840	23, 124	340	4. 9	(1)	(1)				
Turkey in Asia	2, 293, 840 27, 471, 388	23, 124 2, 334, 231	2, 810, 885	58.8	4.5	6.4				
Turkey in Asia United Kingdom Other countries	11, 499, 494	3, 343, 00o	1, 581, 824 3, 150, 674	24 6	64	3.6 7.0				
Other countries	3, 204, 795	1, 784, 130								
Total	46, 741, 817	52, 037, 231	44, 142, 682	100 0	100 0	100.0				
Figs:	10 20 420 441	10 17 002 647	4 458 EOE	75.0	18 7	14 1				
Greece	10 32, 432, 441 2, 026, 248	10 17, 093, 647 1, 550, 149	4, 456, 595 1, 526, 320	75 2 4 7	46 7 4. 2	14.1 4.8				
Italy Portugal	4, 778, 498 1, 934, 947	1 6, 163, 428	3, 866, 124 322, 381 19, 688, 606	11.1	16.8	12.2				
Spain	1, 934, 947	1, 173, 151	322, 381	4.5	3 2 12.3	1. 0 62. 2				
Turkey in Asia	314 749	1, 173, 151 4, 514, 558 1, 146, 765	115, 006	.7	8.1	.4				
Turkey in Europe United Kingdom	314, 749 157, 741	1, 259, 785	343, 755 1, 348, 953	1	3.4	1.1				
Other countries	1, 494, 147	3, 683, 572	1, 348, 953	3 4	10. 3	4.2				
Total	43, 138, 771	36, 585, 055	31, 667, 740	100. 0	100. 0	100, 0				
Grains:										
Rice uncleaned (including paddy)— French Indo-China	-	, ,,,,,			11.0	1				
French Indo-China	168, 969	317 561	149, 543	2.8	11.0 2.7	20				
HongkongJapan	5, 408, 071	2, 552, 505	2, 326, 042	88.3 8 7	21. 9	45.5				
Mexico	530, 188 15, 056	1, 282, 000 317, 561 2, 552, 505 7, 137, 461 388, 691	2, 326, 042 2, 543, 163 98, 757	8 7	61.1	49.7				
Other countries				. 2	3. 3	1.9				
Total	6, 122, 279	11, 678, 218	5, 117, 505	100.0	100.0	100.0				

¹ Less than 0.05 per cent.

¹⁰ Includes Greece in Asia.

Table 685.—Origin of principal agricultural products imported into the United States, 1922-1924—Continued

		Year	ended June 30			
Article and country of origin	1922	1923	1924	1922	1923	1924
VEGETABLE PRODUCTS—continued						
Grains-Continued.				ĺ		İ
Rice, cleaned British India	Pounds 1, 315, 030	Pounds 1, 587, 012	Pounds 523 870	Per ct.	Per ct. 2.8	Per ct.
China.	124, 863	2,071,080	523, 870 1, 636, 611	7.2	3.6	5.1
China. Dutch East Indies French Inde-China.	89, 000	2,071,080 220,496 27,773,526	1, 770, 000	l	48 8	
(#6[Tilany	0,010,000	2, 599, 180	3, 270, 003	8. 0	4.6	5 5 10 2 66 1 1 6
HongkongItaly.	1 53. 150. 615	21,054,035	I 91 946 678	797	37.0	66 1
Maxico	1 2.079.614	253, 957	187, 952 187, 167	3.1	.4	1 6
Mexico	224, 100 8, 228, 478	380, 000	527, 952 187, 167 1, 923, 281 295, 778	4.8	. 7	. 6 5. 7
United Kingdom Other countries	8, 228, 478 1, 077, 597	518, 672 488, 734	295, 778 891, 404	1.6	.9	2 7
Total	66, 707, 458	56, 946, 692	32, 192, 744	100 0	100 0	100 0
Rice flour and meal— Canada	708	1,744	1, 480	.1	.2	.2
China	67	2, 100 6, 394	1, 135 2, 717	(¹) 14 5	.2	1 .1
French Indo-China	114, 258 26, 500	6, 394 200, 000	2, 717	14 5 3 4	22. 0	.3
Germany	16, 203	1 156 750	159, 040	58	17 2	17 7
Germany Hongkong Japan Netherlands	2, 970	172, 992 342, 963 22, 400	201, 416 388, 278 60, 000	30 4	19 0	22 4
Netherlands	36_, 047	22, 400	588, 278 60, 000	-45 8	37 6 2 5	13 1 6 7
United Kingdom		688	48, 500		.1	54
Other countries	601	4, 950	37, 314	(1)	. 5	4 1
Total	790, 354	910, 981	899, 940	100 0	100.0	100 0
Wheat	Bushels	Bushels	Bushels			
Ganada Other countries	14, 465, 502 7	18, 012, 467 73	27, 276, 774 7, 131	100 0	100 0	100 0 (1)
Total	14, 465, 509	18, 012, 540	27, 283, 905	100, 0	100 0	100 0
Wheat flour-	Burrels	Barrels	Barrels	=		
Canada	618, 953	428, 659	168, 799	100 0	99 8	99 8
Other countries	152	762	333	(1)	. 2	. 2
Total.	619, 105	429, 421	169, 132	100 0	100 0	100 0
Nuts:						
Filberts, shelled	Pounds 622, 092	Pounds 539, 693	Pounds	71.4	0.7	20 1
Italy	372, 328	277, 172	1, 474, 318 509, 054	11.4 6.9	8.7 4.5	6.9
France. Italy. Spain. Turkey in Europe	1, 692, 595	4, 672, 896 654, 527	3, 017, 454	31 1	75. 3	41.0
Other countries.	2, 636, 684 110, 719	64, 285	2, 065, 648 280, 514	48 5 2 1	10. 5 1. 0	28 1 3 9
Total.	5, 434, 418	6, 208, 573	7, 352, 988	100 0	100. 0	100.0
Filberts, not shelled-						
Franco	114, 595	87, 455	27, 525	.8	. 6	.2
Italy	13, 255, 626 228, 2 61	13, 911, 108	14, 037, 698	93, 8	96.8	99. 5
Spain Turkey in Europe	479,841	244, 377 58, 264 65, 071	44, 932	1 6 3.4	1.7	.3
Other countries	64, 711	65, 071	504	.4	. 5	(1)
Total	14, 133, 034	14, 366, 275	14, 110, 659	100.0	100.0	100.0
Pearuts, shelled—						
China Chesan	505, 685 99, 000	28, 350, 727	42, 043, 532	6.8	66. 8	87. 0
Chosen Hongkong			60, 522	1. 3		· .i
Japan Kwantung, leased territory	6, 658, 036	12, 102, 549	2, 358, 318	89 6	28. 5	4.9
Spain	1, 980 54, 725	12, 102, 549 41, 600 594, 219	586, 156 847, 886	(¹) .7	1 4	1.1
Spein Other countries	107, 701	1, 350, 230	2, 463, 382	1.6	8. 2	1, 8 5, 1
Total	7, 427, 127	42, 438, 725	48, 309, 746	100.0	100.0	100.0

¹ Less than 0.05 per cent .

Table 685.—Order of principal agricultural products imported into the United States, 1922-1924—Continued

		Year e	ended June 30		·,	····
Article and country of origin	1922	1923	1924	1922	1923	1924
VEGETABLE PRODUCTS—continued						
Nuts—Continued. Peanuts, not shelled— China. Hongkong. Japan. Spain. Other countries.	Pounds 1, 435, 320 55, 234 1, 883, 183 22, 000 30, 357	Pounds 2, 462, 095 47, 607 990, 204 303, 593 49, 640	Pounds 3, 055, 120 66, 589 409, 590 11, 110 15, 215	Per ct. 42. 5 1. 6 54. 3 . 7 . 9	Per ct. 63 7 1 2 25 9 7. 9 1. 3	Per ct. 85 8 1. 9 11 5 . 3
	3, 376, 094	3, 862, 139	3, 560, 621	100.0	100.0	100.0
Total Walnuts, sholled— Ganada Chuna Fronce Italy Spain Turkey in Europe. Other countries	197, 025 2, 443, 837 12, 612, 527 212, 863 411, 871 492, 941 655, 863	254, 880 1, 676, 430 13, 846, 640 286, 385 585, 320 213, 696 742, 732	257, 130 1, 756, 451 15, 233, 834 155, 518 710, 591 143, 051 508, 209	1 2 14 4 74.1 1 3 2 4 2 9 3 7	1 4 9 5 78 6 1 6 3.3 1 2 4.4	1 4 9. 4 81. 2 .8 3. 8 .8 2. 6
Total	17, 026, 927	17, 606, 092	18, 764, 784	100 0	100. 0	100 0
Walnuts, not shelled— Canada. Chile China France Italy Japan Rumuna Turkey in Europe Other countries	272, 908 4, 397, 713 9, 364 788 7, 780, 667 12, 996, 126 2, 337, 671 4, 025, 488 693, 347 1, 137, 765	199, 738 574, 467 1, 591, 683 8, 487, 674 8, 497, 492 100, 700 73, 218 15, 673 369, 774	65, 400 333, 680 1, 951, 850 4, 622, 757 10, 389, 368 35, 000 166, 266 214, 601 466, 614	. 6 10 2 21 7 18. 0 30 1 5 4 9, 3 2, 1 2 6	1.0 2.9 8.0 42.6 42.7 .5 .4 .1 1 8	. 4 1.8 10 7 25.3 56.9 .2 .9 1.2 2.6
Total	43, 206, 378	19, 913, 419	18, 244, 936	100 0	100 0	100.0
Oils, vegetable: C'oconut— Butish India. French Oceania. Philippine Islands. Other countries. Total	1, 442, 671 1, 114, 833 226, 651, 680 1, 021, 943 230, 236, 127	1, 492, 431 210, 968, 211 112, 775 212, 573, 417	125, 434 181, 013, 122 91, 763 181, 230, 319	. 6 . 5 98. 4 . 5	99. 2 . 1	99. 9 (1)
Olive oil, edible—	200, 201, 121		151, 2-0, 01	عققة		700.0
Flance. Greece Italy Spain Turkey in Asia Turkey in Europe Other countries	6, 436, 567 19 7, 440, 158 28, 811, 933 16, 303, 020 28, 095 2, 760 532, 957	8, 093, 740 10 3, 571, 235 43, 935, 892 18, 213, 291 277, 796 533, 971	6, 117, 912 1, 633, 265 52, 076, 374 19, 560, 602 57, 281 1, 434, 877	10 8 12.5 48 4 27.4 (1) (1)	10 9 4 8 59, 9 24 4	7.6 2.0 64.4 24.2 (¹) 1.7
Total	59 555, 490	74, 625, 925	80, 880, 745	100.0	100. 0	100.0
Soybean oll— China Japan Kwantung, leased territory Philippine Islands Other countries	3, 904, 328 1, 133 2, 838, 600 1, 027, 058 511, 440	2, 105, 590 4, 190, 610 31, 621, 507 717, 674	1, 534, 950 21, 010 16, 034, 460 40, 790	47 1 (1) 34 3 12 4 6 2	5. 4 10. 8 81 8	8.7 .1 90.9
Total	8, 282, 559	38, 635, 381	17, 631, 210	100 0	100 0	100.0
Oplum (9 per cent and more of morphia) France. Greece Turkey in Asia Turkey in Europe United Kingdom. Other countries.	1, 654 10 84, 410 1, 693 53, 837 2, 684	10 39, 386 51, 352 18, 551	36, 550 1, 770 30, 288 10, 874	1 1 58, 5 1, 2 37, 3	36, 0 47, 0 17, 0	46. 0 2. 2 38 1 13. 7
Total	144, 278	109, 289	79, 482	100 0	100. 0	100.0

¹ Less than 0.05 per cent.

¹⁰ Includes Greece in Asia.

Table 685.—Origin of principal agricultural products imported into the United States, 1922-1924—Continued

		Year	ended June 30			
Article and country of origin	1922	1923	1924	1922	1923	1924
VEGETABLE PRODUCTS—continued						
Spices: Pepper (unground)— British India. Ceylon. Dutch East Indies. Netherlands. Straits Bettlements. United Kingtom. Other countries.	Pounds 4, 625, 092 14, 975 25, 311, 488 529, 274 3, 794, 021 628, 230 2, 045, 014	Pounds 6, 900, 406 284, 132 18, 594, 560 285, 144 5, 130, 284 473, 376 1, 879, 866	Pounds 1, 310, 831 2, 141 21, 793, 822 117, 864 3, 073, 238 230, 467 807, 087	Per ct. 12. 5 (1) 68. 5 1. 4 10. 3 1. 7 5. 6	Per ct. 20. 6 . 8 55. 5 . 8 15. 3 1, 4 5, 6	Per ct. 4.8 (1) 79.8 .4 11.2 .8 3.0
Total	36, 948, 094	33, 547, 758	27, 035, 450	100, 0	100. 0	100. 0
Seeds. Flaxsed— Argentina. Canada. Other countries.	Bushels 10, 408, 928 3, 012, 515 210, 630	Bushels 22, 330, 931 2, 191, 103 483, 902	Bushels 16, 169, 352 3, 365, 498 41, 900	76. 4 22 1 1. 5	89 3 8.8 1.9	82. 6 17. 2 . 2
Total-	13, 632, 073	25, 005, 936	19, 576, 750	100 0	100 0	100. 0
Clover seed— Clover, red— Canada— Chile— Czechoslovakia— France— Germany— Italy— Poland— Unted Kingdom— Other countries—	Pov ids 46- 026 509, 646 393, 680 2, 461, 023 3, 345, 976 1, 531, 695 425, 947 36, 300 120, 760	Pounds 131, 284 10, 910 245, 766 52, 848 132, 000 35, 858	Pounds 55t, 231 654, 654 100, 723 17, 094, 803 733, 345 074, 564 3, 883, 926 289, 125	5 0 5 5 4 2 26 5 36 0 16. 5 4. 6 . 4	21. 5 1. 8 40. 4 8. 7 21. 7 5 9	2.3 2.7 .4 70.4 3.0 4.0
Total	9, 289, 653	608, 666	24, 287, 371	100 0	100.0	100. 0
All other, including alsike, crimson, and all other clover— Canada Chile Czechoslovakia France Germany Italy Poland United Kingdom Other countries	10, 270, 434 363, 590 179, 441 1, 601, 501 3, 335, 442 457, 672 6, 633 96, 450 282, 940 16, 663, 103	10, 482, 073 56, 401 1, 569, 395 303, 289 64, 953 475, 639 341, 708 13, 293, 458	18, 513, 745 58, 424 581, 239 6, 080, 805 1, 431, 992 17, 600 53, 181 935, 547 1, 101, 301 28, 804, 138	61 7 2 2 1 1 10 0 20 0 2 7 (1) .6 1.7	78. 0 4 11. 8 2. 3 5 3. 6 2. 5 100. 0	64.3 .3 2.0 21.1 5 0 .1 .2 3 2 3 8
Sugar raw cana:		10, 200, 400	20,001,100		100 0	100.0
Sugar, raw, cane: Central America Cuba Dominican Republic Dutch East Indies Hongkong Mexico Other South America Peru Philippine Islands Other countries	93, 067, 270 6, 914 571, 774 42, 711, 737 7, 537, 218	68, 980, 024 8, 041, 592, 152 3, 479, 673 1, 242 2, 747, 011 29, 953, 811 4, 354, 242 8, 791, 816 553, 232, 044 20, 354, 812	33, 196, 167 6, 515, 263, 383 78, 190, 621 9, 845, 490 604, 523 61, 522, 664 50, 000, 719 104, 790, 491 630, 852, 125 45, 673, 634	91 2 1 1 (1) (1) 5 1 (1) 6.4	.8 92 1 (1) (1) (1) .3 (1) .1 6.3	.4 86.5 1.0 .1 (1) .8 .7 1.4 8.4
Total		8, 733, 488, 027	7, 529, 999, 817	100 0	100. 0	100. 0
Tea: British East Indies	21, 394, 828 677, 483 16, 211, 659 6, 674, 097 26, 639, 127 11, 293, 042 3, 251, 713	19, 851, 220 791, 745 13, 507, 750 8, 666, 908 35, 974, 918 15, 545, 681 2, 330, 386	23, 653, 328 705, 650 18, 535, 792 8, 672, 748 34, 297, 049 17, 777, 816 1, 732, 893	24. 8 . 8 18 8 7 7 30 9 13 1 3 9	20. 5 . 8 14. 0 9. 0 87 2 16 1 2. 4	22. 4 . 7 17. 6 8. 2 32. 5 16. 9 1. 7
Total	88, 141, 949	96, 668, 608	105, 374, 776	100 0	100. 0	100 0

¹ Less than 0.05 per cent.

Table 685.—Origin of principal agricultural products imported into the United
States, 1922-1924—Continued

		Year e	ended June 30			
Article and county of origin	1922	1923	1924	1922	1923	1924
VEGETABLE PRODUCTS—continued						
Tobacco, leaf (unmanufactured)	Pounds	Pounds	Pounds	Per ct	Per ct	Per et.
British South Africa	23, 090	2000 000		(1)	(1)	
Bulgaria Canada	928, 357 63, 818	296, 027 67, 085	1, 546, 617	1 4	. 4	30
China	287, 510	217, 549	292, 291 102, 639	:4	. 1 . 3	. 6 . 2
Cubo	21, 401, 159	23, 188, 132	18, 297, 557	32.8	31. 4	34. 9
Cuba Dominican Republic	192, 542	562	550	. 3	(1)	
Dutch East Indies	172, 041	119, 016	19, 431	.3	.2	(1)
Egypt	88, 968	81, 617	48, 464	1	. i	1
Greece	10 26, 800, 505	10 27, 945, 126	12, 887, 544	41 1	37. 9	24. 6
Germany	2, 647, 612	2, 481, 680	3, 215, 890	4 1	3 4	6. 1
Hongkong	16,710	10, 316	286, 604	(1)	(1) (1)	. 5
Mexico.	3, 415	29, 738	2, 455	(1)	(1)	(1)
Netherlands	5, 459, 354	9, 700, 553	6, 327, 453	8 4	13 1	12. 1
Persia		6, 506	20, 337	. 1	(1) 2 6	(1)
Philippine Islands	527, 882	1, 924, 196	1, 145, 101	8	26	(1) 2. 2 2. 6
Turkey in Asia	11, 325	1, 284, 647	1,349,916	(0.	17	
Turkey in Europe.	4, 795, 334	4, 580, 140	1, 052, 244	74	62	2.0
United Kingdom		614, 788 1, 248, 467	615, 801	2 1	. 8	1.2
Other countries	479, 595	1, 248, 407	5, 169, 212	.6	18	99
· Total	65, 225, 437	73, 796, 147	52, 380, 106	100 0	100 0	100.0
FORFST PRODUCTS				-		
India rubber, crude.						1
Brazil	21, 125, 055	30, 771, 572	23, 534, 637	3 7	3 9	3.8
British East Indies	379, 810, 088	547, 799, 814	416, 837, 321	66.8	68 7	67. 5
Canada	51, 335	547, 799, 814 379, 604	98, 552	(1)	(1)	(1)
Dutch East Indies	72, 924, 828	113, 302, 153	115, 233, 963	12 8	14. 2	18.7
France	995, 282	2, 742, 632	1, 310, 209	2	. 3	. 2
Mexico	349, 471	144, 253	32, 756	.1	(1)	(1)
Netherlands	21, 652, 700	10, 821, 152	3, 610, 487	3.8	1.4	. 6
Other South America	743, 925	2, 033, 793	3, 097, 943	.1	. 3	. 5
Peru		1, 574, 697	764, 401	1	2	1
Portugal United Kingdom	1, 396, 078 62, 728, 626	10, 748 75, 700, 650	75, 883 47, 513, 200	. 2 11 0	(¹) 9 5	(¹) 7 7
Other countries		12, 374, 081	4, 992, 545	1 2	15	, é
Other countries	0, 317, 803	12, 074, 001	4, 552, 040	1 2	1 0	
Total	568, 381, 428	797, 655, 149	647, 101, 897	100 0	100. 0	100.0
Wood:						
Cabinet wood, mahogany-	ĺ	1			l	l
British Africa	16, 106	8, 464	10, 059	40 3	19 7	21.4
Central America	16, 497	17, 575	22, 647	41. 2	41.0	48.2
French Africa (including	1	1		1	0	
Algeria and Tunis)	1, 161	6, 307	5, 974	29	14.7	12.7
Mexico	3, 163	5, 221	2,906	7 9	12 2	6. 2
United Kingdom	1, 430	3, 923	2,897	3 6	9. 1	6.2
Other countries	1,646	1,405	2, 492	4.1	3 3	5 3
Total	40.002	42, 895	40.075	100.0	100.0	100.0
TOM1	40,003	42,895	46, 975	100.0	100 0	100.0

Division of Statistical and Historical Research. Compiled from Monthly Summaries of Foreign Commerce of the United States, June, 1923 and 1924, Bureau of Foreign and Domestic Commerce.

29283°-YBK 1924-70

¹ Less than 0.05 per eent.

¹⁰ Includes Greece in Asia.

Table 686.—Foreign trade of the United States in agricultural products: Comparative summary, 1901–1924

	Agricult	ural exp	orts 1	Agricul impor	tural ts 1			Forest	product	8
Year ended	Dome	stic		Excess of agriculture exports rail exports (+) or of			Excess			
Total age	Per- cent- age of all ex- ports	For- eign	Total	cent-		Do- mestic	For- oign	Im- ports	of ex- ports (+) er of imports (-)	
1901 1902 1903 1904 1905	Thou- sands 951, 628 857, 114 878, 481 859, 160 826, 905	63. 2 63. 1 59. 5	Theu- sands 11, 298 10, 308 13, 506 12, 625 12, 317	Thou- sands 391, 931 413, 745 456, 199 461, 435 553, 851	45.8 44.5 46.6	+453, 677 +435, 787 +410, 350	48, 929 58, 734 70, 086	3, 609 2, 865 4, 177	Thou- sands 57, 144 59, 187 71, 478 79, 619 92, 681	-6, 649 -9, 879 -5, 356
1906	976, 047 1, 054, 405 1, 917, 396 903, 288 871, 158	55. 5 55. 1	10, 856 11, 614 10, 299 9, 585 14, 470	554, 175 626, 837 539, 690 638, 613 687, 509	48.7 45.2 48.7	+439, 182 +488, 005 +274, 210	76, 975 92, 949 90, 362 72, 442 85, 030	5, 500 4, 570 4, 983	96, 462 122, 421 97, 733 123, 920 178, 872	-23, 972 -2, 801 -46, 495
1911 1912 1918 1914 1915	1, 050, 627 1, 123, 652	46.3 47.8	14, 665 12, 198 15, 029 17, 729 34, 420	680, 205 783, 457 915, 301 924, 247 910, 786	47. 4 45. 0 48 8	+279, 277 +323, 381 +207, 456	103, 039 108, 122 124, 836 106, 979 52, 554	7, 587 6, 413 7, 432 4, 518 5, 089	180, 502 185, 261	-57, 988 -48, 235
1916	1, 518, 071 1, 968, 253 2, 280, 466 3, 579, 918	39. 1 50. 6	42, 088 37, 640 39, 553 103, 530	1, 189, 705 1, 404, 972 1, 618, 874 1, 768, 191	52. 8 55. 0 57. 1	+600, 921 +701, 144 +1, 915, 257	68, 919 87, 181 113, 275	6, 066 6, 004	322, 699 335, 033 293, 781	-180, 331 -242, 609 -241, 787 -174, 501
1920 1921 1922 1923 1924	3, 861, 511 2, 607, 641 1, 915, 866 1, 799, 168 1, 866, 897	48.6 40.8 51.8 46.3 44.2	122, 598 87, 019 40, 783 43, 359 57, 640	8, 129, 659 1, 941, 837 1, 282, 880 1, 905, 245 1, 716, 734	53, 1 49, 2 50 4	+752, 823 +673, 769 -62, 718	141, 876 94, 115	7, 805 5, 120 6, 989	343, 141 245, 474 405, 725	-307, 334 -193, 460 -146, 239 -268, 754 -204, 908

Division of Statistical and Historical Research. Compiled from Foreign Commerce and Navigation of the United States, 1901–1918, and Monthly Summaries of Foreign Commerce of the United States, June, 1920–1924, Bureau of Foreign and Domestic Commerce. All values are gold.

¹ Not including forest products.

² Preliminary.

Table 687.—Fruit stocks, rose stocks, bulbs, and tree seeds: Imports, by countries of origin, year ended June 30, 1922-1924

.	F	ruit sto	ck	R	ose stoc	ks		Bulbs		Т	ree seed	is
Country	1922	1928	1924	1922	1923	1924	1922	1923	1924	1922	1923	1924
ustralia	Thou- sands	Thou-	Thou-	Thou- sands	Thou-	Thou-	Thou- sands	Thou-	Thou- sands	1,000 lbs.	1,000 lbs.	1,000 lbs.
Austria Azores Belgium				2			19	28		4	4	
Bermuda Brazil							179	312	569	1	(³) 1	
Danada							1, 903	1, 279	1,422	(3)	(4) 3 1	(1)
Dechoslovakia Denmark England	(²) 18,079	(²) 17, 538					42, 311	40, 024	50,600	(²) 44 3	(3) (3) 30 2	8
lermany Vetherlands reland taly			322	2, 326 100	2,886 161		12, 628 132, 886	149,476	179,540	(1)	(3)	
apan							7, 234	8, 203	8,760	12		
tixemburg Poland cotland				40		40				1 (³)	·i	(3)
ipain Woden Vest Indies		2	(3)					9		(3) (3) 1	(3) (7)	(¹) (8)
All others	(²)	(2)							(4)	ī	(4)	(3)

Federal Horticultural Board.

¹ This does not include the comparatively small quantities of bulbs and other plants imported under special permits.
Less than 500.
Less than 500 pounds.

MISCELLANEOUS AGRICULTURAL STATISTICS

CROP SUMMARY

Table 688.—Acreage, production, and farm value, 1922-1924

			Production		Farm	value Dec. 1
Crop	Acreage	Per acre	Total	Unit	Per unit	Total .
	Acres				Dolls	Dollars
Corn192	102, 846, 000	28. 3	2, 906, 020, 000	Bushel	0. 658	1, 910, 775, 000
1923		29. 3	3, 053, 557, 000	do	. 726	2, 217, 229, 000
Winter wheat192	105, 012, 000	23 2 13.8	2, 436, 513, 000 586, 878, 000	do	. 987 1. 047	2, 405, 468, 000
1923		14. 5	571, 959, 000	do	. 951	614, 399, 000 543, 710, 000
1924	36, 438, 000	16.2	571, 959, 000 590, 037, 000	do	1, 321	779, 510, 000
Spring wheat192	19, 959, 000	14.1	280, 720, 000	do	. 923	259, 013, 000
192	20, 141, 000	11.2	225, 422, 000 282, 636, 000	do	. 853	192, 283, 000
All wheat1924	17, 771, 000 62, 317, 000	15. 9 13. 9	867, 598, 000	do	1. 263	357, 086, 000 873, 412, 000
192	59, 659, 000	13.4	797, 381, 000	do	. 923	735, 993, 000
10%	54, 209, 000	16,1	872, 673, 000	do	1 302	1, 136, 596, 000
Oats1925	40, 790, 000	29.8	1, 215, 803, 000	do	. 394	478, 948, 000
192	40, 981, 000	31. 9	1, 305, 883, 000	do	. 414	541, 137, 000
Barley 1924	42, 452, 000 7, 317, 000	36 3 24.9	1, 541, 900, 000 182, 068, 000	do	. 480	739, 495, 000 95, 560, 000
192		25. 2	197, 691, 000	do	.541	107, 038, 000
1924	. ໄດ້ດອຣັດດ.	26. 5	187, 875, 000	do	.731	137, 270, 000
Rye192	6,672,000	15.5	103, 362, 000	do	. 685	70, 841, 000
192	5, 171, 000	12.2	63, 077, 000	do	. 650	40, 971, 000
Buckwheat 192	4, 173, 000	15. 2	63, 446, 000 14, 564, 000	do	1, 073 . 885	68, 061, 000
Buckwheat 192	764, 000	19. 1 18. 9	13, 965, 000	do	. 885	12, 889, 000 13, 029, 000
1924		19.6	15, 956, 000	do	1 030	16, 441, 000
Flaxseed 192	1, 113, 000	9.3	10, 375, 000	do	2 115	21, 941, 000
1922	2, 014, 000	8.5	17, 060, 000	do	2, 107	35, 951, 000
1924	3, 289, 000	9. 2	30, 173, 000	do	2, 273	68, 611, 000
Rice192		39 2	41, 405, 000 33, 717, 000	do	. 931 1, 102	38, 562, 000 37, 150, 000
192 192	895, 000	37. 7 38. 1	33, 956, 000	do	1. 102	47, 053, 000
Potatocs 192	892, 000 4, 307, 000	105. 3	453, 396, 000	do	, 581	263, 355, 000
192	3, 816, 000	109.0	416, 105, 000	do	.781	324, 889, 000
192	3, 662, 000	124 2	454, 784, 000	do	. 643	292, 481, 000
Sweet potatoes192		97 9	109, 394, 000	do	.771	84, 295, 000
192 192		97 9 76. 6	97, 177, 000 71, 861, 000	do do	. 979 1. 284	95, 091, 000 92, 290, 000
Hay, tame	61, 159, 000	1. 57	95, 882, 000	Ton		1, 204, 101, 000
192		1 49	89, 250, 000	do		1, 261, 486, 000
100	1 61 454 000	1, 59	97 970 000	do	13.82	1, 353, 789, 000
Hay, wild	15, 871, 000	1.02	16, 131, 000 17, 361, 000	do	7 14	115, 176, 000 136, 734, 000
192		1.12	17, 361, 000	do	7.88 7.86	136, 734, 000 113, 859, 000
All hay 192	14, 931, 000 77, 030, 000	1, 45	14, 480, 000 112, 013, 000	do	11, 78	1, 319, 277, 000
192		1.41	106, 611, 000	do	13. 12	1, 398, 220, 000
102	76 385 000	1.47	112, 450, 000	do	13.05	1, 467, 648, 000
Tobacco 1	1, 695, 000	736	1, 246, 837, 000	Pound	. 232	289, 248, 000
192		807	1, 515, 110, 000	do		301, 096, 000
Cotton192	1,720,000 33,036,000	722 2141. 3	1, 242, 623, 000 9, 762, 069	Bale	. 206 2 . 238	256, 346, 000 1, 161, 946, 000
192	37 123 000	130.6	10, 139, 671	do	3.310	1, 571, 815, 000
192	40, 115, 000	156.8	10, 139, 671 13, 153, 000	do	2.226	1, 571, 815, 000 1, 487, 225, 000 174, 220, 000
Cottonseed 4192	B		1 44, 336, 000	Ton	40, 18	174, 220, 000
192		.	* 4, 502, 000	do	45. 92	206, 732, 000
Cloverseed192			5, 840, 000 1, 955, 000	Bushel	83 57 9 38	196, 049, 000
1923	1, 170, 000 775, 000	1.7	1, 228, 000	do	10 76	18, 832, 000 13, 218, 000
192	747,000	1.8	977, 000	do		13, 362, 000
Sugar beets 156	530, 000	9.77	5, 183, 000	Ton	7 91	41,016,000
192	657, 000	10.66	7,006,000	do	8.99	62, 965, 000 53, 090, 000
192	842,000	8.90	7,494,000	do	7.08	53, 090, 000
Beet sugar192	530,000	1.27	675, 000	do		l
192		1.84	881,000	1 4.	ł	

¹ See detailed crop tables for date to which prices refer.
2 Pounds, or per pound.
3 Rounds, or per pound.
4 Bureau of the Census. Includes that portion of the cotton grown in Lower California (old Mexico) that is ginned in the United States.
4 Price for 1922 and 1923, weighted average; 1924, Nov. 15.
5 Principal producing States.
5 Including beets grown in Canada for factories in the United States.

TABLE 688.—Acreage, production, and farm value, 1922-1924—Continued

			Production		Farm	value Dec. 1
Crop	Acreage	Per acre	Total	Unit	Per unit	Total
Company (Ta) 1000	Acres 241,000	1. 22	295, 000	Ton	Dolls	Pollars
Cane sugar (La)1922- 1923- 1924-	_1 217, 000	75	162, 000 105, 000	do		
Maple sugar and syrup	1	1				7 FOO 66
(as sugar)1922. 1923.	7 16, 274, 000 7 15, 291, 000 7 15, 407, 000 447, 000	7 2 11 7 2 19	34, 263, 000 33, 533, 000 35, 302, 000 36, 440, 000	Pounddo	8 253	7, 538, 00 8, 484, 00 9, 214, 00
1924 Sorghum sirup1922	- 7 15, 407, 000 447, 000	7 2. 29 81. 5	35, 302, 000	Gallon	5 261 .710	9, 214, 0 0 25, 855, 0 0
1923.	3001. (88)	84.2	32, 001, 000	do	. 862	27, 595, 00
1924. Peanuts ¹ 1922.	1, 005, 000	67. 7 630	27, 339, 000 633, 114, 000	Pound	. 946 . 047	25, 869, 00 29, 613, 00
1923.	896, 000	723 625	633, 114, 000 647, 762, 000 616, 200, 000 12, 793, 000	do	. 068 062	43, 918, 00 37, 981, 00
1924. Beans, dry, edible 1 51922.	1, 079, 000	11.9	12, 793, 000	Bushel	3 74	47, 843, 00
1923. 1924.	_ 1,020,000	12 1	16, 037, 000 13, 411, 000	do		58, 566, 00 49, 792, 00
Grain sorghums 1 5 1922.	5, 064, 000	17.9	90, 524, 000	do	. 878	79, 503, 0
1923 1924		18 3 22. 5	90, 524, 000 105, 835, 000 114, 231, 000	do	019	99, 473, 00 97, 405, 0
Broomcorn 1 8	275, 000	2 271	87, 300	Ton	219 46	8, 186, 0
1923 1924	449 000	² 303 ² 343	81, 153 75, 832	do do Pound	160 06 94 21	12, 989, 0 7, 144, 0
Hops 8	23, 400	1, 186 1, 071	27, 744, 000	Pound	. 086	2, 383, 0 3, 722, 0
1094	90,350	1, 245	19, 751, 000 25, 333, 000	Bushel	103	2, 620, 0
Cowpeas 1	1, 344, 000 1, 273, 000	9 2 9 7	9 19, 950, 000 9 19, 090, 000	Bushel	1 68 1 95	33, 410, 0 37, 225, 0
1001	1 094 000	1 80	9 14 352 000	do	2 36	33, 874, 0
Soybeans ¹ 1922 1923	314, 000 492, 000 613, 000	13 8 14 5	9 5, 832, 000 9 8, 944, 000 9 9, 567, 000	do	1 90 2 02	11, 085, 0 18, 060, 0
1924 Velvet beans	613, 000	11 9	9 9, 567, 000	do	2.30	18, 060, 0 21, 940, 0
Velvet beans	640, 000 620, 000	. 53 . 52	9 512, 000 9 474, 000	Ton	19 73	8, 897, 0 9, 353, 0
1924 Asparagus 11922	673, 000	123	474, 000 4, 041, 000	do Crate	19 35 2.46	9, 171, 0 9, 945, 0
1923	42,050	139	5, 854, 000 6, 761, 000	do	2.58	15,081,0
1924 Beans, snap 1	19, 420 49, 550	136	6, 761, 000 79, 600	Ton	2 25 120, 70	15, 182, 0 9, 608, 0
1923	61 280	1.6	100, 300	do	1138 50	13, 892, 0
1924 Cabbage 1	75, 390 133, 830	1.4 8 1 7 7	104, 500 1, 089, 000	do	12. 20	11, 884, 0 13, 288, 0
1923	104, 880	7 7 8.8	805, 700 973, 000	do	22 27	13, 288, 0 17, 939, 0 15, 705, 0
Cantaloupes 1 1922	1 103, 300	124	12, 805, 000	Crate	2 25	1 28, 801, 0
1923 1924	84, 160 89, 700	140 154	11, 745, 000 13, 789, 000	do	2 00 1 47	23, 501, 0 20, 230, 0
Cauliflower 1	9, 250	280	2, 580, 000	do	. 2 13	5, 517, 0
1923 1924	13, 190	287 266	2, 580, 000 3, 322, 000 3, 514, 000	do	1 45	5, 284, 0 5, 103, 0
Celery 1	17, 230	267 270	4, 601, 000 5, 333, 000	do	2.29	10, 519, 0 12, 804, 0
1094	21, 380	286	6, 114, 000	do	2. 57	15.742.0
Corn, sweet 1	21, 380 197, 600 250, 850	2.4 2.4	474, 700	Tondo	10 99 12,38	5, 216, 0 7, 313, 0 7, 100, 0
1924	299, 410	1.7	590, 600 500, 500	Bushel.	14 19	7, 100, 0
Cucumbers 1	91, 960	108 83	8, 867, 000 7, 671, 000	do	1.34 1.76	11, 856, 0 13, 482, 0
1924 Lettuce ¹ 1922	129, 580	62 241	8, 058, 000	ao	1.52	12, 268, 0 15, 984, 0
1923	57, 990	243	10, 829, 000 14, 118, 000	Crate	1. 24	17, 515, 0
Onions 1	! 63,060	217 296	13, 653, 000 18, 763, 000	Bushel	1. 21	16, 553, 0 15, 876, 0
1923	61,040	279	17, 306, 000	do	1.35	23, 343, 0
Peas, green ¹	1 59, 900	294 1. 1	17, 627, 000 181, 700	Ton	62.60	16, 751, 0 11, 374, 0
1923	206, 690	.9	180, 100	do	1 67. 07	1 12.080.0
Potatoes, early 1 101924	311,930	116	259, 200 36, 198, 000	Bushel.	1.17	16, 771, 0 42, 402, 0
1923	281, 740 307, 540	93	28, 245, 000 41, 178, 000	do	1.59	41, 689, 0 44, 182, 0

See detailed crop tables for date to which prices refer.
 Principal producing States.
 Trees tapped, or per tree.
 Mar. 15.
 See detailed crop tables for explanation.
 Included in potatoes, not in totals.

Table 688.—Acreage, production, and farm value, 1922-1924—Continued

				Production		Farm	value Dec. 1
Crop		Acreage	Per acre	Total	Unit	Per unit	Total
		Acres				Dolla.	Dollars
Spinach 1.:	1922 1928 1924	23, 760 30, 550 33, 600	2.9 3.1 3.1	87, 900 95, 800 105, 400	Tondo	56 44	4, 721, 000 5, 407, 000
Strawberries 1	1922 1923	132, 800 148, 360	1, 961 1, 728	260, 403, 000 256, 409, 000	Quart	. 15	6, 977, 000 88, 354, 990 88, 258, 000
Tomstoes 1	1924 1922 1923	146, 750 845, 420 409, 690	1, 819 4. 8 4. 2	286, 951, 000 1, 658, 000 1, 723, 200	Ton	30, 33	35, 292, 000 50, 293, 000 57, 662, 000
Watermelons 1	1924 1922	469, 860 211, 060	3. 7 11 337	1,718,900 71,128	Car	31, 79 155 00	54, 641, 000 10, 991, 000
Cranberries 1 5	1923 1924 1922	168, 230	11 272 11 296 22. 4	42, 734 49, 765 560, 000	ado Barrel -	171 00	10, 645, 000 8, 503, 000 5, 702, 000
Apples, total	1923 1924	28, 000 28, 000	23. 3 18. 7	652, 000 528, 000 202, 702, 000	do Bushel	7 15	4, 664, 000 5, 165, 000
	1923			202, 842, 000 179, 443, 000	do	1. 019	199, 848, 000 206, 696, 000 212, 193, 000
Apples, commercial	1923			00 701 000	Barrel do	2.91	93, 636, 000 104, 656, 000 105, 259, 000
Peaches 1	1922 1923			55, 852, 000 45, 382, 000	Bushel	1 338 1.367	74, 717, 000 62, 0 25, 000
Pears 1	1922			20, 705, 000 17, 845, 000	do do do	1 275 1 060 1, 209	65, 911, 000 21, 943, 000 21, 570, 000
Grapes 1	1924 1922			17, 961, 000 2, 076, 000	Ton	1 408 47 76	25, 287, 000 99, 167, 000
Oranges (2 States)	1924 1922			2, 227, 000 1, 777, 000 30, 200, 000	do do Box	41 47 2 10	71, 009, 000 73, 705, 000 63, 310, 000
	1923 1924			86, 500, 600 85, 400, 000	do	1 78 1 82	64, 940, 000 64, 290, 000
Total	1923	353, 835, 250 855, 597, 730					7, 816, 020, 000 8, 727, 019, 000
	1924	355, 217, 400					9, 477, 752, 000

Division of Crop and Livestock Estimates.

See detailed crop tables for date to which prices refer.
 Principal producing States.
 Number.

TABLE 689 .- Crop acreages, aggregates, by States, 1928-1924

State	Acre	eage of 19 ca	rops	Per cent of total acreage		creage of a theoretical	
	1922	1923	1924	in speci- fied crops ¹	1922	1923	1924
Maine New Hampshire Vermont Massachusetts Rhode Island	1,000 acres 1, 537 523 1, 139 567 63	1,000 acres 1,547 512 1,140 571 61	1,000 acres 1,554 516 1,159 570 62	Per cent 96 94 93 86 84	1,000 acres 1,601 556 1,225 659 75	1,000 acres 1,611 545 1,226 664 73	1,000 acres 1,619 549 1,246 668 74
Connecticut New York New Jersey Pennsylvagia Delaware	476	473	474	88	541	538	536
	8, 128	8, 081	8, 086	91	8, 932	8, 880	8, 886
	902	898	897	86	1, 049	1, 044	1, 043
	7, 781	7, 688	7, 521	97	8, 022	7, 928	7, 754
	419	412	410	89	471	463	461
Maryland Virginia. West Vuginia. North Carolina. South Carolina	1, 805	1,806	1, 746	91	1, 984	1, 985	1, 916
	4, 578	4,616	4, 383	93	4, 923	4, 963	4, 712
	1, 927	1,908	1, 802	95	2, 026	2, 008	1, 897
	6, 799	6,989	6, 852	94	7, 233	7, 435	7, 286
	5, 278	5,288	5, 312	92	5, 737	5, 748	5, 774
Georgia. Florida. Ohio Indiana. Illinois	9, 580	9,304	8, 828	94	10, 191	9, 898	9, 391
	1, 198	1,273	1, 253	89	1, 346	1, 430	1, 406
	11, 557	11,374	11, 144	97	11, 914	11, 726	11, 489
	11, 473	11,371	11, 010	96	11, 951	11, 845	11, 401
	20, 171	20,291	19, 998	97	20, 795	20, 919	20, 616
Michigan. Wisconsin. Minnesota. Iowa. Missouri.	9, 030	8, 899	8, 876	93	9, 710	9, 569	9, 544
	9, 679	9, 638	9, 503	90	10, 754	10, 709	10, 559
	16, 963	17, 243	17, 303	96	17, 670	17, 961	18, 024
	21, 069	21, 132	20, 950	97	21, 721	21, 786	21, 599
	14, 568	14, 725	14, 183	96	15, 175	15, 339	14, 774
North Dakota	19, 184	19, 775	20, 060	96	19, 983	20, 599	20, 896
	15, 596	15, 498	15, 450	98	15, 914	15, 814	15, 760
	18, 234	18, 367	18, 128	97	18, 798	18, 935	18, 686
	21, 154	20, 503	21, 432	98	22, 746	22, 046	23, 042
	5, 868	5, 990	8, 563	98	6, 177	6, 305	5, 856
Tannessee Alabana Mississippi Lousiana Texas.	6, 657	6, 514	6, 445	91	7, 315	7, 158	7, 082
	7, 885	7, 635	7, 687	93	8, 478	8, 210	8, 266
	6, 642	6, 267	6, 190	96	6, 919	6, 528	6, 448
	3, 820	3, 914	4, 120	91	4, 198	4, 301	4, 527
	23, 778	25, 464	26, 930	92	25, 846	27, 678	29, 272
Oklahoma	14, 268	14, 616	15, 179	93	15, 342	15, 716	16, 322
Arkansas	6, 364	6, 274	6, 618	93	6, 843	6, 746	7, 116
Montana	6, 672	6, 545	6, 904	87	7, 669	7, 523	7, 936
Wyoming	1, 552	1, 606	1, 597	90	1, 724	1, 764	1, 774
Colorado	5, 270	5, 779	6, 019	85	6, 200	6, 799	7, 081
New Mexico	839	986	1, 102	78	1, 076	1, 204	1, 412
Arizona	454	478	513	85	584	562	604
Utah	1, 078	1, 073	1, 046	88	1, 225	1, 219	1, 189
Nevada	395	395	348	98	463	403	350
Idaho. Washington Oregon Califor nia ³	2, 703	2, 706	2, 586	91	2, 970	2, 974	2, 842
	3, 929	3, 923	3, 783	86	4, 569	4, 562	4, 899
	2, 800	2, 843	2, 825	-80	3, 500	3, 554	3, 531
	5, 264	5, 037	3, 732	75	7, 019	6, 716	4, 976
United States	347, 616	349, 428	348, 649	93. 6	371, 711	373, 687	372, 682

Division of Crop and Livestock Estimates. Estimated total acreage of 19 crops—corn, wheat, cats, barley, rye, buckwheat, potatoes, sweet potatoes, tobacco, flax, rice, all hay, cotton, pennuts, kafire, beans, becomeorn, hops, and cranberries.

Based on census proportions in 1919.
 Includes cotton screege in Lower California (185,000 acres in 1922, 150,000 acres in 1923, and 140,000 acres in 1921).

TABLE 690 .- Irrigated land: Area, by States, 1909 and 1919

74.4	Area irriga	ted (acres)	Per cent	of total
State	1909	1919	1909	1919
Arizona Arkansas. California. Colorado.	320, 051	467, 565	2. 2	2, 4
	27, 753	143, 946	. 2	. 8
	2, 664, 104	4, 219, 040	18. 5	22, 0
	2, 792, 032	3, 348, 385	19. 3	17 4
	1, 430, 848	2, 488, 806	9. 9	13. 0
Kansas	37, 479	47, 312	.3	. 2
Louisiana	380, 200	454, 882	2.6	2. 4
Montana	1, 679, 084	1, 681, 729	11.6	8. 8
Nebraska	255, 950	442, 690	1.8	2. 3
Nevada	701, 833	561, 447	4.9	2. 9
New Mexico	10, 248	538, 377	3. 2	2.8
North Dakota		12, 072	.1	.1
Oklahoma		2, 969	(¹)	(¹)
Oregon.		986, 162	4. 8	5.1
South Dakota		100, 682	.4	.5
Texas Utah Washington Wyoning	451, 130	586, 120	3. 1	3. 1
	999, 410	1, 371, 651	6. 9	7. 1
	334, 378	529, 899	2 3	2. 8
	1, 133, 302	1, 207, 982	7. 9	6. 3
Total	14, 433, 285	19, 191 716,	100 0	100. 0

Division of Crop and Livestock Estimates. Compiled from reports of the Bureau of the Census. 1 Less than one-tenth of 1 per cent.

Table 691.—Irrigation, United States summary, 1910 and 1920

	Census	of—
· Item	1910	1920
Number of all farms. Approximate land area of States included	1, 776, 046 1, 224, 063, 360 416, 462, 547 186, 786, 227 162, 723 14, 433, 285 20, 285, 403 32, 245, 464	1, 916, 391 1, 223, 989, 120 505, 440, 954 214, 689, 819 231, 541 19, 191, 716 26, 020, 477 35, 890, 821
Per cent irrigated: Number of all farms. Approximate land area. Land in farms. Improved land in farms Excess of area enterprises were capable of irrigating over area irrigated acres. Excess of area included in enterprises over area irrigated. Area of irrigated land reported as available for settlement. do.		12 1 1 6 3. 8 8. 9 6, 828, 761 16, 699, 105 2, 257, 981
Capital invested. A verage per acre enterprises were capable of irrigating. Estimated final cost of existing enterprises. A verage per acre included in enterprises. A verage cost of operation and maintenance per acre. Irrigation works:	\$15. 85 \$437, 948, 825 \$18. 58 \$1. 07	\$697, 657, 328 \$26, 81 \$819, 778, 005 \$22, 84 \$2, 43
Number of enterprises Number of main ditches Length of main ditches Capacity of main ditches Number of lateral ditches Length of jateral ditches Number of reservoirs Number of reservoirs	46, 677 88, 927 618, 097 36, 513 30, 003 6, 956	63, 298 51, 621 103, 177 631, 079 57, 538 56, 687 7, 538 21, 246, 436
Capacity of reservoirs. Number of flowing wells. Capacity of flowing wells. Capacity of pumped wells. Capacity of pumped wells. Sopacity of pumped wells. Sopacity of pumped wells. Sopacity of pumped wells. Sopacity of pumped wells. Sopacity of pumped wells. Sopacity of pumped wells. Sopacity gallons per minute. Aborace lift. Average lift. Sopacity of seet. Average lift. Sopacity of seet. Sopacity gallons per minute. Average lift. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacity of seet. Sopacit	5, 071 1, 345, 676 15, 971 7, 248, 699 15, 803 361, 480 19, 355, 864	21, 240, 336 4, 606 935, 057 32, 094 16, 396, 549 29, 458 748, 971 36, 275, 005

Division of Crop and Livestock Estimates. Compiled from reports of the Bureau of the Census.

Not reported in 1910.
 Does not include cost of operation and maintenance for rice growing districts in Gulf States; consequently figures for 1909 and 1919 are not comparable.

Table 692.—Irrigated acreage harvested for specified groups of crops, by States, 1919

State	Grains includ- ing kafir and rice	Forage and sılage	Potatoes and sweet potatoes	Other vege- tables	Sugar beets	Seeds (clover, timothy, alfalfa, etc.)	Dry beans and peas	Cotton	Other field crops
	Acres	Acres	Acres	Acres	Acres	Acres	Acres	Acres	Acres
Arizona	85, 382	135, 421	1.011	3, 930	110,00	4, 217	1, 295	101,080	110.00
California	585, 709	882, 466	85, 556	74, 899	55, 720	2,319	149, 883	83, 963	3,558
Colorado		1, 222, 396	50, 631	9, 298	137, 329	5, 949	35, 468		
Idaho		678, 364	32,044		32, 270	24, 306	19, 593		
Kansas		17, 492			851				
Montana	220, 445	596, 928	4, 903		7,686	3, 330	13,092		4,705
	1	50,400			10.000				· ·
Nebraska		80, 430	6, 671		42, 959				
Nevada		300, 714	2, 823						
New Moxico		121, 110	504	821		2, 583	9, 236	7, 527	-
North Dakota		3, 471							
Oregon	45, 585	220, 925	1,880						
South Dakota	17, 936	46, 580	413		1,052	1,040			
Texas		38, 301	1, 156	4,010	1,002	1,010	694	22,006	12, 199
Utab		496, 575	10, 758	5, 483	92, 439	9,692	1 001	, 000	1 -2, 100
Washington		202, 437	8, 186	0, 200	4.635	897			507
W yoming		427, 315	4, 532		2,714	2,386			
	. 2, 000	,	_,002		_,	_,,,,,	l		

Division of Crop and Livestock Estimates. Compiled from reports of Bureau of the Census.

6
191
7
ž
, 1909 an
ğ
23
Ĕ,
ģ
Ġ
뀰
Ğ.
Ξ.
E
5
a,
še
š
ā
s A
do
ີວ
ā,
'n
ž.
ij
g,
Ę
.53
g
.og
Æ
nd
ä
eage.
Ţ.
Ac
1
<u>ښ</u>
± 693.−
E
TABLE
Ã

ě		On mirri t r	28.4.7.7.0.4 88.4.6.6.6.4	10.3 10.3	50333333333581	6 % %
	yaen	o siri	跳跃跳跃火火船 800000000000000000000000000000000000	46 186 184	111441 . 114444 \$48884\$884\$	49.0 444.1 99.0
	•	ä	888888 88888	8,8,8	୍ଟ୍ର୍ଟ୍ଟ୍ର୍ଟ୍ ଟ୍ର୍ଟ୍ରେଟ୍	B. Pour Bush do
		Per cent of total for State	⊣ષા⊣ઘાંણ .ષ્યું	84 85 85 85 85 85 85 85 85 85 85 85 85 85 8	\$\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	4 244
		on.	7, 626, 854 9, 861, 125 7, 115, 303 17, 679, 328 7, 202, 430 1168, 977 4, 100, 338 35, 032, 275	161, 587 2, 862, 567 637, 560	173, 112 65, 65, 68 316, 68, 68 316, 68, 68 317, 33 317, 33 32, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 33 38, 36, 36, 36, 36, 36, 36, 36, 36, 36, 36	22, 978, 739 31, 279, 22, 406, 13, 224, 3, 470,
Production		Per 'ui of total for State includ	ලක න රුවේ	* * 0 & d	82;14;88;84;84;84;84;84;84;84;84;84;84;84;84	8
		ō _r	3, 168, 973 27, 213, 262 14, 045, 117 6, 985, 841 (1) (1)	104, 610 314, 271 254, 219	3.49, 920 3.33, 551 3.524, 48, 48, 48, 48, 48, 48, 48, 48, 48, 4	8 78 60 8 78 60 60 60 60 60 60 60 60 60 60 60 60 60
		ت	Bt.ibe dodododo	ф. ф.	######################################	Bush Prium Black L.do
		Per cent of total for States included	121246 944966666666666666666666666666666666	25.25 83.28 0 8 0	80411441 80411441 800001116	23 0 60.3 0 41.6 46.7 35.2 35.2 35.0 35.0
Acreage harvested			263, 312 325, 523 381, 127 877, 411 280, 287 19, 014 152, 768 892, 761	39, 431 177, 752 51, 464	140, 607 39, 250 40, 879 3, 151, 675 1, 675 1, 675 1, 675 1, 684 1, 687 1, 687 1, 681 2, 681 2, 681	154, 194 20, 874 20, 649 73, 675, 084 8 9, 085, 326 8 7, 062, 692 8 1, 849, 429
Acreage b		Per cent of total for State inclu	OK 61 46	ଶ ଙ୍କୁ	81408414	
		_	. 48, 173 88, 928 7, 7, 986 (1)	31, 948 17, 798 18, 422	888 888 64 7 7 7 7 8 8 8 8 8 8 8 8 7 1 7	
					ed es es es es es es es es es es es es es	
				Ove Halfa	Timot by Land 197 Clove all Alfale Chief Small aims cut for hay Small aims cut for hay Small aims cut for hay Small aims cut for hay Small aims cut for hay Small aims cut for hay Small aims cut for hay Small aims cut for Raft, gorehr Raft, gorehr Rogicen	gerable Potate Canta Toma thard f. Grape Apple Peach
			a a a a a a a a a a a a a a a a a a a	OAA	RECEPTED A SECTION	ander Begrand

Plums and prunes	© E		6 4, 306, 976 6 667, 907	22, 2	op	€8		7, 074, 240	96 00 00	op op	90.	1.0
Oranges Lemons	© E		8, 711, 152 5 2, 299, 716	84.1 79.6	Box	E E		18, 774, 366 5, 776, 149	86.4 88.1	4 Bor	646	38 113
Sugar beets grown for sugar	174, 071	68.0	377, 655 214, 576	81 0 1 5	TonBale	2, 074, 301 (1)	70. 5	3, 567, 522 113, 862	80 61 63 63 63 63 63 63 63 63 63 63 63 63 63	TonBale	4. 88	ж Ж
		1										

Division of Crop and Livestock Estimates. Compiled from reports of Bureau of the Census.

1 Not reported separately in 1969.

2 The totals given include small amounts grown without urigation.

Not including red-clover seed.

4 Number of vines of bearing age.

4 Number of trees of bearing age.

Table 694.—Fruits grown under irrigation, by States, 1919

State, number of vines or trees, and production	Grapes 1	Apples 1	Peaches 3	Pears 1	Plums and prunes 1	Cherries 2	Apricots 2	Oranges 1	Lemons 1	Grape- fruit	Figs 1
Arizona: Number of vines or trees of bearing	14.072	30.749	33					32, 196			
Production	139,690	54, 643	49, 942					48,784			
Number of vines or trees of bearing	72 917 924	604 883	r est 950	1 017 060	2 941 679	964 560	1 630 763	8 678 058	9 200 716	193 819	246 884
Production	1,128,175,200	1, 335, 067	10, 318, 362	1, 783, 951	6, 542, 548	326, 449	2,608,136	18, 725, 602	5, 776, 149	383, 923	10, 074, 552
Colorado: Number of vines or trees of bearing	35,688	879, 087	238, 370	97,783	26, 582	194, 365					1
Production	173, 669	1, 842, 018	460, 404	210, 944	19, 264	101, 271					
Idano: Number of vines or trees of bearing		852, 307	71.890	20.280	273.308	136					
Production	104, 156	1, 211, 790	138, 442	15, 455	291, 495	19, 769					
Montana: Number trees of bearing age		761, 904				47, 600					
New Mexico: Number of vines or trees of bearing	:			; ; ; ; ;							
age Production	176, 520	321, 233 487, 878	58, 464 93, 140	21, 681 26, 007	9,351 11,123	8, 204 5, 876					
Oregon: Number of vines or trees of bearing	8, 525	177, 789	25, 953	115, 520	21.664	6.656					
Production	110, 395	402, 912	50, 692	141, 258	36, 830	7,808					
Number of vines or trees of bearing	93, 344	594, 168	519, 350	46, 261	55, 925	94, 612					
Production Weshington	535, 807	756, 624	854, 342	65, 861	44, 112	107, 238			-		•
washington. Number of vines or trees of bearing	118,892	4, 633, 119	455, 526	530, 834	75,084				1		•
Production	1,410,072	15, 823, 446	1, 259, 176	1, 236, 330	127,042			÷			

Division of Crop and Livestock Estimates. Compiled from reports of Bureau of the Census.

Production of oranges, lemons, and grapefruit reported in boxes. ¹ Production of grapes and figs reported in pounds.
² Production of applies, peaches, pears, plums and prunes, cherries, and apricots reported in bushels.

Table 695.—Index numbers of the mass of crop production [Average of 1910-1914-100]

	Product	ion index		Producti	on index
Year and period	Total	Per capita	Year and period	Total	Per capita
1890 1891 1891 1892 1893 1894 1895 1896 1897 1898 1899 1990 1900 1901 1902 1903 1904 1905 1906	55 702 61 62 71 77 85 82 81 74 74 91 84 99 99 89	84 104 91 87 87 99 104 100 112 105 105 101 100 106 107 110	1912 1913 1914 1915 1915 1916 1917 1918 1919 1920 1921 1922 1923 1924 1890–1804 1890–1804 1900–1004	110 95 107 116 100 108 107 108 117 110 110 110 113 62 0 78, 0 84 5	109 95 104 109 93 100 98 98 104 88 96 94 95
1908 1909 1910 1911	94 94 97 91	101 99 101 91	1910-1914 1915-1919 1920-1924	100 0 108 0 110 0	100. 0 99. 6 95. 4

Division of Crop and Livestock Estimates. Production of wheat, corn, oats, barley, rye, buckwheat, potatoes, hav, tobacco, and cotton, each crop each year multiplied by constant price and divided by average aggregate of base years.

Table 696.—Crops: Index numbers, condition of growing crops, 1910-1924

Year	June 1	July 1	Aug. 1	Sept. 1	Oct. 1	Nov. 1	Year	June 1	July 1	Aug. 1	Sept. 1	Oct. 1	Nov. 1
1910 1911 1912 1913 1914 1915 1916	97. 2 99. 1 98. 9 102. 2 102. 3 97. 7 94. 2	89 3 98 8 98. 2 101. 5 102. 3 101 6 97. 8	93. 5 85. 4 100 3 95. 5 98. 0 103 9 97. 4 99. 8	97. 2 84 8 104. 1 89 9 97. 9 105 5 94. 6 102. 5	99 6 86. 7 110 0 90. 3 99. 4 106 9 94. 5 102. 4	99 3 90 6 107. 7 93. 3 102. 3 108. 0 95. 1 102. 0	1918 1919 1920 1921 1922 1923 1924	102. 9 104. 7 94. 8 93. 2 99. 2 95. 3 92. 7	101 6 102 3 99 7 96. 4 97 9 98. 4 94. 0	98. 9 97. 8 105. 4 93. 0 101. 2 97. 4 96. 1	94. 1 98. 8 107. 0 92. 9 98. 8 98. 3 96. 0	96. 6 98 7 106. 9 91. 1 98. 7 98. 4 96. 5	97. 6 99. 8 106. 9 91. 7 96. 7 96. 1

Division of Crop and Livestock Estimates. Index numbers of individual crops relative to a 10-year moving average of condition, weighted by States according to crop values in 1919.

TABLE 697 .- Crops: Index numbers of all crop yields, 1912-1924

State and division	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
Maine	102.0	101, 6	118.4	86.8	116.2	99 7	99. 6	105. 9	89. 6	95. 4	84. 0	120.8	121.8
New Hampshire					121.8			104. 7	104. 2	93. 8			100 4
Now manapointo	118.0	89. 2 97. 7	102. 7	97. 6	118.8		97. 0		104.0	87. 0		107 4	108. 5
Verment Massachusetts	107. 0	95. 9	116. 3	96. 5	109 9	105.0				92.6			101. 3
Rhode Island	98.0		113. 4	92.3	92.4	114 8		100. 6	97. 9	95.3			106.3
Connecticut	100.0						97. 8		103. 6	102. 4			96.5
Nonnecticut	103. 0	95. 9		101. /	110.5			106 9		83 9			
New York	105 0 106.0	90 8	110. 7 104. 9	100. 4 107. 1	107 7 107 2	107. 8 102. 5	100. 0	96. 7	110 5 120 8	91.7		88 2	111.5
Pennsylvania	110.0	101. 2 98. 0	102. 5			100 P		104 9	109. 3	94 0		92.3	102 5
Pennsylvania	110.0	98.U	105. 5	100. 8	TOP O	100 8	101.6	104 8	109. 5	94 U	104. 5	84.0	102 0
N. Atlantic	106. 8	95. b	109. 3	98. 9	108. 9	104. 6	101. 2	104.8	107. 9	90. 3	104 1	100 3	107. 3
Delaware	112.0	97. 1	109. 3	99. 1	190.6	104. 1	91. 1	90 8	111 2	87 8	107. 4	104 5	99. 4
Maryland	108.0	93. 3				106 0	99. 9	98 2	112.0	90. 2			95.9
Tringinio	101.0	106. 6	89 9		112.7	108. 2	105. 1	101 8	109 2	85 6			94.8
Virginia West Virginia North Carolina	123 0	93 3	94.7		110.4	103 1	99 1	102 4	109 1	91 0			101. 2
North Carolina	102.0	103. 5			95. 0	97. 3	105 9	92 3	106 6	85. 0			82. 2
South Carolina	102.0	105.9	103. 7	92. 3	83. 2	102. 0	98. 3	94 3	99 1	74 0		89 9	72. 3
Georgia	98.0	103 9	111. 2		91. 5	97 2	96. 8	85 1	87 9	73. 3	66.8	59 7	95. 5
Georgia Florida	106	111 1	112 0		95. 4	94. 5	98.8	92. 3	96. 5	90 5			102.0
F IOIIGA	100	111 1	112 0	100, 0	90. 2	67. 0	- BO 0	B2. 0			110 2	100 0	102.0
S. Atlantic	103 6	103 5	105 1	99. 6	102. 9	100 7	100. 3	93. 1	100 4	80 8	84 4	90. 6	88. 4
Ohio	105 0	97. 2	100. 1	111.9	89 2	111 1	101.9	104 7	106 7	88.7	97 3 97. 7	104.7	89.7
Indiana	102.0			113.0					105 7	88 3	97. 7	103 2	91.3
Illinois	110.0		85. 3	118. 5	95, 7	120.0	111.0	966	101 2	94.1	102 5	107 1	98 4
Michigan	101.0		111 4			97. 8		99 8	109 0	85 3		104 5	109. 2
Wisconsin	108.0				103.8			107 3	112 3	89 4	110 5	92 6	103 3
E. N. Central.	106. 1	92 8	96. 9	110	94.7	110 0	106. 0	100 6	106 2	80 8	102 4	103 3	97 6
3-71						110.0	100.0	00.0		64.5	00.4	07.0	110.0
Minnesota	123.0		94. 7		79. 2			88. 6	96. 9	84.5		97 3	118 8
Iowa	128.0				107. 2	110 8				98. 8	110 2	100 5	93. 2
Missouri	105.0	71 1	84.6		78.8	124.0					101 3	107 8	100 0
North Dakota	142.0			137. 3	72. 5			69 2	91. 1	82 3		81 3	
South Dakota	115.0		93. 6		88 8		138. 9	88. 7	104 0	87 0		101. 9	98 6
Nebraska	92 0	78.0		120 4	113. 9		78 0			104. 4	89 1	109 4 87 7	102 2 118 6
Kansas	117.0	61.4	124 2	124. 9	81.7	92. 2	82. 2	110 8	129. 1	102. 0	100.8	8/ /	118 0
W N. Central.	117.3	88. 6	101. 9	118. 2	90. 6	104 6	101. 1	100 2	113. 0	95 6	103. 3	99 1	106 6
Kentucky	104.0	82 9	101 9	108.0	102. 5	108. 9	100. 5	95. 0	106. 2	93 2	100. 4	100 5	94. 5
Tennessee	162.0	88 1	98. 5				95 5			96 6		86. 1	92 2
Alabama			110.1	91. 8	64. 3	90. 2		82 1	86. 9	82 0		76. 7	101 6
Mississippi	98.0	98.6		98. 3	67. A	103. 0				86 4		66. 1	93 2
Louisiana	100.0			96. 2	102. 1	94. 6				94 6		84. 8	72 5
Texas		103 2	103, 7	102.6	95. 5		65 4	124 2	113 5	92 4		97 1	98. 9
Oklahoma		103, 2 61, 7	105 6	122.2	79. 2	86.8		124 2 138 7	139 6	104 9		74 5	118.4
Arkensas	99.0	94 5	96. 9		92.4	110.0	75. 6	98.0	106 7	91.7		66 4	94 9
S. Central	105. 8	92.3	103, 1	103, 8	88. 0	93. 0	83. 6	105 5	107 4	92 9	89. 9	82, 8	97 6
Montana	98.0	98 9	90 2		85 9	55. 3	68. 9	40.4	82. 6	84. 5		103 9	101 7
Wyoming	103. 0	91.9	97.9		86. 9	88. 8	104. 7	65 1	113 2	86 5		94.4	87.4
Colorado	່ຕວດ	88 8	106 6		91. 9		96. 3	90. 1	105. 1	98. 7	87. 2	93. 5	89. 1
New Mexico	01 N	83.6			86. 0	84. 6	96. 2		107. 2	90 6		87. 7	97 1
Arizona	112.0			94.0	109. 0	99 5	94 0		96 8	110.5	93. 0		102 8
Arizona Utah Nevada Idaho Weshington	105, 0	92 2 104. 7	100, 2		88 4		94.0		102. 7	107. 7	99. 2	105 9	87 8
Nevada	126.0				94.0	106. 2	92 2	88. 1	90. 5	99. 7	108. 2	103. 5	82 5
Idaho	108.0		95. 4		88. 8	90 7	89.0	81.5	98 2	98 2	94.7		79.4
		101 0	101.4		105.0	83. 1	74. 8	94. 4	92. 5	108.0	79.3		68 4
Oregon	117.0	104 5	95.0		107. 0	82. 4	80 2	98.0	102. 9	103 9	87. 5	111.6	76. 5
Oregon	106.0	88. 4	109. 9	103. 8	101. 7	103. 2	88. 5	99. 4	96. 8	95. 2	105.4	107. 7	90 9
Western	102. 9	95, 1	102. 6	102. 1	97. 7	91. 2	85. 3	88. 5	96. 9	98. 3	95. 5	106.8	86 2
United States	107. 7	93. 3	102. 8	108.0	95, 1	102.0	97. 6	99. 8	106. 9	91. 7	96. 7	96. 1	98 1
Omicu states	101.7	7 3. 3	104. 0	100.0	90, 1	102.0	51.0	JU. 0	100. 8	<i>91, 1</i>	50.7	<i>5</i> 0. 1	

Division of Crop and Livestock Estimates. Index numbers of individual crops relative to a 10-year moving average yield, weighted by States, according to crop values in 1919.

Table 698.—Crops: Average weight in pounds per measured bushel of wheat, oats, and barley, United States, 1902-1924

Year	Weight pe	er measure	d bushel 1		Weight per measured bushell			
	Wheat	Oats	Barley	Year	Wheat	Oats	Barley	
1902	Pounds 57.3	Pounds 31.0	Pounds	1914	Pounds 58. 0	Pounds 31. 5	Pounds 46. 2	
1903	57.4	29. 7		1915	57. 9	33. 0	47.4	
1904	55. 5	31. 5		1916	57. 1	31. 2	45. 2	
1905	57. 5	82. 7						
1906	58. 3	82.0		1917	58. 5	33. 4	46. 6	
	1			1918	58. 8	33. 2	46. 9	
1907	58.2	29. 4		1919	56. 3	31. 1	45. 2	
1968	58. 3	29.8		1920	57 4	33. 1	46.0	
1909	57. 9	82.7		1921	57.0	28. 3	44. 4	
1910	58. 5	32.7	46 9					
1911	57.8	31. 1	46.0	1922	57. 7	32.0	46. 2	
				1923	57. 4	32. 1	45. 3	
1912	58.3	83. 0	46.8	1924	59. 0	33, 4	47.0	
1913	58.7	32.1	46.5					

Division of Crop and Livestock Estimates. As reported by crop reporters on Nov. 1.

Table 699.—Crops: Value per acre of 10 crops combined, 1866-1924

Year	Value per acre	Year	Value per . acre	Year	Value per nere	Year	Valuo per acre	
1866 1867 1868 1869 1870	\$14 17 15 09 14 17 14 67 15.40	1881 1882 1883 1884 1885	\$13 10 12 93 10 93 9 95 9.72	1896 1897 1898 1899	\$7 94 9.07 9 00 9 13 10 31	1911 1912 1913 1914 1915	\$15 86 16.09 16.49 16.44 17.18	
1871 1872 1873 1874 1875	15 74 14 86 14 19 13. 25 12. 20	1886	9. 41 10 14 10 30 8 99 11 03	1901 1902 1903 1904	11 43 12.07 12 62 13 26 13 28	1916 1917 1918 1919 1920	22 58 33, 27 33, 73 35, 74 28, 26	
1876 1877 1678 1879 1880	10 80 12.00 10 37 13 26 13.01	1891 1892 1893 1804 1895	11 76 10. 10 9 50 9 06 8. 12	1906	13 46 14 74 15 32 16 00 15 53	1921 1922 1923 1924	14. 45 19 23 21. 52 23. 86	

Division of Crop and Livestock Estimates. Corn, wheat, oats, barley, rye, buckwheat, potatocs, all hay, tobacco, and cotton, which comprise nearly 90 per cent of the area in all field crops, the average value of which closely approximates the value per acre of the aggregate of all crops.

¹ Standard weights Wheat, 60 lbs.; oats, 32 lbs.; barley, 48 lbs.

TABLE 700 .- Crops: Value of 22 crops and of all crops, with rank

		Ratio value	,	/slue 22 cr	ops	V	Rank, 1924			
State	Value 1 all crops, 1919 census	crops to all crops in census 1919	1919 census	1923	1924	1918-1922 averace	1923	1924	22 crops	All crops
Me N. H Vt Mass R. I Conn	1,000 dols. 100, 152 23, 510 48, 000 53, 701 5, 340 44, 473	P. ct 92 79 77 68 69 81	1,000 dolle. 91, 982 18, 479 36, 835 36, 601 3, 680 36, 006	1,000 dols. 50, 358 16, 185 33, 120 38, 562 3, 099 40, 255	1,000 dols. 43, 770 15, 651 85, 179 32, 328 3, 078 32, 508	1,000 dols. 64, 323 23, 103 47, 639 54, 335 5, 181 48, 263	1,000 dols. 54, 737 20, 487 43, 013 56, 709 4, 491 49, 698	1,000 dols. 47, 576 19, 811 45, 687 47, 541 4, 461 40, 133	36 45 38 40 48 39	37 45 39 38 47 41
N. Y N. J Pa Del Md	417, 047 87, 484 409, 969 23, 059 110, 166 292, 824	77 70 86 72 80 85	321, 598 61, 273 350, 991 16, 516 88, 066 247, 463	244, 500 38, 472 221, 935 12, 339 56, 615 161, 272	238, 310 42, 304 245, 751 14, 157 59, 273 162, 644	376, 145 74, 339 340, 507 19, 974 88, 620 225, 854	317, 532 54, 960 258, 064 17, 138 70, 769 189, 732	309, 493 60, 434 285, 757 19, 662 74, 091 191, 346	14 37 13 46 34 25	13 36 15 46 35 25
W Va N C S. C Ga Fla Ohio	96, 537 503, 229 437, 122 540, 614 80, 257 607, 038	81 87 82 80 62 87	78, 143 438, 892 360, 025 430, 270 49, 521 526, 943	62, 612 378, 218 205, 947 198, 885 3, 896 28 . 357	61, 032 278, 822 144, 917 210, 472 51, 277 287, 730	95, 004 399, 402 293, 460 375, 710 81, 405 395, 715	77, 299 434, 733 251, 155 236, 106 70, 800 329, 146	75, 348 320, 485 176, 728 263, 090 82, 705 330, 724	33 11 26 19 35 10	84 12 26 18 33 11
Ind	497, 230 864, 738 404, 015 445, 348 506, 020 890, 391	90 92 82 81 89 92	449, 079 797, 893 329, 651 360, 404 450, 327 820, 126	232, 529 423, 194 196, 781 216, 075 266, 741 443, 170	250, 086 509, 779 220, 313 235, 108 363, 858 488, 645	334, 589 583, 961 290, 454 357, 902 380, 585 576, 309	258, 366 459, 993 239, 977 266, 759 299, 709 481, 707	408, 829	12 2 18 15 6 3	16 2 17 14 7 8
Mo N. D S. D Neb Kan	559, 048 301, 783 311, 007 519, 730 588, 923 347, 339	92 92 93 95 91 89	536, 408	285, 730 148, 099 179, 953 270, 389 258, 584 212, 511	312, 405 319, 714 222, 192 351, 290 413, 071 206, 847	369, 675 267, 289 258, 086 338, 896 406, 919 291, 765	321, 045 160, 977 193, 498 284, 620 284, 158 238, 776	351, 017 347, 515 238, 916 369, 779 453, 924 232, 412	9 8 17 7 4 20	9 10 21 8 4 22
Tenn Ala Miss La Tex Okla	318, 285 304, 349 336, 207 206, 182 1, 071, 542 550, 085	83 81 83 71 83 87	263, 797 246, 271 278, 539 147, 290 885, 955 479, 314	169, 704 177, 043 157, 634 115, 476 886, 050 239, 288	191, 176 197, 635 185, 110 112, 639 763, 667 372, 303	256, 977 255, 294 177, 262	204, 463 218, 572 189, 920 162, 642 1, 067, 530 275, 044	158, 646 920, 081	23 22 24 29 1 5	23 19 24 27 1 5
Ark	340, 813 69, 975 30, 271 181, 065 40, 620 42, 481	83 86 88 76 77 84	283, 175 60, 058 26, 528 137, 660 31, 093 35, 478	165, 560 86, 461 26, 713 102, 205 20, 078 29, 068	200, 558 124, 238 25, 606 97, 522 29, 679 29, 867	254, 157 98, 197 39, 443 141, 950 39, 853 35, 105	199, 470 100, 536 30, 356 134, 480 26, 075 34, 605	144, 463 29, 098 128, 318 38, 544	21 27 44 30 43 42	20 28 44 30 42 43
Utah Nev Idaho Wash Ore Calif	58, 067 13, 980 126, 495 227, 212 131, 885 589, 757	70 96 88 82 75 54	40, 901 13, 439 111, 940 185, 667 99, 095 315, 091	25, 726 9, 045 71, 710 123, 763 71, 171 229, 389	31, 521 8, 960 74, 674 113, 008 63, 673 228, 797	44, 259 12, 622 97, 826 177, 056 113, 372 480, 652	36, 751 9, 422 81, 489 150, 930 94, 895 424, 794	84,857 137,815	41 47 31 28 32 16	40 48 32 29 31 6
United States	14, 755, 365	84. 3	12, 442, 977	7, 922, 467	8, 703, 144	11, 033, 908	9, 468, 128	10, 326, 769		

Division of Crop and Livestock Estimates. Estimated total value of 22 crops—corn, wheat, oats, barley, rye, buckwheat, flaxseed, rice, potatoes, sweet potatoes, all hay, tobacco, lint cotton, beans, broomcorn grain sorghums, hops, oranges, cloverseed, peanuts, cranberries, and apples—in the United States, by States in 1919 (census); and the value of all crops in 1923 and 1924, based upon ratio of the 22 crops to all crops in census year. The slight differences in the total value of crops in the United States between Tables 700 and 702 are due to different methods of estimating. In Table 702, where each State is shown separately, a more detailed method is used than is practicable in Table 702.

¹ Does not include nursery or greenhouse products, or forest products of the farm.

TABLE 701.—Farm products: Estimated value, principal products and groups of products, calendar years 1920-1924

[Million dollars-i. e., 000,000 omitted]

[Atmion donars—1.	e., 000,000 (omirred l			
Product	1920	1921	1922	1923	1924, prelim- inary
CROPS 1					
Cereals.	[j		
Barley	144	73	96	113	155
Corn	2,009 87	1, 639 62	2, 226 87	2, 538 93	2, 890 109
Grain sorghums Oats	763	356	475	554	799
Rice	62	36	39	37	47
Rye	. 88	51 840	70	38	61
WheatOther	1, 514 28	20	856 22	743 22	1, 131 28
Total cercals	4, 695	3, 077	3, 871	4, 138	5, 220
Cotton:					
Lint	1, 156	672	1, 147	1,470	1, 506
Seed	170	103	139	187	195
Total cotton	1, 326	775	1, 286	1, 657	1, 701
Flax, fiber and seed	22	13	23	37	72
Fruits		1	0.0	~~~	1
Apples Grapes Grapes	301	194 115	218 99	238 71	223 74
Oranges		51	63	65	64
Oranges Peaches	104	70	85	80	79
Pears.	33	19	29 44	30	64 79 30 39
Straw berries	136	43 112	127	44 114	117
Total fruits	902	604	665	642	626
Hay and forage	2, 052	1, 343	1,529	1, 619	1, 783
Legume seeds: Beans, dry edible	30	31	52	61	57
Cowpeas	24	18	34	41	86
Peanuts	40	31	35	42	36
SoybeansOther	6	6	12 9	19 9	22 9
Total legume seed	100	86	112	172	160
See do for planting (alaman, etc.)	60	43	49	46	48
Seeds for planting (clover, etc.)					
Maple sirup and sugar	13	6	8	8 28	9
Sorgo sirup Sugar beets for sugar	53 99	29 49	26 41	63	20 53
Sugarcane and sirup.	76	68	59	54	26 53 43
Total sugar crop	241	147	134	153	181
Tobacco	288	213	288	311	256
Vegetables: Potatoes	530	439	335	392	349
Sweet notatoes	151	109	107	118	106
Other Farm garden crops	220	186	240 329	280	258 805
Farm garden crops	295	328	329	379	808
Total vegetables	1, 196	1, 062	1,011	1, 169	1, 018
Farm forest products Other crops	562 134	271 125	305 127	-318 139	811 128
Total crops	11, 578	7,759	9, 430	10, 401	11,404
Animal raised:					
Cattle	1,317	933	954	988	, 644
Horses	214 65	193 50	152 43	130	124
Mules Sheep	136	95	126	37 145	36 148
Swine	1, 525	1,018	1, 235	1, 133	1,008
Other	8	5	. 6	7	7
Total animals raised	3, 265	2, 294	2, 516	2, 440	2, 267

¹ Based mostly on weighted prices and hence differing from previously published numbers, which were based mostly on Dec. 1 prices.

TABLE 701 .- Farm products: Estimated value, principal products and groups of products, calendar years 1920-1924-Continued

[Million dellars-i. e., 000,000 omitted]

Product	1920	1921	1922	1923	1924, prelim- inary
ANIMAL PRODUCTS—continued					
Bee products	19	12	12	12	12
Dairy products: Milk sold 3 Muk consumed on farms 3	976 831	796 694	735 64 0	950 801	937 777
Total whole milk at sales price 2	1, 807	1,490	1, 375	1, 751	1,714
Butter made Cheese made Cream sold ³ . Butter fat sold Buttermilk Whey Skim milk	366 2 108 374 13 (4) 215	242 1 65 322 5 (1)	221 1 62 331 5 (4)	246 1 90 415 6 (1)	237 1 71 894 7 (4)
Total dairy products	2, 885	2, 217	2, 097	2, 652	2, 586
Poultry products. Eggs produced. Poultry raised. Total poultry preducts.	730 445 1, 175	556 421	513 405 918	597 441 1, 038	525 469
	92	36	66	87	88
WoolOther animal products	3	1	3	4	4
Total animal products	7, 439	5, 537	5, 612	6, 233	5, 951

Division of Crop and Livestock Estimates.

For cream powder and ice cream.
Too small to be expressed.

Table 702 .- Farm products: Value of farm products, based on prices at the farm, 1909-1924

[Million dollars-i. e., 000,000 omitted]

Year	Crops 1	Animal pro- ducts 1, 2	Total (esti- mated) value, excluding crops fed to live- stock 3	Year	Crops 1	Animal pro- ducts 1, 2	Total (esti- mated) value, excluding crops fed to live- stock 3
1909	\$5, 483	\$3, 398	\$6, 472	1917.	\$14, 277	\$6, 539	\$18, 949
	6, 211	3, 743	7, 192	1918.	14, 814	8, 082	16, 504
	0, 495	8, 485	6, 992	1919.	16, 569	8, 275	17, 684
	6, 799	3, 778	7, 467	1920.	11, 578	7, 439	14, 545
	6, 717	4, 099	7, 886	1921.	7, 759	5, 537	10, 220
	7, 268	4, 249	8, 165	1922.	9, 430	5, 612	10, 192
	7, 957	4, 303	8, 638	1923.	10, 401	6, 233	12, 344
	10, 305	4, 862	10, 359	1924.	11, 404	5, 951	12, 404

Division of Crop and Livestock Estimates.

I Weighted prices used for nearly all crops and animal products, and hence the numbers of this table differ from those previously published, which were based mostly on Dec. 1 prices.

I Values of animals raised, which are included in these totals, are subject to revision. The value of whole milk, buttermilk, whey, and skim milk fed to livestock duplicates to some extent the value of animals raised.

Extimates of the values of crops fed to livestock have been made by multiplying the value of the following crops by the percentages given: Barley, 75; corn, 85; grain sorghums, 90; oats, 80; rye, 20; wheat, 6; hay, 85; forage, 169; potatoes, 10; and sweet potatoes, 15.

^{*}Includes milk equivalent of cream for household use.

TABLE 703.—Plow lands: Value per acre, by States, 1920-1924

State	A٦	/erage	of po lands		.w	Av		of go lands	od ple	w∪	A		e of al lands	l plov	7
	1920	1921	1922	1923	1924	1920	1921	1922	1923	1924	1920	1921	1922	1923	1924
Maine New Hampshire	\$30 24	\$25 24	\$22 25	\$22 24	\$22 23	\$56 64	\$50 63	\$47 64	\$48 58	\$50 59	\$42 42	\$36 41	\$35 41	\$36 40	\$37 40
Verment	30	29	27	24	24	69	67	63	56	55	48	47	45	10	40
Massachusetts	40 50	40 50	89 50	39 51	39 52	103 105	105	105 105	106 106	106 110	72 85	69 85	86 86	70 87	69 88
Connecticut	35 39	31 40	32 38	32 35	33 33	100 84	90 84	90 83	88 80	88 75	69 61	58 65	58 62	57 59	54 54
New York	50	55	48	49	47	104	125	109	109	105	80	92	84	83	8
Pennsylvania	40 44	39 38	33 31	35 28	32 30	86 86	81 72	73 67	73 70	68 68	66 86	62 85	51 50	54 51	56 50
Varyland	46	31	31	32	33 32	82 73	70	67 60	67	70 65	60	51 50	49 43	50 47	55
Virginia	34 32	32 31	27 27	31 28	27	75	70 70	62	64 67	66	53 51	48	42	45	44
North Carolina	42 41	· 36	33 23	35 21	35 22	87 82	76 68	87 46	70 45	75 48	61	55 50	49 35	52 35	54 38
Jeorgia	30 23	23 25	18 21	17 20	16 20	63 53	50 55	38 56	36 48	34 46	4 6 36	36 40	28 37	26 31	24
Phorida	69	60	52	52	51	132	110	100	100	96	105	88	78	75	7
Indiana	80 115	71 105	56 91	54 86	51 81	150 213	137 195	108	105 155	101 148	119 170	109 157	131	82 126	120
Wichigan	41 66	41 65	39 58	36 60	35 57	80 125	83 122	77	74 108	73 105	64	65 98	60 87	57 86	56
Winnesota	73	74	67	59	55	120	121	102	96	89	100	101	87	80	7
owa	157 60	145 58	119	115 45	107 44	257 110	238 108	193 84	181 85	169 83	219 87	200 83	163 65	153 66	14
Forth Dakota	31 67	36 66	25 52	24 43	22 41	49 108	49 102	44 80	40 73	37 64	48 90	42 85	37 72	33. 58	31
Nebraska	85	80	72	65	64	150	140	123	116	113	125	115	101	96	9
Kansas Keutucky	50 42	50 33	43 28	41 27	38 26	90 95	9 0 75	77 67	74 66	63	7 0 70	70 58	60 47	58 46	5-
Tennessee	40 20	35 17	28 14	30 16	30 16	90 43	81 38	68 32	70 34	70 35	60 30	55 26	47 23	50 26	50
Mississippi	23	16	16	17	17	40	36	34	36	36	35	26	25	26	20
Louisiana Fexas	34 36	24 33	21 29	24 28	25 29	65 72	50 70	42 60	45 57	46 59	50 56	38 52	31 47	34 44	35 48
Oklahoma	30 26	29 24	26 20	24 21	23 20	63 65	63 54	58 46	52 47	52 45	47 45	46	41 33	37 34	33
Arkausas	21	19	15	14	13	48	41	35	31	30	36	30	23	22	2
Wyoming Colorado	34 40	25 35	23 35	21 30	15 29	70 88	60 86	54 84	48 75	38 72	53 66	67	37 61	35 56	5.
w Mexico	30	30	23 70	21 70	23	60 180	60 140	57 130	53 132	56 140	45 130	45 120	41 115	37 116	3
Arizona Utah	90 60	75 50	42	42	75 40	135	140	125	122	119	103	100	90	83	124
Nevada	46	45	40	30	42	110	90	80	80	85	80	75	70	65	73
Idaho Washington	60 68	58 63	50 52	46 50	42 49	135 150	129 140	110 120	110	108	105 115	99 105	85 90	76 88	80
Oregon	60 70	60 75	55 69	52 53	50 51	130 175	135 200	110 193	106 166	104 166	100 130	103	90 128	84 113	113
United States	61	57	47	45	43	113	106	89	85	82	90	84	70	67	6

Division of Crop and Livestock Estimates. From reports of crop reporters on Mar. 1 on average values in their localities.

FARM LABOR

Table 704.—Wages: Male farm labor, by classes, United States, 1866-1923.

	By	ւոս լ	Dayl s harv	t i	n	labor ot vest		By		Day a har	t	Day no har	ot
Year	With board	Without board	With board	Without board	With board	Without board	Year	With board	Without board	With board	Without board	With board	Without board
1866	\$10. 09 9. 97 11. 16 10. 86 11. 70 12. 32 12. 88 13. 08 13. 29 13. 48	15. 50 17. 10 16. 79 17. 53 18. 52 19. 11 19. 22 19 67 19. 45	1. 06 1. 18 1. 04 1. 12 1. 16 1. 20 1. 17 1. 09 1. 08	1. 35 1. 49 1. 35 1. 44 1. 49 1. 54 1. 40 1. 38	. 63 . 68 . 61 . 64 . 67 . 70 . 71 . 72 . 72	.87 .94 .84 .89 .92 .97 .96 .98 .97	1910 1911 1912 1912 1913 Av. 1909–1913 1914 1915 1916 1917	20. 18 20. 81 21. 38 20. 32 21. 05 21. 26 23 25 28 87 34 92	27. 50 28. 77 29 58 80. 31 28. 72 29 83 30. 15 32 83 40. 43 48. 80	1. 45 1. 49 1. 54 1. 57 1. 50 1. 55 1. 69 2. 08 2. 65	1. 82 1. 85 1. 87 1. 94 1. 94 1. 91 1. 92 2. 07 2. 54 8. 22	1. 06 1. 09 1. 14 1. 16 1. 10 1. 13 1. 13 1. 25 1. 56 2. 07	1. 38 1. 42 1. 47 1. 50 1. 41 1. 45 1. 47 1. 62 2. 02 2. 63
1893 1894 1896 1898 1899 1902	13. 85	19. 97 18. 57 18. 74 19. 16 19. 97 22. 12	1. 07 . 97 . 96 1. 04 1. 10 1. 23	1. 30 1. 18 1. 19 1. 29 1. 35 1. 51	.72 .65 .65 .71	.92 .84 .85 .94 .99	1919 1920 Av. 1914–1920 1921 1922 1923	39. 82 46. 89 30. 87 30 14 29. 17 33. 18	43. 33 43. 32 41. 79	2 33 2 24 2 20	2.84 2.79 2.79	2. 86	2. 15

^{&#}x27;Division of Crop and Livestock Estimates. From reports of crop reporters for average wages for the year in their localities.

TABLE 705.—Wages: Male farm labor, by States, quarterly, Oct., 1922-Oct., 1924

PER DAY, WITH BOARD

	1922		19	23			192	4 1	
State and division	Oct.	Jan.	Apr.	July	Oct.1	Jan.	Apr.	July	Oct.
Maine	\$2.10 2 25	\$2 15 2. 25	\$2.15 2.00	\$2.56 2.50 2.90	\$2.80 2.78 2.54 2.99	\$2.45 2.05 2.40	\$2.40 2.65 2.45	\$2, 54 2, 54 2, 61	\$2, 53 2, 65 2, 48 2, 98 2, 90 2, 93 3, 05
Vermont	2.00 2.00	1. 90 2. 20	2. 25 2. 60	2. 90 3. 00	2 04	2.40	2.43	2. 61	2, 48
Rhode Island	1 80	2. 25	2.50	8.00	2. 90	2.80	2.00	8.08	2 00
Connecticut New York New Jersey Pennsylvania	2, 10	2, 10	2, 15	3 00	2 50	2 50	2. 75 2. 40	2.80	2.93
New York	2,40	2. 10 2. 20	2, 45	8. 21	3. 25	2, 70	2.85	2.90	3. 05
New Jersey	2 00	2.20	2.00	2. 61	2.85	2, 70	2.65	2.70	24.75
Pennsylvania	2.00	2.05	2, 15	2. 82	2, 85	2 50	2. 50	2. 45	2. 55
North Atlantic	2. 15	2. 13	2. 27	2, 72	2 97	2 60	2.65	2. 69	2, 80
Delaware			1. 75	:	2. 72	2 25	2. 10	2. 15	2. 30
Maryland	1.30	1.40 1.20	1. 45 1. 28	1. 70	2. 25 1. 73	2.00 1.60	1 90 1.60	2 00 1.62	2, 05 1, 65
Virginia West Virginia North Carolina	1.30	1.55	1.75	1. 51	2.00	1.85	1 85	1.90	1.85
North Carolina	1. 15	1, 20	1.30	1.54	1.43	1. 25	1.45	1.55	1.46
South Carolina	. 75	.75	.74	.89	1.00	1.00	1 00	1.05	1.05
Georgia Florida	.75		. 83	.96	. 93	.90	. 94	1.05	1.00
Florida	1 20	1.00	1 00	1. 22	1. 25	1.15	1 15	1 25	1.30
South Atlantic	1 09	1 06	1, 14	1 32	1 39	1. 28	1 33	1.41	1. 38
Ohio	2.00	1.90	2.00	2. 29	2 68	2. 40	2 40	2.34	2. 37
Indiana	1 65	1 70	1.80	1 99	2.45	2 25	2 10	2. 15	2. 22
Illinois	2 00	1.80	1.80	2. 27 2. 56	2. 50 2 82	2. 30 2. 60	2. 35 2 55	2. 35 2. 50	2. 35 2. 50
MichiganWisconsin	2.10	1.85	2.00 2.00	2.54	2.65	2 10	2 20	2.30	2.50
East North Central	1 95	1 81	1 91	2 30	2.61	2, 33	2 33	2. 33	2 38
					=				
Minnesota	2 20 2.00	1.75 1.95	2.05 2.10	2 33 2.45	2 80	2. 10 2. 40	2. 11 2. 30	2 25 2.40	2.80 2.50
Miggoriri	1.40	1. 25	1.40	1.58	1. 70	1 60	1. 55	1. 70	1.70
North Dakota	2 60	1.75	2.15	2. 22	3, 60	1 95	2.00	2 00	4,00
Missouri	2. 25	1.80	2.07	2. 62	3 05	2 50	2.30	2.35	3.05
Nebraska	2 05	1.85	1.80	2 57	2 60	2. 35	2 30 2.00	2.30	2.40
Kansas	2 00	1. 70	1.75	2.01	2. 40	2, 10	2.00	2. 40	2. 40
West North Central	1 94	1 67	1.83	2 14	2, 49	2 08	2.02	2. 16	2. 48
Kentucky	1 20	1.10	1.15	1.46	1.65	1.40 1.20	1.40 1.22	1.45	1.50
Tennessee	1 00	1.00	1. 10 . 94	1.14	1.30	1. 10	1.05	1. 25 1 15	1, 25 1, 20
Alabama Mississippi Louisiana	.90	.95	1 00	1 12	1 10	1 10	1 15	1 20	1, 15
Louisiana	1 00	1.00	. 92	1.12	1. 25	1, 10	1.11	1. 25	1.20
Texas	1, 20	1.15	1.20	1.42	1.65	1.40	1.40	1.70	1.60
Oklahoma	1. 25	1 20	1.35	1.66	1.60	1. 50	1.35	1.80	1.78
Arkansas	1.05	1.01	1.03	1.19	1.20	1.15	1. 20	1. 25	1. 20
South Central	1.07	1 05	1. 10	1. 26	1.36	1 24	1.24	1.38	1.36
Montana	2. 75	2.05	2.30	2. 41	3.40	2.70	2. 50	2 60	3.25
Wyoming	1.90	1.95	2, 20	2.62	2, 75	2.40	2. 40 2. 12	2, 35	2. 80 2. 80
Colorado	1.95	1.75	1.80	2.28	2.40	2.40	2. 12	2 20	2.30
New Mexico	1.40	1. 30 1. 80	1.30 2.25	1.42	1.50 1.75	1. 50 1. 75	1.50 2.03	1 50 1.80	1.70
ArizonaUtah		1.90	1. 95	2.00	2 62	2 30	2 40	2, 60	2. 08 2. 50
Navada		2.00		3.00	2.81	2.60	2.47	2.70	2. 50 2. 60 2. 80
T.d.a.h.a.	9 50	2.05	2 05 2, 30	2. 72	2.95	2.60	2.37	2.50	2.60
Weenington	2.85	2.10	2.30	2.80	8.66	2.80	2 53	2.47	2.80
Oregon California	2. 50 2. 60	2. 10 2 45	2. 25 2. 50	2.60 3.12	3. 30 2. 90	2. 50 2. 65	2.49	2.50 2.40	2.50
				2.60	2 91	2.52	2. 34		2.4
Far Western	2. 33	2. 08	2. 19					2, 36	
United States	1.57	1.47	1.57	1.84	2 04	1.81	1.79	1.88	1.94

¹ Includes piecework.

Table 705.—Wages: Male form labor, by States, quarterly, Oct., 1922-Oct., 1924—Continued

PER DAY, WITHOUT BOARD

G. A	1922		16	23			19:	24 1	
State and division	Oct.	Jan.	Apr.	July	Oct.1	Jan.	Apr.	July	Oct.
Maine New Hampshire Vermont	\$2.75 8.00 2.60	\$2.80 3.00 2.50	\$2.80 3.00 2.75	\$3. 12 3. 89 3. 20	\$3. 47 3. 71 3. 33	\$3. 19 3. 30 3. 15	\$8 11 3.40 3.20	\$3. 16 -3. 60 -3. 22	\$3, 12 3, 48 3, 17
Massachusetts Rhode Island Connecticut New York New Jersey Pennsylvania	3. 00 2 75 3. 10 3. 10 2. 70 2. 65	3, 20 3, 00 3, 00 2 85 3, 90 2, 70	3. 60 3. 50 2. 85 3. 25 2 75 2 90	4. 00 4. 17 4 07 3 34 3 21	3.70 3.77 3.71 4.10 3.90 3.60	3. 80 3. 75 3. 55 3. 60 3. 70 3. 30	3, 65 3, 65 3, 65 3, 65 3, 65 3, 30	3 79 3. 95 3. 50 3. 75 3. 65 3. 20	3 72 3 70 3.75 3.75 3.70 3.40
North Atlantic	2.86	2. 82	3.04	3. 58	3 81	3 48	3. 40	3 51	3. 57
Delaware	1. 90 1. 65 2. 30 1. 55 1. 00 1. 90 1. 70	1. 90 1 60 2 00 1 55 1. 00 1. 00 1 50	2 25 2 00 1 75 2 30 1 70 . 99 1 08 1 60	2.30 2 01 2.52 1 97 1 21 1.27 1.82	3. 15 3 00 2 18 2 50 1 75 1 25 1 20 1. 60	2 75 2 70 2 05 2 65 1 80 1 25 1 20 1 70	2 75 2 50 2 05 2 50 1 88 1 35 1 22 1 65	2.80 2.65 2.12 2.50 1.98 1.35 1.30 1.65	3 00 2 75 2 20 2 50 1 85 1 35 1, 30 1, 70
South Atlantic	1.4	1 40	1. 53	1.75	1 76	1.74	1. 75	1 81	1. 81
Ohio	2 60 2.15 2 55 2 80 2.60	2. 50 2. 25 2. 40 2. 50 2. 50	2.60 2 40 2.40 2 65 2 80	3. 03 2 63 2 94 3. 38 3 42	3 33 3, 14 3 25 3 67 3, 30	3, 15 3 00 3 10 3 40 2 80	3 09 2 75 3 10 3 30 2, 90	3 07 2. 80 3. 00 3 25 3. 05	3. 08 2. 87 3 10 3. 25 3 10
East North Central	2. 54	2. 43	2. 55	3, 01	3 33	3, 09	3. 04	3, 03	3. 08
Minnesota	3. 00 2. 55 1. 90 3. 40 3 10 2. 70 2. 70	2. 45 2. 55 1. 75 2. 30 2. 50 2. 55 2. 40	2 70 2.75 1.85 3.00 2.88 2.55 2.40	3 24 3.11 2 18 3 12 3 37 3 29 2.85	3 50 3 35 2 20 4 40 4 00 3 30 3 30	2 90 3 00 2 00 2 80 3 30 3 15 2 80	2.89 3 00 2.05 2 85 3 30 3 05 2.70	3, 05 3, 05 2 20 3 00 3 35 3 00 3, 00	3, 50 3 10 2 15 5, 00 4 00 3 00 3, 10
West North Central	2: 59	2 29	2. 47	2, 90	3, 20	2 73	2 72	2, 85	3. 13
Kentucky Tennossee Alabama Mississippi Lousiana Tens Oklahoma Arkunsse	1. 65 1 35 1 20 1. 25 1. 35 1 60 1. 70 1. 45	1. 55 1. 35 1 25 1. 25 1. 85 1. 55 1 65 1. 40	1, 55 1 45 1, 26 1, 35 1, 30 1, 65 1, 80 1, 40	1. 99 1 56 1 31 1. 51 1. 46 1. 86 1. 97 1. 68	2 20 1 68 1.40 1.50 1 57 2 10 2 05 1.60	1 90 1, 55 1 40 1, 45 1 50 1, 80 2 10 1 60	1 85 1 60 1.35 1.50 1.43 1 80 1.80 1,55	1 90 1 60 1.80 1.55 1 55 2.15 2 20 1.65	2. 00 1. 00 1. 45 1. 50 1. 55 2. 30 2. 25 1. 68
South Central	1.48	1 43	1.48	1.68	1.77	1, 65	1.61	1 77	1, 80
Mestana. Wyeming Colorado. New Mexico: Arisana. Utah Newada Idaho. Washington Oregon Ogaffornia.	3.50 2.50 2.70 2.00 2.60 2.70 3.50 3.15 3.40 3.30	2.80 2.60 2.40 1.80 2.75 2.46 2.75 2.75 2.90 2.70 8.30	2.90 2.85 2.50 1.80 3.15 2.55 2.70 3.60 3.60 3.40	3. 38 3. 62 3. 14 2 00 2. 50 4. 00 3. 72 3. 70 8. 45 4. 00	4. 20 3 65 3. 10 2. 20 2. 50 3. 26 3. 25 3. 45 4. 88 4. 00 3. 80	3.80 3.20 3.05 2.00 2.50 3.00 3.40 3.60 3.60	3. 40 3 25 2 89 2 00 2. 42 3. 01 3 42 3. 15 3. 47 3. 81 8. 35	3 50 3 00 2 95 2 00 2: 25 3 20 3: 50 3: 28 3: 50 3: 40	3 80 3, 15 3 30 2, 25 2, 57 3, 50 3, 35 3, 17 3 25 3, 40
Far Western	3.06	2. 81	2.93	8. 47	3. 67	3 36	8. 19	8.19	3. 27
United States	2.08	1, 98	2.11	2.45	2.61	2.41	2, 37	2. 45	2. 52

¹ Includes piecework.

Table 705.—Wages: Male farm labor, by States, quarterly, Oct., 1922-Oct., 1924-Continued

PER MONTH, WITH BOARD

	1922	1923 1924						24	
State and division	Oct.	Jan.	Apr.	July	Oct.	Jan.	Apr.	July	Oct.
Maine New Hampshige Vermont Massachusetts	\$38, 00	\$38, 00	\$37, 60	\$46. 67	\$44 00	\$43,00	\$43, 00	\$45,00	\$43.00
New Hampshire	32, 00	35. 90	33, 00	60.00	49, 00	45, 00	46, 00	47.00	47.06
Vermont	33, 60	33. 60	40.00	44.64	42.00	42.00	44 00	46.00	45.00
Massachusetts	40.00	40.00	54 00	47.50	54, 00	51,00	51 00	48.00	48.00
BH066 1318H6	411.17	41.00	42.50	-=====	53.00	50 00	47.00	54.00	51.00
Connecticut New York	40. 00 40 00	41. 00 38. 00	46.00	58. 33 58. 71	51 00 49 00	48 00 42 50	50 00	55.00	53.00
Way Tarany	38.00	38. 60	42.00	49, 14	52, 00	45.00	48, 50 46 00	49.00 48.00	48.00 48.00
New Jersey Pennsylvania	34.00	84.00	36 00	38.38	43 00	38 00	30 50	39. 40	39.85
North Atlantic	37.05	36. 54	41.02	47.66	47 54	42, 34	45, 20	45, 96	45 44
Dolaware		-	35, 00		32 60	31 00	33, 00	34.00	34. 65
Maryland Virginia West Virginia North Carolina	26, 00	25.50	27 60	30.00	32 40	32 40	34.00	33 90	33. 25
Virginia	24, 50	24.50	26, 00	28.46	30 00	28 00	30.00	30.00	30.00
West Virginia	24, 50 85, 60	33.50	36.00	34.80	40 00	36 00	36.00	42.50	36.50
North Carolma	22.00	22.00	25. 70	27. 29	28.00	27 00	27. 20	30.00	29 00
Bouth Caronna	13.00	16.00	16.00	19.60	20 00	20 00	21.00	20.00	20.00
Georgia	14.80	14.70	16. 35	18 84	16 60	17 50	18 80	19 90	19.20
Florida	25. 00	21.00	21.00	21.83	21.00	23, 60	22. 00	25, 00	24. 00
South Atlantic	21.37	21.06	23.04	25, 01	25, 32	24. 60	25. 50	26, 93	25. 97
Ohio	32, 50	31, 50	34.00	38.70	39.00	37.00	37.00	37 00	37.00
Indiana Illinois	30. 20	31.50	33.00	36.64	36.60	35, 00	37 00	36, 00	35.00
Himois	35.00	83, 00	37. 50	41.91	41 00	38, 00	42 00	42 00	40.00
Michigan Wisconsin	31.50	31.00	38 00	43, 05 47, 12	43.00	38, 50	43 00	40.00	40,00
W ISCOUSIN	38.00	35.00	44.00	27, 12	46 00	37. 70	45.60	45, 70	45, 60
East North Central	33 92	32. 34	37. 14	41. 23	41 00	37. 30	40 82	40. 15	30 43
Minnesota	37. 00	30.00	39. 00	43, 88	43 00	32 00	39 00	41 00	43, 60
Iowa	36 30	35. 50	42.00	46, 21	44 00	39.50	45 90	45 80	44, 20
Missouri	29. 30	27.00	30.00	31.87	32.00	31.00	32.00	32.00	33, 00
North Dakota	41.00	28, 50 32, 00	39.00	43.00 48.45	45 90	29.30	39 50	41.00	50.00
South DakotaNebruska	39.50 34.50	32.30	43.00 36.00	42. 23	45.00 40.00	35. 20 37. 00	43 00	42.00 40.00	45, 25 39, 00
Kansas	33.00	30. 50	32, 90	33. 64	36.00	32.00	33.00	35 00	37.00
West North Central	34 41	30, 69	36 22	39 43	39. 51	33 71	38. 14	38, 79	40, 10
								====	
Kentucky	25. 70	25. 50	25.50	28.48	31 20	27.00	28 50	28. 50	28, 25
l'ennessee	21.50	21.50	23.00	25 13	26 00 21 00	23, 60	25 00	25 00	25.00
Alahama Mississippi Louisiana	16. 00 18. 00	17. 00 18. 10	18. 50 19. 50	10.49 20.73	20 00	20 75	21 00 20, 80	22, 00 22, 50	22. 60 21. 85
Lowisiano	20.50	19.90	19,00	20. 85	21 20	23 30	22. 40	22 00	23.75
Texas	23.80	23, 75	21.30	27.35	28 00	26 00	27 00	30.00	31.00
Oklahoma	24.50	23.90	27.00	25, 71	27 60	25 20	25. 00	28.00	30.00
Arkansas	20, 20	20 20	21.90	24.98	23, 80	22 40	23 50	24.00	23. 21
South Central	21.46	21.46	22 49	24.47	24, 92	23 55	24. 24	25 12	25. 76
Montana	42, 00	37. 50	46. 50	47.56	54. 00	47.00	47. 00	49 00	51, 80
Wyoming	39.00	36.00	41.00	47. 50	50.00	42,00	42.00	45.00	48.00
Wyoming Colorado New Mexico	23.70	32.40	3 3. 5 0	39, 72	40.60	33. 25	37, 00	41.00	40.80
New Mexico	33.60	91.80	23.50	31.33	36, 00	32.00	33.00	33.00	38.00
Arizona	40 00	45.00	50.00	45.75	45, 00	50.00	42. 60	47, 20	5G. 00
		41.50	40, 00	40, 00	<i>8</i> 4, 00	51.40	51 00	51.00	52.00
Nevas	50, 60	50, 00 42, 00	43, 00	45 00 53.12	61.00 56,00	52. 20 46. 70	58. 00_ 51. 00	59.00 51.00	55.00
Weshington	47. 50	43.40	45.00	52.00	60.60	46.40	49. 50	48.00	51.00 47.78
тэ алындыны	45.00	29.50	43.00	58.75	55.00	46.00	48.00	48.00	46. 90
Ne yada kdaho Washington Deegon	52.00	\$1.50	55.00	70. 96	62.00	58.00	58.00	57.00	57.00
Far Western	4 5, 38	42.78	45, 55	53. 35	55, 42	48. 54	49, 86	40. 98	50. 22
			No.	Carried Control					-

Table 705.—Wages: Male farm labor, by States, quarterly, Oct., 1922-Oct., 1984—Continued

PER MONTH, WITHOUT BOARD

	1922		1	923			19	24	
State and division	Oct.	Jan.	Apr.	July	Oct.	Jan.	Apr.	July	Oot.
Maine		\$54.00 60.00 47.00 62.00 65.00	\$53.00 55.00 55.00 77.00 75.00	\$66. 00 85. 00 62. 00 77. 50	\$67.00 74.00 59.00 78.00 77.00	\$62.00 70.00 62.00 82.00 75.00	\$61, 00 72, 00 64, 00 81, 00 72, 00	\$65.00 73.00 64.00 80.00 77.00	\$62, 00 71, 00 66, 00 79, 00 77, 00
Connecticut New York New Jersey Pennsylvania	65. 00 58. 00 60. 00 49. 00	61. 00 54. 00 59. 00 52. 00	70. 00 64. 00 63. 00 55. 00	81. 67 77. 95 76. 86 56. 76	76. 00 66. 00 74. 00 62. 00	74. 00 61. 00 70. 00 58. 00	75. 00 69. 00 71. 00 59. 00	77. 00 67. 50 72. 00 58. 35	76.00 67.50 70.00 58.90
North Atlantic	-	54 39	60. 41	67. 03	CO 96	63. 38	66. 66	66 41	66. 13
Delaware. Maryland Virginia West Virginia North Carolina. South Carolina Georgia. Florida.	41. 00 34. 60 50. 00 32. 00 22. 50 21. 70 38. 00	39.00 35 10 48.00 32.00 22.50 21.70 34 50	55. 00 43. 50 87. 20 52. 50 87. 00 22. 80 24. 00 84. 00	43. 33 39. 72 47. 50 37. 67 27. 46 26 51 87. 00	50. 70 48. 40 43. 00 55. 00 37. 00 26. 00 24. 80 36 70	46, 00 48, 00 40, 00 52, 50 37, 00 26, 00 26, 40 38, 00	50 80 49, 80 41, 00 52, 00 38, 50 28, 00 26, 30 34, 00	53. 00 49. 90 41. 00 52. 00 42. 00 29. 00 27. 25 37. 00	51. 00 49. 90 42. 00 53. 25 42. 00 30. 00 27. 50 38. 00
South Atlantic	31. 10	30.71	33. 69	35. 10	35 61	35. 32	85, 96	37. 32	37. 85
Ohio Indiana Illinois Michigan Wisconsin	43. 50 45. 60 50. 00	45.00 45.00 45.00 44.50 51.00	48. 00 47. 50 50. 00 53. 50 62. 50	53. 47 50. 92 54. 88 58. 34 66. 27	55, 00 50 10 53, 00 61 00 63, 50	52 00 48, 00 50, 00 56, 50 55, 00	52.00 50 00 56 00 58.60 61 10	52.00 48.00 55.00 57.00 62.50	52, 00 48, 00 53, 00 57, 00 62, 60
East North Central	47. 02	45. 84	51.81	56, 30	56. 12	52. 07	<i>8</i> 5 39	54. 76	54. 25
Minnesota	50. 30 39. 30 59. 00 59. 00 49. 80	44 00 49.00 37.90 43.00 49.50 48.50 44.60	51. 00 55. 50 41. 50 53. 00 62. 50 53. 50 48. 00	62. 78 58. 98 44. 12 59. 92 67. 14 61. 08 49. 68	59. 00 57. 00 43. 00 62. 30 63. 00 54. 00 51. 00	50. 00 51. 30 42. 00 48. 30 51. 30 52. 00 47. 00	55. 00 57. 30 42. 00 55. 80 60. 00 54. 00 48. 00	53. 00 57. 15 43. 00 59. 00 59. 00 52. 00 50. 00	60. 00 56. 20 43. 00 69. 00 68 50 53. 00 51. 00
West North Central	48. 78	44. 33	50. 12	55. 31	53, 54	48. 01	51 54	51.65	54. 35
Kentucky Tennossee Alabama Mississippi Louisiana Texas Oklahoma Arkansas	30. 50 24. 00 26. 00 30. 00 34. 40 37. 20	35, 40 30, 50 25, 50 25, 50 29, 00 34, 25 36, 00 29, 80	86. 50 82. 60 26. 50 28. 00 28. 50 86. 00 41. 70 82. 10	39. 99 35. 70 27. 59 29. 06 82. 46 39. 22 37. 45 33. 61	42. 00 36. 00 31. 00 29. 50 34. 55 40. 00 40. 35 34. 25	38. 50 32. 60 29. 00 30. 25 37. 80 38. 00 38. 00 32. 00	41. 00 34. 50 30. 00 30. 00 31. 78 40. 00 37. 00 34. 00	39. 50 35. 00 32. 00 31. 50 33. 25 44. 00 38. 00 35. 00	39. 50 35. 00 30. 00 31. 00 33. 50 44. 00 42. 00 84. 44
South Central	80. 96	81.08	32. 92	85. 01	85. 95	34, 44	84. 94	86, 34	36.38
Montana Wyoming Colorado New Mexico Arisona Utah Nevada Idaho Washington Oregon California	59. 00 51. 50 50. 00 58. 00 62. 00 70. 00	52. 50 60. 00 50. 50 47. 00 70. 00 59. 50 65. 00 60. 20 68. 00 52. 50 76. 50	64. 00 68. 00 54. 00 48. 50 75. 00 55. 00 68. 00 60. 00 80. 00	71. 67 70. 00 59. 25 44. 17 60. 00 75. 00 75. 71 77. 00 84. 50 98. 38	75. 00 75. 00 60. 60 56. 00 71. 00 80. 00 77. 00 82. 70 71. 00 87. 00	68. 00 67. 00 56. 50 48. 00 65. 00 71. 40 63. 75 65. 80 68. 70 68. 00 83. 00	68. 00 65. 00 68. G0 47. 00 66. 00 72. 00 90. 00 72. 40 72. 30 82. 00	68. 00 69. 00 61. 00 50. 00 65. 50 73. 00 86. 00 69. 00 68. 90 65. 00 83. 00	72, 40 62, 00 60, 30 50, 00 68, 20 73, 00 75, 00 72, 00 68, 50 64, 00 88, 00
Far Western	66. 81	62. 71	66. 82	74.00	77. 19	70. 63	72. 84	71.79	71. 08
United States	41. 58	40, 80	44.47	48. 14	48.70	45. 81	47. 62	48. 15	48. 52

Division of Crop and Livestock Estimates. Wages reported being paid about 1st of month.

TABLE 706.—Farm labor: Supply and demand, 1918-1924

		Farm l	abor sup	ply, per	cent of n	ormal	
Division	1918	1919	1920	1921	1922	1923	1924
North Atlantic	74. 7 74. 1 74. 0	82. 8 81. 9 86. 6 85. 6 83. 2 90. 0	62. 3 72. 5 68 4 77 8 72. 8 82. 1	92. 1 94. 3 95. 1 96 6 94. 3 102. 3	99. 2 97. 3 101 4 101. 1 97. 1 107. 0	73. 3 83. 0 76 5 89. 1 86. 7 91. 3	79. 8 77. 3 78. 1 92. 8 83. 2 96. 9
United States	72 9	84. 4	72. 4	95. 2	99 5	83. 6	83. 4
Division		Farm l	abor den	nand, pe	r cent of	normal	
Division	1918	1919	1920	1921	1922	1923	1924
North Atlantic South Atlantic East North Central West North Central South Central Far Western United States	99. 4 99. 8	101. 0 103. 9 101 2 100. 9 101. 3 102 4	107. 8 107. 4 106. 6 103. 4 104. 2 101. 5	92. 7 86. 6 91. 2 89. 1 83. 0 89 0	94. 8 88. 4 91. 0 89. 3 86. C 89. 9	95. 2 94. 2 95. 4 95. 5 93. 9 94. 0	90. 2 92. 6 87. 6 90. 9 90. 9 88. 5
		Sup	ply as a	percenta	ge of den	nand	
Division	1918	1919	1920	1921	1922	1923	1924
North Atlantic South Atlantic East North Central West North Central South Central Far Western	70. 4 75. 2 74. 2	81. 9 78. 8 85. 6 84. 8 82. 1 87. 9	57. 8 67 5 64. 2 75. 2 69. 9 80. 9	99 4 108. 9 104. 3 108. 4 113 6 114. 9	104 6 110. 1 111. 4 113. 2 112 1 119. 0	77. 0 88 1 80. 2 93. 3 92 3 97 1	88. 5 83. 5 89. 2 102. 1 91. 5 109. 5
United States	71 9	82, 9	68. 8	108 8	111. 4	88. 4	92. 8

Division of Crop and Livestock Estimates. Based upon reports of crop reporters of Apr. 1.

TABLE 797.—Farmers, farm and other agricultural laborers, 1930

			-			•	
		Total groups	61, 267 41, 780 51, 486 7, 614 86, 553	306, 009 68, 418 276, 732	358, 606 292, 367 378, 1 27 272, 443 292, 760	252 253 253 253 253 253 253 254 254 254 255 255 255 255 255 255 255	
		Total other agri- cui- tural work-	262 247 124 924 99	4.4.4. 4.28		368 368 313 525 354	
	T	Poul- try yard labor	35 205 21 61	448 215 201		68 68 11 14 11 14	
	tural wor	Poul. try raiser		215 807 567			
	표	ts ts	88 88 10 10 10 10 10 10 10 10 10 10 10 10 10		\$2 88 88 88 88	<u> </u>	
	Other	Ditch- Throok-	2002		48782	61 75 717 717 843	2,
2		Oitch- ers	1 ::::::	 :	" ·	4. 1. 4. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5. 1. 4.5.	c1
sh scattaide tavoreis, is so		Ţotaì	20, 463 9, 263 16, 289 25, 480 4, 225 17, 748		13, 440 98, 352 140, 122 78, 868 04, 166	4848525	
		Stock herd- ers, ers,	52 22 25		379 379 110 405 740		
300	orers	Garden den labor ers, etc.	964 325 309 1, 952 2, 407		341 796 561 277 482	310 769 130 150 957	
	Farm laborers	Ferm fore- man,			2, 554 2, 554 3, 554	ല്ജ്ജ്ല് ല്ല്	
	FF	Dairy- farm bor- ers		15, 072 1, 665 3, 321		52224523 24523	
in f (a)		Farm laborers (exclud fing tur- pentire)	એમ્.યુમ્યુસ 88.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86.88 86 86 86 86 86 86 86 86 86 86 86 86 8	88 191, 28 120, 28	078 392 497 726 205	103, 205 100, 897 117, 800 37, 116 38, 634 54, 176 57, 977	786
		Total	04 0,51 0,61 0,61 0,64 0,64 0,64 0,64 0,64 0,64 0,64 0,64	579 672 600	942, 987 97, 599 236, 015 191, 144 187, 856	182, 216, 449 15, 730 18, 730 140 33,	
		Other	01 cc cc \$2 cc 5d		788	3884440	
	mers	Stock			3,05 1,25 25,05	ಹಿನ್ನು ಅಭ್ಯಕ್ಷ ಕ್ರಾಪ್ತಿಕ್ಕಾಗಿಯ	
ļ	F	Gen rs,	2, 559 379 877		828 492 7173 1173 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	201 158 263 951 628	
		v	1, 256 928 5, 957 1, 713 1, 672		4.1.4.4.4.4.4.2.2.4.5.4.5.4.5.4.5.4.5.4.5.4		
			88 41 19,09 18,09 18,79 19,79 19,79 19,79 19,79	35, 19, ww 62, 755	223 885 18 751 224 885 18 346 16 751	ਸ਼ਫ਼ੑਫ਼ੑਫ਼ਸ਼ਸ਼ੑਫ਼ਫ਼ ਫ਼ਫ਼ਫ਼ਫ਼ਸ਼ਸ਼ਫ਼ਫ਼ ਫ਼ਫ਼ਜ਼ਫ਼ਫ਼ਫ਼ਫ਼	
		c divi	Maine New Ha Vermont Massachus Rhode Islai Connection New England	New York. New Jersey Penns / Ivan		E. N. Central. Minne Ilowa. Missouri North Di South Pr Nobra Kausa	W. N. Central.

17, 382 90, 691 20, 695 119, 667 468, 819 418, 578 601, 875 107, 464			28.18.92.28.28.28.28.28.28.28.28.28.28.28.28.28	100, 989 78, 961 269, 827	
88 88 84 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	192 126 162		323222		ا تھ
*#n%#154%		4524	0 00 00 A 10 A 00		98
8 <u>6</u> 288 28	222	288			88 ā
적단하다		なるみないほ	2	8:18	
228		18 35 222 192	27 91 133 141 141		
	212223	8887		1, 85 to	165 179
7, 213 46, 018 606 119, 317 40, 749 202, 273 226, 891 591, 656 53, 740	243 243 243 243	67, 255 41, 014 08, 996 139, 578	38. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8.	88.7.7.8% 1.0.0%	
111 114 277 277 105 119 59 188 188 273	872 80 872 80 80 80 80 80 80 80 80 80 80 80 80 80			197 703 29 5	
8, 233 9, 233 11, 198 11, 528 9, 010		% % % % % % % % % %		3,659 1,960 30,419	137,0
1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1, 309 1,	2,558 11,464 11,941	ب الما الم	988 53 16. 16. 16. 19. 19.	444 888	8, 85
	409 630 414 227	185 450 237 517			63, 367
6, 462 40, 577 198 110, 519 36, 495 198, 328 223, 445 284, 891 43, 843	947, 059 124, 411 144, 211 240, 035 222, 485		్లో చై చిల్లో చేస్తే చేస్తారు. మార్క్ మార్ట్ మార్క్ మార్క్ మార్క్ మార్క్ మార్క్ మార్క్ మార్క్ మార్క్ మార్క్ మార్క్ మార్క్ మార్క్ మార్క్ మార్క	K K H H H	56
10, 10¢ 44, 336 172, 356 172, 167 18, 217 191, 555 309, 981 53, 277	262, 211 246, 261 254, 422 272, 568	234, 748 137, 674 203, 869 447, 382	62,44 16,48 16,88 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87 17,87		6,371,717
:01:04G :07			0H-XIH6		130
264 255 35 35 35 35 35 36 37	138 139 17	287 2,661	4,1,92,6,4,0,00,00,00,00,00,00,00,00,00,00,00,00		10,
1,177 5,305 1,54 1,466 1,466 1,115 7,794	44 -1 8878		2, 23, 25, 25, 25, 25, 25, 25, 25, 25, 25, 25		45,
		459 458 513	5.84.85.88 88.88 88.88	40°1-	118, 813
8, 904 88, 526 115 104, 416 74, 664 190, 772 308, 520 44, 752		200, 311 420, 499	444. 444. 444. 444. 444. 444. 444. 444	4	
Delaware Maryated Dist. Celumbla Virginia West Whithia North Carolina South Carolina Florida	South Atlantic Kentucky Tennessee Isbams fississippi	E. S. Central Arkense. Louistans. Okiahoma. Texas.	W. S. Central. Montana. Idabo. Myonting. Colorado. New Mexico. Artzona. Utah. Neveda.	Memtain Washington Oregon California	Pacific

tatistical and Historical Research. Compiled from reports of Bureau of the Census.

Divisi

PRICES OF ARTICLES BOUGHT BY FARMER

1925
1923-Jan
Jan.
quarterly
farmers,
7
bought b
f articles
TABLE 708.—Prices of

Unit

7	vice Dopuloin	end of my	recurrent, 1000	,
	5	4. 11. 18. 18. 18. 18. 18. 18. 18. 18. 18	8 . 44 . 4 . 42 . 4 8 2 3 5 2 8 1 5 4	1,7,5,8,4,1 8,13,13,13,8
	2	. 4 . 1 9 8. 29. 8. 29. 6. 7. 29. 29. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6.	82828888888888888888888888888888888888	21. 28.28 28.28 24.19 24.19 24.19
	20.249 	237 1.202 1.83 2.33 26.182	28. 11. 11. 88. 17. 1. 1. 10. 17. 17. 17. 17. 17. 17. 17. 17. 17. 17	12 8 8 8 12 12 12 12 12 12 12 12 12 12 12 12 12
	72.00 	4 .1 .8 .8 88 88 88 88 88 88 88 88 88 88 88	4 . 11 . 1 . 28 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	20, 20, 37, 52, 53, 53, 54, 54, 54, 54, 54, 54, 54, 54, 54, 54
	. 096 1.00 1.170 . 1770 . 107 . 191	23. 2. 239 3. 68 27. 198 27. 38	28.27. 1. 1. 38.23.3 39.28.31.38.33.33.33.33.33.33.33.33.33.33.33.33.	21. 76 36. 48 84. 91 37. 51 1. 86
	1821.821.831.	4.35 1.205 1.81 3.619 3.63 2.182 2.182	4 .11 .1 . ² & 4 . 58:3883844	87.7 80.0 82.0 82.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83
	20.22 100 100 100 105 172 172 188	28. 1.77 1.1.77 1.619 2.619 2.173	25. 1. 1. 83. 25. 38. 88. 38. 88. 38. 38. 38. 38. 38. 38	20.43 37.44 67.33 40.17 3.34 1.75
1	20, 270 1111 110 1.10 1.13 1.13 1.13 1.13 1.13	25. 1. 288 2. 28. 28. 28. 28. 28. 28. 28. 28. 28. 2	4	20. 36 37. 60 67. 32 89. 73 1. 79
	\$0.279 .104 .317 1.10 .173 .088 .223	4.28 1.189 1.62 3.573 3.48 25.83	27. 1. 1. 1. 27. 1. 1. 1. 1. 1. 2. 23. 28. 28. 28. 28. 28. 28. 28. 28. 28. 28	20 18 35.53 64.70 37.37 3.16
			1% 28 28 28 28 28 28 28 28 28 28 28 28 28	
ļ				and m.
			197e 2	nc., ncb i nber, y-mi
		"ork fork fork.es	s, cotto for sw plates, fa, Mas pan, cas chair, b, glass by 12, ti by 12, ti	common. rough, 1-i
3		BB BB COB	Blanket Brooms Dinner Fruit ja Frying I Kitchen Oillam Ru Ru Wi itul	erezzh Freg
p	ξ .	5		

.44 88 8	16.28 8.99 187 173	9. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6.	57.97 4.82 8.82 8.82 8.82 1. 700 1. 100 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	7, 17, 13, 13, 13, 13, 14, 18, 18, 18, 18, 18, 18, 18, 18, 18, 18	22828 22828
.44 888	16.12 8.84 .183	25. 140 25. 140 25. 140 25. 140	25 25 25 25 25 25 25 25 25 25 25 25 25 2	21. 32 18. 82 3. 80 49. 51 3. 47	1.29441 8342488
6.2. 6.93 6.02	16.02 8.91 . 221 . 176	83. 5.18 83. 139 83.00 84.79 104.84 125.41	82.1.1.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2	19.48 15.28 4.7.51 2.52	148414 552822
. 4. 4. 8.88	15.62 9.43 .237	9.87 5.19 5.13 83.52 8.52 4.93 01.66	8 4 4 8 4 5 4 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	82 44 44 44 88 88 88 88 88 88 88 88 88 88	-44444 2448 2448
1. 02 2. 97 5. 93	16.29 9.50 . 199 . 174	10. 27 5. 19 7. 136 5. 31 5. 00 108 99 222 81	44 21 22 21 22 25 25 25 25 25 25 25 25 25 25 25 25	21.00 17.08 5.58 52.71 3.53	1.99991 848822
3.00 5.99 5.99	16.11 9.51 169	10.44 5.19 . 135 84.06 4.85 103.00 217.19	88.88 88.88 1	82 84 82 82 84 82 88 88	78872 78872 78872 78872
1.06 8.02 6.01	15 71 9.69 . 247 . 181	10 91 5.26 1.134 81 91 4 96 103 45 217 97	25.25 5.25 81.33 1.08 91.39 13.21 6.41 6.41 4.23	21 31 17.87 5 62 49 41 3.76	-44444- 8858338
3.00 5.90	15.76 10.30 . 259 . 181	10.85 5.05 . 137 80.61 100.48	54 51 59.88 59.88 76.92 . 67 . 67 1 13 89.54 6 29 6 29	21 18.12 5.38 48.68 8.88 8.88	- 188288- 848388
1.85 88 88	16. 16 10. 70 233 177	10 77 4 87 79. 132 79. 10 97. 44	53. 36 5. 50 5. 50 74. 33 74. 33 1. 69 1. 69 55. 10 6. 51 12. 28 12. 28	20.10 18.70 48.03 62.03	386113
108 square feet	Ton do Gallon do	Bach 100 pounds Pound Each do do	do do do do do Pound Gallons Each do do do do Bale Pound Each	Ton do do 100 pounds	90000000000000000000000000000000000000
composition, 3-ply composite, 29 gauge steel, galvanized, 25/4-inch corrugated, 29 gauge		Machinery and equipment: Muto tires, fabric, 30 by 314 inches Barbed wire, galvanized Binder twine Cantringal hand cream separator, 250-quart capacity Dairy milk cans, 10-gallon Engines, gasoline; 3 horsepower Cantrin bindes, 7-foot	2 bottom.	Acid phos te, 16 per cent Kainit Limeson ound Muriste of tesh	Corn mea Corn mea Cottonsee eal Linseed mi Linddlings

Division of Crop and Livestock Estimates. Averages of local prices reported quarterly.

Table 709.—Food, per capita consumption: Average quantity of specified articles for one year

	jor	one yea	r				
			Pe	r capita co	onsumptic	n	
Article	Unit	North Atlantic States	South Atlantic States	North Central States	South Central States	Western States	United States
Meats: Beef, fresh, steak Beef, fresh, rosat Beef, fresh, stew Beef, fresh, other Beef, salt, corned Beef, salt, dried	Pound	11 02 11. 92 10. 64 2. 76 2. 94 . 36	12. 43 8. 12 5. 37 1. 57 . 25 . 29	14 06 13. 12 9. 33 4. 62 . 52 . 25	14, 46 9, 20 6, 30 1, 48 . 06	17 26 16.54 10.91 3.41 1.22	13 49 12 22 0. 12 8. 16 1. 24
Total beef	do	39. 64	28. 03	41 90	31. 56	49 51	39. 47
Veal	do	3. 36	1 88	3. 67	2 64	4. 18	3. 31
Pork, fresh Pork, salt, bacon Pork, salt, ham and shoulder Pork, salt, side, diy Pork, salt, side, pickled	do do do	6 38 2. 64 5. 36 . 70 . 58	10. 45 4 00 7. 47 4 18 1. 69	10. 40 3. 65 2. 71 . 65 . 12	9 26 4 02 3, 62 4, 90 . 76	5 46 3 89 2, 30 . 43 . 13	8, 27 3 47 4 06 1, 53 51
Total pork	do	15 66	27. 79	17 53	22 56	12 21	17. 84
Mutton chops	do do 'to	1. 48 2 62 2. 26 . 04	. 24 . 25 . 16 . 02	. 40 . 40 . 83 . 02	.06 .16 .10	2. 65 2 02 1 93 . 04	1 02 1 27 1 24 . 02
Total mutton	do	6 40	. 67	1 65	. 32	6 64	3, 55
Poultry, hens Poultry, other	do	5 02 . 58	5 84 . 57	4 65 - 54	4 56 .50	4 04 1. 04	4 78 . 63
Total poultry	do	5.60	6 41	5. 19	5 06	5 08	5. 41
Sausage	do do do	2 28 1, 92 . 20 . 92	4. 27 1. 84 . 08 . 90	4 19 1 90 . 21 1 44	4 02 1 68 . 08 . 86	2 70 1, 59 , 07 1 39	3 37 1.82 .16 1.14
Beef, canned Pork, canned	do	.10	. 29	.04	. 12	.04	. 10
Total canned meat	do	. 14	. 48	. 08	. 26	. 13	. 16
Ham, cooked Tongue, cooked Other meat, cooked	do do	1 58 . 04 2. 64	1. 02 . 04 2 20	2 10 .04 3 12	.96 01 1 46	. 98 . 02 1. 15	1. 51 . 02 2 37
Total cooked meat	do	4.28	3 26	5 26	2 43	2 15	3 90
Total, all meat	do	80.38	75 58	83 02	71.47	85. 60	80 13
Sea food: Fish, fresh Fish, salt Fish, canned, salm	do do do	9.78 1.32 1.98 .34	6 12 1 33 1.71 .20	4. 25 65 1 85 . 27	2. 98 . 28 1. 80 . 22	7.35 .74 1.37 .37	6. 41 . 90 1. 80 . 29
Total fish	đo	13.42	9 36	7 02	5 28	9. 88	9. 40
OystersOther sea food	Quart 1 Pound	. 42 . 36	1 04 . 25	. 27 . 02	1 00 .86	. 22 . 48	. 47 . 31
Total sea food	đo 1	14.62	11 69	7. 58	8. 14	10. 75	10.65
Milk and milk products: Milk, not skimmed. Milk, skimmed. Milk, condensed or evaporated. Buttermilk Cream. Loe cream. Butter.	Quartdo Pound Quartdodo	84,88 ,28 10,32 1,06 ,29 1,40 15,28	30. 39 . 12 18. 12 17. 71 . 10 1, 24 12. 82	69. 10 . 50 10. 77 3. 83 . 48 1. 40 10. 62	36. 54 .09 14. 34 30. 48 .08 .74 18. 24	75. 11 -59 19. 72 5. 80 -48 1. 20 18. 72	68. I2 .41 I2. 60 7. 96 .81 1. 27 I3. 78
Cheese, ordinary American Cheese, other	de	2, 48 . 59	2.55 .12	2.35 90	2, 12 , 14	2.83 .59	2. 45 . 86
Total cheese.		2.96	2.67	8. 25	2.26	3. 42	8.00
							_

¹ Oysters weigh 2 pounds a quart (Center Market, Washington, D. C.)

Table 709.—Food, per capita consumption: Average quantity of specified articles for one year.—Continued

Jo	r one yea	17COI	ivinuea				
		***************************************	Pe	r capita co	nsumptio	on	
Artiole	Unit	North Atlantic States	South Atlantic States	North Central States	South Central States	Western States	United States
Oleo	Pounddo	2. 12 . 98 . 62	1. 31 . 45 . 18	6. 81 1. 54 . 33	2, 48 , 48 , 98	1. 35 . 26 1. 50	8. 41 . 92 . 65
LardLard, compoundLard substitutes	do do	6 10 1 34 1.08	10 10 6.31 2 00	9. 52 1. 58 1. 04	7. 34 7. 22 4 44	4.30 1.65 4 37	7. 47 2 71 2. 08
Total lard and lard substitutes	Dozen	8, 52 13 90	18. 41 11 90	12. 14 10 75	19. 00 11. 76	10. 32 14. 59	12. 26 12. 49
Grain products: Flour, wheat Flour, rye Flour, other Corn meal	1		70. 73 . 39 10. 98 34. 45	51. 73 2. 75 7. 81 9. 46	70. 38 . 34 5. 18 35. 96	52, 02 1, 52 10, 17 8 24	53. 08 1. 57 7. 58 14, 16
Total flour and meal.	Ì	54 84	116. 55	71 75	111 86	71. 95	76.34
Hominy or grits Cornstarch	do	. 20 1 24	8. 06 . 45	. 56	5. 20 . 32	. 48 1. 24	1, 84 . 92
Breakfast foods: W heat	do do do	1 48 1.34 8 94 .16	. 53 1. 14 5 67 . 10	1. 12 1. 21 8. 33 . 10	.74 1.12 7 22 .04	2. 13 1. 04 8. 70 . 37	1. 27 1. 20 8. 08 . 14
Total breakfast foods		11. 92	7. 44	10.76	9 12	12. 24	10.69
Bread, wheatBread, ryeBread, other	do do	104. 54 12. 80 1 46	46. 30 5 08 . 22	81. 71 6. 40 1. 15	69. 84 . 56 . 14	73. 28 1. 48 1. 26	81. 16 6. 63 1. 02
Total bread	do	118, 80	51 69	89, 26	70. 54	76. 02	88. 81
Rolls and buns	do do	5, 44 3 68 3 84	1. 84 1 78 2 24	5. 35 3. 46 3. 46	1. 14 2 40 2, 02	1. 54 3. 04 2. 96	3. 86 3. 12 8. 16
Total rolls, etc	do	12 96	5. 86	12. 27	5 50	7. 54	10, 14
Total bread, rolls, etc	do	131 76	57. 55	101. 58	76. 10	83, 56	98 95
Macaroni, spaghetti, and noodles	do	4. 72 6 32	2. 48 9 37	3. 77 5 31	4 90 9 34	5 02 5. 50	4. 20 6. 55
Total all cereal products and foods.	do	211.00	201, 85	194. 56	216.84	179.99	199. 49
Ples Tapioca and sago Sugar Molasses, sirup, and honey Candy Checolate	do do do do	1. 50 . 42 28. 94 4. 68 2 40 . 12	. 43 . 10 27 86 8 82 2. 29 . 22	.73 .27 31 71 6.21 2.06	. 18 . 06 27. 54 13. 34 2. 08 . 16	. 52 . 46 33. 39 6. 28 1. 93 . 61	. 82 . 31 80. 10 6. 86 2. 16
Fruits, fresh: Apples. Peaches Bananas Lemons. Oranges Grapes. Barries Cantaloupe Watermelou Other.	Peck Dozen	8. 28 . 38 2. 26 . 54 1. 12 2. 58 2. 10	3 06 . 88 1. 43 . 73 1. 65 2. 39 2. 65 1. 67 . 98 4. 73	4. 08 . 33 2. 19 . 67 1. 21 4. 00 2. 31 1. 04 . 27 5. 12	2, 92 , 80 2, 20 1, 00 1, 62 2, 04 2, 70 1, 68 1, 00 5, 36	3. 39 7. 82 1. 78 1. 04 1. 48 4. 80 8. 59 2. 04 . 35 15. 98	3. 47 . 53 2. 04 . 78 1. 33 3. 31 2. 58 1. 18 . 41 6. 39
Fruits, dried: Apples Prunes Raisins. Peaches Other	do	. 10 2. 66 1. 88 . 14 . 24	. 59 1. 55 . 88 . 63	. 10 2. 23 2. 81 . 31	. 82 1. 38 1. 28 1. 26 . 44	. 09 1. 85 2. 89 . 11 . 24	. 24 2. 10 1. 99 . 37
Total fruit, dried		5, 02	8. 79	5. 45	5. 18	4, 68	4. 94
m want	i				-	-	-

Table 709.—Food, per capita consumption: Average quantity of specified articles for one year—Continued

enterent and residence reported to the residence of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s			Pe	r capita co	nsumptio	on.	
Article	Unit	North Atlantic States	South Atlantic States	North Central States	South Central States	Western States	United States
Fruits, canned:							
Peachos	Pound	0.74	1. 27	0.69	1.30	0.70	0.84
Pineapple Other	ldo	. 28 . 38	.39	.44	.46	.85	. 45 . 39
	l I						
Total fruit, canned	do	1.40	1. 97	1. 51	2.18	2. 05	1. 68
Jellies, preserves, marmalades, etc Peanut butter	do	1. 12 . 56	1.06 .47	1. 02 . 81	1. 52 . 84	. 98 1. 02	1. 10 . 73
Vegetables, fresh:						-	
Potatoes	do	155. 58	95. 41	170.71	98.40	146.76	144, 73
Potatoos, sweet, and vama	do	3. 68 12. 84	36.04	3. 71 14. 79	84. 12 11. 06	8. 63 11. 67	10, 92 12, 88
Cabbage	Peck	. 46	11. 61 . 47	40	. 34	. 54	.43
Peas	do	. 22	. 85	. 23	. 68	. 39	, 83 1, 00
Beans, string Tomatoes	do	. 76 18. 74	1. 45 21. 82	1.06 23.33	1. 38 20. 12	. 74 17. 85	1.00 20.40
Onions	do	14. 34	11. 59	12. 92	15.78	12.43	13. 37
Onions Corn	Dozen	1. 86	1. 73	1. 25	1.34	1.80	1.35
LettuceCeleryBeets.	Head	4.12 1.56	2.76 1.18	6. 25 2. 00	5.08 1.04	9. 52 2. 26	5.59 1.69
Reets	P. und	3. 20	2.88	4.67	3.46	4.57	3.86
Carrots	6 7	5. 12	. 98	4.85	1.60	8. 24	4, 63
Turnips	do	4. 20	5.02	3. 48 1. 17	4.98	8.48	4.02
Sauerkraut	Runch	.78	. 57	. 33	. 44	. 33	. 76 . 31
Asparagus Other	do	3, 96	8.82	4.96	6.62	6.83	5, 59
Vegetables, dried:							
Beans	Pound	4.68	5. 25	5. 35	4. 98	8.43	4.78
Peas.	do	. 52	1. 53	. 38	1. 92	. 17	. 69
Other	do	1, 78	3. 04	1, 04	4. 64	2.70	2, 16
Total vegetables, dried	do	6, 98	9. 82	6, 77	11. 54	6, 30	7. 63
Vegetables, canned:		1, 70					
Beans, baked	ao	1.70	1, 51	1. 23	. 82	. 89	1.81
Peas.	do	1.90	1.39	2.46	1.64	1. 91	1. 98
Corn	do	1.64 2.88	1. 65 3. 96	2. 62 2. 21	2.14 6.14	2. 26 2. 57	2. 10 3. 10
Tomatoes	do	.04	.06	.06	.06	- ii	. 06
Other	do	. 26	. 45	.69	. 64	.41	. 49
Total vegetables, canned, not in- cluding baked beans	do	6. 72	7. 51	8. 04	10 62	7. 26	7. 73
Gelatin	do	. 18	.10	. 83	. 18	. 28	. 22
Canned soup	do	1.68	.55	.75	.68	.74	.98
Tea	do	2, 54 6, 82	. 88 8, 27	. 92 9, 10	. 56 9, 42	1. 13 7. 09	1. 37 8. 02
Coffee substitutes	do	.10	.16	.15	.08	.15	. 12
C0008	do	1.32	. 51	.88	.72	.85	.94
Nuts.	do	. 56	. 59	1,06	. 68	1, 39	. 86
Other foods. Lunches.	Number	. 28 12, 02	6.78	. 27 13. 10	. 20 11. 58	12.78	11, 78
	1		1				

Division of Statistical and Historical Research, compiled from Bureau of Labor Statistics bulletin 357. In 1918-19 the United States Department of Labor, through the Bureau of Labor Statistics, working in cooperation with the National War Labor Board, made an investigation into the cost of living in industrial centers in the United States. This investigation covered white families in 92 cities or localities in 42 States, the cities varying in size from New York to small country towns of a few thousand population. In the selection of families to be included in the inquiry the requirements to be met were, that—1. The family must be that of a wage earner and the low or medium salarled families of the locality. 2. The family must have as a minimum a husband and wife and at least one child who is not a boarder or lodger. 3. The family must have kept house in the locality for the entire year covered.

4. At least 75 per cent of the family income must come from the principal breadwinner or others who contribute all earnings to the family tund. 5. All items of income and expenditure of members other than those living as lodgers must be obtainable. 6. The family may not have boarders nor over three lodgers, etther ortaiders or children living as such. (Does not refer to or include relatives, servants, nurses, etc., temporarily in the home, who were furnished board free.) 7. The family must have no subrental other than furnished rooms for lodgers. 8. Sium or charity families or non-English speaking families who have been less than five years in the United States should not be taken.

FARM EQUIPMENT

TABLE 710.—Farm equipment manufactured and sold in the United States, 1920-1923

Vana	Manu	factured		the United ates	Sold fo	r export
Year	Number	Value	Number	Value	Number	Value
Planting machinery:						
1920	472, 248 310, 855	\$20, 097, 000	498, 853	\$21, 612, 000	16, 822	\$1, 458, 000
1921 1922	189, 230	8, 441, 000 4, 214, 000	209, 572 192, 415	5, 870, 000 5, 241, 000	9, 689 8, 613	466, 000
1923	109, 200	9, 588, 000	102, 410	9, 251, 000	0,013	449, 008 855, 000
1923 Plows and listers:				' '		000,000
1920	1, 361, 578 566, 209	43, 222, 000 13, 007, 000 9, 680, 000	1, 215, 979 407, 760 455, 836	37, 699, 000	221, 077 102, 262	7, 200, 000
1921	566, 209	13,007,000	407, 760	9, 071, 000	102, 262	2, 048, 000
1922	441, 800	24, 252, 000	450, 850	11, 215, 000 20, 086, 000	58, 133	1, 401, 000 4, 673, 000
1923 Tillage implements:		27, 202, 000		20,000,000		4,010,000
1920		22, 919, 000		20, 636, 000		1, 665, 000
1921		10, 436, 000 4, 777, 000 11, 483, 000		7, 488, 000 5, 472, 000		980,000
1022		4, 777, 000		5, 472, 000		325, 000 727, 000
1923		11, 483, 000		10, 435, 000		727,000
Cultivators:	580, 179	15 186 000	589 830	17, 296, 000	45 863	670, 000
1921	447, 627	15, 186, 000 8, 265, 000	589, 830 368, 365 305, 773	6. 545. 000	45, 863 41, 939 12, 723	282, 006
1921 1922	447, 627 259, 535	4, 272, 000 13, 347, 000	305, 773	5, 571, 000 13, 086, 000	12, 723	226,006
1923 Haying machinery:		13, 347, 000		13, 086, 000		500,000
Haying machinery:	411 770	04 700 000	000 110	10 007 000	04.013	0 000 000
1920	411, 556 219, 429 154, 367	24, 703, 000 10, 230, 000 7, 625, 000	338, 112	19, 607, 000	94, 011	1 907 000
1022	154, 367	7, 625, 000	139, 412 189, 567	8, 831, 000	39, 968 14, 320	6, 230, 000 1, 807, 000 734, 000
1923	201,001	15, 503, 000		6, 776, 000 8, 831, 000 14, 018, 000		2, 085, 000
1923 Harvesting machinery:		1 ' '			l	1 ' '
1920	232, 177 119, 111	41, 015, 000 18, 028, 000 11, 822, 000	168, 829	30, 626, 000	41, 334	7, 339, 000
1921 1922	80, 565	11 922 000	60, 667 80, 337	8, 977, 000 11, 242, 000	33, 933 16, 512	7, 339, 000 5, 840, 000 2, 747, 000
1922	80,000	26, 278, 000	80,001	17, 033, 000	10, 512	10, 792, 000
1923_ Machines for preparing crops for		20, 210, 000		11,000,000		10, 102, 000
market or use:		1				
1920	196, 772 87, 938	85, 612, 000	159, 918	34, 749, 000	30, 220	3, 010, 00 0
1921	172, 258	21, 436, 000	64, 459 146, 938	15, 032, 000 19, 873, 000	9, 670 39, 024	1, 988, 000 3, 487, 000
1923	112,200	18, 294, 000 30, 761, 000	140, 550	22, 918, 000	55,021	5, 838, 000
Tractors:		1 20,100,000		22, 020, 000		5,000,000
Gas					l	
1920	203, 207	193, 563, 000	162, 988	161, 896, 000	29, 143	30, <u>85</u> 0, 000
1921	73, 198 99, 692	50, 295, 000 52, 178, 000	101, 192	52, 440, 000	10, 232	6, 4 58, 000
1928	134, 610	02, 110, 000	101, 102	02, 110, 010	10, 202	0, 100, 000
Steam-	102,020					
1920	1, 766	4, 661, 000	1,401	8, 903, 000	121	370, 000
1921	1, 168	2, 874, 000	724	1, 737, 000	72	188,000
1922	396 620	1,065,000	519	1, 421, 000	56	223, 000
1923 Horse-drawn vehicles .	020					
1920	449, 005	42, 423, 000	430, 459	40, 929, 000	3, 810	339, 000
1921	92, 816	8, 861, 000	(1)	(1)	(¹) 2,028	1 (1)
1922	143, 548	11, 953, 000	158, 207	13, 410, 000	2,028	116,000
1923 Barn and barnyard equipment:		24, 333, 000		22, 936, 000		1,041,000
1921	1	430, 000		437, 000		
1922		4, 536, 000		4, 306, 000		3,000
1923		9, 910, 000		9, 636, 000		100,000
Missallamaanss	1	00 544 000		n 400 000		P 40F 000
1920		175 799 000		82, 429, 000		7, 495, 000
1029		93, 544, 000 175, 738, 000 79, 224, 000		(1) 83, 886, 000		(1) 5, 494, 000
1920		105, 463, 000		95, 006, 000		8, 056, 000
Grand total:						
1920 1921		586, 945, 000		471, 442, 000		66, 626, 000
1921		328, 041, 000		222, 908, 000		21, 663, 000
1922		209, 640, 000		#44, 800, UU		21, 000, 000
1940	*		J			

Division of Statistical and Historical Research. Figures for 1920, Bureau of Public Roads. Figures for 1921-1923, Bureau of the Census.

The sales statistics for 1921 relate exclusively to complete machines and were compiled almost wholly from returns made by 427 establishments classified in the "agricultural implements" industry. No sales data were collected for that year from establishments manufacturing gas tractors, horse-drawn vehicles, barn equipment, and miscellaneous farm equipment.

Figures for 1921 relate to barn equipment only. No data for 1920.

Table 711.—Bankrupicy among farmers: Cases concluded in fiscal years ended June 30, 1921-1924

		1921			1922			1923			1924	
State		Far	ners		Fari	11076		Fari	ners		Fari	ners
3.30	Total	Num- ber	Per cent of all cases	Total	Num- ber	Per cent of all cases	Total	Num- ber	Per cent of all cases	Total	Num- ber	Per cent of all cases
Maine New Hampshire Vermont Massachusetts Rhode Island	420 53 85 728 50	14 9	14.8 5.7 18.5 1.2 2.0	431 123 166 901 72	51 7 21 16 1	11.8 5.7 12.7 1.1 1.4	658 76 100 1, 592 166	94 12 20 5	14. 3 15. 8 20. 0	904 130 101 1, 476 128	136 6 27 11 1	15. 0 4. 6 26. 7 . 7
Connecticut New York New Jersey Pennsylvania Ohio	128 2, 029 297 421 460	2 81 5 25 23	1. 5 8. 0 1. 7 5. 9 5. 0	201 2, 076 277 571 680	2 38 4 35 64	1.0 1.8 1.4 6 1 9 4	399 3, 128 502 1, 165 1, 279	15 96 4 48 156	3.8 3.1 .8 4.1 12.2	560 3, 633 535 1, 218 1, 531	15 105 14 52 209	2.3 2.9 2.6 4.3 13.7
Indians Illinois Michigan Wisconsin Minuesota	124 897 220 232 480	11	12.9 1.6 .5 4.7 11.9	245 1, 012 434 364 651	89 81 11 32 180	24. 1 8. 0 2. 5 8. 8 29. 0	333 1, 714 909 696 1, 023	84 192 27 110 291	25. 2 11. 2 3. 0 15. 8 28. 5	403 1, 923 814 914 1, 452	1	25. 1 10. 1 5. 4 14. 9 29. 6
Iowa Missouri North Dakota South Dakota Nebraska	273 201 146 78 86	22	27. 3 7. 3 63. 7 31. 6 9. 3	794 486 302 78 184	368 51 237 38 60	52, 3 15, 1 78, 5 52, 1 32 , 6	935 560 749 232 259	489 105 615 148 132	52. 8 18. 8 82. 1 63. 8 51. 0	1, 317 1, 106 1, 047 373 515	663 238 782 236 172	50. 3 21. 5 74. 7 63. 3 33. 4
Kansas Delaware Maryland Dist. Columbia Virginia	211 20 84 35 516	5	21. 3 6. 0 4. 7	328 35 159 35 726	118 8 17	84. 5 8. 6 10. 7 5. 5	588 29 170 59 1, 32 0	225 2 37 87	38. 3 6. 9 21. 8	787 46 8 07 72 1, 167	264 6 42 0 84	35. 8 13. 0 13. 7 7. 2
West Virginia North Carolina South Carolina Georgia Florida	220 63 58 1,063 111		4.6 8.2 6.9 22.7 9.9	2 8 8 1 54 115 2, 344 145	12 13 1 588 4	4.5 8.4 .9 25.1 2.8	328 215 246 2, 918 348	7 16 24 772 14	2. 1 7. 4 9. 8 26. 5 4. 0	348 319 416 3, 386 305	11 36 30 848 22	3, 2 11, 3 8, 7 25, 0 6, 0
Kentucky Termessee Alabama Mississippi Arkanses	188 724 1,419 239 163	21 24 43 12 17	11. 2 3. 3 3. 0 5. 0 10. 4	222 1, 133 2, 461 265 266	48 46 100 12 72	19.4 4.1 4.1 4.5 27.1	587 1, 600 1, 977 462 454	88 118 181 33 76	15. 0 7. 4 9. 2 7. 1 16. 7	605 1, 689 2, 125 582 560	104 112 218 49 104	17. 2 6. 7 10. 3 8. 4 18. 6
Lonistana Oklahoma Texas Montana Idaho	114 126 383 226 80	12 13 82 82 19	10. 5 10. 2 21. 4 34. 2 23. 8	219 240 628 363 169	32 28 122 215 79	14. 6 15. 8 19. 4 59. 2 46. 8	423 551 1, 2 08 611 29 2	129 81 253 366 160	30. 5 14. 7 20. 9 59. 9 54. 8	488 956 1, 523 855 414	171 138 375 551 231	35. 9 14. 4 24. 6 64. 4 55. 8
Wyoming	24 212 20 21 151	8 48 2 1 17	33. 3 22. 6 10. 0 4. 8 11. 8	42 249 87 40 177	12 77, 8 9 22	28. 0 30. 9 8. 1 22. 5 12. 4	56 368 17 105 235	14 115 3 37 32	25. 0 32. 2 17. 7 35. 2 13. 6	102 341 144 82 802	36 128 28 31 35	35. 3 37. 5 19. 4 37. 8 11. 6
Nevada ** Washington Oregon California	281 407 682	28 11 57	11. 1 2. 7 8. 4	21 377, 370 1, 004	2 49 83 110	9.5 12.0 8.9 11.0	727 727 717 1, 150	131 110 183	18. 0 15. 3 15. 9	5 874 799 1, 760	213 91 236	24. 4 11. 4 13. 4
United States.	15, 162	1, 363	9. 0	22, 482	3, 236	14. 4	34, 236	5, 940	17. ±	41, 524	7,772	18.7

Division of Agricultural Finance. Compiled from annual reports of the Attorney General.

FARMERS' INCOMES

Table 712.—Farmers' incomes: Returns from farming, 1922 and 1923

	North Atlantic	tlantic	South Atlantic	tlantic	tlantic East North West No	Yorth	West North Central	Vorth	South Central	entral	Western	Gern	United States	States
	1922	1923	1922	1923	1922	1923	1922	1923	1922	1923	1922	1923	1922	1923
Number of reports. Size of farms Value of farm real estate Value of farm personalty (Jan. I)	648 148 \$8, 748 3, 043	1, 800 143 3, 200 3, 020	803 206 \$9 , 565 1, 857	2, 131 215 \$9, 810 1, 760	1, 274 145 \$13, 986 2, 563	3, 395 152 \$15, 070 2, 730	1, 395 339 \$19, 940 3, 661	3,817 334 \$21,820 3,810	1, 282 212 \$9, 027 2, 153	3, 320 373 110, 300 2, 140	692 498 \$17, 672 3, 955	1, 720 649 \$17, 490 4, 490	6, 094 252 \$13, 586 2, 844	16, 183 300 \$14, 530 2, 960
Receipta: Crop sales. Sales of ilvestock products Sales of ilvestock products Miscellaneous other sales.	981 352 1, 193	810 870 1, 390 120	245 245 545	1, 010 360 270 60	506 754 621 39	66 66 71 70 70 70 70	1, 148 1, 148 24	1, 330 450 80	888 410 167 32	1, 070 420 280 50	1, 286 617 382 37	1, 810 960 620 80	2004 2004 2004 2004 2004 2004 2004 2004	8 538
Total	2,618	2, 690	1, 532	1, 700	1, 920	2, 200	2, 235	2, 480	1, 497	1,760	2, 322	2,870	1,972	2, 240
Cash outlay: Hired labor Livestock bought Fred bought Fred bought Fardiser Seed Taxes (farm property) Machiney and tools Maisonlaneous ether	524 153 167 151 151 146 143	450 170 480 130 60 140 180	309 161 161 178 178 91 82 82 82	340 180 100 210 110 70 80	245 228 228 176 40 210 122 122	270 240 250 250 120 120	280 321 173 173 6 36 211 152 198	300 390 220 10 120 170	28 28 28 28 28 28 28 28 28 28 28 28 28 2	82113884168	522 138 156 156 270 177 181	610 250 250 250 10 10 210 140 140	331 204 175 57 43 174 123 150	5523 646115
Total	1,868	1,800	1, 050	1, 110	1,211	1, 290	1, 385	1, 490	998	930	1, 510	1,830	1,257	1, 300
Receipts less expenses Increase in inventory	760	890 180	502	590 150	709	910	850 385	990 120	158 E	88	\$12 174	1,040	715 202	80 081 081
Net result	828	1, 070	623	740	928	1,030	1, 235	1, 110	735	068	986	1,310	917	1, 020
Interest paid Spent for farm improvements	88	851	EΘ	100 130	€£	130	€€	380 170	≘ €	170	EΞ	26. 24.	€€	83
duced and used on the	273 S50	9260	362 504	310 670	276 759	280	28.7 854	930	301	88	918	1,020	716	828 20 20 20 20 20 20 20 20 20 20 20 20 20
Change in value of real setate during year (- shows decrease)	-16	+33	+78	+52	-105	-105	-27	-211	1	+17	-303	8	- 52	8
The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s														

A versges for farms reporting. Division of Farm Management. Computed from reports of individual farms operated by their owners.

1 Not reported for 1922.

TABLE 713.—Furmers' incomes: Returns to labor and to capital, 1922 and 1923

itates .		1,060 1,060 1,060 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155 1,155	
± .	. ~ .	716 3.0 495 3.0 986 225 225 158 158	. his table certain) is monthly wage of computing his rea
		919 336 1.6 1.73 1.70	
Cent		470 3.8 730 400 134	as 12 time abor. his i
1.0		477 559 5 0 671 365 295 273	
North tral	Dolls 1, 11(1126) For the she of un
West North Central		854 968 1,416 106 106	ishec iport attri
East North	17.6. 03C 980	\$2.00 600, 159 121	of its claim establisher figured and the report labor wages, and attril
		3.3 3.3 310 197 68	samou (labor fi
:	73 EZ EZ		
W		25 25 25 25 25 25 25 25 25 25 25 25 25 2	armers for armers for it are refing tween open one of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of t
7-4	473. 856 277	22.4 23.4 33.4 33.4	ment. Computed from reports of owner (mplicity made. do by 4,728 farmers for 1922, by 15,025 farmers for 19 de by 5,248 farmers for 1922, by 11,822 farmers for 19 ine offarm property Jan. 1. I more than 6 per cent. family labor shared the reduced amount ac reding t r the rest of the family the difference between opera be operator bears all the burden of failure to arn o
	Net: is as give Add and fuel T. alfarm:	Less unpeid labor Return to capital. Return to capital, per cent Interest, saxuning rale of 6 Return to all unpeid labor. The contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the	Dit IIII. I Avi I Avi I Bas 4 Ma 6 Ass 9 Wate • The

COST OF PRODUCTION

Table 714.—Wheat: Cost of production, by yield groups, 1923

wheat	Per bushel	1	0.98 0.98		-: 88		8.8	. 8	8	8	F	. 8	86	6.	8.8	3.8	. 6	8	8		٠ 16	8	20	8	<u>ت</u>	3.	3,3	₹.
Value of	Per scre	i,	25.25	47. 88.	:: z	17.11	3 20	5 6	29.15	83					88										12 91			
cost	Per bushel	7.11	7.00	1.85	28.88	38	9:	3 ==	1.02	3 8.		36	2	1.40	1.17	92	3 2	8	2.		88	2,4	1.59	 8	1.14	8.	1.08	8.
Net	Per acre	į	13.85	14.76	17.11	21. 42	88	3 23	30.45	32.42					16.42										15 89			
	Credit per acre (straw)	į,	0.67	3. 8 .	8:5	88	18	; = ; ; ; ;	88	3.41	5	3.8	. 4	8	88	8.5	: 2	8	1, 12	!	8	8.	8.	8	.32	8	7.	.
	Total		14.06	15.59	82 83 83	2 2 2	88	8 8	88	35 83					17.25									-	16 21			- 1
	Miscellane-		200.5		88 88	2 47	26.6	4 2	33	3.88					38										28			
	Land		2 es	22.8	4.2 8.2	6 17	7 18	300	10 36	10 91					4 52										 8			
acre	Beed		1.31		1.52	32	38 2	38		28					8										1 48			
Gross cost per a	Fertil- izer and manure		0.67	38	 38	14	8 6	2 4	3.74	3.52		7.5		1 18	88	59	9 9	2.55	8	:	. 13	87	. 25	<u>:</u>	55.	\$	1.33	.76
Gross	Miscellane.	É	0.30	91.	. 2	ន	2.5	3.8	8.	1.30	;	9:5	22	.27	21.		3.8	8	. 17	:	6.	. 18	. 12	.21	.14	8	.51	₹
	Market	·	0.78									38	25	88	æ.	3 2			199	:	£.	. 57	.71	£	101	-i 8	1.61	1. 82
	Har- vest 1	Ė	. 80 S	82 %	8.4 8.4	4 52	35	5 51	88	7.21	;	3 8		3.71	4. 15	4 4	3 2	, rc	7.03	:					3.74			
	Pre- pare and plant	5	38.5	35.55	3 22	4	4.7	3 8 3 4 3 4	5.38	5.15					88 S										9			
Aver-	age yield per acre	Å	4								-	4 70	• •	Ξ	71	≒ 8	38	3.5	*	;	2	20	•	=======================================	7	17	ន	≅
Aver-	acreage in wheat per farm	ļ	123	8	25	4	- C	75	:28	7	ļ	<u> </u>	8	22	F	25	3 \$	3	37	:	180	130	134	111	8	8	4	21
	Num- ber of reports		8	38	1,525	8	1, 191	3 %	458	357	8	15	E	383	8	25	35	83	13		17	123	235	270	22	*	27	»
	YIRID GROUP	Bushels per acre	3 and under	7 to 9	10 to 12 13 to 15	16 to 18	19 10 21 29 to 94	25 to 27	28 to 31	31 and over	Finter-wheat beit:			10 to 12	13 to 15	10 to 20	22 to 24	25 to Z7	28 and over	alt: 4	2 and under	4 to 6	7 to 9	10 to 12	13 to 15	16 to 18		22 and over

Cost of Production Division. From returns to mail inquiry sent to crop reporters.

1 Threshing is included under harvesting.

I Includes miscellaneous labor, irrigating and water, spraying and spray material.

I Includes sacks and twine, evo pinsurface, use of implements, use of storage buildings, and overhead.

I Mande Sacks and twine, evo pinsurface, use of implements, use of storage buildings, and overhead.

I Mande Wheat Belt." as used here includes Kanass, Nebrasta, Missouri and Oklahoma.

I Spring Wheat Belt." as used here includes western Minnesota, North Dakota, northern South Dakota and eastern Montana.

2
1923
ie
360
by States
à
Ę.
7
Ĭ
of production
6
Cost
C
ž
-Wheat:
- 1
10
7
TABLE 715.
1
3
-

wheat	Per bushel	Dog.	11111111111111111111111111111111111111	29222	83823	#:11. #:11. #:19.	+ - - - - - - - - - - - - - - - - - - -	858
Value of wheat	Per sere	52.23.25. 1.88885.	######################################	88585 88285	247-01 2588	11441 1441 1644 1644 1644 1644 1644 164	55.53 5.53 5.53 5.53 5.53 5.53 5.53 5.5	883 883
Net cost	Per bushel	1 1 2 K 2 K 2 K 2 K 2 K 2 K 2 K 2 K 2 K	44444 44444 44444	58585	24122		10.00 10.00 10.00 10.00	61.19
	Per suche	588228 3 58888 3	数据的证据	19.58 19.18 19.18 19.88 19.88 19.88	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	15.00 19.57 19.26 13.35 13.53	19.31 17.48 17.59 22.57 16.45	27.88 27.80 8.12.13
	Credit per acre (straw)	Dols. 5. 26 6. 30 6. 05 6. 05 2. 70	844118 8444	오 ~ 10 kg 2 2 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	32. 32. 34.	#.11 86.1 86.2 86.3	4 .1 828.2 29.2 29.2 29.2	2 21 . 69 1 33
	Total	75 88 82 82 82 82 82 82 82 82 82 82 82 82	张忠郑 32425	数次数据换 第4875	20 20 20 20 20 20 20 20 20 20 20 20 20 2	52 28 35 71 52 58 58 58 58 58 58 58 58 58 58 58 58 58	21. 24 18. 32 18. 65 23. 48 15. 07	828 828
	Miscel- laneous costs !	Dole. 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	44444 48484	9 19 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	29144 28881	12 22 23 25 25 25 25 25 25 25 25 25 25 25 25 25	44444 8358	8000 8000
	Land	Dole. 7 13 6.75 5.63 6.45 6.45	6 8 9 1 1 8 1 8 1 8 1 1 8 1 1 8 1 1 8 1 1 8 1 1 8 1 1 8 1 1 8 1 1 1 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	იიიი. გაგაგ 288788	7.49900 10.49900	3 + 5 2 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	44664 2667 2718	13.06 9.72 9.08
	Seed	Dole. 22 53 53 1 1 1 2 2 2 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4	842t °	1.58 1.58 1.29 1.03 1.80 1.81	128 88 85 85 85 85 85 85 85 85 85 85 85 85	1 22 1 52 1 13 1 13	1.10	11.1 24.18
per acre	Manure	Dole. 4.18 3.62 3.91 1.98	11.28	1444 . 12.888 19.00	1.12	8. 4. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	1 2.01. 2.01.	88. 98. 95.
Gross cost per acre	Com- mercial ferti- lizer	Dols. 2 82 5 7 02 2 4 10 2 98	383347 38347	86.11 87.23 120 120 120 120 120 120 120 120 120 120	80.1 11.1 10.	1.81 1.68 1.68	1.9 .93 .88	ಜತಣ
	Miscellameous lameous labor 1	Dole. 0.17 119 119	******	####	#:::::::::::::::::::::::::::::::::::::	72.2.2.2.		8.23 1.67 .61
	Market	Dole. 1.82 1.71 2.03 1.41	44444 8448	11.11.14	71 84.88.88		41444 82188	1.77
	Harvest and thresh	Dols. 6.21 7.67 5.84 5.20 6.20	444%0 28498	44488 82288	484488 81889 1188	44644 116888	44m48 286233	6 5 7 3 2 4 3 6 9 7
	Pre- pare and plant	Dols. 6.90 5.91 6.48 6.48 74	54864 215383	40040 873883	82288	882444 7822812	**************************************	5.69 4.71 7.4
	Aver- age yield per acre	Bushele 22 22 23 15	22222	88853	######################################	######################################	######################################	888
Aver-	acte age in wheat per farm	AG4 112 83 113 83 83 113 83	వైద్ధాలక	8 45000	ನ <u>ಜಿನಿ</u> ಕ.ಜ	¥8288	112222 112222	222
	Num- ber of reports	71 85 55 55 50 55 55 55 55 55 55 55 55 55 55 55 55 5	25 25 25 25 25 25 25 25 25 25 25 25 25 2	22.28 22.28 22.28	295 295 411 318 318	25. 133. 201. 201. 201. 201.	+8882k	71 113 166
	State	New York. New Jersey Pennsylvania. Waryland	West Virgins North Carolina South Carolina Georgs Oble	Indista Michigan Michigan Misconstr Mintestts	lows. Missour! North Dakots. South Dakota. Nobrasts.	Kanasi Kentucky Tennessee Texas Oklahoms	Arkansas Montana W youling Colorado. New Maxico	Utah Idabo Washington

183 133 irrigating and water, spraying and spray material.
noe, use of implements, use of storage buildings, and o following States in which there were not enough repor From returns to mail inquiry sent to crop reporters. 28 284 40 ## | BK

> indes misc ks and twi ludes 38 re of Produc

52.50

25 ES

88

TABLE 716.—Corn: Cost of produ

Value of corn	Per bushel	Dos 08888 2277778888 88877777888 8887777788 888777778 888777778 88877778 88877778 88877778 88877778 88877778 88877778 888777778 888777778 888777778 888777777
Value	Per acre	Doi. 5.13
coet	Per bushel	28.85. 28.85. 28.85. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27.55. 27
Net cost	Per acre	78.25.28.28.28.28.28.28.28.28.28.28.28.28.28.
Credit	scre stover and fodder)	201144444444444444444444444444444444444
	Total	83888888 88138283888 83888888 88138283888 669988888 88138
	Miscel- laneous costs ?	201044444444444444444444444444444444444
	Land	24444444444444444444444444444444444444
	Seed	7.82 2.32 2.32 2.32 2.32 2.32 2.32 2.32 2
per acre	Ferti- lizer and manure	0048 11066 11066888 110888 110888 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11088 11
Gross cost per acre	Miscel- lancous labor 1	Dob. 0.09
6	Market	5-1-1-144444444444444444444444444444444
	Har- vest	ರ್ಷ
	Culti- vate	5000000000044 400000000 508535744288 8488855788
	Pre- pare and plant	54444444444444444444444444444444444444
A ver-	yfeld yfeld per scre	88322522223 8832222222223233
A ver-	age acreage in corn per farm	2288252888252888252888
	Num- ber of reports	1, 1,0,0,0,1, 1,0,0,0,1, 1,0,0,0,1, 1,0,0,0,1, 1,0,0,0,1, 1,0,0,0,1, 1,0,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1, 1,0,0,1,0,1
	Yield group (bushels per Ni acre)	All States: 7 and under 8 to 17 8 to 17 8 to 17 8 to 17 8 to 17 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 67 8 to 6

Cost of Production Division. From returns to mail inquiry sent to crop reporters.

Includes miscellaneous labor, irrigating and water, seed freatment, and material
Includes sacks and twine, crop insurance, use of implements, use of storage buildings, and overhead.

**Corn Belt "as used here includes Indiana, Illinois, Iowa, western Ohio, southeast corner of South Dakota, eastern Nebraska, northeast corner of Kansas, and the northern

			-					Gross	Gross cost per acre	acre					Credit	ž		alue	
State	Num- ber of reports		and edd sore		Culti.	Har	ä	Misce laneor labor	٠ ک <u>ق</u> ؤ	M		Lanc	Miscel- laneous costs 2	ř ř	Stover (Stover and fodder)	~ ~	Per usbe	_	
Vernont Massachusetts Connecticut New York New Jersey	3222	Acres 5 9 9 15	222222 2232222	Nollars 11. 49 11. 01 13. 24 7. 47 6. 75	7. 22 5. 23 5. 48 7. 78 8. 77 8. 77 8. 77	Dollars 8.42 11,00 13,98 6 51 9,51	9,488 5,98 3,75 3,75 3,05 3,05 3,05 3,05 3,05 3,05 3,05 4,05 5,05 5,05 5,05 5,05 5,05 5,05 5	Dollars 0.05 04 10	1,1673 4 37 10.04 9.44 4.11	30 15 50 23 16 20.15 7 96 9.59	Dollars 1.31 1.09 1.93 77	944678 7 36 9 50 6 77 7 60	287 4.15 6.28 3.63	Auters 63 47 90.75 43 63 49 26	16.80 15.45 13.45 13.42 7.95	7000000 46.87 66.10 78.33 35.43 41.31	200 0.9 1.3 1.3 1.9 1.9	25.00 37.9% 48.62	1.06 1.15 1.13 1.33
Pennsylvanis Delaware Maryland Virginia West Virginia	15 117 118 181 181	22882	33783	868228 888228	54845 44218	8.7.7.9.27 5.4.38 5.4.00 5.4.00 5.4.00	823338 833338	8 888	92.1.19 00.73 01.00 01.00	89.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00 04.00 84.00	E & & & .	6.11 6.73 6.62 7.57	44644 8446 876 88	39. 54 39. 54 31. 69 38. 33	7.88.43 11.888.43 50.885 50.50	33.33 31.33 32.03 33.33 33.33	& & & & &	44. 76 34. 89 37. 86 40. 75	28888
North Carolina South Carolina Georgia Florida Obio	311 128 524 50 676	288	28833	28488 28488	400000 2700000 2700000000000000000000000	3. 1.1. 1.05 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	441-4 88882	88888	4444; 88%33 84	444 20822	84.84.85 78.	7. 0. 4. 4. 0. 33 38 48 48 58 58 58 58 58 58 58 58 58 58 58 58 58	44444 487	8.1388 811388	91-129 9828 8828 88	3.25.25 3.25.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.25 3.33.2	1.05 1.12 6.13	25.23 26.73 36.20 36.20 36.20 36.20	1.09 1.10 1.10 78 78 78
Indiana Illinois Michigan Wisconstn Minnesota	640 612 408 408 452	38288	*4%4%	46 4 46 86788	44884 88758	2.2.2.2 2.2.2.2 2.2.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.4.2.2 3.2.2 3.2.2 3.2.2 3.2.2 3.2.2 3.2.2 3.2.2 3.2.2 3.2.2 3.2.2 3.2.2 3.2	22.23.24 23.23.24 23.23.24 23.23.24 24.23.24 25.23.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24 26.24	80001	1.07 28.35 20.37 20.37	2 1 1 28 2 1 2 2 3 2 4 5 4 5 4 5 4 5 4 5 4 5 4 5 4 5 4 5 4	8.3.28.2	& & & & & & & & & & & & & & & & & & &	41 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	22 22 25 25 25 25 25 25 25 25 25 25 25 2	25.18 25.18 25.35 17	22 28 28 25 25 25 25 25 25 25 25 25 25 25 25 25	55.27.17.	25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23 25.23	85.55 52 53 53 54 55 55 56 56 56 56 56 56 56 56 56 56 56
Iowa Missouri North Dakota South Dakota Nebraska	58 52 55 58 55 55 58 55 55	2 422 2	****	88888 88888	44444 58883 58883	238 238 238 24 28 38	19:19:	123888	ន់ខ្លន់នទ	2.16 1.77 1.10 1.34	***	8.57 2.27 4.47 111 14.47	2. 13 1. 87 1. 62 1. 65	25. 20 21. 58 15. 85 18. 58 17. 67	1.20 1.37 1.04 1.04	24.09 20.21 13.40 17.54	22323	28 24 15 17 52 52 54 52 52 52 52 52 52 52 52 52 52 52 52 52	82882
Kentucky Tennessee Alsbama	28.88	2282	8888	444°;	40000 8888	22 27 1. 24 15 1. 63	1. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3.	8864	2.8.2.2.2.		क्ष चं डेळ	4.09 6.90 5.20 5.20	1.6.94 2.04 3.04 3.04 3.04 3.04	7,88,12 888.13	1.19 1.81 1.46 1.58	13.28.01 19.89 19.89	· · · ·	25.53	28.83.1
Mississippi Louisiana Texas Oktahoma	8112 2112 2112 2112 2112 2112 2112 2112	222 2	8622	88888 88888	4.6.4.4 88.88 40	21.1.50 88.63 88.63	2 12 12 1. 88 1. 97 1. 48	9226	8 4 8. 2.	1.1. 1.1. 1.2. 1.2. 1.2.	4.02.4 <u>.</u> 62.	5 17 5.10 5.04 3.60	3.08 1.98 1.01	22 23 11 28 48 48 49 49 49 49 49 49 49 49 49 49 49 49 49	£25£8	23 38 21. 86 17. 76 13. 71		12 22 23 14 28 28 28 28 28	1.1 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0

109	28	46.2 282	d	જ ભાંભ	444 284	1.08	80		388	3.50 3.72 3.72 3.73	idad	18.49 16.74 17.23	1,23	5.45 64 5.5 83 5.6	26.45	15.95 17.78 17.28	3 28 2
2020	848 8	3 4. 4.96 7.57	ପ୍ରପ୍ର	८१ ५ १८ ५	646 81288	11.22	11		743888	48.47 88.26 88.26 89.26	ଜାବାଦାର	83788 87998	-:444 888 888	33 33 33 33 33 33 34 35 35	8.85.8	885 84 84	8578
	retu	\$	_		و 1 - ا	ı 1 10 ret											18
bor, surai	fing o er i g	ing, and se of imi ng State	ay material lents, use of which there v	5	34	· <u> </u>	overbea ts to sh	m =			New H	New Hampshire, Ari:	, Arti				
		.	Тавы: 718.—0al	718.—(ŭ	produ	-5			s, 1923	60					
		Aver-	1				Gros	Gross cost per acre	r acre				;	Net	Net cost	Value	Value of oats
Yield group (bushels per acre)	Num- ber of reports	atreage in oats per farm	re age yield per scre	Pre- pare and plant	Har- vest 1	Mar- ket	Mis- cella- neous labor 1	Fertil- izer and manure	Seed	Land	Mis- cella- neous costs ³	Total	per per scre (straw)	Per scre	Per bushel	Per acre	Per bushel
17 and under 25 to 27 28 to 32 28 to 37 38 to 42	692 899 856 1, 497 1, 552	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Bushe Bushe 20 20 20 20 20 20 20 20 20 20 20 20 20 2	Dollars 33 23 23 25 25 25 25 25 25 25 25 25 25 25 25 25	Dollars 3 26 3 70 3 70 4 4 23 4 4 46	Dollars 1 04 1 13 1 13 1 28 1 43 1 43 1 43	Dollars 0 26 0 26 17 11.	Dollars 1 43 1 15 1 15 1 38 1 29 1 39 1 30	Dollars 1 32 1 26 1 36 1 32 1 33 1 33	Dollars 3 48 3 96 4 38 4 74 5 15	Dollars 1 91 1.92 2.17 2.26 2.40 2.51	Dollars 15.99 16 61 18.07 19.02 20 03 21 52	Dollars 1 45 1 45 1 94 1 98 2 27 2 35	Dollars 14 54 14 96 16 13 17 04 17.76	Dollars 1 21 1 75 . 75 . 57 . 51	Dollars 7.83 10.85 12.67 14.35 15.89 18.34	Dollars 0.60 54 . 54 . 48 . 46
48 to 47 48 to 02 58 to 57 50 to 62 68 and over	276 276 276 203	28822	18838	8888410	5 39 7 35 7 35 7 35	1.65 1.44 1.98	85.83.38	1 62 1.73 1.50 1.89 2 91	1.40 1.45 1.50 1.69	6 01 6 70 6 98 70	22.22 22.24 23.25 23.05 12.05	22 22 22 22 23 26 20 64 15 20 64 15	2, 51 2, 53 2, 33 3, 33 62	22 13 21,25 22,25 25,25 26,25	4.4.8.8.4	22.22.25 27.25.25 27.25.25 37.25.25	34.44.25

Cost of Production Division. 'From returns to mail inquiry sent to crop reporters.

¹ Threshing is included under harvesting.
2 Includes miscellaneous labor, irrigating and water, spraying and spray material.
8 Seeks and twine, crop insurance, use of implements, use of storage buildings, and overhead.

	-	·	•	•	•	•	•
Value of oats	Per bushel	Dollare 0.69 0.63 .38 .38 .38	23252	84444	£2.848	¥#482	232322
Value	Per acre	Dollar 22 22 24 22 24 22 24 19 15	25.55 25.56 25.56 35.56 35.56	19 13 17.96 13.15 16 12 17.88	17 62 15. 10 12. 83 7. 90	1.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4	55.84 16.83 16.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83 15.83
cost	Per bushel	Dollars 0.82 0.83 63 65 65 65	25252	<u> </u>	<u> </u>	44426	28.87.25 94.77.86
Net cost	Per	Dellars 30.35.30 22.35.35 22.35.35 22.35	8.62 19.62 18.83 19.05 19.05	85.92.83 88.92.83 88.92.88	17.7.1 14.7.7.2 14.88 17.88 17.88 17.88 17.88	15 01 14.80 17.90 17.21	15.05 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75
	Credit per scre (straw)	Dollars 5, 59 7 16 5, 39 4, 23 4 87	20 20 20 20 20 20 20 20 20 20 20 20 20 2	1.441.E. 22228	33 1,51 1,42 63	1.06 1.08 1.62 1.62	1111.4 28299
	Total	Dollars 44.70 26.83 27.72 27.72	22222 22222	22 25 25 25 25 25 25 25 25 25 25 25 25 2	18 47 18 47 16 28 12 18	15.71 15.99 15.45 19.52 18.83	16 50 18 01 17 05 13 81 18 93
•	Mis- cel- lane ous costs 3	Dollars 4, 87 4, 89 3, 47 1, 80 3, 38	44444 82388	22-22-23	2001-1 488221	28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th 28 th	
	Land	Dollars 7.91 6.27 5.98 5.56 5.56	82.44444 82.55.52	4.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2	24.444 28883	64.6.44 84.929.88	4 4 4 6 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
92	Seed	Dollars 2.63 2.63 2.63 1.75	1 1111 8 3 2 2 5 5	11111 721111	2 1 1 1 2 8 8 2 1 3 8 2 1 3 8 2 1 3 8 3 1 3 8 3 1 3 8 3 1 3 1 3 1 3 1 3	1 23 88 8	43:1:54
Gross cost per acre	Ma- nure	Dodars 5.82 8.43 1.98 1.07	1111. 28418	. 46 . 51 . 62 . 32 1. 31	1.51	84.84.8	4::8E:
Gross co	Com- mer- cial fertil- izer	Dollars 3.3.38 2.2.20 2.2.20 2.00	44:44 82888	11. 12. 13. 13. 13.	71.9.0%	82.288	
	Mus- cel- lane- ous labor 1	Dollars 0. 65 20 20 21 21 17	822.23.8	71	88255	822844	4585
	Mar- ket- ing	2.49 2.43 1.92 1.94	11.21.1.	1.1.1.1.1.1.2.2.2.2.2.2.2.2.2.2.2.2.2.2	21.1.1 1.8.2.1 1.9.2.9	1 2 2 2 2 2 2 3 2 3 2 3 2 3 2 3 2 3 2 3	1351.08
	Har- vesting and thresh- ing	Dollars 8, 78 8, 08 5, 56 5, 35	44444 822218	84224 84248	44.000 84.000 1.000 1.000	2444.0. 84288	800 4 80 4. 80 60 855
	Pre- paring and plant- ing	Dollary 6 99 5.58 6.20	~4~4~4 2%34\$	844444 882258	4.2.1.4% 12.88%	医皮克罗恩	92848 94849
	A ver- 8ge yield per acre	Bushelo 48 45 40 31	84488	88888 '	84428	222 222	ឌឌនង
A ver-	age age in oate per farm	Acres 111 112 122 130 140	∞ O & 0 K	88 23 28 15	25838	48885	######################################
	Num ber of re- ports	28222	48282	95 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	84.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2	28 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	25.25 191 111 111 111 111 111 111 111 111 111
	State	Maine. Vernoni. New York New Jensy. Pennsylvania.	Maryland Virgina. West Virginia. North Carolina. South Carolina.	Georgia Ohio Indiana Illinois Michigan	Wisconsin. Minnasota. Iowa. Rissoun. North Dakota.	South Dakota. Nebrasia Kansas Kantucky Tennessea.	Alabana Missisippi Tyras Ohlabana Arkatssa

3. 3.2.8.3.	4588	3 .
3.88 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	25.22 25.23 25.23	16.38
2.8.7.8.1. 8.7.8.1.	3 2.24.72	52.
16.44 17.74 22.68 18 82 37 11	88.83 63.83 63.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83.83 83 83 83 83.83 83 83 83 83 83 83 83 83 83 83 83 83 8	18.08
11:144 84:48	1.30 1.30 1.50	2.15
7.1.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.	20 07 32, 46 27 27 21. 34	83 83
2 2 3 2 4 4 2 4 8 2 4 8 5 4 8 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	3.85 5.08 3.94 3.12	2 34
48.4.0 48.18 10.36 13.00		5.18
. 91 1 21 1 49 1 31	1.65 1.65 1.73	1.38
8 8888	. 1. 85 1. 39 28 38	æ.
20. 20. 20. 20. 20.		.67
228828	8.38.2	83.
22 62 62 62 62 62 62 62 62 62 62 62 62 6	1.87 1.94 1.37	1. 47
44 24.1 1178 24.1 87.78	5 90 5 35 5 36	4.47
4.8 8.9 9.7 7.7 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7	4.73 5.35 5.01 4.04	3.64
25.488	8848	35
168833	2882 2882	8
28 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8228	8, 481
Montana Wyoning Colorado. New Mexico. Usah.	Idaho Washington Oregon California	Forty-five states 1

* Includes miscellaneous labor, spraying, and spraying material.

* Sacks and twins, crop insurance, use of implements, use of storage buildings, and overhead.

* Includes 45 records from the following States in which there were not enough reports to show State averages: New Hampshire, Massachusetts, Connecticut, Florida, Louisians, and Artons.

Table 720.—Wheat, corn, and oats: Comparative production costs in 1922 and 1923

roduct shel	& &5&8%8.	886886 2	854824	.49
Value of product per bushel	25. 1. 1. 95. 1. 95. 1. 95.	38258	28 24 24 24 24 25 26 26 26	87
	828828	48484 8	_	38
X _H		22.84.88	_	83
er bushel	Dol 178 118 118 118 118 119 119 119	882488	4. 3 8.78.78	. 52
Number of reports Net cost per acro Net cost per bushel	88 21 28 83 3	& \$38888	8574488 	8
per acro	Dollars 28 43 28 43 22 12 22 12 12 15 17 16 23 95 21 02	5 8 8 2 2 8 2 5 2 5 2 5 2 5 2 5 2 5 2 5	24.89 19.14 18.21 15.31 15.34 22.74	18.08
Net cost	23 25 25 25 25 25 25 25 25 25 25 25 25 25	8 11,25,55	284828	17 40
of reports		-ೆಡಿಹಿಡಿ		8, 481
Number	8	55. 56. 58. 19. 19.		2, 601
שמע			_	
* 1	trai trai	:: : : : : : : : : : : : : : : : : : :	itic	88
	eat. North Atlantic South Atlantic Sast North Ce West North Ce South Central. Western	n: North Atlantic South Atlantic Bast North Cer West North Ce West North Ce Western United	S: South Ati 1ti South Ati 1ti East Nor! Ci West Nor Ci South Cei Westei	United States

¹ North Atlantic includes Maine, New Hampshire, Vernont, Massachusetts, Rhode Island, Connecticut, New York, New Jersey, and Pennsylvania; South Atlantic includes Delaware, Maryland, Virginia, West Virginia, Worth Carolina, South Carolina, Georgia, and Florida; East North Central includes Ohio, Indiana. Ministry, Missouri, North Dakota, Nebraska, and Kanses; South Central includes Kentucky, Tennessee, Alabana, Missisteppi, Louisiana, Texas, Oklahoma, and Arkansas; Western includes Montana, Wyyoming, Colorado, New Mexico, Arizona, Utah, Novada, Idaho, Washington, Oregon, and California.

Table 721.—Potatoes: Cost of production, by yield groups, 1923

Value of potatoes	Per bughel	Dollars 1.09 1.10 1.10 1.10 1.10 1.10 1.10 1.10	*4****
tod Ita	Per scre	Dollars 24, 08 54, 92 77, 02 100, 83 115, 82 151, 81 175, 53 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201, 37 2201,	288411988 11823828 282888
Net cost	Per bushel	Dougra 1.270 1.47 1.88 1.88 1.88 1.88 1.88 1.88 1.88 1.8	1 4 5 5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
Net	Per scre	Dollars 62.08 74.79 74.86 79.08 101.76 115.01 140.62 152.81 140.62 153.15	29. 25. 25. 25. 25. 25. 25. 25. 25. 25. 25
Credit	per scre (culls)	Dollars 0 13 27 27 27 92 92 14 116 135 135 124 1.24	82288888
	Total	Dollars 62.08 74.79 74.99 72.49 102.28 102.28 115.15 115.15 115.15 139.50 153.19	831377858 683867789
	Mis- cella- neous costs !	Dollars 3. 54 3. 54 3. 56 4. 70 6. 13 6. 13 10. 58 112, 68 9. 57 9. 58	1 88 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
	Land rent	Dollars 3.17 5.14 6.14 7.55 7.31 7.31 8.38 11 98 11 28 11 28	444467674 2888888888
ø	Seed	Dollars 9 00 10 35 10 56 12 36 12 36 14 23 14 24 15 76 11 72 16 69 19 91	4 4 8 4 8 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8
Gross cost per acre	Fertil- 1zer and manure	Dollars 7 60 119 30 116 36 116 36 117 93 22 21 23 25 29 25 33 61 33 82 41.73	744077793 288734388
dross cos	Mis- cella- neous labor 1	Dollar 4 2013 2 2 201 2 2 201 2 2 2 201 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	144444444 672458484
Ü	Market	Dollars 6, 75 6, 75 6, 78 7, 50 9, 18 11, 80 11, 90 11, 10 13, 72 16, 56 18, 65 18, 65 18, 72 17, 25	04460-8001 8484856
	Har- vest	Dollars 9 71 10 68 9 71 11 34 11, 01 15, 87 17, 08 17, 28 19, 38 19, 38	6 61 7. 92 8. 13 9. 64 11 49 15 96 10 19
	Culti- vate	Dollar 6.73 6.73 6.01 7.73 8.83 8.83 8.83 8.83 8.83 8.83 8.83	2888444 671989848 8848
	Pre- pare and plant	Dougas 11.313 11.314 10.925 10.235 11.53 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.536 12.	5.50 6.23 6.75 7.78 7.39 9.07
7	r leid per acre	Bushels 23 21 26 1100 1126 1126 200 200 225 225 225 226 2300 370	28138318 28138318
Aver- age	age in pota- toes per farm	Acres 44 88 88 10 10 10 10 10 10 10	r 2000/2014
,	ber of reports	7.48.88.888888888	888 888 888 888 888 888 888 888 888 88
	Yield group (bushels per acre)	Northeastern group of States: 4	States: + 37 and under 38 to 67 63 to 67 88 to 112 113 to 137 118 to 162 168 to 212 213 and over

Includes miscellaneous labor, frrigating and water, spraying, and spray material 3 Includes sects and frathe, crop insurance, use of implements, use of storage buildings, and overhead 3 Maine, New Hampshire, Vermont, Massachusetts, Connecticut, New York, New Jersey, and Pennsylvania. 4 Michigan, Wisconshi, Minnesota, North and South Dakota.

Per		语言: · · · · · · · · · · · · · · · · · · ·	
Valu potal		2000 2000 2000 2000 2000 2000 2000 200	
Pe		458	
		以	
Ored per sore vulk		0 45 0 45 17 17 80 80	
C		70.0273 105.99 102.75.83 50.76 51.71 69.78	
Mis- ellane ous		12 2 2 2 2 3 3 4 3 4 3 4 3 4 3 4 3 4 3 4	
		700017468 88844684	
		2 2 2 2 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3	
Ferl lize and mant		25 25 25 25 25 25 25 25 25 25 25 25 25 2	
Mis- ellane ous abor 1 'n		18588886 385888	ı
		Dollars 11.94 11.94 6.98 6.73 10.37	porter:
a E	1	2000 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	of to grop reporter
Culti-		00 00 00 00 00 00 00 00 00 00 00 00 00	
		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	mail inquiry
A vi Bee Serve Berre	i	#6522533	
•	1	ិសាក្សា ភេស្សា ភ	From return
AT THE PERSON		ortheistern i setern i outhestern i entrali orth Central i fest Bérith Central i	Cest of Production Division.
		Rest Cent West West	-

ater, spraying, and spray material meaks, use of shonged buildings, an overleasts, Connecticut, New York, New Jers rolling, Kentucky, and Tennessee.

18, and Messingh,
18, and Nebrask,
18, and South I Linducke miscellatheous labor, irrigating a Seeks and twine, evrop insurance, use of i Marine, New Hamishire, Verinoui, Mass i Maryland, Virginia, West Virginia, Nort South Carolina, Glengia, Florida, Alaba Gho, Indiana, Illinok, Iowa, Miscouri, i Medigan, Wiscousini, Minteeson, North Louchsina, Texas, Oklahoma, and Arkan Mestana, Wyoming, Colorado, Utah, Id.

Washington, Or

Table 723.—Cotton: Cost of production, by yield groups, 1923

of lint	Per	Dollars 0 30 0 30 0 30 0 30 0 30 0 30		25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53 25.53
Value of lint	Per acre	Dollars 4, 28 13, 32 28, 55 38, 48	60 29 72 60 87, 77 95, 34 107, 14	124, 22 132, 63 150, 42 197, 45
Net cost of lint	Per	Dollars 1, 45 1, 45 30 22	12	111.00
	Per sere	Dollars 20. 335 24. 36 27. 33 27. 51	32 42 32 62 45 65 24 78 65 87	4334 2223 2223
Cradit	per acre (cotton seed)	Dollars 0.74 2.10 3.60 5.13 6.79		14.98 14.53 17.94 26.17
	Total	Dollars 21. 09 26. 96 29 91 32. 52 34 30	28 42 42 58 58 58 58 58 58 58 58 58 58 58 58 58	64, 76 64, 76 67, 01 83 00
	Miscel- laneous costs 1	Dollar 1 52 2 69 2 57 2 57 2 74		4.34.26.25.07.00.00.00.00.00.00.00.00.00.00.00.00.
	Land	Dollars 4.33 4.88 4.98 5.99	6.90 99.59 99.59 59.59	8. 91 12 42 10 43 10. 79
	Gin- ning	Dollars 0 22 0 22 58 1 33 1 76 1.89	2384B	3 71 4 46 5 17 6 92
t per acr	Sæd	Dollars 1 14 1 26 1.16 1.16 1.24 1.22	1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	1.51 1.55 1.44
Gross cost per acre	Ferti- lizer and manure	Dollars 2. 94 4. 25 3. 97 3. 55	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	10.41 9 99 9 73 13.86
	Miscel- laneous labor 1	Dollars 0 70 79 79 1.03 1.03	11 12 12 12 12 13 13 13 13 13 13 13 13 13 13 13 13 13	23 29 29 29 29 29 29 29 29 29 29 29 29 29
	Harvest and market	Dollars 2 11 3 98 5 57 6 69 7 60	8 74 9 85 11 13 13 39 12 13	13 74 14 87 17 71 28 28
	Culti- vate	Dollare 5 25 5 73 5 73 6 12	6.20 6.29 7.08 7.18	8.62 8.14 7.75 7.51
	Prepare and plant	Dollars 3 69 3 84 3 84 4 25 4 18	44.4.4.7.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1	5.71 6.99 6.34
Aver-	sge yfeld of hnt per acre	Pounds 14 44 89 124 161	200 245 324 356	401 444 495 618
Aver-	acres in cotton per farm	55 55 77 70	238228	2823
	Num- ber of reports	32 249 451 394	279 257 165 34 84	27.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00
	Yeld group (pounds of lint per acre)	20 and under 21 to 60. 61 to 100. 101 to 140. 141 to 180.	181 to 220. 221 to 280. 261 to 300. 301 to 340. 841 to 380.	881 to 420. 421 to 460. 461 to 500. 501 and over

¹ Includes miscellaneous labor, irrigating and water, dusting, and dusting material.
¹ Includes picking sacks and absets, crop insurance, use of implements, use of storage buildings, and overhead.

Table 724.—Farmers' Grain-marketing associations: Number and membership, 1924, and amount of business, 1923

MARKETING ASSOCIATIONS

	Associat	ions, 1924		ed mem- p, 1924		d business, 28
Geographic division and State	Number	Per cent	Number of mem- bers	Per cent	Dollars	Per cent
Maine New Hampshire	1 1 1	88	127 120 32	() ()	Thousand 40 135 21	89
New England	3	0.1	279	.1	196	(1)
New York Pennsylvania	5 4	. 2	1, 080 484	.2	2, 325 460	0. 4 . 1
Middle Atlantic	9	. 3	1, 564	.8	2, 785	. 5
Ohio . Indiana . Illinois . Michigan . Wisconsun .	197 130 408 90 52	6. 1 4. 0 12 7 2. 8 1 6	31, 323 22, 673 45, 878 19, 046 8, 632	6 4 4 6 9 3 3.9 1.7	31, 126 15, 996 77, 546 15, 219 4, 056	5. 5 2. 9 13. 8 2. 7 . 7
East North Central	877	27. 2	127, 552	25 9	143, 943	25. 6
Minnesota Iowa Missouri North Dakota Bouth Dakota Nobraska Kansas	278 347 162 332 221 846 321	8. 6 10. 8 5. 0 10. 3 6. 9 10. 8 10. 0	45, 746 44, 416 29, 465 42, 680 29, 180 44, 049 53, 126	9. 3 9. 0 6. 0 8. 7 5. 9 8. 9 10. 8	42, 988 72, 870 31, 206 52, 650 31, 360 60, 296 56, 135	7. 6 18. 0 5. 6 9. 4 5. 5 10. 7 10. 0
West North Central	2, 007	62. 4	288, 662	58 6	347, 505	61. 8
MarylandVirginia	2 1	(1)	760 127	(1) . 2	600 168	(i) .1
South Atlantic	3	. 1	887	. 2	763	.1
Kentucky	1 1	(1)	71 65	83	173 10	(1)
East South Central	2	.1	136		183	(1)
Arkansas Oklahoma Texas	1 90 17	(1) 2. 8 . 5	60 23, 656 5, 652	4. 8 1. 2	40 16, 227 3, 624	(1) 2.9 .7
West South Central	108	8.8	29, 368	6.0	19, 891	8.6
Montana	66 12 8 43 8	2. 1 . 4 . 3 1. 3	15, 484 1, 752 744 11, 118 892	3.1 .4 .2 2.3	15, 179 1, 668 786 9, 150	2.7 .8 .2 1.6
Arizona	1 3 1	(¹) (¹)	381 127	(1)	96 163	(3)
Mountain	142	4.5	29, 998	6. 1	26, 992	4.8
WashingtonCalifornia	42 9 14	1.3 .3 .4	6, 010 3, 696 4, 210	1. 2 . 7 . 9	9, 855 8, 392 6, 564	1. 8 . 6 1. 2
Pacific	65	2.0	13, 916	2, 8	19, 811	8.6
United States	8, 216	100	492, 362	100	562, 089	100

Division of Agricultural Cooperation.

¹ Less than one-tenth of 1 per cent.

Table 725.—Fruit and vegetable associations: Number of associations and estimated membership, 1923

	* 110011000	, o,,, ,	020			
Geographic division and State	Total number of associa- tions	Associa- tions re- porting number of members	Number of members reported	A verage number of members	Esti- mated member ship	Per cent
Maine	32	5	139	28	896	0, 5
vermont	1	l		1 156	156	. 1
Massachusetts	7	2	396	198	1, 386	. 8
Connecticut	2			1 156	812	.2
New England	42	7	535		2, 750	1.6
New York	89	62	6, 365	103	9, 167	5. 0
New Jersey	7	3	98	33	231	.1
Pennsylvania	13	10	761	76	988	. 5
Middle Atlantic	109	75	7, 224		10, 386	5. 6
Ohio	16	10	863	86	1, 376	.7
Indiana	18	l š	107	36	288	. 2
Illinois	17	_3	191	64	1,088	_ 6
Michigan	55	35	5, 148	147	8, 085	4.4
Wisconsin	23	6	946	158	3, 634	2.0
East North Central	119	57	7, 255		14, 471	7. 9
Minnesota	78	35	3, 508	100	7,800	4.8
Iowa	5	2	270	135	675	.4
Missouri	29	16	4,684	293	8, 497	4.6
North Dakota	24	10	546	55	1, 320	.7
South DakotaNebraska	10	3	194 453	65 226	650 904	.4
Kansas	3	3 2 3	140	47	141	. 5
West North Central	153	71	9, 795		19, 987	11.0
Delaware	2	1	75	75	150	
Maryland	4	3 5	1,003	334	1, 336	.1 .7 7.0
Virginia	10		6, 426	1, 285	12, 850	7. 0
West Virginia	7	4	109	27	189	.1
North Carolina	12	8 6	564 430	70 72	-840 640	. 5
South CarolinaGeorgia	9 8	3	977	326	648 2,608	1 72
Florida	82	54	4, 524	84	6, 888	1.4 8.8
South Atlantic	134	84	14, 108		25, 509	14. 0
Kentucky	6	4	948	237	1, 422	. 8
Tennessee	42	14	2,097	150	6, 500	3. 4 1. 9
Alabama	25	13	1,851	142	3, 550	1.9
Mississippi	16	2	50	25	400	.2
East South Central	89	33	4, 946		11, 672	6. 3
Arkansas	99	37	2, 709	73	6, 570	3. 6
Louisiana	24	5	861	172	4, 128	2.3
Oklahoma	12	4 21	222	56 52	672	.4
Texas	180	67	1,089	32	2,808	7.8
			325	108	648	. 4
MontanaIdaho	6 20	3 7 2	2, 444	349	6, 980	8. 8
Wyoming	3	2	110	55	165	.1
Colorado	38	9	834	- 93	3, 534	1.9
Wyoming Colorado New Mexico	2	2 3	78	39	78	· (4)
Arizona	5 10	3 4	245 312	82 78	410 780	.2 .4
Utah	84	30	4, 348	10	12, 595	6.8
	50	28	8, 901	139	6, 950	3.8
Weshington Oregon	26	14	5, 951	425	11,050	6.0
California	246	163	5, 951 85, 885	217	53, 882	29. 2
Pacific	822	205	45, 237		71, 382	89. 6
United States	1, 232	629	98, 329	156	1 182, 930	100
		<u> </u>	<u> </u>	<u>!</u>	<u> </u>	<u> </u>

Division of Agricultural Cooperation.

Average for the United States.
Less than one-tenth of 1 per cent.

Number reporting to the Department of Agriculture.
 Total of estimates for the various States.

Table 726.—Livestock marketing associations: Number and membership, 1924, and amount of business, 1923

		ations 24		nated ship 1924		i business 23
Geographic division and State	Number	Per cent	Number of members	Per cent	Dollars	Per cent
Vermont	1	0.1	37	(1)	Thou- sands 2 108	0. 1
New England	1	.1	37	(1)	108	.1
New York	1	:1	191 191	0. 1 . 1	² 108 ² 108	.1
Middle Atlantic	2	. 2	382	. 2	216	. 2
Ohio Indiana Illinois Michigan Wisconsin	66 92 145 82 139	4. 2 5. 9 9. 3 5. 3 9. 0	29, 304 25, 852 29, 870 17, 466 28, 217	10 0 8.8 10.1 5.9 9.6	15, 273 11, 884 15, 994 8, 402 11, 159	9. 4 7. 3 9. 8 5 1 6. 8
East North Central	524	33. 7	130, 709	44 4	62, 712	38. 4
Minnesota Iowa Missouri North Dakota South Dakota Nobraska Kansas	302 334 102 62 88 29 24	19 5 21.6 6.6 4.0 5 7 1.9 1.5	51, 038 46, 092 18, 870 5, 580 17, 424 4, 698 7, 608	17 3 15. 7 6. 4 1 9 5 9 1 6 2. 6	28, 406 42, 295 7, 575 2, 094 5, 656 3, 594 2, 228	17 4 26 0 4.6 1.3 3.5 2.2 1.4
West North Central	941	60.8	151, 310	51 4	91, 848	56. 4
Virginia West Virginia Georgia	12 1 1	.8 .1 .1	2, 064 7 115 2 191	(¹) . 1	1, 295 2 108 2 108	.8 .1 .1
South Atantie	14	1.0	2, 370	.8	1, 511	1.0
Kentucky Tennessee Alabama	8 12 10	. 5 . 8 . 6	1, 400 2, 208 1, 910	.5 .7 .6	1, 080 1, 295 1, 079	.6 .8
East South Central	30	1. 9	5, 518	1.8	3, 454	2 0
Arkansas Oklahoma Texas	1 1 3	.1 .1 .2	* 191 * 191 573	.1 .1 .2	² 108 ² 108 324	.1 .1 .2
West South Central	5	.4	955	.4	540	. 4
Montana Colorado Arizona Utah Nevada	13 8 1 1 1 2	.8 .5 .1 .1	1,092 752 191 335 52	.4 .3 .1 .1	1, 403 264 2 108 2 108 2 16	.8 .1 .1
Mountain	25	1.6	2, 422	.9	2,099	1. 2
OregonCalifornia	2 3	.1	118 450	(1)	84 324	.1
Pacific	5	.3	568	.1	408	.8
United States	3 1, 547	100	1,294,271	100	\$1,162 ,89 6	100

Division of Agricultural Cooperation.

¹ Less than one-tenth of 1 per cent.
2 Average for the United States.
3 Number reporting to the Department of Agriculture.
4 Total of the estimates for the various States.
5 Net including \$200,020,000 by coeperative agencies in 19 livestock terminal markets.

Table 727.—Farmers' business associations manufacturing and marketing cheese: Number of associations, estimated membership, 1924, and estimated business,

A	Associati	ons, 19 24		ed mem- p, 1924	Estimated business, 1983		
Geographic division and State	Number	Per cent	Number of mem- bers	Per cent	Dollars	Per cent	
Maine	1	0 2	60	0 4	Thousands 25	0 1	
New England	1	. 2	60	.4	25	. 1	
New York. Pennsylvania	33 3	· 8 0	1, 221 102	7 4 6	825 66	4 9	
Middle Atlantic	35	8 7	1, 323	8 0	891	5 3	
Oho Illinois Michigan Wisconsin	4 5 10 285	1 0 1 2 2 4 69.0	92 110 700 10, 260	. 6 7 4 2 62. 3	170 360 11,685	(°) 1 0 2 2 70 0	
East North Central	304	73 6	11, 162	67 8	12, 219	73 2	
Minnesota Missouri Kanasa	21 1 1	5 1 2 3	735 49 400	4.5 .3 2 4	756 42 18	4 5 .3 .1	
West North Central	23	5. 6	1, 184	7 2	816	4 9	
Virginia	1 4 1	1 0 3	28 292 14	1 8 .1	7 36 25	(³) . 2 . 1	
South Atlantic	6	1 5	334	2 1	68	. 3	
Tennessee	2	5	48	. 3	10	.1	
East South Central	2	5	48	. 3	10	.1	
IdahoUtah	2 3	.5	156 276	1 7	71 93	. 5 . 6	
Mountain	5	1 2	432	2 6	167	1 1	
Washington Oregon		8 0	1,092 825	6 6 5 0	12° 2, 376		
Pacific	36		1, 917	11 6	2, 502	15 0	
United States.	1 413		² 16, 460	100	1 16, 698	100	

Division of Agricultural Cooperation

Number reporting to the Department of Agriculture.
 Total of the estimates for the various States.
 Less than one-tenth of 1 per cent.

TABLE 728.—Farmers' business associations, by kinds of business, as reported to March, 1924

						,	.					.				
					<i>a</i> 2	elling as	Selling associations						Buying	Buying associations	ions	
• State and geographic division	Cotton and cotton prod- ucts	Dairy prod- ucts	Forage	Fruits and vege- tables	Grain	Live- stock	Nuts	Poul- try and poul- try prod- ucts	To- bacco	Wool	Mis- cella- neous	Total	Mer- chan- dise, farm- ers' stores	Mis- cella- neous	Total	Grand
Maine. New Hampshire. Vermont. Wasseadursetts Rhode Island. Counecticut.		8 4 4 8 16 2 8		32 -r 83		1 1			8 8	1 1 1 1 1 2	22241	55 8 52 E 8 14 14 14 14 14 14 14 14 14 14 14 14 14	1 2	အထက္ဆက္အ	800548	2382-2
New England		98		75	3	2		1	4	4	30	166	×	98	8	256
New York New Jersey Pannsylvania		78	2	89 7 13	3	7 7		2 1	1 3	31	8.0%	8 2 2 2	80 PM 800	190	\$218	Eag
Middle Atlantic		137	2	100	7	4		3	•	37	57	362	18	151	169	531
Ohio. Indism Illinois. Michigan. Wisconsin.		4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		16 17 17 23 23	196 126 397 50	74 95 154 82 144		-8-11	က က	1	81818	353 270 610 387 817	#2222 #8	55 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	888 87	886 986 986 986 988 988 988
East North Central		710		119	852	549		5	•	41	<u></u>	2, 437	<u>8</u>	7.	183	2,620
Minnesota Lowa Misouri Mist Dakota North Dakota Senth Dakota Nebushata	3	548 1138 148 148 158 158 158 158 158 158 158 158 158 15	1	85 0 62 4 60 1 4 80	268 345 153 2215 337	98 10 10 10 10 10 10 10 10 10 10 10 10 10		1000		20 62	87.84 64 6	1, 23 987 436 350 350 350	****	œ∞~~≈≈4	ននិងដននជ	1, 630 1, 630 473 473 474 474 474
West North Central	က	852	1	153	1,953	883		-		ន	185	4, 130	\$	\$	449	4,579
Delaware. Maryland. District of Columbia. Virginia.		1221	I	24 01	2	14	1	T	-	64	2 11	25-53	1 12	क्ष द्व	20 G	======================================

16 1 1 1 16 5 5 5 5 5 92	82 363	18 88 4 115 5 75	27 298	14 125 2 39 18 144 14 184	48 492	13 106 8 6 116 6 114 6 118 6 8 23 7 42 4 42	387	43 169 6 99 11 366	60	47 10, 160
- M- M- M- M- M- M- M- M- M- M- M- M- M-	21	7 1 5	13	80 T 87 4	10	200 H 200	10	404	10	430 1, 147
00 m e4	31	3	14	11 16 10	38	00000 14	23	39	92	717
37 15 89 89	188	111 20 50	271	111 37 126 170	444	93 108 108 138 4	348	126 93 355	574	9,013
9 11 14	52	28 16 28	73	7 5 12 31	55	1785739	4.	7 9	83	709
	12	60.40	∞	1 2	8	2	a	H00	5	115
1 2	4	03 63	7	1	1					22
	60	5-52	10	62 8	10	20	9	81-18	11	56
4	5	1	2	1	3			40	Ŧ	51
	17	10 13 10	æ	1 24	1-	10 10 2	22	0.4	8	1,598
23	10	1	1	2 5 89 17	113	60 13 88 42 7 7 1	135	42 9 14	જી	3, 134
12. 9 828 828	134	6 25 16 16	68	\$222	180	20 38 38 10 10	æ	288	322	1, 232
1	2	111	2	2	2	- 2-	7	1 9	1-	ଛ
9 11	R	9 4 E	31	1 2 2 7	2	поченно	\$	428	88	1,966
644	2	8 27 8	18	8-1-8£	8	8	64			101
west virgums. North Carolins. Bouth Carolins. Florids. Florids.	South Atlantic	Kentucky. Tennesses. Alabuma. Missispil.	East South Central	Arkansa. Louisana. Oklaboma Tens	West South Central	Montana. Idabo. Idabo. Myoming Calorado. New Mexico. Arkona. Usah. Nevada.	Mountain	Washington Oregon California	Pacific	United States

Table 729.—Active farmers' business associations reporting date of organization, 1863–1923

Year	Grain	Fruit and vege- tables	Cream- eries and cheese fac- tories	Live- stock	Total	Year	Grain	Fruit and vege- tables	Cream- eries and cheese fac- tories	Live- stock	Total
1863 1870 1873 1878 1879		1	1 1 3		1 1 8 1	1900 1901 1902 1908 1904	11 7 26 42 56	5 9 5 2	39 32 28 28 28	i	55 49 60 72 88
1880 1881 1892 1888			1 2 5 2		1 2 5 2	1905 1906 1907 1908 1909	78 72 76 93 93	7 8 5 14 18	27 39 31 39 42	1 3 2 1 2	113 122 114 147 155
1885 1886 1887 1888 1889	2 3 3	i	3 2 6 11 14		3 8 14 17	1910 1911 1912 1913 1914	78 86 127 100 145	15 12 15 28 28	46 54 75 57 81	8 13 14 12 30	142 165 2 31 192 284
1890 1891 1892 1893 1894	2 3 6 4 3	1 1 7 1	16 18 22 18 31	1	20 22 29 29 35	1915 1916 1917 1918 1919	198 216 198 229 383	26- 38 14 83 42	72 80 87 72 82	48 49 46 61 111	344 378 345 395 618
1895 1896 1897 1898 1899	4 5 5 5 7	3 2 5 4 3	27 40 34 41 21	1	34 47 45 50 31	1920 1921 1922 1923	314 117 58 23	84 103 73 11	78 61 34 15	109 142 90 28	585 423 253 77

Division of Agricultural Cooperation.

Table 730.—Farmers' business associations: Number of associations, membership, and estimated amount of business, by geographic divisions and by class of products, 1915 and 1923

BY GEOGRAPHIC DIVISIONS

		A 5500	iations		1	Memi	ership		Estimated business			
`	191	5	1923		1915		1928		1915		1923	
	Num- ber	Per cent	Num- ber	Per cent	Num- ber	Percent	Num- ber	Per	Amount	Per	Amount	Per cent
New England	157 210 973 2, 577 329 215 815 232 416	3. 9 17. 9 47. 5 6. 1 3. 9 5. 8 4. 3 7. 7	256 581 2, 620 4, 579 363 298 492 387 634	5. 2 25. 8 45. 1 3. 6 2. 9 4. 9 3. 8 6. 2	63, 971 107, 381 254, 425 37, 097 35, 884 30, 793 34, 731	9. 8 16. 5 30 1 5. 7 5. 5 4. 7 5. 4 10. 1			Thou- sands \$6, 974 56, 096 90, 114 286, 585 10, 289 7, 170 7, 684 20, 486 180, 511	8. 8 14. 2 45. 1 1. 6 1. 2 3. 2 28. 7	275, 000 238, 809 635, 800 145 209 189, 200 92, 400	12.5 15.4 28.9 0.6 8.6 4.2 1.9 18.8

TABLE 780.—Farmers' business associations: Number of associations, membership, and estimated amount of business, by geographic divisions and by class of products, 1915 and 1923—Continued

BY CLASS OF PRODUCTS

		Assoc	iations			Memi	ership		Esti	mate	i business	1	
	191	5	192	1923		1915		1923		1915		1923	
	Num- ber	Per cent	Num- ber	Per cent	Num- ber	Per cent	Num- ber	Per cent	Amount	Per cent	Amount	Per cent	
Dairy products Grain Fruits and vegetables Merchandise (farmers' stores) Cotton and cotton products Livestock Tobacco All others	1, 708 1, 637 871 275 213 96 43 581	30. 2 16. 0 5. 1 3. 9 1. 8	3, 134 1, 232 717 107 1, 598	30. 8 12. 1 7. 1 1. 1 15 7	109, 916 59, 503 18, 404 13, 438 17, 849	25. 6 16. 9 9. 1 2, 8 2. 1	400, 000 200, 000 150, 000 250, 000 250, 000	19. 8 9. 9 7. 4 12. 3 14. 3	289, 689 201, 543 11, 677 1, 502 5, 624	45. 6 31. 7 1. 8 . 2 . 9	500, 000 300, 000 50, 000 100, 000 1 250, 000 150, 000	27 3 13.6 2.3 4.5 11.8 6.8	
Total	5, 424	100	10, 160	100	651, 084	100	2, 025, 000	100	635, 839	100	2, 200, 000	100	

Division of Agricultural Cooperation

Table 731.—Farmers' business associations: Amount of business, 1913, 1914
1916, 1921, and 1922

	1	1913		19141		1916]	1921	1	1922
State and geographic division	Num- ber	Amount	Num- ber	Amount	Num- ber	Amount	Num- ber	Amount	Num- ber	Amount
		Thou-		Thou-		Thou- sands		Thou- sands		Thou-
Maine	26	\$3, 118		\$3,847	4	\$153		\$8, 718		\$6, 443
New Hampshire	5	121	5	121	:		11	1,049		712
Vermont	15 18			252 811				6, 149		6, 340
Massachusetts	2		11	34		10	30	6, 058 1, 030		4, 093 697
Connecticut.		613				64	31	948	11	9, 420
New England	79	6, 564	69	5, 565	14	811	196	23, 952	108	27, 705
New York	71	11, 580	71	5, 242	12	1, 483	180	79, 633	136	98, 655
New Jersey		2, 155		2,009				4, 917		3, 598
Pennsylvania	36	1, 485	43	1, 166		256	141	9, 763	80	8, 537
Middle Atlantic	115	15, 220	122	8, 517	20	1,848	336	94, 313	223	110, 785
Ohio	61	3, 976	56	5, 003	17	2, 374	268	39, 248	113	20, 431
Indiana				2, 052					79	7, 549
Illinois	174			23, 870				70. 328		29, 433
Michigan	82						339	39, 083	197	26, 124
Wisconsin	275	12, 837	218	10, 760	88	6, 431	'710	58, 268	604	52, 448
East North Central	641	51, 024	554	47, 571	180	20, 665	1, 951	227, 796	1, 181	185, 985
Minnesota		40, 120		82, 345	189			138, 936	769	74, 678
Iowa	371			24, 680	117			97, 678		5 1, 3 89
Missouri	45			2, 407	6			96, 612	154	60, 705
North Dakota	162			16, 908	83 67			36, 621		9, 817
South Dakota Nebraska	108 122				75			32, 734 62, 605	118 144	11, 516 25, 426
Kansas	125							68, 628		20, 120
West North Central.				130, 580						255, 998
Delaware	4	560	3	. 64	2		6	222	2	90
Maryland	7		8	288	l ī	1	12	4, 320	7	2, 250
Virginia	. 15	5, 986	18	366	4	42	66	27, 412	28	19, 874
West Virginia	. 1	i ' 9	3	25	2	110		380		
North Carolina	40					247	37	2, 791		
South Carolina	13			698			10	2, 648		
Georgia	19 29			2, 022 2, 340				2, 187 10, 757		
Florida										
South Atlantic	129	17,790	139	11, 858	23	1,000	230	50, 662	135	56, 260

¹ Compiled from Department Bulletin No. 547.

¹ Not including \$200,000,000 by cooperative selling agencies in 19 livestock terminal markets.

Table 731.—Farmers' business associations: Amount of business, 1913, 1914, 1916, 1921, and 1922.—Continued

	1	913	;	914	1	916	1	921		1922
State and geographic division	Num- ber	Amount	Num- ber	Amount	Num- ber	Amount	Num- ber	Amount	Num- ber	Amount
Kentucky	34 16 14	Thou- sand \$2,495 364 5,663	32 32 20	Thou- sand \$2,507 800 6,670	3 7 2	Thou- sand \$110 185 78	67 47	Thou- sand \$2, 518 3, 915 1, 930	43 8	Thou- sand \$51, 585 3, 484 423
Mississippi East South Central	22 86	9,418	31 115	10, 534	13	377	23 168	9, 568		21, 070 76, 562
Arkansas. Louisiana Oklahoma. Texas West South Central.	46 22 22 46 136		52 20 26 64	1, 812 433 1, 960 4, 580 8, 785	3 1 5 8	43 150 805	67 22 90 112	11, 050 8, 602 25, 293 24, 078 69, 023	39 9 35 48	4, 163 9, 047 11, 677 12, 304 37, 191
Montana Idaho Wyoming Colorado New Mexico Arizona Utah Nevada	23 28 3 29 6 2 16	1,305 8	32 10 25 6 2 17	8	2 8 2 2	105 102	34 14 69 15 13 19	2, 316 842 14	17 6 30 4 4 13	7, 246 184 2, 166 786 32
Mountain	78 42 102 222	6, 822 30, 160	81 44 76	16, 594 3, 903 20, 050	17 6 13	2, 791 293 3, 465	119 86 277		71 65 176	121, 627
United States	3, 099	310, 313	2, 877	274, 140	939	114, 601	7, 374	1, 256, 214	4, 103	885, 183

Division of Agricultural Cooperation.

FREIGHT AND FREIGHT RATES

Table 732.—Average weight per carload of freight originating on Class I railroads in the United States, 1920-1924

Commodity	1920	1921	1922	1923	1924 1
	Short tons	Short tons	Short tons	Short tons	Short tons
Wheat	40. 21	39. 89	40. 17	40. 35	40, 78
Corn	36 45	38. 07	88. 38	37. 87	87. 57
Oats	31. 20	30 55	30 07	31. 03	31. 52
Flour and meal	30. 27	25. 63	24, 94	25. 01	24. 37
Hay, straw and alfalfa	12. 38	12. 46	12.35	12. 33	12, 45
Tobacco	12.14	10. 92	11 09	10. 84	10.67
Cotton	12, 17	11. 57	11. 50	11. 29	11.25
Citrus fruits	16.68	16. 22	15.40	15.04	15.68
Potatoes	18. 77	18, 24	18. 20	17.87	17.96
Horses and mules	11.47	11. 39	11. 30	11. 26	11.45
Cattle and calves	11. 59	11. 62	11. 56	11. 53	11.54
Sheep and goats	9.98	9. 75	9.70	9.73	9.69
Hogs	9. 61	9. 51	9. 61	9. 55	9. 50
Poultry	11. 51	10. 95	11.02	11. 18	11.09
Eggs	11. 58	· 11.18	11. 19	11. 27	11. 22
Butter and cheese	12. 90	12.18	12. 37	12.65	12.49
Wool	12.48	12. 20	11.68	12.86	12.58
Bugar, sirup, glucose and molasses	28.98	27. 68	27. 54	27. 53	27.87
Canned goods	24. 78	23. 18	23.09	22. 92	22.88
Anthracite coal	48. 28	47. 53	47.85	48, 46	49.06
Bituminous coal	49. 27	50.45	50.80	51, 29	51.72
Textiles	13. 20	11.82	11.72	11, 55	11.58
Lumber, timber, box shooks, staves and					
headings	27.04	26.08	26.81	26.77	26, 80

Division of Statistical and Historical Research. Compiled from reports of the Interstate Commerce Commission.

¹ Preliminary.

Table 733.—Freight tonnage originating on railways in the United States, 1899-1924 $^{\rm 1}$

[Thousand short tons-i. e., 000 omitted]

			Year ende	l June 30—		-
Commodity	1899	1900	1901	1902	1903	1904
FARM PRODUCTS						
Animal, products: Animals, live— Horses and mules	1,000 short tons					
Cattle and calves	7, 856	8, 492	8, 598	8, 457	9, 804	10, 190
Packing-house products— Fresh meats Hides and leather Other packing-house products	683	1, 590 737 2, 038	1, 763 769 2, 098	1, 669 829 2, 254	1, 655 844 2, 258	1, 731 912 2, 365
Total packing-house products	4, 030	4, 365	4, 630	4, 752	4, 757	5, 008
Eggs Butter and cheese Poultry Wool Other animals and products.	490 315 1,085	583 322 1,083	613 263 1,041	640 381 1, 131	654 358 1, 231	681 375 1, 322
Total animal products		14, 845	15, 145	15, 361	16, 804	17, 576
Vegetable products: Cotton Fruits and vegetables Potatoes	3, 100 4, 583	2, 483 5, 213	. 2, 960 5, 846	2, 797 6, 295	3, 175 7, 120	3, 006 7, 834
Grain and grain products— Grain— Wheat Corn. Oats Other grain Grain products— Flour and meal Other mill products.	27, 047 5, 458 3, 206	28, 804 6, 088 3, 714	29, 467 5, 915 4, 201	26, 354 6, 523 3, 937	30, 188 7, 277 4, 541	30, 493 7, 088 4, 729
Total grain and grain prod- ucts.	35, 711	38, 606	- 39, 583	36, 814	42,008	42, 310
Hay, straw, and alfalfa	3, 542	4, 112	4, 087	4, 682	4, 641	5, 228
Sugar, sirup, glucose, and ino- lasses. Tobacco. Other vegetable products.	1, 795 691 2, 447	2, 051 749 2, 306	2, 302 701 2, 926	2, 255 731 2, 405	2, 426 863 3, 250	2, 600 751 2, 383
Total vegetable products	51, 869	55, 520	58, 405	55, 979	63, 481	64, 112
Total farm products	65, 645	70, 365	73, 550	71, 340	80, 285	81, 688
OTHER FREIGHT				1	}	
Products of mines	227, 453 48, 122 57, 620 43, 042	271, 602 59, 956 67, 206 47, 803	269, 373 60, 845 69, 379 48, 191	305, 635 67, 703 82, 034 56, 120	329, 336 74, 560 89, 555 65, 065	330, 872 80, 384 83, 489 65, 248
Total tonnage	441, 882	516, 432	521, 338	581, 832	638, 801	641, 681

¹ The figures in this table are for all operating roads, 1899-1912; class 1 and 2 roads, 1913-1916; class 1 roads, 1917 and subsequently. Class 1 roads are those having annual operating revenues of \$1,000,000 and over; class 2, from \$100,000 to \$1,000,000; and class 3, under \$100,000.

Table 733.—Preight tonnage originating on railways in the United States, 1809-1924—Continued

[Thousand short tons-i. e., 000 omitted]

			Year ende	d June 30-	-	
Commodity	1905	1906	1907	1908	1909	1910
FARM PRODUCTS						
Animal products: Animals, live— Horses and mules.	1,000 short tons	1,000 short tons	1,000 short tons	1,000 short tons	1,000 short tons	1,000 short tons
Cattle and calves Sheep and goats Hogs	10, 612	11, 069	11, 728	11, 541	11, 699	11, 502
Packing-house products— Fresh meats flides and leather Other packing-house products	1, 617 982 2, 502	1, 814 1, 028 2, 481	1, 953 1, 083 2, 3 12	2, 081 938 2, 085	2, 132 1, 156 1, 982	2, 274 1, 215 1, 761
Total packing-house products	5, 101	5, 323	5, 348	5, 974	5, 270	5, 250
Eggs Butter and cheese. Poultry Wool Other animals and products	750 387	868 353 1, 370	839 330 2, 229	717 317 1,986	713 404 2, 508	698 367 2, 477
Total animal products	18, 155	19,003	20, 474	19, 635	20, 594	20, 294
Veketable products: ('otton Fruits and vegetables Potatoes	2, 962 9, 231	3, 429 8, 921	4, 333 0, 719	3, 419 9, 517	3, 950 9, 763	8, 024 11, 340
Grain and grain products— Grain— Wheat Corn Oats. Other grain. Grain products—	30, 906	35, 856	36, 715	33, 058	34, 111	37, 421
Flour and mealOther mill products	6, 590 4, 639	7, 332 5, 043	7, 880 5, 698	6, 872 5, 153	7, 745 5, 210	8, 039 6, 005
Total grain and grain products.	42, 135	48, 231	50, 293	45, 083	47, 066	51, 465
Hay, straw, and alfalfa. Sugar, strup, glucose, and molasses. Tobacco. Other vegetable products.	5, 192 2, 574 834 3, 283	5, 480 2, 794 882 3, 259	5, 848 2, 610 928 5, 908	5, 446 2, 589 803 5, 398	5, 454 2, 499 794 6, 656	5, 976 2, 848 943 5, 989
Total vegetable products	67, 211 85, 366	72, 996 91, 99 9	79, 639 100, 113	72, 255 91, 890	76, 182 96, 776	81, 585 101, 879
OTHER PREIGHT						
Products of mines Products of forests Manufactures Merchandise, all l. c. l. freight	883, 562 80, 437 94, 759 71, 539	435, 450 92, 187 118, 665 81, 864	476, 900 101, 618 135, 011 79, 543	444, 216 90, 475 102, 271 68, 364	459, 561 97, 105 106, 178 66, 873	544, 604 113, 011 136, 830 72, 140
Total tonnage	715, 663	820, 165	893, 185	797, 216	826, 493	968, 464

Table 733.—Freight tonnage originating on railways in the United States, 1899-1924—Continued

[Thousand short tons--1. e., 000 omitted]

	l		Year ende	d June 30-		
Commodity	1911	1912	1913	1914	1915	1916
FARM PRODUCTS						
Animal products. Animals live— Horses and mules	1,000 short tons	1,000 short tons	1,000 short tons	1,000 short tons	1,000 short tens	1,000 short tons
Cattle and calves Sheep and goats Hogs	13, 991	14, 147	15, 042	14, 811	15, 021	16 , 964
Packing-house products-	2 040			0.000	0.00	2.010
Fresh meats Hides and leather Other packing-house products	2, 330 1, 096 2, 249	2, 346 1, 139 2, 360	2, 407 1, 121 2, 345	2, 283 1, 081 2, 375	2, 503 1, 150 2, 541	2, 656 1, 401 2, 775
Total packing-house products	5, 675	5, 845	5, 873	5, 739	6, 194	6, 832
Eggs Butter and cheese						
Poultry Wool Other animals and products	719 375 3,003	768 407 3, 807	847 398 4, 286	915 409 5, 264	862 370 4, 213	1, 017 503 4, 629
Total animal products	23, 763	24, 974	26, 446	27, 138	26, 660	29, 945
Vegetable products Cotton Fruit's and vegetables Potatoes	3, 486 11, 747	4, 953 12, 880	3, 942 16, 099	4, 141 16, 795	5, 013 17, 898	4, 052 18, 192
Grain and grain products— Grain— Wheat Corn Oats	41, 058	39, 299	50, 945	46, 015	53, 447	57, 686
Other gram Grain products— Flour and meal Other mill products	8, 634 6, 490	8, 629 7, 081	9, 523 7, 830	9, 697 7, 824	9, 597 8, 036	10, 472 7, 993
Total grain and grain	56, 182	55, 009	68, 298	63, 536	71, 060	76, 151
Hay, straw, and alfalfa. Sugar, strup, glucose, and molasses	6, 307 2, 883	6, 828 3, 233	7, 145 3, 599	7, 319 3, 92 6	7, 649 3, 727	7, 3 ¹ 3 3, 917
Tebacco	934 6, 910	982 10, 125	1, 091 9, 493	1, 071 9, 338	1, 052 10, 348	1, 036 8, 938
Total vegetable products	88, 449	94, 010	109, 367	106, 126	116, 767	119,699
Total farm products	112, 212	118, 984	136, 113	133, 264	143, 427	149, 641
OTHER PREIGHT						
Products of mines	539, 256 108, 506 132, 298 74, 967	566, 538 100, 148 136, 716 75, 897	650, 940 112, 079 161, 933 88, 775	626, 076 110, 878 145, 257 78, 649	556, 582 93, 971 132, 410 76, 014	706, 029 106, 857 182, 916 92, 777
Total tonnage	967, 284	996, 283	1, 144, 840	1, 094, 124	1, 002, 404	1, 239, 223

Table 733.—Freight tonnage originating on railways in the United States, 1899–1924.—Continued

[Thousand short tons-i.e.,000 omitted]

			Calend	ar year		
Commodity	1916	1917	1918	1919	1920	1921
FARM PRODUCTS						1.000
Animal products: Animals, live-	1,000 short tons	1,000 short tons	1,000 short tons	1,000 short tons	1,000 short tons	short tons
Horses and mules Cattle and calves Sheep and goats Hogs	17, 294	17, 906	19, 263	19, 395	936 9, 809 1, 344 5, 421	428 8, 522 1, 175 5, 504
Packing-house products— Fresh meats	2, 808	2,966	3, 714	3, 398	2, 770	2, 578
Hides and leather Other packing-house products	1, 396 2, 633	1, 357 2, 567	1, 303 3, 510	1, 371 3, 736	1, 051 2, 206	972 2, 094
Total packing-house products	6, 837	6, 890	8, 527	8 505	6, 027	5, 644
Eggs Butter and cheese					536 425	551 434
Poultry	1, 097 505	1, 022 499	1, 155 494	1,322 547	204 292	276 400
Other animals and products	4, 740	5, 541	6, 339	5, 724	1, 540	1, 329
Total animal products	30, 473	31, 858	35, 778	35, 493	26, 594	24, 263
Vegetable products: Cotton. Fruits and vegetables. Potatoes.	4, 212 17, 621	3, 552 17, 679	3, 552 18, 737	3, 803 19, 726	3, 379 10, 045 4, 118	3, 191 9, 255 4, 639
Grain and grain products— Grain — Wheat Corn Oats Other grain	55, 685	46, 372	55, 881	52, 375	23, 131 12, 689 8, 615 5, 669	29, 039 17, 218 7, 542 4, 568
Grain products— Flour and meal Other mill products	10, 319 8, 234	10, 065 8, 413	10, 589 8, 630	11, 670 9, 079	10, 952 8, 891	10, 553 7, 881
Total grain and grain prod- ucts	74, 238	64, 850	75, 100	73, 124	69, 947	76, 801
Hay, straw, and alfalfa Sugar, sirup, glucose, and molasses. Tobacco. Other vegetable products	7, 243 3, 763 1, 016 9, 305	8, 315 4, 235 1, 029 9, 205	8, 241 4, 204 1, 160 9, 260	7, 483 4, 934 1, 293 9, 604	7, 957 5, 664 1, 081 15, 251	5, 154 4, 767 927 15, 186
Total vegetable products	117, 398	108, 865	120, 254	119, 967	117, 442	119, 920
Canned goods (food products)					8, 074	2, 627
Total farm products	147, 871	140, 723	156, 032	155, 460	147, 110	146, 810
OTHER FREIGHT						
Products of mines. Products of forests. Manufactures Merchandise, all l. c. l. freight	680, 123 93, 819 185, 025 95, 162	732, 653 100, 838 188, 796 101, 006	734, 797 97, 256 176, 202 99, 057	589, 951 94, 076 163, 825 92, 799	712, 154 100, 766 242, 189 53, 202	511, 271 76, 419 163, 691 41, 992
Total tonnage	1, 202, 000	1, 264, 016	1, 263, 344	1, 096, 111	1, 255, 421	940, 183

TABLE 733—Freight tonnage originating on railways in the United States, 1899—1924—Continued

[Thousand short tons—i. e., 000 omitted]

	C	alendar year	•
Commodity	1922	1923 1	1924 1
FARM PRODUCTS Animal products: Animals, live—	1,000 short tons	1,000 short tons	1,000 short tens
Horses and mules	491	603	531
Cattle and calves	9, 567	9, 403	9, 316
Sheep and goats	1, 159 5, 795	1, 159 6, 947	1, 215 6, 707
	0,780	0, 617	
Packing-house products—	0.014	0.000	3, 001
Fresh meats Hides and leather	2, 614 1, 681	3, 022 1, 084	1, 025
Other packing-house products	2,049	2, 395	2, 395
Total packing-house products	5, 744	6, 501	6,421
Eggs.	565 507	595 571	572 649
Butter and cheese Poultry	292	357	376
Wool	360	290	294
Other animals and products	1,750	1,811	1,668
Total animal products	26, 230	28, 237	27, 749
Vegetable products.		1	
('otton	3, 074	2,875	3, 261
Fruits and vegetables	9, 683	10, 378	10, 868
Potatoes	4, 829	4, 697	4, 590
Grain and grain products— Grain—			
Wheat	24, 805	23, 095	27, 442
Corn	19, 275 7, 646	15, 174 8, 296	14, 883 8, 507
Other grain	5, 245	4, 738	5, 616
Grain products—	1		
Flour and meal	10, 694	10, 482	10, 330
Other mill products	9, 000	9, 988	10, 083
Total grain and grain products	76, 665	71, 773	76, 861
Hay, straw and alfalfa	5, 723	5, 966	5, 802
Sugar, strup glucose and molasses	5, 091	4, 881	5, 356
Tobacco Other vegetable products	882	1, 097	1,069
Other vegetable products	11,868	13, 369	15, 277
Total vegetable products	117, 815	115, 036	123, 084
Canned goods (food products)	3, 106	8, 440	8, 781
Total farm products	147, 151	146, 713	154, 564
OTHER FREIGHT			
Products of mines	532, 998	713, 384	638, 520
Products of forests	89, 059 211, 308	115, 220 257, 688	108, 090
Manufactures	211, 308	257, 688	246, 432
Merchandise, all l. c. l. freight	43, 229	44, 314	40, 551
Total tonnage	1, 023, 745	1, 277, 319	1, 188, 157
	1	1	

Division of Statistical and Historical Research. Compiled from reports of the Interstate Commerce Commission.

¹ Preliminary.

Table 734.—Freight rates on wheat, in effect September, 1924

From-	То—	Rate per 100 pounds	From-	То—	Rate per 100 pounds
•		Cents			Cents
Withrow, Wash	Wonatchee, Wash	16.0	Beloit, Kans	Kansas City, Mo	18.0
Do	Tacoma, Wash Spokane, Wash	25. 5	Brewster, Kans	do	20. 5
Do	Spokane, Wash	28.0	Abilene, Kans	do	17. 5
Harrington, Wash	Seattle, Washdo	7.0	Great Bond, Kans	do	19. 5
Do	Seattle, Wash	24.0	McPherson, Kans	do	19. 0
Coltax, Wash	do	24.0	Hutchinson, Kans.	Minneapoles, Minn.	86 5
1)0	Portisha, Oreg	24.0	Do		19.0
Pomeroy, Wash	do	23.0	Do	New Orleans, La	46.5
Pendleton, Oreg	do	18, 5	_ Do	Galveston, Tex	49 0
Marion, Oreg	do	14.0	Bucklin, Kans	Minneapolis, Minn.	37. 5
Kingdon, Calif	San Francisco, Calif.	10.0	Do	Kansas City, Mo	20.0
Moscow, Idaho	Seattle, Wash	24.0	Harper, Kans	40	19.0
Caldwell, Idaho	do	37.0	Galena, Kans	d5	13 5
Twin Falls, Idaho	Portland, Oreg	44.0	End, Okia	New Orleans, La	23. 5
ldaho Falls, Idaho	do	41.0			43 5
Boseman, Mont	Souttle, Wash	38. 5	Do	Fort Worth, Tex	43 0 34, 0
Do	Portland, Oreg	38. 5 37. 5	Cordell, Okla.	Oblahama (it	34.0
Scobey, Mont	Duluth, Minu	37. 5	Corden, Okia	Oklahema ('its, Okla	19.0
Do	Minneapolis, Minn. Duluth, Minn.	27, 0	Amarillo, Tex	Fort Worth, Tex	28.0
Wheelock, N. Dak Do	Minneapolis, Minn	27.0	The Total	Galveston, Tex	28.0
Wales, N Dak	Duluth, Minn	19. 5	Do. Osakis, Minn	Duluth, Minn	14.0
D0		19. 5	Do	Minneapolis, Minn	12 5
Leeds, N. Dak	Duluth, Minn	20. 6	Winterset, Iowa	Chicago, Ill	20 5
Do	Minneapolis, Minn.	20.5	Do	St. Louis, Mo	20. 5
Adams, N. Dak	Duluth, Minn	19. 5	Marshall, Mo.	do	17.5
Do	Minneapolis, Minn.	19 5	Golden City, Mo	do	20.5
Leal, N. Dak	Duluth, Minn	20.0	Do	Bpringhold, Mo	10. 5
Do	Minneapolis, Minn.	20 0	La Prairie, Ill	St. Louis, Mo	11.5
Makoti, N. Dak		25. 5	Lincoln, Ill.	Chicago, Ill	
Do	Minneapolis, Miun	25. 5	Jerseyville, Ill	do	11 5
Dickinson, N. Dak.	Duluth, Minn	28 0	Do	Peoria, Ill	
Do	Minneapolis, Minn.	28 0	Do	8 Louis, Mo	9.5
Grotom, S Dak	do	24.0	Belleville, Ill	do	95
Wessington, S.Dak.	do	21.0	Carmi, Ill	Chicago, Ill	20. 5
Do	Sioux City, Iowa	20.0	Do	St Louis, Mo	17 5
Do	Milwaukee, Wis	31.0	Schooleraft, Mich	Ch.cago, Ill	
Chappell, Nobr	Omaha, Nebr	24. 5	Shelby ville, Ind	Indianapolis, Ind	
Do	Kansas City, Mo	31.0	_ Do	Chicago, Ill	17 5
Exeter, Nebr	Omaha, Nebr	16, 5	Fostoria, Obio	New York, N. Y	28. 5
Do	Kansas City, Mo	19 0	Do		25. 5
Beaver City, Nebr	Omaha, Nebr	21.0	Orrville, Ohio	New York, N. Y	
De	Kausas City, Mo	21 0	Lancaster, Pa	Philadelphia, Pa	
Heatrice, Nebr	St. Louis, Mo	28.0		Baltimore, Md	15 5
Do		17.0	Do Md	New York, N. Y	19.0 24.0
rnumpsburg, Kans.	do	19. 5	magerstown, Md	Dalsimone Med	10 7
Marysville, Kans	do	14.5	Stunden Vo	Baltimore, Mddo	18. 5
	1		DIMBINION, VA.	l (10	22.5

Division of Statistical and Historical Research Supplied by Interstate Commerce Commission.

TABLE 735.—Butter: Changes in domestic freight rates, all rail shipments, 1913-September, 1924

Destination and point of origin	Date	Rate per 100 pounds	Destination and point of origin	Date	Rate per 100 pounds
Atlanta, Ga.: From Chicago, III	Jan. 1, 1913 Jan. 1, 1916 Feb. 1, 1918 June 5, 1918	Cents 133. 0 142. 0 142. 7 150. 5	Chicago, Ill —Contd From Barron, Wis	Jan. 1, 1913 June 25, 1918 Aug. 26, 1920 July 1, 1922	Cents 44.0 55.0 74.5 67.0
	June 25, 1918 Aug. 1, 1919 July 15, 1920 Aug. 15, 1920 Aug. 26, 1920 Jan. 1, 1922	188 5 176, 5 177, 0 144, 5 187, 0 181 0	New Orleans, La.: From Marshfield, Mo-	Jan. 1, 1913 Jan. 1, 1916 June 25, 1918 Feb 29, 1920 Aug. 15, 1920	90. 0 110. 0 143. 0 171. 0 141. 0
Boston, Mass.: From Newport, Va	Apr. 1, 1914 Aug. 1, 1917 June 25, 1918	168. 5 40. 0 29. 0 45 0 56. 5	New York, N. Y:	Aug. 26, 1920 Mar. 1, 1921 Jan. 1, 1922 Apr. 1, 1922 July 1, 1923	184. 0 209. 5 198. 0 205. 5 195. 0
From Chicago, Ill	Aug. 1, 1919 Dec. 31, 1919 Aug. 26, 1920 Jan. 1, 1922 Sept. 1, 1922 Jan. 1, 1913	46 5 46. 0 64. 5 58 0 58. 5 71 0	From Chicago, Ili	Jan. 1, 1913 Jan 15, 1915 July 16, 1917 June 25 1918 Aug. 1, 1919 Aug. 26, 1920	65. 0 68. 3 79. 0 99. 0 75 0
	Jan. 15, 1915 July 16, 1917 June 25, 1918 Feb. 15, 1919 Aug. 1, 1919 Aug. 26, 1920 Jan. 1, 1922	74 3 85. 0 106 5 105 0 80 0 110 0 99 5	From Long Prairie, Minn.	Jan 1, 1922 Jan 1, 1913 Aug. 20, 1913 Jan. 15, 1915 July 16, 1917 June 25, 1918 Aug. 26, 1920	94 5 121. 0 114. 3 116. 8 124. 3 155 3 213. 5
From Topeka, Kan	Jan. 1, 1913 Feb. 15, 1914 Feb. 15, 1916 July 16, 1917 June 25, 1918	117. 5 102. 5 105. 4 114 0 143 0	From Eureka, Calif	Jan. 1, 1922 July 1, 1922 Sept. 29, 1915 Oct. 11, 1915	207. 0 192. 5 210 0 245. 0
Chicago, Ill	Feb. 15, 1919 Aug. 26, 1920 July 1, 1922 June 15, 1924	142 0 194. 0 175. 0 176. 0	Philadelphia, Pa	Apr. 18, 1916 June 25, 1918 Aug. 26, 1920 Jan 1, 1922	225. 0 281. 5 373. 0 335. 5
From Coopersville, Mich.	Jan 1, 1913 Apr. 15, 1913 Oct 26, 1914 Sept. 20, 1917 June 25, 1918 Aug 1, 1919 Aug. 26, 1920 July 1, 1922	27. 0 28. 5 29. 9 41. 0 51. 5 40 5 56 5 51 0	From Chicago, Ill	Jan. 1, 1913 Jan. 15, 1915 July 16, 1917 June 26, 1916 Feb 15, 1919 Aug 1, 1919 Aug 26, 1920 Jan 1, 1922	63. 0 66 3 77. 0 96. 5 97. 0 73. 0 103. 0 92. 5

Division of Statistical and Historical Research. Compiled from information furnished by the Interstate Commerce Commission. The rates last shown are these in effect during September, 1924.

Table 736.—Cheese: Changes in domestic freight rates, all-rail shipments, 1918-September, 1924

Destination, and point of origin	Date	Rate per 100 pounds	Destination, and point of origin	Date	Rate per 100 pounds
Atlanta, Ga.: From Plymouth, Wis From Wausau, Wis Boston, Mass.: From Watertown, N. Y.	Jan. 1, 1918 June 10, 1914 Feb. 1, 1916 Jan. 1, 1916 Jan. 1, 1916 Jan. 15, 1920 Aug. 26, 1920 May 26, 1921 Jan. 11, 1922 Dec. 10, 1923 Jan. 1, 1913 Jan. 1, 1913 Jan. 25, 1918 Jan. 1, 1913 Jan. 1, 1913 Jan. 1, 1922 July 1, 1922 Dec. 10, 1923 Jan. 1, 1923 Jan. 1, 1925 June 25, 1918 Jan. 1, 1925 June 8, 1917 June 8, 1917 June 25, 1918 June 8, 1917 June 25, 1918 June 26, 1920 Jan. 1, 1917 June 25, 1918 Dec. 29, 1919 Aug. 26, 1920 Jan. 1, 1922 Jan. 1, 1922 Jan. 1, 1922 Jan. 1, 1922 Jan. 1, 1922 Jan. 1, 1922 Jan. 1, 1922 Jan. 1, 1922 Jan. 1, 1922 Jan. 1, 1922 Jan. 1, 1922 Jan. 1, 1922 Jan. 1, 1922 Jan. 1, 1922 Jan. 1, 1922 Jan. 1, 1922	Cents 150 0 132 8 133.4 142 4 178 0 199 0 215.0 194.5 188.0 195.0 196.5 156.0 199.5 33.7 34.5 34.5 39.0 48.0 67.0 60.0	Chicago, Ill: From Plymouth, Wis From Wausau, Wis Cincinnati, Ohio From Plymouth, Wis New York, N. Y From Plymouth, Wis San Francisco, Calif.: From Tillamook, Oreg.	Jan. 1, 1913 June 25, 1918 Aug. 26, 1920 Jan. 1, 1922 Jan. 1, 1913 June 25, 1918 Aug. 20, 1920 July 1, 1922 Jan. 1, 1913 June 25, 1918 Aug. 26, 1920 Jan. 1, 1922 Jan. 1, 1913 June 25, 1918 Aug. 20, 1920 Jan. 1, 1922 Jan. 1, 1922 Jan. 1, 1922 Jan. 1, 1922 Jan. 1, 1922 Jan. 1, 1922 Jan. 1, 1922 Jan. 1, 1922 Jan. 1, 1922 Jan. 1, 1922 Jan. 1, 1922 Jan. 1, 1922 Jan. 1, 1922	Centa 18. 0 22. 5 30. 5 27. 5 33. 0 41. 5 50. 0 65. 0 65. 0 88. 0 79. 0 65. 8 82. 5 110. 0 99. 0 115. 0 61. 0 86. 5

Division of Statistical and Historical Research. Compiled from information furnished by the Interstate Commerce Commission. The rates last shown are those in effect during September, 1924.

Table 737.—Tobacco, leaf Changes in domestic freight rates, all-rail shipments, June, 1913-1924

Destination, and point of origin	Date	Rate per 100 pounds	Destination, and poir t of origin	Date	Rate per 100 pounds
Baltimore, Md.: From Bedford, Va. (hogsheads)	June 1, 1913 June 1, 1915 June 1, 1918	Cents 26 0 27. 3 31. 5	Chicago, Ill.—Continued From Springfield, Mass. (cases)	June 1, 1913 June 1, 1915 June 1, 1918	Cents 35. 0 36. 8 42. 0
Chicago, Ill. From Dayton, Ohio	June 25, 1918 Aug. 26, 1920 Jan. 1, 1922 June 1, 1913	40. 5 56. 5 51. 0	Cincinnati, Ohio From Dayton, Ohio	June 25, 1918 Aug. 26, 1920 Jan. 1, 1922	52. 5 73. 5 66. 0
, i	June 1, 1915 June 1, 1918 June 25, 1918 Aug. 26, 1920 Jan. 1, 1922	17. 3 25. 0 31. 5 44. 0 39 5	(cases) 1	Jan. 1, 1918 June 25, 1918 Feb. 29, 1920 Aug. 26, 1920 July 1, 1922	15. 0 19. 0 18. 5 28. 0 23. 5
From Edgerton, Wis. (cases)	June 1, 1913 June 25, 1918 Aug. 26, 1920 Jan. 1, 1922	17. 5 22. 0 33 5 30. 0	Danville, Va.: From Chase City, Va. (hogsheads).	June 1, 1913 Oct. 23, 1915 June 25, 1918 Aug. 31, 1920	21. 0 19. 0 24. 0 30. 0
(cases)	June 1, 1913 June 1, 1915 June 1, 1918 June 25, 1918	33. 0 34. 8 40. 0 50. 5	Durham, N. C.: From Chase City, Va. (hogsheads)	Jan. 1, 1922 June 1, 1918	27. 0 21. 0
From Quincy, Fla.	Aug. 26, 1920 Jan. 1, 1922 June 1, 1918	71. 5 64. 0 95. 0	From Darlington, S. C.	June 25, 1918 Aug. 26, 1920 Jan. 1, 1922	26. 5 , 88. 0 29. 5
	June 1, 1918 June 25, 1918 Aug. 26, 1920 Jan. 1, 1922	108. 5 129. 5 167. 0 150, 5	(hogsheads)	June 1, 1913 June 25, 1918 Aug. 26, 1920 Jan. 1, 1922	86. 0 45. 0 56. 5 51, 0

Rates supplied by the Public Utilities Commission of Ohio.
 Rates supplied by the Virginia State Corporation Commission.

Table 737.—Tobacco, leaf: Changes in domestic freight rates, all-rail shipments,
June, 1913-1924—Continued

Destination, and point of origin	Date	Rate per 100 pounds	Destination, and point of origin	Date	Rate per 108 pounds
Durham, N. C.—Con. From South Hill, Va. (hogsheads)	June 1, 1913 June 25, 1918 Aug. 26, 1920 Jan. 1, 1922	Cents 19. 0 24. 0 30. 0 27. 0	Norfolk, Va.: From Bedford, Va. (hogsheads)	June 1, 1913 June 25, 1918 Nov. 26, 1918 Aug. 31, 1920	Cents 25. 0 31. 5 36. 5 51. 0
Louisville, Ky.: From Cincinnati, Ohio (hogsheads)	June 1, 1913 Oct. 26, 1914 Apr. 22, 1918	10. 0 10. 5 12. 0	Petersburg, Va.: From Bedford, Va. (hogsheads) 1	June 1, 1922 June 1, 1913	46. € 38, €
From Lexington, Ky. (hogsheads).	June 25, 1918 Aug. 26, 1920 Jan. 1, 1922 June 1, 1913	15. 0- 21. 0 19. 0	From Blackstone, Va.	June 25, 1918 Nov. 26, 1918 Aug. 31, 1920 Jan. 1, 1922	29. 0 83. 0 46. 0 41. 5
Lynchburg, Va.: From Blackstone, Va.	June 25, 1918 Aug. 26, 1920 July 1, 1922	19. 0 24. 0 21 5	(hogsheads) ¹	June 1, 1913 June 25, 1918 Nov. 26, 1918 Aug. 31, 1920	14. 0 17. 5 20. 0 28. 0
(hogsheads).3	June 1, 1913 June 25, 1918 Nov. 26, 1918 Aug. 31, 1920 Jan. 1, 1922	19 0 24. 0 27. 5 38. 5 34. 5	Philadelphia, Pa.: From Cincinnati, Ohio (cases)	Jan. 1, 1922 Sept. 20, 1923	25. 0 22. 0
New York, N. Y. From Dayton, Ohio (cases)	June 1, 1913 June 1, 1915 June 1, 1918 June 26, 1918 June 1, 1919 Aug. 26, 1920	29. 5 30. 9 35. 5 44. 5 44. 0 61. 5		June 1, 1913 June 1, 1915 June 1, 1918 June 25, 1918 June 1, 1919 Aug. 26, 1920 Jan. 1, 1922 July 1, 1922	80. 0 84. 5 43. 0 43. 5 61. 5 55. 9 55. 5
From Edgerton, Wis. (cases)	Jan. 1, 1922 June 1, 1913 June 1, 1918 June 25, 1918 June 1, 1920	55, 5 49, 0 50, 8 56, 0 70, 0 65, 5	From Edgerton, Wis. (cases)	June 1, 1913 June 1, 1915 June 1, 1918 June 25, 1918 June 1, 1920 Aug. 26, 1920 Jan. 1, 1922	47. 0 48. 8 54. 0 67. 5 03. 5 80. 5
From Hartford, Conn. (cases)	Aug. 26, 1920 Jan. 1, 1922 July 1, 1922 June 1, 1913 June 1, 1915	91. 5 83. 0 82. 5 13. 0 15. 0	From Germantown, Ohio (cases)	July 1, 1922 June 1, 1913	80, 5 28, 5 30, 0 34, 5
From Lancaster, Pa.	June 1, 1918 June 25, 1918 Aug. 26, 1920 Jan. 1, 1922	17. 5 24. 5 34. 5 31. 0	From Hartford, Conn.	June 1, 1918 June 25, 1918 June 1, 1919 Aug. 26, 1920 Jan. 1, 1922 July 1, 1922	43. 0 42. 5 61. 5 55. 0 55. 5
(cases)	June 1, 1913 June 1, 1915 June 1, 1918 June 25, 1918 Aug. 26, 1920 Jan. 1, 1923	17. 0 17. 9 20. 5 25. 5 35. 5 32. 0	(cases)	June 1, 1913 June 1, 1915 June 1, 1918 June 25, 1918 Aug. 26, 1920 Jan. 1, 1922	16.0 17.9 19.5 24.5 34.5 31.0
(hogsheads)	June 1, 1913 Jan. 28, 1915 July 30, 1917 June 25, 1918 Aug. 26, 1920 Jan. 1, 1922	35. 0 36. 8 42. 0 52. 5 73. 5 66. 0	(cases) 4	June 1, 1913 Feb. 23, 1915 Aug. 1, 1917 June 25, 1918 Aug. 26, 1920 Jan. 1, 1922	11.0 11.6 13.5 17.0 24.0 21.5
(cases)From Springfield,	June 1, 1913 June 1, 1916 June 25, 1918 Aug. 26, 1920 Jan. 1, 1922	95. 0 85. 0 106. 5 142. 0 128. 0	From Quincy, Fla.	June 1, 1913 June 1, 1916 June 25, 1918 Aug. 26, 1920 Jan. 1, 1922	92.0 85.0 106.5 142.0 128.0
Mass. (cases)	June 1, 1913 June 1, 1914 June 1, 1918 June 25, 1918 June 1, 1920 Aug. 26, 1920 Jan. 1, 1922	13. 0 15. 0 17. 5 22. 0 24. 5 34. 5 31. 0	From Springfield, Mass. (cases)	June 1, 1918 June 1, 1915 June 1, 1918 June 2, 1918 Aug. 26, 1920 Jan. 1, 1922	16.0 17.0 19.5 24.5 34.5 81.0

Rates supplied by the Virginia State Corporation Commission.
Rates supplied by the Railroad Commission of Kentucky.
Rates supplied by the Public Service Commission of Pennsylvania.

Table 737.—Tobacco, leaf: Changes in domestic freight rates, all-rail shipments, June, 1913-1984—Continued

origin pounds origin	Date	Rate per 100 pounds
From Cincinnati, Ohio June 25, 1918 25, 5 33, 0 34, 1920 39, 5 5 May 3, 1915 59, 0 59, 0 5 Max 7, 1919 42, 5 5 Mov. 15, 1921 59, 0 5, 5 Moy 1, 1922 54, 5 5 Moy 1, 1922 54, 5 Max 28, 1922 54, 5 June 1, 1923 54, 5 June 1, 1924 54, 5 June 1, 1925 54, 5 June 1, 1926 54, 5 June 25, 1918 36, 5 Moy 15, 1921 59, 5 Max 28, 1922 54, 5 June 1, 1923 54, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 June 25, 1918 36, 5 J	(eme 1, 1913 Jot. 2d, 1914 Jept. 20, 1917 Jept. 20, 1918 Feb. 29, 1920 Jept. 20, 1918 Jept. 20, 1920 Jept. 20, 1920 Jept. 21, 1922 Jept. 21, 1913 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Jept. 26, 1920 Je	Conts 17. 5 18. 4 26 5 33. 0 33. 5 34. 0 42. 5 43. 0 42. 5 34. 0 35. 0 36. 5 33. 0 36. 5 37. 5 38. 0 38. 5 38. 0 38. 5 38. 0 38. 5 38. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 39. 0 3

Division of Statistical and Historical Research. Compiled from information furnished by the Interstate Commerce Commission except as noted. The rates last shown are those in effect during June, 1924.

TABLE 738.—Index numbers showing changes in freight rates of 50 representative agricultural products, by months, 1900–1923

[Average for year 1913-100]

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug,	Sept.	Oct.	Nov.	Dec.	Aver-
1900 1901 1902 1903	P. ct. 105, 7 193, 8 103, 9 103, 9	P. ct. 105. 7 104. 4 103. 9 103. 6 102. 7	P. ct. 103. 8 104. 4 103. 9 103. 5 102. 1	P. ct. 108. 4 104. 4 103. 9 103. 5 102. 0	P. ct. 108. 7 104. 3 103. 7 103. 1 90. 8	P. ct. 108. 6 103. 5 103. 6 102. 9 101. 9	P. et. 103. 7 103. 1 103. 8 103. 0 102. 8	P. et. 108. 5 108. 1 102. 1 102. 9 102. 3	P. et. 103, 4 108, 1 102, 8 102, 8 102, 3	P. ct. 103. 8 108. 4 102. 7 102. 6 102. 8	P. ct. 103. 9 108. 9 102. 7 102. 9 102. 3	P. ct. 103. 9 103. 9 103. 6 103. 7 105. 2	P. cf. 104.0 103.8 103.4 103.2 101.6
1905 1906 1907 1908	101. 4 101. 0 100. 2 99. 7 100. 0	101. 8 101. 0 98. 3 99. 7 100. 0	101. 7 101. 0 100. 2 90. 7 99. 9	101. 9 101. 0 100. 4 99. 7 99. 9	101. 5 101. 0 100. 3 99. 9 99. 9	101. 0 101. 0 100. 8 100. 1 99. 9	100. 8 100, 8 100. 4 100. 1	100. 7 100. 3 100. 2 100. 5 100. 0	100. 8 100. 1 99. 9 100. 5 100. 1	100. 8 100. 1 99. 7 100. 6 100. 1	100. 8 100. 1 99. 7 100. 4 99. 9	100, 8 100, 2 99, 7 100, 4 99, 9	101. 2 100. 6 99. 9 100. 1 160. 0
1919 1913 1913 1914	99. 9 190. 4 100. 5 100. 5 99. 3	100. 3 100. 4 100. 4 100. 5 99. 4	100. 8 100. 4 100. 4 100. 5 99. 4	100. 8 100. 4 100. 4 100. 5 99. 4	100. 8 100. 4 108. 4 100. 5	100. 5 100. 4 100. 4 190. 5 99. 4	100, 5 160, 4 169, 4 160, 2 99, 4	100. 5 100. 4 100. 4 \$9. 5	100. 5 - 100. 4 100. 4 99. 8	100. 5 100. 4 100. 5 99. 3 99. 4	100. 5 100. 4 100. 5 99. 3 99. 6	100. 4 100. 5 109. 5 00. 3	100. 4 100. 4 100. 4 100. 4 200. 0

^{*}Rate supplied by the Virginia State Corporation Commission.

TABLE 738.—Index numbers showing changes in freight rates of 50 representative agricultural products, by months, 1900-1923-Continued

[Average for year 1913=100]

Year	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Aver- age
1915 1916 1917 1918	P. ct. 99. 7 109. 6 109. 7 102. 4 130. 8	P. ct. 109. 0 190. 6 199. 7 192. 4 130. 3	P. ct. 100. 2 100. 6 100. 8 102. 4 130. 4	P. ct. 190. 2 100. 6 120. 8 103. 2 130. 5	P. ct. 100.3 100.6 106.8 103.2 180.5	P. ct. 100. 8 100. 6 190. 8 108. 8 130. 8	P. ct. 100. 3 100. 6 100. 8 180. 7 130. 8	P. ct. 199. 3 100. 6 101. 6 180. 7 130. 5	P. ct. 100. 3 100. 7 101. 9 130. 7 130. 7	P. ct. 100. 5 100. 7 102. 2 130. 5 131. 4	P. ct. 100. 4 100. 7 102. 4 130. 3 131. 4	P. ct. 100. 4 100. 7 102. 4 130. 3 131. 6	P. ct. 100. 2 100. 6 101. 3 117. 1 130. 8
1920 1921 1922 1923 1924	131. 8 176. 8 161. 5 158. 2 158. 2	131. 8 176. 8 161. 4 158. 2 158. 2	132. 1 177. 3 161. 4 158. 2 158. 2	132. 1 177. 8 161. 7 158. 2 156. 2	132 1 177. 8 161. 5 158. 2 158. 2	131. 9 177. 8 158. 2 158. 2 158. 2	181. 7 177. 7 158. 0 158. 2 158. 2	140. 2 177. 4 158. 0 158. 2 158. 2	176. 1 177. 2 158. 3 158. 2 158. 2	176. 1 176. 1 158. 2 158. 2 158. 2	176. 1 175. 8 158. 2 158. 2 158. 2	176. 3 175. 8 158. 2 158. 3 158. 2	147. 4 177. 0 159. 2 158. 2 158. 2

*)

Division of Statistical and Historical Research.

The commodities and rates on which this index is based will be found in the Yearbook, 1922, pp. 1013–18.

Except for the following corrections of rates in effect Jan. 1, 1923, no changes in the rates used in the index took place during 1923 and 1924.

Cen	ts per
100 ты	ounds
Rate on potatoes from Greeley, Colo., to Chicago should be	
Rate on potatoes from Idaho Falls, Idaho, to St. Louis should be	69
Rate on eggs from Petaluma, Calif., to Chicago should be	
Rate on corn from Sperry, Iowa, to Los Angeles City should be	. 66
Rate on wheat from Pana, ill., to New York should be	
Rate on cattle from Amarillo, Tex., to Kansas City, Mo., should be	. 47
Rate on cattle from Garretson, S. Dak., to Sieux City, Iowa, should be	. 20

TABLE 739.—Freight rates, ocean: Wheat per bushel to the United Kingdom and the Continent from the United States, Canada, Argentina, India, and Australia for 1913, 1923, and 1924

				U	nited	Sta	tes														
Month	A	North tlantic ports 1 New York 2 New Orleans Pacific ports 4 Canada			Orleans Pacific		New Pacific		Argentina		India		Australia								
	1913	1923	1924	1913	1923	1924	1923	1924	1928	1924	1923	1924	1913	1923	1024	1913	1923	1924	1913	1923	1924
Jan Feb Mar Apr	Cts. 10 10 9 8	Cts. 9	Cts. 9 11 10 9	Cts. 9 6 6	Cts. 6 5 6	Cts. 8 10 9 7	Cts. 9	Cls. 8 8 9	C28. 22 21 22 23	Cts 23 23 21 20	Cts 10 9 9	Cts. 9 11 11 10	Cts. 14 16 14 12	Cts. 15 12 13 17	Cts. 15 17 17 16	Cts. 12 12 12 12	Cts 16 15 17 18	Cts. 16 17 16 15	Cts. 24 22 22 22 20	Cts. 27 24 23 24	Cts. 25 27 25 20
May June July Aug	8 7 8 9	8 7 8 7	9 8 7 8	7 5 5	5 8 4	8 5 4 5	9 9 9 8	11 11 11 11	23 28 22 22 22	20 19 19 18	9 8 7	10 9 8 9	11 8 -9 10	19 14 12 12	16 14 12 13	11 11 12 12	18 16 16 18	15 14 13 13	20 20 20 19	22 20 20 20 20	19 18 19 - 19
Sept Oct Nov Dec	8 7 7 6	7 8 9	9 10 9	5 5 4	5 8 8	6 8 9 8	8 8 8	11 11 11 12	21 22 22 22 22	19 22 22 22 22	8 9 10 9	11 11 11 10	8 6 8	12 10 11 12	14 14 13 15	11 10 11 10	14 15 15 15	15 16 16 16	19 21 21 20	21 22 23 23	25 27 29 28
Average.	8	8	9	6	5	7	9	10	22	21	0	10	10	13	15	11	16	15	21	22	23

Division of Statistical and Historical Research. Compiled from Reperts of the International Institute of Agriculture, except as otherwise indicated. The above rates were originally quoted in shillings; conversions made on the basis of the average monthly rate of axchange, except in 1913, when exchange was at par.

A verage of principal North Atlantic ports, including New York.
 New York to Liverpool.
 Frem U. S. Shipping Board.
 A verage of principal North Pacific ports.

FERTILIZER MATERIALS AND FERTILIZER

TABLE 740.—Pyrites: Production and price, 1917-1923
PRODUCTION

State	1917	1918	1919	1920	1921	1922	1923
Colorado	Long tons 20,000	18, 817	17, 474	Long tone 25, 523	Long tons 7, 290	Long tons	Long tons
Georgia California Illinois	115,817	31, 315 111, 861 24, 369	84, 412 128, 808 13, 353	128, 114	98, 252		(1)
New York	22,000	63, 982	60, 544	80,753			11,000
Missouri Ohio	13, 218	7, 674 9, 845	4,609				138
Virginia Wisconsin		143, 427	119, 164 26, 053	100, 545			(¹) 190
Other States		53, 204 464, 494	16, 235 420, 647	25, 842 310, 777	51, 576 157, 118	169, 043	181, 628
State	AVER.	1918	CE PER	TON 1920	1921	1922	1923
Diavo							1000
ColoradoGeorgia.		Dollars 6, 15 8 58	Dollars 4. 88 10 16	Dollars 4.84	Dollars 2. 53	Dollars	Dollars
CaliforniaIllinois	2, 88 3, 66	4, 48 8, 52	4. 12 3. 49	4.05	4. 78		
New York		6. 61	7. 73	8. 51			
MissouriOhio	2. 24	9. 02 4. 08 5. 86	3.66 7.48	6, 07			
Virginia Wisconsin	G 00	5.5 5	. 74	0.0.			

Division of Statistical and Historical Research. Compiled from reports of the Geological Survey. Figures for 1904-1916 are published in the Yearbook for 1923.

6.08

5. 14

4 53

3. 97

3. 64

5. 69

Average.....

5. 37

Table 741.—Phosphate rock: Production, by States, based on the quantity marketed, 1920-1923

	1920		1921	•	1922		1923		
State and item	Quantity	Value per ton	Quantity	Value per ton	Quantity	Value per ton	Quantity	Value per ton	
Florida: Hard rock	Long tons 400, 249 13, 953 2, 955, 182	Dolls. 11. 31 13. 66 4. 99	Long tons 175, 774 4, 419 1, 599, 885	Dolls. 10. 28 4. 56 5. 38	Long tons 188, 084 446 1, 870, 063	Dells. 6.96 7.85 8.76	Long tons 199, 516 2, 348, 137	Dolla. 5. 37 3. 40	
Total	3, 369, 884	5. 78	1, 780, 028	5. 86	2, 058, 593	4. 05	2, 547, 653	3. 50	
South Carolina: Land rock	44, 141	8. 32			1, 500	5, 50			
Tennessee: Brown rockBlue rock	556, 177 78, 671	7. 96 6. 59	252, 543 25, 163	6. 60 5. 81	844, 231 9, 078	5. 97 5. 71	1 427, 799 919	5. 46 6. 14	
Total	634, 848	7.79	277, 706	6. 53	853, 309	5. 96	1 428, 118	5. 47	
Other States	55, 609	5.47	6, 291	4.11	4, 481	4.39	80, 885	5. 79	
Grand total	4, 108, 982	6.11	2, 084, 025	5. 95	2, 417, 888	4.34	3, 606, 706	3. 83	

Division of Statistical and Historical Research. Compiled from reports of Geological Survey. Figures for 1891-1919 are published in the Yearbook for 1923.

¹ California and Virginia produced 170,300 long tons.

¹ Includes brown rock from Kentucky.

Table 742.-Lime, for agricultural purposes: Production and value, 1916-1928 PRODUCTION

State	1916	1917	1918	1919	1920	1921	1922	1928
	Short tons	Short tone		Short tons	Short tone	Short tons	Short tone	
Alabama California Connecticut	592 5, 386	1, 791 6, 196	1, 947 850			559	2, 756	(1)
Indiana Kentucky	3, 401 241	2, 297	1, 308	5, 868	3, 475	1, 182	5, 017	(4, 926
Maine Maryland Massachusetts	9, 553 109, 468 4, 500	10, 243 85, 633 5, 073	8, 017 68, 807 3, 089	8, 763 76, 770 4, 673	7, 810 64, 193 4, 552	8, 207 50, 543 2, 902	8, 912 44, 053 4, 628	7, 678 41, 109 3, 960
Missouri New Jersey	6, 517	4, 317 5, 002	193 2, 208	1, 123 4, 154	1, 891 2, 997	2,002	1, 081 2, 078	1, 014
New York Ohio Pennsylvania Tennessee	12, 649 49, 527 318, 722 2, 080	9, 588 29, 997 246, 608 1, 904	5, 931 40, 001 200, 073 3, 311	6, 206 27, 696 232, 831 730	3, 323 11, 195 202, 830 377	8, 917 16, 969 152, 667 614	2,751 25,332 137,460 1,392	3, 668 17, 497 112, 011 1, 325
Vermont Virginia West Virginia Wisconsiii	1, 276 39, 751 41, 507	502 44, 335 21, 999 954	2, 201 34, 444 16, 053 241	2, 072 35, 712 25, 253 433	752 26, 974 17, 449 356	1, 278 21, 793 17, 746 145	1, 111 16, 420 15, 287 657	1, 571 21, 294 16, 719
Other States	8, 291	10, 931	1, 555	4, 698	2, 280	5, 768	3, 192	5, 829
Total	612, 461	457, 370	390, 224	436, 982	350, 454	284, 290	2 72, 127	238, 101
Hawaii Porto Rico	1, 066	927	823	1, 650	475 922	75 357	599	1, 460
Total	613, 527	488, 297	391, 047	438, 632	351, 851	284, 722	272, 726	2 240, 551

VALUE

43-3	Dollars	Dollars	Dollars	Dollars	Dollars	Dollars	Dollars	Dollars
Alabama	2, 246 31, 974	9, 816 32, 447	17, 436 8, 304			4, 988	35, 774	
Connecticut Indiana Kentucky	14, 598 790	12, 143	6, 122	49, 461	33, 210	11, 328	39, 741	42,889 (¹)
Maine Maryland Massachusetts Missouri Now Jersey	407, 930	35, 216 463, 081 18, 185 26, 844 18, 978	46, 168 534, 852 35, 450 1, 706 12, 268	59, 558 655, 704 25, 532 8, 540 21, 997	89, 157 614, 097 26, 096 20, 770 23, 920	51, 978 441, 085 15, 082	48, 283 351, 482 19, 163 11, 736 18, 382	38, 256 874, 125 14, 042 10, 978 (1)
New York Ohio Pennsylvania Tennessee Vermont	44, 891 224, 120 1, 086, 222 4, 410 3, 864	40, 540 161, 205 1, 218, 316 9, 835 1, 380	27, 868 275, 561 1, 343, 636 15, 333 8, 288	34, 574 212, 156 1, 706, 027 6, 020 15, 474	23, 912 99, 219 1, 792, 948 2, 465 5, 157	30, 334 125, 844 1, 183, 361 5, 217 7, 687	22, 613 177, 571 1, 021, 092 11, 752 6, 262	25, 559 127, 758 838, 010 11, 591 10, 784
Virginia	147, 843 160, 959 65, 884	235, 568 106, 892 5, 024 74, 938	2°2, 204 116, 554 502 10, 267	290, 032 191, 125 4, 754 49, 495	208, 190 160, 091 1, 824 25, 944	161, 653 136, 982 666 54, 154	109, 968 101, 075 4, 528 21, 814	153, 152 112, 374 49, 010
Total	2, 219, 888	2, 470, 408	2, 692, 519	3, 830, 449	3, 077, 000	2, 230, 359	2, 001, 231	1, 808, 528
HawaiiPorto Rico	4, 518	5, 323	6, 329	14, 590	8, 313 11, 392	1, 500 5, 651	3, 851	9, 498
Total	2, 224, 401	2, 475, 731	2, 698, 848	3, 345, 039	3, 096, 705	2, 237, 510	2, 005, 082	² 1, 825, 519

Division of Statistical and Historical Research. Compiled from reports of Geological Survey.

¹ Included in other States. ² Totals include Texas production of 984 tons, valued at \$7,498.

Tanks 743 .- Lime and post, for fertilizer: Production and value, United States, 1908-1923

		Quantity		Value			
Year	Hydrated lime	Limestone pulverized	Peat	Hydrated lime	Limestone pulverized	Peat	
1908		Short tone	Short tens 25, 000 26, 768	Dollare	Dollars	Dollars 121, 210 118, 891	
1910		174, 290 200, 090 408, 627	87, 024 50, 733 41, 080 28, 460		205, 006 311, 702 493, 718	140, 209 257, 204 186, 029 169, 600	
1914 1915 1916 1917	184, 944 177, 815	615, 197 810, 399 1, 066, 876 1, 040, 248	87, 729 38, 304 46, 106 92, 263	869, 654 1, 114, 859	688, 961 893, 530 1, 146, 582 1, 352, 397	249, 899 258, 447 336, 004 658, 500	
1918	181, 890 198, 165 148, 981 142, 582 150, 428 181, 448	1, 091, 918 1, 392, 914 1, 364, 260 1, 311, 520 1, 195, 000 1, 278, 770	79, 578 54, 690 63, 27,2 29, 460 57, 747 57, 907	1,452,436 1,784,110 1,525,950 1,297,192 1,254,894 1,176,637	1, 626, 292 2, 409, 460 2, 724, 209 2, 355, 339 2, 150, 435 2, 160, 249	775, 318 557, 246 773, 631 251, 046 369, 161 351, 64	

Division of Statistical and Historical Research. Compiled from reports of Geological Survey.

TABLE 744.—Phosphate rock, pyrites, and marl: Production and value for fertilizer, United States, 1900–1923

		Quantity		Value			
Year	Phosphate rock	Pyrites	Marl 1	Phosphate rock	Pyrites	Marl	
1900	1, 483, 314 1, 891, 576 1, 874, 190 2, 080, 957 2, 080, 957 2, 080, 967 2, 386, 198 2, 386, 198 3, 330, 152 2, 654, 988 3, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111, 221 1, 111	Long tone 204, 615 2 241, 691 2 207, 874 2 233, 297, 061 2 253, 060 2 61, 422 2 47, 387 2 22, 598 2 47, 070 2 41, 612 3 01, 456 3 60, 926 3 41, 533 3 60, 662 3 94, 194 4 420, 847 3 10, 777 157, 118 189, 048 181, 628	Short tons 60, 000 99, 880 12, 439 34, 211 18, 989 38, 626 19, 104 14, 091 8, 469 21, 814 58, 988 72, 900 98, 694 91, 427 97, 487 99, 730 567, 777 99, 410	Dollars 5, 359, 248 5, 316, 403 4, 698, 444 5, 319, 294 6, 580, 875 6, 788, 403 8, 579, 403 11, 698, 588 11, 399, 124 10, 917, 090 11, 900, 693 11, 675, 774 11, 796, 231 11, 796, 231 11, 796, 231 11, 796, 231 11, 796, 231 11, 796, 231 11, 596, 988, 983 11, 591, 468 11, 591, 168	Dollars 749, 991 1, 257, 879 947, 089 1, 109, 818 814, 808 938, 492 931, 305 794, 949 857, 113 1, 028, 151 1, 028, 161 1, 286, 084 1, 283, 346 1, 674, 933 2, 038, 092 2, 593, 035 2, 644, 515 2, 593, 035 2, 644, 517 1, 596, 961 711, 432 671, 241	Dollars 30, 000 124, 880 12, 781 12, 781 18, 146 18, 494 7, 381 8, 439 46, 098 46, 098 166, 223 261, 032 327, 294 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 743 290, 196, 744 290, 196, 744 290, 196, 744 290, 196, 744 290, 196, 744 290, 196, 744 290, 196, 744 290, 196, 744 290, 196, 744 290, 196, 744 290, 196, 744 290, 196, 744 290, 196, 744 290, 196, 744 290, 196, 744 290, 196, 744 290, 196, 744 290, 196, 744 290, 196, 744 290, 196, 744 290, 196, 744 290, 196, 744 290, 196, 744 290, 196, 744 290, 196, 744 290, 196, 744 290, 196, 744 290, 196, 744 290,	

Division of Statistical and Historical Research. Compiled from report of Geological Survey. Figures for 1880-1899 are published in Yearbook for 1923.

¹ Calcareous marl, 1916–1923. ² Includes production of natural sulphur.

TABLE 745.—Fish scrap (acidulated): Production in Atlantic and Gulf coan districts, 1912-1923

Year	The North	North Carolina	Florida	Texas	Georgia	Total, five districts
1912	Short tone 12, 838	Short tons	Short tons	Short tons	Shorttons	Short tone 12, 838
1913 1914 1915 1916 1917	31, 548 12, 162 5, 268 5, 215 5, 637	2, 689 3, 689 3, 645 5, 110 7, 478	1,190 788 2,400 2,8 36	1,544 1,273 1,800	1, 845	33, 587 17, 986 10, 374 14, 525 17, 661
1918	19, 412 30, 086 33, 900	6, 524 6, 784 3, 900 16, 800	2, 700 4, 030 3, 800 1, 200	2, 646 4, 420 8, 000	1, 905 759 5, 909 1, 899	33, 187 47, 070 49, 990 1 57, 890
1922 1923	282, 161	2, 120 68, 019	2, 120 24, 829	16, 318	12, 815	4, 240 354, 142

Division of Statistical and Historical Research. Compiled from The American Fertilizer Hundbook,

Table 746.—Fish scrap (dried): Production in Atlantic coast districts, 1912-1923

Year	Chesa- peake	The North	North Carolina	Florida	Total, four districts
1912	Short tons 51, 090 29, 358 21, 936 19, 301 21, 258	Short tons 6, 655 2, 744 1, 604 824	Short tons 7, 250 2, 175 665 1, 289	Short tons 160 245	Short tons 1 65, 660 34, 522 24, 206 21, 414 22, 458
1917	14, 584 12, 921 12, 840 18, 750 2, 290 258, 378	22, 898 40, 267	7, 187 3, 460 2, 763 1, 240 2, 112 1, 757 30, 398	762 366 1, 320 5, 803	20, 825 18, 947 15, 908 19, 900 27, 210 2, 477 334, 846

Division of Statistical and Historical Research. Compiled from The American Fertilizer Handbook,

¹ Includes 37,558 tons produced in Chesapeake district.

¹ Includes 595 tons produced in Texas district.

TABLE 747.—Fertilizer materials: Imports into the United States, 1912-1924

	,					
Year ended June 30		t and bone	K	ainit	Manu	re salts
	Quantity	Value	Quantity	Value	Quantity	Value
1912	Tons 83, 864 83, 837 41, 450 23, 428 20, 466	Dollars 830, 616 801, 713 1, 034, 636 584, 748 524, 153	Tons 485, 132 466, 795 541, 846 79, 004 64	Dollars 2, 399, 761 2, 154, 977 2, 579, 619 444, 760 1, 795	Tons 192, 788 171, 802 261, 342 66, 062 2, 271	Dollars 1, 814, 071 1, 794, 058 2, 767, 241 760, 699 41, 825
1917 1918 1919 1920 1921	14, 305 8, 511 4, 138 7, 340 27, 413	385, 541 286, 764 117, 690 306, 301 1, 317, 876	274, 761 204, 884	5, 655, 660 4, 882, 974	824 190 249, 348 123, 273	7, 794 8, 872 8, 319, 620 4, 164, 817
1922 1928 1924	18, 234 52, 933 66, 820	495, 445 1, 380, 413 1, 783, 534	83, 571 168, 514 181, 288	585, 338 1, 048, 054 1, 080, 132	81, 442 1 244, 760 267, 263	957, 443 2, 398, 098 2, 980, 902
	Ammonia sulphate					
Year ended June 30—	Ammoni	a sulphate	Mı	Pot uriste	ash Sul	phate
Year ended June 30	Ammoni Quantity		Mu Quantity		· · ·	·
Year ended June 30— 1912				ıriate	Sul	·
1912	Quantity Tons 65, 906 54, 089 74, 444 57, 048	Value Dollars 4, 143, 417 3, 655, 413 4, 888, 563 3, 208, 162	Quantity Tons 215, 957 201, 220 237, 886 102, 732	Value Dollars 7, 235, 718 6, 782, 056 7, 915, 523 3, 866, 118	Quantity Tons 44, 476 42, 745 45, 139 21, 852	Value Dollars 1, 826, 836 1, 753, 485 1, 897, 740 1, 071, 761

Division of Statistical and Historical Research. Compiled from the Monthly Summaries of Foreign Commerce of the United States, Bureau of Foreign and Domestic Commerce.

TABLE 748.—Guano: Imports into the United States, 1900-1924

Year ended June 30	Quantity	Value	Year ended June 30	Quantity	Value.
1900	Tons 4, 756 4, 590 8, 790 16, 237 23, 872	Dollars 56, 966 36, 617 144, 599 201, 416 319, 793 516, 851	1918	Tons 19, 075 21, 887 20, 945 15, 887 3, 563	Dollars 340, 915 755, 833 534, 391 425, 377 73, 398 287, 440
1906 1907 1908 1909 1910 1911	18, 147 22, 681 27, 665 36, 999 52, 330 29, 516 34, 706	208, 560 342, 295 352, 350 580, 384 845, 765 598, 396 684, 658	1919. 1920. 1921. 1922. 1922.	8, 218 18, 796 37, 570 1, 305	293, 425 1, 550, 098 8, 158, 064 48, 875 (1) 3 191, 659

Division of Statistical and Historical Research. Compiled from Monthly Summaries of Foreign Composite United States, Bureau of Foreign and Domestic Commerce.

¹ Included in all other fertilisers.

² Beginning Jan. 1, 1224.

¹ Includes "Other potash-bearing substances" amounting to 20,734 tons and valued at \$238,651.

TABLE 749.—Certain fertilizer materials produced and consumed, 1904-1923

	Produ	etion 1				Sulph u ri	c acid		
			Con- sump-			7	ear begin	ning July	
Year	Sulphate of am- monia	Potash, crude ¹	tion of sulphate of am- monia 2	Produc- tion 4	Consump- tion 4	Imports sump	for con-	Exp	orts, stic ^s
						Quantity	Value	Quantity	Value
	Short tons	Short tons	Short tons		Short tons	Short tons	Dollars	Short tons	Dollars
904				717, 406	692, 904	145	4, 151		
905	65, 296					138	3, 755		
907	75, 000 99, 309					63 19	1, 861 1, 087		
908	83, 400					19	660	3, 366	80, 32
									•
909	106, 500		149, 414	995, 384	841, 935	18	1, 063	2, 541	61, 89
910	116, 000 127, 000		208, 342 221, 633			19	526	2,889	60, 53
912	165,000		224, 542			24 72	639 2, 291	3, 501 4, 895	71, 87 89, 78
913	195, 000		260, 775			3, 362	40, 559	6,066	125, 89
	100,000		200,110			15, 502	10,000	0,000	120, 00
914	183, 000		258, 010	1, 405, 768	1, 276, 715	3, 691	44, 608	23, 386	516, 43
915	250, 049	4, 374	248, 874			3, 143	61, 352	41,010	1, 990, 53
916	288, 265	35, 739	337, 962			334	6, 617	29, 302	961,88
917	325, 670	126, 961	375, 588			14, 113	358, 904	33, 827	1, 119, 90
918	379, 278	207, 686	484, 875			5, 670	100, 489	23, 707	805, 43
919	403, 223	116, 634	251, 994	1, 877, 394	1, 568, 577	4,611	79, 204	16, 167	778, 28
920	499, 463	166, 834	251, 994	1,011,002	a, 000, 011	5, 183	93, 937	9, 300	446, 38
921	358, 500	25, 485	210, 000	1, 319, 582	1, 143, 850	2, 458	54, 717	6,990	265, 50
922	522, 000	25, 176	4 285, 000	1, 423, 917	1, 589, 809	9,072	156, 440	3, 631	156, 20
923	619,000	39, 029	395, 000	2, 401, 207	1, 817, 234	8, 598	144, 376	5, 182	184, 33

Division of Statistical and Historical Research.

Production for all purposes.
The American Fertilizer Handbook.
Geological Survey.

Bureau of the Census.
Bureau of Foreign and Domestic Commerce.
Estimated.

Table 750.—Fertilizer materials: Average wholesale wrice 1913-1924.

AMMONIATE3

Year	Ammonia	Blood, dried, 12 per cent ammonia, f.o.b., per short ton 1		Fish scrap, dried, 11 per cent ammonia,	Fish, wet, scidulated, 6 per cent ammonia,	Soda, nitrate,	Cottonseed,
	sulphate, domestic, spot, per 100 pounds	New York	Chicago	14 per cent bone phos- phate, f.o.b. fish factory, per short ton 1	3 per cent phosphoric acid, f.o.b. fish factory, per short ton	spot, 95 per cent per 100 pounds	ammonia meal, f. o. b. mill, per short ton
1913	Dollars 3. 03 2. 73 3. 34 8. 82	Dollars 84. 56 38. 52 34. 06 38. 76	Dollars 32, 76 37, 08 31, 68 36, 84	Dollars 29, 12 38, 14 36, 82 42, 21	Dolla†s 16. 11 25. 26	Dollars 2. 46 2. 10 2. 43 3. 21	Dellars
1917 1918 1919 1920	5. 99 5. 70 4. 58 5. 01	67. 20 83. 40 74. 76 90. 84	63. 96 Nominal, Nominal, Nominal.	60, 14 81, 23 78, 12 74, 77	33. 70 43. 12 36. 00 36. 12	4. 18 4. 74 8. 53 8. 52	41.00
1921 1922 1923 1924	2. 42 3. 01 3. 18 2. 71	39. 84 49. 68 50. 28 41. 76	Nominal. 50. 64 50. 64 42. 12	86. 16 40. 12 45. 18 46. 94	17. 10 19. 26 22. 74 23. 34	2. 50 2. 54 2. 51 2. 49	32, 67 39, 50 39, 67 37, 38

Division of Statistical and Historical Research. Compiled from Oil, Paint, and Drug Reporter, average of weekly prices.

¹ Converted from price per unit. Unit equals 1 per cent in a ton, or 20 pounds of pure ammonia.

TABLE 751.—Phosphate rock: Average wholesale price per long ton, 1918-1924

Year	Tennessee M	phosphate r lount Pleasa	ock, f. o. b. nt	South Carolina phosphate	Florida land peb- ble phos-	Fiorida h phosphate	igh-grade hard rock
	Domestic, 78 to 80 per cent	75 per cent guaranteed	68 to 72 per cent ²	rock kiln dried, f. o. b. Ash- ley River	chate rock, 68 per cent, 1. c. b. Port Tampa	77 per cent, Lo. b. Flor- ida ports	75 per cent, Tampe
1913 1914 1915	Dollars 5. 25 5. 25 5. 25 5. 25	Dollars 4. 68 4. 88 4. 68 4. 88	Dollars 4. 38 4. 38 4. 88 4. 88	Dollars 3. 62 3. 62 3. 62 3. 62	Dollars 3. 49 3. 12 8 01 2.84	Dollars 6. 00 6. 00 5. 60 5. 12	Dollars
1917	5. 48 6. 56 10. 50 18. 42	4. 99 6. 71 9. 52 10. 82	4. 65 6. 81 1 7. 46	Nominal. Nominal.	2. 63 4. 22 5. 00 8 48	5. 42 7. 25 9. 89 13. 02	7. 75 10. 35
1921 1922 1923 1924	Nominal. Nominal. Nominal. Nominal.	8. 90 6. 90 7. 50 6. 65	5. 54 5. 50 4. 65		5. 90 8. 11 8. 05 2 34	12.02 8.58 7.60 6.75	8. 74 6. 23 5. 17 4. 18

Division of Statistical and Historical Research. Compiled from Oil, Paint and Drug Reporter, average of weekly prices.

Table 752.—Fertilizer, commercial: Sold in cotton States, based on sale of fertilizer tags, 1918–1924

- State	1918	1919	1920	1921	1922	1923	1924
Virginia North Carolina South Carolina Georgia Florida Alabama Mississippi Louisiana	Short tons 429, 999 1, 055, 924 1, 064, 836 978, 175 204, 712 1 306, 880 114, 312 118, 430	87ker1 tona 421, 436 1, 169, 676 1, 033, 887 1, 063, 841 250, 613 1 298, 007 1 26, 377 97, 724	Short tons 465, 227 1, 222, 103 1, 253, 890 1, 039, 048 272, 316 391, 170 166, 903 96, 862	Short tons 869, 490 831, 684 615, 488 556, 573 289, 857 179, 547 94, 572 38, 760	Shert tons 449, 942 1, 065, 430 504, 000 535, 064 329, 668 298, 147 169, 937 66, 470	Short tons 802, 211 1, 190, 583 678, 612 677, 040 379, 000 434, 374 253, 811 107, 368	Short tons 343, 792 1, 306, 941 878, 993 690, 075 379, 000 434, 374 253, 811 107, 368
Texas Arkansas Tennessee Missouri	58, 999 88, 590 118, 379 85, 090 4, 618, 188	46, 69 0 58, 878 106, 480 70, 060 4, 678, 758	56, 700 69, 086 112, 102 77, 888	19, 204 14, 550 84, 044 8, 022 3, 101, 791	36, 420 40, 325 96, 992 7, 900 3, 567, 315	76, 000 74, 774 112, 656 	76, 800 74, 774 117, 137 4, 780, 783

Division of Statistical and Historical Research. Compiled from Division of Crop and Livestock Estimates. Figures for 1914–1917 are published in Yearbook, 1923.

Cottonseed meal not included.

¹ Three months.
² Grade changed to 76 per cent 1922 and , ubsequently.

Table 753.—Fertilizer used on cotton, 1923-1924.

	er sere		8 58 3	5434 8434	名品名文明新報订	23 64	
	•		1444 2555	4444 4458	公司 2	2 41	
8 ·			1,000 lettura 543 10,838 9,098 13,045	82.28 82.28 82.28	8, 8, 1, 178, 1, 168, 64	\$	90 300
Value			76047 431 11, 107 7, 604 13, 317	544 9, 846 5, 168 1, 876	1, % 1, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00, 0,00,0	82	
	per	2 8	25.40 27.40 27.40 27.90	8888 8888	888 883 883	8. 8.	8
			32,00 32,00 30,20 27,50	22 2 2 2 2 2 2 2 3 2 3 2 3	7744 8838	8	30.63
	Z.		Tens 19, 800 405, 900 358, 110 483, 165	10, 100 384, 683 149, 800 67, 200	160, 20 2, 2, 20 1, 445 1, 445	1,350	2, 089, 955
	Total	1	4 ons 13,475 367,792 276,520 446,875	18, 750 322, 805 141, 740 52, 820	54, 340 89, 448 38, 430 1, 200	2, 560	1, 826, 746
			Pounds 440 450 345 270	200 238 206 175	176 177 206 170	150	88
			385 385 445 810 810	2822	185 185 200 200	150	258
			કું <u>૧</u> ન્યષ	ผู่	1, 246 1, 070 533 18	18	15,617
			3 70 1, 653 1, 794 3, 575	150 2, 867 1, 492 656	227 966 866 21	\$	14, 088
			5724 92 1,823 2,185 8,767	8, 190 3, 256 1, 537	15, 595 3, 068 1, 184 453	3,672 1,067 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000	40, 408
			1, 687 2, 405 3, 844	3, 190 3, 392 1, 464	7.4. 82.22 84.22	2,400 135 130 5	38, 701
	State		Virginia North Carolina. Benth Carolina. Georgia.	Florida Abstaina. Missistyyi. Legisiana	Tages Arkanses Tennsesse Missoni	Okiahoma California Arizona New Mexico	Total

Division of Statistical and Historical Research. Compiled from reports of the Division of Crop and Livestock Estimates.

1 Cottonmeet meal and nitrate of soda are not included in the report for this State.
2 Including 189,000 acres in 1923 and 140,000 acres in 1924, planted in Lower California but excluded from "Total, United States."

ARM P. CES

TABLE 754.—Farm prices of agricultural products, weighted by calendar and crop years, 1908–1924

26.75 17.12 18.77 非認能計 2252 2228 : Year deginning Aug. 1 834 Cotton-改法跳线 財政は数 8.5 5888 88 8 8 8 8388 Yeer beginning I.ngt 12.8 *** 我は北路 数二级数 400 5884 1000 . 2. 3. 3. Year beginning Timothy seed લું લું લું 3. g 6.40 9.60 7.80 5828 2822 8558 X car beginning Jan. 1 --જે જે માં માં લંલંલંલ 2383 388 2522 **158** Seed Year Deginning Sept. 1 ∞ <u>=</u> ⇒ *** 폭ቪ했다 드얼엄 Clover 86.5 8823 2888 8285 Year beginning I.aal . 2. 2. တွင် တွင် တွင် 임임금점 おなばに 0 C4 60 4 00 కే క్ర vak. 1 Cowpeas 25.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 23.55 822 12.00 Year Deginning ė 1100 1540 Çë. Year Deginning 25.55 *** 2222 ė 8000 4800 804 Soy-beans . 2. 3. Year Deginning Oct. 1 273 278 270 275 275 282 0-4 41-01-0 F41-8 gebt. 1 ន្តន់ន 25.55. 25.7.25. 888 5833 Year Deginning Beans (dry) 101-0 5000 60 6N 00 60 - CN 00 W ear beginning 1.nst ឆ្លីនីនី 5522 848 CO 44 44 CO æ œ **--**. Y car Deginning Nov. 1 <u>ૹૢૢૢૢૢૢૢૢૢ૽ૡૢ</u>ૹૢ 52 2,83 Kafir soeds . 3.5 0004 4041 Year heginning Jan. 1 53. 年 35. 88 鹿客玩器 ė Bud 00-0 22.50.4. 120.4. 124.50.4. Year beginning Sept. 1 対対対策 38.23.8 2385 Flaxsed Grains 666 10 00 00 to 80 80 KD 80 ---Year beginning Inal 855.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 25.25 82.452 ន្ទន្ទន្ទន 85:523.3.5.8 85:523.3.5.8 C -10:0 -F-0100 - **a** m Year beginning **888**8 2000 **5538** Buck-wheat - mr-004 0000 0000 N 80 80 80 Year deginning Jan. l 24852 5. F. E. S. 28.52.23 2823 Acar Deginaling 883777.58 860 នននា 祝祝年表 85.53 Rye 0 1- 00 NO 7.57 73.88 73.88 74.09 Year beginning I.nat 88.38 \$23 B 55.85 04m Year beginning Aug. 1 5 8 8 5 **** 战略雄败 258.2 Barley -00-80 40 AD AD Year beginning Jan. 1 2823 2228 **\$68**57 8.533833 3.000000 vng. 1 铬석路路 2883 283 說說如 Year beginning Osts Jan. 1 8444 级沈铭社 **3895** X cor Deginning 02-0 # 40 ~ Year beginning F. E. E. M 7388 超光器 5 00 69 60 69 60 0000 00 0-10 0 M 10 A A Year deginning Jan. 1 88888 5.55 8222 22.12.2 00000 10 00 00 N 90 m 95 95 --and for Just of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands of Lands 2582288 化品硫酸 සිසිසි Wheat 44000 00000 Year beginning Jan. i 2 8 8 8 8 8 2883 크용용크 Year 2888 2222

						Fruits and vegetables	vegetable					
Year	Apples	les	Peaches	Pears	Potatoes	toes	Sweet potatoes	otatoes	Cab	Cabbage	Ont	Onions
	Year beginning Jan. 1	Year beginning June 1	Year be- ginning June 1	Year beginning Aug. 1	Year beginning Jan. 1	Year be- graning July 1	Year beginning Jan. 1	Year beginning July 1	Year beginning Jan. 1	Year beginning July 1	Year beginning Jan. 1	Year beginning July 1
906	Cts. p. bu.	Cls p. bu.	Cts. p. bu.	Cis. p. bu.	Cts. p. bu.	Cts. p bu.	Cts p. bu. Cts. p. bu	Cis. p. bu	Cts. per 100 lbs.	Cts. per 100 lbs.	Cts. p. bu. Cts. p. bu.	Cts. p. bu.
1900. 1910. 1912.	886.2 70.2 5.5	88.1 76.6 66.8	113.3	100.9 109.3 100.4	86.3 88.1 113.3 100.9 55.3 80.2 76.6 138.2 109.3 81.3 70.5 66.8 111.2 100.4 77.9	25.23.33	76.6 87.8 88.9	78.7 92.2 85.6	194.2 163.3 196.5	156. 6 222. 5 127. 6	99.1 112.1 120.5	106.2 129.8 88.2
1913. 1914. 1915.	85.0 7.1.2 85.0 9.55	93.0 712.0 90.1	131.3 108.7 88.2 115.0	93.7 82.5 104.8	63.0 68.1 54.2 112.1	70.6 58.0 70.8 166.3	82.0 20.1 82.0 10.1 10.0	84.0 75.4 92.9	153.1 176 9 148 6 195.3	195. 0 160. 1 132. 7 444. 9	96.9 126.2 94.1 131.5	124 0 106.1 104.5 241.7
1917 1918 1919 1920	110.1 131.9 175.7 151.0	113.6 137.5 186.1 134.4	148 0 176 6 200 9 228.9	127.4 161.1 185.7 194.1	175.1 118.8 147.3 221.9	125.6 125.6 223.8 131.5	111.8 144.9 156.0 159.2	122 3 150.0 161.7 144.8	227.2 321.4 384.3	262.1 283.4 431.5 218.8	255.5 152.3 204.2 231.9	156.7 171 3 257.0 145.6
1922 1922 1928 1984	185.2 117.1 120.3 119.2	196.2 107.5 117.3	213. 6 162. 3 175. 8 153. 7	172. 2 139. 7 165. 5	109.7 88.0 87.1 83.2	121. 3 73. 9 94. 2	117 0 101 2 112 7 136.3	110.9 97.4 121.7	248.5 248.9 287.0 268.2	292 0 244 0 284. 4	153.0 229.3 186.2 168.7	252. 5 160. 7 181. 9

Division of Crop and Livestock Estimates.

TABLE 754.—Farm prices of agricultural products: Weighted by calendar and crop years, 1908-1924—Continued

					,									
					нау сторе	rops						Other con	Other commodities	
	Hay (all loose)	loose)	Timothy hay	ıy hay	Clover hay	r hay	A Ifalfs	Alfalfa hay	Prairi	Prairie hay	Cotton (lint)	(lint)	Peal	Peanuts
\$ 16 7°	Year be-	Year beginning July 1	Year beginning Jan. 1	Year beginning July 1	Year beginning Jan. 1	Year beginning July 1	Year beginning Jan. 1	Year beginning July 1	Year beginning Jan. 1	Year beginning July 1	Year beginning Jan. 1	Year beginning Aug. 1	Year beginning Jan. 1	Year be- ginning Nov. 1
44	Dollars per ton 9. 94	Dollars per fon 9.46	Dollars per ton	Dollars per ton	Dollars per ton	Dollars per ton	Dollars per ton	Dollars per ton	Dollars per ton	Dollars per ton	Cents per pound \$.4	Cents per pound 9.0	Cents per pound	Cents per pound
	144 888	141									(000 (1)	1201	4 4 4	
	2274 2228 2243	1551 3 252	12 52 12 52 12 52	13.88 13.09 12.88	11.97	12 22 11 23 12 23	8 95 10.59	9.13 6.38 12.76	7.34	5.5.8 5.13 5.13	·전호전점	44.44 8447		. इक्क स्थानक रक नहीं नहीं नहीं नहीं
	战 战战战 第 24 43	5253 5253	2222 2222 2222	25 25 25 25 25 25 25 25 25 25 25 25	4888	7:883 2883	16.55 19.58 21.33	3823 3858	11. 32 14.02 14.02	25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 2	rees Riikk	が放路に	ದರ್ಶ ಬೆಲೆಮೆರೆ	- A Risking
	2252 2322 2322	11.74	5444 5488	14.82 14.18 16.53	15 13 14 15 14 15 14 15 15 15 15 15 15 15 15 15 15 15 15 15	14.15 13.03 15.14	11.11.82 12.83 12.83 12.83	44 44 44 44 44 44 44 44 44 44 44 44 44	\$ 50 m	5-24.00 55.52	##### ################################		.6444 .6444 .6444	STATE OF

TAREN 756.—Form prices of africultural products: Weighted by calendar and crop years, 1910-1984,

	Butter Wool	ginning ginning Jan. 1	Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. per Ch. pe	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	Eggs	Year be- graning 1 Apr. 1	Cts. per doz. 3 18.2 3 18.9 3 18.9 8 19.8 19.8 19.8 19.8 19.8 19.8 19	0.4 to 20 0.6 to 20 0.0 0.0 0.0 0.0	20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
		Year beginning	74. per doz. 20. per 15. go. 15. go. 20. go. 15. go. 20. go. 15. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 20. go. 2	0 0 4 0 2 8 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	**************************************
	Chickens	Year beginning July 1	Ch. per 10. 10. 4 11. 2 12.0 11. 5		4 44
22	СЪ	Year beginning Jan. 1	Cu. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. per 10. pe	13528 44064	22, 20, 13, 13, 13, 13, 13, 13, 13, 13, 13, 13
ck produc	Horses	Year beginning Jan. 1	Dob. per head head 145 141 140 143 185	989 130 130 130 130 130 130 130 130 130 130	38885
Livestock and livestock products	Lambs	Year beginning	Dole. per 100 lbs. 5.79 5.28 5.96 6.93 6.49	7.9 EEE	9 41 7.83 10.30 10.54
Livestock	Is	Year beginning Jan. 1	Dols. per 100 lbs. 6.40 5.19 5.08 6.34 6.34	6.88 12.22 12.33 12.83 12.83	11.85 7 19 9.76 10.50 10.75
	Sheep	Year beginning Jan. 1	Dolb. per 100 lbs. 5 24 4. 16 4. 24 4. 55 4. 79	72.50 10.09 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95	84.00 .0
	Veal	Year be- ginning Jan. 1	Dole per 100 lbs. 6.42 6.04 6.04 7.48 7.88	8.86 10.51 11.91 12.76	11.80 7.81 7.99 7.99 8.12
	Beef cattle	Year be- ginning Aug. 1	Dole, per 100 bis. 4 55 4 69 5 60 6 12 6 12	25.800 22.888 20.00	5. 73 5. 57 5. 57
	Beef	Year beginning Jan. 1	Dole, per 100 lbs. 4.78 4.46 5.14 6.91	7.00.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.0	88 88 88 88 88 88 88 88 88 88 88 88 88
	8 3 0	Year be- ginning Nov. 1	Dok. per 100 tbs. 6.61 7.39 7.39 6.03	7.61 12.10 15.78 16.69 13.43	88.7.7.7.34.08
	Ħ	Year beginning Jan. 1	Doi: 2010 100 258. 8 3 10 6 3 3 0 7 4 44 7 7 52	8.88.81 8.88.81 8.88.80 8.88.80	12 86 7.7 8 32 7.7 111 7.4 6
	Year		1910 1911 1912 1918 1918	1915 1916 1918 1919	1920 1621 1822 1923 1924

Table 756.—Index numbers of farm prices of 30 commodities, 1910-1924
[August, 1909-July, 1914-100]

Year	Grains	Fruits and vege- tables	Meat animals	Dairy and poultry products	Cotton and cotton seed	Unclas- sified	All groups
1910	104	91	103	101	113	102	103
	96	106	87	95	101	103	95
	106	110	95	103	87	106	99
	92	92	108	100	97	94	100
	103	100	112	101	85	95	102
1915	120	83	104	99	78	95	100
	126	123	120	106	119	100	117
	217	202	173	133	187	130	178
	226	162	202	160	245	157	200
	231	189	206	182	247	162	209
1920.	231	249	173	197	248	152	205
1921.	112	148	108	151	101	90	116
1922.	105	152	113	135	156	94	124
1923.	114	136	106	147	216	109	135
1924.	129	124	109	137	211	100	134

Division of Statistical and Historical Research. The commodities, by groups, are as follows: Grains—wheat, corn, oats, barley, rye, kafir; fruits and vegetables—apples, oranges, grapefruit, potatoes, sweet potatoes, beans, onions, cabbage; meat animals—beef cattle, calves, bogs, sheep, lambs, dairy and poultry products—chickens, eggs, butter (represe te butter, butterfat, and cream), milk, cutton and cottonseed; anclassified—horses (represents horses and mules), hay, flax, tobacco, wool.

Table 757.—Index numbers of farm prices of 30 commodities, by months, 1910-1924

[August, 1909-July, 1914-100]

Year and month	Grains	Fruits and vege- tables	Meat animals	Dairy and poultry products	Cotton and cotton- seed	Unclassi- fled	All groups
1910							
January	110	90	99	112	116	101	106
February	112	93	100	106	. 113	105	105
March	112	92	109	98	113	107	107
April	109	92	115	99	113	105	106
May	107	96	110	95	114	102	105
June	106	93	109	94	113	100	104
July	107	90	103	93	113	99	102
August	106	94	98	95	115	100	102
September	102	94	102	100	112	100	102
October	97	88	101	103	111	100	101
November	92	84	96	108	113	101	99
December	90	87	93	111	115	102	90
1911							
January	91	92	96	107	117	101	100
February	90	94	98	96	114	101	97
March	88	97	92	91	118	100	95 94 94
April	89	106	88	89	114	100	94
May	92 94	108 121	84 82	87 86	116 116	101 104	95
June							
July	97	129	83	87	110	105	96
August	99	125	88	91	100	107	96
September	101	109	88	95	88	106	96 96 95 92 92
October	104	94	84	96	77	105	92
November	108	98	83	104	72	196	90
December	102	102	82	109	70	105	92
January 1912	104	109	88	112	71	106	94
February	107	118	85	110	76	100	97
March	110	180	87	194	81	118	90
April	116	144	96	98	85	117	104
May	123	150	98	97	89	iii	107
June	122	135	96	95	89	116	104
July	115	116	95	95	98	107	101
August	106	104	100	97	, 92	100	190
September	100	86	108	100	89	97	96
October	95	74	104	106	88	96	97
November	87	78 78	99	108	91	97	95
December	82	78	99	106	97	96.1	46

Table 757.—Index numbers of farm prices of 30 commodities, by months, 1910–1924—Continued

[August, 1909-July, 1914-100]

		····					
Year and month	Grains	Fruits and vege- tables	Meat animals	Dairy and poultry products	Cotton and cotton- seed	Unclassi- fied	All groups
1913	04	79	99	104	97	95	OR.
January	84 86	81	103	107	96	95	98 96 97 98 98
February March	86 1	81 81 83	109	97	95	94	97
April	88 91	83 92	113 109	94 94	95 94	94 92	96
April May June	94	99	110	93	94	92	99
Tesler	93	1073	111	93	94	92	99
August	95	102	110	99	93	92	101
September	98 97	98 97	109 110	105 105	101 106	94 94	108 104
November	98	96	108	112	102	96	104
August September October November December	97	97	107	113	98	96	108
1914							
January	97 98	101 106	109 112	112 107	96 99	95 96	104 105
	99	110	114	100	99	96	104
April	100	115	114	95	98	96	104
April May June	101 100	117 119	113 112	93 93	100 101	97 96	104- 104
June		i	1	ł	l	1	
July	97 104	113 102	114 118	94 98	100 86	95 94	100 104
August September October November	111	92	117	102	66	94	102
October	110	79	111	104	58	92	102 96 96 97
November	108	71	106	108	54 57	92 92	98
December	111	72	104	110	01	92	W .
1915	123	75	103	110	60	92	100
January	134	78	101	105	65	95	101
March	136	77	101	96	67	97	108 102
April	138 139	82 90	103 106	94 94	73 74	98 98	102 104
January 1915 February March April May June	127	91	107	91	72	98	101
July	118	89	106	91	70	97	99
August	115 106	85 76	105 106	93 96	70 81	94 93	97 97
October	101	79	108	101	99	92	101
November	99	84	101	107	99	92 93	99 109
December	102	89	98	110	100	1 80	100
1916	112	99	101	108	100	95	10%
January February	115	108	108	102	100	98	106 108
March	111	112	116	98	102	100 102	108 110
April	111 113	114 117	121 123	96	102	104	1 PA
March April May June	110	124	124	97	107	103	112
Tulm	113	125	124	97	109	100	113
August	127	123	123	101	115	98	11/
July August September October November	138	121 129	127 122	106 114	128 - 144	97 98	128 128 187
October	147 158	147	123	124	163	101.	187
December	157	156	125	129	160	104	180
1917		ł	1				
Tennoru	161	167 208	131 144	127 127	148	107 109	148
February	169 179	208	162	122	149	115	148 159
March April May June	217	265	177	123	160	123	178
May.	251	283 270	179 177	128 125	189	132 136	188 188
June			})	ł	1	ì
July	250	219 165	173 178	124 129	204 199	135 133	184 188
August	248 233	146	190	138	197	135	188 184 187
October	233 223	150	194	147	214 232	189 145	187
August	213 213	155 156	186 190	153 159	237	152	137
December	.] 213	100	, 100	,			

TABLE 757.—Index numbers of farm prices of 30 commodities, by months, 1910—1924—Continued

[August, 1909-July, 1914-100]

			1	1			
Year and month	Grains	Fruits and vege- tables	Meat animals	Dairy and poultry products	Cotton and cotton- seed	Unclassi- fled	All groups
1918							
January	218	158	187	165	244	158	194
Marriary	227	162	188	163	249	160	197
March	234	157	194	153	257	164	199
May	235 231	156 160	204 210	146 144	251 235	162 157	209
March April May June	227	160	207	144	234	152	198 196
	228	172	205	146	235	150	197
July August September	230	177	211	153	246	152 157	203 207
September	229	166	214	161	264	157	207
October	222 216	360 158	204 198	174 184	253 236	159 158	204 200
November December	217	155	199	192	235	159	201
1919							
January	217	154	201	189	225	159	200
February	214 220	156 167	204 211	172 164	208 206	156	194
March April	234	179	224	168	200 213	159 162	197 207
May	245	197	227	171	232	169	215
April May June	245	205	221	171	219	ĵři	216
July	248	216	228	172	260	167	222
August September	246	219	227	176	259	166	222
September	233 222	194	197	182	252	162	208
October	222	18 6 187	185 177	192 207	277 205	155 155	206 209
November	229	206	173	217	292	158	212
1920		į					
Japuary	241	226	181	215	293	166	219
February	242	252	184	205 193	295 298	171	231 222
February March April May	246 261	*279 323	184 186	191	304	173 177	230
May	277	373	181	187	303	180	235
June	283	366	182	183	301	160	234
fuly	266	314	181	184	297	152	224
August	242	239	177	190	266	141	200
September	222	180 150	177	196 203	218	136 128	194
November	193 157	141	169 150	209	175 132	118	178 158
December	138	114	124	205	101	iii	140
1921	l	1					
January	138	136	123	190	93	105	135
February	136 131	127 125	119 125	170 152	89 80	102 99	128 123
April	118	124	114	144	76	95	115
May	116	132	111	133	78	91	112
February. March. A pril May May May May May	117	140	105	127	78	90	110
uly	109	156	100	131	79	87	111
ugust	103	178	112	139	91	86	116
September	100	171 162	101 98	144 155	130 150	84 82	11 1 20
November	94 88	162	92	164	137	80	116
December	88	165	91	163	131	82	115
1922	1	1	1	1			
anuary	91	159	95	149	129	83	114
obruary	102 111	178 181	108 118	136 129	128 131	84 80	118 123
pril	114	190	117	125	135	80	123
Aay	115	206	119	123	144	86	127
faron pril day	iii	197	121	124	180	84	128
uly	105	174	120	123	166	85	136
Luguest	100 97	129 109	114 112	125 132	166	86	120
oriober	101	101	113	142	160 168	90 97	1 300 T 128
ngust splember stober verember	108	101	108	152	186	94	195
Desember	111	104	107	161	195	103	198 121

Taken 757:—Index numbers of furm prices of 30 commodities, by months, 1910-1924—Continued

[August, 1979-July, 1914-100]

Year and month	Grains	Fruits and vege- tables	Meat animals	Dairy and poultry products	Cotton and cotton- seed	Unclassi- fied	All groups
1923							
January	113	117	110	157	203	104	134
Pebruary		122	110	151	215	108	136
March	117	130	110	144	224	105	136
April	121	146	110	139	222	101	937
May		157	168	136	211	102	185
June	119	161	103	135	207	107	133
July	112	1645	105	183	199	90	150
August	109	151	103	138	190	101	128
September	111	131	112	144	204	100	112
October	113	123	108	156	201	94	134
November		114	100	166	238	96	136
December	108	114	98	166	253	96	137
	1 200	1 111		100	200	1	20.
_ 1924	1	ļ	1				ł
January	110	118	101	155	2 55	99	137
February		123	102	152	247	98	198
March	114	123	104	136	219	99	131
April	113	128	106	126	226	98	130
May.	114	182	107	123	222	94	120
June	116	146	105	123	219	95	130
July	130	142	103	122	215	101	132
August	141	138	116	123	219	103	1 39
September	140	113	115	133	175	100	132
October	150	109	121	142	182	102	138
November	147	108	115	150	179	106	137
December	155	110	113	158	176	102	130
***************************************	1	1		1	1 2.0	100	1.50

Division of Statistical and flistorical Research The commodities, by groups, are as follows Grains—wheat, corn, outs, barley, rye, kailr; fruits and vegetables—apples, oranges, grapefruit, potatoes, sweet potatoes, beans, onions, cabbage; meat animals—beef cattle, calves, hogs, sheep, lambs, darry and poultry products—chickens, eggs, butter (represents butter, butterfat, and ream), milk, cotton and cottonseed; unclassified—horses (represents horses and mules), hay, flax, tobacco, wool.

Table 758.—Index numbers of wholesale prices, by groups of commodities, United States, 1890-1924

[Year 1913-100]

Year	Farin prod- ucts	Foods	Cloths and cloth- ing	Fuel and light- ing	Metals and metal prod- ucts	Build- ing mate- rials	Chem- icals and drugs	House- fur- nishmg goods	Mis- cella- neous	All com- modi- ties
1800	70 75 68 71 61	86 85 79 85 75	95 91 91 90 79	62 60 57 58 56	116 102 92 65 72	82 78 74 73 70	91 92 93 91 82	88 89 85 85 80	99 97 91 92 88	81 80 75 77 69
3065	61 55 59 68 64	74 50 71 74	77 76 75 77 80	66 65 56 56 67	77 78 72 72 72 110	68 -68 -66 70 77	81 88 97 101	77 77 75 78 80	92 92 98 96 100	70 67 67 70 75
1900	70 74 81 77 81	79 70 83 81 84	88 81 82 87 88	76 73 84 98 87	108 103 100 99 88	81 78 80 82 79	102 196 108 105 105	87 87 87 90 89	104 - 96 - 93 - 102 - 110	81 79 84 86 86
1908	79 80 87 86 97	86 83 89 91 97	90 98 105 94 98	81 85 89 88 84	98 113 121 95 93	85 95 100 92 95	103 96 98 99 190	88 91 98 92 92	117 116 111 101 130	88 89 94 90

Table 758.—Index numbers of wholesale prices, by groups of commodities, United States, 1890-1924—Continued

[Year 1913-100]

Year	Farm prod- ucts	Foods	Cloths and cloth- ing	Fuel and light- ing	Metals and metal prod- ucts	Build- ing mate- rials	Chemicals and drugs	House- fur- nishing goods	Mis- cella- neous	All com- modi- ties
1910 1911 1912 1918	103 93 101 100 103	101 97 104 100 102	100 96 97 100 98	78 76 84 100 93	94 89 99 100 85	98 98 99 100 92	102 102 101 100 101	96 93 94 100 100	151 111 110 100 95	101 93 99 100 98
1915	104	105	98	88	99	94	134	100	95	101
	123	121	127	126	162	120	181	106	121	127
	190	167	175	169	231	157	202	125	148	177
	218	188	228	170	187	172	215	153	156	194
	231	207	253	181	162	201	169	184	175	208
1920	218	220	295	241	192	264	200	254	196	226
	124	144	180	199	129	165	136	195	128	147
	133	138	181	218	122	168	124	176	117	149
	141	144	200	185	144	189	131	183	123	154
	143	144	191	170	134	175	130	173	117	150

Division of Crop and Livestock Estimates Compiled from Bureau of Labor Statistics reports.

Table 759.—Index numbers of wholesale prices of farm products, United States, 1900-1924

[Year 1913=100]

Calendar year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Aver- age
1900	69	69	69	70	68	69	71	71	73	72	73	73	70
	74	71	71	70	70	70	72	74	76	77	77	81	74
	82	80	79	80	82	82	85	82	83	82	80	79	81
	78	79	78	78	77	77	76	77	79	76	75	78	77
	81	84	83	81	79	79	79	80	82	82	83	80	81
1905	79	80	78	78	76	77	80	80	78	78	80	81	79
1906	80	79	78	80	80	80	72	78	80	82	83	85	80
1907	83	85	83	83	86	87	88	90	91	93	87	86	87
1908	83	81	83	84	85	86	88	89	89	88	90	91	86
1909	91	93	93	96	99	99	99	97	99	101	104	107	97
1910	106	106	108	105	103	102	104	105	108	101	97	97	103
	96	91	89	88	88	90	93	95	95	95	96	96	98
	96	97	99	103	105	101	101	103	104	104	103	101	101
	98	98	98	99	97	98	99	100	103	103	103	103	100
	103	103	102	102	101	101	103	106	106	101	102	101	103
1915	104	105	104	104	105	101	104	103	101	106	104	105	104
	110	110	111	113	115	114	117	125	131	136	147	146	128
	152	157	166	184	196	195	196	202	202	207	212	207	190
	211	211	211	213	209	210	217	227	234	225	225	227	218
	224	216	224	230	234	226	241	242	225	227	237	242	231
1920	247	237	237	243	241	237	233	218	210	187	173	152	218
1921	143	133	127	117	118	114	119	123	124	124	121	120	124
1922	122	131	180	129	132	131	135	131	133	138	143	145	183
1923	143	142	143	141	139	138	185	139	144	144	146	145	141
1924	144	143	137	139	136	134	141	145	148	149	150	157	143

Division of Crap and Livestock estimates. Compiled from Bureau of Labor Statistics reports.

Table 760.—Index numbers of wholesale prices of all commodities, United States, 1900-1924

[Year 1913-106]

Calendar year	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept	Oct.	Nov.	Dec.	Aver- age
1900	82	82	82	82	81	80	80	80	80	79	80	79	81
	79	78	78	78	78	78	78	79	81	80	81	83	79
	82	81	81	82	84	84	85	83	84	91	87	88	84
	90	89	87	86	85	85	84	84	85	84	84	84	86
	86	87	87	85	84	84	84	85	86	86	87	84	86
1905	87	87	86	87	85	85	85	86	85	86	86	87	86
1906	88	87	87	88	88	88	86	88	88	90	91	92	89
1907	92	93	92	93	94	95	95	95	95	96	93	91	94
1908	89	88	89	89	89	90	90	90	91	91	92	93	90
1909	93	93	94	95	97	97	97	98	99	101	102	103	97
1910	102	102	105	105	103	102	102	102	100	97	95	96	101
	95	92	93	91	90	90	92	94	95	95	95	94	93
	95	96	97	100	100	99	99	100	101	101	101	101	99
	100	100	100	100	99	99	100	100	102	101	100	99	100
	98	99	98	98	97	99	97	101	102	97	97	97	98
1915	98	99	99	99	100	99	100	100	100	102	104	108	101
1916	113	115	119	121	122	123	123	126	130	136	146	149	127
1917	153	157	162	173	183	185	188	189	187	183	183	182	177
1918	184	186	187	190	190	191	196	200	204	202	203	202	194
1919	199	193	196	199	202	203	212	216	210	211	217	223	206
1920	233	232	234	245	247	243	241	231	226	211	196	179	226
	170	160	155	148	145	142	141	142	141	142	141	140	147
	138	141	142	143	148	150	155	155	153	154	156	156	149
	156	157	159	159	156	153	151	150	154	153	152	151	154
	151	152	150	148	147	145	147	150	149	152	153	157	150

Division of Crop and Livestock Estimates. Compiled from Bureau of Labor Statistics reports.

Table 761.—Index numbers of wholesale prices of agricultural commodities, United States, 1910-1924 1

[1910-1914-100] -

	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct	Nev	Dec.	A ver-
1910	105	104	108	106	104	103	104	105	103	100	97	97	103
1911		92	90	88	89	90	92	96	97	98	98	96	94
1912		98	99	103	104	101	101	102	103	103	102	100	101
1913	97	97	98	99	97	98	100	101	103	102	102	100	99
1914	101	101	100	99	99	100	101	109	109	103	103	102	102
1915	104	107	105	106	107	103	105	103	100	104	103	105	104
1916	108	109	110	113	114	114	116	123	128	134	142	138	121
1917	143	148	156	174	187	184	184	191	192	196	199	197	179
1918	198	200	200	203	200	201	206	213	220	215	217	218	203
1919	216	209	217	224	227	219	227	228	216	216	223	231	221
1920	239	230	231	244	248	245	240	223	2 16	194	180	158	221
1921	151	142	141	132	129	126	130	133	133	130	127	125	133
1922	124	132	135	135	138	137	140	135	135	139	142	144	136
1923	141	142	144	144	142	141	138	139	146	147	146	146	143
1924	144	143	140	139	138	135	141	147	145	151	150	156	144

Division of Crop and Livestock Estimates. Compiled from Bureau of Labor Statistics reports.

¹ Commodities originating on United States farms. Includes (1) farm products group, excepting hides and skins; (2) the food group, excepting cocca beans, coffee, copra, fish, pepper, sait, tea, and coccanut oil; (3) bran, cottonseed meal, linseed meal, and mill-feed middlings.

Taxam 762.—Index numbers of wholesale prices of nonagricultural commodities, United States, 1910-1924

1101	n. 10	14-	1	ſΔħ
1-TATE	U~ 10	14-	1	va:

	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	A ver-
1910 報1 第2 1913	103 97 95 107 100	108 97 96 107 100	104 99 97 106 101	107 97 100 106 106	106 96 109 105 98	104 94 100 104 97	108 94 100 104 96	102 95 101 104 96	100 95 102 104 97	98 94 108 104 95	97 94 103 103 94	98 94 104 101 95	102 96 100 100 100
1915 1916 1917 1918 1919	96 122 170 177 188	96 126 173 178 184	96 132 176 180 181	96 134 179 188 179	97 136 185 186 188	98 137 195 186 194	100 136 199 192 204	101 135 196 193 211	108 137 189 195 218	105 148 175 196 215	109 155 173 196 219	115 166 174 193 224	101 138 162 198 199
1920 1921 1922 1923	236 196 158 177 164	244 185 156 178 168	247 177 155 179 166	254 171 158 180 164	254 168 164 176 162	250 164 168 172 159	251 159 177 109 158	249 156 182 167 159	246 156 179 167 158	237 159 176 165 158	221 161 175 163 160	208 161 175 162 163	241 167 168 171 162

Division of Crop and Livestock Estimates. Compiled from Bureau of Labor Statistics reports.

PRICES, COST OF LIVING, AND WAGES

Table 763.—Index numbers of prices, cost of living, and wages, 1913-1924 (1913==180)

Calendar year	Farm prices, 30 commod- ities, August, 1909- July, 1914- 100 1	Whole-sale prices all commodities?	Retail prices, 22 articles of food ²	Cost of living (32 cities) ³	Farm labor ¹	Union wages per hour May 15 ²	Earnings New York State factory workers, June 1914-2 100 4
1018 1914 1915 1917 1017 1018 1019 1019 1021 1021 1021	100 102 100 117 176 200 209 205 116 124 135	190 98 101 127 477 194 206 226 147 149	100 102 101 114 146 168 203 153 142	100 - 5 103 5 105 5 118 5 142 5 174 6 190 5 200 5 174 6 170 6 173	100 99 99 108 133 161 186 214 143 135	100 102 103 107 114 133 155 199 205 193 211	100 101 114 129 160 185 222 203 197 214
January 1924 January Pebruary Massch April 1849 June July August September October Movember December Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeannier Jugeanni	134 137 136 131 130 129 132 189 132 138 137	150 151 452 150 148 147 147 150 149 153 153	149 147 144 141 141 142 183 144 147 149 159	170 169 171	156 T51 153 157 159	228	218 218 222 228 228 287 213 216 221 221 237 248 222

Division of Statistical and Historical Research.

⁴ Commodities not originating on United States farms. Includes all commodities other than those in Table 763.

Bureau of Agricultural Economics.

Bureau of Labor Statistics.

Bureau of Labor Statistics.

Bureau of Labor Statistics.

Bureau of Labor Statistics.

Bureau of Labor Statistics.

Bureau of Labor Statistics.

Bureau of Labor Statistics.

Bureau of Labor Statistics.

Bothing (about 751tems varying from time to time); rent (representative number of moderate-priced bouses); furniture and household articles (28 items), and 42 miscellaneous articles.

New York State Department of Labor.

Becamber.

FOREIGN EXCHANGE

TABLE 764.—Foreign exchange. Average rates at New York, 1912-1924 ARGENTINE PESOS, PAPER 1

Year	Jan.	Feb.	Mar	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec
	Octato	Cents			Oente	Cents	Cente	Cents	Cents	Cents	Cents	Cem
Dt 2	42.460	42. 500			42. 526	42.510		42, 510	42. 510	42. 510	42. 478	42.4
013	42.510	42. 878		42. 535	42. 470	42, 395		42, 110		42, 110		42. 1.
914	42.158	£2 , 522	42.540	42, 365	42, 296	42, 230	42, 246	248, 465	44. 683	43.042	43 428	43. 7
914 915	43 348	43. 332	42, 925	42. 580	42 005	42.018		41.385	41.712	42,080	42. 212	42.5
A1.0		40.000										
916 917 918 919	42 652 44. 170	42 858 43.960	43 158 43 402	43. 058 42. 642	42 525	42. 182 48. 918	41. 592	41.402	42. 126 42. 900	42, 900		43.8
D# 0	22. 110	40. 500	100. BIA	44 UEZ	43. 262 45. 192	30. 910	48, 525	43. 104	42. 9UU			46. 6
***	44.820			44. 472	40. 193	44.820	44.388		44 632			45.0
119	44. 894	44. 748	44. 326	44. 045	44. 1983	43, 220	42.544	42, 138	42, 315	42. 324	42.945	48. a
880 821 923 963	43 078	40 100	43. 326	43.957	42. 465	42.058	40, 496	37.6 57	36, 808	35 807	33. 650	34. 3
021	24 702	48. 108 85. 978	34. 122		31. 585	80. 782		29, 284	30. 637			32 \$
009	20 049	96 334	86, 423		36 290	36. 016		36 117	35 677			
002	90. 900	80 00-2					30. 010	90 117				
****	37. 30E	. WOO	87. 891		85 939	35. 485						
64	32. 963	33 639	33 663	32 . 913	32. 838	32 . 512	32, 612	38. 729	85. 212	36, 762	37. 616	86.4
			''	EGYP'	TIAN	TALA	RI					
			I I	1	I							
913	100 345	100 398	100 310	99 980 1	00. 00B	99. 992	99. 972	100.090	100.042	100 412	99 930 99 912	100.1
913	100 144	99 928	99 845	99 832	99 802	88 680	99 662	99 952	100, 120	100 241	199 912	199,
R14	99. 965	99. 855	AM #2251	199. 823	99. WLZ	100, 912	100, 158	103, 630	103. 292	102, 552	100 962	100-
114 115	99 582	99. 138	98. 708	96. 372	98. 320	9 7. 955	97. 738	96.33 5	96. 232	96. 114	95. 805	96.
						BB -#-			DT 414			
X16	97 505	97 652	97 749		97. 648		97. 592	97. 590				
117	97.605	97 538		97 670	97. 578			97 680				
017 018	97. 585	97, 580		97 598	97. 600	9 7 570	97. 560	97. 618				
019	97, 726	97. 702	98. 480	95, 525	95, 808	94, 588	91, 395	88.036	95. 518	85, 560	84, 334	
920 921 923 923	75.864	68 660	74. 123	80, 088	78. 934	79, 642	78. 3 52 75. 1 38	73. 498	72, 510	70.876		72.
921	76.915	79 482	80 405	80, 780	82, 390	78, 298	75. 138	75 128	76.810	79 538		
922	84 725	79 482 89 163	87 592	89 970	82. 390 91 120	91, 377	91, 118	91. 955	90, 825	91 275		
023	95 070	96 730	96 850	95 528	95. 382	04, 880		94. 315		93 635	89 808	
004	97 90¢	89 410	88. 340		88. 960	88. 750		02.010	00. 102		00 000	D0
	01. 475	80 410	00. em	00.002	00. 990	GG. 1-10						
	`	·	1	IND	IAN I	RUPER	<u> </u>	<u> </u>			·	
	1	<u> </u>		I			1				1	
919 926 921 922	35. 650	35 650	35 875 47. 250	35. 650	42, 500	42 500	43, 000	43.500	45,000	43, 000	43. 375	
920	44 125	45 500	47. 250	46 500	43. 500	40.875	37. 875	35. 750	33. 788			27.
921	28 574	28, 938	26 906	28 1001	96 344	25, 422	23, 659	94 224	26 390	27 419	26. 874	
222	77 810	28, 143	27. 823		28, 751	28.911	28, 891	29 014		28.842	29 511	30.
D-23L	31 794	\$1.850					30, 859	30 461			30, 866	
924	THE APT	20 204	29. 862	36. 404	30. 580							
7#1	30, 427	00.024	20. 002	JU. 101	50. 550	30. 100	J1. 208	30.200	32.019	JU. 000	32. 002	·
			·	******	in on	ERLIN	703	<u> </u>	<u> </u>	·	<u> </u>	
				POUN	10 61	ERLIII	, , ,					
en o		44 0900	A 0701					£4 879	64 BEM	\$4 8574	\$4 BEOG	24 S
912	\$4. 9699	\$4. 8728	\$4. 8721 8731	94. 8710 5	4 8790	ML 8756	\$4, 6759	\$4, 8725	\$4 8604	\$4, 8574 4 9590	\$4 8506 4 859a	\$4 S
				\$4. 8710 d	4. 8790 4. 8651	\$4, 8756 4, 8670	\$4. 6752 4. 8678					
913 814	4.8688 4.8638	4 8746 1 1 8570	8 4.8729 8 6.8 62 8	\$4. 8710 d 4. 8688	4. 8720 4. 8651	\$4, 8756 4 8670	\$4. 6759 4 8678	1 4.804 U	3 * 5 . 5 . 5 . 5 . 5 . 5 . 5 . 5 . 5 . 5	14.8680 14.0630	4 9031	4 8
913 B14	4.8688 4.8638	4 8746 1 1 8570	8 4.8729 8 6.8 62 8	\$4. 8710 4. 8688 4. 6698	4. 8720 4. 8651	\$4, 8756 4 8670	\$4. 6759 4 8678	1 4.804 U	3 * 5 . 5 . 5 . 5 . 5 . 5 . 5 . 5 . 5 . 5	14.8680 14.0630	4 9031	4 8
913 814 915	4. 8688 4. 8422	4. 8746 4. 8570 4. 8506	4. 8628 4. 8618	\$4. 87104 4. 8688 4. 8698 4. 7945	4. 8790 4. 8651 4. 8881 4. 7925	\$4. 8756 4 8670 4. 8849 4. 7755	\$4. 6752 4 8678 4. 8878 4. 7648	4. 7062 4. 7575	4. 9812 4. 6912 4. 7574	4. 9530 4. 6858 4. 7567	4 9081 4 9798 4 6798	4.7
913 M4 M5	4. 8688 4. 8422	4. 8746 4. 8570 4. 8506	4. 8729 4. 8638 4. 8618	\$4. 8710 4 4. 8688 4. 8698 4. 7945 4. 7648	4. 8720 4. 8651 4. 8881 4. 7925 4. 7581	\$4. 8756 4 8670 4. 8849 4. 7755 4. 7579	\$4. 6759 4 8678 4 8878 4. 7648 4. 7577 4 7553	4, 7000 4, 7062 4, 7575 4, 7545	4. 9812 4. 6912 4. 7574	4. 9530 4. 6858 4. 7567	4 9081 4 9798 4 6798	4.7
913 M4 M5	4. 8688 4. 8422	4. 8746 4. 8570 4. 8506	4. 8729 4. 8628 4. 8618 4. 7641 4. 7544	\$4. 87104 4. 8688 4. 8698 4. 7945 4. 7648 4. 7567	4. 8790 4. 8651 4. 8881 4. 7926 4. 7581 4. 7555	\$4. 8756 4. 8670 4. 8849 4. 7755 4. 7579 4. 7544	\$4. 6759 4 8678 4 8878 4. 7648 4. 7577 4 7553	4, 7000 4, 7062 4, 7575 4, 7545	4. 9812 4. 6912 4. 7574 4. 7548	4. 9530 4. 6858 4. 7567	4 9081 4 9798 4 6798	4.7
913 M4 M5	4. 8688 4. 8422	4. 8746 4. 8570 4. 8506	4. 7641 4. 7544 4. 7825	\$4. 87104 4. 8688 4. 8698 4. 7945 4. 7648 4. 7567 4. 7580	4. 8790 4. 8651 4. 8881 4. 7926 4. 7581 4. 7555 4. 7556	\$4. 8756 4 8670 4. 8849 4. 7755 4. 7579 4. 7544 4. 7538	\$4. 6759 4. 8678 4. 8878 4. 7648 4. 7577 4. 7583 4. 7525	4. 7062 4. 7575 4. 7545 4. 7562	4. 9812 4. 6912 4. 7574 4. 7548 1. 7550	4. 9530 4. 9538 4. 7567 4. 7522 4. 7550	4 9081 4 9081 4 6796 4 7567 4 7520 4 7575	4.7
913 814 915	4. 8688 4. 8422	4. 8746 4. 8570 4. 8506	4. 7641 4. 7544 4. 7825	\$4. 87104 4. 8688 4. 8698 4. 7945 4. 7648 4. 7567 4. 7550	4. 8790 4. 8651 4. 8881 4. 7926 4. 7581 4. 7555 4. 7556	\$4. 8756 4 8670 4. 8849 4. 7755 4. 7579 4. 7544 4. 7538	\$4. 6759 4. 8678 4. 8878 4. 7648 4. 7577 4. 7583 4. 7525	4. 7062 4. 7575 4. 7545 4. 7562	4. 9812 4. 6912 4. 7574 4. 7548	4. 9530 4. 9538 4. 7567 4. 7522 4. 7550	4 9081 4 9081 4 6796 4 7567 4 7520 4 7578	4.7
918. 916. 917. 919.	4. 8688 4. 8628 4. 8422 4. 7506 4. 7567 4. 7575	4 8746 1 8570 4 8906 4 7591 4 7550 4 7575	4. 7641 4. 7544 4. 7000	\$4. 87104 4. 8688 4. 8698 4. 7945 4. 7648 4. 7567 4. 7550 4. 6512	4 8790 4 8651 4 8881 4 7925 4 7581 4 7555 4 7558 4 6562	\$4. 8756 4. 8670 4. 8849 4. 7755 4. 7579 4. 7544 4. 7538 4. 6125	\$4. 8752 4 8678 4 8878 4. 7648 4. 7577 4. 7553 4. 7525 4. 4275	4. 8640 5. 0000 4. 7062 4. 7575 4. 7545 4. 7562 4. 2725	4, 9812 4, 6912 4, 7574 4, 7548 1, 7550 4, 1800	4. 9530 4. 9538 4. 6858 4. 7567 4. 7522 4. 7550 4. 1712	4 9031 4 9031 4 6798 4 7507 4 7520 4 7578 4 0812	4.7 4.7 4.7 4.7 4.7 4.7
918 916 917 918 919 919	4. 8688 4. 8628 4. 8422 4. 7506 4. 7567 4. 7575	4 8746 1 8570 4 8906 4 7591 4 7550 4 7575	4. 8729 4. 8698 4. 7641 4. 7544 4. 7825 4. 7000	\$4. 87104 4. 8688 4. 8698 4. 7945 4. 7648 4. 7567 4. 7530 4. 6512 3. 9130	4. 8790 4. 8651 4. 8881 4. 7925 4. 7581 4. 7555 4. 7559 4. 6562 3. 8500	\$4. 8756 4. 8670 4. 8849 4. 7755 4. 7579 4. 7544 4. 7538 4. 6125 3. 9475	\$4. 6759 4. 8678 4. 8878 4. 7648 4. 7577 4. 7573 4. 7525 4. 4275 3. 8525	4. 7575 4. 7575 4. 7545 4. 7562 4. 2725 3. 6200	4. 9812 4. 6912 4. 7574 4. 7548 8. 7550 4. 1800	4. 9530 4. 9530 4. 6858 4. 7567 4. 7522 4. 7550 4. 1712 8. 4730	4 9031 4 9031 4 6796 4 7507 4 7520 4 7575 4 0812	4.77 4.77 4.77 4.77 3.76 3.49
918. 916. 917. 919.	4. 8688 4. 8628 4. 8422 4. 7506 4. 7567 4. 7575	4 8746 1 8570 4 8906 4 7591 4 7550 4 7575	4. 8729 4. 8638 4. 7641 4. 7544 4. 7825 4. 7000 3. 7712 3. 9150	94. 87104 4. 8688 4. 8698 4. 7945 4. 7648 4. 7567 4. 7550 4. 6512 3. 9130 3. 9300	4. 8730 4. 8651 4. 8881 4. 7925 4. 7555 4. 7559 4. 6562 3. 8500 3. 9775	\$4. 8756 4 8670 4. 8849 4. 7755 4. 7579 4. 7538 4. 6125 3. 9475 3. 7725	\$4. 6759 4 8678 4 8876 4. 7648 4. 7577 4. 7573 4. 7525 4. 4275 3. 8525 3. 6321	4. 7575 4. 7575 4. 7545 4. 7562 4. 2725 3. 6200 3. 6536	4. 9812 4. 6912 4. 7574 4. 7548 2. 7550 4. 1800 3. 5125 3. 7240	4. 9530 4. 9530 4. 6858 4. 7567 4. 7522 4. 7550 4. 1712 8. 4730 3. 8729	4 9081 4 6796 4 7507 4 7520 4 7575 4 0812 3 4250 3 9702	4.77 4.77 4.77 4.77 3.76 3.49 4.11
918. 916. 917. 919.	4. 8688 4. 8628 4. 8422 4. 7506 4. 7567 4. 7575	4 8746 1 8570 4 8906 4 7591 4 7550 4 7575	4. 8729 4. 8638 4. 7641 4. 7544 4. 7825 4. 7000 3. 7712 3. 9150 4. 3757	94. 87104 4. 8688 4. 8698 4. 7945 4. 7648 4. 7567 4. 7530 4. 6512 3. 9130 3. 9300 4. 4134	4 8651 4 8681 4 7925 4 7581 4 7555 4 7589 4 6562 3 8500 3 9775 4 4461	\$4. 8756 4. 8849 4. 7755 4. 7579 4. 7538 4. 6125 3. 9475 3. 7725 4. 4519	\$4. 6759 4 8678 4 8678 4 7648 4 7577 4 7553 4 7525 4 4275 3. 6521 4 4464	4. 8640 5. 0000 4. 7062 4. 7575 4. 7545 4. 7562 4. 2725 3. 6200 3. 6536 4. 4647	4. 9812 4. 9812 4. 7574 4. 7549 4. 7550 4. 1800 3. 5125 3. 7240 4. 4307	4. 9530 4. 9530 4. 6858 4. 7567 4. 7522 4. 7550 4. 1712 8. 4730 3. 8729 4. 4385	4 9081 4 9081 4 6796 4 7507 4 7575 4 0812 3 4250 3 9702 4 4790	4. 74 4. 75 4. 75 4. 75 4. 75 4. 75 4. 15 4. 15 4. 66
918. 916. 917. 919.	4. 8688 4. 8628 4. 8422 4. 7506 4. 7567 4. 7575	4 8746 1 8570 4 8906 4 7591 4 7550 4 7575	4. 8729 4. 8638 4. 7641 4. 7544 4. 7825 4. 7000 3. 7712 3. 9150 4. 3757	94. 87104 4. 8688 4. 8698 4. 7945 4. 7648 4. 7567 4. 7580 4. 6512 3. 9130 3. 9300 4. 4134 4. 6555	4. 8736 4. 8651 4. 8881 4. 7925 4. 7581 4. 7555 4. 7559 4. 6562 3. 8500 3. 9775 4. 4461 4. 6257	\$4. 8756 4. 8670 4. 8849 4. 7755 4. 7579 4. 7538 4. 6125 3. 9475 3. 7725 4. 4519 4. 6147	\$4. 6752 4. 8678 4. 8678 4. 7648 4. 7577 4. 7553 4. 4275 3. 8525 3. 6324 4. 4464 4. 5834	4. 8640 4. 7062 4. 7575 4. 7545 4. 7562 4. 2725 3. 6200 3. 6536 4. 4647 4. 5603	4. 9812 4. 9812 4. 7574 4. 7548 1. 7550 4. 1800 3. 5125 3. 7240 4. 4307 4. 5422	4. 9530 4. 9530 4. 6858 4. 7567 4. 7522 4. 7550 4. 1712 8. 4730 3. 8729 4. 4385 4. 5237	4 9031 4 6796 4 7507 4 7575 4 7575 4 0812 3 4250 3 9702 4 4790 4 3822	4. 71 4. 71 4. 71 4. 72 4. 73 3. 76 3. 49 4. 13 4. 36 4. 36
912. 913. 914. 905. 916. 917. 918. 919. 920. 921. 922. 923.	4. 8688 4. 8628 4. 7506 4. 7567 4. 7575 3. 6700 3. 7562 4. 2248 4. 6546	4 8746 1 8570 4 8206 4 7591 4 7550 4 7575 4 7575 4 7575 4 7575 4 7575 4 7690 4 6908	4. 8729 4. 8638 4. 7641 4. 7544 4. 7825 4. 7000 3. 7712 3. 9150 4. 3757 4. 6957	94. 87104 4. 8688 4. 8698 4. 7945 4. 7648 4. 7567 4. 7530 4. 6512 3. 9130 3. 9300 4. 4134 4. 6555	4. 8736 4. 8651 4. 8881 4. 7925 4. 7581 4. 7555 4. 7559 4. 6562 3. 8500 3. 9775 4. 4461 4. 6257	\$4. 8756 4. 8670 4. 8849 4. 7755 4. 7579 4. 7538 4. 6125 3. 9475 3. 7725 4. 4519 4. 6147	\$4. 6752 4. 8678 4. 8678 4. 7648 4. 7577 4. 7553 4. 4275 3. 8525 3. 6324 4. 4464 4. 5834	4. 8640 4. 7062 4. 7575 4. 7545 4. 7562 4. 2725 3. 6200 3. 6536 4. 4647 4. 5603	4. 9812 4. 9812 4. 7574 4. 7548 1. 7550 4. 1800 3. 5125 3. 7240 4. 4307 4. 5422	4. 9530 4. 9530 4. 6858 4. 7567 4. 7522 4. 7550 4. 1712 8. 4730 3. 8729 4. 4385 4. 5237	4 9081 4 9081 4 6796 4 7507 4 7575 4 0812 3 4250 3 9702 4 4790	4. 71 4. 71 4. 71 4. 72 4. 73 3. 76 3. 49 4. 13 4. 36 4. 36

Division of Statistical and Historical Research.

¹ Compiled from International Yearbook of Agricultural Statistics, 1921, page 505, through June, 1921; average of weekly quotations. Federal Reserve Bulletin, July, 1921, to date; average monthly rate of exchange.

Interpolation, no quotation.

Interpolation, no quotation.

Interpolation, no quotation.

International Yearbook of Agricultural Statistics, 1921, page 505, and 1922, page 342.

International Yearbook of Agricultural Statistics, 1921, page 505, and 1922, page 342.

Federal Reserve Bulletins. January-September, 1919, highest rate for month. October, 1949-December, 1920, average of high and low quotations for month. Junuary, 1921-June, 1921, average of weekly high and low quotations for month. July, 1921 to date, average rate of exchange.

International Yearbook of Agricultural Statistics, 1921, pages 504 and 498. Federal Reserve Bulletins, July, 1921, to date. Sight drafts 1912-1920; capies 1921 to date.

FEDERAL-AID HIGHWAYS

Table 765.—Apportionment of Federal aid to States, year ended June 30

States	1917	1918	1919	1920	1921
Alabama	\$104, 148. 90	\$208, 297. 80	\$1, 363, 720. 57	\$1, 995, 501. 80	\$2, 104, 888. 51
Arizona	68, 513, 52	137, 027. 04	890, 584. 16	1, 301, 582, 81	1, 373, 644, 16
Arkansas	82, 689. 10 151, 063 92	165, 878, 20 302, 127, 84	1, 090, 247. 99 1, 980, 415. 53	1, 596, 436. 09 2, 896, 071, 77	1, 685, 178. 09 3, 054, 675, 51
California	101,008 92	167, 380. 28	1, 124, 849. 88	1, 648, 384. 72	1, 755, 759. 17
Celorado	83, 690. 14	107, 200. 20	1, 122, 020. 00	1,020,002.14	1, 100, 100. 11
Connecticut	31,090.44	62, 180. 88	399, 281, 11	583, 422, 84	613, 349. 43
Delaware	8, 184, 37	16, 368, 74	105, 796 45	154, 680. 46	162, 674. 81
Florida	55, 976, 27	111, 952. 54	744, 521 08	1, 090, 214. 67	1, 147, 447. 92
Georgia	134, 329 48	268, 658. 96	1, 749, 954. 20	2, 557, 485. 02	2, 697, 150. 96
Idaho	60, 463. 50	120, 927. 00	792, 980. 82	1, 159, 967. 61	1, 226, 049. 93
Illinois	220, 926. 28	441, 852, 46	2, 843, 874. 13	4 152 548 24	4, 385, 087, 91
Indiana	185, 747, 62	271, 495 24	1, 756, 149. 60	4, 152, 546, 24 2, 564, 846, 88	4, 365, 067. 91 2, 687, 063. 27
lowa	146, 175. 60	292, 351 20	1, 877, 699. 81	2, 741, 787, 79	2, 881, 328, 74
Kansas	148, 207, 40	286, 414, 80	1, 865, 445 80	2, 728, 996. 45	2, 871, 244, 62
Kentucky	97, 471. 91	194, 948. 82	1, 269, 849. 80	1, 856, 043. 83	1, 951, 755. 43
, i	67 474 60	124 040 20	884, 484, 31	1, 293, 385, 15	1, 362, 231, 18
Louisiana	67, 474, 66 48, 451 50	134, 949, 32 96, 903, 00	626, 038, 97	914, 339 94	960, 230, 16
Maine	48, 451 50	88, 094. 44	565, 608. 45	826, 000. 35	866, 998, 61
Maryland Massachusetts	73, 850. 95	147, 701, 90	958, 145 15	1, 400, 078. 26	1, 472, 788. 83
Michigan.	145, 783. 72	291, 567. 44	1, 882, 570 18	2, 749, 706. 24	2, 891, 667. 97
-					
Minnesota	142, 394, 06	284, 788. 12	1, 846, 639. 92	2, 690, 471 59	2, 842, 089. 33
Mississippi	88, 905 84	177, 811. 68	1, 168, 239. 88	1, 709, 027. 72	1, 807, 557, 17 3, 387, 899, 60
Missouri	169, 720, 41	_39, 44 0. 82	2, 203, 918. 08	3, 221, 096, 80	
Montana	98, 287 19	196, 574. 38	1, 297, 988, 03	1, 898, 987, 58	2, 006, 990, 18 2, 133, 741, 96
Nebraska	106, 770. 81	213, 541. 62	1, 386, 067. 32	2, 026, 619. 93	2, 133, 721. 95
Nevada	64, 398, 30	128, 796 60	836, 163 28	1, 221, 573 57	1, 276, 344, 48
New Hampshire	20, 996, 6 2	41, 993, 24	270, 420 49	394, 839 71	414, 838, 93
New Jersey	59, 212, 68	118, 425. 36 157, 475. 62	771, 408, 02	1, 128, 696. 51	1, 187, 556, 45
New Maxico	78, 73 7. 81	157, 475. 62	1, 037, 420. 34	1, 517, 692 99	1, 598, 467. 8
New York	250, 720, 27	501, 440. 54	3, 237, 630. 60	4, 727, 117. 15	4, 971, 893, 11
North Carolina	114, 381, 92	208 762 84	1, 482, 533 93	2, 165, 957 19	2, 279, 063. 80
North Carolina	76, 143 06	228, 763 84 152, 286. 12	997, 946. 19	1, 459, 884, 53	1, 536, 227. 80
Ohio	186, 905, 42	373, 810 84	2, 412, 505, 91	3, 523, 478 73	3, 705, 246, 8
Oklahoma	115, 139, 00	230, 278, 00	1, 499, 544, 83	2, 190, 805 44	2, 302, 478, 3
Oregon	78, 687. 37	157, 374. 74	1, 023, 791. 84	1, 496, 172 28	1, 576, 152. 03
- 1		404 000 04	0.000.001.00	4 200 544 11	4 701 040 0
ennsylvania	230, 644. 17	461, 288. 34	2, 986, 221 62	4, 362, 544 11	4, 591, 946. 0
Rhode Island	11, 665. 71	23, 331, 42	151, 508 33 932, 311 14	221, 408. 80 1, 362, 864. 40	233, 256. 8 1, 436, 019. 0
outh Carolina	71, 807. 64	143, 615, 28 161, 892, 04		1, 540, 369 27	1, 615, 779. 4
outh Dakota	80, 946. 02 114, 153. 48	228, 306, 96	1, 053, 896, 27 1, 472, 767, 00	2, 150, 996, 64	2, 261, 913, 9
ennessee	117, 100, 10	220, 500. 50	1, 112, 101.00	2, 100, 000, 01	2, 201, 910. 6
Rexas	291, 927, 81	583, 855 62	3, 803, 206, 07	5, 559, 816 81	5, 861, 598. 4
Jtah	56, 950 15	113, 900. 30	738, 355. 27	1, 078, 425 00	1, 129, 575. 6
ermont	22, 844. 47	45, 688, 94	294, 116, 61	429, 376, 62	450, 077. 0
/irginia	99, 660. 71	199, 321. 42	1, 290, 173 72	1, 884, 900, 60	1, 977, 673, 8
Vashington	71,884 28	143, 768. 56	938, 897. 43	1, 372, 497. 77	1, 444, 627. 7
Vest Virginia	53, 270. 46	106, 540, 92	691, 723, 00	1, 010, 817. 30	1, 060, 152, 7
Visconsin	128, 361 07	256, 722 14	1, 655, 653, 72	2, 418, 598, 39	2, 544, 945, 3
Vyoming	61, 196, 82	122, 393, 64	796, 718. 22	1, 164, 533, 65	1, 233, 715. 8
Iswaii		200,000,02		_,,	
Total	4, 850, 000. 00	9, 700, 000. 00	63, 050, 000. 00	92, 150, 000, 00	97, 000, 000, 0

TABLE 765 .- Apportionment of Federal aid to States, year ended June 80-Cont.

States	1922	1923	1924	1925	Total
Alabama	\$1, 553, 420, 67	\$1, 035, 613, 78	\$1, 345, 323. 41	\$1, 542, 052. 56	\$11, 252, 963. 00
Arizona	1, 058, 281 44	702, 187 63	915, 876. 68	1, 053, 003, 56	7, 495, 701. 00
Arkansas	1, 254, 142. 20	836, 094. 80	1, 093, 376. 46	1, 258, 857. 07	9, 062, 400. 00
California	2, 462, 098. 53	1, 641, 399. 02	2, 140, 463. 10	2, 464, 990. 78	17, 093, 306. 00
Colorado	1, 341, 175. 69	894, 117. 13	1, 183, 041. 98	1, 361, 482. 06	9, 559, 881. 00
Connecticut	480, 897. 78	820, 598. 52	414, 860. 09	475, 518. 91	3, 381, 195. 00
Dolaware	365, 625, 00	243, 750. 00	316, 875. 00	865, 625, 17	1, 789, 530. 00
Florida Georgia	886, 825, 69 1, 997, 957, 58	591, 217. 13 1, 331, 971. 72	771, 395, 18 1, 729, 366, 09	887, 336, 52 1, 983, 022, 99	6, 286, 887. 00
Idaho	938, 536. 68	625, 691. 12	816, 397. 33	936, 698. 01	14, 449, 897. 00 6, 677, 712. 00
Illinois	3, 246, 281. 07	2, 164, 187, 38	2, 797, 888. 59	3, 203, 867, 99	99 494 400 00
Indiana	1, 958, 855, 41	1, 305, 903 61	1, 692, 437 05	1, 939, 903. 32	23, 436, 492, 00 14, 312, 392, 00
lowa	2, 102, 872. 74	1, 401, 915 16	1, 813, 757 63	2, 678, 248 33	15, 836, 137. 00
Kansas	2, 102, 281. 51	1, 401, 521 01	1, 818, 947 87	2, 081, 230. 04	15, 299, 289. 00
Kentucky	1, 417, 178. 68	944, 785. 79	1, 228, 125. 29	1, 411, 584. 45	10, 371, 739. 00
Louisiana	996, 989. 64	664, 659 76	865, 966, 44	995, 301, 59	7, 265, 442, 00
Maine	695, 160. 25	463, 440. 17	598, 954. 65	686, 453, 36	5, 089, 972. 00
Maryland	640, 629. 01	427, 086. 01	554, 540 90	635, 945. 01	4, 648, 950. 00
Massachusetts	1, 096, 176, 04	730, 784. 03	950, 448. 62	1, 089, 806. 22	7, 919, 780. 00
Michigan	2, 249, 532, 43	1, 499, 688. 29	1, 942, 431. 00	2, 226, 824. 73	15, 879, 772. 00
Minnesota	2, 123, 597. 07	1, 415, 731. 38	1, 842, 800, 97	2, 120, 906 56	15, 318, 419. 00
Mississippi	1, 294, 906, 22	863, 270 81	1, 127, 182, 03	1, 294, 371 65	9, 531, 273, 00
Missouri Montana	2, 448, 128, 62 1, 546, 885, 82	1, 632, 085, 75 1, 031, 257, 21	2, 114, 412, 17 1, 344, 963, 47	2, 423, 485 75 1, 544, 483 19	17, 940, 188. 00
Nebraska	1, 581, 189, 50	1, 054, 126, 33	1, 371, 713, 17	1, 577, 155. 34	10, 966, 417. 00 11, 450, 946. 00
Navada	052 430 70		909 200 07		1 ' '
Nevada New Hampshire	953, 436. 78 365, 625, 00	635, 624. 52 243, 750 00	826, 360. 27 316, 875. 00	947, 623 25 365, 625 01	6, 890, 321. 00 2, 434, 964, 00
New Jersey	942, 870. 95	628, 580. 63	816, 083 37	936, 413 03	6, 589, 247. 00
New Mexico	1, 189, 823 34	793, 215. 56	1, 030, 969. 61	1, 185, 528, 88	8, 589, 332, 00
New York	3, 696, 447. 97	2, 464, 298. 65	3, 195, 493. 85	3, 663, 105. 86	26, 708, 148. 00
North Carolina	1, 709, 333, 90	1, 139, 555. 93	1, 477, 424. 33	1, 697, 246. 16	12, 294, 251. 00
North Dakota	1, 164, 714, 42	776, 476. 28	1, 021, 269, 47	1, 178, 708. 13	8, 363, 656, 00
Ohio	2, 823, 004. 05	1, 882, 002. 70	2, 436, 404 85	2, 795, 804. 69	20, 140, 164, 00
Oklahoma	1, 752, 339. 44	1, 168, 226. 29	1, 524, 701. 96	1, 753, 189. 71	12, 536, 703. 00
Oregon	1, 182, 663. 90	788, 442. 60	1, 026, 044 09	1, 176, 830. 15	8, 506, 159. 00
Pennsylvania		2, 265, 969. 31	2, 938, 092. 22	3, 365, 956. 21	24, 601, 616. 00
Rhode Island	365, 625. 00	243, 750. 00	316, 875, 00	365, 624, 87	1, 933, 041. 00
South Carolina	1, 061, 237. 34	707, 491. 56	918, 171 43	1, 054, 028. 17	7, 687, 546 00
South Dakota	1, 204, 060, 31 1, 647, 692, 24	802, 706, 87 1, 098, 461 49	1, 049, 885 60 1, 421, 604 32	1, 209, 144, 18 1, 628, 740 97	8, 718, 680. 00 12, 024, 637. 00
1 ennessee	1,017,002.21	1,000, 201 20	1, 121, 001 32	1,023,710 87	12,021,001.00
Texas		2, 950, 114, 94	3, 838, 351 12	4, 410, 169. 76	31, 724, 213, 00
Utah	849, 417. 21	566, 278. 14	735, 829 37	847, 741, 90	6, 116, 473. 00
Vermont.		243, 750 00	316, 875, 00	365, 625 27	2, 533, 979. 00 10, 592, 953. 00
Virginia Washington	1, 456, 828. 47 1, 103, 709. 77	971, 218. 98 735, 806. 51	1, 264, 612. 72 962, 177. 72	1, 448, 562, 55 1, 113, 308, 17	7, 886, 678. 00
	i	•	696, 085, 80	1	5, 754, 132, 00
West Virginia	802, 359. 77	534, 906. 51	1, 636, 543. 58	798, 275. 47 1, 877, 600 32	13, 678, 451. 00
Wisconsin	1,894,815.86	1, 263, 210 57 623, 078, 42	814, 724. 65	936, 372, 13	6, 687, 351. 00
Wyoming	934, 617. 63	020, 010. 12	012, 122.00	365, 625. 00	865, 625. 00
					
Total	73, 125, 000. 00	48, 750, 000 90	63, 375, 000. 00	73, 125, 000. 00	525, 125, 000. 00

Bureau of Public Roads.

TABLE 766 .- Federal-sid highways completed and under construction

State	Highw payr June	ays com plet e neut made, 30, 1924	d and final year ended	Proj	ects under con	struction June	30, 1924 1
	Miles	Total cost	Federel ald	Miles	Estimated cost	Federal aid allotted	Federal aid publ
Aleberra.	96, 2	\$869, 709. 88	391, 544. 83 1, 091, 994. 20	806. 4 164. 7	15, 132, 450, 48 2, 419, 995 90 6, 247, 120, 36 11, 871, 819, 13	67, 400, 051 40	\$3, 390, 286. 3
Arisena Arksmens	155.7 908.2	1,820,839.89 2,471,545.59	1, 115, 773. 51	342 9	8:947.120.38	1, 499, 148-62 1, 986, 982, 96	053, 540. 2 1, 132, 077 1
Oslifernia	193.2	4, 503, 527, 48	3, 108, 189, 27	434 1	11,871,819.13	6, 395, 695 08	3, 889, 123.0
Oelerado	76. 6	1, 637, 374. 75	893, 660. 30	173. 5	4, 683, 666. 27	2, 595, 8 55. 07	952, 209.19
Donmecticut	12.9	494, 228. 07	243, 409. 75	52.8	3,041, 169. 37	1,029,509.90	
Delaware	27. 3	859, 222, 60	338 500 60	27. £	1, 096, 672, 50	420, 988, 60	205, 704, 10
Florida	38. 2 298. 7	891, 667. 76	431, 770. 29 1, 592, 101 60	259 4 786.2		4, 566, 550, 50 4, 268, 001, 86	
idahe	80.7	1, 301, 684. 19				866, 729, 94	499, 936. 3
Mineis	1 1	1 750 170 50	865, 254, 37	557 0	16, 485, 446 19	8, 192, 180 42	4, 584, 691. 5
indiana	-88 7	1,753,179.53 2,068,956.40	987, 268, 42 3, 180, 695, 38	523 4	15, 956, 388, 75	7, 796, 552 57	2. 667, 132, 14
	628. 5	2,068, 986, 40 7, 185, 698, 57 4, 867, 707, 68	3, 180, 695. 38	622 9	8, 689, 469. 34	4, 026, 657 08	1, 545, 729, 9
Kanses Kentuoky	153. 0 144. 4	4, 867, 707, 58 4, 262, 68 0, 51	1, 794, 738, 46 1, 823, 956, 18	598 0 329, 2		6, 248, 127 64 8, 668, 928, 55	3,700,066.9 1,817,496.4
	i 1						
Louisiana	70.8	1, 357, 668. 28 2, 248, 264. 59	479,015.33			2, 815, 058. 90 714, 171 72	1, 415, 318. 2 267, 379. 2
Make Maryland	70. D	1, 450, 549 46	1, 056, 972. 8 5 988, 476. 24	71 0	2, 225, 748, 35	894, 685, 95	328, 820. 4
Essencime etts	69.1	3, 349, 236, 96	1. 12.769.84	90.4	5, 173, 074, 47	1,800,430.47	265, 439. 6
Michigan	131. 1	3, 906, 093. 54	1, 7 9, 795.09	484. 5	13, 609, 39 7 79	6, 587, 882. 19	2, 195, 012. 4
Etnaesota	398.6	4, 208, 889. 87	1, 881, 568, 20	676. 4		8, 628, 184, 40	1, 519, 386.7
Mississippi	192.6	3, 141, 422, 58	1, 544, 383, 53 2, 887, 050 58	489 8		8, 639, 698 61 7, 970, 575 64	1, 565, 099, 3
Wissouri Wontawa	437. 9 79. 9	6, 079, 270. 62 932, 093. 66	2, 857, 050 56 488, 281. 62	601.9 265 C	14, 814, 141, 06 2, 537, 586, 91	1, 922, 348, 47	
Vebraska	964. 8	4, 716, 522. 60	2, 265, 016, 55		6, 675, 996. 20	3, 244, 725. 73	1, 749, 261. 3
Veveda	22 8	#11 138 98	201. 818. 63	394 1	4, 755, 024. 78	4, 668, 643 23	2, 286, 454, 9
New Haronshire	80. 8	411, 136. 28 739, 758. 29	201, 518. 6 3 358, 8 62. 8 9	29.8	886, 518, 84	414, 374, 33	141, 688, 9
New Jersey	36.6	2, 200, 432, 16	685, 747, 97	70 a	10, 226, 184, 47	2, 728, 243 65	123, 694. 1
Vew Mexico	97. 2 282 1	599, 877. 83 9. 038, 168, 67	825, 186, 6 0 3, 899, 1 84 , 74	657. 7 563 2	6, 185, 553, 69 24, 663, 366, 96	4, 041, 496 28 9, 526, 082, 97	1, 185, 878. 4 2, 941, 638. 9
				1			l ' '
Forth Carolina	57. 9 795. 4	797, 369. 21 3, 946, 815. 56	350, 994, 29 1, 925, 9 06, 3 3	266 6 504. 0		8, 484, 417. 74 1, 554, 191 41	2, 027, 438, 3 522, 780, 0
Mie	299 7	10, 282, 701. 34		351.1	12, 789, 865. 01	4, 853, 124 66	2, 167, 371.2
Oklabonsa	125.8	3, 191, 280. 72	1, 471, 088, 57	389. 8	8, 689, 043. 76	4, 194, 467 46	2, 080, 959. 4
J808021	121.5	1, 691 , 510. 69	1, 036, 357. 41	175, 8	2, 927, 450. 56	1, 768, 203 60	881, 367. 6
onnsylvania	76. 9	3, 735, 219. 58	1, 499, 636, 00	268 7		4, 613, 831 25	1, 839, 801. 4
Shode Island South Carolina	7.4 269.8	3, 735, 219, 58 290, 321, 96 2, 834, 991, 82	131, 598, 00	22. 7 517 6	1, 067, 787. 06 5, 998, 020. 81	411, 759, 49 2, 360, 714 93	134, 828 2 1, 092, 389, E
euch Caronia Iosefa Dokata		3, 915, 690. 62	1, 238, 290. 85 1, 924, 628. 94	793. 1	6. 208. 470. 80	3, 186, 316, 97	1, 440, 305. D
ceda Dakota	147. 1	3, 594, 712. 41	1, 778, 178. 89			8, 501, 844. 69	
Nexas	863. 2	13, 169, 497, 50	5, 096, 555. 14	1,624.5	25, 874, 60 3. 79	10, 200, 655, 43	4, 800, 179. 5
John	102. 4	1, 129, 416, 84	699, 368 24	304. Z	4, 382, 796 86	2, 838, 446. 15	1, 496, 405, 3
Agranent	21.8	551, 398, 53	273, 585 87	42. 6	1, 527, 160 47	731, 482, 50	240, 485, 5
Azgini s	169.0	3, 211, 523. 12	1, 522, 752. 87	302. 7	8, 859, 252 . 8 5	3, 975, 62 1. 01	2, 200, 109. 3
Techington	87.9	1, 027, 694. 85	471, 789. 75	121 6	2,881,803 81	1, 306, 600. 60	514,945.9
Vest Virginia Visconsin	49.3	1, 389, 522, 22	564, 109, 12 1, 444, 044, 33	163.8 150 4	4, 823, 818, 81 3, 546, 039, 10	2, 158, 539, 55 1, 763, 705, 92	1, 273, 618, 8 839, 882, 0
Visconsin	247. 7 152. 8	3, 249, 211. 76 1, 526, 186, 25	867, 324, 57	327 4	4, 355, 513, 36	2 847 849 95	1, 216, 464, 2
Total	9, 155, 7	41, 950, 750, 13	63, 807, 726. 00	18, 053. 5	380, 649, 591. 14	172, 613, 311. 94	77, 943, 603. 2

Bureau of Public Roads.

¹ Includes 3,689.4 miles of practically completed projects.

Tanum 767.—Highwaye: Federal-aid projects completed, by types, 1918-1924

		Graded and dr	horle		Sand-clay	
Year ended June		Graded and Gr	alli (vi		Salki-Clay	
	Miles	Total cost	Federal aid	Miles	Total cost	Federal aid
1918		*				
1919	10.0	\$11,806 24	\$4, 738. 04 298, 906 04	46.8	\$126, 885. 24 384, 811. 91	\$63, \$21, 17 181, 107 89
1920 1921	203. 0 349. 9	2 308 704 00	20/0,900 04 1 091 977 AS	90.0 384.2	2 461 020 12	181, 107 89
1922	1, 635. 5	17, 184, 140, 97	7, 055, 698, 94	1.111.8	9, 208, 889, 93	4, 233, 269, 25
1923	1,956 0	14, 569, 579. 11	1, 021, 277, 45 7, 055, 698, 94 8, 316, 326, 91	1, 111. 8 1,016. 7 805. 8	2,461, 029. 18 9,208, 889. 93 8,120, 872. 33	3, 896, 299, 34
1924	2, 365. 2	081, 851, 41 2, 308, 794, 90 17, 184, 140, 97 14, 589, 579, 11 14, 853, 625, 61	6, 720, 790. 19	805. 8	5, 633, 910. 67	1, 075, 989, 09 4, 233, 269 25 3, 896, 299, 34 2, 839, 353, 07
Total	6, 529. 6	49, 559, 800. 24	21, 417, 787. 57	8,455.8	25, 846, 952. 96	12, 274, 667. Q6
Year ended June		Gravel			Water-bound ma	ıcadam
80	Miles	Total cost	Federal aid	Miles	Total cost	Federal aid
1918 1919		\$998 697 00	e102 001 24			
1920	55. 2 247. 8	\$236, 623 22 1, 795, 314, 88	\$103,891 64 778 582 85	11.7	\$130 131 04	\$69, 241 84
1920 1921	1. 201. 4	1, 795, 314. 88 9, 839, 752. 94 35, 383, 778. 98 46, 479, 134. 23	778, 582 85 4, 268, 225. 54 15, 854, 797. 05 20, 867, 363 64	40. 5	\$139, 131, 96 560, 631 81 4, 279, 366, 52 5, 987, 050, 01	254.980.50
1922	3, 445. 3	35, 333, 778. 98	15, 854, 797. 05	286.8	4, 279, 366, 52	254, 980 50 1, 837, 921 56
1923	4,404.0	46, 479, 134, 23	20, 867, 363 64	287 5	5, 987, 050, 01	2, 578, 843 84 1, 757, 166 78
1924	3,463 4	02, 130, 010. 01	15, 382, 944, 52	238. 6	4, 227, 471 97	1,757,166 78
Total	12, 905. 9	126, 198, 545. 10	57, 057, 842. 84	865. 1	15, 129, 202 54	6, 472, 671. 64
Year ended June		Bituminous mad	cadam		Bituminous con	ıcrete
30	30— Miles	Total cost	Federal aid	Miles	Total cost	Federal aid
1918. 1919. 1920. 1921.				6.8	\$136 715 04	\$50 571 78
1919	1. 2	\$41, 237 10	\$11,620 00	19 5	\$136, 715 94 347, 484 00 460, 080 99	\$59, 571 76 162, 622 93
1920	11 0	205 783 73	100, 882 07	19. 7	460, 080 99	195,509 11
1921 1922	148. 9	3, 428, 606, 06 8, 884, 811, 29 14, 640, 388, 38	1, 576, 184 47	159. 1	1 4, 580, 101, 11	2,005,818 94
1922	294 5 468. 1	14 440 990 90	3, 822, 667, 03 6, 355, 525, 91	392.8	13, 533, 167, 30 4, 829, 129 82	i 5,2241,434 96
1923 1924	601. 0	17, 583, 663 08	7, 754, 528 06	131 0 210 6	8,066,572.91	2, 071, 146 19 3, 278, 561, 95
Total	1, 524 7	44, 751, 489. 64	19, 621, 407. 54	939. 5	31, 669, 131. 46	12, 902, 362 29
	1	'ortland-cement	concrete]	
30 —	Miles	Total cost	Federal aid	Miles	Total cest	Federal aid
1918	5. 7	\$121,015 48	\$52, 685 22 207, 917. 11	1		
	25 2 110 3	599, 328 74	2017, 917. 11	18. 8 21. 8	\$702, 502. 94	\$194,361 28
1920 1921	494. 6	2, 729, 185 04 16, 490, 885, 57	7 374 016 27	26 8	839, 373, 83	261, 101 00 391, 123 65 3 , 100, 843 36
1922	2, 126, 9	84, 788, 065, 27	35, 844, 500, 98	205.6	1,520,655 96 9,680,179.46	3, 100, 843 36
1923	1, 621, 4	84, 788, 065, 27 63, 858, 248 38	1, 189, 723, 28 7, 374, 016 37 85, 844, 500, 98 36, 021, 235 74 30, 851, 772, 92	69.0	2,998, 888, 14 6,757, 954 05	1, 063, 446 49 2, 610, 165 94
1924	1, 292. 0	46, 578, 479. 90 214, 649, 238. 96	91, 349, 281, 65	166. 8 508. 8	22, 490, 582, 98	7, 621, 044, 19
Total	5, 676. 1	214, 044, 230. 90	91, 329, 261, 00	300.0	24, 500, 004. 00	7,021,044,13
Year ended June		Bridges			All types	
.80	Miles	Total cost	Federal aid	Miles	Total cost	Federal aid
1010				12. 5	\$257, 731. 37	\$119 956 GE
1918	0.2	\$50 ANA DO	\$10 000 00	176. 8	2. 124 873 48	\$112, 256. 98 768, 472 17
1920.		169, 467, 28	84. 733. 45	716.1	7, 405, 000, 53	3, 159, 790 33
1921	4.2	\$59, 004. 99 169, 467. 28 1, 018, 723. 88 6, 153, 273. 79	\$10, 000. 00 84, 733. 45 494, 474 88	2 808 5	2, 124, 873, 48 7, 405, 000, 53 42, 349, 181, 35	768, 472 17 3, 159, 790 53 46, 462, 059, 99
1922	20.0	6, 153, 276, 71	2, 844, 052, 47	9, 519. 3	386, 965, 646, 43	
1928 1924	10.3 12.8	5, 818, 937. 62 8, 792, 417. 69	2, 844, 952, 47 2, 510, 895, 60 1, 907, 865, 25	9, 319. 3 9, 973. 9 9, 155. 7	186, 965, 646, 43 166, 802, 267, 97 140, 227, 611, 45	71, 681, 382, 67 63, 053, 168 68
Total			'7, 852, 920. 76	32, 452. 9	346, 518, 72 1. 81	296, 569, 985. 46

93
6
7
ŧ
7,
g
쁑
Ě
.83
7
202
ä
28
'n
\$
ž
3
8
3
7
ಣ
80
ite
Š
=
g
₹
8
ğ
Ġ
3
ğ
75
20
کو
•
96
8
12.
*
ૠુ
ğ
<u>~</u>
ā
23
7
9
8
s 768.
3
4
Η

					Jen t	vurfacti							_	
phic		el iert, ele				Bitumi nous concrete	Portland cement concrete	Bri	W ood block	cone	Mis- rella-		Earth made	Total, al
		4.1.868 8.35.86 10.1.03 145.	26 163 172 277	នន្ទ	124 269 140 211	825	% ଲଉଫି କ ରି				45 '% '9	2, 555 6, 575 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7, 545 7,	18, 530 12, 149 12, 293 1, 520 9, 946	ૡ૿ૡૼ૱ૢૡૡૼ
		4.8 83.5 84.5 84.5			740 193 204		238	22 63			& ¥ # 8		³Ę	81, 878 14, 066 90, 991
	28.7.88 26.08	శ్రం భ్ర	14, 380 6, 917 2, 618 1, 715 879	<u>8</u> <u>8</u> 5 8 8	ឆកដជ	181 38 56 225 14	954 954 991	316 173 225 13				473 473 1186 714	48, 151 36, 389 84, 853 60, 037 58, 965	453 55
	755 26 276 276	381 346 350 35 80 11 2		42			5758 ± 28					885 873 710 100	90, 198 [0], 457 [0], 641 [14, 833 [27, 484	? . 4.1.8.7.8.8.
	# 400 # 158 88	50 1, 330 3,		150 1, 186 1, 089 103 189	277 197 126	4°2528	172 493 219 258 137 54	F44584				2, 1, 1, 2, 4, 8, 1, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,	11, 109 11, 109 51, 830 51, 440 54, 942	4,148,88,49 847,148,89,49 871,148,99,49

Georgia Florida	14, 128	3, 236 1, 627	190	805	101	474	79	968	539			20 ES	18, 339	76, 573	94, 912 27, 643
South Atlantic	37, 892	11,611	2, 943	3, 352	992	000	435	1, 753	778		9	816	61, 178	304, 389	365, 567
Kentucky Tennessee Alsbans Mississippi	70 6, 198	3, 122 5, 306 5, 670 5, 017	10, 624 3, 985 107	1,414 436 34 82	59 62 7	45 11	08889	35 10 13 13 13 13 13 13 13 13 13 13 13 13 13	8 9	10		57 21 1 7	15, 436 9, 878 10, 420 5, 744	53, 268 52, 668 47, 990 47, 341	68, 704 62, 546 58, 410 53, 085
East South Central	6, 632	17,115	15, 181	1,966	131	19	980	200	111	9		9 8	41, 478	201, 267	242, 745
Arkansas Louisiana Oklaboma Texas	150 1,840 2,764	2, 869 2, 449 10, 790	320	73 6 4 374	154 8 2 90	12	219 3 25 77	74 7 82 151	20 - 100			132 9 252	3,871 2,771 14,883	70, 996 37, 032 1 131, 802 152, 802	74, 866 39, 803 1 134, 263 167, 685
West South Central	4, 902	16, 599	949	457	254	55	324	314	Z			393	23,986	392, 631	416, 617
Montana Idaho Ryoning Opforado New Mexico. Utah Nevada.	15 217 217 1,070 674 687 10	1, 716 2, 537 2, 537 413 3, 326 1, 101 1, 631 1, 631	73 12 131 12 12	8 44	13 555	11 2	33	28271453				64	2,772 2,982 440 1,598 1,123 1,544 168	25, 28, 117 25, 28, 28, 28, 28, 28, 28, 28, 28, 28, 28	48, 538 11,089 18, 538 18, 54, 12, 12, 12, 12, 12, 12, 12, 12, 12, 12
6 Mountain	2,706	11, 810	282	99	34	13	114	520				16	15, 539	290, 843	306, 382
Weshington Oregon California	240	10,377 6,230 7,086	25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05	13 1,355	108 35 701	20 20	228 746 493	920 139 2, 613	61			176 669 669	12,062 8,050 14, 275	33.754 37,425 61,614	45, 816 45, 475 75, 889
o Pacific.	240	23, 693	1, 542	1,368	844	605	1 467	3, 672	51			902	34,387	132, 793	167, 180
f Total all States.	63, 339	199, 899	58, 036	19, 309	10, 264	1,601	4, 978	15,611	3, 333	27	90	11, 303	387, 760	2, 553, 534	2, 941, 294
Bureau of Public Roads.	ls.														

· Includes about 28,000 miles of sec ion lines declared public highways by law but which are not open for general traffic.

TABLE 769 .- Sources and amounts of State and State controlled Junds for highways, 1921

					
State	Total	Bonds	State taxes 1	Appropria- tions not allocated as to seasce	Funds raised by county should issues transferred to State control
41-1	A1 FOR 100				
Alabama Arizona	\$1, 596, ±02 3, 698, 788		\$364,443	\$546, 408	
Arkansas	1, 872, 205				
California	10, 347, 739	\$5, 122, 000			
Colorado	4, 089, 535	250,000	1, 479, 774		
Connecticut	7 217 505	į		2, 381, 750	
Delaware	3, 907, 983	1, 680, 248		99, 529	\$542, 224
Florida	7, 312, 595 3, 907, 983 2, 280, 806		643, 378		
Georgia	5, 461, 002		400 000		
Idaho	6, 195, 135	2,000,000	463, 295		
Illinois	15, 831, 180	4, 789, 478	235, 500		
Indiana	6, 715, 672		3 2,885,781		! !
Iowa	16, 885, 275	3, 179, 090			
Kansas Kentucky	2, 955, 660 4, 905, 266		689, 392		}
Rentucky	1, 100, 200		007, 002		
Louisiana	2, 424, 749	684, 479	182,911		
Maine	5, 677, 125	1,717,573	687, 403	300,000	
Maryland	6,743,001	2, 448, 750	617, 697	001 004	
Michigan	7, 599, 10 13, 361, 934	381, 362 5, 448, 960	1,314,282		
THE COMPANY OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF	20,001,001	0, 110, 000	1,011,202		
Minnesota	10, 298, 630		1,657,800		
Mississippi Missouri	2, 441, 354 4, 984, 450		140, 558		
Montana	3, 935, 090		140, 308		
Nebraska	4, 835, 774		1, 471, 053		
					Į
Nevada New Hampshire	1,747,272 2,542,305	575, 000	203, 942	986 000	
New Jorsey	8, 613, 140		3, 569, 728		
New Mexico	1, 282, 447	830,000	1,090,115		
New York	45, 462, 909	18, 355, 231	11, 808, 688		
North Carolina	13, 733, 998	7, 983, 710			
North Carolina North Dakota	1, 366, 148	1, 500, 110		362, 938	
Ohio	12, 672, 644		5, 469, 183		
Oklahoma	8 821, 027		440, 244		·
Oregon	17, 712, 897	10, 957, 359	1,009,686		
Pennsylvania	55, 460, 942	26, 773, 580		12, 120, 000	
Rhode Island	55, 460, 942 2, 758, 431	286, 160	290, 291	12, 120, 000 912, 730	
South Carolina	3,970,926			180, 085	592,568
South Dakota Tennessee	5, 9 05, 478 5, 9 08, 863	3, 007, 644	195, 325 758, 150		1,086,750
4 011D00000	0,000,000		100, 100		1,000,100
Texas	7, 893, 625				
Utah Vermont	3, 486, 891	1, 214, 648	810, 065	494 COS	
Virginia	1, 125, 687 7, 054, 148		188, 747 1, 374, 381	224, 063 1, 846, 310	
	l .	[1 ' '	2,000,010	
Washington	8, 222, 993		3,095,211		
West Virginia	17, 995, 652 11, 476, 755	15, 000, 000	7 700 000	got Ana	
Wyoming	3, 555, 416	700, 000	1,700,000 196,200	885,000 200,000	
•		 			
Total, all States	·* 406, 842, 999	113, 804, 202	45, 262, 186	21, 865, 102	2, 191, 562

¹ Includes appropriations made directly from tax revenues.

8 Includes \$652,597 inheritance tax.

8 Includes \$104,500 Federal funds for Yellowstone Park.

9 Includes \$104,500 over which State had no control. Actual State and State controlled funds were

\$405,538,399.

TABLE 769.—Sources and amounts of State and State controlled funds for highways, 1921—Continued

State	Funds raised by county property taxes trans- ferred to State control	Motor vehicle fees	Gasoline tuxes	Federal-aid and forest funds	Miscellane- ous sources
Alabama	\$187,084	\$893, 186		\$477, 590	\$38, 202
Arizona		180, 683		816, 681	670, 628
Arkansas		² 420, 000 2, 434, 80 0	1 \$80, 000	1, 372, 205	257, 585
Colorado	351, 634	400,000	820,000	2, 533, 354 1, 191, 584	96, 543
Connecticut	514, 854	3, 405, 085		656, 45 5	354, 451
Connecticut Delaware		375, 471		244, 313	966, 198
Florida		671, 535	228,056	490, 308	167, 534
GeorgiaIdabo	1.934.269	1, 600, 000 180, 488		3, 610, 524 1, 539, 045	250, 478 78, 036
		·			•
Illinois		6, 862, 126		3, 802, 480	221,646
IndianaIowa		2, 305, 312 7, 211, 922		1, 446, 623 4, 308, 079	97, 968 4 2, 186, 274
Kansas		1, 354, 095		1, 601, 565	2, 100, 214
Kentucky		1, 685, 789	438, 116	1, 482, 086	
Louislana		106, 761		1, 424, 114	26, 484
Maine		1,004,750		852, 192	244, 161
Maryland Massachusetts	1, 781, 127	1,600,000		850,000	63, 214 13, 250
Michigan	2, 062, 059	5, 023, 963 3, 897, 963		661, 594 599, 854	39, 781
Minnesota		5, 616, 114		2, 986, 920	85, 796
Mississippi		704, 988		1, 636, 366	
Missouri		2, 505, 354		2, 304, 790	33,748
Montana Nebraska		273, 075 2, 114, 721		2, 041, 172 1, 200, 000	1, 620, 848 50, 609
Nevada		97, 200	•	566, 591	304, 519
New Hampshire		790, 118		240, 782	1, 156, 408
New Jersey		4,029,971		509, 372	4,071
New Mexico	722, 874	188, 593	3 33, 288	1, 093, 208	24, 369
	i	7, 716, 644		2, 39 8, 461	267,728
North Carolina		2, 322, 630	506, 019	2, 674, 070 584, 685	247, 569
Ohio		418, 525 3, 588, 396		3, 595, 383	19, 732
Oklahoma	3, 772, 423	2, 263, 006		2, 345, 354	
Ohio Oklahoma Oregon		. 1, 629, 275	948, 509	2, 181, 957	986, 111
Pennsylvania		9, 310, 447		4, 533, 682	2, 723, 258
Rhode Island		777, 587		358, 374	122, 280
Rhode Island	1, 209, 619	692, 663		1, 359, 453 1, 650, 130	16, 547 152, 379
Tennessee		1, 386, 378		1,685,453	92, 132
Texas		1,901,577]	5, 788, 048	204,000
Utah		478, 474		862, 712	120, 992
Ver mont	1	627, 588		135, 289	
Virginia	1	1, 226, 624		980, 806	926, 027
Washington	779, 388	8, 375, 600	500,000	537, 794	25,000
West Virginia Wisconsin	9 DOV ALA	1, 938, 000 2, 627, 122		1, 057, 652 - 2, 443, 597	798, (120
Wyoming	6, 025, 010	290,000		1, 318, 764	940, 452
Total, all States	22, 785, 464	101, 204, 479	3, 353, 988	79, 031, 441	16, 644, 495

Bureau of Public Roads:

Approximate.
 Includes \$1,521,435 of primary road assessment certificates.
 Includes \$104,500 Federal funds for Yellowstone Park.

Table 770.—Sources and amounts of county, township, and district funds for highway purposes, 1921

State	Total	Bonds	Taxes	Motor vehicle fees	Gasoline taxes	Forest road funds	All other sources i
Alabama	\$4, 973, 465	\$1,878,316	\$2, 232, 702				\$862, 447
Arizona	7, 201, 128	5, 504, 825	1, 549, 758				146, 545
Arkansas		16, 060, 289	4, 266, 391	\$436, 544	\$90,000		161, 541
California	4, 675, 908	17, 896, 539	15, 432, 585 3, 714, 335	2, 434, 800 420, 316	239, 472	\$301, 785	3, 580, 252
Connecticut	2, 633, 032	293, 824	2, 339, 208				
Delaware	1, 579, 335	935, 304	170 720	1			464, 802
Florida	9, 739, 116	6, 142, 433	3, 320, 670				276, 013
Georgia	11, 871, 044	4, 500, 281	7, 358, 512		L		12, 251
Idaho	6, 918, 308	4, 221, 802	2, 065, 596	630, 910			
Illinois	27, 833, 604	6, 588, 193 28, 709, 037	18, 115, 139				8, 130, 272
Indiana	51, 091, 942	28, 709, 037	20, 589, 236				1, 793, 669
lowa	21, 106, 507	6, 227, 869	14, 878, 638				
Kansas Kentucky	20, 431, 960 6, 622, 998	7, 476, 611 485, 000	12, 315, 864 4, 081, 499				639, 485 2, 056, 499
Louisiana	20 806 167	15, 147, 507	4 054 173	346 515	1		1, 257, 972
Maine	2 213 715	49, 387	4, 054, 173 721, 273	346, 515			1, 443, 055
Maryland	20, 806, 167 2, 213, 715 3, 982, 869	1, 075, 549	2, 717, 185	1	L	1	190, 135
Massachusetts	11, 669, 909	2, 953, 651	8, 521, 919				194, 339
Michigan		15, 221, 626	16, 852, 278	3, 897, 963			6, 328, 551
Minnesota		8, 731, 1. 1	19, 234, 368				2, 095, 777
Mississippi		14, 741, 67.	8, 078, 062				477, 803
Missouri	11, 510, 525	8, 426, 420	4, 999, 618				3, 084, 477
Montana Nebraska	6, 096, 811 8, 611, 008	3, 330, 829 2, 242, 484	2, 392, 404 4, 976, 955	273, 075 705, 279			100, 503 686, 290
		, , , , , , , , ,	1	1	ł	4	1
Nevada New Hampshire	544, 072 1, 340, 083	107, 316	444, 477 1, 231, 877				99, 595 890
New Jersey	13, 044, 694	7, 183, 444	5 1/9 909			ļ	688, 352
New Mexico	614, 220	1, 100, 111	5, 1/2, 898 614, 220				000, 334
New York	21, 896, 421		19, 575, 155	1, 283, 356			1, 037, 910
North Carolina	19, 107, 627	9, 656, 824	8, 357, 346				1, 093, 457
North Dakota	5, 349, 252		5, 349, 252				-,,
Ohio	69, 603, 024	32, 869, 752	5, 349, 252 26, 799, 208	3, 456, 355			6, 477, 709
Oklahoma	10, 695, 888	5, 273, 327	5, 135, 454				287, 107
Oregon	10, 819, 927	2, 950, 673	5, 250, 360	555, 000			2, 063, 894
Pennsylvania	23, 827, 327	7, 231, 023	14, 731, 187				1, 865, 117
Rhode Island	567, 576						
South Carolina	10, 290, 283	3 7, 584, 062	2, 539, 915				166, 306
South Dakota Fennessee	10, 242, 754 11, 435, 073	4 7, 359, 603	9, 184, 159 3, 518, 634	648, 528			410, 067 556, 836
	, ,			ł I	i	1	-
Texas	64, 975, 734	44, 962, 149	13, 610, 393	1, 852, 562			4, 550, 680
Utah	3, 073, 475	1, 280, 932	1, 611, 758				180, 788
Vermont Virginia	1, 017, 666 10, 777, 995	100, 472 5, 519, 711	917, 194 4, 313, 339				944, 94
	, ,				i .	1	•
Washington West Virginia	15, 637, 226	4, 914, 339	8, 933, 472	797, 024			1, 780, 415
Wisconsin	9, 241, 823 30, 251, 846	8, 775, 066 8, 004, 232	5, 418, 257 17, 515, 659	707 004			48, 500
W yoming	1, 853, 463	0, 002, 202	1, 853, 463	797, 024			8, 984, 981
Total	* 743, 794, 997	6222 812 820	247 822 240	17 720 007	900 470	201 702	65 170 CA
I 0181	- 120, 192, 98/	6 322, 613, 529	847, 633, 360	17, 738, 227	829, 472	301, 785	55, 178, 624

Bureau of Public Roads.

l Includes interest on bank deposits, donations, sale of materials, rental of equipment, appropriations, and transfers from funds of undetermined origin, as well as a certain amount of township and district tax and bond moneys which could not be definitely segregated.

1 Does not include \$642,224 of county bonds transferred to State highway department.

2 Does not include \$562,568 county bonds transferred to State highway department.

4 Does not include \$1,086,750 of county bonds transferred to State.

3 Does not include \$104,500 of non-State funds included in Table 771.

6 Including \$2,191,542 of county bonds transferred to State.

This total is \$324,805,071.

TABLE 771.—Rural roads, income for all purposes: Consolidated data for all States, counties, townships, and districts, 1921

2928		Bonds	-	Federal and forest road and ?	forest	Motor	Motor-vehicle fees '		General property	perty	All other sources	urces	
3°	Geographic division and State	Amount	Per cent of total	Amount	Per cent of total	Amount	Gasoline taxes (amount)	Per cent of total	Amount	Per cent of total	Amount	Per cent of total	Total
	Maine New Hampehire Vermont Massachusetts Rhode Isalnd Connecticut.	\$1,766,960 107,316 100,472 3,335,013 285,160 283,824	224.1.00 485-60	\$852, 192 240, 782 135, 289 661, 594 356, 374 666, 455	0 8 8 8 8 9 8 9 8 9 8 9 9 9 9 9 9 9 9 9	\$1,004,750 790,118 627,588 5,023,963 777,887 3,405,085		488884 748149	\$2, 279, 722 1, 231, 877 1, 055, 941 9, 139, 616 866, 867 2, 854, 062	88448918 88448914	\$1, 967, 216 1, 512, 295 224, 063 1, 108, 883 1, 085, 019 2, 736, 201	23.85.2 10.6.9 17.5.2 27.5 27.5	\$7,890,840 3,882,388 2,143,363 19,269,069 3,324,007 9,945,627
}	New England	5, 889, 745	12.7	2, 904, 686	6.2	11, 629, 091		28 1	17, 428, 085	87.5	8, 603, 677	18.5	46, 455, 284
	New York New Jersey nnsylvans	18, 355, 231 7, 183, 444 34, 004, 583	#33.2 20.00	2, 396, 461 509, 372 4, 533, 682	3 6 5 7	2 9, 000, 000 4, 029, 971 9, 310, 447	(6)	13.4 18.6 11.7	8, 742, 624 8, 742, 624 14, 731, 187	88 9 04 18.6 2 2	1, 305, 638 1, 192, 423 1, 16, 708, 370	1 9 5 6 21.1	67, 359, 330 21, 657, 834 76, 288, 289
	Middle Atlantic	59, 543, 258	35 4	7, 441, 515	7.7	22, 340, 418		13 3	59, 773, 811	35. 5	19, 206, 431	11.4	168, 305, 433
	uio. disma disma ichigan ichigan isconstin.	32, 869, 752 28, 709, 037 11, 297, 671 20, 669, 628 8, 004, 233	39.0 25.0 37.0 19.1	2, 595, 383 1, 446, 623 3, 892, 430 2, 443, 597	46180-10 481-18	7,044,751 2,305,312 6,862,126 7,735,926 3,424,146		8.4.51 7.51 8.20 2.20	32, 268, 341 23, 455, 017 18, 350, 630 20, 228, 619 22, 238, 675	234262 34262 34062	6, 497, 441 1, 891, 625 3, 351, 918 6, 368, 332 5, 617, 951	7.9 3.2 7.7 11.4 13.5	82, 275, 668 57, 807, 614 43, 664, 784 55, 662, 357 41, 728, 601
	East North Central	101, 550, 318	35 9	11, 887, 887	4.2	27, 432, 261		8 6	116, 541, 291	41.7	23, 727, 267	8. 4	281, 139, 024
	'Innesota wear seourf orth Dakota obraska anses	8, 731, 150 9, 406, 569 9, 426, 426 3, 426, 420 3, 007, 644 2, 242, 484 7, 476, 611	22.2 20.8 20.8 1.0 20.0 32.0	2, 988, 930 4, 308, 079 2, 304, 780 584, 065 1, 650, 130 1, 200, 000 1, 601, 565	4 1 1 1 2 1 1 2 1 2 1 2 1 2 2 2 2 2 2 2	5, 616, 114 7, 211, 922 2, 505, 354 418, 525 648, 528 2, 820, 000 1, 354, 095		2015 2015 2016 2016 2016 2016 2016	20, 892, 168 14, 878, 638 5, 140, 186 5, 349, 252 9, 379, 484 6, 448, 008 12, 315, 864	20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00	2, 131, 573 2, 136, 274 3, 118, 225 362, 988 562, 446 736, 230 639, 485	REC 47 57	40, 357, 425 37, 991, 788 16, 494, 975 6, 715, 400 15, 248, 222 13, 446, 782 23, 387, 620
	West North Central	34, 291, 178	22.3	14, 636, 169	9.2	20, 574, 538		13 4	74, 403, 000	48.5	9, 737, 231	63	153, 642, 716
					1				(

1 Includes all receipts from sale of highway bonds during 1921 and all cash from previous bond sales on hand at beginning of the year.

3 Includes only Federal aid and national forest payments received by the States and credited by them to their respective highway funds during the fiscal year.

4 Gracinia at a effective Sept. 1, 1921.

4 Appropriations, \$12,120,000.

Continued. Taber 711.—Rural roads, income for all purposes: Consolidated data for all States, counties, townships, and districts, 1921—

	Bonds		Federal and forest road aid	forest d	Moto	Motor-vehicle fees		General property taxes	perty	All other sources	ources	
Geographic division and State	Amount	Per cent of total	Amount	Per cent of total	Amount	Gasoline taxes (amount)	Per cent of total	Amount	Per cent of total	Amount	Per cent of total	Total
Delaware	15		\$244, 318	4.4			8.8	\$179, 720	4	\$1, 530, 029	27.9	\$5.467.
on be years. Verlais.	5, 529, 289	36		 	1,600,000		100	4, 498, 312	#	38.	48	5, 74, 5;
West Virginia	12		8	ි ගේ				5, 418, 257	9 2	9	20	12
South Carolina	3 3	380	5	od 0		\$506,019		8, 357, 346	88	1,341,026	4.1	3
Georgia	8	38	3, 610, 524	20.5		-	6 m	7, 78, 520	45	25,000	d -	3
Florida	12	51 5	9	4.1		228, 056		8,984,043	88	48, 547	1 06	3
South Atlantic	67, 406, 730	0 6#	11, 267, 126	8.2	11, 126, 923	734, 075	8.6	39, 213, 444	28.4	7, 909, 400	5.8	137, 657, 688
Kentucky	3	4.2	3	12.9		438, 116	18.4	380	10.7	2.056.499	17.8	11.53 50
Tennedree	\$	2.6	1, 685, 458	10.3			*	g	8	808, 808	es .	ā
Mississippi	14, 741, 678	9 65	1,636,366		704,145		12.0	A 419, 785	37.0	200, 730	20 F	A 250 250
East South Central	25, 551, 347	42.5	5, 281, 475	87	4 670 271		90	1	5	4 184 (mo		[]
A who makes	1									7, 402, 400		1
Latisiana	į	7 6	5 7	5 4	448 976	•	90	ģ	200	161, 541	6	į
Oktahorna	5, 273, 327	200	2,345,354	102	2, 263, 006		11.0	9,348,121	47.9	287, 107	1.5	10, 516, 916
Teras	텷	2 19	88	8.0	754,		5.1	610	18.7	4, 754, 680	ē.5	8
West South Central	82, 127, 751	50 3	10, 929, 721	7.9	7, 328, 965	170,000	5.4	31, 461, 989	22.8	6, 457, 734	4.6	138, 504, 100
Montana	3, 330, 829	33 2	2,041,172	20.4	546, 150		6.4	3,392,404	8 8	1, 721, 546	17.3	188
Idaho	ij	47.4	1, 539, 045	8 = 1	811, 308		64	4, 463, 160	25	78, 086	9.6	113
W Young		250	1,318,764	77:	280,000	0.7	4.	1, 959, 663	8	1, 160, 452	77.	g.
New Mexico	800	17.0	1.080,208	22.3	188, 593	333,472		2, 427, 269	3 2			į
Artzona	5, 504, 825	23	816, 681	7.9	180, 633	E		2,434,201	4	1, 363, 576	12.3	8
Utan Mevada	575, 980 575, 990	* K	862, 712 566, 591	2 2	478, 474 97, 200		~; →	2, 421, 823	88	69,77	4 7	C. S. C. C. C. C. C. C. C. C. C. C. C. C. C.
Mountain	19, 908, 036	32.4	9, 731, 542	15.8	3, 412, 764	892, 760		22, 292, 643	36.5	5, 130, 215	8 3	61,367.
Washington	914	8	12	2.8	3 275 406	600,000	16.2	718	25	1,814,415	7.6	23.880
Dregon.	18, 906, 032	8 8		9.2		948, 509	11.0	8	21.9	3	10.7	28, 332
California.	013,	46.3	2, 533, 354	5.1	£,		30 36	15, 432, 565	31.1	3, 837, 837	7.7	
Pacific	41, 840, 910	41.0	5, 253, 105	5.1	10, 429, 475	1, 448, 509	11.6	34, 410, 582	33.7	8, 702, 257	8.6	102, 084, 938
Totals all States	438, 109, 273	28	79, 333, 226	6.9	118, 942, 706	3,683,460	10.6	415, 651, 010	36.2	93, 638, 221	9.2	1, 149, 437, 896

Bureau of Public Roads.

7 Gasoline tax approved Mar. 17, 1921, but no funds credited to State highway fund prior to end of facal year, June 30, 1921. dasolineta x effective Sept. 1, 1921.
 Includes \$1,846,310 State appropriations.

TABLE 772.—Rural roads, expenditures for all purposes: Consolidated data for all States, counties, townships, and districts, 1921

	•								04	l repair	Table 1 of
Geographic division and State	Construction, roads and bridges	roads	Maintenance, roads and bridges	roads ges	Administration engineering	on and ing	rinoipal and in- terest payments, highway bonds	nd in- ments, nds	or maen equipme general laneous	nt and miscel-	Total
	Amount	Per cent of total	Amount	Per cent of total	Amount	Per cent of total	Amount	Per cent of total	Amount	Per cent of total	
Maine. New Hampshire.	\$6, 382, 554 1, 348, 618		\$1, 308, 342 2, 291, 486		1 \$73 064 1 16, 158	88.	\$442, 186 # 85, 500	5.1 2.3	\$295, 765 57, 659	3.4 1.6	\$8, 701, 911 3, 699, 421 2, 139, 484
Vernont Massechusetts Rhode jaland Connections	2, 038, 813 2, 038, 813 4, 189, 517	8254 -400	3, 318, 549 439, 757 3, 973, 616	525 56 56 50 50 50 50 50 50 50 50 50 50 50 50 50	817,98 112,458 12,04,58	.44w	901, 294 134, 700	4.6	436, 226 112, 322 30, 959	ડાલ ડાલાન	10, 536, 631 9, 828, 234 8, 445, 716
New England	24, 160, 353	53 1	17. 424, 748	38.5	1, 279, 685	2.8	1, 563, 680	3 5	932, 681	2.1	45, 961, 997
New York New Jersey	31, 732, 971 15, 973, 807	38.00 0.00 0.00	14.031, 131 8, 657, 498	24.6 30.8	2, 345, 952 951, 063	3.4	6, 111, 269	10 7	1 2, 803, 688 752, 582	464	77, 025, 011 28, 006, 070
Ferrsylvania Middle Atlantic	8 3	57 8	40, 421, 671	25.2	6, 586, 008	4 4	13, 641, 129				160, 470, 634
. 2	42, 955, 743	56.0	19, 780, 152	25.9	2, 213, 498	11	10, 802, 307	14 1 19 0	828, 287 566, 656		76, 579, 987
IIII iis Mi dgan Wi onsin	21, 850, 675 36, 244, 828 25, 239, 608	18 ,88,89	12, 392, 158 10, 550, 568 12, 806, 971	30.0 20.0 20.0	1, 515, 864 2, 153, 616 902, 037	8000	1, 979, 717 4, 864, 124 939, 588	12 00 01 0 1- 10	1, 881, 134 1, 750, 482 1, 825, 474	4 10 4 1-01 4	5,500,48 5,579,48 41,713,78
-	158.897,286	67 3	70, 262, 240	28.2	8,021,674	3.0	28, 945, 920	10 8	6, 961, 083	2.6	267, 968, 153
Mi nesota. Ios	23, 816, 054		136,	27.7	909, 334		1, 634, 658	4.2	1, 682, 821		38, 170, 660 30, 394, 458
Mi ouri	288.30		120	888	759, 311		886, 770	5.5	24.5		16, 127, 659
South Dakota Netraska	7,889,272 6,291,875		4, 959, 012 3, 677, 580	8 % 9 0 0	8 356, 484 184, 565	1.12	436, 802 166, 478		547, 397	60 co	14, 188, 967
Work North Control	16,068,282			8 8	461, 474		615, 327 2 740 025		809, L/9		148.865,686
MEST MOUTH CERTIFICATION OF A	- 83, Uno, ±01	+ 70	44, 070, 311		1, 000, At	- 1	0, 170, 000		C) TEC) TIC		

• General administration only. Cost of engueering charged to construction.
• Does not include approximately \$15,000 of unarest and principal on two bonds charged to construction.
• Does not include approximately \$15,000 of unarest and principal payments on county and town highway bonds.
• Introduce interest and principal payments on road and bridge bonds and warrants amounting to approximately \$1,000,000 for interest and \$750,000 for principal were paid from county lownship general fluxes.
• Data for bonds above not available.
• Includes cost of gravel pitts and rained above not available.
• Includes cost of gravel pitts and rained crossing.
• Local engueering and administration and engineering.
Local engueering.
• Local engueering.

TABLE 772.—Rural roads, expenditures for all purposes: Consolidated data for all States, counties, townships, and districts, 1921—Contd.

				•								
division					ustre gine		rincipal terest highwa;	ii.	Pchase and repair machinery and upment, a n d 'ral miscel-	repair y and s n d s c e l .	Total	
		Per ent of total		Per ent o total	Αm	Per cent c tota		Per cent of total		Per cots		
Delaware Maryland Waguinghia Waguinghia North Carolina Goorgia Florida	\$4, 561, 348 5, 337, 456 8, 224, 486 7, 274, 371 16, 734, 431 7, 90, 309 10, 427 6, 424	ಧಯ≁ಣ∺ಧಲಥ	\$535, 610 3, 324, 353 5, 045, 909 1, 426, 626 5, 989, 437 1, 259, 289 2, 863, 167 1, 569, 354	8 22 4 5 12 25 8 15 2 1 2 2 2 3 8	\$240,976 196,952 931,949 433,987 604,021 779,477	4-048748 00-07-089	\$465,588 1,329,552 1,101,970 7,679,232 3,705,982 • 154,413 1,245,083 1,046,466	~ Br, & B, 4, 4, Q ~ & 4 & 6 & 6 & 6 & 6 & 6 & 6 & 6 & 6 & 6	\$232, 115 100, 823 151, 078 185, 857 7, 111, 610 851, 249 908, 432 404, 118	യലു ,ലാഗതുമുഷ യലയയവേഷാഗവ	\$6,035,637 10,286,136 11,485,332 10,040,232,700 10,049,231 16,816,594 9,588,133	
South Atlantic. Kentucky Tennessee Alabama Mississippl	60,056 83,461 87,000	3	3, 666, 94: 2, 715, 294 1, 488, 96 3, 659, 10	8 ನೆ 8 2	193, 730 23, 784 110, 476 43, 893	ಈ∥ಣಿವೆಣಣಃ	789, 585 650, 654 726, 134 051, 833	စက <u>်မှု</u> ၁၈၈၈ ၁၈၈၈	149, 918 447, 660 247, 699 266, 455	च स्ट्रंच च स्टब्स्	12 12, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2	
Rast South Central. Arkaness Contistus Contistus Tous Twest South Central	819 570 249 076	5. 5. 5.	965 748 174		2,93 293 837, 870,	ದ∥ಲಿಡಳುಣ	1, 857, 208 2, 183, 843 748, 413 8, 191, 819		948 2133 151 17		21, 211, 014 14, 022, 006 14, 679, 891 58, 907, 271	
Montana Idabo Idabo Wayaning Calorado New Medoo Arisona Utah Newada	තු කුණු පැදැකුණු කූ වේ 15 වේ වේ 14 දැන් වේ 15 දැන් වේ 15 දැන්	807.88.00.00.00.00.00.00.00.00.00.00.00.00.	1, 467, 630 612, 970 2, 661, 055 510, 302 671, 967 787, 730	fလကတ္⊣မ်ာကလ	648, 11 228, 71 234, 94 544, 85.0 111, 24,7 137, 8 115, 18		106, 241 020, 946 396, 250 145, 543 889, 541 443, 673 610, 475 139, 057	⊙&&പ്"4-ij∂ ≻≻ೞ&Cಚ⊗ô	499, 823 828, 741 283, 937 131, 563, 415 111, 562 161, 992 176, 127 283, 206	41,0000000 80000040	10, 383, 157 11, 807, 383 1, 725, 412 4, 269, 005 10, 648, 485 5, 174, 714 2, 110, 663	
Mountain			86									

ashington vgon lifornis	17, 344, 669 22, 891, 963 21, 329, 275	71.5 85.4 51.0	3, 384, 970 1, 756, 103 10, 987, 776	14.0 6.3 26.3	732, 835 659, 990 1, 910, 576	3 4 4 8 8	2, 009, 679 1, 492, 792 5, 208, 277	8.3 12.4	766, 576 168, 065 2, 387, 068	8. 5.6 7.4	24, 238, 729 27, 968, 913 41, 822, 972
Pacific	62, 565, 907	665	16, 128, 849	17.2	3, 303, 401	3 5	8 710, 748	93	3, 321, 709	3.5	94, 030, 614
Totalall States	626, 965, 373	60.5	248, 593, 169	24 0	36, 031, 353	3.5	89, 280, 946	8.6	35, 716, 931	3.4	1, 086, 587, 772

Bureau of Public Roads.

7 Does not include approximately \$270,009 of interest charged to construction.

8 State engineering charged to construction and maintenance.

• Does not include approximately \$450,000 interest and principal payments charged to "Miscellaneous."

• Does not include approximately \$450,000 of interest and principal payments charged to construction.

• Complete data not available. Total interest and principal payments on highway bonds estimated to have been approximately \$2,000,000 during 1921.

• Complete data for principal and interest payments not available.

• Complete data for principal impection charged to construction.

• Bose not include approximately \$400,000 of interest payments charged to construction.

TABLE 773.—State highway bonds outstanding, December 31, 1923

State	Amount of State high- way bonds outstanding Dec. 31, 1923	State	Amount of State high- way bonds outstanding Dec. 31, 1923	State	Amount of State high- way bonds outstanding Dec. 31, 1923
Alabama Arizona Arkansas California Colorado Connecticut Delawaro Florida Georgin Idaho Illinois Indiana Iowa Kansas Kentucky Louisana Maine	6, 500, 000 25, 095, 668 46, 644, 000 (1) (1) 53, 615, 500 42, 000, 000 (4)	Maryland Massachusetts Michigan Minnesota Mississippi Missouri Montana Nebraska Nevada New Hampshire New Hampshire New Mexico New York North Carolina North Dakota Ohio Oklahoma	7 \$19, 375, 000 8 13, 684, 500 35, 050, 000 9 24, 377, 545 13, 000, 000 (1) 10 550, 000 75, 000 17, 000, 000 1, 380, 000 100, 000, 000 1140, 000, 000 (1) (12)	Oregon. Pennsylvania Rhode Island South Carolina South Dakota. Tennessee. Tennessee. Utah Vermont Vinginia Washington West Virginia Wisconsin Wyoming. Total	

Bureau of Public Roads.

- 1 No-deht can be incurred for roads.

- No-debt can be incurred for roads.
 Approximate.
 Total outstanding less sinking fund assets.
 Outstanding Dec. 15, 1923
 Outstanding Sept. 30, 1922.
 No debt over \$250,000 can be incurred without approval of people.
 Outstanding Dec. 31, 1922
 Outstanding Dec. 31, 1922
 Outstanding Nov 30, 1923, includes bonds issued for highways by metropolitan district commissioners
 Country bonds assumed by State (Jan. 1, 1923). No State bonds issued.
 Outstanding Nov. 30, 1922
 Amount sold.
 Debts can not be incurred for roads except for casual deficits.
 None outstanding Sept. 30, 1922.

TABLE 774.—Gasoline taxes, .

State	Total gross receipts	Amount applicable to highway work by or under supervision of State highway department	Tax in cents per gallon on Jan. 1, 1923	Tax in cents per gallon on Jan. 1, 1924	Date on which change in rate of tax became effective
Alabama Arkona Arkansas ¹ California Colerado	\$1, 138, 086, 49 474, 123, 04 1, 219, 198 75 2, 518, 893, 00 846, 353, 12	\$118, 530. 76 301, 094. 76 1, 259, 446. 00 402, 017. 73	1 1	2 3 4 2 2	Mar. 1, 1923 June 9, 1923 Jan. 1, 1924 Sept. 30, 1923 Aug. 1, 1923
Connecticut Delaware 2 District of Columbia	888, 222, 70 88, 579, 28,	880, 222. 70 88, 579. 28	1	1 2	Jan. 1, 1924
Florida Georgia	1, 641, 042, 25 1, 502, 503, 49	1, 150, 355. 99 247, 666. 55	1	3 3	July 1, 1922 Oct. 1, 1922
Ldaho Illinois		396, 487. 19		2	Apr. 1, 1923
IndianaIowa Kansas	2, 906, 428, 25	2, 514, 755. 83		2	June 1, 1923
Kentucky Louisiana Maine Mayland Massachusotis.	680, 435, 30 754, 437, 85 286, 076, 97 688, 304, 02	680, 435 30 -754, 437. 85 285, 830. 84 688, 304. 02	1 1	1 1 1 2	July 7,192 Jan. 1,192
Michigan. Minnesota ³ Mississippi Missouri Mottana	467, 855, 53	187, 142, 21 75, 877, 10	1	1 2	July 1, 1923
Nebraska. Nevada New Hampshire ⁴ New Jorsey New Mexico	115, 843, 24	60, 600. 00 161, 823. 10 156, 750. 00	1	2 2 2	Mar. 20, 1922 Jan. 1, 1924
New York	2, 909, 904 74 461, 081 71	\$ 2, 900, 000. 00	<u>1</u>	3 1	Apr. 1, 192
Oklahoma Oregon	599, 000, 60 1, 958, 141, 37	599, 000, 00 1, 885, 421 15	2	1 3	July 1, 192 June, 192
Pennsylvania	5, 491, 522, 66		1	2	July 1, 1928
South Carolina South Dakota Tennessee	1, 511, 452 56 624, 692 44 812, 356 68	411, 327, 78 6 565, 090 00 801, 502 36	2 1	3 2 2	Mar. 23, 1923 Apr 1, 1923
Texas Utah Vermont Virginia	1, 215, 623, 36 404, 085, 81 168, 172, 81 1, 556, 920, 99	911, 717. 52 108, 902. 75 168, 172. 81 7 1, 037, 947 32		1 2½ 1 3	June 15, 1923 Mar. 8, 1923 Apr. 1, 1923 June 27, 1923
Washington	1, 225, 149. 66 366, 490. 00	1, 225, 149 66 366, 490. 00	1	2 2	Jan. 1, 1924 July 27, 1923
Wisconsin Wyoming	140, 161 62	140, 161. 62		1	Mar. 1, 1923
Total	36, 813, 939, 61	21, 528, 559 18			

Bureau of Public Roads.

One cent from Jan. 1 to Apr. 1; 3 cents, Apr. 1 to Dec. 31, inclusive.

3 One cent from Apr. 22 to Dec. 31, inclusive.

3 One cent from Apr. 22 to Dec. 31, inclusive.

4 Can of 1 cent per gallon effective July 1 to Dec. 31, inclusive.

5 To Dec. 1, 1923.

5 Approximate.

7 One-third of total receipts returned to counties for county highway work.

6 Collections from July 27, when tax became effective, to Nov. 1.

TABLE 775.—Motor vehicles: Registration, licenses, and revenues, registration year 1923

17 × 17	ount ip able to lef if work under iston of tighway	\$1, 204, 449, 02 281, 670, 75 430, 527, 12 4, 906, 015, 00 534, 963, \$1	4, 329, 432, 16 516, 209, 00 1, 394, 58 2, 085, 60	229, 14 9, 653, 7 m O4 3, 492, 498, 00 8, 000, 900, 00 1, 760, 000, 00	2, 678, 732, 89 2, 191, 240, 81 1, 474, 883, 39 8, 183, 260, 68 6, 639, 155, 42	4, 741, 624, 91 7, 316, 772, 03 580, 852, 12 4, 016, 383, 60 773, 325, 64	2, 932, 242, 63 10 144, 992, 16 1, 464, 096, 88 7, 515, 116, 03
in E	Tot: gros ipts	\$1, 541, 017. 56 281, 670. 75 1, 435, 090. 00 10, 608, 544. 00 1, 126, 218, 55	4, 329, 432, 16 516, 209, 00 357, 918, 00 963, www. 99 166, 406, 08	914,014,58 9,653,796.04 3,693,715.00 8,827,062.99 3,436,606.00	2,678,732,89 2,191,240,81 1,660,268,17 3,534,955,20 6,969,633,25	10, 500, 786, 05 7, 316, 772, 03 1, 077, 616, 22 4, 016, 383, 60 729, 621, 50	3, 353, 175, 32 153, 888, 10 1, 671, 326, 96 7, 653, 780, 37 205, nm 00
egistration said		92, 100, 00 114, 138, 00 53, 741, 57	156, 368, 93 08, 379, 00 344, (04	87,; 43 1,820,; 46 794,(00	461,† 95 117,† 00	225,1 00 950. 68 162.75	750.99 000.00 03.53 00.00
Amount of registration fees paid	rate inger re	224, 00 081, san, 00 898, 686, 40	302, 154, 23 207, 04n, 00 219, 20	678 15 472 16 064 00	2 230, 4,314	8, 135, 6, 212, 604, (754,
	Motor cycles	392 392 300 14, 694 2 173	4,450 1,772 975 1,011	7, 653 6, 042 3, 044 1, 860	944 1, 400 1, 846 11, 933	4, 165 3, 230 114 2, 570 374	1, 608 1112 1, 987 8, 811
	Inc di us 192 pel "Lut)	25.2 27.7 16.4	75. 20.2 21.7 21.2 21.2	25.24.44.4 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 2	88.27.24 24.4.0 8.4.0 8.4.0	28.12.8 4.8.12.13 17.8 17.8	::
		90, 052 38, 034 84, 596 861, 807 162, 328	152 977 24,560 52,792 116,170 143,423	53, 874 781, 974 469, 939 500, 158 327, 194	154,021 102,284 92,539 165,624 385,231	578, 210 380, 557 77, 571 392, 523 62, 650	258, 654 12, 116 48, 406 342, 286 25, 473
823		126, 642 49, 175 113, 300 100, 283 188, 956	181, 748 29, 977 74, 811 151, 990 173, 889	62, 379 969, 331 583, 342 571, 061 375, 594	198, 377 136, 622 108, 609 169, 351 481, 150	730, 658 448, 187 104, 286 476, 598 73, 828	286, 053 15, 699 59, 604 230, 652
gistered, 1	Ta bus and for h		38				(3) [1, 30]
Motor vehicles registered, 1923	Motor	13, 845 6, 565 11, 300 43, 527 13, 287	29, 140 5, 268 7, 187 23, 530 22, 469	5, 179 122, 326 73, 228 36, 265 26, 556	20, 543 20, 619 15, 614 11, 609 73, 505	72,000 48,783 10,440 46,258 8,379	ష్ట్రభావి 1998 300 300 300 300 300
Mod	Private	109, 535 42, 176 102, 000 , 056, 756 , 175, 669	148, 791 24, 709 65, 681 125, 140 151, 325	57, 200 847, 005 510, 114 534, 796 349, 038	177,834 116,003 90,177 153,661 407,645	657, 148 399, 404 93, 846 430, 340 65, 449	282 13, 669 23, 552 28, 552 28, 582
	State	Alabama Arteona Arteona California Colorado	Connecticut Dalaware. District of Columbia ! Florida. Georgia.	Idaho Ilinois Indiana Iowa Kanses	Kentucky Lodisiana Maine. Maryland Massachusetts.	Michigan Minneota Missisajni Missouri Montana	Nebraka. New Hampshire. New Hampshire. New Jersey.

14, 806, 831, 14 3, 700, 600, 60 760, 444, 45 4, 832, 963, 25 2, 895, 000, 00	2, 924, 707, 06 [5, 844, 303, 80 1, 196, 909, 47 722, 086, 95 1, 055, 175, 80	2, 028, 806, 14 2, 368, 560, 43 14, 430, 104, 72 860, 803, 03 3, 200, 161, 66	3, 741, 167, 81 9, 2, 608, 508, 37 4, 693, 887, 30 14 414, 096, 39	153, 226, 636, 16
19, 862, 441, 52 3, 726, 044, 72 760, 852, 45 9, 662, 370, 29 3, 217, 770, 84	4, 068, 609, 40 15, 844, 303, 80 1, 286, 659, 47 502, 608, 69 1, 130, 959, 27	2.049, 653, 27 5, 441, 506, 59 430, 104, 72 935, 860, 30 3, 200, 161, 96	3, 898, 597, 77 2, 608, 508, 37 4, 968, 933, 56 414, 096, 39	188, 970, 992, 24
	031. 50 240. 27 583. 69	83, 394, 50 482, 670, 25	843, 041 92 229, 157. 66 625, 619. 65 89, 202. 00	24, 020, 784, 89
	691. 80 704. 72 644. 01	674, 868. 63 2, 422, 988. 72	2,726,121,45 1,940,093,23 4,227,180.00 314,003.00	91, 031, 927 06
22, 153 1, 300 15, 000 15, 000	3,140 19,220 1,575 471	3, 346 766 839 1, 813	3,560 1,353 5,645 291	171, 372
885 185 188 188 188 188 188 188 188 188	22 25 25 25 25 25 25 25 25 25 25 25 25 2	22.28.28.38.29.29.29.29.29.29.29.29.29.29.29.29.29.	85.00 80.00 10.00	3.6
002, 293 182, 550 99, 052 858, 716 249, 659	134, 125 828, 737 66, 083 96, 239 125, 241	135, 716 526, 238 49, 164 43, 881 168, 000	210, 716 112, 763 382, 542 30, 637	
204, 213 246, 812 109, 296 069, 100 307, 000	165,962 043,770 76,312 127,467 131,700	173,365 688,233 59,525 52,776 218,896	258, 264 157, 924 457, 271 39, 831	
21, 324 3, 287 141, 900 18, 576	12, 987 74, 409 13, 930 11, 575 10, 536	19, 184 (*) 7, 900 8, 356 30, 919	37, 100 77, 456 34, 553 4, 537	
225, 488 225, 488 105, 968 927, 200 288, 424	152, 135 959, 361 60, 620 115, 892 121, 164	154, 181 688, 233 51, 625 49, 420 187, 977	218, 580 143, 548 422, 718 35, 294	
New York. North Carolina ¹¹ North Dakota. Okio Oklahoma.	Oregon Brunsylvania Rhode Island South Carolina South Dakota	Tennessee Texas Utah Vernont Verginia	Washington West Virginia Wisconsin Wyoming	Total

Bureau of Public Roads.

Where no data are given these vehicles are not registered as a separate class nduded with passenger cars or trucks.

*Included with passenger cars.

*Included retagistrations, but does not include nonresident registrations.

4 Approximate. Included with trucks.

Approximate amount available for State-aid road work
Includes receipts from taxicabs, motor busses, and cars for hire.
For State highway work and financing State highway bonds
For State period Jan. 1 to Apr. 1 when new law becomes effective.
Includes \$48,115 used to finance State highway bonds.

11 All data for the State of North Carolina are for the first 6 months of the registra-on year, which begins on July 1 11 To be expended by counters under general regulation made by State highway

14 To finance State highway bonds.
15 Includes 68,650 commercial vehicles having a chassis weight of less than 2,000 19 Includes ambulances and commercial cars under 1-ton capacity

iv Includes motor trucks 17 Solid-tire vehicles only. 18 Nonresident registrations included in both years for this computation.

Table 776.—Average registration fees per motor vehicle and average gross receipts per motor vehicle from gasoline tax during 1983

State	A ver- age fee per motor vehicle based on gross regis- tration receipts	168.	Average meter truck foos 1	Average gross gas tax receipts per motor vehicle	State	Average fee per motor vehicle based on gross registration receipts		Aver- sige motor truck fees 1	A ver- age grees gas tar receipts per motor vehicle
Alabama Arizona Arkansas California Colorado	5 73 12 67 9 64	12,00 8,59 5,12	17. 00 18. 70 11. 57	8. 95 9 64 10 76 2. 29 4. 48	Nevada New Hampshire New Jersey New Mexico New York	9 80 26, 36 17, 76 0 , 21 16, 49	9. 29 8. 68 12. 14	15.00 27 02 12.00 26.45	7, 38 2, 74 5, 15
Connecticut Deiaware Florida Georgia Idaho	17 22 12 92 12 40	15, 47 11, 65 11, 61 14, 12	32, 82 20, 57 15, 35 16, 86	4, 84, 2, 95 10, 80 8, 64 6, 35	North Carolina North Dakota Ohio Oklahoma Oregon	6. 96 9 04 16. 48			11.79 4 22 1 95 11.80
Illinois Indiana Iowa Kansas Kentucky	6.33 15 46 9.15	8, 39 5, 20	14, 91 10, 84	4. 98 3. 48	Pennsylvania		6 10. 26 12. 00 6. 29	7 45. 83 19 76 13. 27	5, 26 11, 86 4 74 4, 69
Louisiana	15.29	15, 52 *11 81 10, 58 12, 38	16. 30 4 36. 88 15 21 17. 08	2.63 2.63 3.35	Texas Utah Vermont Virginia Washington	7 23 17 79 14. 62 15, 10	13 66 12 89 12 47	24 85 15 61 22 72	1, 77 6 79 3 19 7, 11 4, 74
Minnesota Mississippi Missouri Montana Nebraska	10. 33 8. 43	9 24 10. 60	19. 67 11 12 18. 70	4. 49 5. 98	West Virginia Wisconsin Wyoming Dist. Columbia. United States	16, 52 10, 84 10, 40 4, 78 12, 49	3 13 52 10. 00 8. 90	4 30 73 18, 11 19, 66	2, 32 3, 52

Bureau of Public Roads.

Where blanks occur, the reports do not segregate the receipts from each class.

A verages secured by including nouresident registrations.

Includes all vehicles equipped with pneumatic tires.

Includes only vehicles equipped with solid tires.

If nonresident registrations are excluded, this figure becomes \$4.00.

Data included 88,650 commercial vehicles having chassis weighing less than 2,000 pounds.

Includes only vehicles having chassis weighing 2,000 pounds or more.

HUNTERS' LICENSES

Table 777.—Hunters' licenses issued by States, with total money returns, for the seasons 1922-23 and 1923-24

		1	icenses i	ssued				
State	Resid	dent	Nonre	sident	Al	ien	Total mone	y returns 1
	1922-28	1923-24	1922-23	1923-24	1922-23	1923-24	1922-23	1923-24
Alaska i			20	32			\$1,000 00	\$1, 600, 00
Alabama	21, 586	34, 544	189	199			27, 854 00	59, 819, 00
Arizona J	18, 046 3, 636	22, 564 3, 638	88 2, 625	106 534			24, 187 50	30, 430, 00
ArkansasCalifornia	221, 561	244, 986	356	438	874	875	14, 411, 99 236, 891, 00	11, 936 90 216, 299, 0 0
Colorado 4	79, 272	78, 145	133	128			160, 955, 50	158, 659 78
Connecticut	32, 051	84, 599	365	465	178	16	38, 371, 00	39, 489, 00
Delaware		8 1, 357	218	⁷ 286			2, 180. 00	4, 495, 70
Florida		17 410	170				00 517 (40	100 010 60
Georgia		17, 116	179	195			33, 511. 00	³ 26, 816, 50
Idaho 3	61, 246	64, 958	557	924	69	137	3 114, 047 55	§ 127, 698 60
Ilimos	248, 000	237, 540	500	1,057			186, 336, 38 170, 066 80	207,683 80
Indiana '	161, 632	181, 726	173	267 279			170,066 80	185,864 50
Kansas	113, 734 74, 330	124, 320 95, 259	262 37	2,9			116, 354 00 74, 885, 00	207, 683 80 185, 864 50 127, 110 00 95, 259, 00
	,	72, 286	251	330			1	1
KentuckyLouisiana	75,000 104,159	60.001	391	473		i	\$ 65, 594 85	* 63, 868. 60 81, 816 00
Maine	0 17, 567	69, 991 687, 156	3, 142	3, 141	77	81	119, 024, 00 43, 326, 75	55, 843 40
Manyland	68, 821	60, 937	1,464	1, 781			5 112, 062, 62	5 115, 113 50
Mussachusetts	81, 200	³ 86, 414	736	3 860	158	167	5 132, 298, 10	141, 322. 40
Michigan	251, 758	260, 723	1, 778	2, 100			247, 811 80	261, 858. 26
Minnesota	134, 676	119,680	790	567			158, 564. 30	91, 453. 60
Mississippi 4	:::-::							
Missouri	102, 275 55, 573	130, 806 64, 202	228 107	136	3	8	134, 678 00 105, 410, 05	165, 262. 50 133, 564, 60
			227	192	15	11	112, 595, 00	125, 715. 10
Nebraska 3 Nevada 4	110,000 4,533	117, 487	221	1 192			6, 799, 50	120, 710. 10
Now Hampshire	3 57, 456	55,000	2,418	3. ()(4)			92, 726 00	100,000 00
New Joisey 4	133, 357	143, 870	1, 372	1,564		1	200, 635 50	254, 211, 2
New Joisey 4 New Mexico	9, 353	8, 314	336	299			19, 798 50	19, 155 . 5 6
New York North Carolina	286, 568	310, 239	2, 305	2, 111		650	\$ 298, 268 GO	§ 339, 220 50
North Carolina								
North Dakota	21, 818	38, 916	68	104			49, 127 00	56, 673, 00 343, 621 00
Ohio Oklahoma	311, 914 76, 102	269, 358 85, 100	165 243	59 260		1	392, 367, 50 79, 747 00	89, 025, 00
		1	404	552			172, 742 00	191, 893, 50
Oregon 1	47,090	48, 609	2,126	2, 328		¦	446,607 00	\$ 605, 627. 90
Pennsylvania Rhode Island	473, 785 10, 959	497, 216 10, 513	- 97	2, 025	50	68	12, 679. 00	15, 068, 50
South Carolina	75, 707	86, 756	621	7 896			109, 022, 00	15, 068, 50 126, 590, 00
South Dakota	44,714	48, 103	1, 568	1, 649			52, 015 00	89, 830, 00
Tennessee 4	19, 364		334	L	!		5 26, 248 80	
Texas.	32, 317	50, 488	156	291			66 974.00	98, 894, 80
Utah 1	78, 000	48, 322		325			138, 000. 00	80, 384. 72
Vermont 1	36, 145 96, 648	36, 647 91, 198	1,577	1,055 2,119	·i	i	39, 382 50 151, 628, 00	41, 811 2f 152, 660. 90
	1	1	1		174	245	281, 187 50	177, 185. 00
Washington	155, 608	173, 844	2, 117 373	3, 096	1 1/4	240	80, 657, 50	111, 100.00
Wisconsin	75, 062 178, 757	174. 770	529	512	1		196, 482, 00	192, 779-00
West Virginia Wisconsin Wyoming	17, 488	174, 779 19, 374	387	482	2	, 18	47, 277 00	64, 483 50
	1				-	2, 278	5, 385, 489, 00	5, 594, 982. 38

Bureau of Biological Survey.

¹ Money returns do not include amounts received from licenses to fish only.
2 No resident licenses.
3 Combination hunting and fishing licenses.
4 Figures not available.
5 Net.
5 Net.
6 Licenses good as long as holder remains a resident; 154,001 issued previous to Jan. 1, 1924.
7 Includes allons.
8 Resident license not required in Delaware until season 1923-24.

TABLE 778.—Pure-food law: Statistics of enforcement, 1917-1924

Year ending June 30—	Number of official samples collected from interstate shipments	official	Number of official samples on which the records were sent to the Department of Justice for prosecution	Number of consign- ments of foods and drugs seized under the food and drugs act
1917	7, 820	2, 873	732	371
1918	5, 621	2, 333	615	417
1919	5, 117	2, 185	854	1, 062
1920	5, 512	1, 791	851	1, 407
1921	5, 393	1, 607	746	1, 677
1922	3, 550	1, 034	538	1, 133
1923	5, 408	1, 681	546	829
1024	7, 038	2, 076	592	806

Bureau of Chemistry.

23

Kind of fruit or		Ba	amas	Cana	l Zone	Costa	Rica
vegetable	t ¹ n:t	1922	1923	1922	1923	1922	1923
Avocadoes	Crates	10	8				
Bananas	Bunches		52	331, 256	563, 300	3, 692, 507	3, 485, 756
Beans	Crates		38				
BeetsCarrots	do		147				
Carrois	uo		121				
Cassava	do) 		
Coconuts			15, 150	15, 740, 326	14, 869, 444		
Copra							
Cucumbers							
Eggplants	do						
FigsGrapefruit	do	1	1	1			
Grapefruit	do	70	350			126	567
Lima beans	do	, ,					
Limes	do					311	386
Malangas	do						
• • •			ĺ	1			
	do						
Mangoes	do						
Okra							
Onions Oranges	do			2		1, 132	2,700
Oranges				2		1, 102	2, 100
Parsley	do		64	 			
Peas	do						
Peppers	do	7	31			23	
Pineapples	do	3, 513	782		1, 344	11, 840	23,744
Plantains	(1)	2	6	8, 975	1, 378	391	71
Potatoes	Backs				1		
Pumpkins	(2)	165			74		
Sapodillas		783	452				
Soursops			6				
Squash	do	2					
-							_
Tangerines	do						•
Tomatoes	do	108, 287	150, 277				
Watermelons	Number.	30	6	100			
Not specified	Crates		•	100			
Fruits	do	7				4	
	do	37		27		*	
4 oBosen100							

Table 779.—Fruit and vegetable imports inspected account black fly, 1922 and 1923—Continued

Kind of fruit or		Cu	ıba	Jam	aica	To	tal
vegetable	Unit	1922	1923	1922	1923	1922	1923
Avocadoes	Crates	46, 614	57, 092	12	9	46, 636	57, 109
Bananas	Bunches_	1, 983, 307	1,742,519	10, 647, 059	10, 033, 261	16, 654, 281	³ 15, 824, 898
Beans	Crates		316				316
Beets	do		292				330
Carrous			349				496
Cassava	do	605	1.488			605	1,488
Coconuts	Number -	1. 660, 734	1, 206, 200	16, 315, 276	21, 211, 577	33, 776, 236	37, 440, 731
Copra	Bags	1, 000, 101	1, 200, 200	10,010,210	6, 933	00, 110, 200	7, 051
Cucumbers	Crates		374		0,000		374
Eggplants	do	52, 856	64, 218			52, 856	64, 218
001		,	,			•	,
Figs				592		5 92	
Grapefruit	do	184, 027	261, 653	2,758	593	186, 981	263, 163
Lima beans		6, 885	20, 361			6, 885	20, 361
Lines		549	181	h4	82	944	651
Malangas		1,022	786	1	·	1, 023	786
Mammeas	do	1, 963	1,540	i	}	1, 967	1, 542
Mangoes		5, 528	8, 638	511	207	6, 039	8.846
Okra		6, 133	7, 197	l "i	2019	6, 134	7, 197
Onions		4,000	14, 108	2		4, 002	14, 106
Oranges	do	4, 989	5, 122	3, 206	1,796	9, 329	9,620
		2,00	0,	3,200	1 -,	,,,,,]
Parsley			182				246
Peas	do		107		35		142
Peppers	do	108, 241	161, 564	6, 155	447	114, 426	162, 042
Pincapples	do	1, 051, 051	1, 377, 395	14	985	1, 065, 918	1, 404, 250
Plantaus	(1)	65, 764	80, 107	149	147	75, 281	81,700
9 2. 4 - 4	0 -1	900	ļ			300	1
Potatoes	Sacks	300 267	215	20	37	452	326
Pumpkins Sapodillas	Crates	267	213	1 20	31	· 811	45
Soursops	do	28	271		!	911	277
Soursops Squash	do	925	2,040			927	2,040
p4naon		020	2,010			021	2,000
Tangerines	do		246				252
Tomatoes	do	97, 565	169, 653			200, 852	319, 930
Watermelons	Number	6				36	
Not specified.		823	657	1	8	. 924	671
Miscellaneous.	1	١	i	1	!		\$
Fruits	do	645	143		3	656	140
Vegetables	do	245	184	7	72	316	256

Division of Statistical and Historical Research — Compiled from annual reports of Federal Horticultural Board.

¹ Crates in 1922; bunches in 4923. ² Number in 1922, crates in 1923.

Includes 10 bunches from Philippine Islands.
 Includes 1 crate from Philippine Islands.

METEOROLOGICAL STATISTICS

Table 780.—Temperature: Monthly normal: and mean temperature at selected points in the United States, 1913-1924

	,	pornu			******	-	-, 101		~~				
Station	Nor- mal				Janus	ry mo	nthly i	mean t	emper	ature			
	for Jan.	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
Greenville, Me. Beston, Mass. Buffalo, N. Y. Canton, N. Y. Canton, N. Y. Trenton, N. J. Pittaburgh, Pa. Scranton, Pa. Washington, D. C. Lynchburg, Va. Norfolk, Va. Parkersburg, W. Va. Charleston, S. C. Atlants, Ga. Fhomasville, Ga. Jacksonville, Fla. Miami, Fla. Cincinnat, Ohio. Ceveland. Ohio. Evansville, Ind. Indianapolis, Ind. Chicago, Ill. Grand Rapids, Mich. Maclison, Wis. Duluth, Minn. St. Paul, Minn. Des Moines, Iowa. Bubuque, Iowa. St. Louis, Mo. Bismarck, N. Dak. Davills Lake, N. Dak. North Platte, Nebr. Omaha, Nebr. Concordia, Kans. Dodge City, Kans. Iola, Kans. New Orleans, La. Shreveport, La. Amarillo, Tex. Ban Antonio, Tex. Oklahoma City, Okla Little Rock, Ark. Havre, Mont. Kalispell, Mont. Cheyenne, Wyo. Sheridan, Wyo. Pueblo, Colo. Santa Fe, N. Mex. Phoenix, Ariz. Modena, Utah. Salt Lake City, Utah. Winnemucca, New. Bolse, Idaho. Saettle Wesh.	12.8	20 4	9.7	a 16. 4	o 15. 1	° 12, 4	6 4	15.6	4.6	15. 2	0 11. 0	87	18.9
Beston, Mass	27. 9	39 2	28.7	33.0	33. 0	30 2	21 0	33. 2	21.0	82 1	27. 2	27 0	81.9
Canton N V	18 2	33 8 26 8	27. 9 13. 0	25 3 19, 4	32. 0 25. 0	24. 4 14. 4	14. 1 7. 5	31. 0 22 0	15. 6 4. 1	29. 1 20 9	23 2 12.8	25 4 10 8	94.4 18.0
Tranton, N. J.	30.5	40.8	32.2	34 0	35.5	32. 4	20.4	34. 8	200	83 4	28 4	31.0	32.0
Pittsburgh, Pa	30. 7	40. 2	34. 4	30 6	37.5	31. 8	18. 6 17 4	34. 4 31. 7	24. 4 18. 7 28. 7	34. 6	28. 8 24 1	33. 4	24.7
Scranton, Pa	27 2	37. 2	28.2	30 2	33. 6	28 4	17 4	31. 7	18. 7	29 1	24 1	26. 8	29.0
Washington, D. C	33. 4	43. 6 45. 2	38 6 42.0	85. 6 38 4	39. 8 43. 2	35. 0 39 4	23. 7 27. 0	38 1 41 0	28. 7 34 4	36. 6 39 0	32 0 35 1	36 8 39. 8	35 0 36.2
Norfolk Va	40 6	51. 2	44.1	42 2	47 0	42 8	31 6	43 8	37 4	43 6	39 2	43 9	42.2
Parkersburg, W. Va	32. 5	42. 2	44. 1 37 6	31 9	38 8	33 2	20 3	35 6	28.4	37. 4	31 8	43 9 37 0	30. 2
Charlotte, N. C	41 2	48.8	43 8	41 6	47. 6	46. 1	32.4	45 0	39 8	42 2	40 2	44.6	40.0
Charleston, S C	49. 9	58. 3 49. 5	50 0 45. 0	49.7 41.9	55. 9 48. 8	54 6 47. 9	42. 4 34 8	51 1 43 8	51. 0 42 7	51. 8 45 9	47 4 43 0	53 7 48.2	48.9 38.2
Thomasville. Ga	51. 0	59. 4	52. 2	51 0	60. 1	58 2	46.0	51.4	73 9	55 6	51 6	56.8	40. 4
Jacksonville, Fla	55. 4	63 6	52. 2 55 2		R2. 4	61 2	50 0	55 3	57. 3	58 0	53 4	59 2	53 7
Miami, Fla	67. 3	72 4	64. 4	67. 0	72. 0 37. 6	69. 8	62.8	65 1 35 2	68. 6	67 8	67. 6	68.8	60. 5
Cincinnati, Obio	30. 3	40.6 35 3	37 8 32 0	31 4 26. 0	37. 6 34. 8	32. 4 27 3	16. 3 15. 0	35 2 32 6	25. 4 19 0	35 9 32 0	29 2 25 6	36. 5 30 2	26. 8 24. 0
Evansville Ind	38 5	39 4	39 6	31.5	38.6	36 3	19.4	38. 5	30 4	39. 4	32 3	40 8	28.9
Indianapolis, Ind.	28 4	35. 1	34 6	26 ₹	38. 6 33. 8	30 6	14.6 13 3	34 0	22 2	34 3	32 3 26 7	34 6	28.5
Chicago, Ill	25 1	29 3	32. 4 32. 2	24 21 0	28. 8	24 2	13 3	31 0	18. 8	32 4	21 8	8 08	19 8
Grand Ponide Mich	23. 1	27 8 28 2	29. 0	21 0 23. 3	27. 2	24 4 22 8	10 4 12 5	29. 2 30 0	18 6 16. 0	32. 2 30. 5	23.8	31. 8 26. 2	10 0 20.3
Marquette, Mich.	16.3	17. 7	21 8	16. 3	28.7 17.4	12 6	8.8	24 6	9.2	23. 4	23. 6 17 2 17. 0	19 2	10.5
Madison, Wis	16. 7	19 4	25 0	15 4	20. 2	13 8	5.6	24. 1	10 0	25 4	17. 0	22. 0	11.4
Duluth, Minn	7 9	6. 3 13 8	15, 4 21, 2 29, 6	9 2 12 4	5. 1 10 4	3 1 6 8	0.8 3 7	17 8 21 8	3 0 7 0	16 6 21. 4	128	13. 0 17 6	0.8
Des Moines Iours	20 1	23 5	29. 6	20 8	20. 8	20.0	11.8	29 8	18. 4	30. 4	22.6	29. 3	7 1 17 0
Dubuque, Iowa	19. 1	22. 7	28. 2 39. 7	17. 2	21.6	16 6	8 2	25 9	13 4	28 5	19 7	25. 8	13.6
St. Louis, Mo	30.8	34. 8	39. 7	29 6	34. 1	34 8	18 8	37 8	28 4	39 2	30 2	39. 5	26.6
Springfield, Mo	33. 5	34. 2 5. 6	39. 5 17. 9	32. 2 9. 2	33. 8 -5. 0	36. 0 6 3	18. 4 1. 4	36 6 24 4	31 4 7 4	39 8 18 8	31. 8 8 4	42 7 12 3	28.4
Davils Lake, N. Dak	0.3	-1 4	9. 6	2.6	-8 2	-3 0	-1.6	14 4	-23	10 5	4 1	6 0	-0 6
Pierre, S Dak	16 0	18 6	25, 5	2. 6 15. 6	-8 2 2.4	14 8	8. 0	29. 7	19. 0	27 9 30. 1	13 6	24. 9	11.8
North Platte, Nebr	22. 9	23. 7 23. 8	34. 0 30. 6	20. 1 21. 6	15 0 17. 2	22. 8 22 6	14. 8 12. 7	28 6 31 9	28. 9 23. 2	30. 1 32 0	21. 6	32 9 32. 5	21. 4 17 4
Concordia Kans	26. 4	27 0	36 2	26 5	21. 5	28 8	15. 3	33 6	30. 2	36. 2	23. 6 27 0	37. 2	20.8
Dodge City, Kans	29 0	29 4	39 4	30 6	23. 8	31 3	21, 1	31 0	32 8	36 4	28. 6	39. 0	28. 1
Tola, Kans	27. 6	30 6	37 2	30. 4	28. 5	33 7 44 7	17. 6 27. 6	33 6 43 0	30. 5	38. 4	30. 0 40. 0	40.6	27. 1
Nachvilla Tonn	26 6	46 0 45 4	46 1 42 6	39 4 36 2	46, 2 44 6	44 7 41 8	26 4	40.1	39 3 38 6	47 2 43 2	38 9	49. 2 45. 0	36 4 33.4
Birmingham, Ala	45. 1	52 O	42 6 47 4	42. 8	51 2	49. 4	36 6	43 9	46 2	49 3	45 9	51. 8	40.0
Mobile, Ala.	52. 2	57. 4	53. 6	49.6	57. 2	57. 2	45. 7	49 6	53 6	56 0	53. 0	58.4	47.4
New Orieans, La	47 0	59 9 50 5	56 6 52 6	51 8 45, 2	61 3 51 6	59 8 50 5	48 1 38. 2	51 2 46 0	56. 0 46. 2	59 2 53. 4	56. 0 44 6	61 0 55. 9	49. 4 42. 8
Amarilla, Tex	35. 3	85. 0	45 4	34. 0	35. 2	36 6	OU. 1		35. 2	41 0	34. Ó	46. 2	35 1
Brownsville, Tex	89. 8	58.6	62.6	34. 0 58. 8	67 2 1	62 6	58. 0	58. 0	58.2	65.8	57. 8	87. 6	55, 2
El Paso, Tex	45 0	40 8 46 1	48 4	41. 2 45. 4	50. 4 46. 2	44. 8 48 6	41. 5 36. 8	40 7 45 8	44. 5 43 0	48 6 51 4	43 5 43 0	49 1 55. 5	42.2
Galveston, Tex	53 8	54 6	48 4 53 0 57 0	51 2	58. 4	56 6	47. 8	50 6	54 0	59. 2	52. 0	62.0	50.4
San Antonio, Tex	52 3	52. 4	56 4	50 6	56 2	55 2	47. 8 47 0	49. 7	49 4	58. 4	49 4	62. 0	17.4
Oklahoma City, Okla	86 4	37 0	45 4 47. 0	37. 1 40 2	33 4 45 2	39 0 45 0	25 0 28 6	38 4 43, 2	35. 2 40 8	43. 0 47. 2	35. 2 39. 8	47 8 49. 7	34 0 36 9
Havra Mont	12.9	45. 1 6 9	18.8	11. 4	-13 3	11 2	10.8	34 1	13 0	26 0	13 8	19. 4	11 0
Kalispell. Mont	20. 4	18. 2	20. 2	20 2	4. 4	20. 1	21. 8	26 8	24 2	26 1	16 9	27. 4	17 9
Cheyenne, Wyo	25. 5	24. 4	31.4	25 8	17 6	21. 8	19.8	31. 8	88. 5	28. 2	21 0	32 2	24.7
Bushle Cole	18. 9	14. 4 29. 0	29. 2 38. 6	17. 8 29. 6	1. 8 27. 1	18 2 30 1	15 6 22 8	27. 9 30 8	22 8 35 0	27 6 35, 4	11 6 26.1	28. 4 89. 0	14. 2 27. 8
Santa Fe. N. Mex	28. 8	24. 8	33 5	24. 4	30.6	28. 0	26. 2	24. 4 50. 8	33 9	32 4	28 0	34 9	27.0
Phoenix, Ariz	51 2	47. 2	54 8	50 01	50.8	49 0	49. 6	50.8	53. 3 28. 7	52. 0	48 6	55.4	50.4
Modena, Utah	26 7	23. 9	32. 2 35. 2	24 2 28 2	24. 4	13. 6	28. 2 30. 4	25. 6 32 0	28.7	28. 7	16. 6	33 5	24. 4
Winnemnces Nev	28.6	26. 9 25. 2	34. 6	28 2 29 8	29. 4 22. 1	21. 2 11 8	31 8	32 0 29. 2	30. 8 31. 5	35. 7 32. 6	22 2 11.8	36 0 30. 4	23. 0 20. 7
Boise, Idaho	29 8	28. 0	37. 8	27. 6	27 4	23 2	84 4 43. 7	29. 2 32. 8	30.1	84 8	20. 6	35. 5	23.6
Seattle, Wash	39. 5		43. 2	40.6	31. 0	38 0	43. 7	41 4	40 2	40. 4	35. 5	40 4	41.0
Walla Walla, Wash	32. 7	32. 0 38. 2	45. 6 45. 8	30. 8 39 2	18. 6 29. 6	34 0 39 6	39 8 45. 4	36 8 42 2	31 6 39. 4	37 8 41. 6	23. 0	40. 8 42. 8	30. 7 38 5
Roseburg, Oreg	41. 2	38.4	45. 4	40.31	35. 8	38 0	45 8	42 2 41. 3	41. 2	42 0	85. 2 37. 2	42 6	41.5
Eureka, Calif	46. 9	42.7	49 6	48.8	43. 0	42. 6	48 4	49. 0	47. 9	45. 6	43 2	46 9	48.0
Fresno, Calif	46 2	44 5 52.1	50. 0 56 8	47. 4	45. 6 50. 8	42 8 51, 2	46. 4	48 2 60. 2	48 2 56. 6	48 4	41. 7 53 4	46 2	46. 7 58. 5
Sacramento. Calif	45. R	44. 2	48.8	55. 9 46. 3	43 6	42 4	55 7 47. 5	60. 2 46 2	46. 8	54. 1 46. 2	40.6	58. 1 43. 8	45.1
Bolso, Idaho. Seattle, Wash Walla Walla, Wash Portland, Oreg Roseburg, Oreg Eureke, Calif Fresno, Calif Los Angeles, Calif Sacramento, Calif San Diego, Calif San Francisco, Calif	54. 8	50. 6	56. 3	55. 2	52 5	51. 6	54. 4	56. 6	54. 6	53. 6	52. 5	56 3	58. 2
San Francisco, Calif	49. 9	47. 4	51. 5	50.8	47. 0	47 6	52. 7	51. 2	52. 2	49. 5	46. 8	48.1	50. 2
					<u> </u>							<u> </u>	1

¹ Normals are based on records of 30 or more years of observations.

Table 780.—Temperature: Monthly normal 1 and mean temperature at selected points in the United States, 1913-1984—Continued

	Nor-	·····			Febru	ary mo	nthly	mean	temper	ature	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
Station .	for Feb.	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
Greenville, Me Boston, Mass	12.4 28.8	0 10, 4 27, 7 22, 2	5. 9 24. 3 16. 9	20. 4 83. 2 29. 6	11. 9 25. 5 18. 9	9, 1 25, 8	10. 2 26. 9 23. 1	18. 2 32. 6	15. 0 27. 6	16, 3 82, 6	14.8 32.0	7.3 23.4 20.7	10.0 26.6
Canton, N. Y Treaton, N. J Pitzsburgh, Pa	18. 0 80. 7 82. 3	13. 1 82. 6 28. 8	8. 3 25. 6 24. 2	20. 8 36. 0 36. 8	11. 6 27. 8 26. 8	18. 0 9. 5 28. 5 27. 0	15.6 80.0 82.7	28. 8 21. 8 34. 4 33. 5	19. 9 15. 4 28. 3 28. 2	29. 4 20. 9 84. 2 85. 6	27. 1 20. 1 34. 2 35. 2	9. 2 26. 4 27. 4	21. 4 10. 0 29. 6 29. 3
Scranton, Pa. Washington, D. C. Lynchburg, Va. Norfolk, Va.	25, 5 85, 3 40, 3 42, 7	26. 4 26. 6 40. 2 43 0	19. 8 30. 1 35. 2 38 6	33. 3 38. 8 42. 3 45. 4	23. 6 84. 2 88. 8 41. 1	24. 1 22. 8 36. 9 38. 8	26. 8 36. 8 41. 2 43. 7	82. 8 87 2 89. 8 42. 6	24, 8 82, 7 35, 4 38, 0	81. 6 39. 0 41. 4 45. 0	31. 5 38. 6 42. 0 41. 8	23. 0 32. 6 37. 8 39. 2	25. 7 34 2 87. 8 40. 5
Parkersburg, W. Va Charlotte, N. C Charleston, S. C	84. 2 43. 9 52. 4	32. 2 44. 4 54. 0	27. 6 39. 6 48. 6	39. 7 45. 7 51. 5	80. 0 43. 6 52 0	30, 8 42, 9 50, 8	86. 8 48. 6 55. 2	35.8 42.8 51.6	82.1 39.8 48.2	38. 2 45. 5 53. 6	38. 4 48. 4 56. 4	31. 2 42. 2 50. 8	83. 4 40. 6 49. 5
Thomasville, Ga Jacksonville, Fla Miami, Fla	45. 3 55. 0 58. 0 68. 8	45, 4 54, 0 58, 4 70, 8	43. 1 51. 4 55. 3 67. 4	45. 8 52. 8 65. 6	44. 1 54. 4 57. 2 65. 7	64. 8	50. 8 60. 5 62. 8 70. 4	44. 4 53 8 57. 6 66. 6	41.8 50.6 53.9 64.2	48. 1 56. 4 59 6 68. 8	50. 1 61. 2 62. 0 70. 3	48.7 55.6 58.0 69.8	42.2 52.6 54.6 64.0
Cincinnati, Ohio	32.8 27.4 36.3	32.0 24.4 33.6 27.4	27. 4 19 8 29 9 21 8	40. 1 32. 8 41. 2 37. 0	29. 6 23. 0 34. 3 28. 0	29. 0 21 3 32 6	34. 5 28 2 37. 3	84. 4 31 3 37 7 33. 2	30. 6 24. 5 35 0 29 2	\$7.0 \$2.1 40.0 36.2	36.0 31.7	28 3 23. 8	31.6 25.4 35.6 30.5
Chicago, Ill Peoria, Ill Grand Rapids, Mich.	27. 4 25. 9 25. 5	24. 8 24. 4 21. 0	20. 2 19. 3	34. 5 35. 4 31. 1	25 0 24.4 21 1	19. 8 20. 8 17. 4	31 9 27. 2 27 9 22. 4	30. 5	25. 8 27. 6 21. 2	33. 4 34. 4 30. 0	33 4 29 4 29. 9 27 5	19.6	28.8 28.0 24.0
Marquette, Mach Madison, Wis Dulath, Munn St. Paul, Munn	16. 8 19. 1 11. 4 15. 8	21. 0 11. 1 15. 6 5. 6 12. 9	11 6 12 1 2 7 8 0	25. 4 27. 7 20. 6 25. 5	13.9 17.1 7.0 11.5	6.4 11.1 1.8 6.2	22. 4 12. 8 19. 5 10. 8 17. 4 26. 4	23 3 23 7 13. 8 17. 0	15.6 18.4 12.4 15.5	23 5 26 4 19 0 23 8	17. 0 20. 3 7. 6 11. 0	12.4 15.0 5.4 9.8	21.0 23.2 17.7 21.2
Des Moines, Iowa Dubuque, Iowa St. Louis, Mo	23. 7 22. 3 84. 5	12.9 22.4 20.4 31.9	21. 4	31. 6 80 2 40 5	21. 3 20. 1 32. 8	19. 2	23.0	36. 7	25. 3 21 1 34. 8	33 2 29 8 42 1	26. 4	22. 4 18. 3 30. 4	27 2 25.7 35.6
Bismarck, N. Dak. Devils Lake, N. Dak. Pierre, S. Dak.	10. 3 4. 5 18. 6	31.0 13.6 4.1 18.6	31. 2 5. 3 -3 6 10 4	20.6 15 4 23.4	34.0 11.8 3.2 19.2	1 8 -3.8 10.4	37 6 14.2 8 6 20.2	35.8 10.0 3.6 14.0	36 9 17. 2 8 0 26. 1	42. 4 22. 8 15. 4 32. 3	38. 2 2. 2 -0 4 9. 6	20	36. 4 24. 5 16. 4 26. 4
North Platte, Nebr Onishs, Nebr Concordia, Kans	26. 6 25. 5 29. 8	20. 6 23. 6 25. 4	23. 3 21. 4 26. 6 30. 0	29.7 31 0 35.1 39 0	28.8 23.6 28.2 34.9	20. 8 21. 6 28. 6	8 6 20.2 29 1 27 5 32 6 37 5 31 8 46 8 44.7	23 6 27 8 30 9 31 0	29.6 28.9 33.9 35.1	34. 3 35. 8 39. 6 38. 7	9. 6 24. 3 24. 8 31. 0 34. 0	1 30. 0	82. 4 29. 8 34. 2 35. 9
Iela, Kans Memphis, Tenn Nashville, Tenn	82. 2 44. 3 41. 6	24. 8 27. 8 42. 0 39. 6	30 0 40 2 38 0	39 6 46 D 41 0	32. 2 42. 5 39 1	31 8 43 2 39 8	31 8 46 8 44.7	35. 1 41. 6 41. 2	36 8 43.6 39 4	41.8 47.6	33 4 47 2	32. 2 41. 0	36.0 42.8 88.8
Mobile, Ala New Orleans, La Shraveport, La	48.0 55.2 57.3 50.9	46 0 54 0 54 6 47.4	44. 4 52 U 53 2 46 4	47. 8 53. 3 56 2 51. 4	45. 6 53. 0 56 6 50. 6	54 4 58.8 51 6	102 0	46 0 53.6 56.6 49 6	44. 5 53 2 56. 6 51 8	50 0 56 0 60.2 53 6	52 8 59 4 62 7 54 0	45. 6 53 6 57. 0 48. 4	46. 2 52. 4 55. 2 49. 0
Amarillo, Tex Brownsville, Tex El Paso, Tex	38 1 62.6 49.0	31. 6 59. 6 45. 7 43. 8	38. 2 62. 8 49. 0 44. 3	41 4 64.3 47 8 52 2	43 5 64 8 53 4 48 8	40 6 66 3 48 8	65 2 51 8	37 9 62.6 46 0 47 3	40 5 65. 4 53 4 50 4	41 6 63 8 49 4 52 0	40.8	36. 3 62. 5 46. 2 46. 4	40.6 62.0 48.9 47.4
Galveston, Tex	56. 8 55. 4 89. 6	55.0 52.0 32.4	53 2 36 7	56 9 58 4 43.8	59 3 58. 6 39. 3	57. 2 5/ 6 39 1	52.0 57.0 56.6 43.1	55 4 53. 0 40 2	58.8 57 7 42 2	58 0 58 4 44 2	59 9 58. 2 42 8	56.3 52.0 38.0	55.8 54.4 40.7
Little Rock, Ark Havre, Mont Kalispell, Mont Chevenne, Wyo	13. 6 23. 3 27. 3	42.4 13.7 17.0 18.6	41.8 7.6 22.3 25.6	46 4 16.6 28.4 31 2	24.4	6.8 22.0	48 0 17. 8 21 7 29. 4	45 0 14.9 23 0 25 6	21 8 25 9 20 8	80 2	48. 2 0 4 15. 4 23. 9	42. 4 13. 6 17 0 23 9	44. 1 20. 4 38. 0 31. 6
Sheridan, Wyo Pueblo, Colo Santa Fe, N. Mex	22. 4 32. 9 33. 1	12.0 24.6 29.2	20 6 32 0 32 6	22. 5 36. 5 32. 4	22 0 36 9 36 9	20. 5 35. 4	23 1 37. 4 35. 8 55. 2	21. 6 30 9 27. 2 51. 2	27 0 34 8 37 5	81 9	0 4 15. 4 23. 9 11 4 83 2 32 2 54 4	18 8 29. 6 32. 2 55 3	28. 1 38. 8 35. 4 38. 6
Modens, Utab Selt Lake City, Utab Winnamucca, Nev	31. 0 33. 8 33. 5	53. 1 27. 6 31. 8 31. 6	55 1 82 6 84 5 36 4	38. 2 37. 8	36. 1 36. 0 87. 4	26. 2 28. 6 28 9	31 8 31.7 32 1	29 4 34. 2 33. 4	31 8 37 4 34 5	34 6 36.8 36 8	29. 0 29. 8 25. 9	22 0 26.6 27.7	37.8 39.2 39.9
Boise, Idaho Scattle, Wash Walla Walla, Wash Portland, Own	34.8 41.1 37.1	31.3 40.0 29.8 39.7	36. 0 42. 3 36. 3 43. 4	40. 8 44. 5 42. 0 45. 4	38 6 41.9 32 6 42.2	39. 3 36. 9	36.0 40.0 38.7 41.6	35 8 40 8 39 0 42 6	85. 4 40. 8 87. 1 42. 2	35. 3 42. 9 40. 7 46. 2	39. 4 33. 4 39. 9	27.3	42.0 46.0 46.4 48.0
Roseburg, Oreg Eureka, Calif Fresno, Calif	43.4 47.2 51.1	40. 4 44. 6 50. 6	44. 5 47. 9 52. 2	45.0 48.4	48. 8 50. 4	41. 2 44. 2 51. 4	43.4 47.0 51.4	43. 2 47. 0 49. 5	41. 2 46. 0 52. 2	46. 4 47. 8 51. 5	41. 2 45. 0 49. 6	41.8 45.7 50.2	48.1 50.8 46.4 62.6
Greenville, Me. Beston, Mass. Beston, Mass. Buffalo, N. Y. Canton, N. Y. Trenton, N. J. Trenton, N. J. Pritzburgh, Pa. Beranton, Fa. Washington, D. C. Lynchburg, Va. Norfolk, Vs. Parkersburg, W. Va. Charleston, B. C. Charleston, B. C. Atlanta, Ga. Thomasville, Ga. Jacksonville, Fla. Cincumati, Ohio. Cleveland, Ohio. Evansville, Ind. Indianapolis, Ind. Chicago, Ill. Peoria, Ill. Foria, Ill. Grand Rapids, Mich. Madison, Wis. Dulinth, Munn. St. Faul, Minn. Des Moines, Iowa. Dulinth, Munn. St. Louis, Mo. Springfield, Mo. Bismarck, N. Dak. Devlis Lake, N. Dak. Devlis Lake, N. Dak. Florre, S. Dak. Florre, S. Dak. Florre, S. Dak. Florre, S. Dak. North Platte, Nebr. Onsalia, Nebr. Concordia, Kans. Lodgo City, Kans. Iola, Kans. Lodgo City, Kans. Iola, Kans. New Orlears, La Shreveport, La Amarillo, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville, Tex. Enownyville,	55. 5 50. 1 55. 1 52. 2	53. 8 50. 0 53. 4 52. 4	.59. 4 51. 1 47 4 54. 0	54.7 51.0 55.4 52.8	1 53. 8	80. D	50.0 49.3 55 1 51 8	53. 6 48. 4 53. 6 51 6	57 6 50. 4 56. 8 52. 8	57. 4 50. 9 55. 2 52. 9	54. 0 47. 1 58. 7 50. 2	50. 2 55. 2 52. 2	55. 2

¹ Normals are based on records of 30 or more years of observations.

Table 780.—Temperature: Monthly normal 1 and mean temperature at selected points in the United States, 1913-1924—Continued

• po	107108	116 6166	0 166	WG 15	uues,	1913	-102	4-0	OHVIH	uou			
Station	Nor- mal				Mar	ch moi	ithly n	nean te	mpera	ture			
Station	for Mar.	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
Greenville Me	o 23.5	28, 0	o 25. 2	° 23. 2	o 18. 8	o 25. 0	23. 3	。 28. 7	27. 5	32.2	° 28. 5	。 17. 6	° 27. 0
Boston, Mass	85. 6	42.4	86.7	35. 8	80. 6	37. 2	86.7	40.8	39. 2	46. 2	39.8	33. 9	37.4
Canton, N. Y	27.7	34. 8 31. 8	30. 1 26. 0	27. 8 25 2	27. 1 19. 0	83. 2 28 4	34. 7 28. 4	35. 5 29. 8	86. 0 80. 7	41.6 37.3	35 2 32 0	29. 2 20. 6	31. 2 28. 8
Trenton, N. J.	39. 1	46 1	85. 6 36. 8	36.0	32.2	39 2	41.8	29. 8 43. 0	40.4	50.0	41.2	38. 3	39. 3
Pittsburgh, Pa	39.6	43. 4 42. 0	36. 8 34. 1	33 2 31 6	84, 1 28, 9	40. 6 36 4	44. 6 39. 6	42. 2 39. 1	42.6 38.2	50. 7 45. 8	43. 0 38. 7	38. 6 34. 2	37. 0 85. 6
Washington, D. C	42.6	49. 0	89. 4	38. 8	37. 9	43. 4	48. 4	46. 4 49. 4	45 5	55. 5	45.4	45. 4	42.6
Lynchburg, Va	47. 3	50.2	42 6	41. 2	44. 6	46. 6 47. 2	52.3	49. 4 50 4	47. 4 50. 0	57. 1 58. 1	48. 8 51. 2	47. 9 49. 6	45. 5 46. 8
Parkersburg, W. Va	42.8	54. 7 46. 0	42. 4 38. 9	42. 4 35. 4	44. 1 39 4	42.2	48. 4 52. 3 52. 6 47. 8	44 6	45. 2	53 3	46 7	42.1	40.0
Charlotte, N. C	50. 4	53. 6	46 2	43 1	498	50.3	00.8	52.0	49.8	59.6	53 2	52. 6 59. 6	48. 6 54. 0
Charleston, S. C	57 4	60. 0 53. 0	51. 2 48 6	49. 6 43. 6	55. 2 50. 7	59. 4 52. 6	62.0 59.2	59 5 54. 0	54. 6 49. 6	65. 1 61 1	59. 0 53. 6	52. 1	48 9
Thomasville, Ga	60 2	61. 4	55. 8	52. 2 55. 8	58. 2	62.8	65 0	63 0	57. 4	68 2	62. 0 64. 8	61.0	56. 4
Jacksonville, Fla	62.6	64. 8 75. 4	57. 7 65. 4	63 0	59. 5 65. 8	65 6 72.4	67. 6	63. 8 71. 7	59. 5 67. 6	70. 0 73. 8	64. 8 72. 8	64. 6 73. 8	58. 2 66. 8
Cincinnati, Ohio	40. 9	44 8	40.6	87. 5	38 9	43 0	72. 4 47. 6	43 7 37. 1	44 0	52.4	44.8	40. 4	37. 7
Cleveland, Ohio	34.6	38. 0 44. 4	84 0 42 0	30. 4 39. 0	30. 1 43. 6	37 3 47. 2	40. 2	37. 1 47 7	40. 0 46. 6	45 6 55 6	38. 8 48. 6	34. 8 43. 0	33. 0 40 0
Indianapolis, Ind	40.0	39. 4	1 07 7	35 5	37. 9	41.6	52. 2 47. 4	42.6	42. 3	49 9	48 6	38 2	85 6
Chicago, Ill	36. 3	35. 2	35 7 86. 8	34 8	34.6 87.4	38, 8 40 0	42 2 45 6	38 5 40 8	40. 2 41. 5	45 8 47.3	39 4 41. 2	33 0 34. 2	34. 6 84 8
Grand Rapids, Mich.	33.0	35. 4 32. 8	32.0	3 4	28 8	35 0	38 4	85 4	86. 1	41 0	36 7	28. 7 17. 8	32. 2 27. 7
Marquette, Mich	24.8	21 9	25. 0	26 5	19.6	25 3	31.7	28.6	28. 0 84. 0	28. 4 37. 4	29 8 84.1	17.8	27. 7 29. 0
Duluth, Minn	23.7	29 6 17. 0	30 4 23. 2	29 6 25 0	28. 6 18. 9	31 8 23. 2	91 4	33. 2 23 9	25 3	24 6		24 7 13. 5	25. 3
St. Paul, Minn	29. 1	26.0	30 8	28 0	26 2	27. 3	38 3	30 6	80 6	33. 7	26. 2 32. 3	21.0	30 4
Des Moines, lows	35. 9	34 4 32 8	87 2 84 6	81 2 82.0	37. 6 33 6	87. 5 84 8	45 0 41.6	89 0 36. 6	89. 8 87. 2	44. 2	40 6 37 4	31. 5 27. 6	33. 2 32. 0
St. Louis, Mo	43. 8	42.1	43 5	38. 5	45. 0	46 6	52.6	47 1	46.6	54.0	46 2	41. 4	39.8
Springfield, Mo	45. 2	41. 3 20. 8	44. 0 27 6	35 1 24.0	47 8 24 7	47 0 24. 3	52. 6 36 5	48 4 19 1	45 6 26 0	52.8 27.8	45 2 27. 3	41 6 21.4	38. 8 26. 8
Devils Lake, N. Dak	18.5	13. 2	23.0	23 8	17. 0	21.8	34 2 42 7	14. 4 20 4	19 1	21. 0	25 6	12. 4 29 4	24. 2
Pierre, S. Dak	31.5	27 0 32 8	32. 3 38. 3	20 8 26.8	34. 6 43. 0	29. 6 33. 0	42.7 45.4	20 4 37. 0	32. 0 37. 9	38 0 43, 4	33 8 38 8	29 4 34 2	24. 2 29. 2 29. 0
Omaha. Nebr	87.0	35, 0	87. 4	30. 0	39, 5	38. 5	47. 1	40. 5	41 6	45 6	40 6	32 7	83 8 35 2
Concordia, Kans	41.0	38. 6	41.3	80. 6	44 5	41.6	48, 4 49 4	42.0 43.8	44. 8 45. 0	47 6 49, 1	41 8	37. 9 40. 0	35 2 33 6
Iola. Kans	42.8	40. 0 39 8	45 4	32.6 34.6	48 1 47 1	41 8 45 8	51 0	47 8	46 4	52.1	41 0 45.6	41. 7	39.0
Memphis, Tenn	52.3	51 0	49, 3	42 7	52 0	53 5	58. 1	53. 6	51 8	61. 4	52.9	49.8	46. 0
Nashville, Tenn Birmingham, Ala	55. 4	48. 8 54 6	46 0 50.1	41 3 45 4	47 2 52 8	49 9 56. 2	56 3 61. 8	50 4 55 5	48 5 52.1	59. 0 64. 0	51. 3 55. 4	47. 6 54. 0	43 6 50. 2
Mobile, Ala	60 0	60. 2	55 1	52 4	59. 9	63. 4	65 9	61 6	57.8	66 8	60.2	58.8	50. 2 56. 0
New Orleans, La	62.8	61. 3	57. 6 55. 0	55. 0 47. 2	63 8 60. 6	66. 1 58. 4	68 9 62 5	64. 0 58. 2	60 3 56 9	70. 6 65. 7	62. 5 57 1	61. 6 65. 0	58. 7 53. 8 88. 9
Amarillo, Tex	46. 9	54 2 43. 3	55 0 47 3	47. 2 37. 2	53. 7	58 4 46. 2	52.6	46 4	47 2	52.0	1 45 3	42.8	88. 9
El Paso Ter	68.2	65 2 52.0	63. 4 53. 1	59. 0 49. 3	71. 4 60. 4	69 5 53. 8	71. 2 56. 2	69. 2 54 6	66 4 53 6	74 3 59. 8	68. 7 53. 6	65. 0 51. 2	65. 6 51. 6
Fort Worth, Tex	57. 7	53. 2	55. 5	46, 8	62 4	58 3	162.2	56.1	56. 4	63. 4	56. 4	53. 6	51, 6 50, 8 58, 8 58, 6 41, 8 47, 8 28, 0 84, 1
Gaiveston, Tex	62.4	59. 4 59 4	57. 2 58. 8	53. 8 53. 2	65. 8 68. 6	63. 3 63. 6	66. 6 66. 6	60. 7 61. 0	60. 0 60. 4	68. 0 67. 0	61. 6 61. 6	59. 6 58. 6	58.8
Oklahoma City, Okla.	50 0	44. 2	50 O	88 4	54 4 54.8	51. 0	55. 8	51.0	50. 1	56 6	49. 0 52. 4	40. 2 49. 6	41.8
Little Rock, Ark	53.0	51. 4 21. 6	51. 0 83 8	43. 2 24. 9	54. 8 84. 0	54. 0 22. 0	58. 8 85 6	58 8 17. 4	53. 0 27. 6	61. 3 28. 6	52, 4 26, 8	49. 6 30. 6	28.0
Kalispell, Mont	82. 9	26. 6	35.4	37 1 27. 6	85. 4	26. 2	98 1	82.8	81. 2	88. 3	29, 9	82. 6	84. 1
Cheyenne, Wyo	88. 1	30. 8 25. 0	84. 0 84. 6	27. 6 30. 2	38. 6 38. 0	25. 6	40. 8 87. 4 46. 8 42. 8	83. 7 83. 0	31. 5 30. 4	87. 6 85. 6	88. 8 82. 2	28. 2 28. 9	21. 6 23. 2 31. 8
Pueblo, Colo	41.6	39. 7	41. 2	85. 0	48. 5	24. 0 87. 6	46. 8	41 6	40. 5	47. 0	41.6	1 37 N	31.8
Santa Fo, N. Mex	89. 7	86.0	89. 4 63. 6	35. 8 58 6	43. 6	85. 6 56. 2	42.8 62.4	87. 6 57. 5	87. 4 58. 4	42.6	36. 4	34. 6	33.7
Modena, Utah	88. 2	56. 7 85. 2	41.8	39 8	64. 0 42. 6	81. 0		36.8	85. 8	64. 7 42. 0	57. 0 36. 4	34. 6 58. 9 34. 8	30.6
Balt Lake City, Utah.	41.7	88. 2	41.8 45.0	45. 1	46.8	88. 0	45. 4	42.6 89 2	89. 2	46. 2	86. 8 88. 9	87.0	36.6
Boise. Idaho	42.7	87. 4 88. 9	44. 6 46. 0	43. 2 47. 2	44. 2 46. 0	82. 8 83. 2	45. 4 42. 2 45. 5	42.8	88 5 40. 8	43. 8 45. 2	38.8	37. 5 40. 6	31, 5 33, 7 56, 6 30, 6 36, 6 85, 7 39, 0
Seattle, Wash	44. 9	41. 9	46. 0 47. 6	50.0	44.4	41.0	44. 0 49. 0 46. 7	42.8 44.7	44 4 45. 2	44. 6	41. 5	44.0	44. 4 44. 4 45. 8
Portland. Oreg.	46.9	42. 1 44. 6	49. 4 51. 1	49. 7 52. 6	47. 7 47. 0	89. 8 42. 6	46 7	46.8 48.2	45.8	47. 2 48. 0	48, 2 48, 8	46. 6 47. 2	45.8
Roseburg, Oreg	47. 1	45.6	61.8	51. 5	48. 4	42.6	48. 0 48. 5	47. 4	44 8 47. 0	48. 4 49. 8	45. 2 47. 1	47. 2 47. 4	(45. C
Eureka, Calif	48. 8 55. 0	45. 6 54. 8	49, 8 58, 9	52. 1 58. 4	48. 6 57. 4	43. 8 51. 8	56. 5 56. 4	47. 6 52. 7	47. 0 52. 7	49 8 56. 8	52.6	56. 8	46. 0 54. 4
Los Angeles, Calif	57. 5	57. 8	68.0	61. 4	62.0	51. 8 56. 7	56. 4 59. 1	50.6	56. 8	59.4	55. C	61. 0	56. 4
Greenville, Me Boston, Mass Buffalo, N. Y Canton, N. Y Trenton, N. J Pritsburgh, Pa Scranton, Pa Washington, D. C. Lynchburg, Va Norfolk, Va Parkersburg, W. Va Charlotte, N. C Charlotte, N. C Charlotte, N. C Charlotte, N. C Charlotte, N. C Charlotte, N. C Charlotte, N. G Atlanta, Ga Thomasville, Ga Jacksonville, Fla Miami, Fla Cinclinnati, Ohlo Cleveland, Ohlo Evansville, Ind Indianapolis, Ind Chicago, Ill Peoria, Ill Grand Rapids, Mich Marquette, Mich Madison, Wis Duluth, Minn St. Paul, Minn Dos Moines, Iowa Dubuque, Iowa St. Louis, Mo Sprizgfield, Mo Bismarck, N. Dak Devils Lake, N. Dak Devils Lake, N. Dak Perre, S. Dak North Platte, Nebr Omaha, Nebr Concordia, Kans Dodge City, Kans Iola, Kans Dodge City, Kans Iola, Kans Brownsville, Tenn Birmingham, Ala Mobile, Ala New Orleans, La Shreveport, La Amarillo, Tex Brownsville, Tenn Birmingham, Ala Mobile, Ala New Orleans, La Shreveport, La Amarillo, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsville, Tex Brownsvil	54.8	52. 6 55. 1	88. 1 61. 4	57. 4 59. 4	66. 6 69. 2	50. 8 54. 6	53. 6 58. 5	51. 2 55. 0	51. 0 55. 6	55. 0 57. 5	52. 6 55. 0 50. 8 54. 6 52. 4	56. 4 58. 4	54. 4 56. 4 52. 8 56. 6
Ban Francisco, Calif.	54. 2	52.6	58. 4	57. 0	56. 6	84. 6 51. 7	64. 9	52,6	52.6	54. 6	52.4	56.8	64.5
							!	1	<u> </u>	1	<u> </u>	1	<u></u>

¹ Normals are based on records of 30 or more years of observations.

TABLE 780.—Temperature: Monthly normal 1 and mean temperature at selected points in the United States, 1913-1924—Continued

pe	nnis 1	n ine	One			1913	-192	4	ontin	uea	•		
	Nor- mal				Apri	l mon	thly m	ean te	mperat	ture			
· Station	for April	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
		•		•		•	•	•		•	•	•	•
Greenville, Me. Boston, Mass. Buffalo, N. Y Canton, N. Y Trenton, N. J Pittsburgh, Pa Scranton, Pa Washington, D. C. Lynchburg, Va Norlolk, Va Parkersburg, W. Va Charlotte, N. C Charleston, S. C. Adlanta, Ga.	36. 4 46. 4 42. 8	39.6 48 0 45 0	31 5 45 3 40, 2	40. 8 50 8 46 8	29 2 45 6 42 8	35, 1 44 0 40, 4	39. 7 47. 8 42. 4 42. 3	86. 4 46. 8 42. 5	36 0 45. 0 39 8	43 0 51 8 51 3	39. 4 48. 7 44. 8	34. 9 48. 2 40. 4	35.6 47.2 41.1
Trenton, N. J	49.8	45 4 52.6	89 5 48 5	50 0 54 9	43 8 48 8	40 5	42.3 50 1	39 3 49 9	40 2 47 8	48 5 56 6	43 6 51 6	39 6 50 2	40. 5
Pittsburgh, Pa	51. 2	51 6 51 2	49 4 46. 2	55 5 53 9	49 2 47 2	49 6 47. 6	49.3 48 1	51 0 47 9	47 0 45 4	56 9 55 6	52 6 48 6	49.8 48.3	49. 4 49. 8 46. 2
Washington, D. C	53. 3	55 5	53. 5	59 4	53. 4	54. 2	53 2 53.3	53. 8	52 6	59 2	55. 6	53. 6	51 9
Nortolk, Va	57. 3 56. 8	57. 4 58 6	56. 7 55 8	59. 8 60 2	54. 7 56 4	57 4 57 6	53. 3 56. 4	55. 6 56. 9	54 3 57.3	59 1 61 2	57 8 59 7	55 8 57 2	54. 1 55 4
Parkersburg, W. Va.	53 4	53 0 59 2	53 9 60, 6	57. 3 61. 8	52. 5 59 0	52. 6 62. 3	51. 6 57 4	62 9 60 0	50 6 57 8	57 6 61 6	56 2 61 0	52.6	53. 6 58. 8
Charleston, S. C	64 5	62 6	65 2	63. 3	64 0	67 2	63 5	64 4	64 0	66 3	68 2	59.0 64 4	64 6
Atlanta, Ga	61 0	59 4 65 1	61 8 68 6	64 4 66, 4	60 0 65 9	63 7 68, 1	57 9 64 5	61 7 66 4	58 6 66 4	61 0 66 4	62 8 69 8	60 2 67 7	64 6 59 2 67 4
Jacksonville, Fla	68 7	67 3 71 6	70. 1	66 9	67 O	69 6	67 ()	67 3	68 8	67 8	71 4	69 2	67.7
Cincinnati, Ohio	52. 4	54 0	53 9	69 5 58 4	70 2 51.6	72 0 51 2	73. 6 50 9	52 6	75 0 48 0	74. 0 56 2	75 8 55 6	74. 9 51. 7	74. 6 53. 8
Charleston, S. C. Atlanta, Ga Thomaswille, Ga Jacksonville, Fla Miami, Fla Cincinnati, Ohio Cleveland, Ohio Evansville, Ind Indianapolis, Ind Chicago, Ill Peolia, Ill. Grand Rapids, Mich Madison, Wis Duluth, Minn St. Paul, Minn Des Moines, Iowa Dubuque, Iowa	46. 2 56. 7	47. 4 55 7	45 4 55 4	51 8 61. 9	45 9 54. 2	45. 4 55 9	45 8 53 0	47 0 57 6	42 6 52 8	53 9 58 8	48 6 59 2	45.8 55 9	53. 8 45. 3 58. 4 53. 4
Indianapolis, Ind	52 i	52 0	51 9	58 0	50 5	49. 2	48 9	L 52 2	46, 8	55 8	54 2	49 9	53. 4
Peoria, Ill	50 9	48 8 51 7	48 3 51, 2	56 3 58 8	48 0 49 8	44 5	44 0 45 8	48 0 51 3	43 0 44, 2	54 2 54 3	1 52 5	46 6	49 6 53. 5
Grand Rapids, Mich	46 2	48 3 41 2	45. 6 35. 1	53 8 47. 4	46 7 38 4	43 1 33. 4	44. 0 37 5	45 6 39 2	41 1 32 9	52 6 44 6	48 0 37 9	45 0 36 6	45 6 36 6
Madison, Wis	45. 4	47 2	45 1	54 0	45 3	42 4	41 6	45 8	40 4	50 6	45 8	44 0	45 2
St. Paul. Minn	37. 0 45 ß	40 4 49 2	33 6 44 4	45 4 55 8	38 0 43.8	33. 2 42 2	36 3 43 6	39 2 45 b	31 6 35 8	40 8 50 4	37. 2 45 2	37 5 43 7	36. 6 43. 6
Des Momes, Iowa	50 1	52 0	50 4	59 4	48 6	46 8	46 8	49 3	43 9	52 8	50 8	50 2	52.2
St. Louis, Mo	49. 6 55 8	51 0 56 1	48 5 56 4	57 7 63 2	48 2 54 4	46 4 53 7	44 2 51 1	49 0 57 5	42 8 51 2	52 2 58 1	48 8 58 2	47 0 55 0	49 4 58, 4
Springfield, Mo	56 0 42, 1	56 7 48 1	54 8 43 1	61 8 51 5	52 8 41 0	54 0 38 5	51 8 43 0	56 4 43 4	51 6 34 6	55 6 43 4	57 6 44 8	55 2 41 1	56 2 41 0
Des Moines, Iowa. Dubuque, Iowa. St. Louis, Mo. Springfield, Mo. Bismarck, N. Dak Devils Lake, N. Dak Pierre, S. Dak. No th Platte, Nebr. Omaha, Nebr.	38. 2	45 6	37 4	48 3	37 8	36 1	41 2	40 5	31 2	39 2	41 8	0 (4)	37. 1
North Platte, Nebr.	46 8 48 6	50 8 51 0	47 4 50 0	51 8 55 0	44 6 47 8	42 6 41 8	45 2 42 7	46 2 47 5	38 1 40 5	48 1 48 6	49 2 48 1	47 0 45 I	46. 9 50 €
Omaha, Nebr	51. 2	53 4	51 8	60 0	49 5 50 2	47 9	47 4	49 1	41 2	54 2	52 6 54 4	51 2	53 4
Concordia, Kans Dodge City, Kans	53 5 53 6	56 2 55 8	51 2 54 2	59 6 58 8	50, 2	51.0 51 4	17 6 47 8	51 0 52 6	45 6 48 8	54 6 53 8 56 2	53 0	54 1	54 6 53 4 57, 0
Iola, Kans	54 2 61 8	58 4 61 2	55 0 61 1	61 0 65 9	52 0 60 2	53 8 61. 7	51 7 60 0	55 8 61 7	52 1 59 4	56 2 61 0	57 2 64 0	56 5 61 5	57. 0 62. 0
Dolge City, Kans Iola, Kans Memphis, Tenn Nashville, Tenn Birmingham, Ala Mobile, Ala	59. 0	58 6	58. 6	63 5	57 2	59 7	57 0	59 2	56 2	59 2	61 6	58 3	59 3
Mobile, Ala	63, 3 66 2	61 3	62 8 67 8	66 0 65 5	61 2	64 0 66 6	60 4 64 8	62 8 65 6	61 2 66 4	62 6 65 8	66 2 70 2	62 2 67 8	62 9
Mobile, Ala New Orleans, La Shreveport, La Amarillo, Tex Brownsvillo, Tex	68. 8	67 5	68 9 64 7	63 8 67 3	67 8 63 5	68 2 63 8	67. 8 63 8	68 1 65 2	69 1 64 4	68 2 63 1	73 3 67 8	69 7 66 0	65 4
Amarillo, Tex	55. 8	64 2 56 2	56 0	57. 0	52. 9	54 8	53 2	54 5	51 0	55 0	54 8	56 0	55. 1
El Paso, Tex.	73. 7 63. 4	69 3 60 6	71 6 64. 0	71.4 62 7	72 5 62 7	71 4 62 3	76 2 62.0	74. 3 65. 0	75 8 60 1	74 4 61 0	78 4 61 6	75 7 63 6	73. 6 61, 4
Fort Worth, Tex	65. 0	64 8 67. 2	63 2 66. 7	66 2 66, 1	62 3 67.0	63 8 67.8	63. 4 68. 3	65. 0 68 4	63 6 67 3	62 8	65 3 71 6	66. 0 69. 4	65. 2 67. 2
San Antonio, Tex	69. 1	66 9	66 8	67. 5	67 6	69 0	68 9	68 4	69 4	67 5	70 2	69 2	69, 2
Oklahoma City,Okla. Little Rock, Ark	59. 8 62. 1	60.6	58 0 61 8	63 0 65 5	55 4 60 6	61 2	56 0 60 7	58 8 61 6	56 2 60. 2	58 7 60 4	60 0 64 2	59 3 62 4	60, 9 62, 6
Havre, Mont.	43.7	46 1	44 9	53. 6	43 8	39 4	42.8	47 2 46 4	36 0 39 2	43 1 42 1	42 7 40 1	43 2 42 6	42. 8 42. 9
Cheyenne, Wyo	40 9	42. 9 43. 1	44 8 40 2	49. 2 46 0	43. 5 40 2	39 6 36 4	42 6 34 8	41 7	31 6	38 8	38 2	39 6	39. 4
Sheridan, Wyo	43. 4	45 6 50 8	43 2 49 0	52. 0 53. 4	43 2 48.6	40 1	37 2 45 8	45 2 50 6	36 4 43 6	48 0	40 3 48 8	40 2 51 0	41 5
Santa Fe, N. Mex	46. 7	47 2	48 0	47. 7	46 6	46 1	45. 0	48 0	40.8	43. 4	44 3	45. 6	45 6
Modena, Utah	67. 0 46. 0	67 2 45 3	68, 5 46 8	66. 4 48. 2	68 2 48, 2	64 2 42 6	67 5 44. 6	69 2 49 0	'64 6 43 1	66. 1 43 0	63 2 40. 2	66. 6 44. 4	65, 9 45, 8
Salt Lake City, Utah.	49. 6	51.0	51 8	56. 4	51.6	45. 6	47. 6 45. 5	52 1 48 8	44 0 43.6	47 0 45 1	44 4 41.4	47. 1 45 2	49. 6 46. 8
Amarillo, Tex Brownsville, Tex El Paso, Tex, Fort Worth, Tex Galveston, Tex San Antonio, Tex Oklahoma City, Okla Little Rock, Ark Havre, Mont Kalispell, Mont Cheyenne, Wyo Sheridan, Wyo Pueblo, Colo Santa Fe, N. Mex Phoenix, Arix Modena, Utah Winnemucca, Nev Bolse, Idaho. Seattle, Wash Walia Walla, Wash Portland, Oreg Roseburg, Oreg Eureka, Calif Fresno, Calif San Piago, Calif San Francisco, Calif. San Francisco, Calif.	50.4	46. 6 50. 6	48. 6 51. 2	50 4 55 3	49 0 51 4	44. 4 46 4	48.8	51 8	45, 4	47 0	45 0	49. 4	49. 8
Scattle, Wash	49.4	49 0 53, 2	51. 4 53. 4	52. 6 56 9	49. 0 53. 1	46. 8 49 0	50. 0 53. 2	49 6 54 0	45. 6 49 0	47 5 50 2	46 6 49 2	51. 0 54. 1	49. 0 52. 8
Portland, Oreg	51 8	81 0	53. 8	55. 6	53. 0	49. 4	52 8 52.0	53 4 53 0	48. 2 49 2	50 8 50.8	49 2 48 7 48 6	54. 2 52. 8	53. 0 53. 8
Rureka, Calif	49.9	50 3 49. 3	53. 5 51 9	54 4 52. 8	52 6 50. 2	50 0 49 0	50.7	50.5	48.0	48 4	46 1	50.5	49.7
Fresno, Calif.	60. 2	60. 7 59. 8	60. 8 62. 8	60. 0 60. 4	62 4	59 3 57. 9	61 8	62 4 60. 9	59 4 58.8	59 2 59 0	57 4 57 6	59. 3 58. 4	62. 0 60. 4
Sacramento, Calif	58. 1	58. 0	58.8	58. 3	62 4 61 0	578	59. 2	58. 8	57. 1	57 6	56 4	57.1	60. 6
San Diego, Calif	58. 5	58. 0 55. 4	61. 4 58. 2	59 7 57. 1	60. 2 57. 6	57 0 55, 1	60 4 57. 2	59. 2 56. 0	57.6 54.9	57. 4 55. 0	56. 8 53. 5	59.0 56.1	59. 4 .57. 4
(wastigov) Calif										<u> </u>			

¹ Normals are based on records of 30 or more years of observations.

Table 780.—Temperature: Monthly normal and mean temperature at selected points in the United States, 1913-1924—Continued

D. H.	Nor- mal				Ma	y mon	thly m	ean te	mpera	ture			
Station	for May	1913	1914	1916	1918	1917	1918	1919	1920	1921	1922	1923	1924
Greenville, Me	49. 5	47. 6	52.1	47 6	49.9	43.2	54 4	51 0	50. 0	53. 4	52.6	48.6	6.2 56.2
Boston, Mass Buffalo, N. Y	57.1 54.6 56.2	55. 2 58 7 52. 8	60 4 54 2 57.2	56 6 51.1 50.7	58.6 52.8 53.9	50. 7 47. 4 46. 8	63 2 58.0 58.2	50. 1 54. 0 54. 8	54 6 53 2 55, 0	58 0 56, 8 57, 6	61 4 60 2 58 5	57. 6 52. 6 51. 1	48.3 49.2
Trenton, N. J Pittsburgh, Pa	61 1 62.4	60, 8 60, 6	64 1	58 4 58 0	62 2 63 2	54. 6 54. 6 51 6	65, 2 67, 6	62 0 00 8 60 0	58 0 59 6	60, 3 62, 4	64. 2 65 0 62 2	60, 6 60, 1	57. 2 55. 4
Washington, D. C Lynchburg, Va	63 7	57. 6 64 4 66. 0	61 5 67 0 68 4	54 6 62 5 65 4	60.4 66.7 69.0	59 6 60 7	64 6 69 6 70 0	64 6 65 0	57 2 60 0 61 8	60 1 62 3 63 2	66 8 67 2	58. (63. 4 63. 8	55. 0 60 0 61. 4
Norfolk, Va Parkersburg, W Va	63 8	67 6	68. 3 64. 8	66. 0 61 6	69 2 65 9 72, 6	62 4 57 6	70 5 69.0	67 9 63 0	61 4 61 4 65 6	63 0 64 2 66 0	67. 9 66 0 69. 4	65 6 62 2 66 2	61.4 65 2 57.7
Groenville, Me Boston, Mass Buffalo, N. Y Cranton, N. Y Trenton, N. J Pittsburgh, Pa Scranton, Pa Washington, D. C Lynchburg, Va Norfolk, Va Parkersburg, W Va Charleston, S. C Atlanta, Ga	72 7 69 9	69, 9 72 6 70, 8	70. 6 72. 5 71. 2	69, 8 75, 5 71, 5	74 4 72.6	63 6 70 2 64 0	72 3 73 2 72 2	69 0 74 2 67 7	68, 8 67 1	70 5 68.4	73 G	70 7 65 8	66.0 72.4 65.8
Thomasville, Ga Jacksonville, Fla	74. 0 75 0	73 3 74.3 76.0	75. 2 74. 8 77. 6	77. 8 77. 8 78 0	76. 4 75. 6 76. 7	70 3 78 1 75 6	74.3 74.2 76.2	72. 7 74. 8 76 4	72 8 71.9 76.2	72 2 72 9 74 6	75. 3 76 4 77. 2	72 2 72 3 76 0	7! 9 74 0 77. 7
Cincinnati, Ohio	63 1 67 9	65. 8 57. 8	66 8 60 0	60, 2 54, 2	64 5 58.0	56 6 51 2	68 8 64, 4	60 1 56, 4	60, 8 55, 6	64 6 59 8	66 8 61. 3	61 2 54.5	57. 2 52. 4
Evansville, Ind Indianapolis, Ind Chiesgo, Ill	66, 7 62 9 58 5	67. 6 63 7 57 8	67 9 65 6 62.3	65. 2 59. 7 54 1	68 6 63 4 59 3	60 4 56 0 52 6	71 9 68 8 63 7	63 8 59 4 55 2	65. 6 61 0 55 4	68 <u>1</u> 65 3 61 7	70. 4 67. 5 63 8	64, 8 60, 6 54, 4	60, 2 56, 0 54, 4
Peoris, Ill. Grand Rapids, Mich.	61 7 59 0	82 4 57 4	65. 0 60 0	58 6	61 4 57, 8	55 6 51 7	66. 4 61.8	58 2 56 4	60.8 57.1 50.4	65 1 62 2	64. 6 61. 0	61. 0 56. 8	55, 5 50, 7
Madison, Wis Duluth, Minn	57. 6 47 3	47. 6 56. 6 46. 2	54.4 60 3 53 2	45 6 51. 8 44. 2	48 7 57. 8 47 4	44. 8 52 0 46 0	50 8 61 0 46 9	50 2 55 2 50 5	56 6 51.0	51 6 60 4 50 5	54 9 63, 6 51 4	49 4 57 0 48 9	44. t 51. 2 45. 8
St. Paul, Minn Des Moines, Iowa	57 9 61 3	55. 9 61. 3 59. 2	59. 9 64 0 62 6	52. 2 57. 3 54. 8	56 6 61 7 60, 0	54 8 57 3 54 8	59 8 67 2 64 9	58 0 59 8 57 8	59 0 61. 2 58 8	59 8 65 4 63 6	62 5 64 3 64.8	58.6 60.7 60.0	49 8 55 7 53 8
St. Louis, Mo Springfield, Mo	66 9 64 5	67. 3 66 2	69, 4 65 6	64 6 63 2	68 0 65 8	60 6 59 1	70 8 68 6	63 0 62, 0	64 8 65, 0	68 5 65 4	69 4 66 4	61 1 62 4	59.4 57.7
Devils Lake, N. Dak. Pierre, S. Dak.	52 7 58 0	52 4 50 2 56.1	55 6 54 8 59 0	51 0 50 7 53 0	52 8 50 3 56 9	52 6 51 0 54 8	54, 2 48 9 59 2	56 0 55 7 58 4	54 8 54.4 56, 9	54 8 51 2 58.2	57, 6 56 8 60, 3	56 2 54.5 58 5	49, 2 45, 6 53, 2
North Platte, Nebr Omaha, Nebr	58 7 62 4	60 0 62 9 65 8	59 8 64. 4 64. 4	55 2 58 9 60. 0	58, 2 63 0 63 2	52 6 57.6 57 6	61 6 67 8 67.8	58 2 61.6 61 1	57 8 61 7 61 4	61 0 65 9 65.8	59 5 64, 6 64, 2	57 2 60 9 60 2	53. 2 55. 7 57. 4
Dodge City, Kans Iola, Kans	63. 5 64. 5	67 3 67. 0	62. 8 65. 6	59 4 62. 4	63 6 66 0	57.0 58 8	68 8	61 2 63.3	61 6 66. 2	64. 8 67 6	63. 6 67. 6	60, 8 63 6	57. 0 60. 0
Memphis, Tenn Nashville, Tenn Rirmingham, Ala	70 6 68. 2 71. 1	70 0 68.8 70.6	70.6 68 2 70 6	71. 2 70 1 73. 1	73. 0 70 5 72 7	64 2 61 8 65 0	74 6 71 0 73. 2	67 0 66 0 68 0	70. 5 67. 0 69. 8	70 7 68 4 71 0	72 4 69, 9 71, 6	68. 0 65, 6 69. 0	64 8 62.4 60.7
Mobile, Ala New Orleans, La	73 9 75 4	73 7 74 8 72 0	74 8 75 5	76. 2 77. 4	76 4 77.1	69 9 72 2 67. 7	74. 6 76 0	72 4 74 0 70.1	75 1 78 0 75 2	72.3 71.3 73.6	74. 1 75. 7 75. 3	72.6 74.3 71.4	71.0 74.2 68.6
Amarillo, Tex Brownsville, Tex	73. 0 64 1 78 6	68. 2 74 7	72 5 63 2 78.7	74. 6 61. 5 78. 8	73. 8 67. 0 80 8	58 2 77. 6	75, 2 67, 5 79, 4	61. 8 80 2	64. 1 80. 8	65. 4 78. 2	65.0 81.4 73.0	63. 8 80. 6 74. 0	60.7 77.4
El Paso, Tex	71. 5 72. 3	71. 8 78. 6 74. 0	71 2 70 2 74 6	69. 6 72 7 75. 5	72.9 72.8 75.0	66. 6 66. 8 71. 6	69. 8 75. 2 75. 2	72 0 69 8 73.0	73. 1 73. 4 76. 6	71.9 73.4 74.8	73.0 74.1 77.8	74. 0 78. 4 76. 0	72.2 69.0 72.9
San Antonio, Tex. Oklahoma City, Okla.	75. 1 67. 7	75, 6 69, 4	74. 4 65. 8	75 6 65, 3	76. 1 69. 1	71. 6 62. 4	75. 9 71. 0	73. 4 65. 7	76. 8 68. 6	75. 4 69. 6	77.0 68.8	77. 2 66. 3	71.6 63.3
Havre, Mont Kalispell, Mont	70. 8 53. 4 51. 4	70. 0 51. 6 50. 9	70. 6 54. 7 53. 0	70. 4 52. 7 51. 4	72. 2 49. 4 47. 1	64. 0 62. 8 51. 3	74. 1 51. 6 48. 3	67. 1 56. 7 51. 0	71.0 53.7 48.0	70. 9 53. 8 53. 0	71. 5 53. 8 50. 4	67. 4 55. 4 50. 8	65. 6 58. 0 56. 4
Cheyenne, Wyo Sheridan, Wyo	50 8 50.7	52. 0 52. 4 62. 4	51. 1 52. 4 60. 4	46. 4 50. 5 55. 6	48, 6 40, 0 59, 0	43. 0 48. 3 63. 2	50. 7 50. 6 61. 2	51. 2 54. 8 59. 7	49. 4 51. 2 59. 2	50, 4 53 4 62, 2	49. 8 52. 4 59. 4	50. 3 53. 4 58. 4	45.8 49.8 55.2
Santa Fe, N. Mex Phoenix, Ariz	55. 7 75. 0	58.6 78.8	56, 2 75, 6	52.3 70.8	55. 6 74. 0	48. 9 69 0	55. 7 72. 2	50.0 76.9	56. 2 75. 9	56. 0 73. 6	55. 9 . 76. 4	55. 8 77. 6	56.0 78.8
Salt Lake City, Utah. Winnemuca. Nev	57. 4 53. 9	54. 4 60. 8 57. 0	56. 6 62. 4 59. 4	50. 8 56. 7 52. 3	51. 7 54. 8 50. 8	48. 0 53. 7 50. 1	51. 0 56. 4 51. 6	58. 8 62. 5 59. 4	54. 4 57. 8 54. 2	52. 0 59. 1 54. 1	53, 2 57, 6 54, 4	55, 2 59, 4 54, 8	57, 3 62, 0 60, 6
Boise, Idaho Seattle, Wash	57. 1 54. 5	50.0 54.1 60.2	61. 2 57. 3 62. 2	55. 0 56. 0	52. 5 52. 0 55. 8	55. 0 52. 4 57. 0	54. 8 52 4 56. 8	59. 8 53. 6	55. 0 51. 6 57. 9	57. 2 53. 6 60. 4	56. 4 54. 5 59. 0	56, 8 54, 1 60, 0	63. 8 57. 4 66. 4
Portland, Oreg. Roseburg, Oreg.	56. 9 56. 0	57. 6 57. 4	61. 1 59. 7	58.0 57.7 56.4	54.8 54.2	54. 6 54. 5	85, 6 : 54, 8	59. 4 57. 2 57. 0	55. 1 55. 0	57. 1 55. 9	58. 0 57. 7	57. 6 57. 0	61. S
Fuseno, Calif	52.0 67.1 62.2	68.4 60.9	58. 0 68. 8 60. 8	53. 6 63. 0 61. 5	50. 4 64. 2 61. 3	50. 0 62. 4 58. 7	50. 6 63. 8 61. 2	52, 1 69, 8 61, 6	49.3 68.2 62.1	50. 8 63. 6 58. 8	51. 0 68. 6 62. 6	51.7 67.1 64,6	52.4 72.6 64.8
Charleston, S. C. Atlanta, Ga. Thomasville, Ga. Jacksonville, Ga. Jacksonville, Ga. Jacksonville, Ila. Miami, Fla. Cincinnati, Ohio. Evansville, Ind. Indianapolis, Ind. Chicago, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Ill. Peoris, Calif. Peson, Calif. Peson, Calif. Peson, Calif. San Diego, Calif. San Diego, Calif. San Diego, Calif. San Piego, Calif. San Piego, Calif. San Piego, Calif. San Peoris, Calif. San Perisono, Calif. San Perisono, Calif. San Perisono, Calif. San Perisono, Calif. San Perisono, Calif. San Perisono, Calif. San Perisono, Calif. San Perisono, Calif. San Perisono, Calif. San Perisono, Calif. San Perisono, Calif. San Perisono, Calif. San Perisono, Calif. San Perisono, Calif. San Perisono, Calif. San Perisono, Calif. San Perisono, Calif. San Perisono, Calif. San Perisono, Calif. San Perisono, Calif. San Perisono, Calif. San Perisono, Calif.	68. 3 60. 8	64.8 59.7 56.6	62. 8 60. 2 56. 2	59. 8 60. 6 57. 6	61.4 60.8 56.8	59.8 58.4 54.0	61.8 60.8 54.6	65. 2 61. 0 57. 2	65.0 59.8 55.8	60. 7 58. 4 54. 4	62.6 65.9 60.8 56.0	64, 6 63, 3 63, 2 57, 2	報.5 報.0 級.1
SMA PREBUSCO, CARL.	00.8	00.0	00.2	01.0	00, 8	J9. U	JR. U	01.2	00.6	02. 2	Ø. 0	91. 2	

¹ Normals are based on records of 30 or more years of observations.

Table 780.—Temperature: Monthly normal 1 and mean temperature at selected points in the United States, 1918-1924.—Continued.

St. 41	Nor-				Jun	e mon	thly m	ean te	mpera	ture			
Station	for June	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
Greenville, Me Boston, Mass	58. 9 66. 5	57. 4 67. 5	56. 3 67. 3	58, 8 63, 9	57. b 62. 6	58. 1 65. 8	55, 6 63, 9	63. 8 67. 2	59, 8 65, 8	60. 0 68 2	61. 1 68. 6	60. 4 69. 3	57. 8 56. 6
Greonville, Me Boston, Mass Buffalo, N. Y Canton, N. Y Trenton, N. J Pittsburgh, Pa Seranton, Pa Washington, D. C Lynchburg, Va Norfolk, Va Parkersburg, W. Va Charlotto, N. C Charleston, S. C Atlanta, Ga	64 4 65.8	63. 4 62. 0	63. 2 61. 0	64. 0 63. 0	61.4 61.2	60. 2 62. 0	61.9	72.4 69.4	64. 0 63. 6	66. 6 65 7	65. 0 64. 6	64. 8 63 8	62.4 62.0
Pittsburgh, Pa	69. 5 70. 7	70. 6 70. 5	69 4 71. 0	67. 8 67. 1	65. 8 65. 3	70. 5 67 6	67 2 68.0	70. 8 75. 0	69. 0 68. 5	$\frac{71}{73} \frac{1}{0}$	71.8 71.2	73. 5 71 6	67. 8 68. 6
Washington, D. C	74.2	67. 5 72. 8 73. 3	66. 8 73. 8	65. 8 70. 6	63, 0 69, 7	66, 8 72, 6 72, 8	65. 4 70. 8 71. 2	71. 7 73. 9	66 9 71. 6	69. 4 74. 2 74. 3	65 7 74. 5	70. 2 75. 6	65 4 71.8
Norfolk, Va.	74. 4	73, 3 72, 1	76. 6 75. 0 73. 4	71.6 71.3 69.6	71. 0 72. 1 67. 6	74. 2 68. 6	71. 2 72. 6 70. 0	73. 4 73. 4 76. 0	71. 9 74. 3 70. 2	74.8	74 8 95 7	75. 6 77. 2	72.1
Charlotte, N. C Charleston, S. C	75. 5 78. 9	75 0 76, 2	79. 8 80. 6	73: 1 78: 0	74. 1 78. 0	75. 2 77. 6	75. 2 78. 6	75.8 77.4	75. 6 78. 4	75 0 78 0 80 0	72. 2 77. 6 79. 8	73. 0 77. 0 78. 6	71.0 77.0 81.2
Atlanta, Ga Thomasville, Ga	76. 0 79. 5	75. 8 76. 9	80 8 83 2	75. 3 81. 1	75. 2 78. 6	75. 0 79. 4	76. 8 80 3	76. 8 75. 6	76. 4 79. 0	78 8 80 6	76 8 80. 0	75. 0 77. 6	77. 6 80. 6
Jacksonville, Fla Miami, Fla	79. 9 80. 4	78. 4 78. 8	82. 8 81. 2	79.8 79.4	79. 4 79. 4	79 2 79 1	79. 8 79. 4	77. 4 79. 0	78.6 79.2	80. 0 79. 7	80. 0 79. 5	78. 8 79. 8	81. 2 81. 1
Checianati, Ohio	71.2 67.1	74. 8 63 2	71.2 65.3	69 3 63, 9	67.3 62.8	69, 0 64, 8	70 4 67. 4	75.3 73.4	70 4 57. 4	75.4 69.8	73. 7 68 6	72.0 70.8	71 4 64.8
Charleston, S. C	75. 1 71. 8	78 1 74. 2	80. 0 74 8	73. 2 69 5	71 0 67. 2	73. 4 65 8	75 9	78. 2 75. 8	74. 2	80 0 76.0	77 8 73 8 70 8	75. 4 72. \$	75.4 70.4
Peoria, Ill.	68. 2 70. 9	70 5 73 2	70 2 74 2	63. 8 67. 8	63 5	63 8	66 9 71. 4	72 6 74 8	69, 1 72, 0	73. 8 76. 8	73. 2	70. 8 73. 0	64 5 69. 2
Marquette, Mich	59 9	69. 8 61. 6	67. 6 55. 8 66. 6	63. 4 55. 2	62. 5 52 9	62 6 52 0 61 8	66, 2 57, 2	71. 2 62. 3	69. 2 58. 9	73. 4 65 2	69. 6	71.8 60 2	65. 2 56. 0
Duluth, Minn	57. 2 67. 1	69. 0 59. 3 70. 0	57 0 66 2	62 0 53, 2 62 4	61. 8 53 8 62. 7	53. 0 62. 8	65. 9 57. 4 66. 3	71. 2 58.1 70.0	69. 0 57. 9 68. 0	72. 2 62 6	68 6 59. 9 68. 3	71. 2 60 8 70 0	53. 8 55. 9
Des Moines, lowa	70. 6 60. 4	73. 1 71. 4	74 1 64.8	67. 0 64. 7	66.5	67 9 65, 2	74.7	73. 4	72.5 76.9	73. 5 76. 3 75. 0	74 0 71. 2	70 0 72 0 72 7	63. 6 69. 0 66. 0
St. Louis, Mo	71.8	78. 4 74. 2	8) 1 78.8	7± 0 70, 3	71. 5 70. 0	73 3 70 9	77 i 77.0	72.8 77.3 73.6	75. 2 71. 8	78 4 74 2	75. 7	75. 2 72. 8	73. 4 72. 4
Bismarck, N. Dak Devils Lake, N. Dak	63. 7 62. 6	67. 3 65. 3	64. Ú 61. 6	58, 2 55, 4	59 2 57. 5	61. 9 59 2	65.8	69 0 66, 1	64 4	71. 2	66 2 63. 8	66. 6	60. 4 59. 0
Pierre, S Dak	68. 5 67. 5	73, 4 70-6	68 S 72.1	63.1 63.8	63 5 64 6	65. 3 67 0	71 7	71 0 69. 3	60, 6 68, 4	76 0 71 8	70 5 72, 8	68. 7 69. 2	64. 2 67. 4
Omaha, Nebr Concordia, Kans	71. 6 73. 0	71 4 7., 2	75. 2 78 6	67 6 68 3	68 0 69 2	69 6 72. 6	71. i 75. 9	73. 4 72. 8	73. 1 73. 3	77 4 75 8	75 6 76.0	72. 4 73. 0	69. 0 72. d 75. 2
Podge City, Kans Iola, Kans	72. 5 73. 4	72. 5 75 0	77. 3 79 6	68 8 71. 1	70 6 71 4	73. 4 73. 2	77 9 79 2	70. 7 74. 6	72 6 73, 0	72 8 76 4	74. 5 76. 6	71.8 75.2 77.0	75.8
Memphis, Tenn Nashville, Tenn	77.6 75.6	7% 0 77. 3	84. 2 81. 8	76, 6 74 6	75, 9 72, 9	76. 1 73. 0	80 1 77. 0	78. S 78. 2	76 5 73.8	80 6 80 0	79. 8 77. 0	74.9	78. 5 77. 0
Mobile, Ala	79.6	77 4 78 6 78 8	81. 9 83. 7 84 2	77 4 81, 6 83, 8	76. 2 79. 6 81. 6	77. 0 78. 9 80 4	79 1 82 0 83 2	78. 2 80. 0 80. 0	76. 7 79. 8 80. 8	82.0 51.2 51.2	78. 1 80 8 81. 8	77.0 78.6 79.9	78. 9 81. 5 83. 8
Shreveport, La.	80. 7	79.0	83. 9 7u. 2	80.7 72.4	79 4 74. 6	80. 2 73. 6	83 6 77. 3	77 8 6x 9	78.5 72.4	50 4 70 2	80. 8 73. 4	79. 7 72. 4	82. 5 78 0
Brownsville, Tex	82.4 70.6	78. 2 76. 8	82.6 78.9	84. 4 81. 6	84 4	83. 5 80. 8	84. 5 80 1	82.6 77.6	81. 5 77. 4	82 6 79 6	82, 8 81, 4	83 0 81. 4	82, 6 84 B
Fort Worth, Tex	79. 9 80. 7	79. 4 78. 5	83. 0 82. 3	80. 3 82 6	80, 2 81 0	80, 6 80, 3	84 4 82.8	76. 7 77. 4	78.3 79.6	78. 8 80. 6	80. 2	80, 6 81, 4	83. 4 81. 5
San Antonio, Tex Oklahoma City, Okla.	81. 0 76. 0	79. 2 75. 6	82.0 80 8	83, 8 73, 7	84. 0 74. 6	83. 0 76. 9	83.6 81.3	77. 5	78. 4 71. 6	81.0 76.0	77. 9	83. 2 76. 9	81. 2 50. 4 79. 3
Little Rock, Ark Harve, Mont	77. 4 62. 0	7× 2 65. 1	84.0 60.7	76. 2 50. 8	76, 6 59, 3	76. 2 59. 6	80. 5 67. 2	77. 2 67. 6	75. 4 61. 8	79 0 67, 8	79. 4 65. 6	77. 5 63. 8	58.9
Kalispell, Mont Cheyenne, Wyo	57. 7 60. 4	60.7	57. 3 61. 4	55, 8 54, 6	55, 3 58, 4	55, 5 58, 2	62. 2 65. 1	60. 2 62. 6	55. 6 50. 4	60, 9	63.8	58. 1 59. 4 61. 8	60. 5 60. 2
Pueblo, Colo	61. 1 69. 0	64.0 68.8	61. 1 70. 6	55, 6 66, 0	59, 0 69, 6	58. 0 67. 2	67. 0 74. 0	68. 0 68. 4 63. 1	60. 8 68. 4 63. 6	66. 6 68. 9 62. 9	61. 6 71. 8 66. 4	69. 5 65. 2	58. 2 71. 2 68. 6
Phoenix, Aris	64. 8 84. 5	62.8 81.9	67. 0 84. 6	64. 0 83. 4	66. 2 83. 9	66. 0 84. 4 62. 8	68. 4 88. 6 70. 4	85. 4 64. 3	84. 4 62. 0	84. 8 64. 8	86. 2 65. 7	80. 8 59. 1	87. 5 65. 8
Salt Lake City, Utah.	67. 4	61. 8 67. 5 61. 6	61. 6 64. 9 61. 2	60. 8 64. 2 61. 0	63. 0 65. 9 61. 6	65. 8	75. 4 70. 6	74. 0 64. 2	68.0 62.1	71. 2 65. 2	73. 0 67. 4	64 2 57 8	70.7 64.8
Duluth, Minn. St. Paul, Minn. Des Moines, lowa. Dubnque, Iowa. St. Louis, Mo. Springfield, Mo. Bismarck, N. Dak. Devils I.ake, N. Dak. Devils I.ake, N. Dak. Devils I.ake, N. Dak. Pierre, S. Dak. North Platte, Nebr. Omaha, Nebr. Concordia, Kans. Dodge City, Kans. Iola, Kans. Hemphis, Tenn. Nashville, Tenn. Birmingham, Ala. Mobile, Ala. New Orleans, La. Shreveport, La. Amarillo, Tex. El Paso, Tex. El Paso, Tex. El Paso, Tex. Fort Worth, Tex. Galvestom, Tex. San Antonio, Tex. Okiahoma City, Okia Little Rock, Ark. Harve, Mont. Cheyenne, Wyo. Sheridan, Wyo. Pueblo, Colo. Santa Fe, N. Mex. Phoenit, Aris. Modena, Utah. Sait Lake City, Utah. Winnenurces, Nev. Boise, Idaho. Sestile, Wash.	65. 3 59. 0	65. 0	63. 0 58. 9	61. 8 59. 8	61. 8 58. 8	62.6 57.2	73. 2 61. 6	66. 4 57. 5	64. 1 58. 6	68, 2 59, 8	70.3 60.8	62, 6 60. 6	66. 8 59. 9
Botse, Idaho	66. 5	66.9	64. 9 61. 4	66. 1 62. 6	64. 4	61.8	73. 1	66.4	65.0 62.1	70. 4 64. 4	73. 9 65. 5	65. 0 62. 5	69. 2 64. 8
Roseburg, Oreg Eureka, Calif	62, 5	61. 7 55. 3	61. 3	62.0 54.0	61. 4 52. 8	62.1 52.6	67. 1 67. 4 54. 3	60, 6 53, 6	62, 4 54, 3	64. 8 57. 2	67. 0 55. 6	63. 0 54. 3	65. 2 54. 1
Fresno, Calif	54. 3 75. 8 66. 4	72.0 64.4	52.8 73.6 64.8	75.0 66.7	73, 2 63, 6	77. 0 68. 6	82. 5 69. 8	75. 6 68. 7	74. 9 65. 8	76. 0 65. 6	76. 5 67. 7	69. 4 68. 6	77.4 68.9
Los Angeles, Calif	69. 4 63. 9	66. 5 62. 8	67. 1 63. 8	69. 8 64. 8	68. 0 61. 4	72. 6 63. 7	76. U 66. 8	59. 4 60. 2	70. 2 63. 6	71. 9 63. 1	71.0 64.3	65. 9 62. 3	71.0 65.5 59.8
San Francisco, Calif	58. 5	58, 2	56, 6	58. 9	57. 4	58. 6	59, 2	<i>57.</i> 8	60, 2	61. 4	60. 0	57.2	BM. 6

¹ Normals are based on records of 30 or more years of observations.

Table 780.—Temperature: Monthly normal 1 and mean temperature at selected ... points in the United States, 1913-1924.—Continued

	Nor-				July	7 mont	hly m	ean ten	nperat	ure			
Station	for July	1918	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
	•		۰	•	0	•		•	۰	۰	۰	•	۰
Greenville, Me. Boston, Mass. Buffalo, N. Y. Canton, N. Y. Trenton, N. J. Pittsburgh, Pa Seranton, Pa. Washington, D. C. Lynchburg, Va. Norfolk, Va. Parkersburg, W. Va. Charleston, S. C. Atlanta, Ga. Thomasville, Ga. Jacksouville, Fla. Cincinnati, Ohio. Cleveland, Ohio. Evansville, Ind. Indianapolis, Ind. Chicago, Ill. Peoria, Ill. Grand Rapids, Mich. Madison, Wis. Duluth, Minn. St. Paul, Minn. Des Moines, Iowa. Dubuque, Iowa. St. Louis, Mo. Byringfield, Mo. Bismarck, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake, N. Dak. Devils Lake	65 4 71 7	64. 4 73. 8	63. 4 68 6	63. 6 70. 1	67. 4 72. 8	66. 4 73. 3	66.0 71.0	66. 6 74. 0	63.6 72.4	70 6 78 2	64.6 72 0	62. 0 70. 0	65. 2 73. 8
Buffalo, N. Y	69 8	69. 2 68. 2	70.0	67.8	72. 6 74. 7 72. 5	69. 5	71 0 68.8	74. 0 70. 4	72. 4 66 1	78. 2 76. 2 76. 4	70 1	69 8 66. 2	73. 8 67. 6
Trenton, N. J.	74.5	75. 6	66. B 72. 0	67 2 73, 7	74. 9	70.0 75 1	73. 2	69. 1 75. 1	66 0 73 0	76 8 77. 6	68 7 73.4 73 9	73. 0 73. 8	67. 4 73 2 71 1
Pittsburgh, Pa	74.6	73 6 71. 6	74.0	72 0 70. 4	76 6 74. 2	73. 6 72. 7	73. 2 72. 0 70. 4 74. 4 72. 8 75. 0	75 4	70. 4 69 6	77. 6 76 0	73 9	70 8	71 1 69.8
Washington, D. O	76 8	77. 6	70 4 75. 9	76 1	77.8	76 6	74. 4	72 4 77. 2	75.0	79 3	71. 4 76 6	70 8 75 7 76 5 77. 0	75.0
Lynchburg, Va Norfolk, Va	77 5 78 7	78 6 78. 2	76 0 76 7	76 2 77. 4	76 4 77 4	76 4 77 2	72.8	77 2 77.8	74 8 76.4	78 8 79.8	76. 4 78 0	70 5	74.0 76.6
Parkersburg, W. Va.	75. 4	77. 0 80 4	76. 0 78 4	73 7 79.4	77 7 76 0	74 4 77 4	72 6 76.0	77 2 78 6	72.0 77.8	78. 6 79 5	75 3 78.8	74 7	72.6 77.0
Charleston, S. C	81. 4	82 6	81 0	82. 2	79 1	80 8	79 4	80 6	80 0	80 6	82 3	78. 6 80. 1	81.2
Atlanta, Ga	78 1 81 8	79. 6 82. 3	79 1 81 8	78 6 82 6	76 4 79 4	78 0 80 4	76 6 79 2	77 3 79 6	77 3 80 4	78 8 80. 0	77 8 80 9	77. 1 78 4	81. 2 78. 2 80 4
Jacksonville, Fla	82 1	82 3	82 0	81.8	80 4 80 8	81 0 81 0	1790	81 0 80 8	80 2 81 2	79 4 81 2	82 0 80 6	SO O	81 2 82 0
Cincinnati, Ohio	75 1	81. 3 80. 0	79 2	73 5	78. 7	74 0	80. 4 72 4	77 0	72 8	79 7	75 4	80. 7 75 6	72 4 69. 2
Cleveland, Ohio	71. 4 78 0	71. 8 81. 4	71 8 82 2	69 8 77 0	75 6 82 0	71 4 78 2	70.3 76 6	73 2 82.1	69 2 77 8	76 8 84 0	71.6 78.5	71 2 80 2	69. 2 75 6
Indianapolis, Ind	75. 7	77 9	82. 2 78. 5	73 0	80. 6	74 0	73. 0	78 6	73 4 71 5	81 1	174 R I	76 2 74 4	72.9
Peorla, Ill	75. 4	74 9 78. 5	75 0 78. 8	70 2 1 9	78 4 81. 0	72 2 75 0 71 6	73. 0 71. 2 72. 8 71. 6	77 0 78.4 75 7	73 6	81. 2 79 8 79 8	73 3 74 7 71 2	77 R	70. 2 71. 0 68. 9
Grand Rapids, Mich.	72 6	72. 8 63. 1	73, 8 66 4	60 4 60 2	78 8 70 4	71 6 64 6	71. 6 62. 9	75 7 68.4	68 9 62 2 69 1	79 8 72 4	71 2 63 0	73 4 65 0	61.8
Madison, Wis	72. 1	71 4	73 8	67 7	78 1	71 8	70 3	74 8	69 1	78 1 70 8	69 6	74 2	63.3 62.4
St. Paul. Minn	63. 9 72 1	60 4 69. 9	65 4 71 6	59 8 67 1	68 0 78 2	64 5 72 4	63 3 69 9	67 1 73 6	62. 8 70 2	76 7	63 6 68, 8	75 2	69. O
Des Moines, Iowa	75, 4	78. 2 75. 0	78 6 76 1	71 0 69 6	81 4 80 3	76 6	75 6 72.3 78 4	79 8 76 6	73 8	79 6 79 0	73. 0 71 0	78 2 76 8	71 9 70.0
St. Louis, Mo	78.6	80. 8 79 2	83 1	76 4	84 2	73 8 78 9	78 4 76 2	81 6	78 8	83 2 79 2	78 8	80 6	75 0
Springfield, Mo	76 8 69 8	79 2 67 6	78 8 73 3	74 0 62 6	80 6 75 0	76 5 73 2	76 2 68 0	78 6 73 3	76 0 71 0	79 2	76 4 67 9	77 2 73. 3	73 2 67 5 66 2
Devils Lake, N. Dak.	68 1	64 2	71. 8 78 7	62 4 67 5	72 9 80 1	70 0	63 2	70 0	67 2 73 1	70 0 77 3	65 7	73. 3 71 8 77 0	66 2 71 6
North Platte, Nebr	75. 3 72 9	74 8 74 4	76 0	69 4 1	80.0	78 2 76 2	63 2 73 2 74 7 77 2 78 2 78 5	77 2	74 8	76 8	72 7	75. 9	72 R
Omaha, Nebr	76. 7	79 8	79 4 82 1	71 3 73. 7	83 0 81, 2	79. 0 81. 1	77 2 78. 2	81 8 81 6	76 4 77 4 77 9	79. 6 79. 2	74. 0 75 4	75. 9 79 5 78 8	73. 2 75. 4 75. 1
Dodge City, Kans	78. 4	83 2 80 7	79 3	74 3	80 3	80 4	78 5 78. 9	79 6	77 9 77 7	78 4 80 8	75 4 77 2 77 6	79 3	75 1 74.8
Memphis, Tenn	78. 1 80 7	81 6 81.0	80 4 83 2	75 0 79 8 78 6	82 4 82 2	80 5 79 0 77 2	79 0	80 6 82 1	79 4	82 6	80.0	80 2 80. 2	79.8
Nashville, Tenn	79. 1	81. 5 80. 6	81 4 80 8	78 6 79 4	78 8 77 8	77 2 79 5	76 2 77 6	80 6 79 0	77 6 78, 8	82 0 81 8	78. 2 79. 5	78 5 78 5	76. 5 79. 8
Mobile, Ala	80. 7	81. 4	81 8	82 9	80 0	81 4	81 0	81 6	81 0	82. 2 83 1	81 0 82. 4	79 8 80. 2	82. 0 84. 0
Shreveport, La	83 2	81 6 83. 3	82 6 85. 5 77. 8	84 7 81 4 74 6	82 3 83 4	82 6 83 3	83 1 84 2 78 3	82 6 82 6	82 3 81. 5	82 8	81. 8 78 8	82.4	83. 8 75 4
Amarillo, Tex	76 8	78 7 81. 4	77. 8 85 0	74 6 85 0	79 0 83 4	79 4 84 2	78 3 85 6	76 2 83 5	78. 1 84, 9	74 8 83. 2	78 8	78. 3 83. 6	75 4 83.1
El Paso, Tex	81. 1	81. 5	78.0	81 1	81, 3	83. 9	81 0	79. 4	82 6	79.8	84 6 81. 9	82. 1 85. 2	81 0
Galveston, Tex	83. 4	85 1 83 2	86 6 83 0	81 9 83 0	84 8 82. 8	84 6 83 3	85 1 83 6	81. 4 82. 0	82. 8 82. 2	83 4 82. 2	85. 0 82. 2 84. 1	81. 8	83 6 82 7
San Antonio, Tex	83.8	84 5 81. 7	85 6 85 2 82 7	84 8 78. 2 80. 0	82 8 82 0	84. 8 82. 6	85 2 82 8	80. 7 81. 4	83 8 80, 0	83. 6 80. 3	84. 1 82.0	83. 6 84. 0	1 NZ 5
Little Rock, Ark	80, 9	81. 6	82 7	80.0	83 6	80 1	82 8 80 4	മവ	80. 4	82 2 69 8	82 0 80. 6	84. 0 80. 0	79. 2 79. 9
Havre, Mont	68 3	65. 3 61. 8	72.0 66 7	62. 4 60 0	68. 3 62. 7	73. 7 67. 4	68 0 64.7	71 8 67 0	72. 4 69. 6	65 0	67. 2 64. 6	71. 2 68. 0	68, 6 65, 6
Cheyenne, Wyo	66. 7	65. 2 64. 9	66 7 66. 6 70. 4	62. 3 61. 2	69. 1 70 8	67. 4 71. 2	65. 7 66 4	69. 8 72 6	65 8 68, 6	66 8 69. 9	65 5 66. 0	67. 5 72. 9	65. 8
Pueblo, Colo	74. 2	74. 7	73. 2	71. 1	76 1	76.0	738	76 0	74. 4 68. 7	74. 2 67. 1	74. 9 70. 2	75 0 69 . 7	74 2
Banta Fe, N. Mex	69. 0 89. 8	69. 6 86. 8	73. 2 67. 0 88. 8 69. 0	71. 1 67. 6 87. 3	68. 8 89. 0	71. 5 90. 0	69. 3 88. 3	67. 8 88 2	68, 7 90, 6	89. 2	70, 2 90, 6	69. 7 89. 2	74 2 67 8 90.2 70.4 77.5
Modena, Utah	70. 6	69. 8	69. 0	69.2	69. 2	74. 5	88. 3 68. 8	88 2 73 4 80.3	69. 8	71. 9	90. 6 72 1 76 6	72.0	70.4
Winnemucca, Nev	70.6	73. 5 69. 2	75. 2 72 0	75 2 69. 7	76. 8 69. 8	79. 0 75. 9	75. 6 70 4	74. 0	78. 6 70. 6	77. 4 72. 0	71.4	78. 8 72. 2 75. 4	72. L
Boise, Idaho	72.9	70. 2 63. 4	72 0 75. 2 64. 2 77. 2	70. 6	70. 8 61. 1	77. 4 63. 4	74. 4 63. 0	75 6 63. 0	76. 2 64. 2	74. 1 60. 8	75. 6 62. 9	75. 4. 64. 4	74.0 68.5
Walla Walla, Wash	74.0	73. 9	77. 2	73.0	69, 8	77. 2	75. 1	76 4	76. 5	73. 8	78 A	76.0	75.4
Portland, Oreg	56. 7 67. 4	67. 8 67. 5	69. 6	67. 2 67. 8	64. 2 64. 8	69. 0 71. 2	67. 8 67. 0	68. 0 69. 3	68.0 67.8	65. 7 66 9	68. 2 71. 0	67. 8 68. 6	67. 0 68. 8
Eureka, Calif.	55. 5	57. 2 80. 9	54.1	56. 8 80. 3	56. 4 79. 5	54. 8 86. 0	55. 4 79. 9	54 2 82, 9	56. 9 79. 4	53 8 83 9	55. 1 83 8	88. 2 79. 8	54. 6 80. 5
Los Angeles, Calif	70. 2	70. 5	80. 5 66. 8	70. 6	66.8	72 3	69. 9	71.0	71. 2	71. 8	69. 5	70.0	69. 4
Sacramento, Calif	73. 2	74. 4 68. 2	71. 0 65. 8	72. 8 67. 5	74. 2 65. 0	78. 6 68. 9	72. 2 68. 0	72. 8 68. 6	71. 6 67. 0	75. 8 68. 4 59. 8	75. 9 67. 7	78. 5	72.2 67.0 59.0
Con Bosses Calling	E0 #	60.6	57.0	60.2	60.0	59.8	58. 8	57. 0	57. 8	KQ Q	60.2	60. 8	KO N

¹ Normals are based on records of 30 or more years of observations.

Table 780.—Temperature: Monthly normal 1 and mean temperature at selected points in the United States, 1913-1924—Continued

CA - Al-	Nor- mal		· · · · · · · · · · · · · · · · · · ·		Augu	st mor	nthly n	nean te	mpera	ture			
Station	for Aug.	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
Greenville, Me	62. 5 69. 9	62. 2 70. 8	61 9 70. 4	61 4	65. 2	64. 7 72 8	62. 6	60 8	66 6	61 0	63. 2	59. 2	63. 6
Buffale, N. Y.	68 6 67. 8	68. 6 65. 8	68. 8 65 6	69 1 60 2 64. 5	71 8 71.6 69 2	68 2 67. 8	70 4 70 6 67. 0	68 8 66 9 65. 2	72 0 70 2 69 0	69 8 68 3 66 8	70 4 68 2 66 2	69 4 67 2 64. 5	71 8 67 8 65, 8
Trenton, N. J Pittsburgh, Pa	67. 8 73 0 72 9	72. 8 73. 2	74 4 73 2	70. 9 69 1 67 4	69 2 74 0 74 2	74. 8 72 2	75. 4 76 6	70 6 70 0	72. 4 71 6	66 8 70 2 70 2 67 8	71 0 70.8	71 6 71.0	73. 4 72. 2 69 3
Scranton, Pa Washington, D. C	69 2 75 0 75 6	70 6 74 2	70. 8 76. 4 76. 3	74 0	71 8 75 2	71 5 75 9	73 3 77.6 77.6	67 6 73 6 73. 9	70 8 74 8	67 8 72 8 74 5	68 7 73.1	68. 4 74. 4	74.8
Norfolk, Va	75 6 77 4 73. 9	75 1 75 9	78.2	74 2 78 0	75 3 76 9	75 4 77 8	79 6	76 6	73. 7 76 8	76 4	72 8 75 0	74.8	76.0 77.6
Charlotte, N. C.	73. 9 77 1	75 6 77 2	74. 9 77. 7	69 8 76 0	75 2 77.6	73 6 76.8	78 6 78.8	72 4 77 0	72 9 74. 9	72 4 76. 1	72.3 74.9	73. 0 78 4	74. 9 80. 0
Atlanta, Ga	81 0 77 0	80. 1 78. 6	81 3 76 8	82 0 77 2	81 8 78 0	80 2 75 4	82 2 78 8	81 0 76.4	80. 2 75 1	80 8 76 7	78. 1 75. 8	81 8 77 4	82. 2 80 4
Atlanta, Ga. Thomasville, Ga. Jacksonville, Fla.	81 7	80. 0 80. 8 81 6	81 0 82 0 81 6	82 2 82 8 82.6	81 0 81 6	80 4 81. 2 81 3	80 4 81 2 81 5	80 8 81 5 82 6	80.0 80.6	81 0 80 5	79 4 78.8	79 9 81 9	82. 6 82. 2
Cincinnati, Ohio	73 6	78 1 71 2	81 6 76 7 71 8	68 6 67 1	80 6 76 3 72 4	73 2 69 8	81 5 78 6 74 5	73 2	80 0 71 2 69 4	81 1 72 8 69 3	81 2 73 7 69 6	81 6 74.0 69 0	82. 9 74. 3 70 0
Evansville, Ind	77 4	80. 8 76 3	78 0 74 6	71 4 67 5	79 0 76 6	76 6 72 5	82 4 78 4	69 8 77 2 78 4	75 6 72 0	77 0 73 2	77 8	78 4 73 2	78. 2
Chicago, Ill.	72 8 72 5	74. 3 77. 8	74. 2 75 4	66 6	78 6 76 0	70 4 70 8	75 7 77 5	73 4 71 9	71 0 72 2	72 8 73 8	73 2 74 5	70 8 73 4	78. 2 73. 4 71. 0 72. 7 68. 0
Grand Rapids, Mich. Marquette, Mich.	70 0 63 8	72 5 64 2	71. 0 63. 0	67 2 65 2 60 4	72 8 66 7	68 6 60 4	74 1 63. 6	69 8 65 2	69 9 62 8	70. 6 64 2	71 2 64 8	68. 2 60 8	68 0 63 4
Madison, Wis Duluth, Minn	69 8 62. 6	70. 6 62 2 72 2	70 3 62 0	63. 8 61 6	72 8 65 1	67 0 59 8	72 6 64. 6	69 0 65 0	68 8 63 6	70 0 63 €	71 2 64 2	67 9 60.3	68. 2 61. 9
St. Paul, Minn Des Moines, Iowa	69 4 73 1	78 7	68 8 75 9	65 4 67 3	71 6 75 8	66 5 70 9	70 4 78 7	68 5 78 4	69 2 71 4	70 0 73 2	72 0 74 8	66 9 71 4	67 0 73. 6
St Louis, Mo	71 7	74 2 83 0	72 8 78 9 76 4	65 6 70 4	75 0 78 7	68 6 75 3	74 6 82 6	70 8 77 1 77 2	69 6 75 1	71 6 77 5	72 5 79 1	69 6 77. 9	70. 0 78. 2 77. 0
Jacksonville, Fla. Mauni, Fla. Cincinnat, Ohio. Cleveland, Ohio. Evansville, Ind Indianapolis, Ind Chicago, Ill Peoria, Ill Grand Rapids, Mich Marquette, Mich Marquette, Mich Marquette, Mich Marguette, Mich Marguette, Mich St. Paul, Minn Des Moines, Iowa St. Paul, Minn Des Moines, Iowa St. Louis, Mo Springfield, Mo Springfield, Mo Bismarck, N. Dak Pierre, S. Dak North Platte, Nebr. Omaha, Nebr	75 7 67 3	82 0 71 2	64 5	68 8 65 2	78 8 67 4	72 8 66 6	80 0 68 8	70 6	72 4 70 4	77 0 70 2	77 0 72 6	78 6 65 4	65.9
Pierre, S Dak.	72 8	67 6 76 8	63 2 71 9	64 6 68 0	65 6 71 6	64 4 71 0	65 2 74 2	67 0 75 1	68 4 70 8	65 5 74 0	70 0 76 6	62 0 60 8	63. 4 72. 4
Omaha, Nebr	70 8 74 4 76 5 77 7	77 3 82 4 85 0	74 0 77 0 79 3	68 2 68 4 70 1	74 0 76 5 78 7	69 4 71 8 72 8	74 0 80 8 82 5	73. 0 75 0 77 0	70 0 72 6 72 4	73 0 75 6	76 8 77 7 80. 6	70 2 72 9 76 2	74.6 76.0 79.5
Dodge City, Kans	76 3	82 4 84 4	77 1 78 4	70 0 70 0	78 6 80 9	73 6 74 1	80 6 83 8	79 4 78 4	72 4 74 0	78 9 77 8 78.4	80.0 79.4	77. 9 80 8	79. 0 78. 4
Memphis, Tenn	79 4	81 0 80 6	78 7 77 6	75 9 74 1	80 8 78 4	77 8 75 6	82 6 81 2	80 4 77 6	77 4 75 0	80 8 78 0	79 7 76 8	80 5 76 4	81. 6 79. 6
Birmingham, Ala Mobile, Ala	79 2 80. 5	80. 2 82 4	78 U 80 6	77 6 81 4	79 2 82 0	77 8 81 0	81.5	78 6 81 9	77 2 80 2	80 3 82 5	79 4 81. 1	78 4 80 6	82. 6 83. 8
New Orleans, La Shrevenort, La	82. 2 82. 0	82 8 82. 4	81 8 80 5	82 7 78 4	83 4 83 2	82 6 80 6	82.0	83 2 82 6	81 3 79 8	84 2 84 0	83 0 82 1	82 0 83 0	85. 8 86. 0
Amarillo, Tex Brownsville, Tex	75 7 88 9	80 0 83 4	75 6 85 1	71 4 86 0	76 6 82 6 77 8	74. 0 85 4	78 0 85 7	77 6 86 2	71.6 86 2	76 4 84 2	81 6 84 8	77 2 84 4	78. 2 85. 0
El Paso, Tex Fort Worth, Tex	79. 2 83 0	78 6 85 9	78 5 80 0	77 7	83 6	79 2 84 2	77 4 87 0	81 0 82 0	77 0 78 1	80 4 86 4	82 6 85 2	78 8 85 2	85. 0 82. 7 87. 0
San Antonio, Tex	83 0 83. 5	82 9 84. 0	82 2 82 6	81 3 82 5	83 0 82 0	83 5 85 6	82 7 85 1	83 4 82 2	82 4 82 9	83 6 85 2	83 1 85 8 84 4	82 4 84 2	85. 2 86. 0
Little Rock, Ark	79.7	84. 8 82 1 66. 9	79 6 78. 2	73 4 75 3 70 0	83 0 81 3	77 7 77 7 65 5	85 6 82 8 66 6	82 0 81 0 70 4	75 3 77 4 69 6	82. 9 81 4 69 0	84 4 81 5 70.0	83 6 81 5 65 0	83, 0 82, 8 64, 8
Kalispell, Mont	62.8	63 3 68 4	64. 4 63 1 65 4	69 1 61 0	64 9 61 6 63 8	63. 5 61 4	60 1 65.0	65 0 68 0	63 6	64 0 65. 6	65 8 69 0	64. 0 63. 7	61. 2 66. 4
Sheridan, Wyo	65. 4	68 0 75 2	65 1 72 6	65. 4 67 9	65 9 71 9	64.0	65 8	68 2 74 6	67. 0 69. 8	68. 0 72. 8	71 1 76. 5	70.8	64. 5 74. 6
Banta Fe, N Mex Phoenix, Ariz	67 4 88 5	68 6 86 7 68.8	66 8 89. 2	65 4 89 1	66 8 87 0	70 4 67 8 87 2	84.6	69. 0 88. 6	65 0 86 4	66 U 87. 1	70. 7 89. 4	65 8 87. 2	68. 0 89. 4
Modena, Utah	69 2 74 5	68.8 75.8	69 8 75 6	69. 7 78 0	65. 8 72 9	69. 4 73 9	66 5	71 3	69 0 73. 7	68. 4 74. 6	69. 6 76. 2	67. 2 73. 0	68. 8 75. 4 68 1
North Platte, Nebr. Omaha, Nebr Concor dia, Kans. Dodge Citv, Kans Iola, Knns. Memphis, Teun. Nashville, Tonn. Birningham, Ala. Mobile, Ali. New Orleans, Lo. Shreveport, La. Amarillo, Tex. Brownsville, Tex. El Paso, Tex. Fort Worth, Tex. Galvaston, Tex. San Antonio, Tex. Oklahoma City, Okla. Little Rock, Ark. Havro, Mont. Kalispell, Mont. Choyenne, Wyo. Sheridan, Wyo. Pueblo, Colo Santa Fe, N. Mex. Phoenix, Ariz. Modena, Utah. Sat Lake City, Utah. Winnemucca, Nev. Boise, Idaho. Beattle, Wash.	69.3	71.0 73 2	70 6 72 8	72.0 78.2	66. 4 70 4	71 0	65. 7 67. 3	71 2 74 4	68 6 72. 2	69 8 74 0	67 8 74. 4	67. 8	70.4
Seattle, Wash Walla Walla, Wash	63. 1 72. 7 66. 7		63 2 75, 2	66. 8 79. 3	63. 6 74. 0	65. 2	70 . 0	63 0 75 6	64. 4 73. 8	62 0 74.6	62. 7 74. 2 67. 2	73. 1 65. 7 75. 4	62. 4 72. 8
Walla Walla, Wash Walla Walla, Wash Portland, Oreg. Roseburg, Oreg. Eureka, Calif.	66. 7 68. 0	68. 6 68. 6	68 0 68, 6	71. 2 70. 7	68 0 68. 2	70 3 69 4	67. 4 67. 4	68. 6 69. 6	69. 3 70. 0	67. 0	66.6	70. 6 70. 0	66. 5 68. 0
Eureka, Calif	56.0 80 7	57. 8 83. 0	54. 6 80. 3	57 9 81. 9	56 0 78. 2	54. 0 81. 2	56. 6 79. 2	55. 9 81. 2	56. 1 81. 5	55. 8 79 9	56. 9 79. 1 73. 3	59. 7 79. 0	56.4 79.8
Los Angeles, Calif	71.1 72.9	71.9	68. 2 71. 2	72. 6 75. 0	68.6	70. 0 72. 6	71. 7 74. 0 69. 8	70. 2 72. 8 68. 4	72. 4 76. 0 70. 4	70. 6 72. 1 68. 2	72. 8 70. 7	69. 6 73. 5 67. 8	69. 1 72. 2 67. 0
Ban Diego, Calif San Francisco, Calif	68. 7 59. 1	68, 9 62 1	66. 2 58. 2	69 5 61.3	67. 0 58. 5	68. 6 57. 6	60. 9	58. 4	60.1	59. 6	60. 4	61.7	59, 1

⁴ Normals are based on records of 30 or more years of observations.

Table 780.—Temperature: Monthly normal 1 and mean temperature at selected points in the United States, 1913-1924—Continued

	Nor-			1	Septen	aber m	onthly	mean	tempe	rature			
Station	for Sept.	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
Greenville, Me	o 55, 0	o 53. 4	56.8	58. 4	56. 2	53. 4	52 2	o 53. 4	56 6	57 2	55, 4	o 56. 2	52. 5
Boston, Mass	63. 2	62.0	64.6	66. 8	65. 0	60. 2	61 2	63 9 63. 1	65 2	68 5 67.6	65 2 64 4	64. 2 62 9	62.2
Canton N V	50 3	60.8 56.4	61 6 57. 4	64. 6 61. 4	62. 0 60 1	59. 4 56. 6	56. 0 54. 4	58 8	64.3	63 2	61 2	59.4	55 9
Trenton, N. J.	66 9	65 2	65. 2	69 4 68 8	66. 1	62.0	62. 6	66.0	67. 2	70 6	67. 2	67. 6	63 1
Pittsburgh, Pa	66. 1	65. 0	63. 6	68 8	64 2	62 1	59 8	66. 4	66. 8	70 8 68.1	69 6	67. 4 64. 0	61 4 59 0
Washington D C	68 1	62. 4	60. 9 66. 0	65 8 71 0	62. 2 66. 6	59. 4 63. 8	58 6 64. 2	63 9 69. 4	63. 9 68. 8	74 4	60 6 69 9	69. 6	04.3
Lynchburg, Va	69 0	67. 4 67. 5	66 7	70 6	66 8	64.9	64.3	69 8	69 5	74 4 75 5	70.9	70.0	64 0
Norfolk, Va	71 6	70.8	69. 4	74. 2	70. 3	64. 2	69 1	72.6	73 9	77.8	73. 6	73 6	68.8
Parkersburg, W. Va	67. 3	66. 4 68. 6	65. 5 69. 2	69 4 73 2	64. 2 70. 0	67.6	61. 0 67. 0	68.6	68 8 72 7	72 8 79 2	70. 4 73. 5	68 1 73 7	62 8
Charleston, S. C.	76 8	75.0	74. 4	79 2	75. 1	73 4	73. 2	72 7 76. 3	77 8	81. 9	76 8	77 8	74.6
Atlanta, Ga	72. 4	70 4	71 4	74 9	71 4	70 0	68 2	74. 2	73 9	79 4	75. 3	74 6	68.2
Thomas ville, Ga	76 8	75, 6	75 3 77 2	80 3	76 0	75 2	74 0 75 8	77. 6 77. 4	78 8 78 8	82 2 81.6	78. 1 76. 8	78. 6 78. 6	75 6 77. 2
Miemi Flo	78 3	77 3 50 3	77 2 78. 8	79 8 81. 0	76. 8 79. 6	75 9 79. 2	79 5	80. 4	80 4	80 9	50.1	80 0	80.8
Cincinnati. Ohio	67 1	68. 4	68.4	6% 4	65 2	64 9	59 9	69 6	67 8	72 3	70. 6	66.3	62 5
Cleveland, Ohio	63 9	62. 6	62 6	67 O	63 8	1605	58 2	66. 4	65 8	69 0	67 0	64 7	60 4
Evansville, Ind	70. 7	66 0	69 6 66 4	72 6	69. 4 65. 4	70 4 65. 2	63 5 59 8	74 4	72 8 69 4	75 6 70 8	74. 6 71 2	70 8 67. 0	66, 2
Chicago, Ill	66 3	65. 4		65.1 6.2	64. 4	63. 7	59. 6		69 3	70.0	69 5	65. 1	60.3
Peoria, Ill	64. 3	66. 8	1 66 2	16.8	63. 6	63 7	58 2	68 2	68 5	70 0	69 6	05 4	60 4
Grand Rapids, Mich.	61.8	63. 2	62 6	64 4	61 4	60 3	56. 2	65. 3	65 9	67. 8	65. 2	63. 0	58.2
Marquette, Mich	67. 5	66 2 61. 2	58 2 62, 5	57. ti 62 6	55. 1 59 4	60. 0	49. 3 55 9	59 2 64. 2	60.8	62 2	61.6	56. 8 61. 7	53. 2 50 8
Dubith Minn	55 1	53 9	66 0	55 6	52 0	53 6	50 4	55 8	60 3	58 2	58. 2	55 4	62.7
St. Paul, Minn	61. 3	60 8	61.8	60 0	59 2	59 4	£4 6	63 9	65 0	63. 2	65 0	62 4	56.7
Des Moines, Iowa	65.6	65 9	65 8	65 6	64 3	64 0	60 2	68 9 66 1	68 0 66 4	69. 1	68 0 65 9	65 2 62 8	60. 5 58 2
St. Louis No.	70 1	63. 6 69 9	64 i 69 6	64 4 72 4	62 2 68 3	69 0	57 4 63 6	78 6	72 5	74 1	73 8	69 0	65 0
Springfield, Mo	68. 9	68 4	70 6	70 7	68 2	68 0	62.8	72. 6	70 0	74 3	72.7	69 2	63.8
Bismarck, N. Dak	58. 1	59 0	61.0	56, 0	56.8	57 6	53 9	61 0	60 3	£9 2	61 4	61 0	57. 2
Devils Lake, N. Dak.	55 6	56 4 65. 0	58 4 66.0	55 0 61 2	55 0 62. 2	55. 9 62. 6	50 4 58 9	57 1 66 4	59. 4 64 5	56 6 63 4	59 4 67, 6	58. 2 64 4	54.3 61.9
North Platte, Nebr	62.1	62. 8	65. 5	62.1	02. 8	63 6	58. 9	67 8	64 2	65 0	67. 8	63 8	60 5
Omaha, Nebr	66 8	67 5	68 2	66. 4	65 4	66. 2	62 4	70.8	68. 8	71 4	71.0	67.4	62 2
Concordia, Kans	68 3	68. 0	72 4	68.6	67. 2 67. 0	68 4	63 2	71 4 73. 1	69 7	73 8 73 0	73.0	69 6 69 6	64.4
Louge City, Kans	68 6	64 8	72.6 71.8	68 4 70 6	68 4	69 4 69 8	63 4 63 8	73. 0	69 4 71 0	75 0	72. 4 72. 8	71 9	65. 7
Memphis, Tenn	73 6	72 8	73.8	76 0	72. 0	72. 2	67 6	76 2	74 8	80 0	76. 3	73.8	69. 2
Nashville, Tenn	71 8	72 2	71 0	73 8	69 2	70 3 72.6	65 4	72. 8 75 9	72 2	78 0 81 6	74. 2 78. 8	71. 8 75. 8	67. 9 72. 1
Mobile Ale	74 8	72 8 76, 6	72. 5 76. 8	76.3 79.8	73. 6 77. 0	76.8	70. 0 74 3	78 6	76 5 79 9	82 2	79 4	79 6	76.3
New Orleans, Ala	79 2	78 0	78.8	81. 2	79 3	78. 2	76 9	80 2	81.5	83 4	8 08	81 2	79.4
Shieveport, La	76. 9	73.4	77. 2 72 8	77 6	76. 2	74. 1	72. 2 65 4	76. 4	78. 6 70. 8	81.7	78.8	75. 6	75.0
Amarillo, Tex	69 3	64 8 79 2	80. 9	68 8 82. 2	67. 8 80 0	69. 4 78. 8	80 8	71. 2 82. 3	70. 8 84. 4	73 5 83 0	73. 1 80. 7	69. 8 83. 0	67. 6 80. 2
El Paso, Tex	78.0	69. 2	74. 3	73. 6	73. 0	73. 8	73. 6	72.6	75 1	76. 5	75.6	73. 5	74.0
Fort Worth, Tex	76. 9	72. 9	77.4	77.1	77.4	75. 8	73 0	75 6	77. 9	81.9	79.4	78.5	74.8
Galveston, Tex	80, 1	76 8	80. 2	81. 2 79. 8	79. 4 78. 0	79. 4 79. 8	77 0 76 4	80. 0	81. 4 82. 1	82. 6 81. 7	80 2 79.6	79.8	80. 2 78. 4
Norfolk, Va. Parkersburg, W. Va. Charlotte, N. C. Charleston, S. C. Atlanta, Ga. Thomas ville, Ga. Jacksonville, Fla. Gincannati, Ohio. Cleveland, Ohio. Cleveland, Ohio. Evansville, Ind. Indianapolis, Ind. Chicago, Ill. Peoria, Ill. Peoria, Ill. Grand Rapids, Mich. Marquette, Mich. Marquette, Mich. Marquette, Mich. Madsson, Wis. Duluth, Minn. St. Paul, Minn. Des Moines, Iowa. Dubuque, Iowa. St. Louis, Mo. Sprirgfield, Mo. Bismarck, N. Dak. Devils Lake, N. Dak. Pierre, S. Dak. North Platte, Nebr. Omaha, Nebr. Concordia, Kans. Dodge City, Kans. Iola, Kans. Memphis, Tenn. Nashville, Tenn. Birmingham, Ala. Mobile, Ala. New Orleans, Ala. Shievesport, La. Annarillo, Tex. Brownsville, Tex. El Paso, Tex. San Antonio, Tex. Oklahoma City, Okla. Little Rock, Ark. Havre, Mont. Kalispell, Mont. Cheyenne, Wyo. Sheridan, Wyo. Pueblo, Colo. Santa Fe, N. Mex. Placestic, Idaho. Sant Lake City, Utah. Winnemuccs, New Bostet, Idaho.	72 H	75. 6 70 1	79. 6 75. 5	73.8	72.2	79. 8	1 70 4 1 68 0	77 8 74. 8	73.8	78. 0	77. 0	74. 0	70.1
Little Rock, Ark	74. 1	71. 7	74. 6	76 0	72.8	72. 5	69. 0	75 3	75, 2	79. 6	77.7	73. 2	1 09. 8
Havre, Mont	56 4	57. 0	56 8	51.8	55. 4	56. 6	65. 2	57 0	58 7	52 6	60. 8	57. 8	67.0
Kalispell, Mont	58 5 57 0	53. 4 54. 0	52. 6 58. 0	51. 4 54. 6	58 0 55. 8	56 8 59. 6	56 8 53. 1	54 0 59.0	54 2 57. 1	48. 8 58. 4	57. 8 60. 8	57. 0 55. 8	53.8 54.6
Sheridan Wyo	58.3	55.8	57. 2	52.8	55 2	57. 9	85 0	69. 6	57. 5	55.0	60 8	56.6	1 64. 5
Pueblo, Colo	64. 6	61. 0	57. 2 66. 8	64. 2	63. 2	65. 5	60.8	67. 5	64. 2	66. 7	68. 3	63. 0	168. 4
Senta Fe, N. Mex	80. 9	57. 2	68.0	59. 6	60.8	62.6	60. 4	61. 4	60. 4	63. 5	68.8	58.6	60.4
Modern liteb	62. 7 60 A	81. 7 59. 7	84. 5 60. 6	79. 9 58. 8	80. 9 60. 4	83. 2 60. 3	82 4 60.8	81, 5 61, 2	80. 4 59. 0	82. 6 60. 2	85. 0 65. 1	80. 2 58. 2	65. 6 60. 6
Salt Lake City, Utah	64. 4	63. 5	64. 4	62. 4	65. 3	66. 4	66. 6	66. 8	64 7	62. 6	69. 2	64.2	64. 4
Winnemucca, Nev	59. 2	61. 8	57.8	57.1	59. 1	61. 4	61. 6	50, 4	60 0	57. 4	62. 4	60. 4	68.
Mouse, ideho	61. 9	62, 2 58, 8	61. 4 56. 7	60. 4 59. 1	62 5 58.8	66 0 58.9	65. 2 62. 2	62. 2	63. 2 57. 8	57. 6 57. 0	66. 0 59. 8	65. 7 60. 8	83. 8 89. 8
Walla Walla. Wash	68.8	64.8	61.6	63. 4	64. 2	66.8	68.8	59. 6 63. 0	63.4	59 6	68.4	67. 1	165. 2
Portland, Oreg	61.7	62. 3	59. 4	62.4	62. 8	63. 1	67. 4	62. 8	61. 2	60. 5	63. 8	84. 5	63.4
Roseburg, Oreg	62.9	62 0	1 60. 1	61.7	62.6	63. 5	66. 8	61.0	61.2	60.5	65. 1	64. 3	1 62.4
Brosno Calif	72 4	56. 9 76. 6	55. 0 71. 6	54. 5 78. 0	55. 8 78. 2	56. 4 75. 4	56. 6 72. 5	56. 5 78. 2	57. 2 72. 2	55. 4 72. 8	56.0	87. 2 76. 4	54. S
Les Angeles, Calif	60.0	78.6	67. 9	68.0	65. 2	70.8	72.2	€8, 3	68. 4	69. 8	79. 1 73. 1	70. 4	75. 2 70. 0
Secremente, Calif	60. 8	78. 0	67. 5	68. 0	70.2	714	67. 4 79. 8	69. 7	67. 5	70.6	75.6	72.7	J 70. S
Boise, Idaho. Seattle, Wash. Walla Walla, Wash. Portland, Oreg. Bureka, Calif. Freane, Calif. Les Angeles, Calif. Secramente, Calif. San Diego, Calif. San Francisco, Calif.	67 1	70 8 64. 6	66.9	66.4	64.4	68. 2 64. 9	79. 8	62.0	66. 2 60. 4	66, 8 62, 8	70.0 62.3	68. 2	60.4
week a team mon, Chill	OU. 9	UE. 0	QU. 8	ON. 4	04.3	02. 0	OE, 2	OK U.	00.4	00.0	00. 8	02.0	92.

¹ Normals are based on records of 30 or more years of observations.

Table 780.—Temperature: Monthly normal 1 and mean temperature at selected points in the United States, 1913-1924—Continued

Station	Nor- mal				Octob	er 11101	nthly 1	nean t	emp e r	ature			
Station	for Oct.	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
kreenville, Me	0 45 A	o 49. 6	46 6	6 46 7	。 45 7	。 42.1	45 4	43.0	50, 4	6 45. 4	6 43. 0	47. 0	46. 8
reenville, Me Joston, Mass Juffalo, N. Y Anton, N. Y Anton, N. Y Trenton, N. J Pittsburgh, Pa Granton, Pa. Vashington, D. C Jynchburg, Va Varketburg, W. Va Parketburg, W. Va Harlotte, N. C Charleston, S. C Libarta, Ga Chomasville, Ga acksonville, Fla Ilami, Fla	53. 6	56 4	57 0	55.7	55 5	51. 9	56. 2	55. 1	59. 8	55. 2	55.1	55 5	54.6
Buffalo, N. Y	51. 9	53. 4	55. 2	52 8	52. 6	45 5	53. 4	55 2	57. 2	52 2	51. 9	50 3	52.
anton, N. Y	47. 2	50 8	50. 4	50 4	48. 2	42.8	48.0	47 5	1 52. 8	47. 8	46 8	46 6	47. 2
renton, N. J	55 8	58 2	59 0	56 6	56. 1	51 6	58 1	58 5	59 6	55 0	57.7	54. 8	56. 2
ittsburgh, Pa	55. 7	55 4	58 4	56. 2	54 8	48. 9	58. 2	60.6	59 6	54 0	56 4	52.3	56 4
crapton, Pa	52. 2	55 8	55 8	53 4	52. 2	47. 4	55. 4	55 6	57 5	52 6	04 3	51.6	51.4
vasnington, D. C	br. 4	55 8 59 7	60 2 60 9	58 6 60 6	56 6 57 7	52 0 53 0	61 0	63 2 65, 4	60.8	57 0 57 6	59 4 60 6	56. 1	57.
ioriolk Ve	69.5	62 2	63 9	64 4	63 0	58 2	65 2	70 0	64 6	62 0	613	56 6 61 0	58. 62.
arkersburg, W. Va	56. 1	55 8	59. 2	57. 8	55 3	50 0	59 2	63 4	59 8	55 7	57 6	54 4	57
harlotte, N. C	61 7	61 0	62 2	64. 4	61. 0	57 0	61 0	69 9	62 7	60 8	62 8	61 3	60
harleston, S. C	67.8	66 1	68 4	70.8	67 4	63 7	70 7	76 8	67.5	66. 6	68. 7	66. 4	65.
tlanta, Ga	63 0	60 0	62 4	65 3	62.3	56 6	65 8	70 8	64 7	61 0	63 2	62 1	63.
homasville, Gaacksonville, Fla incinnati, Ohio leveland, Ohio leveland, Ohio leveland, Ohio leveland, Ohio leveland, Ohio leveland, Ohio leveland, Ohio leveland, Ohio leveland, Ohio leveland, Ohio leveland, Ohio leveland, Ohio leveland, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone, Ill cone,	68 2	65 0	68 2	70 6	68 9	61 4	73 0	78 5	67 1	67 0	69 7	67. 0	66.
Keksonville, Fla	71 1	69 2 75 2	71 5	73. 4	69 5	67 0	71 5	75.6	68 8	69 2	72 6	6n 8	68.
drammet. Obio	11.0	$\begin{array}{cccc} 75 & 2 \\ 57 & 2 \end{array}$	76 0 60 5	73 9 58 0	77 2 54 9	77 4 48 0	78.9 59.0	80 1 61 8	75 2 60. 2	77 2 55 2	75 0	75. 8	76.
Payoland Ohio	5 t B	53 9	56 8	55 4	52 7	46, 5	56 0	58 8	59 5	53 6	57. 9 55 4	53 8 52 2	59.
vansville, Ind	59 4	57 6	60 8	61 8	60 0	51.5	62 4	64. 2	64 2	58 6	62.4	57 6	65
idianapolis, Ind	55, 7	57 0	5× 4	57 G	56. 1	40. 9	58 3	60 4	61.6	54 9	50. L	53 1	61 (
hicago, Ill	55 1	53 3	59.4	56 4	54. 4	45 0	57 4	57 2	61 9	51 8	57 6	52 5	59.1
corn, Ill	52 U	52 0	57 2	5 5 0	54 2	44 2	56 2	55 8	60.2	55 6	58 0	50 4	59.1 59
rand Rapids, Mich	50 1	51.8	56 5	52. 8	51 1	42 9	53. 8	54 6	54.8	52 0	53 0	49 6	56 4
larquette, Mich	46 7	4(- 4	52 9	47 5	45 6	38 5	47.8	45 0	56 0	47 6	46 6	46 4	53
ladison, Wis	60 3	49 3 40.7	55. 4 49 2	51. 8 44. 8	49, 2 42 0	40 0 33 8	52 9 45 4	50 2 39 1	57 4	50 8	53 9 46 0	48 2 44 4	56.
Pani Alum	49 E	45 8	55 4	50 6	46 4	38 3	50. 2	44 2	51 8 55 6	45 6 50 6	46 0 52 3	44 4	55.
les Mones Laws	53 4	51 2	57 4	56 8	53 2	41 7	56. 6	52 1	60 2	56 5	57 4	50. 0	59
Dibinine. Iowa	51 9	49 8	56 7	54 0	51 6	41 9	51 0	52 0	58 6	52 9	55 4	48 4	57.
Louis, Mo	58 4	56 2	60 8	61.7	59 2	51 1	62 3	60 8	61 0	59 6	62 2	54 9	64.
pringfield, Mo	58 2	55 0	58.8	60. 4	59 4	50 5	61 6	59 9	61. 3	58.8	61 0	53.8	63.7
ismarck, N. Dak	44 9	41.1	51 0	48 6	41.8	36 4	47 3	34.6	50.6	48 9	47 6	45 6	53. 0
evils Lake, N. Dak	40 5	37 9	50 8	45 4	38. 4	32 4	44 4	31.8	48.9	46 4	44 7	428	50.
ierie, S. Dak	49 8	46, 0	51.0	53 8	47. 8	42 9	53 4	40.8	55 2	53 0	52 2	49 3	57. 1
ion in Platte, Nebr	40 7	46 9 50 9	53 4 57 8	51 6 58.2	49 1 53. 8	45 1 46 6	54 4 57 7	45. 3 50. 6	55 3 61, 0	54 9 58 6	58. 6 59 6	47. 1 51 8	56.8
oneordia Kane	55.0	53 4	57 8 58 6	58 4	56. 1	49 0	59 6	52 1	60.8	59 4	59 8	51.6	61. 4
bodgo City Kang	56 1	52. 8	57 8	58 0	56. 2	50 2	59 8	53 3	59 8	59 6	59 0	51.0	59. 6
ola. Kans	56. 9	54 6	58 9	59 4	58. 9	50. 6	61 6	57. 4	61 9	60 0	60 4	54 4	62. 4
lemphis, Tenn.	63 3	60 6	63 3	65 6	64. 0	56 6	66 6	63 U	66 5	62 9	65. 3	60.8	67.
lashville, Tenn	61.0	58 8	61 9	63 0	8 (18	53 2	64 Ú	68. 2	62 6	58.5	62 4	59 2	63. 6
armingham, Ala	64. 8	60. 4	63 8	66 9	65. 6	57 9	68 2	74. 5	66 4	62 8	65 8	63. 6	66. (
Jobile, Ala	69. 4	65 5	08 8	70 9	68. 8	63. 7	73. 8	77. 5	68 8	68 0	68. 7	67 5 70 2	68.4
ew Orleans, La	71.0	68. 0	70 3 66 8	73 4 67 9	71 6	66 4	74. 6 68 8	79. 5 71 4	71 4 66 9	71 2 66 8	71 6 67. 0	70 2 64. 5	72. 0 69. (
merella Tor	57 7	63. 6 55 2	58 0	59.0	67. 4 57. 2	61.6 55 7	60.0	57. 8	60 7	62 8	60 4	52. 1	60.0
rownsville Toy	74 9	73. 8	75. 1	75. 2	74 8	73 2	77 4	80. 2	75.8	75 8	73. 7	73. 8	71.8
1 Paso. Tex	63 5	63 6	63.5	63 9	64. 7	64. 6	64 6	65 1	63 2	66 5	64 0	63.1	66. 8
ort Worth, Tex	66. 7	62 6	66 2 71 7	67. 6	68. 1	64. 0	69 0	68. 4	67. 6	67. 9	67 6	62. 5	69.4
alveston, Tex	72.7	69. 6	717	74. 2	72. 5	68, 6	72 7	77.6	72.3	72 2	71 0	71.1	73. 7
an Antonio, Tex	70. 5	67 0	70. 2	72. 2	70 9	68.6	71 6	73. 8	71.0	70. 4	71.4	68. 0	72.6
klahoma City, Okla.	61. 5	1 57 1k	61. 6	62 8	62 4	57. 3	65. 2	59. 7	63. 9	64. 0	63. 3	56. 5	66. 8
ittle Rock, Ark	63 6	60. 6	63. 2	65 4	63.3	57 9	66. 5	66.6	65 4	62 9	65 2	60. 8	67.4
avre, Mont	44. 5	40 8	46 2	49. 2 46. 2	39. 9 40. 5	41 8 43 5	48. 9 47 0	34. 4 86. 4	46. 7 12. 4	50 B	47 9 47 6	44 2 44.0	49.0
alispell, Mont	43. 5	39. 4 41. 5	43. 2 47. 6	48 0	42. 9	43 3	48. 2	40. 5	46.0	50. 8	47. 5	38. 7	47. 6
hevenue, wyo	49 7	40.6	46.6	48.4	39 6	41 0	48.5	35. 7	44.5	49 2	47. 3	41.0	47. 8
mebla Colo	59 A	49. 3	53. 6	54 O	51. 6	49. 9	55.8	49. 9	53. 2	56 5	54 2	47. 6	55. 1
anta Fa. N. Mex	50 4	47 8	49 4	52. 0	50. 8	51. 9	52 0	47. 1	48 8	53 0	51.4	45.8	51.5
boenix, Ariz	50 4 70. 6	69. 6	71. 2	73 8	66. 2	72.7	52 0 71. 8	66. 7	67. 0	73 8	71.6	67. 8	71.2
Iodena, Utah	48.0	46, 5	49. 9	50. G	45 0	51. 1	51. 1	42. 2	44.3	54.0	49. 5	44.8	45, 5
alt Lake City, Utah.	52. 5	50. 4	55. 8	50.3	49.8	54. 2	55. 0	44. 6	49. 4	58.6	55. 9	48.7	52.4
hoenix, Ariz	48. 3	47. 4	50. 2	50. 2	44. 9	51. 7	51.6	42.0	44, 6	51.9	49.0	46.6	47. 0 52. 6
		48, 0	54. 4	54. 4	48.7	53. 2 52. 5	53. 6 53. 4	44. 9 48. 5	48. 4 50. 1	55. 6 53. 2	56 2 53. 5	50. 2 54. 6	52.6
estile, Wash	51 4	50. 1	54. 6	53. 7	49. 1 52. 4	56. 6	57. U	48. 5 50. 2	52.0	57. 0	56. 5	K9 7	55.
THUR WALLS, WASh	53. 5	51. 4 53. 2	54. 4 57 4	56. 8 55 8	53. 2	50. 0 57. 3	56. 4	50. 2 50. 9	53. 1	57.0	55. 4	57. 1	54. 0
munu, Oreg	89. Z	53. 4	86.3	54.6	50 9	54. 9	56. 4	49. 4	52. 2	57 1	56. 2	54. 2	53.8
preks Calif	85 S	53. 2	54. 8	52. 3	50. 2	51. 6	54. 2	50.6	54. 6	54 . 5	54. 8	54.4	64. 6
resno. Calif	84 0	66.7	64. 6	67. 4	59. 8	69. 3	66 7	62.0	60. 0	66 6	64. 2	64. 0	61. 9
OR Angeles Calif	65 3	67. 9	68. 6	65. 2	59. 7	68. 2	71.0	63.8	63. 2	66. 7	65. 4	66.8	62.6
		1 22 2			58. 2	68 0	64. 2	60.6	58.6	64. 0	61.9	63.1	59.1
Moramento, Calif.	62. 9	65. 2	62 2	65. 2			94. 0						00.0
ertiand, Oreg	62. 9 63. 7 60. 5	65. 2 65. 5 61. 5	66. 0 62. 0	62. 8 61. 3	59. 3 56. 9	04. 6 62. 3	68. 1	62. 0 60. 7	61. 4 60. 2	64. 6 61. 5	64. 0	84. 4 62. 4	60. 8 50. 4

¹Normals are based on records of 39 or more years of observations.

Table 780.—Temperature: Monthly normal 1 and mean temperature at selected points in the United States, 1913-1924—Continued

station ireenville, Me Joston, Mass. unfalo, N. Y. anton, N. Y. renton, N. J. itisburgh, Pa cranton, Pa vashington, D. C. ynchburg, Va orfolk, Va arkersburg, W. Va higrlotte, N. C. tharleston, S. C. tharleston, S. C. tharleston, S. C. tharleston, S. C. tharleston, S. C. tharleston, B. C. tharleston, B. C. tharleston, B. C. tharleston, B. C. tharleston, B. C. tharleston, B. C. tharleston, B. C. tharleston, B. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston, M. C. tharleston	mal for Nov.		1										
reenville, Me	1	1918	1914	1915	1916	1917	1918	1919	1920	1921	1922	1928	1924
reenville, Me													
	80.7	84. 0	28.4	32.6	29. 2	27. 2	32.6	30. 6	28. 4	27. 2	31. 2	34. 8	38. 0
Boston, Mass	42.0	46 5	42.7	45. 4	42.6	39. 4	45.0	42.8	41.7	41.6	43.8	44.6	44.
luffalo, N. Y	39. 4	43. 4	40. 0 34. 6	42. 4 37 7	89. 2 33. 8	35. 0 28. 0	43. 0 87. 4	38. 4 34. 2	38. 4 32. 0	37. 6 30. 8	42. 0 37. 0	40, 2 36, 8	39. 8 36. 2
renton, N. J.	44 4	46. 2	43. 5	44 5	43, 7	40 6	44.8	43. 8	43. 2	44. 6	45. 0	44. 0	44. 1
ittsburgh, Pa	43. 2	45. 1	42.9	45. 2	44. 5	39.8	43.8	42.6	42.2	44. 6	45. 3	43. 2	42.8
cranton, Pa	40 6	44. 9	40. 2 45. 4	42. 1 46. 2	40. 8 46. 3	36. 8 42 8	42. 4 46. 3	41. 0 46. 8	40 2 45 9	41. 2	42 4 47 9	41, 4 45, 1	40 9 46. 0
vnchburg. Va	47 2	49. 9	46.6	48.1	48. 4	45 2	46, 8	48. 2	46 4	50. 6	48, 4	46, 1	47. 7
lorfolk, Va	51. 4	52. 5	51.0	52.4	52.4	47. 8	52.0	53.0	52. 6	55 8	51.8	50.6	51 E
arkersburg, W. Va	43 8 50 R	46. 5 51. 8	45 4 50, 5	47. 0 53. 3	45, 5 53. 0	40. 6 49. 2	44. 2 50. 7	44. 8 52. 9	43. 0 49 4	47. 2 51. 0	46 0 51 6	44. 0 49. 0	44 6 52 2
harleston, S. C	58.1	57. 0	57.0	61.4	59. 2	54. 4	56. 6	62. 2	57 4	62. 0	60 1	55. 0	58.8
tlanta, Ga	52. 1	54 8	52, 4	54, 2 61 7	52, 4	51.3	51 6	51. 7	50 2	54 7	52.9	49.8	54 €
homasville, Ga	58. 5	59. 8 63 2	58. 1 61. 6	61 7	59. 8 63. 1	55. 9 58. 0	57.8 60 4	64 2 66.6	56 8 61. 6	63, 8 65, 8	62 2	56, 4 59, 6	60 2 62 4
fiami. Fla	72. 0	71. 4	70. 6	73 2	719	67. 0	72. 2	73. 4	72. 2	73. 5	64 8 73 1	68, 4	71 (
incinnati, Ohio	42 5	49. 6	46, 7	46. 6	45 4	41.4	43 4	42 2	42 3	45. 8	46 4	43.8	43 6
leveland, Ohio	40.9	44. 6 52. 0	41.8 49.2	43. 9 50. 4	42 3 49. 5	38 2 46 8	43 2 47 2	41.1 46.3	41 2 44.7	42 0 49 7	44. 2 49 3	42. 0 47. 6	41.
idianapolis, lud	42 3	47 6 47. 2	44, 3	45 5	45.0	43. 0	43 2	41 6	41. 5	44 5	45 4	44. 2	42. (
hicago, Ill	41. 2	47. 2	44. 4	44	43. 2	43.0	48. 5	39. 2	40 2	40 8	44 6	43 8	41. 4
eoria, Ill	37. 5	47 2 43.8	43. 4 39. 6	.43. 8	42, 4 39, 8	41 8 38. 2	41 9	37 9 37. 2	38 6 38 2	39 9 36 7	43 2 42 4	42 2	41. 2 39. 7
rand Rapids, Mich. Isronette. Mich	33 3	38. 7	33. 7	41. 6 35. 6	32. 4	35 4	42 2 37. 4 39 4	30 0	33 8	29 9	37 6	38, 2	33. 8
fadison, Wis	35. 2	41 9	38. 2	38 8	35 8			32. 6	34 2	31. 9	41 0	38, 9	36 (
uluth, Minn	30. 0	35. 6	29. 8 36 0	29. 8 35. 3	29. 2	34 4 38, 2	33.6	21.6 26 6	28. 4 32 6	23 2 27 0	34 2 34.8	35. 8	27. 2 32 2
i. Paul, Minn.	32.5	40.0 46.6	30 U 43, 2		33. 8 39. 7	38. 2 43 0	37. 3 41 6	26 6 35. 8	37 6	35.8	34, 8 44 ()	38. 3 42. 3	40
ubuque. Iowa	37. 0	44. 2	40 6	42.6 41.2	37. 6	40.2	41. 2	34. 6	35 6	34. 2	42.7	40.0	38 4
. Louis, Mo	45 1	52.4	50 3	50. 9	49. 2	47. 7	46. 2	44.8	43 7	47 3	45 8	47. 9	47.
pringfield, Mo	45.7	53. 0 35. 2	50 6 34, 6	50 7 32.6	48 3 30. 6	47. 4 40. 2	45 3 31 4	44. 4 18. 2	41. 6 29. 6	48 4 22 6	48. i 33. 2	47. 0 38. 8	48 8 30 8
evils Lake, N. Dak	22.6	32.6	29 0	26.3	26.8	35 6	27 1	12.8	27. 2	18. 6	31 8	35, 6	23. 8
lerre, S. Dak	33. 6	40 6	41 3	38. 2	35 4	43. 4	36 2	25. 3	32 2	29 4	36 7	42 6	37 1
orth Platte, Nebr	36, 6	42.6	43 7	41.2	35 8 40. 6	45. 5	36. 8	25 2 36 0	34 6	38.0	38 8 44 2	42, 5 43, 8	39. (42. (
oncordia. Kans	41 4	46. 4 48. 7	45. 4 47. 5	43. 9 47 0	42.8	45. 8 47 3	41. 6 42. 9	38 2	37 2 38 2	36. 9 41 1	44 8	44. 9	44 8
odge City, Kans	42 6	48.0	48. 4	47.4	42.0	48 6	41 7	38. 7	39 4	43 6	45 5	45. 2	45 (
la, Kans	43. 0	52. 4 57. 6	49 5 53. 6	49. 8 55. 9	46. 8 54 0	47 5 51 8	45. 6 51. 0	43 0 52.1	41 6 48 7	45 6 55 8	17 8 51 8	47. 2 52. 6	47 4 58 1
ashville, Tenn	49.0	53. 8	49. 6	52.8	50. 2	47. 9	48. 0	49. 7	46 7	52 4	51 3 56 4 62 8	48. 9	50 (
irmingham, Ala	53 9	57. 8	53. 0	56. 1	54. 9	51.8	52.4	56 0	50, 8	57. 6	56 4	52.0	55.1
obile, Ala	59. 0	61. 4 64. 8	59. 0 61. 2	61 8	60 0 62.6	56. 6 59. 0	59. 0 61 7	63 8 66. 4	56 2		62 8 66. 6	57. 2 59. 9	61.6
reverort. La	56.0	62. 7	56. 8	66. 2 59. 3	56 4	55, 1	54. 1	57 8	55. 2 52 2	66. 6 62. 6	58 3	55. 6	59.
narillo, Tex	45 5	50. 3	50.4	49. 5	44.4	50, 8	42 6	42.6	42 8	51. 0	47 2 67. 6	45. 4	50. 8
rownsville, Tex	67 2	71 7 54.8	67. 2	70. 2 52. 8	66, 5	68 7 55 4	65 8 49, 1	70. 5	64. 5	71 8	67. 6 50 1	63. 8	72.2
ort Worth Tox	55 5	62. 4	54. 7 57. 1	60.1	51. 2 55. 4	57 4	53. 6	52. 4 53. 6	51. 6 51 9	54 4 61 6	57 5	51. 2 56. 0	56. 59.
alveston, Tex	63. 3	66. 4	63. 1	67.0	62, 9	62. 6	60 9	65, 4	59 2 57 4	67 7	65 6	60, 0	67 4
n Antonio, Tex	60.3	66. 2	61. 2 53. 6	63. 8	59. 0	63. 4 52. 4	57 4 48. 2	60.8	57 4 45 2	65. 6	61 9 51, 3	58. 7 50. 2	66. 52.
kianoma City, Okia. Itile Rock. Ark	48. 8 52. 1	55. 8 58. 2	54. 2	53. 8 55. 5	49. 7 53. 5	52. 4 52. 9	51.0	45. 4 52. 8	48.4	51. 5 55. 8	54. 2	52. 6	54.
avre, Mont	31. 2	34. 7	36. 7 36. 4	32.4	81. 5	41.0	29. 9	21, 2	83. 6	25, 8	30, 8	37.8	29. (
alispell, Mont	32.4	85. 4	36.4	82. 2	28.0	86, 2	32.8	26. 7	32. 6	30. 3	30. 0	33. 7	31.
neyenne, Wyo	32.8	39. 1 36. 8	41. 4 86. 6	37. 0 32. 6	31. 2 28. 9	40. 8 41. 8	30. 9 29. 4	30. 6 24. 4	31. 8 28. 3	38. 6 29 6	31 4 32.8	37. 4 38. 4	38. I
zeblo. Colo	39. 4	42.8	43. 5	42.8	38. 3	44. 8	30. 3	36. 8	37. 8	42.8	37. 6	41. 3	48.0
nta Fe, N. Mex	38. 9	42.4	43.0	39.8	38. 9	45, 1	35. 0	38 6	37. 7	43. 0	35. 8	38. 8	41.
hoenix, Ariz	50.7	61. 6 39. 2	63. 9 38. 4	59. 2 38. 0	55. 8	60 9 39. 0	57. 2 33 9	57. 0	58. 6	60. 9	55. 0	59. 1 80. 0	86. 7
it Lake City. Utah	41.1	44.0	43. 4	43. 6	33. 6 36. 2	44.0	38.8	34 8 38 4	36. 1 40. 4	41 7 45.9	34. 2 38. 0	43. 2	40.
innemucca, Nev	38. 4	39. 0	37. 8	37. 2 39. 5	83. 0	41. 9	34. 2	36.0	37. 6	41.0	83, 6	89. 7	87.1
oise, Idaho	41.0	43. 5	41.8	39. 5	36. 5	44. 4	39. 6	87. 0	40.8	44. 7	37 0	42.6	40.
alla Walla Wash	42.8	46. 2 46. 0	47. 2 44. 6	43. 7 42. 7	43. 0 86. 5	49. 6 46. 6	45. 8 42. 7	44. 9 40. 5	47. 0 41. 8	45. 4 43. 9	43. 6 86. 9	47. 4 44. 8	44. 89.
rtland, Oreg	46.8	47. 5	47. 0	45. 4	48.7	50. 6	46.6	45.0	46.8	48.8	43. 6	50.4	45. 6
seburg, Oreg	45.9	47.4	46.8	47 4	42.8	49.0	45.8	44.8	45.6	49.8	44. 3	49. 2	46.
areka, Calif	OL 1	50. 8 55. 2	50. 8 57. 4	49. 8 53. 8	47. 5 51. 2	52.8	50. 0 52. 8	48. 2 53. 0	51. 2 54. 0	52. 0 57. 0	48. 2 51. 0	53. 6 58. 2	51. 6 55. 1
8 Angeles, Calif.	60.9	61. 8	67. 0	61. 8	59. 4	56. 7° 63. 7	60.8	61. 5	60, 1	68 2	59.81	66. 4	64
cramento, Calif	53. 6	53. 6	55. 6	58.0	50. 5	55. 2	50.6	52.4	51.0	54. 8	49.8	58. 5	64. 51.
n Diege, Calif	59.7	60. 8 55. 2	64. 4 59. 0	59. 6 56. 1	56. 5 54. 4	60, 8 88, 7	59. 8 55. 6	58. 6 56. 0	58, 2 55, 4	69, 4 57, 8	58. 0 54. 8	64. 0 60. 8	80. 86.

¹ Normals are based upon records of 30 or more years of observations.

Table 780.—Temperature: Monthly normal and mean temperature at selected points in the United States, 1913-1924—Continued

po	Nor-	in the	Uni				onthly						
Station .	mal for Dec.	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
					1310	1011	1010	1510	1020	1021	1622	1920	1924
	•	۰	•	•	•	•	•	•	•	•	•	•	
Boston, Mass	18 0 32 5	22. 2 37 8	15 8 30 4	22. 0 34. 2	17 8 32.6	7 8 23 7	20 6 34.7	11. 4 28 7	20. 2 35 6	16. 4 31. 4	15 1 30 9	26. 8 40. 4	14.2
Buffalo, N. Y	29 8	33 6 27 0	26 0 20 6	27. 8 23 1	28 4 18 6	23 7 20 8 8 6	35 0 24 0	28 7 23. 3	32 7	29. 9 21. 8	28 9 21 4	37. 6	31. 2 25 2 17 4
Trenton, N. J.	34. 4	38 3	30 6	32.4	32 2	24 7	38. 4	17 2 28 9	37 4	33 0	32 9	37. 6 31. 7 42. 0 43 0	84 8
Scranton, Pa	34 2 30 0	35. 8 34 7	29 9 28. 0	31 8 29 4 35 2	32 9 30 4	24 5 21.3	41 0 36, 2 41 6	28 2 24 9 32 6	35 6 33 6	34 0 29 6	35 6 30 8	38 7	34 8 31. 4 28. 3
Washington, D. C Lynchburg, Va.	36 6 39. 5	40 4 43 5	32. 8 35 0	35 2 38 0	35 5 38 6	27 9 29 0	41 6	32 6	89 3 40 2	37 9 42 3	37 6 42. 5	45 0 47 4	36. 4 40 2
Norfolk, Va.	43 1	45 5	40 0	40 5 34 2	42 7	33 8	42 9 47 4 43 3 47. 2	36. 1 40 5	45 6	144 Z	46 6	47 4 51 1	44.4
Charlotte, N. C.	43 0	30 1 44 6	80 6 88 4 48 8	414	43 3	24 8 33 4	47. 2	30 4 41 6	37 8 43 0	37 4 47 1	37 4 46 6	51 1 45. 2 50 2 56. 9 51 3 59 4	44. 4 33. 6 44 1 52 8 45 6
Charleston, S. C	51 7 44 7	52.0 45 9	48 8 40 3	48 2 43 7	53 0 45 0	42 0 36 2	53 5 48 2 54 8 58 2 67 8	51 4 44 8	51 4 43 1	55 0 48 3	56 3 50 5	56. 9	52 8
Thomasville, Ga	52 5	54 0 58 2	50 4 54 6	50 8 53. 8	54 6 59 0	46 0	54 8	53 0	51 4 55 4	57 8	59 5	59 4	55.6
Miami, Fla	68 0	67 9	09 5	65 6	69 0	48 4 63 6	58 2 67 8	56. 1 68 8	68 0	59 7 69 6	61 6 71 8	61 8 70 6	55. 6 58. 4 72. 2 31 0
Cleveland, Ohio	33 4 31 2	39 1 35 4	30 2 27 0	32 7 30 8	31. 6 29 0	22 3 22 4	41 8 38 7	27 4 25 7	35 4 33 6	36 4 32 6	71 8 35 2 31 8	43 5 40 4	31 0 27 8
Greenville, Mc. Boston, Mass Buffalo, N. Y. Canton, N. Y. Trenton, N. J. Pittsburgh, Pa. Beranton, Pa. Washington, D. C. Lynchburg, Va. Norfolk, Va. Parkersburg, W. Va. Charlotte, N. C. Charleston, S. C. Atlanta, Ga. Jacksonville, Fla. Miami, Fla. Cinc innati, Ohio Clev eland, Ohio Evansville, Ind. Indianapolis, Ind. Indianapolis, Ind. Chicago, Ill. Peoria, Ill. Peoria, Ill. Orand Rapids, Mich. Marquette, Mich. Marquette, Mich. Marquette, Mich. Marguette, Mich. St. Louis, Mo. Springfield, Mo. Bismarck, N. Duk. Pierre, S. Duk. North Platte, Nebr.	37 1	40 4 37 2	31 0 25 8	36 8 31 0	35 2 29 5	26 6 22 8	41 8 38 7 44 7 40 3	32 2 26 1	38 4 33 2	41 0	39 4 33 4	46 6	27. 6 33. 3 28. 2 23 4
Chicago, Ill	30 0	37 4	24 1	29 1	26 0	22 4	1 37 7	21. 4	32 4	32 5	20 0	42 4 39 7	23 4
Orand Rapids, Mich.	28 1 28 8	35 7 35 1	20 8 24 6	27 8 27 0	25 2 25 4	19 8 21 1	34. 5	20 6 21 4	30 8 32 0	30 2	28 8 27 7	38. 0 36. 6	21.8 23 2 14.6
Marquette, Mich	22 6 22 8	31 6 32 0	18 4 16 4	24 6 23 9	18 6 18 0	14 6 13 9	28. 8 31 4	13 7 12 6	27 0 26 2	22 9 24 4	27 7 19. 1 21 6	31 4	14.6
Duluth, Minn	15 9	26 7 30 2	9 4	18 6	8 8 12 2	4 4	23 6	5 6	19 3	14 8	11 8	24 0	15.0 3.6
Des Moines, lowa	26 1	24 0	12 1 18 7 18 4	22 6 27 8 25 5	1 22 0	10. 1 16. 7	28 7 34 2	10 2 16 6	23 0 28 8 27 3	20 2 30 0	17 8 25 6	29 4 35 8	8.8 17.7
Dubuque, Iowa St. Louis, Mo	21 7	34 2 41 2 38 4	18 4 28 6	25 5 35 4	19 3 33 6	15. 8 26 8	33 0 43 0	14 4 29 6	27 3 37 5	27 2 38. 6	23 8 36 7	34. 4 44. 4	18,4
Springfield, Mo	36 2	38 4 24 6	28 6 27 4 7 4 3 6	37. 6	33 2	26 5	41 3 21 6	32.6	38 1 17 8	38 4 18 6	39 2	44. 4	30. 4 5. 5 0. 7 12. 6
Devils Lake, N. Dak.	8 0	21 1	3 6	12 4	0.8	3 2 3 6	14 9	11 5 5 0	11 6	15 2	13 O 6 O	25. 4 20 4 29. 7	0.7
Devils Lake, N. Duk. Pierre, S. Duk. North Platte, Nebr. Omaha, Nebr. Concordia, Kans. Dodge City, Kans. Iola, Kans. Memphis, Tenn. Nashville, Tenn. Birmingham, Ala. Mobile, Ala New Orleans, La Shreveport, La.	21 8 26 7	28. 6 28. 6	15 1 18 0	25. 8 28 2 29 6	12 5 19 4	13 1 23 7 18 0	25 5 28 5	18 6 19.4	21 9 27 0 28 7	25 9 30 7 31.7	16 4 27. 8	30.4	12.6 15.2
Omaha, Nebr	26 4	34 2 35 0	18 2 19 9	29 6 33 4	22 2 25 6	18 0	34 8 35 0	19 4 24. 4	28 7 32 1	31. 7 34 3	27 9	35. 2 35 6	15 2 17.4 21.7 24 0
Dodge City, Kans	32 6	33 6	23, 4	31 6	29 0	23 5 28 2	34 0	29 6	35 1	33.4	31. 4 33 7 36 0	34. 5	24 0
Memphis, Tenn	32. 5 43 6	37 6 45 0	23, 4 26, 2 36, 2 35, 8	36 8 45 0	30 2 43 4	25 4 34 0	38 8 50 2	28 6 40 4	37 0 44 6	36 6 48 1	484	38 6 51, 5	28. 0 41. 8 39 6
Nashville, Tenn	41 0	42 6 47 2	35 8 41 9	42 4 46 7	38 8 46 8	31 4 39 2	47 4 50 4	38 8 45 8	41 6 45 6	44 8 50 2	46 0 53. 2	49. 4 53. 3 58. 2 60. 9 54. 9	
Mobile, Ala	52 9	53 8 55 0	49 4 50 8	53 8 56 7	53 9 57 4	48 2 51. 4	55 0 57 5	55 0 57 0	51 0 54 1	57 4 60 8	60 1 63 5	58. 2	53 6 55 7 47.8
Shreveport, La	49 1	47 8	41 5	50 4	49 8	43 2	59 N	48, 8	48 6	54 6	54 8	54 9	47.8
Brownsville, Tex	37 0 61. 2	33 2 61 4	30 4 54 2	40 2 65 2	36 6 65 3	36 1 62 9	32 4 61 7 41. 2	37 0 60 8	39 0 64 1	43 5 67 7	41 8 67 4	61.8	31.9 57.9 42 6 44 9
El Paso, Tex	44 9	41 8 45 6	42. 8 39 7 50 2	44.8 50 9	45 0 48 0	49 6 41 6	41. 2 49 8	47. 2 44 4	43 4 48 3	49 4 51 2	49 2 52 8	42 6 50 8	42 6
Galveston, Tex	56 4	55 6	50 2 46 3	57 9 56 8	44 0 57 7 54 6	52 8 50 4	56 8 54 7	57 2 51 7	56 0 54 7	60 2 59 0	62 4 59 6	58 8 55 6	54 6 52 6 32.6
Oklahoma City, Okla.	89 3	52 4 39. 4	31 4	43.4	37.6	31 6	40 8	33 8	40.8	42.7	42 6	42 2	32. 6
Little Rock, Ark Havre, Mont	44 2 20. 4	44 8 23 6	36. 9 10 8	46 0 24 4	43. 4 7. 0	35 4 8 4	49 6 26. 4	40 6 16 9	44. 6 22. 6	48 0 20 0	48 4 11 4	41 2 25 6	41.8 8.8
Kalispell, Mont	24. 9	24 8 22 0	10 8 19.0 20 2	23. 3 28 8	14 9 21 0	26, 2 30 4	28. 1 26. 7	17. 6 28 0	22. 6 27 9 27. 9 24 6	21 0 30 2	18 3 29 5	24 5 27. 4. 23. 6 32. 2 29. 1 52. 0	8.8 14 7 21 3
Sheridan, Wyo	22, 1	24 4 22, 1	14 2	24 8	14.6	21. 2	28 0	13 7 30 9	24 6 33. 8	22 6	17 0	23. 6	15.8
Pueblo, Colo Santa Fe. N Mex	31. 5 30. 7	26.4	24 6 26. 0	32. 6 32 1	29 8 27. 9	35 4 38 2	30. 2 27. 0	34 2	33. 8 27 4 49. 7	36 6	36 5 34. 0	32. 2 29. 1	23. 5 25 4 52 0
Phoenix, Ariz	52.0	50 7 24 9	50. 3 21. 2	516	41.7 23.4	54. 6 36. 1	49. 6 26. 6	54 2 26 1	49. 7 27. 6	56 0 34. 4	55 0 33 2	52, 0 26, 9	52 0 20. 2
Salt Lake City, Utah.	31. 9	30 6	29.0	33. 7	23 4 27. 8 26 6	41. 8 37. 2	31. 2 24. 9	24.6 28.2	31 7 31. 2	36 4 31 6	33 1 30 9	29 3 25. 2	20. 2 24 2 17. 2
Now Orleans, La Shreveport, La Amarillo, Tex El Paso, Tex El Paso, Tex El Paso, Tex San Antonio, Tex Oklahoma Citv, Okla Little Rock, Ark Havre, Mont Kalispell, Mont Cheyenne, Wyo Sheridan, Wyo Pueblo, Colo Santa Fe, N Mea Phoenix, Ari Modena, Utah Sait Lake City, Utah Winnemucca, Nev Boise, Idaho Seattle, Wash	30. 0 32. 1	27. 4 28. 9	18. 9 24. 0	33 6	28. 4	43 2	29.6	23 6	34. 3	82. 9	30.0	31 6	21. 8 37. 2
Seattle, Wash	41. 7 85. 5	42. 4 81 6	39. 7 26. 0	42 0 88. 2	38 0 30 5	45. 0 46 1	40. 9 37 8	38. 6 22, 6	43. 4 39 8	39 1 31.3 39 1	38. 4 30. 8 38 0	42. 2 38. 0 41. 5	26, 6
Portland, Oreg	41. 2	40 7 41. 5	36 8 37 0	42 0 48 2	38 1 39 0	48. 4 48. 4	37 8 42.3 40.4 46.3	83 6 89. 6	44. 1	39 1 39.0	38 0 42 2	41. 5 40 6	36. 6 35. 5
Eureka, Calif.	48. 2	48. 4 46. 9	45.3	48. 4	43 2	51 2 49. 7	46. 3	48, 1	42. 7 48. 4	48. 4	42. 2 47. 6	40. 6 45. 3 46. 2	AR R
Freeno, Calif Los Angeles, Calif	64. 2 56. 6	46. 9 55. 4	44 7 53. 4	57. 4	45 4 52. 6	62.8	45. 0 57 2 43. 4	47. 1 58 9	47 5 55 8	50 4 60 2	49 8 58. 3 47. 4	58.8	55. 4
Sacramento, Calif	46. 2	45. 7 55. 4	43. 8 54. 6	47. 5 55 6	44. 2 52 4	49. 2 58. 6	43. 4 54. 8	44 1 56, 6	45. 4 54. 8	49. 0 59. 3	47. 4 58. 0	45. 6 57. 4	46.4 55.4 42.2 84.0
Boise, Idaho Beattie, Wash Walla Walla, Wash Portland, Oreg Roseburg, Oreg Fureka, Calif. Freeno, Calif. Los Angeles, Calif. Sacramento, Calif. Ban Diogo, Calif. San Francisco, Calif.	51. 8	50.6	48. 7	52. 2	48, 9	54. 6	50. 2	48. 8	51.0	52. 9	50. 6	51.0	47. 8
		,			•								·

Weather Bureau.

Normals are based on records of 30 or more years of observations.

Table 781.—Precipitation: Normal 1 and total precipitation at selected points in the United States, 1913-1924

		·		·····	Sound	0, 10.	13-18						
Charles	Nor- mal					Januar	y total	precip	itation	1			
Station	Jan.	1918	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
Greenville, Me. Boston, Mess. Buffale, N. Y. Carson, N. Y. Trenton, N. J. Prittsburgh, Pa. Scranton, Pa. Washimsten, D. C. Lynchburg, Va. Norfolk, Va. Parkersbury, W. Va. Charlotie, N. C. Charlotie, N. C. Charlotie, N. C. Atlanta, Ga. Thomasville, Ga. Jacksonville, Fla. Minmi, Fla. Cincinnati, Ohio. Cleveland, Ohio. Evansville, Ind. Indianapoits, Ind. Cincinnati, Ohio. Cleveland, Ohio. Evansville, Ind. Indianapoits, Ind. Grand Rapids, Mich. Morio, J. Mich. Morio, Wis. Duluth, Minn. St. Paul, Anin. Des Meines, Iowa. Dubuque, 10wa. St. Louis, Mo. Springfield, Mo. Birner, S. Dak. North Platie, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr. Omaba, Nebr.	7n. 2852 3833 3672 28372 383 393 385 313 3167 328 385 385 385 313 3167 328 385 313 3167 328 385 313 316 312 328 385 313 316 312 328 385 318 312 318 318 318 318 318 318 318 318 318 318	In. 2 15 2 15 2 2 15 2 15 2 15 2 15 2 15 2	78. 3 39 3 2 68 6 1.70 2 2 41 4 60 3 3 3 1 1 2 2 3 1 1 2 2 2 1 1 3 5 5 5 6 1 1 .05 5 6 1 1 .05 5 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05 6 1 1 .05	2. 78 5. 42 3. 76 4. 91	7a. 2 35 32 1 2 36 2 2 52 3 2 3 51 1 2 36 2 2 52 3 2 3 51 1 2 36 2 2 52 3 2 3 51 1 2 3 51 2 3 51 2 3 51 2 3 51 2 3 51 2 3 51 3 51	7	72, 114, 122, 133, 144, 144, 144, 144, 144, 144, 144	2.85	72.844.2.2.2.68 1.644.2.2.2.68 2.2.68 2.2.68 2.2.68 3.1.69 2.2.68 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.69 3.1.	7n. 14.48 2.249 1 22: 2 3 35: 3 172 3 35: 3 172 3 35: 3 172 3 35: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 36: 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172 3 172	7 02 1 1 1 1 5 6 6 6 6 1 1 1 1 5 6 6 6 6 6 6	74.587.7288.834.422.734.66.737.244.68.739.10.56.73.24.43.43.24.43.43.24.43.24.43.24.43.24.43.24.43.24.43.24.43.24.43.24.43.24.43.24.43.24.43.24.43.24.43.24.43.24.43.24.43.24.43.24.25.23.24.24.24.24.24.24.24.24.24.24.24.24.24.	7.5578232443833346708980989808816132223351802557181544281737815731376155357812233514383334655855555781815442817424383334487751111111111111111111111111111111111

¹ Normals are based on records of 20 or more years of observations.

T-Trace, indicates an amount too small to measure.

Table 781.—Precipitation: Normal 1 and total precipitation at selected points in the United States, 1918-1924—Continued

	LILE	0411	רו נוטטו	tates,	1910	-105	4	onun	uea				
Station	Nor- mal				F	ebruar,	y total	precip	ntation	1			
	for Feb.	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
Greenville, Me. Boston, Mass. Busialo, N. Y Crenton, M. S. Busialo, N. Y Trenton, N. J Pritsburgh, Pa Scanton, Pa Washington, D C Lynchburg, Va Norfolk, Va Parkersburg, W. Va Charleston, S C Atlanta, Ga Thomasville, Ga Jacksonville, Fla Minert, Fla Clinemant, Ohio Cloveland, Ohio Evanville, Ind Indianapolis, Jind Clinemant, Ohio Evanville, Ind Indianapolis, Jind Chineago, Ill Peolis, Ill Grand Rapids, Mich Marquette, Mich Marquette, Mich Marquette, Mich Marquette, Nich Marquette, Nich Marquette, Nich St. Jonis, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Springfield, Mo Sprin	Feb. 17.75445522 2 3 4 4 6 4 3 4 3 3 3 4 4 4 4 3 4 3 4 3 4	In. 1, 52, 59 1 24 1 24 17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1914 In. 1, 82	In. 4 36 347 2 80 2 43 3 44 40 4 40 1 2 24 4 40 1 2 2 70 3 60 1 7 1 1 9 89 2 53 3 44 4 2 2 72 4 1 5 2 1 2 2 71 1 1 92 2 71 1 2 59 2 4 7 1 5 2 3 4 8 8 2 2 3 4 8 8 2 2 3 4 8 8 2 3 4 8 8 2 3 4 8 8 2 3 4 8 8 2 3 4 8 8 2 3 4 8 8 3 4 8 8 2 3 4 8 8 8 3 4 8 8 8 8 8 8 8 8 8 8 8 8 8	In 19 19 19 19 19 19 19 19 19 19 19 19 19	1917 In. 0. 267 In. 0. 267 In. 0. 267 In. 0. 267 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277 In. 0. 277	1918 Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internation Internat	In. 2 27 2 66 1 61 1 52 12 13 2 01 1 54 4 55 51 1 58 8 7 7 3 20 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Jn. 4 52 2 35 1 4 27 7 1 6 2 3 3 1 4 7 4 7 4 7 4 7 4 7 4 7 4 7 4 7 4 7 5 7 7 6 5 7 7 6 5 7 7 6 5 7 7 6 5 7 7 6 5 7 7 6 7 4 7 4 7 4 7 4 7 4 7 4 7 4 7 4 7	7n 2 2.64 4 22 2.60 2 3 0 18 4 6 16 6 2 2 2 10 9 4 7 32 7 1 2 2 2 10 9 4 7 32 7 1 2 2 2 10 9 4 7 32 7 1 2 2 2 10 9 4 7 32 7 1 2 2 2 10 9 4 7 32 7 1 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	In. 277 2 64 2 001 2 2 25 1 57 1 586 3 32 4 857 1 5 56 55 4 4 5 56 3 14 1 68 1 31	7n. 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12 148 11. 247 12	1924 In. 24:1652 1924 In. 24:1652 1924 In. 24:1652 1924 In. 24:1652 1924 In. 24:1652 1924 In. 24:1652 1924 In. 24:1652 1924 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:1652 In. 24:16

¹ Normals are based on records of 20 or more years of observations.

T-Trace, indicates an amount too small to measure.

Table 781.—Precipitation: Normal 1 and total precipitation at selected points in the United States, 1913-1924—Continued

	th	e Uni	ted S	tates,	1918	3-192	4C	ontii	nued				
Station	Nor- March total precipitation												
	for Mar.	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
Greenville, Me	In. 3. 76	In. 5. 29	In. 4. 15	In. 0. 24	In 2 35 3. 20	In. 3. 90 3. 73	In. 2. 19 3. 19	In. 4.03	In 2.85	In. 1 95	In. 2. 96	In. 3. 02	In. 1.36
Boston, Mass	4.08	4.81	4. 16	T	3. 20	3.73	3. 19	4. 11	3 72	1. 92	4.35	2 49	2.04
Buffalo, N. Y	2.62	3, 60	4. 18	1 1, 58	3. 52 1. 60	2. 69 1. 98	2. 45 1. 37	2.47 3.97	1. 57 2. 26	3. 40 3. 32	3, 61	1.70 2.07	1. 41
Trenton N I	4 04	5. 21 4. 77	3. 03 3. 28	1, 37	2. 61	3 45	2. 02	4. 64	3.81	2 42	3 21 3.89	3. 70	. 96 2. 12 4. 15
Pittshurgh Pa	8 01	4. 37	2. 12	1. 26	3. 63	3. 45 3. 36	1. 25	1. 89	1.77	3. 36	5. 84	2.15	4. 15
Scranton, Pa	8. 12	5 00	5. 05	1. 21	5. 74	2.99	2. 23	3, 02	3.50	3 17	4. 02	1,65	1.93
Washington, D. C	3.85	4.67	2. 27	1.07	1 2.80	5. 12	5.04	4.02	2. 39	2.76	4.74	4.47	6 17 2.77
Lynchburg, Va	8 81	5. 50	2. 24	1 14	1. 32	4. 97	2.41	3 02	2.82	1, 75	7 50	5. 91	2.77
Norioik, Va.	4.28	1.99	3. 77 2. 19	1. 14	1 68	4.60	3. 68 3. 54	3. 36	2.39	1 50	4. 95	5. 12 3. 35	3. 16
Cherlotte N C	4 57	4 13 5 80	1. 56	3. 44	4 48 1.38	6 42	2 33	2.37	7. 11	1.84	6 06 6 32	5. 84	2. 40
Charleston, S. C.	3. 72	3.80	2.34	2. 83	1. 96	8 05	1.65	4.05	4 65	2 66	3 15	2.38	3 68
Atlanta, Ga	5.78	9.14	3. 17	2.01	1.84	9.15	.89	3.58	10. 95	1 64	10 30	5 14	1.86
Thomusville, Ga	5.09	5 83 5 87	1. 22	8. 17	1.62	1.98	1.41	7. 36	3. 21	3 30	4. 12	5. 23	2. 15
Jacksonville, Fla	3.52	4.39	1.84	2. 47 1. 57	. 59	3.03	2.31	3. 24 9. 74	.82	5. 15	3. 69 . 13	1, 15 , 58	7. 18 . 46
Cincinnati Ohio	8 64	9.00	2.40	1. 64	8. 34	4.06	2 28	5. 27	4. 20	6. 60	6 56	3 50	4. 10
Cleveland, Ohio	2.79	8. 31	2.10	. 92	2. 29	2 14	2. 28 2. 38	2. 67	1.49	4.39	4. 02	1.89	[1 65
Evansville, Ind.	4, 60	8.71	3. 12	1 08	2. 56	3 03	. 95	5.05	6. 10	4 52	8 20	2 48	1 76
Indianapolis, Ind	4.01	7.76	1.82	1 47	2.44	4 75	1.58	6. 72	4 57	7 25	7. 16	4 41	4. 72
Chicago, III	2. 55	3. 44	1.87 1.60	. 50	2.48 2 33	2 11 2 26	2.05	4.32 4.52	5 84	4 00	5.09	3 05 4.08	3.70 2.29
Grand Ranide Much	2.50	3. 57	1.59	1. 1.	8, 10	1 87	2 37	4. 93	3 42	4 77	3 18	2.36	2.08
Marquette, Mich	2. 08	4.46	2.03	1.60	3, 36	2 97	1.13	. 92	3 34	2 95	3 18 2 72 2 01	3. 24	2.80
Madison, Wis	2, 21	2.41	1. 15	, 87	2, 93	2 00	1 2 17	2. 17	4, 07	1 81	2 01	4. 14	2.84
Duluth, Minn	1.55	3. 25	1. 56	.36	2 48 1, 26	4 97	. 50	1. 16	2. 28 2. 91	1 76	2.60	1. 28	2.83
St. Paul, Minn.	1.60	3 03	.93 1 18 1 74	1 16	.60	2 09	. 88 29	.81 3.67	2.91	2. 51 1. 07	1 41 2 25	1.33 4 34	3. 10
Dubuque, lowa	2. 21	2.81	1 74	1, 14	3. 91	1.56	2. 12	2. 24	3 04	2.05	1 65	2 93	2.85
St. Louis, Mo	3. 43	7. 97	1 25	2. 23	1 1.83	1.80	. 67	1.72	3. 97	6. 14	4 84	4 20	3. 24
Springfield, Mo	4.07	5 09	3 37	2. 23	2 42 3 27	2.31	1 33	2. 23	4 90	7. 35	6 45	2.40	2 77
Bismarck, N. Dak	1.04	. 49	1. 23	. 35	3 27	.60	.85	1. 17 1. 49	1. 21	1.00	.70	. 28	. 58
Pierro S Dak	1.01	. 54	1. 23 . 76 . 79	. 58	1.09	.30	1.47	1, 30	1 78	.71	. 56	.68	1 40
North Platte, Nebr	. 87	1 68	.41	2. 23	20	1,48	. 32	. 44	.38	. 42	47	. 314	i. 93
Omaha, Nebr	1. 39	3 03	1.52	1.67	1 35	1.35	. 11	1 1. 59	1 .47	1.08	1 47	3, 95	1. 93
Concordia, Kans	1.48	.41	1.05	2. 53	.37	1.49	. 77	. 90	.47	.47		1. 32	2. 56
Dodge City, Kans	2 25	. 23	. 09 2. 12	2.25	2 10	3.55	2 59 1.96	. 94 1 06	5 36	.01 3,60	3 76	. 71 3. 69	2. 77 1. 57
Memphis. Tenn	5. 77	2. 13 4. 78	3, 91	3. 03	2 10 2. 22 3. 60	7.51	70	12. 41	4 72	7 41	8 24	7. 03	2. 32
Nashville, Tenn	5.44	4 54	4, 33	2. 14	3. 60	8.06	1.86	8 67	3, 25	5, 95	9 32	7.69	1.74
Birmingham, Ala	5 76	5. 96	5. 29	3.68	3.01	11.85	.32	5. 91	10.34	4 88	7. 14	5. 15	4. 10
Mobile, Ala	7. 17	10. 58 4 84	2.00 4.17	3. 46 2. 31	3.69	2. 28	1.69	5. 09 3. 22	2 21 3, 28	6 71 5 59	11. 46 8 45	6 09 4, 56	1. 07 2. 39
Shrevenort. La	4. 52	4.81	6. 55	1. 92	1.88	2. 12	1. 14	3. 14	5.08	3 87	9 31	3 63	4.32
Amarillo Tex	. 65	. 59	. 15	1.00	. 57	. 25	1.00	1. 73	. 51	. 68	1.29	3 63 2.97	1.75
Brownsville, Tex	1. 23	1.86	1.86	1.99	1 07	1.51	. 94	. 44	.76	.88	1.20	1. 32	. 12
El Paso, Tex	. 38	1.04	. 10 2 89	1.34 1.40	3.68	. 07 2. 42	.08	. 62 3, 34	. 22 4 42	2 67	. 16 1, 57	. 33 1. 52	4. 66
Golveston Tox	2 00	1.43	4, 63	1.43	25	. 91	1.65	2. 20	1 77	3. 59	2 69	4. 58	1.43
San Antonio, Tex	1. 68	1. 43 1. 36	. 83	1. 20	.25	. 16	1.45	1. 39	.83	5. 91	3. 29	8. 07	1.29
Oklahoma City, Okla.	2. 38	3. 11	1.68	2 08	1.66	1. 20	1.55	1.88	4. 20	1 93	4.37	2. 58	3. 83
Little Rock, Ark	4. 94	4.47	4. 63	2. 94	1.59	6. 43	1.49	6. 44	4.80	7. 03	8, 30	6.00	2.70
Havre, Mont	1.00	. 65	. 17 1. 17	. 10	. 59	1.09	.51 .76	. 74	.46 .92	1 80 1.55	. 43	.11	1.01 .74
Chavenne Wvo	1.00	1. 73	. 72	1.61	2. 43	. 69	:19	1. 52	.66	.39	. 33	1.49	1. 71
Sheridan, Wyo	1, 22	.78	1. 14	1. 40	.92	1.31	8. 32	. 43	. 83	. 65	.34	1.89	1.99
Pueblo, Colo	. 86	.21	. 32	48	.65	.44	. 35	1. 43 1. 70	. 15	. 20	. 29	. 67	1.20
Santa Fe, N. Mex	.73	.87	. 82	.70	1.36	. 27	1.46 .93	1.70	. 57	.75	.44	1. 28	1. 12
Modene Titch	1 90	.07	. 92	. 33	.37 1.50	.15	1.60	. 97	1.35 1.84	1.00	. 15	1.08	. 90
Salt Lake City. Utah	2.00	2.50	1. 24	1, 48	3. 03	2, 61	1.81	. 54*	3. 81	1.03	2.44	1.67	2. 84 2. 21
Winnemucca, Nev	.95	. 23	. 08	. 49	.62	. 58 1. 75	1.05	. 57	1.73	.66	.79	.05	1.00
Boise, Idaho	1.44	1.75	. 39	. 78	.71	1.75	1.78	1.82	1.89	3.08	2. 36	. 34	.30
Seattle, Wash	2.88	1. 55	1.40	1. 72 1. 96	5, 45 3, 46	2.96	3. 92 1. 26	1.84 1.91	2.82	3.08	4. 45	1.87	. 62
Walls Walls, Wash	1.09	2. 07 4. 04	. 59 2. 28	2.15	3. 40 10. 57	. 52 5. 33	1. 26 3. 47	4.64	3. 94	2. 24 4. 28	6. 57	. 47 1. 83	1.40
Roseburg, Orag	3. 98	2. 23	1. 76	1. 76	4.95	8. 74	2. 57	4. 50	2 97	1.71	4. 09	1. 32	1.84
Eureka, Calif.	6. 97	2. 28 8. 61	1. 76 8. 18	1.65	4.83	5.01	5.84	6. 25	2. 97 5. 79	3.04	6.48	.80	. 67
Fresno, Calif	1. 76	. 63	. 25	. 52	1.81	. 56	4. 19	1. 07	3.98	1.05	1.53	.06	2, 89
					, on i		4 O1	2. 18	4. 25	2.75	1.64		
Los Angeles, Calif	8.00	.83	. 58	. 60	.90	. 18	6. 21	6. 10	2.40	1 10	1.00	. 83	8. 42
Los Angeles, Calif Bacramento, Calif	8. 00 3. 01	1. 84 1. 42	. 59	1. 20	1.06	.70	4.00	1. 50	3. 27	1.45	1, 29	. 48	1. 19 2 41
Greenville, Me Boston, Mass Buffalo, N. Y Canton, N. Y Trenton, N. J Trenton, N. J Trenton, N. J Trenton, N. J Trenton, N. J Pittsburgh, Pa Scranton, Pa Scranton, Pa Scranton, Pa Washington, D. C Lynchburg, Va Norfolk, Va Parkersburg, W. Va Charlette, N. C Charleston, S. C Atlanta, Ga Jacksonville, Fla Miami, Fla Cincinnati, Ohio Cleveland, Ohio Evansville, Ind Indianapolis, Ind Chicago, Ill Peoria, Ill Grand Rapids, Mich Marquette, Mich Marquette, Mich Marquette, Mich Marquette, Mich Marquette, Mich Marguette, Mich Marguette, Mich Marguette, Mich Marguette, Mich Marguette, Mich Marguette, Nob Duluth, Minn Des Moines, Iowa Dubuque, Iowa St. Louis, Mo Springsfeld, Mo Springsfeld, Mo Bismarek, N. Dak Devils Lake, N. Dak Devils Lake, N. Dak Devils Lake, N. Dak North Platte, Nebr Omaha, Nebr Concordia, Kans Dodge City, Kans Iola, Kans Memphis, Tenn Nashville, Tenn Birmingham, Ala Mobile, Ala New Orleans, La Shroveport, La Amarillo Tex Brownsville, Tex El Paso, Tex Fort Worth, Tex Galveston, Tex San Antonio, Tox Oklahoma City, Okla Little Rock, Alk Havre, Mont Cheyenne, Wyo Sheridan, Wyo Pueblo, Colo Seattle, Wash Wolla, Walla, Wash Portland, Oreg Eureka, Oalif Saca Francisco, Calif Saca Francisco, Calif Saca Francisco, Calif Saca Francisco, Calif Saca Francisco, Calif Saca Francisco, Calif Saca Francisco, Calif Saca Francisco, Calif Saca Francisco, Calif Saca Francisco, Calif Saca	8. 00 3. 01 1. 70 8. 14	.83 1.84 .42 1.47	. 59 . 36 1. 09	1. 20 . 33 8. 02	1, 06 . 98 1, 33	.70 .26 1.42	4.00 4.57 2.78	1. 50 1. 83 2. 74	3. 27 2. 45 3. 25	1.45 1.13 2.28	1. 29 1. 84 2. 88	. 43 . 34 . 03	3. 42 1. 19 2. 41 1. 90

⁴ Normals are based on records of 20 or more years of observations.

T-Trace, indicates an amount too small to measure.

Table 781.—Precipitation: Normal 1 and total precipitation at selected points in the United States, 1913-1924—Continued

	the United States, 1913–1924—Continued												
	Normal April total precipitation												
Station .	for April	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
Greenville, Mc	In. 2.78	In. 2 54	In. 4. 51	In. 3. 49	In. 2 45	In. 3. 25	In. 1.66	In. 2. 96	In. 5. 40	In. 2.61	In. 2.99	In. 5. 97	In. 4.45
Boston, Mass	3. 55	4. 77 3 78	5 87 3. 24	1.86 .59	4 51 2 98	2 72 2 45 1 92	3.08	2 33	5 68 2.33	4 62 8.62	2 48 1, 56	5 26 1 17	3. 79 3. 08
Canton, N. Y	2. 26	3. 35	3 56	1.30	1.83	1 92	2. 41 1. 84	3. 40 3. 39	3 45	1. 53	3 46	2.41	3 32
Trenton, N. J.	8. 29	5 27 2 53	2. 57 3. 98	3.04	2 67	12.29	3 25	2, 91	4. 34	1 86	1 69	3 34	5, 99
Scranton, Pa	2.90	3 63	3 89	1. 27 1. 65	2. 54 4 19	2. 20 1. 06	2. 73 3 98	3.07	4 42 2 53	1 66 2 88	3 56 3 44	3.82	3.09
Washington, D. C	3 25	5 86	3. 20	.90	2 96	2 16	6 58	2 71 3 72	4 69	2 93 2.76	1.05	2 92 3. 94	3.30 5 39
Lynchburg, Va	3 17	3 60	1 70 1.88	. 87 . 91	1 91	3 10	4 97 4.81	2. 18 1. 61	3 53 4, 25	2.76 3 02	1.53 1.88	2 71 3 59	3 3 3 5
Parkersburg, W Va	2 91	1 81	4 38	2,02	2 84	2 61 4 29	4.47	2.09	6 38	2. 50	3.81	3.47	2.89 3 24
Charlotte, N. C	3. 44	2 72	2.99	. 63	2 15	2.54	5. 47	3 90	5 40	1 99	6 59	4. 23	6.78
Atlanta. Ga	3 63	1. 40 . 84	2. 77 3. 16	1. 13 . 35	2 35 1 51	. 97 3 17	2 49 6.98	. 73 4. 18	7 40 5 32	2 06 3 31	1 50 4 34	1.06 3.82	5. 78 7. 76
Thomasville, Ga	3, 65	1.38	1, 78	. 57	2.47	1. 55	5 02	2 78	7. 22	3 09	. 64	3.88	5.00
Jacksonville, Fla	2.72	1 32 3 78	.30 5.24	1.32	. 46	. 82 3 74	5 96	1 26 3 07	3 42 3 15	1 43 2 63	1.39	. 98 2 15	3 00
Cincinnati, Ohio	2 95	3 84	3 07	. 84	2, 51	4 07	4 49 3 38	3 29	5 78	3 19	4 32	2 96	3. 40 2. 40
Cleveland, Ohio	2 31	2. 47	4 28	. 65	2 43	3 24	2 55	2 96	5 01	2 58	2 10	2 21	2.85
Evansvine, Ind Indianapolis, Ind	3 46	3 19	2 83 3 21	. 40	1 99 1 81	5 12 4 25	5 26 5 36	3 71 3 35	2 93 7 26	3 42 3 73	4 07 8 55	4. 54 1 94	3 49 3 28
Chicago, Ill	2 88	1 91	1 07	1 02	1 60	2 58	3 41	3 16	4 71	4 47	3 70	1.38	. 84
Peoria, Ill	3 28	3 54 2 45	2 10 1 97	1.60 .85	1 60 2 52	4 54 4 03	3. 70	2 35 2 60	6 12 2 95	6 36	3 62	1 95	2 13
Marquette, Mich	1.99	3,00	6.80	. 99	3 51	1 75	2 22 1. 37	3. 24	2 28	4 10	4 50 3 79	2 19 1 43	3. 29 1 57
Madison, Wis	2 38	1.54	1 84	. 92	3 51	3 29	2 63	2 90	3 43	5 16	3 39	2 59	3. 25
Duluth, Minn	2 14	1 75 1 62	2 90 3 73	1. 23	3 27 3 03	1 39 1 65	2.02	1 82 3, 93	1 41 2 21	2 10	2 83	1 11 2 20	2. 96 3. 32
Des Moines, Iowa	2, 98	3, 41	1, 52	2 75 1 36	2 44	5, 52	1 81	5 30	4 09	2 46 3 72	1 55 2 84	1 76	3. 34 . 78
Dubuque, Iowa	2.92	1.70	1 53	. 38	2 69	2.05	2 16	4. 47	3 91	4 70	2 89	1 48	1 12
St. Louis, Mo	3 52	3 57 2.05	1 92 3.63	1 20 2.78	1 78 5.15	4 64 4.63	7 09 4, 25	1 76 3 55	3 43 1 53	7 01 4 79	7 40 4 94	3 20 3 33	1.90 3 22
Bismarck, N Dak	1 88	. 55	. 92	1 04	. 65	1 87	2.13	1 71	. 45	2 40	. 68	2 01	1.90
Devils Lake, N. Dak .	2.03	83	1 21 1 78	1 10 2 63	1.09 1 06	1 40 2 39	2 86 2 60	1.14 2 68	3 37	2 17	. 48 59	1 44	4. 96
North Platte, Nebr	2 15	2 07	1 48	7, 10	. 72	1 95	2 51	2 21	3 42	1 60	2.01	2 02	. 99 . 20 . 94
Omaha, Nebr	3 01	3 00	3 13	81	1 72	3 96	1 57	4 66	3 39	9 13	2 12	1, 57	. 94
Dodge City Kans	1 87	2 46 2 12	1 00	2 47	1 82 2, 84	2 60 1 45	3 51 1 38	4 20 1 65	2 82 1 75	2 79 2 73	2 33 4 24	3 20 2.13	1 38 2.34
Iola, Kans	2. 79	1 30	1 68	5 56	3.83	4 61	4 60	4 37	2 01	2 86	9 26	2 66	2.77
Memphis, Teun	4 83	5 40 1.65	2 90 3 83	1.67 .72	2 32 2 49	4 13	4 57 3 39	3. 17 2. 66	7 75 8 58	11 64 3 50	3 21 4 53	6. 55	4. 74
Birmingham, Ala	3. 67	2. 28	4. 46	1.05	2 14	4 52	7 17	1 55	10 71	4 81	6 64	4 26 7 58	5. 62
Mobile, Ala	4. 35	4.16	1.77	. 14	6, 64	2, 50	11, 11	6.84	5 89	4 13	. 92	4 39	4. 10
New Orieans, La	4 59	4 90 4.17	5. 34 3. 35	6.42	2 55 4, 61	4. 11 3. 34	10. 73 5. 28	7.88	7 84 4.01	4 87 6 24	3 81 6 97	4 48 4, 40	3. 10 2. 87
Amarillo, Tex	1. 72	1 76	. 95	5.05	1 71	.71	. 48	2 56	. 64	39	3 25	3.22	. 87
Brownsville, Tex	1. 33	. 38	1 16	1.04	1 28 20	43 T	2 59	2 39	.03	.52	1 52	. 35	. 11
Fort Worth, Tex	2. 65	2. 47	5 99	. 20 4. 98	6 99	4 11	6, 21	2 06	1.5€	1 99	17 64	5, 30	2.33
Galveston, Tex	3, 13	2 46	8 54	3 37	1 37	1.45	6 63	2. 17 3. 60	.70	2 47 2 78	1 66	4. 45 3 24	1. 14 3. 36
Oklahema City, Okla	2 80	1 32 1 88	5 26 2 41	7 50	1 85 3, 15	2 11	5 14 2 45	5 04	1 09 2 11	2 39	5 46 7 67	4. 27	3 67
Little Rock, Ark	4 51	11 46	5 19	2.92	2. 61	3 91	8 42	4 09	6 59	7, 40	3 55	7. 69	5. 43
Havre, Mont	1 01	1.35 .86	1 21	1 16	. 69 . 73	1 35 1 26	. 35	. 29	2 65 1 48	1.17	1 11	1. 24	1.00
Cheyenne, Wyo	1.85	1.35	2. 58 2 75	3.29	48	1.75	3 92	1 23	3-97	2.00	1 86 3 23	. 41 3 26	1 41 1. 92
Sheridan, Wyo	1. 67	. 62	2 75	1 79 3 07	2.71	1. 12 1. 39	8. 74 1 31	1 16 2.33	3 45 .86	.62	3 47 1 21	2_47 .54	1. 92
Santa Re N Mer	1 48	1, 32	3.64	4.82	2.59	. 15	.72	1.94	.73	.55	1 43	1.60	1.26
Phoenix, Ariz	.43	. 51	149	. 88	1,15	1 22	.02	. 17	10	.033	. 24	. 05	. 22
Modens, Utah	2 20	. 37 1. 95	2. 17 2. 84	2, 38 1 88	. 23 . 88	1. 17 1. 49	.35	. 27 2, 50	. 44 3, 16	1 33 2,65	1 02 3 06	1. 22 8. 56	. 53 . 91
Winnemucca, Nev	. 88	1.09	1.32	2, 33	. 19	3 13	. 52	. 49	. 80	.06	. 55	1.79	. 23
Boise, Idaho	1.18	. 95	1.63	1,05	. 80	3 13	. 65	1 18 3, 20	1 32 3 46	. 93 1. 76	1 51 2 53	1.09 1 67	. 54 1. 18
Walla Walla Wash	2.38	1. 01	3. 31 1. 54	2. 91 2. 35	1 98 1.83	4. 48 3 68	.32	1. 62	2 80	.81	1.34	1.24	1. 13
Portland, Oreg	3.02	2.94	3.08	2.03	2.85	1 5.36	1.13	3, 60	4, 75	. 81 2 26	8. 05	1, 90	. 13 . 91
Roseburg, Oreg	2.48	2,05	2. 50 3 27	1. 38 1. 38	2. 28 1. 98	3 37 3.78	1, 71	2, 53 4, 03	2 67 3.12	1.38	2.68 2.39	2. 23 2. 95	. 45 2. 85
Freeno, Calif	8. 98	8. 41 1. 01	50	. 81	1. 02 T	. 21	T	.06	. 49	1 .15	. 10	2.93	. 54
Los Angeles, Calif	1 13	. 35	.47	. 81	T	.46	. 15	1.7	1.00	1.28	.10	1.97	1.48
Bar Diago Calif	2,00	. 58	.70 .85	1 15	.06	1.06	1, 06 T	.11	1.36	.39	.40	2.87 1.05	.77
Greenville, Mo Boston, Mass Buffalo, N. Y Canton, N. Y Trenton, N. J Pittsburgh, Pa Scranton, Pa Washington, D. C. Lynchburg, Va Norfolk, Va Parkersburg, W Va Charlotte, N C Charleston, S. C Atlanta, Ga Thomasville, Ga Jacksonville, Fla Miami, Fla Cincinnati, Ohio Cleveland, Ohio Evansville, Ind Indianapolis, Ind Chicago, Ill Peoria, Ill Peoria, Ill Grand Rapids, Mich Marquette, Mich Marquette, Mich Marquette, Mich Marquette, Mich Moliss, Jowa Dubuque, Jowa St. Louis, Mo Springfield, Mo Bismarck, N Dak Devils Lake, N. Dak Perre, S. Dak North Platte, Nebr Omsha, Nebr Concordia, Kans Dodge City, Kans Loda, Kans Dodge City, Kans Loda, Kans Momphis, Teun Nashville, Teun Birmingham, Ala Mobile, Ala New Orleans, La Shreveport, La Amarillo, Tex Brownsville, Tex El Paso, Tex Fort Worth, Tex Galveston, Tex San Antonio, Tex Oklahcma City, Okla Little Rock, Ark Havre, Mont Cheyenne, Wyo Sheridan, Wyo Pueblo, Colo Santa Fe, N. Mex Phoenix, Ariz Modena, Utah Winnemucca, Nev Bolse, Idaho Seattle, Wash Portland, Oreg Roseburg, Oreg Eureka, Calif San Piego, Calif San Piego, Calif San Prencisoo, Calif San Prencisoo, Calif San Prencisoo, Calif San Prencisoo, Calif San Prencisoo, Calif San Prencisoo, Calif	82	.60	.99	. 62	o i	. 83	.60	.10	1.36	.54	.47	8. 92	. 30
	1			1	<u> </u>	1	1	1	<u> </u>		<u> </u>	1	1

¹ Normals are based on records of 20 or more years of observations.

T=Trace, indicates an amount too small to measure.

Table 781.—Precipitation: Normal 1 and total precipitation at selected points in the United States, 1913-1924—Continued

	Nor-		May total precipitation										
Station	for May	1913	1914	1915	1915	1917	1918	1919	1920	1921	1922	1923	1924
Greenville, Me Boston, Mass Buildo, N. Y Canton, N. Y Trenton, N. J Trenton, N. J Pritsburgh, Ps Scranton, Ps Washington, D. C. Lysebburg, Va. Noriolk, Va. Noriolk, Va. Noriolk, Va. Charleston, S. C. Atlanto, Ga. Thomasulle, Ga. Jacksonville, Fis. Manai, Fla. Manai, Fla. Cincinnati, Ohio Cleveland, Ohio Evansville, Ind. Indianapolis, Ind. Chicago, Ill. Grand Rapids, Mich. Madison, Vis. Duluth, Minn. St. Paul, Minn. Des Moines, Iowa. Dubuqne, Iowa. St. Louis, Mo Springfield, Mo Bismarek, N. Dak. Devils Lake, N. Dak. North Platte, Nebr. Omnha, Nor.	In. 3. 47 3. 51 3. 10	Iv. 3.01 3.22 2.48	In. 1. 70 2. 78 3. 67	In. 2.90 1 64 .1.86	In. 4.59 2.83 4.13	In. 3. 22 4 45 2. 88 2. 28	In. 3. 37 1. 99 2. 47 3. 91	In. 4. 76 4. 25 4. 32 3. 94	In. 1. 33 5. 26 1. 10 1. 41	In. 1. 97 3. 64 2. 11 1. 08	In. 3. 44 5. 34 2. 01 1. 19	In. 2.50 .83 3.06 3.20	In. 4.52 2.81 2.50 3.91
Trenton, N. J. Pittsburgh, Pa	3. 52 3. 30 3. 44	2. 84 3. 00 3. 11 2. 27	1. 98 2. 64 3. 29	1. 57 4. 33 3. 84 3. 30	4. 59 2. 45 2. 33 3. 04	2. 90 2. 65 3. 25	4. 37 3. 89 3. 58	4. 18 4. 89 3. 33	2.66 1 08 2 48	4 ()4 2 49 2 28	3 03 2 59 2 20	3.34 3.26	4 65 4 54 3 91
Washington, D.C Lynchburz, Va	3. 83 3. 99 4. 07	4.56 4.76 4.31	1.72 .59 2.53	2. 18 1. 99 4. 82	2. 30 5. 13 5. 48	1.84 2.21 1.98	2. 35 2. 15 2. 97	5 27 3 64 3 63	1. 42 . 79 1 99	5 82 6 15 4 72	4. 27 4 37 3 42	1. 50 1. 66 1 90	6. 78 5. 16 7 47
Parkersburg, W. Va Charlotte, N. C Charleston, S. C	3. 46 3. 92 3. 47	4.80 3.77 .19	1 51 .49 .82	3. 47 5 47 8. 92	4, 65 4, 41 1, 22	5. 06 2. 45 3. 80	8, 51 2, 92 3 65	5, 00 6, 38 1, 69	1. 04 1. 33 1. 96	4 19 4.50 5 92	4 09 3 72 9, 56	2 31 4. 01 6 30	4 05 2 82 2 38
Atlanta, Ga	3 09 4. 01 4. 25	3 62 2.87 1 06	. 30 1 45 2. 00	6. 11 8. 75 3 67	3. 57 1. 54 3. 32	4. 37 3. 23 1 83	1, 73 1 38 2, 50	7 20 8. 92 7 32	4 58 3, 36 7, 41	1.75 4 03 4 02	8 01 8.21 7 18	9 53 6, 00 8, 73	3 60 2 14 .49 7 45
Miami, Fla	6 18 3, 52 3, 22	8 42 2 30 2 84	1 82 1.83 4.09	3. 32 5. 56 3. 13	5. 99 4 49 2. 04	4 62 4 62 2 89	4. 05 4 02	13 31 3 56 4 15	10. 33 4 36 1 12	5.60 2.79 1.51	9 06 2 09 2 42	11. 48 2. 34 2. 91	3. 97 2 62
Evansville, Ind	3. 43 3. 94 3. 37	.50 1.49 4.38 1.85	1. 03 1 90 5. 22 2. 28	7. 96 3. 94 7. 0 11 45	3.72 3.54 2 98 7.51	3. 68 3. 36 3. 41 2. 10	5. 75 3. 85 4. 57 3. 03	4 74 3 34 3.84 3.79	5 18 5.04 1.81 3.03	1 56 1.55 .80 2.13	2. 59 2. 58 3. 18 4. 60	4.66 5.86 3.46 5.15	3 44 4 17 2 30 1 91
Grand Rapids, Mich. Marquette, Mich.	3.34 3.32 3.62	1.85 1.76 2.04 6.63	2. 28 8 06 . 90 5 97	2 61 8. 12 5 98	4 13 1 78 2.38	4. 48 1. 45 3. 33	6 58 4 87	3. 78 4 78 2. 77 3. 55	1. 92 . 74 2. 51	1 23 1 67 5 13	2 61 3 27 4 16	3. 70 1 27 1. 90	3 72 3 31 1 46
Duluth, Minn	3. 47 3. 62 4. 56	4 82 2.95 5 06	4 63 1 48 4, 83	3. 22 3. 88 8. 21	3 57 5 99 3 87	.86 3 92 3 94	4 07 4 52 5 87	1.72 2 13 2 98	4. 67 1. 97 3. 14	2. 77 3. 38 3 62	3 28 2 48 6 87	1 51 2 28 4 78	2 91 1 47 1 28
Dubuque, Iowa St. Louis, Mo Springfield, Mo	4. 52 4 24 5. 55	8. 20 1. 53 2. 38	4. 64 . 89 3. 55	7.61 7.67 6.52	2 49 3.00 2.78	2 55 3.78 3 90	8 64 3 28 4 19	2 79 7 86 4.52	2 86 5,00 6,53	2 26 4 29 4 06	4 79 1 26 3 94	1 86 5 85 4 55	6 18
Bismarek, N. Dak Devils Lake, N. Uak Pierre, S. Dak	2.50 2.20 2.13	1.99 .88 3.75	3.61 1.42 3.54	4. 43 2. 13 2. 56	1.95 1.47 5 31	.26 T. 2.72	2.03 3.09 3.02	4 06 3 47 2 78	1. 27 1. 24 5. 11	2.72 1.03 4.79	2 65 2 71 3 58	1 01 2 04 1 43 4 08	. 45 1 24 . 24 2 26
Omaha, Nebrassana Concordia, Kans	4.50 4.70	5. 27 5. 70 5. 81	2 14 2 16 1 70 3, 47	5 55 6.05 4 73	1.95 4.57 3.99 .41	4 44 3 55 3 11 1 60	2 30 4 08 2, 52 2, 90	2 33 1 70 5.68 1.56	3. 31 2. 55 3. 50 3. 47	1 89 3 18 2.51 1.36	2 53 2 37 3 54 2 77	2 50 5 48 7 74	2 01 1 75 63
Iola, Kans Memphia, Tenn Nashville, Tenn	5. 05 4. 34 3. 50	3. 35 2. 97 2. 66	5. 84 4 64 3. 01	5. 43 7. 77 5 70 4 94	2 98 4.09 5.37	5 12 2 91 4 75	4.91 .99 3.61	4. 15 5 51 8 67	4.71 8 12 3.18	4, 85 1 27 1 15	3 70 3 48 4 39	5 33 6 16 4 31	2 76 6 36 6 39
North Platte, Nebr. Omaha, Nobr. Correctdia, Kans. Dodge City, Kans. Ioia, Kans. Memphis, Tenn. Nashvelle, Tean. Birmingham, Ala. Mobile, Ala. Mobile, Ala. Mobile, Ala. Shrevoport, La. Aharillo, Tex. Brownsville, Tex El Paso, Tex. Fort Worth, Tex. Gaiveston, Tex. San Antonic, Tex.	3.09 4.00 3.88	4. 18 1. 59 7. 94	1. 52 . 22 . 19	8 14 4. 67 3. 64	5 85 6. 68 7. 97	3 85 2 05 1 63	4 07 2 90 2 79	4 59 6 04 7.02	7.94 3 70 4 08	1 24 3, 07 1 61	3 42 8 31 5 75	7 27 7.91 9.10	3 44 4 10 5 96
Shreveport, La. Amarillo, Tex. Brownsville, Tex.	4. 16 3. 67 2. 22	3 11 1 11 1 12	4. 49 4. 43 9. 03	1. 81 1. 70 . 50 T.	5.01 .89 .37	1 66 2.49 2.57	1. 49 2 23 4 31	5 78 2.08 1.97	5. 18 2. 57 2. 90	3.66 2.09 2.10	4 04 1.60 3 90	4 68 1.70 .48	7 04 . 67 3 60
El Paso, Tex. Fort Worth, Tex. Galveston, Tex.	. 85 4. 15 3. 23	3, 87	1. 23 10. 71 7. 54	1. 2. 49 2. 70 1. 89	3.70 8,08	3. 92 3. 47 3. 30	.05 1.99 .22 2.80	3 99 9. 96 3 06	.03 8.66 3.86 2 42	.31 .04 2 04 2 01	. 36 4. 58 4. 93 3. 46	.01 .54 3.56 1 38	4.60 8.36 4.71
Oklahoma City, Okla Little Rock, Ark	5. 75 5. 10 2. 60	2. 88 3. 88 2. 34 1. 81	5. 59 5. 07 2. 25 1. 13	3, 69 4, 38 1, 95	3. 85 . 59 1. 49 3. 00	2. 14 3. 28	8. 31 .64 .13	5. 66 4. 67 1. 25	8 66 8 18 1, 39	1.85 .75 2.17	6 83	7 01 10, 50 1, 23	2.44
Kalispell, Mont. Cheyenne, Wyo Sheridan, Wyo	2.03 2.43 2.68	. 92 2. 22 1. 52	2. 10 3. 10	3. 68 2. 21 3. 98	1. 11 1. 93 3. 04	. 97 4. 65 3. 66	. 43 2. 60 2. 83	1. 72 . 70 . 81	1 15 2 15 3 12	57 2.40 2.98	2 47 . 78 2 00 3. 04	2. 98 2. 58 3. 27	3. 58 1. 51
Pueblo, Colo Santa Fe, N. Mex Phoenix, Ariz	1.68 1.11 .03	1. 48 . 17	3. 51 2. 28 T.	1. 75 . 83 . 17	.63 .07	3. 01 . 84 . 45	1. 02 T.	3. 37 04	1. 26 2. 28 . 42	. 98 2. 35 . 17	1. 67 . 29 . 26	. 68 1. 02 . 08	1.76 .85 .01
Galveston, Tex. San Antonic, Tex. Okiahoma City, Okia Little Bock, Ark. Havre, Mont. Kalispell, Moat. Cheyenne, Wyo. Sheridan, Wyo. Pueblo, Colo. Santa Fe, N. Mex. Phoenix, Ariz. Modena, Utah. Winnemucca, Nev. Boisa, Idaho. Seattle, Wash. Walla Walla, Wash. Walla Walla, Wash. Fresno, Calif. Fresno, Calif.	1.95 1.03	. 84 . 57 . 45	. 85 . 89 . 48	. 97 1. 97 1. 08	.62 .61 .49 1.80	2. 23 3. 48 2. 49 2. 00	. 69 1. 32 . 77	.38 1.24 1.25	1.67 9.88 .15	1. 25 1. 95 1. 18	1. 61 2. 16 . 47 1. 56	.32 1 91 .70 1.76	. 39 1. 15 . 27 . 66
Seattle, Wash Walla Walls, Wash	1. 97 1. 83 2. 23	. 58 1. 37 1. 24 1. 63	. 51 . 74 . 98 1. 22	4. 26 1. 72 2. 48 2. 59	1.56 1.29 2.05	2. 00 . 83 2. 48 2. 31	1, 05 1, 19 . 68 1, 38	2. 08 .58 1. 95	. 56 . 96 . 57 . 91	2. 15 1. 93 . 19	1.06 1.06 .46	1. 45 1. 86 1. 48	.68 T.
Roseburg, Oreg Eureka, Calif Freeno, Calif	2.05 2.54 .63	1. 50 1. 67	1.06 .70 T.	3. 36 2. 07 . 99	2. 05 1. 48	2. 75 1. 08	1. 34 . 29	1, 23 1, 48	. 24	1.75 2.54 .69	1.08	1. 56 1. 26	.60 7.
Fresno, Calif Los Angeles, Culif Secramento, Calif San Disgo, Calif San Francisco, Calif	98	. 65 . 51 . 07	.08	. 88 2, 75 . 28	T. .03 .10	. 21 . 12 . 31	.40 .01 T. T.	. 19	.10 0	3. 57 .75 2. 54	.65 .43 .36	.05	.005
San Francisco, Calif.	.81	. 63	.37	3. 17	. 07	. 06	T.	T.	T.	. 52	. 55	.06	Ť.

¹ Normals are based on records of 20 or more years of observations.

T-Trace, indicates an amount too small to measure.

Table 781.—Precipitation: Normal 1 and total precipitation at selected points in the United States, 1913-1924—Continued

Buffalo, N. Y.		the United States, 1913-1924—Continued												
Part	g			June total precipitation										
Greenville, Me	Station	for	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
Parkersburg, W. Vn. 4, 85 2, 90 2, 19 4, 44 3, 20 7, 71 3, 30 2, 80 5, 20 3, 63 1, 33 2, 74 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24	Greenville, Me	In.		In.	In.		In.			In.		In.	In.	In.
Parkersburg, W. Vn. 4, 85 2, 90 2, 19 4, 44 3, 20 7, 71 3, 30 2, 80 5, 20 3, 63 1, 33 2, 74 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24	Boston, Mass	3. 03	. 64	1.40	1.30	5.04	4.05	1 94	1.08	5. 78	3 58	8,05	2.03	11.07
Parkersburg, W. Vn. 4, 85 2, 90 2, 19 4, 44 3, 20 7, 71 3, 30 2, 80 5, 20 3, 63 1, 33 2, 74 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24	Butfalo, N. Y	3, 14	1 69	1.72	1 72				54	3 11	1. 52	3. 38		2. 69
Parkersburg, W. Vn. 4, 85 2, 90 2, 19 4, 44 3, 20 7, 71 3, 30 2, 80 5, 20 3, 63 1, 33 2, 74 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24	Trenton, N. J.	3.49		1 74				3 78	1 29		1 4 22		1 47	5 31
Parkersburg, W. Vn. 4, 85 2, 90 2, 19 4, 44 3, 20 7, 71 3, 30 2, 80 5, 20 3, 63 1, 33 2, 74 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24	Pittsburgh, Pa	3. 89	1 04	3 31	5 36	3.82	3 65	2.40	3 58	6 74	5, 33	3 12	4.28	4 30
Parkersburg, W. Vn. 4, 85 2, 90 2, 19 4, 44 3, 20 7, 71 3, 30 2, 80 5, 20 3, 63 1, 33 2, 74 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24	Scianton, Pa	3, 57		3 05	3 27	4.68	4.48		4 46	5,00	1 1 61	7 06	3.05	2 23
Parkersburg, W. Vn. 4, 85 2, 90 2, 19 4, 44 3, 20 7, 71 3, 30 2, 80 5, 20 3, 63 1, 33 2, 74 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24 3, 24	Lynchhura, Va	3. 15			4.18	7. 53	5.25			4 80	1 85		2.80	3.89
Thomasville, Gla.	Norfolk, Va	4. 33	5 70	3 20		1 98		3, 25	3 48	5 05	1 05	9 78	1. 43	6. 46
Thomasville, Gla.	Parkersburg, W. Va.	4. 65		2.16	4.84		3 17		2.80	5 20	3 63	5 06	5, 42	3. 25
Thomasville, Gla.	Charleston S C	5 30		2 12			4.70	2.43				2.74	2.21	
Thornswille, Gla.	Atlanta, G.	3.88	3, 10		3 K2	3 23	1 75		2.08	3 47	1 56	4 41	3. 23	3, 14
Indi uspoils, Ind.	Thomasville, Ga.	4 72	7. 50				2.59				3 51	5 36	19.71	7 19
Indi uspoils, Ind.	Meanu FL	7 .3									1 14	4 50	5 04	4. 21
Indi uspoils, Ind.	Cincinnati, Ohio	3 98	2 29	2 20	4 47	4. 32	2.96	5 97	2. 44	2.64	2 35	1 77	3 18	6. 78
Indi uspoils, Ind.	Cieveland, Ohto	3, 68			2.03		3 59	1 83		5. 29	2, 38		1 49	5. 73
Chicago, III	***************************************					5 49	5 24	3.11	3 33	3 78	3 90	2 65	2 30	4 04
Peorta, III 4 30 2 50 2 15 2 68 2 55 7 48 4 69 3 86 2 18 2 17 99 2 00 8 00 8 4 18 1 17 18 4 4 09 3 86 2 18 2 17 99 2 00 8 00 8 Marquette, Nilch. Marquette, Nilch. 3 51 2 76 4 21 5 13 7 79 2 2 45 2 51 2 01 2 90 1 5 7 4 6 3 10 7 6 1 6 3 15 Marquette, Nilch. Marguette, Nilch. 4 50 3 2 03 6 28 4 96 5 81 1 03 3 46 1 75 4 6 2 6 4 7 1 84 3 3 35 5 6 2 3 17 3 05 4 13 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Chicago, Ill	3 66	1.08	3 53	3 60	7 25	2.87	1 69	3 16	3 94	1 57	12	1 70	6. 60
Hismarck, N. Dak	Peoria, Ill	4 30	2.50	2 15	2 08	2 55	7 43			2.18	2. 17	. 99		
Hismarck, N. Dak	Marquette, Mich	3 51	2 78	4 21		7 28		2 51	2 01			4 50	3 10	1 38
Hismarck, N. Dak	Madison, Wis	4.10	3 73	3 46	1 75	4. 52	6 47	1 84	3 35	5. 62	3, 52	3 17	3 05	4. 13
Hismarck, N. Dak	Duluth, Minn	4. 53	2 03			5 81	1 93	. 84	3 77	5 66	4 38		3 89	3.92
Hismarck, N. Dak	Dos Morres Town	4 41	3 65						7 30	7 76				7 24
Hismarck, N. Dak	Dubuque, Iowa	4.50	1 92	5.81		4 61			6 24	5 24	3 54	1.20		5. 37
Hismarck, N. Dak	St. Louis, Mo	4 47	1 55	. 10	9 77		62	1 47	5. 30	1. 53		.80	4 33	6 80
Pierre, S. Platte, Nebr. 3 25 2 13 4 69 32 5 72 4 12 2 33 84 1 50 2.55 4 12 53 2 60 5 67 5.1 10 Omnha, Nebr. 5 05 2 98 7 01 2 83 39 3 69 2 38 2 18 4 15 2 35 1 39 87 4 15 1.00 Omnha, Nebr. 5 05 2 98 7 01 2 83 2 58 6 19 1 1 80 4 44 2 62 3 57 2 .68 6 .00 9 .00 Corcorda, Kans. 4 97 2 76 2 73 9 33 4 6 6 0 3 17 1 85 6 .14 2 4 3 35 2 .10 7 .22 1 .87 1 2 1.00 Omnha, Nebr. 4 97 1 2 76 2 78 2 78 1 2 1 1 85 6 .14 2 3 57 2 .68 6 .00 9 .00 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Businest N Dak	5, 19 3 54		0 (48)	5 70		2 69	3, 61	4,00	2 03	9 68	3 24	6. 10	
Pierre, S. Platte, Nebr. 3 25 2 13 4 69 32 5 72 4 12 2 33 84 1 50 2.55 4 12 53 2 60 5 67 5.1 10 Omnha, Nebr. 5 05 2 98 7 01 2 83 39 3 69 2 38 2 18 4 15 2 35 1 39 87 4 15 1.00 Omnha, Nebr. 5 05 2 98 7 01 2 83 2 58 6 19 1 1 80 4 44 2 62 3 57 2 .68 6 .00 9 .00 Corcorda, Kans. 4 97 2 76 2 73 9 33 4 6 6 0 3 17 1 85 6 .14 2 4 3 35 2 .10 7 .22 1 .87 1 2 1.00 Omnha, Nebr. 4 97 1 2 76 2 78 2 78 1 2 1 1 85 6 .14 2 3 57 2 .68 6 .00 9 .00 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Dovis Lake, N. Dak	3 53	1 28			4 14		2 00	3 58	4 69	4. 70	2 52		3. 44
Omnorda, Kars.	Pierre, 8 Dak	3 (88								4 12			5 67	5. 19
Concordia, Kans. 4 97 2 73 9 33 4 66 3 17 1 85 6.14 84 3 35 2.10 7.32 1.57 Dodge City, Kans. 3 32 2 02 3 18 91 26 1.72 28 3 48 1.37 2.96 1.22 Icle, Kans. 4 .73 4 .85 3 94 8 .56 8 .68 94 2 .54 4 .21 3 .59 8 .41 5 .63 5 .35 8 .38 Memphis, Tenn. 4 .37 97 12 1 .72 3 19 2 .51 3 .96 5 .63 1 .83 2 .10 3 .21 5 .04 3 .88 Memphis, Tenn. 4 .37 97 12 1 .72 3 19 2 .51 3 .96 5 .63 1 .83 2 .10 3 .21 5 .04 3 .88 Modelie, Als. 5 .95 4 .88 5 .78 7 41 5 .42 2 .23 2 .92 2 12 6 .64 3 .97 2 .03 5 .97 9 .98 Modelie, Als. 5 .95 4 .88 5 .78 7 41 5 .42 2 .23 2 .92 2 12 6 .64 3 .97 2 .03 5 .97 9 .98 Mew Orleans, Le. 6 .16 5 .58 3 .51 5 .61 9 .70 2 .77 2 .45 4 .50 5 .45 9 .46 6 .45 5 .38 4 .77 2 .48 Mamarillo, Tex. 2 .99 2 .32 84 1 .04 2 .18 83 1 .44 2 .94 2 .55 7 .75 3 .77 9 .78 2 .82 Brownswithe, Tex. 2 .37 4 .96 6 .3 T. 17 7.1 1 .39 6 .68 3 .23 2 .99 70 0.5 0.9 T. Fort Worth, Tex. 2 .97 3 .62 2.07 6 .88 3 .30 1 .07 5 .16 3 .72 2 .33 3 .45 3 .82 2 .34 1 .94 Ean Antonio, Tex. 3 .11 2 .90 0.1 0.3 0.48 0.2 3 .35 7 .01 2 .83 3 .46 5 .95 3 .94 2 .25 3 .94 2 .25 3 .94 2 .25 Ean Antonio, Tex. 3 .11 2 .90 0.1 0.3 0.48 0.2 3 .35 7 .01 2 .83 4 .59 3 .92 .79 4 .45 2 .25 3 .34 4 .94 2 .94 2 .55 3 .94 2 .94 2 .55 3 .94 2 .94 2 .55 3 .94 2 .94 2 .55 3 .94 2 .94 2 .55 3 .94 2 .94 2 .94 2 .55 3 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .94 2 .9	North Platte, Nebr		2 18					1 80	4. 15	2 35	3 57	9 68		
Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert Robert R	Concordia, Kans	4 97	2 76	2 73	9 33	4 66	3 17	1 85	6. 14	84	3 35	2. 10	7. 32	1.87
New Orleans, Lo. 0.16 0.58 3 5t 5 bt 9 70 2.77 2 45 4 50 8 45 0 44 6.45 8 38 4.27 Shreveport, Lo. 3 86 8 3 23 2 29 3 10 3 08 4.9 2.13 5.23 5 23 3 34 3.77 2 48 1 04 Amarillo, Tex 2 99 2.22 84 1 04 2.18 83 1 44 2 94 2 55 7 75 3 77 9 78 2 22 Browns tile, Tex 2 37 4 96 63 T. 17 77 1 1 39 68 6 79 4 59 5 55 1.98 70 El Paso, Tex 5 91 1.47 T. 0 36 83 2.27 9 79 79 0.05 .09 T. Fort Worth, Tex 2 97 3 09 2.07 6.88 3 30 1 107 5 16 3 72 2 33 4 59 3 92 79 4.66 67 0 77 2 4 5 1 12 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Dodge City, Kans	3 32					. 91		1 72			1. 37	2.96	1. 23
New Orleans, Lo. 0.16 0.58 3 5t 5 bt 9 70 2.77 2 45 4 50 8 45 0 44 6.45 8 38 4.27 Shreveport, Lo. 3 86 8 3 23 2 29 3 10 3 08 4.9 2.13 5.23 5 23 3 34 3.77 2 48 1 04 Amarillo, Tex 2 99 2.22 84 1 04 2.18 83 1 44 2 94 2 55 7 75 3 77 9 78 2 22 Browns tile, Tex 2 37 4 96 63 T. 17 77 1 1 39 68 6 79 4 59 5 55 1.98 70 El Paso, Tex 5 91 1.47 T. 0 36 83 2.27 9 79 79 0.05 .09 T. Fort Worth, Tex 2 97 3 09 2.07 6.88 3 30 1 107 5 16 3 72 2 33 4 59 3 92 79 4.66 67 0 77 2 4 5 1 12 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Monnhis Tonn	4. 1	1 20		1 79		2.51	3 98		1 83	2.15		5.35	
New Orleans, Lo. 0.16 0.58 3 5t 5 bt 9 70 2.77 2 45 4 50 8 45 0 44 6.45 8 38 4.27 Shreveport, Lo. 3 86 8 3 23 2 29 3 10 3 08 4.9 2.13 5.23 5 23 3 34 3.77 2 48 1 04 Amarillo, Tex 2 99 2.22 84 1 04 2.18 83 1 44 2 94 2 55 7 75 3 77 9 78 2 22 Browns tile, Tex 2 37 4 96 63 T. 17 77 1 1 39 68 6 79 4 59 5 55 1.98 70 El Paso, Tex 5 91 1.47 T. 0 36 83 2.27 9 79 79 0.05 .09 T. Fort Worth, Tex 2 97 3 09 2.07 6.88 3 30 1 107 5 16 3 72 2 33 4 59 3 92 79 4.66 67 0 77 2 4 5 1 12 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Nashville, Tenn	4 37	()()	2 95	1 42	4 62	8 03	2 70	3 98	3 81	2 29	5, 37	4 42	. 91
New Orleans, Lo. 0.16 0.58 3 5t 5 bt 9 70 2.77 2 45 4 50 8 45 0 44 6.45 8 38 4.27 Shreveport, Lo. 3 86 8 3 23 2 29 3 10 3 08 4.9 2.13 5.23 5 23 3 34 3.77 2 48 1 04 Amarillo, Tex 2 99 2.22 84 1 04 2.18 83 1 44 2 94 2 55 7 75 3 77 9 78 2 22 Browns tile, Tex 2 37 4 96 63 T. 17 77 1 1 39 68 6 79 4 59 5 55 1.98 70 El Paso, Tex 5 91 1.47 T. 0 36 83 2.27 9 79 79 0.05 .09 T. Fort Worth, Tex 2 97 3 09 2.07 6.88 3 30 1 107 5 16 3 72 2 33 4 59 3 92 79 4.66 67 0 77 2 4 5 1 12 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Birmingham, Aia.	3 88	2 /2	4 49	1 80	2 02	3 41	7 64	3 30	3 63	1 1 45			6.85
Fort Worth, Tex. 2 97 3 08 2 07 6 88 3 3 0 1 07 5 18 3 72 2 33 2 23 1 76 6 74 1.25 Galveston, Tex. 4 75 2 51 12 06 8 3 15 65 2 79 115 49 6 68 4 97 8 96 3 24 2 51 8 1 2 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Now Orleans La	5 90 A 14				0.70							5 38	4 27
Fort Worth, Tex. 2 97 3 08 2 07 6 88 3 3 0 1 07 5 18 3 72 2 33 2 23 1 76 6 74 1.25 Galveston, Tex. 4 75 2 51 12 06 8 3 15 65 2 79 115 49 6 68 4 97 8 96 3 24 2 51 8 1 2 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Shreveport, La.	3 58	3 23	2 29	3 10	3 08	. 49	2. 13	5, 53	5 23	3 34	3.77	2 48	1 04
Fort Worth, Tex. 2 97 3 08 2 07 6 88 3 3 0 1 07 5 18 3 72 2 33 2 23 1 76 6 74 1.25 Galveston, Tex. 4 75 2 51 12 06 8 3 15 65 2 79 115 49 6 68 4 97 8 96 3 24 2 51 8 1 2 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Amarillo, Tex.	2 99	2.32	. 84	1 04		. 83	1 44	2 94	2 56	7 75	3 77	9 76	2 82
Fort Worth, Tex. 2 97 3 06 2 07 6 88 3 30 1 107 5 16 3 72 2 33 2 23 1 76 6 74 1 22 6 1 127 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	El Paso Ter	55			7		36	83	. 27	. 99	79		.09	т.
Chittle Rock, Ark. 4 00 2 06 01 3 37 3 00 3 82 67 1 27 4 27 4 67 2 21 1.80 2 88 1 68 68 1 50 2 00 1 82 1 89 1 276 1 80 1 80 1 80 1 80 1 80 1 80 1 80 1 8	Fort Worth, Tex	2 97	3 03	2.07	6.88		1 97		3 72	2 33	2 63	1 76	8.74	1. 25
Chittle Rock, Ark. 4 00 2 06 01 3 37 3 00 3 82 67 1 27 4 27 4 67 2 21 1.80 2 88 1 68 68 1 50 2 00 1 82 1 89 1 276 1 80 1 80 1 80 1 80 1 80 1 80 1 80 1 8	Galveston, Tex	4 75		12		3 15				6.68		8 96	3. 24	2.51
Seattle, Wash. 1.49 1.71 1.75 .40 1.82 3.70 .50 33 1.93 1.29 .03 1.01 .89 .67 Walla Walla, Wash. 1.19 2.11 1.12 .40 1.77 .57 .10 .04 1.03 .67 .51 2.89 .67 Portland, Oreg. 1.04 4.24 1.52 1.47 1.88 1.17 .12 .91 2.11 1.36 .14 1.99 .68 Roseburg, Oreg. 1.07 3.27 1.76 .71 .91 .26 .33 .68 .96 .76 .76 .10 1.22 .86 Burcka, Calif. 1.06 1.07 .32 .05 1.00 0 .32 .14 1.92 1.39 .14 1.97 .68 Fresno, Calif. 10 .10 .23 0 0 .01 0 .03 .03 .03 .12 7.0 .00 Los Angeles, Calif. .15 .11 .60 0 .91 0 .03 0 .05 .05 T. .02 0	Oklahoma City. Okla	3 07	3 82	02	7 23	6.16	1 83	3 09	4 87	2.08	3 80	30	3.62	3 15
Seattle, Wash. 1.49 1.71 1.75 .40 1.82 3.70 .50 33 1.93 1.29 .03 1.01 .89 .67 Walla Walla, Wash. 1.19 2.11 1.12 .40 1.77 .57 .10 .04 1.03 .67 .51 2.89 .67 Portland, Oreg. 1.04 4.24 1.52 1.47 1.88 1.17 .12 .91 2.11 1.36 .14 1.99 .68 Roseburg, Oreg. 1.07 3.27 1.76 .71 .91 .26 .33 .68 .96 .76 .76 .10 1.22 .86 Burcka, Calif. 1.06 1.07 .32 .05 1.00 0 .32 .14 1.92 1.39 .14 1.97 .68 Fresno, Calif. 10 .10 .23 0 0 .01 0 .03 .03 .03 .12 7.0 .00 Los Angeles, Calif. .15 .11 .60 0 .91 0 .03 0 .05 .05 T. .02 0	Little Rock, Ark	4 00	2.05	01	3. 72	3 00	3 82	6 77	2 75	4 27	4.67	2 21	1.60	2.89
Seattle, Wash. 1.49 1.71 1.75 .40 1.82 3.70 .50 33 1.93 1.29 .03 1.01 .89 .67 Walla Walla, Wash. 1.19 2.11 1.12 .40 1.77 .57 .10 .04 1.03 .67 .51 2.89 .67 Portland, Oreg. 1.04 4.24 1.52 1.47 1.88 1.17 .12 .91 2.11 1.36 .14 1.99 .68 Roseburg, Oreg. 1.07 3.27 1.76 .71 .91 .26 .33 .68 .96 .76 .76 .10 1.22 .86 Burcka, Calif. 1.06 1.07 .32 .05 1.00 0 .32 .14 1.92 1.39 .14 1.97 .68 Fresno, Calif. 10 .10 .23 0 0 .01 0 .03 .03 .03 .12 7.0 .00 Los Angeles, Calif. .15 .11 .60 0 .91 0 .03 0 .05 .05 T. .02 0	Havre, Mont.	2.82	2 21	4. (17	3.35	4 03	2 78	1 45	1.68	3 09		. 82	1 40	
Seattle, Wash. 1.49 1.71 1.75 .40 1.82 3.70 .50 33 1.93 1.29 .03 1.01 .89 .67 Walla Walla, Wash. 1.19 2.11 1.12 .40 1.77 .57 .10 .04 1.03 .67 .51 2.89 .67 Portland, Oreg. 1.04 4.24 1.52 1.47 1.88 1.17 .12 .91 2.11 1.36 .14 1.99 .68 Roseburg, Oreg. 1.07 3.27 1.76 .71 .91 .26 .33 .68 .96 .76 .76 .10 1.22 .86 Burcka, Calif. 1.06 1.07 .32 .05 1.00 0 .32 .14 1.92 1.39 .14 1.97 .68 Fresno, Calif. 10 .10 .23 0 0 .01 0 .03 .03 .03 .12 7.0 .00 Los Angeles, Calif. .15 .11 .60 0 .91 0 .03 0 .05 .05 T. .02 0	Cheyenne, Wyo	1. 57	1. 18	. 25	1 34	. 37	. 34	1. 24	. 72		2.92	. 90	2.32	1 52
Seattle, Wash. 1.49 1.71 1.75 .40 1.82 3.70 .50 33 1.93 1.29 .03 1.01 .89 .67 Walla Walla, Wash. 1.19 2.11 1.12 .40 1.77 .57 .10 .04 1.03 .67 .51 2.89 .67 Portland, Oreg. 1.04 4.24 1.52 1.47 1.88 1.17 .12 .91 2.11 1.36 .14 1.99 .68 Roseburg, Oreg. 1.07 3.27 1.76 .71 .91 .26 .33 .68 .96 .76 .76 .10 1.22 .86 Burcka, Calif. 1.06 1.07 .32 .05 1.00 0 .32 .14 1.92 1.39 .14 1.97 .68 Fresno, Calif. 10 .10 .23 0 0 .01 0 .03 .03 .03 .12 7.0 .00 Los Angeles, Calif. .15 .11 .60 0 .91 0 .03 0 .05 .05 T. .02 0	Sheridan, Wyo	1 90	3.90	1.65	4 71	2.23		1 27	. 54	1.88		2.21	271	2.01
Seattle, Wash. 1.49 1.71 1.75 .40 1.82 3.70 .50 33 1.93 1.29 .03 1.01 .89 .67 Walla Walla, Wash. 1.19 2.11 1.12 .40 1.77 .57 .10 .04 1.03 .67 .51 2.89 .67 Portland, Oreg. 1.04 4.24 1.52 1.47 1.88 1.17 .12 .91 2.11 1.36 .14 1.99 .68 Roseburg, Oreg. 1.07 3.27 1.76 .71 .91 .26 .33 .68 .96 .76 .76 .10 1.22 .86 Burcka, Calif. 1.06 1.07 .32 .05 1.00 0 .32 .14 1.92 1.39 .14 1.97 .68 Fresno, Calif. 10 .10 .23 0 0 .01 0 .03 .03 .03 .12 7.0 .00 Los Angeles, Calif. .15 .11 .60 0 .91 0 .03 0 .05 .05 T. .02 0	Pueblo, Colo	1 47	. 66	1.90	1. 26	1 22	. 58 00	1 02					. 24	21
Seattle, Wash. 1.49 1.71 1.75 .40 1.82 3.70 .50 33 1.93 1.29 .03 1.01 .89 .67 Walla Walla, Wash. 1.19 2.11 1.12 .40 1.77 .57 .10 .04 1.03 .67 .51 2.89 .67 Portland, Oreg. 1.04 4.24 1.52 1.47 1.88 1.17 .12 .91 2.11 1.36 .14 1.99 .68 Roseburg, Oreg. 1.07 3.27 1.76 .71 .91 .26 .33 .68 .96 .76 .76 .10 1.22 .86 Burcka, Calif. 1.06 1.07 .32 .05 1.00 0 .32 .14 1.92 1.39 .14 1.97 .68 Fresno, Calif. 10 .10 .23 0 0 .01 0 .03 .03 .03 .12 7.0 .00 Los Angeles, Calif. .15 .11 .60 0 .91 0 .03 0 .05 .05 T. .02 0	Phoenix, Ariz	1.12	0	. 05	. 48	10	10	.08	T.	T.	.04	T.	0	T.
Seattle, Wash. 1.49 1.71 1.75 .40 1.82 3.70 .50 33 1.93 1.29 .03 1.01 .89 .67 Walla Walla, Wash. 1.19 2.11 1.12 .40 1.77 .57 .10 .04 1.03 .67 .51 2.89 .67 Portland, Oreg. 1.04 4.24 1.52 1.47 1.88 1.17 .12 .91 2.11 1.36 .14 1.99 .68 Roseburg, Oreg. 1.07 3.27 1.76 .71 .91 .26 .33 .68 .96 .76 .76 .10 1.22 .86 Burcka, Calif. 1.06 1.07 .32 .05 1.00 0 .32 .14 1.92 1.39 .14 1.97 .68 Fresno, Calif. 10 .10 .23 0 0 .01 0 .03 .03 .03 .12 7.0 .00 Los Angeles, Calif. .15 .11 .60 0 .91 0 .03 0 .05 .05 T. .02 0	Modena, Utah	. 40	. 44	1 50	. 85		T.	. 35	13	. 59	.01	. 23	. 24	0
Seattle, Wash. 1.49 1.71 1.75 .40 1.82 3.70 .50 33 1.93 1.29 .03 1.01 .89 .67 Walla Walla, Wash. 1.19 2.11 1.12 .40 1.77 .57 .10 .04 1.03 .67 .51 2.89 .67 Portland, Oreg. 1.04 4.24 1.52 1.47 1.88 1.17 .12 .91 2.11 1.36 .14 1.99 .68 Roseburg, Oreg. 1.07 3.27 1.76 .71 .91 .26 .33 .68 .96 .76 .76 .10 1.22 .86 Burcka, Calif. 1.06 1.07 .32 .05 1.00 0 .32 .14 1.92 1.39 .14 1.97 .68 Fresno, Calif. 10 .10 .23 0 0 .01 0 .03 .03 .03 .12 7.0 .00 Los Angeles, Calif. .15 .11 .60 0 .91 0 .03 0 .05 .05 T. .02 0	Winners Nov	.77	9 37	2.6%	1. 44 05	0.66	19	1 33	0.		. 08	. 85		
Seattle, Wash. 1.49 1.71 1.75 .40 1.82 3.70 .50 33 1.93 1.29 .03 1.01 .89 .67 Walla Walla, Wash. 1.19 2.11 1.12 .40 1.77 .57 .10 .04 1.03 .67 .51 2.89 .67 Portland, Oreg. 1.04 4.24 1.52 1.47 1.88 1.17 .12 .91 2.11 1.36 .14 1.99 .68 Roseburg, Oreg. 1.07 3.27 1.76 .71 .91 .26 .33 .68 .96 .76 .76 .10 1.22 .86 Burcka, Calif. 1.06 1.07 .32 .05 1.00 0 .32 .14 1.92 1.39 .14 1.97 .68 Fresno, Calif. 10 .10 .23 0 0 .01 0 .03 .03 .03 .12 7.0 .00 Los Angeles, Calif. .15 .11 .60 0 .91 0 .03 0 .05 .05 T. .02 0	Bolse, Idaho	.88		. 82	.48	1 68	. 34	, . 58	T.	1.18	1 .09	.57	2.05	. 51
m m no no m m m	Seattle, Wash	1. 49	I. 71	1 75	.40	1.82	3. 70	1 .50	35	1. 93	1. 29	.03	1.01	. 35
m m no no m m m	Walla Walla, Wash	1. 19	2 11	1. 12	1 40	1.77	1.17	12	91	2.11	1.36	.01	1, 19	. 69
m m no no m m m	Rose burg, Oreg.	1. 07	3. 27	1. 78	.71	. 91	. 26	1.283	. 68	L CAR	78	1.01	1. 22	. 14
m m no no m m m	Mureka, Calif	1.06	1. 60	1 7 7 3	. 05	1.00		.02	. 14	1.92	1.30	. 14	1,07	. 66
m m no no m m m	Freezo, Calif	. 10	. 10	.28				.01		T.	.01	Т.	.02	
	Sacramento, Calif	.15	, 11	.60	0	61	10	T.	0	.05	.05	T.	.09	Ò
San Francisco, Calif. 17 .02 .29 0 T. T. T. T. 102 1.00 0	San Diego, Calif	. 03	.09	T.	T.	T.		.06	0	.02	T.	T.		
	san Francisco, Calif	. 17	. 02	. 20	U	1.	1.	1.	1.	. ••	1.	. 20	.w	١

¹ Normals are based on records of 20 or more years of observations.

T-Trace, indicates an amount too small to measure.

Table 781.—Precipitation: Normal 1 and total precipitation at selected points in the United States, 1918-1924—Continued

	the United States, 1915–1924—Continued												
1	Nor-					July t	otal p	ecipita	tion				
Station	for	1918	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1994
Greenville, Me. Boston, Mass. Boston, Mass. Boston, Mass. Buffalo, N. Y. Canton, N. Y. Trenton, N. J. Pittsburgh, Pa. Beranton, Pa. Washington, D. C. Lynchburg, Va. Norfolk, Va. Parkersburg, W. Va. Charlette, N. C. Charlette, N. C. Charleston, S. C. Atlanta, Ga. Thomesville, Fla. Minmi, Fla. Cinemati, Ohio. Cleveland, Ohio. Cleveland, Ohio. Evansville, Ind. Indianapolis, Ind. Chicago, Ill. Peoris, Ill. Grand Rapids, Mich. Marquette, Mich. Madison, Wis. Duluth, Minn. St. Paul, Minn. Des Moines, Iowa. Dubuque, Iowa. St. Louis, Mo. Bringfield, Mo. Bringfield, Mo. Bringfield, Mo. Bringfield, Mo. Bringfield, Mo. Bringfield, Mo. Bringfield, Mo. St. Louis, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springfield, Mo. Springf	mal for July 1	70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.1313 70.	1914 In. 2624 3875 22.1.889 1.2.2.1.889 1.2.2.1.889 1.2.2.1.889 1.2.2.1.889 1.2.2.1.889 1.2.3.3.499 1.2.3.3.499 1.2.3.3.499 1.2.3.3.499 1.2.3.419 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.449 1.3.3.	In. 8. 98. 85. 7. 20. 72. 20. 20. 20. 20. 20. 20. 20. 20. 20. 2	In. 5.60 5.67 2.04 1.01 5.94 3.88 2.29 4.97 9.76				In. 4.46 1.56 4.50 4.98 2.16 3.29 5.42 5.71 4.82 4.33 4.56 4.11	766923.444.52555188.7176.028.32.24.44.82.24.44.82.22.44.43.82.82.14.82.22.44.43.82.82.14.82.22.44.43.82.82.14.82.22.44.82.03.84.82.44.82.22.44.43.82.82.14.82.22.44.82.03.84.82.44.43.82.14.82.22.44.82.03.84.82.44.44.44.44.44.44.44.44.44.44.44.44.44	1922 In. 648 22 24 4 9 2 21 3 5 8 6 3 3 8 2 4 3 6 2 2 2 7 6 2 2 4 4 9 2 21 3 5 8 6 3 3 8 2 4 3 6 2 2 2 7 6 2 2 2 4 5 5 5 8 8 9 3 7 15 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1928	7n

¹ Normals are based on records of 20 or more years of observations.

Twoce, indicates an amount too small to measure.

TABLE 781.—Precipitation: Normal 1 and total precipitation at selected points in the United States, 1913-1924—Continued

	Nor-					Augus	t total	precip	itation	l			
Station	for Aug.	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
Greenville, Me. Boston, Mass. Buffalo, N. Y Cranton, N. Y Tranton, N. Y Tranton, N. J Prittsburgh, Ps. Scranton, Pa. Washington, D. C. Lynchburg, Vs. Norfolk, Vs. Parkersburg, W. Va. Charleston, S. C. Atlanta, Ga. Thomasville, Gs. Jacksonvulle, Fla. Mianui, Fla. Mianui, Fla. Mianui, Fla. Mianui, Fla. Mianui, Fla. Mianui, Fla. Mianui, Fla. Mianui, Fla. Mianui, Fla. Mianui, Fla. Mianui, Fla. Mianui, Fla. Mianui, Fla. Mianui, Fla. Mianui, Fla. Mianui, Fla. Mianui, Fla. Mianui, Fla. Mianui, Fla. Mianui, Minn. Des Moines, Ind. Chicago, Ill. Crand Rapids, Mich. Marquette, Mich. Madison, Wis. Duluth, Minn. Des Moines, Iowa. Dubuque, Iowa. St. Louis, Mo. Bismarck, N. Dak. Pierre, S. Dak. North Platte, Nebr. Concordia, Kans. Dodge City, Kans. Iola, Kans. Memphis, Tenn. Nashville, Tenn. Birminglam, Ala. Mobile, Ala. New Orleans, La. Shreveport, La. Amarillo, Tex. El Paso, Tex. Fort Worth, Tex. Galysston, Tex. San Antonio, Tex. Exchaloma City, Okla. Little Rock, Ark Havre, Mont. Cheyenne, Wyo. Sharidan, Uyo. Pueblo, Colo. Santa Fe, N. Mex. Phoenix, Ariz. Modena, Usah. Sait Lake City, Utah. Winsemucca, Nev. Boseburg, Oreg. Enreka, Calif. Francisco, Calif. San Bracelso, Calif. San Prancisco, Calif. San Prancisco, Calif.	mal for Aug.	1913 In. 2. 286 2. 3. 281 2. 2. 3. 281 2. 2. 3. 281 2. 2. 4. 143 2. 2. 3. 281 2. 2. 4. 143 2. 2. 3. 281 2. 2. 4. 143 2. 2. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3.	1914 In. 2. 90 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963 4. 963	1915 In. 6. 18 6. 18 6. 19 6. 6 22 2. 73 7. 04 5 4 92 2. 76 4 4 59 9 4 2. 76 4 4 33 4 4 39 6 1 2 4 4 33 1 2 14 4 33 1 2 34 4 39 6 5 05 05 05 05 05 05 05 05 05 05 05 05 0	i			In. 3. 77 5 07 3. 04 4 82 7. 15 2 30 3 41 3 03 3 47 4. 60 3 94 5 70		1	In. 3. 41. 62. 65. 16 63. 18. 8. 04. 72. 74. 8. 18. 02. 11. 12. 22. 71. 17. 7. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19	7n. 2 85 8 1. 26 8 3 2 4. 24 4 47 7 2 93 3 12 29 14 17 6. 89 4 4. 47 7 7 6. 34 2 2 16 5 5 5 6 1. 76 6 2 2 2 5 6 4 7 0 6 2 1 5 4 7 0 6 1 3 4 6 8 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9	1924 In. 2.34 2.69 3.58 2.69 3.58 3.50 4.27 4.23 4.50 3.99 2.74 4.40 4.15 3.99 4.70 5.39 4.70 5.39 6.10 6.10 6.10 6.10 6.10 6.10 6.10 6.10
San Antonio, Tex. San Antonio, Tex. Skiahoma City, Okla Little Rock, Ark Havre, Mont. Kalispell, Mont. Cheyenne, Wyo Sheridan Wyo Pueblo, Colo Santa Fe, N. Mex Phoenix, Ariz Modens, Utah Sait Lake City, Utah Winnemnecs, Nev Boise, Idaho. Boise, Idaho. Bottel, Wash Walla Walle, Wash Portland, Oreg Roseburg, Oreg Enreks, Oalif Freene, Oalif	2 69 3 17 8. 626 1. 89 1. 47 2 36 1. 83 2 16 1. 63 2 16 3 10 0	1. 29 .57 2. 40 .61 1. 43 .20 1. 07 .82 1. 07 .47 .40 .03 .45 .40 .76 .19 .03 .T.	7. 80 2. 76 4. 77 2. 43 1. 31 1. 67 . 68 2. 18 2. 51 . 24 T 64 . 01 T 01	3 90 5 26 10. 33 . 22 3. 98 . 89 3. 27 1. 02 . 25 . 46 T 05 T 05 T 03 0	5 07 .68 3.59 .1 26 .13 3.12 1.67 .60 .11 .17 .27 .36 .12 .08	10 4 50 4 34 3 32 1 75 8 174 1 37 1 11 26 7 7 1 7 1 T. 1 T. 2 T.	2. 61 1. 91 1. 42 2. 61 . 96 1 68 . 93 . 57 . 82 3. 47 1. 26 . 61 . 61 . 61 . 61 . 62 . 63 . 63 . 63 . 63 . 63 . 63 . 63 . 63	2. 14 2. 28 3. 476 1. 06 43 3. 23 3. 206 2. 40 50 T. .08 .06 .00 .02	2 26 4.86 3.83 .81 2.61, 1.32 .68 1.98 .75 .81 1.76 .83 1.15 1.25 .22 .49 .15	. 45 . 85 7 08 . 27 . 56 . 61 . 24 2. 24 3. 71 1. 62 2. 24 1. 61 . 34 1. 61 . 57 . 04 . 01 0	. 27 . 19 . 83 1. 70 . 76 2. 16 1. 85 . 57 2. 41 1. 85 . 57 2. 41 1. 13 1. 17 1. 206 . 32 . 03 T.	2.94 3.57 2.57 2.96 2.06 1.44 4.65 2.33 2.41 2.25 2.20 1.98 3.02 0	T. 3 16 1. 74 1. 39 . 74 1. 39 . 71 . 14 . 31 . 31 . 31 . 31 . 31 . 31 . 3
Sacramento, Calif	. 01 0 0	.01 .02 .01	0	0.01	T. T. .01 .29	T. T.	T. 11 0	T. T. .01 T.	T. 01 0	0 T.	T. T.	T. T. T. . 01	T. T.

¹ Normals are based on records of 20 or more years of observations.

T-Trace. indicates an amount too small to measure.

Table 781.—Precipitation: Normal 1 and total precipitation at selected points in the United States, 1913-1924—Continued

the United States, 1918–1924—Continued													
Station	Nor- mal												
premon	for Sept.	1918	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
Greenville, Me. Boston, Mass. Buffalo, N. Y Oanton, N. Y Trenton, N. Y Trenton, N. Y Trenton, N. Y Trenton, N. Y Trenton, N. Y Trenton, N. Y Trenton, N. Y Pittsburgh, Pa. Boranton, Pa. Washington, D. C. Lynohburg, Va. Norfolk, Va. Parkersburg, V. Va. Charlotte, N. C. Charlette, N. C. Charlette, N. C. Charlette, N. C. Charlette, N. C. Charlette, M. C. Charlette, M. C. Charlette, M. C. Thomasville, Ga. Jacksonville, Fla. Miami, Fla. Cincinnati, Ohio. Evansville, Ind. Indianapolis, Ind. Chicago, Ill. Feoria, Ill. Grand Rapids, Mich. Marquette, Mich. Marquette, Mich. Marquette, Mich. Marquette, Mich. Marquette, Mich. Marquette, Moc. Birmsville, Ill. St. Paul, Minn. Des Moines, lowa Dubuque, Iowa St. Louis, Mo. Springfield, Mo. Bismarck, N. Dak. Devils Lake, N. Dak. Perrs, S. Dak. North Platte, Nebr. Oonaha, Nebr. Concordies, Kans. Modele, City, Kans. Iola, Kans. Memphis, Tenn. Neshville, Tex. El Paso, Tex. El Paso, Tex. El Paso, Tex. El Paso, Tex. San Antonio, Tex. Oklahoma City, Okla. Little Rock, Ark Havre, Mont. Kalispell, Mont. Cheyeane, Wyo Sheridan, Wyo Pueblo, Colo Sents Fe, N. Mex. Phoenis, Aris. Modene, Utah. Sent Lake City, Utah. Winnennoss, Nev. Bols, Idaho. Sestile, Wash. Valls Walls, Wash. Portland, Oreg. Leceburg, Oreg. Leceburg, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece Book, Calif. Lece	In. 4. 17	In. 4. 30	In. 2.68 .21	In. 8. 74 . 69 1. 35	In. 4. 23 1. 90	In. 1.80	In. 6. 52	In. 8. 71	In. 5. 60	In. 8. 53 1. 22	In. 1.89	In. 2 11 . 38	In. 7. 39
Boston, Mass	3. 19	2. 51	21	. 69	1.90	1.91	9. 19	5. 88 1. 47	1.90 2.08	1. 22	3. 65 1. 25	. 38	6. 98 6. 48
Canton N V	2 81	1.85 2.26	2 81 1.78	1. 32	1.88 3.42	2. 29	8.79 6.05	1 4 89	5. 11	3. 52	1. 28	1.86	5. 61
Trenton, N. J.	8. 59	4. 66	.41	. 62	2. 51	3.89	2. 20	2.74 1.64	2. 23	1.69	1.75	2 10 4. 19	5 94
Pittsburgh, Pa	2.48	2.86	1 .69	1.71	1.68	1.90	2.22	1 64	8 48	5. 07	1 84	1 1.62	5. 39
Scranton, Pa	2 80	3. 87	1.05	2. 91 1. 39	4. 35	1. 84	4. 59	2. 21 1. 77	4.94 2 87	4. 38 3. 29	1. 18 6. 27	4. 38 8. 15	7. 85 7. 80
Lynchburg, Va	3. 63	2.41	.67	3. 26	2.55	1 1.96	2. 79 2. 61	47	4. 51	1.71	1.42	2 84	4.60
Norfolk, Va	4 06	5. 28 2. 96	2.97	1.76	1 3. 53	5. 26	3. 12	1.70	8, 11	2. 43	. 53	3. 28 2. 92	6. 59
Parkersburg, W. Va.	2. 72	2.96	. 62 2. 02	4. 19 2. 87	3. 18 . 88	1. 41 3. 29	2. 58	. 98	8. 69 8 58	4. 47 2. 55	3. 73 1 23	2. 92 2. 32	5. 25 10. 84
Charleston, S. C	5. 46	2. 45 7. 26	4 69	2 07	1 2, 76	2.34	5. 83 3. 10	1.78	8.30	5 19	1. 13	2 11	11. 8
Atlanta, Ga	3. 58	2. 40 2. 30	2.48	3. 53	2.84	6.44	3. 57	1.12	3. 36	1 31	1 16	. 54 2. 32	6.01
Thomasville, Ga	4. 25	2. 30 3. 74	7. 58 6 39	4.41	3. 29 5 25	2. 15 3. 47	3. 44 6. 17	5.63	8 07 7, 14	1 60	3. 42 6. 70	2. 82 4. 89	18. 83 8 88
Miami. Fla	8 72	6. 46	6.68	8. 41 5. 47	4. 81	18. 55	10 06	3. 72	6 94	2 81	11.04	A 21	7 41
Cincinnati, Ohio	2. 31	1.86	. 90	1 5 65	2 29	2 97	2.70 3.78	3 79	2.98	3.00	2.93	1 40 8. 82	2 07
Cleveland, Ohio	3. 22	2.10	1 16	4 23 2 98	2 84 2. 57	2. 74 3. 35	3 78	1 79	1.85	2 77	1.60	8. 32	6.08
Evansville, ind Indianapolis, Ind	2.00	4.31	5. 06 2. 15	4 17	19 28	1 2 03	5. 14	3. 59 1. 86	3 36 2.37	3 87 7.54	2. 16 1. 52	1.84	5 86 2 80
Chicago, Ill	3. 02	1.49	1 1, 56		2 24 3 73	2 15 3. 14	1.84	3. 85	8 85	5. 72	4 37	3. 91 2. 50	3. 14
Peoria, Ill	3.12	2.58	5.55	4 88	3 73	3. 14	1 67	8 48	1 84	4 86	2 71	1 5. 28	3 74
Grand Rapids, Mich. Morguette, Mich.	3.12	2 25 3 76 4 32	2 34	8 11 3 68	2 43 8 74	8 59 2 10	2 01	3 86 2 49	8 68 1 94	4 33	5 04 3 26	6. 77 1. 63	3. 48 2. 42
Madison. Wis	3. 18	4 82	8 49	10 89	5 74 5 73	2 98	5 49 1 52	6 83	1 12	4 30 7 90	2. 34	4. 36	3 87
Duluth, Minn	8. 55	3. 32	2 55	1 2 28	4. 25	2. 15	1 41	1 42	1 31	3 09	2 23	2. 61	3 94
St. Paul, Minn	3. 42	3. 34 2 65	2 16	2. 92 4. 51	1.81 1.72	2.00 1 99	1. 49	7. 47	1 36	3 21 7 16	1 82 3.00	1 10 5.17	3.03 3 47
Des momes, rowa Dubuque, Iowa.	8. 59	3. 59	14 S1 4.75	9 62	6 19	2.40	1. 63	5 35	1 46	8 35	3. 40	5.04	2 44
St. Louis, Mo	2 91	4 50	6.68	1.41	2.69	3 50	5. 09	6 13	4 79	5. 60	2.49	3. 51	1 97
Springfield, Mo	3. 76	3 85	3. 69	3 06	1. 19	3. 74 1. 75	4. 82	1.62	4 42 1 20	3 90	. 95	3.82	4 12 1 60
Davils Laka N. Dak	1.19	2 29	1. 10 1. 57	1. 68 3. 11	.70	1. 70	.47	. 34	K 34	3 58	1. 93 3. 30	2.83	4 54
Pierre, S. Dak	1. 11	. 56	. 79	2.18	1.06	. 83 1 83	. 64	1. 59	. 98	3 21	. 19	1. 21	1.98
North Platte, Nebr	1.50	.90	. 17	1. 81	. 70 1. 76	1 2.68	1 03	1 56 5 28	. 83	1 00	1.00	. 88	1.66
Concordia Kuns	2 58	3.62	3 56 4.61	2. 17 3. 47	2 70	.91	1 72	3 08	1 03	5 35 1 36	1. 29 1. 35	9.32 2 94	4 56
Dodge City. Kans	1.77	5. 40	. 53	3. 79 13 22	1.15	. 36	2, 20	1 01	3 34	1 1 53	1.84	2.50	1.62
iola, Kans	3. 35	3. 12	5. 19	13 22	5. 56	1.85	8 51	1 02	4 18	7 10	4. 33	4 23	6. 14
Memphis, Tenn	3.05	6.01	3. 92 1. 46	. 55 4. 68	1. 07 1. 92	1 88 1.51	4 95	1.34 1 33	10 82 4. 15	1 58 3 72	3 23	5. 47 1. 44	5. 19 2 61
Birmingham, Ala	3. 50	1. 79 7. 41	3. 95	6 54	1 2 63	6 01	3. 75	1 09	4. 12	4 20	1 54	1.50	2.50
Mobile, Ala	5.02	15. 50	7. 96	4.08	6. 68	6. 90	0.17	1 10	7. 81	3 74	3 19	47	1.8
New Orleans, La	4.81	11.84 16.46	5.05	10 83 1. 75	3. 13 1. 46	2 69	4 82	2 93	6.47	3 94 . 56	1. 36	2 63 9. 03	2, 59 1, 00
Amarillo, Tex	2.36	4 19	1 1. 07	4. 69	1. 76	2.05	. 64	4. 58	3.04	1 .76	1.41	6.42	1. 13
Brownsville, Tex	5. 42	14. 38	. 86	2. 54	8. 21	1.03	. 97	7 69	. 34	3 82	12 61	4, 55	1. 13 7. 29
El Paso, Tex.	1. 45	7 29	. 56 1. 61	2. 68 1. 62	. 55	. 76	2 09	3. 30 4 12	.31 2.76	2. 49	1.07	2.06	3. 78
Galveston, Tex	5. 41	18. 68	5. 20	2. 12	4. 24	2. 41 3. 60	2.03	5 29	2.86	8. 37	1889	9.91	04
San Antonio, Tex	2.94	7. 21	2. 24	2. 39	8 78	1.39	1, 49	7. 61	. 15	8. 27	. 97	2.98	2.52
Ukianema City, Okia.	2.75	4. 80 9. 25	1.70	3. 62 1. 16	2. 54 1. 95	1. 55	4. 28 4. 63	1 03	3. 60 2. 88	3. 79 2. 18	.90	10. 28 8. 93	2 4
Havre. Mont	1.03	. 82	1. 93 1. 37	2.05	1. 42	4. 5R	. 98	2.78 .79	. 84	1 50	. 68	. 50	2 66 5. 44
Kalispell, Mont	1. 33	. 81	1.21	2.04	1.63	- 22	1. 59	. 50	.70	. 79	. 52	. 23	9 0
Cheyenne, Wyo	1 94	2.82 2.04	.41 .80	2. 10 8. 75	1.00	. 56	2. 57 2. 68	1. 76 1. 10	2. 31	.02	. 36	2.78	2.36
Pueblo. Colo	. 62	.79	64)	1. 42	. 56 T.	2 25	1. 43	2.04	1. 88	. 25	.09	8. 18 1. 36	. 10
ants Fe, N. Mex	1. 64	1.54	.50 T. .49 .17	1.62	1.45	3. 25 . 64	. 76	2. 53	.77	. 18	1.07	1 1 1N :	. 62
hoenix, Aris	1.01	.18	T.	. 10	1.66	.00	. 89	1. 93	. 10	. 33	. 18	. 97	- 12
Modena, Utah	1.13	.98	17	1.44	.71	.79 1.16	1 22 2.10	3. 29 1. 76	. 22 1. 56	. 23 . 44	. 04	1.46	. 18
Winnernuosa, Nev	. 34	. 51	. 48	. 26	. 28	Т.	1. 58	. 40	. 40	01	. 01	1. 10	. 26
Boise, Idaho	41	. 65	. 85	. 26	. 05 . 70	1.39	2. 32	. 79	. 84	. 61	. 01	. 56	. 2
Seattle, Wash	1.77	2 37	1. 43 1. 52	. 65	.70 .15	1. 29 1. 31	.08	2. 03 1. 26	2. 34 1. 99	1.84 .79	1, 19	1.37 .21	2 66 3 81
Tais Walls, Wash	1. 84	2 68	3. 10	.53	. 71	1.96	.66	3. 18	4. 16	3.08	. 41 1. 90	. 59	1, 94
loseburg, Oreg	1. 04	1.44	2.80	. 57	. 59	72	. 59	3. 36	2. 27	1.45	1, 56	1.68	1. 23
ureka, Calif	1.11	7.	1.82	. 31	.38	.66	1.42	1. 52	2.47	.27	. 37	1, 54 , 25	. 41
resno, Ualif	. 37 DA	T.	. 22	\ \ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	. 38 . 77	.66 T.	. 58 . 55	. 29 1. 29	T.	. 21	0	. 25 . 58	OT.
acramento, Calif	. 39	.08 T	T.	THE T	. 16	.51	3, 58	. 53	.01	. 62 T.	ő	40	Ť.
an Diego, Calif	. 06	T. 02	F.F.F.	T.	. 25	. 51 T.	.08 2.53	. 26	. 08	T. 1. 24	ě	.83	
an Francisco, Calif	. 29	0	T.	0	1. 20	.02	2.53	. 39	. 18	. 35	T.	. 64	T.
		لسبيل									L		

³ Normals are based on records of 20 or more years of observations.

T-Trace, indicates an amount too small to measure.

Table 781.—Precipitation: Normal 1 and total precipitation at selected points in the United States, 1913-1924—Continued

	Nor-												
Station	for Oct.	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
Greenville, Me. Bostor, Mess. Buffalo, N. Y Cantor, N. Y Cantor, N. Y Cantor, N. Y Trenton, N. J Pittaburgh, Pa Washington, D. C. Lynchburg, Va Norfolk, Va Parkersburg, W. Va. Charlette, N. C. Charlecton, S. C. Atlanta, Ga Thomasville, Ga Jacksonville, Fla Miami, Fla Cincinnati, Ohio Civeland, Ohio Evansville, Ind Indianapolis, Ind Chicago, Ill Grand Rapids, Mich Marquette, Mich Madison, Wis Duluth, Mun St. Paul, Mun Des Moines, Iowa Dubuque, Jowa St. Louis, Mo Springfield, Mo Bismarck, N. Dak Pierre, S. Dak North Plotte, Nebr Comaha, Nebr Comcordia, Kans Dodge City, Kuns Lois, Kans Meinphis, Tenn Birninghem, Ala Mobile, Ah New Orleans, La Shreveport, La Amarillo, Tex El Pase, Tex El Pase, Tex El Pase, Tex En Powneylle, Tex El Pase, Tex San Antonio, Tex Oklahoma City, Okla Little Rock, Ark Havee, Mont Kalispell, Ment Caeyeane, Wyo Pueble, Colo Santa Fe, N. Mex Modens, Usah Salt Lake City, Utah Winnemucca, Nev Boles, Joaho Sestis, Wash Francisco, Calif San Piego, Calif San Francisco, Calif San Francisco, Calif San Francisco, Calif San Francisco, Calif San Francisco, Calif San Francisco, Calif San Francisco, Calif San Francisco, Calif San Francisco, Calif San Francisco, Calif San Francisco, Calif San Francisco, Calif	7.3.86.83.3.41.89.10.98.44.66.82.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2	7.644.567.829.837.363.529.562.432.522.232.3232.224.57.363.567.287.852.8333.867.2333.867.224.85.71.65.852.852.852.852.852.852.852.852.852.85	78. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	In. 1832 2 115 199 484 14 14 14 14 14 14 14 14 14 14 14 14 14	78.74.2.2.2.2.4.2.4.7031.9047.8837.3997.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.2.3.1.3.2.3.1.3.2.3.1.3.2.3.1.3.2.3.3.3.3	7n. 0. 483 4 5 6 6 8 8 8 8 8 8 9 2 7 7 1 3 8 8 8 8 8 9 2 7 7 1 3 9 8 8 8 8 9 2 7 7 1 3 4 8 9 2 7 8 9 8 8 8 8 9 2 7 7 1 3 4 8 9 2 7 8 9 8 8 8 8 9 2 7 7 1 3 4 8 9 2 8 9 8 9 8 9 8 9 8 9 8 9 8 9 8 9 8	78.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.95.174.89.	7n. 18 3 32 1 32 1 32 1 32 1 32 1 32 1 32 1	7.224.677.892.480.064.231.04.67.757.56.96.77.32.24.11.11.11.11.11.11.11.11.11.11.11.11.11	## 4.824 4 .34 4 .34 4 .34 4 .34 4 .34 4 .34 4 .34 4 .34 4 .34 4 .34 4 .34 4 .34 4 .34 4 .34 4 .34 1 .3	In. 3. 147	7n. 4576 428 428 428 428 428 428 428 428 428 428	7a. 33. 666 650 650 650 650 650 650 650 650 650

¹ Normals are based on records of 20 or more years of observations.

T-Trace, indicates an amount too small to measure.

TABLE 782.—Frest, killing: Dates of, with length of growing season

	Spring	frosts	Autur	n frosts	Length
Station	Latest date of killing frost	A verage date of last killing frost	Earliest date of killing frost	Average date of earliest killing frost	growing season between average dates of killing frost
Greenville, Me	Juna 23	May 30	Aug. 26	Sept. 14	Days 107
Boston, Mass. Buffalo, N. Y. Canton, N. Y.	May 16	Amr. 14	Sept. 26	Oct. 24	193
Canton N. Y	May 23 June 2	Apr. 26 May 8	Sept. 23 Sept. 11	Oct. 19 Sept. 28	176 143
Trenton, N. J.	May 17	Apr. 20	Sept. 22	Oct. 19	182
Scranton, Pa	May 29 May 10	Apr. 21 Apr. 20	Sept. 25 Sept. 14	Oct. 22 Oct. 13	184 176
Washington, D. C.	May 12	Apr 8	Oct. 2	Oct. 20	195
Lynchburg, Va Norfolk, Va	May 7 Apr. 26	Apr. 28 Mar. 25	Oct. 15	Oct. 27 Nov. 17	182 237
Parkersburg, W. Va.	Apr. 26 May 22	Apr. 16 Mar. 28	Oct. 1	Oct. 16	183
Charleston, S. C.	Apr. 26 Apr. 2	Mar. 28 Feb. 20	Oct. 8 Nov. 8	Nov. 5 Dec. 10	222 293
Atlanta, Ga.	Apr. 17	Mar. 31	Oot. 11	Nov. 7	221
Thomasville, Ga	Apr. 28 Apr. 10	Mar. 14 Feb 16	Oct. 21 Nov. 12	Nov. 15 Dec. 6	246 293
Miami, Fla	Apr. 10 Feb. 19	(1)	Dec. 26	(1)	(1)
Cleveland, Ohio	Apr. 26 May 21	Apr 14 Apr. 15	Sept. 30 Oct. 2	Oct. 25 Nov. 2	194 201
Evansville, Ind	Apr. 28 May 21	Apr. 6	Sept. 30	Oct. 27	204
Indianapolis, Ind	May 21 May 29	Apr. 16 Apr. 18	Sept. 21 Sept. 20	Oct. 19 Oct. 18	186 183
Peoria, Ill	May 11	Apr. 15	Sept. 20 Sept. 30	_do	186
Grand Rapids, Mich	May 28 June 6	Apr. 28 May 13	Sept. 23 Aug. 23	Oct. 17 Oct. 9	172 149
Madison, Wis	May 23	Apr 25	Sept. 10	Oct. 17	175
Duluth, Minn	June 14 May 23	May 7 Apr. 25	Sept. 10 Sept. 20	Oct. 4 Oct. 8	150 166
Des Moines, Iowa	May 9	A pr 22	Sept. 22	Oct. 11	172 178
Dubuque, lowa.	May 21 May 22	Apr 20 Apr. 4	Sept. 27 Sept. 30	Oct. 15 Oct. 27	178 206
Springfield, Mo	May 19	Apr. 4 Apr 14	do Aug. 28	Oct 21	190
Bismerck, N. Dak	June 7	May 11	Aug. 28	Sept. 20	132 126
Pierre, S. Dak	May 19	May 16 Apr 30 May 1	Aug. 8 Sept. 12	Sept. 19 Oct. 5	158
North Platte, Nebr	May 24	May 1 Apr. 15	Sept. 10	Sept. 30	152
Concordia, Kans	May 19 do May 27	Apr. 16	Sept. 18 Sept. 20	Oct. 13 Oct. 17	181 183
Dodge City, Kans	May 27	Apr. 21	Sept. 23	Oct. 21	183
Memphis. Tean	May 4 Apr. 25	Apr. 7 Mar. 22	Sept. 26 Oct. 2	Oct. 23 Nov. 3	199 226
Nashville, Tenn	Apr. 24	Apr. 2	Oct. 8	Oct. 27	208
Mahila Ala	Apr. 17 Apr. 6	Mar. 17 Feb. 17	Oct. 21 Oct. 31	Nov. 8	236 291
New Orleans, La	Mar. 27	Jan. 25	Nov. 11	Dec. 16	325
Amerillo, Ter	Apr. 9 May 23	Mar. 6 Apr. 17	Oct 20 Sept. 22	Nov. 10 Oct. 29	249 195
Brownsville, Tex	Mar 8	Jun. 28	NOV. 15	Dec. 22	328
El Paso, Tex	Apr. 26 Apr. 9	Mar. 14 Mar. 11	Oct. 27 Oct. 22	Nov. 15 Nov. 12	246 246
Galveston, Tax	Apr. 9 Mar. 1	Jan. 19	Nov. 16	Dec. 26	341
San Autonio, Tex.	Apr. 5 Apr. 80	Feb. 24 Mar. 31	Oct. 30 Oct. 7	Nov. 28 Nov. 2	277 216
Little Bock, Ark	Apr. 26 June 6	Mur. 18	Oct. 22	Nov. 13	249
Havre, Mont	June 6	May 16 May 5	Aug. 25 Sept. 10	Sept. 19 Oct. 2	126
Cheyenne, Wyo	June 7 June 13 June 6	May 20	Aug. 25	Sept 10	150 122 123
Sheridan, Wyo	June 6 June 2	Apr. 27	do Bept. 12	Sept. 20 Oct. 8	123
Senta Fe, N. Mex.	May 18	Apr. 25 Feb. 16	Sept. 25	Oct. 18 i	164 177 290
Phoenix, Ariz	Mar. 81 July 8	Feb. 16 May 23	Nov. 5 Sept. 5	Dec. 8 Sept. 28	290
Salt Lake City, Utah	June 18	Apr. 20	Sept. 22	Oct. 20	126 182 133 167
Winnemuces, Nev	June 18 June 22 June 16	May 18	Aug. 22 Sept. 11	Sept. 28 Oct. 12	138
Bestile, Wash	May 10	Apr. 28 Mar. 17	Oct., 18	Nov. 21 Nov. 5	249
Walk Walls, Wash	Apr. 28 May 2	Mar. 8	Sept. 28 Oct. 18	Nov. 5 Nov. 21	249 270 256
Bosebarg, Organization	May 24	Apr. 14 Feb. 8	Sept. 24	Nov. IX	213
Streks, Cell.	Apr. 7	Feb. 22	Nov. 11 Oct. 81	Nov. 25 Dec. 2	213 291 283
Los Angeles, Utili	Apr. 14 Feb. 17	(1)	Nov. 2	(4)	(3)
Greenville, Me Boston, Mass Buffalo, N. Y Canton, N. Y Trenton, N. J Pitisburgh, Pa Scranton, Pa Scranton, Pa Scranton, Pa Scranton, Pa Scranton, Pa Scranton, Pa Scranton, Pa Scranton, Pa Scranton, Pa Washington, D. C Lynchburg, Va Norfolk, Va Parkersburg, W. Va Charleston, S. C Atlanta, Ga Thomasville, Ga Jacksonville, Ga Jacksonville, Fla Miami, Fla Cincinnati, Ohio Cleveland, Ohio Cleveland, Ohio Cleveland, Ohio Cleveland, Ohio Ryansville, Ind Indianapolis, Ind Chicago, Ill Peoria, Ill Corant Rapids, Mich Marquette, Mich Marquette, Mich Madison, Wis Duluth, Minn St. Paul, Minn Des Mohes, Iowa Duhnque, Iowa St. Louis, Mo Springfield, Mo Bismarck, N. Dak Peirre, S. Dak North Platte, Neb Oomaha, Nebr Concordia, Kans Dodge City, Kans Lola, Kans Memphis, Tean Neshville, Tean Birmingham, Ala Mobile, Ala New Orleans, La Shrevesport, La Amarillo, Tex Brownsville, Tex El Paso, Tex Fort Worth, Tex Galveston, Tax San Antonio, Tex Oklahoma City, Okla Little Bock, Ark Havre, Mont Little Bock, Ark Havre, Mont Scries, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fresa, Cellf Fres	May 7 Jan. 20 Mar. 27	Feb. 19	Nov. 11 Dec. 28	Nov. 29	(1) 298
WIND ALL CONTRACTOR OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PRO	Mar. 27	Jan. 25	Dec. 4	Dec. 10	319

Weather Bureau; periods ranging from 30 to 50 years.

1 Fronts do not occur every year.

INDEX

Page	Page
A baca, injuries of, remarks 75	Alcohol, wood, exports, 1922-1924 1049
Accidents, livestock, insurance against 244	Alfalfa
Agressin, remedy for septicemia	composition of
Agricultural—	cutting for hay, tune 329
credit corporations—	growing in irrigated West, situation 292
National, authorization and develop-	hay—
ment	harvesting, methods and labor 375-376
organization by cotton and tobacco	value and use 317-318
cooperatives235	See also Hay.
Credits Act—	haymaking, labor conflictive
amendment 238	seed, imports, 1922 1924 1064
conditions demanding 185-186	Alfilaria, hay value and use
passage, purpose, and provisions 233	ALLEN, T. WARREN, article on "Highways
products	and highway transportation" (with others) 97-184
exports1041-1049	Almonds, imports, 1901-1924
exports and imports, 1901-1924 1074-1078	Ammonia sulfate, imports
exports, destination 1079-1087	Ammoniates, prices
foreign trade, summary, 1901-1924 1098	Animal products
imports, 1922-1924 1058-1068	exports, 1922-1924
imports, countries of origin 1088-1097	imports, 1923-1924 1058-1061
receipts from Alaska, Hawan, and	Animals—
Porto Rico	disease study 65
shipments to Alaska, Hawan, and	exports, 1922-1924 1041
Porto Rico, 1922-1924	imports, 1922–1924 1058
statistics559-1230	See also Livestock.
Agriculture	Anticyclones, nature and causes 459-469
adjustment to climate, soil, and topog-	Apples—
raphy 465-408	exports
crisis of 1921-1924, discussion by Secre-	1901-1924 1074
tary	1922-1924
Department—	by destinations
administration, personnel, etc., re-	1mports, 1901–1924 1061
niarks 79-83	prices—
financial statement 89-95	at main markets
foreign service	on farm059
organization 11, 21-22	production, by States
depression period, bank failures 214	shipments in car lots 686-667
farm capital, relation to farm credit 187-188	statistics C64-673, 677, 1043, 1044, 1061, 1074
improvement1-2	storage (cold), 1914-1924
laborers in	yield, reduction, causes
production statistics, 1915-1924 84-85	Appropriations—
relation of weather, article by A. J. Henry,	Department, tables 88, 92-95
J. B. Kincer, H. C. Frankenfield,	expenditures, etc
W. R. Gregg, B. B. Smith, and E. N.	Federal, for roads 148
Munus 457-558	Apricots, exports, 1922-1924 1043, 1044
Secretary, report for fiscal year 1924 1-96	Argols, imports 1901-1924
statistics miscellaneous	ARNER, G. B. 1, committee on statistics,
year in, report of H. C. Wallace, Secre-	work 559
tary 1-96	Ash wood, exports 1047
Alaska—	Asparagus, acreage, etc
agricultural products—	Atlantic States—
from United States, 1922-1924 1050-1052	Middle, road revenues
shipments to United States 1069	South, road revenues
farm and forest products—	Auctions, fruit and vegetable
value of receipts from United States. 1673	Auto traffic, effect on water-bound road 122
value of shipments to United States. 1073	I WARD SERVED ARREST OF A SCOL DAMENT LAST." TWO

Page	Page
Automobiles—	Barley—Continued.
aid in—	receipts at markets, 1909–1924
cure of sectionalism 179–180 suburban growth 178	stocks on farm, etc
suburban growth 178 mileage of travel and effect 180	trade international 638
trips, length and kind	yield-
See also Motor vehicles.	by States, 1909-1924
Aviation—	reduction, causes
influence of weather 557-558	Barleys, introduction 73
relation to agriculture 557-558	Bates road test, discussion
Baby Chick Association, international, organ-	Beans-
ization 385	acreage, etc., by States
Bacon-	dry, acreage, shipments, etc
exports-	exports, 1922-1924
by months, 1910-1925 923	snap, acreage, cte 744
to countries, 1910–1924 925	statistics688-689, 1046, 1065
prices-	velvet, acreage, etc
1913-1924 918	yield and prices
in England 929 Baling, hay practices 297, 351-353	BECKER, JOSEPH A , committee on statistics,
Baltic rush, hay value and use	work 559
Baltimore, milk—	Becf-
haul at terminal, cost172-173	and beef products, trade international 866
routes, chart	canned, exports
Bananas, imports, 1922-1924 1061	eured, exports
Bankruptcy	fresh, exports
farm, increase20-21	production arcas, descriptions 525-530
farmers 1130	products, exports, 1901-1923
Banks	stocks in storage
commercial, relation to intermediate	Beesway, imports, 1901-19241077
failures before and during agricultural	Beet seed, imports, 1922-1924
depression	sugar See Sugar, beet
farm-mortgage loans 194-196	Beetle, Japanese, control work 70-71
Federal—	Beets, sugar
land, capitalization and manage-	acreage, etc., by countries 804
ment199-207	production— by countries805
land, location and loans. 205-207	by countries 805 by States 798
Reserve, relation to farm credits 225-228	statistics
intermediate credit, minimum of capital. 235	Beggarweed, hay value and use 324
loans agricultural comparison with other	Bermuda grass, hay value and use. 312
loans	Bituminous-
short-term farm terms and condi-	pavements, tests
tions219-225	roads, types and use 123-126
population per bank, by States 213	Black-
resources, growth, and magnitude 193-194	fly, quarantine inspection 1204-1205
security on-	grass, hay value and use
farm loans, kinds 217-219	Blister rust, control
personal loans to farmers 223-225	Blue grass, Kentucky, hay value and use 314
source of long-term farm credits	Boll weevil—
State and National, rediscounts with in- termediate credit banks, remarks 237	damage to cotton, influence of weather 523
Barberry, eradication in control work	injury to cotton
Barley—	Bollworm, control, remarks 60-70
acreage-	Bonds-
etc., by countries	Federal land bank, Liberty and steel,
exports, etc	yields 203
exports, 1922-1924 1044	road, proper use 158
growing, influence of weather 518	State highway, 1923
marketings by farmers 635	Bone fertilizer, imports
prices-	Borer, corn, control work
at main market 039	Bran, prices to farmers 591-592
on farm, 1909–1924	Brannen, C. A., article on "Farm credit,
production— by countries683-634	farm insurance, and farm taxation," with others 185-284
of world	Brazil nuts, imports, 1922-1924

Bread Page	Calves-Continued. Page
exports, 1922, 1924	veal, prices on farm853, 854
grains. See Grains.	See also Cattle.
prices for 1913–1924	Camels, numbers by countries 985-990
Breakfast foods, exports	Camphor, imports, 1922-1924 1067
Breeding-	Cane sirup; sugar. See Sirup, Sugar.
cattle, for dairy	Cane, sugar-
chickens, problems and studies 410-411	acreage
wheat, remarks	investigations 7
Bristles, imports, 1922–1924	Canker, citrus, eradication 68 Cantaloupes—
Broomcorn—	acreage, etc
acreage, etc	shipments, by States
prices on farm 745	yield, etc
Buckwhent-	Capper-Volstead Act, aid to farmers 28
acreage	Carabao, numbers in Philippines 989
and value, by States. 659	Cassava, imports, 1922-1924 1068
exports, etc 659, 1044	Cassina, uses.
growing, influence of weather	Castor beans, imports, 1922-1924
prices—	Cuttle -
et main markets661	and products, statistics
on farm	beef, pages on farm
statistics	breeding for dairy 50-51
yield	changes on farm 838
Buffalos, numbers in Turkey	companies, use of intermediate credit
Bulbs, imports 1922-1924	banks, and interest rate231-232
origin	companies 235, 237
Bunt, resistance by wheat	condemnation under inspection, causes,
BUNYEA, II, article on "The poultry indus-	diseases, statistics 895–897
try" (with others)	exports, 1901–1924
Bushel, weights by crops	feeding-
Busses, motor, competition with rail service. 180	for market 28
Butter	shipments 849
exports, 1922-1924	imports, 1922-1924
freight rates, rail, 1913-1924	losses, 1890-1924839
imports, 1922–1924	meat situation
prices —	numbers
farm and market	by countries 986-990
on form	etc , by States 837, 839
1917-1924	on farms and in towns
1919-1923 - 872, 874	prices—
receipts at 5 markets	at main markets
statistics	farm and market
storage, 1915-1924	range, mistorical notes 529-530
trade international 885	receipts and shipments 840-845, 847-848
Cabbage	slaughter—
acreage, etc	by States, ctc
prices. 692, 693	receipts 843-844
shipments 691 *	statistics 837, 865,
yield and price	867-868,89 <u>5</u> -877,961-96 4, 968, 971-972, 986-990,
CADISCH, G. F., article on "Farm credit, farm	1041, 1055, 1058, 1074, 1077, 1078, 1088, 1091,
insurance, and farm taxation" (with	1113, 1153, 1157
others) 185-284	steers, prices wholesale
Caliskins, imports, 1922-1924 1058	tick eradication
California, motor vehicle data	tuberculosis— eradication by States
CALLANDER, W. F., committee on statistics,	
Work 556	
Calves—	See also Livestock. Cauliflower, acreage, etc
condemnation under inspection, causes,	Cauliflower, acreage, etc
1907-1924 964 prices at main markets 855-862	Celery—
receipts 840-845, 847, 848	acreage, otc
alaughter, by States, etc	shipments
Andrew 040 040 047 040 049 060 071,072	viold and price

Cheese— Page	Page
exports, 1991-1924	Ceconut eil, imports, 1922-1934. 1063
freight rates, rail, 1913-1924	Coconuts, products, etc., imports1062
imports, 1901–1904	Cocking, hay, practices
marketing by fermers	Coffee
- prices, 1919-1924 891	exports 1043, 1078
production, 1917-1924 872, 874, 887	
receipts at main markets	
statistics	statistics
887-891, 1041, 1048, 1074, 1075, 1147, 1160	trade international 831
storage, 1915-1924	Cold storage. See Storage.
trade international 891	, "
Chemicals, use against rusts, note 67	Collateral, bank loans to farmers, types 223-224
Chickens—	Collier, G. A., article on "Hay" (with
	others)
	Comptroller of the Currency, supervision of
breeding problems and studies	agricultural credit corporations 237
commercial flocks, egg production 403	Concrete
farm-	bituminous, use for roads124-126
flocks, egg production 403	roads—
prices 399	building and use
sales receipts (with eggs)	tests at Pittsburg, California 129-132
fattening, feed requirements and cost 405-407	tests in Illinois (Bates) 132-134
feed, requirements and cost 395-396	tests, wear
industry, details	tests of wear
live, wholesale prices at New York 445	Conference, farm, of 1922, work
management problems and studies 411-415	Congress, attention to agriculture 24-26
numbers	Congressional Commission, aid in farm
and value on farms, 1920	crisis.
by countries 991–992	Connecticut—
on farms, by States, 1920 393	motor—
prices on farm	•
production, value by States (with eggs) 392	traffic, charts 163, 164, 165
sales from farms, 1919	vehicle data
statistics	traffic count data141-145
Chicks -	Cony, habits in storing grass. 298
association, organization 385	Cooper. M. R., article on "Hay" (with
harcheries, business and requirements, 413-415	others)
Cities, decentralization by autos	Cooperage stock—
Citrus	exports, 1909-1923
canker, eradication	matereals, exports 1049
fruits, statistics	slack, production, etc1022, 1023
marketing cooperation. 43	tight, production, etc
shipments, car-lot 674	Cooperation-
waste, uses71	farm, aid by Congress 25
,	marketing-
Clarke-McNary Act, usefulness 63-64	aid by intermediate credit banks 235
"Climate," use of term	cotton associations 31-33
Clover-	poultry and eggs
aisike, hay value and use	relation to Federal Government 44
bur, hay value and use 320	
crimson, hay value and use 319-320	
cutting for hay, time	Cork, imports, 1922-1924 1938
hay. See Hay.	Corn
Japan, hay value and use 320	acreage-
red	and yield, by countries
hay value and use	exports, etc601
history and distribution	value, etc., by States
seed	Belt, temperature distribution 481-486
exports 1045	borer, control work
foreign, studies	classification in cars
imports by kinds	cobs, uses in furfural
statistics 1045, 1064, 1096	cost of production, by States, etc 1135-1135
See also Seed, clover.	crop of 1924, remarks
· · · · · · · · · · · · · · · · · · ·	exports, 1901–1924
	germination, temperature influence 591-500
sweet, hay value and use	-
Clovers, hay value and use 318-320	growing—
Cloves, imports, 1922-1924	climatic requirements 508-50
Cocoa	influence of weather 508-510
beans, imports, 1922-1924 1001	imports, 1901-1924
imports, 1901–1924	international trade

Zen-Continued. Page	Cottonseed— Page
marketings by farmers 607	meal, prices767-768
new varieties-	oil
introduction	cake, exports, 1901-1924 1074
oats and wheat, cost of production, com-	prices 766 trade international 765
parison1140	prices on farm 765
oil cake, experts, 1901–1924	production
planting dates, considerations, etc 505-507	products—
prices-	exports, 1922-1924
at main markets	of, production
on farm, etc 611, 612	Cowpeas-
production—	acreage, etc
by countries 605	cutting for hay, time
of world606	hay value and use
ratio with hogs	prices on farm
receipts, etc., 11 markets	statistics
seed, injury by freezing	Cows-
statistics 601-615,	dairy, numbers on farms and in towns 357
1044, 1074, 1075, 1135-1137, 1140	mik—
supply visible, 1900–1924 608	numbers, etc
sweet 696	prices 851
	See also Cattle
• • • • • • • • • • • • • • • • • • • •	Crub grass, hay value and use 312-313
yield and price 697	Cranberries, production and value. 678 Crodit -
by States, 1909-1924603	basis and wise use, discussion
reduction causes	corporations, National agricultural. See
Jotton—	Agricultural credit corporations
acreage-	emergency, for farmers, need and pro-
and yield, by countries	vision
exports, etc 746	farm
Belt, temperature distribution	and farm insurence and taxation,
bollworm, control	article by Nils A Olsen, C A
cooperative marketing	Brannen, G F Cadisch, and R.
cost of production	W Newton 185-284
crop of 1924, remarks	classes 188–189
exports, 1901-1924 1043, 1074	demand and provisions
fertilizers used on	intermediate between long and short
futures prices, New York	term, need and provision 232-238
ginning, by dates	long-term, use, importance, sources, etc 189-193
growing, influorce of weather. 520-524 imports, 1922-1924 1061	short-term, sources, uses, etc 219-225
imports, 1922-1924 1061 COTTON, J S, article on "Hay" (with	Credits-
others) 285-376	furm-
market conditions 8-9	act of 1923, operation 25
marketing by farmers 754	See also Agricultural Credits Act
plant, chemistry study	aid of Government 23-24, 26
price, New Orleans	Crop-
prices	Estimates, merger in Economics Bureau. 22
at main markets 756-763	Service, periodicals, nature 524-525
foreign	Crops—
on farm, etc	acreage—
production—	production, etc
by countries 751-753	statistics 84-85
by States	acreages, etc., by States
of world	distribution, influence of temperature 484-485
reports legislation	growing season, lengths 1230
seed meal, prices767-768	index numbers
States, fertilizer sales	insurance, discussion 245-248
statistics	kinds eligible for warehouse in interme-
1043, 1061, 1074, 1143, 1170, 1172	diate credit banks
trade international 755	meter, invention and use
warehousing system 30-32	other than grains, fruits and vegetables,
yield	statistics.
by States747	production situation in hay regions 345-349
reduction causes	profitable use, discussion 71-72

Eggs—Continued.	Page
dried and frozen, imports by countries of	
origin	
drying, methods	_ 439
exports—	
1922-1924	
by countries of destination	
farm sales receipts (with chickens) farm prices	
freezing for market, practices	
frozen and dried, manufacture	
grades and standards	
grading methods	
handling from farm to consumer	
imports—	
1922-1924	_ 1058
by countries of origin, etc	451-453
international trade, 1922	449, 450
marketing and storage 423-425, 435-437,	444-447
Pacific Coast, wholesale prices	. 429
prices -	
factors influencing	
farm and market 430, 10	
on farm	
storage and mark eting 423-425,	
wholesale at New York, 1921-1923	427, 429
production -	405
and receipts per flock by months	. 405
by classes of flocks	
feed cost, general	
feed cost per dozen	
value by States (with chickens)	
receipts at main markets	
statistics 451-453, 902, 909, 1000-1003, 10	
storage, supplies for 1915-1924	_ 1000
trade international	_ 1000
uses—	
and preparation	
in diet	
white, prices at Boston and New York	
Equipment, farm, sales, by articles	
Exchange, foreign, New York rates	. 1183
Exports—	74 1078
agricultural products 1041-1057, 10 animal products, 1922-1923	
animals, 1922-1924	
apples, 1922-1924 10	
barley, 1922-1924	
butter, 1922-1924	
cattle, 1922-1924	
checse, 1922-1924	
corn, 1922-1924	
cotton, 1922-1924	. 1048
cottonseed products, 1922-1924	. 1945
dairy products, 1922-1924	#041
destination, by countries 10	778-1087
egg products, 1922-1924	1041
oggs	,
broken and shell, 1922-1924	
discussion	458
farm-	. 1071
and forest products, value	179_1027
products, destination 10 flaxseed products, 1922-1924	1045
foodstuffs, cotton, and tobacco, 1915–1926	L 86-87
forest products, 1922-1924 10 fruits, 1923-1924 1	17-1049
fruits, 1929-1924	43-1044
glucose, 1922-1924	1047

Exports—Continued. Page	Farm-Continued. Page
grains, by kinds	products—
hay, 1922-1924	exports, destination by countries. 1078-1087
hides and skins 1041	principal, value 1113-1114
hogs, 1922-1924	value by kinds
hops, 1922-1924	value of exports and imports 1071
horses, 1922-1924	property, value-
lard, 1922-1924	1850-1920
linseed products, 1922-1924 1045	by States, in 1020
livestock, 1922–1924 1041	statistics559-1230
monts, 1922-1924	tax dollar, Indiana, analysis, graph 276
milk, 1922-1924 1041	Farmers—
mules, 1922-1924 1041	aid by grain grades
naval stores, 1922-1924	associations, statistics 1144-1152
oils and fats 1042	bankruptey 1130
oilseed products, 1922–1924 1045	borrowers from Federal land banks, re-
oranges, 1922 1924 1043	quirements 200-201
poultry, dressed and canned 1041-1042	debts, classes and percentage 190
rice, 1922-1924	finances improved
rosin, 1922 1924 1047	incomes, tables 1131-1132
rye, 1922-19241044	intentions-to-plant, data
sausage casings, etc	isolation escape
seeds, 1922-1924 1045	need of credit provisions
sheep, 1922-1924	needs, adaptation of Yearbook
sirup, 1922–1924. 1046	personal loans from banks, security and
starch, 1922 1924 1047	terms 223-225
stearms, 1922-1924	prices for, by articles 1124-1125
sugar, 1922-1924 1046	relief by intermediate credit banks 232-238
tanning materials, 1922-1924 1047	Farming, weather influence
tobacco, by types, 1922-1924	Farms—
vegetable -	hay acreage, determining factors 293-295
oils, 1922-1924	management studies 45-40
products, 1922–1924 1043–1047	mortgage debts, growth and magnitude_ 189-192
vegetables, 1922–1924	prices on, statistics
vencers, 1922-1924 1049	source of truck freight 170
wheat, 1922-1924	value, relation to amount of loan 216
wood ~	Fats, exports, 1922-1924. 1042
alcohol, 1922–19241049	Fattening, chickens, requirements and cost. 405-407
pulp, 1922-1924	Feathers—
woods, 1922-19241047-1048	imports, 1922-1924 1060-1081
Extension work, development 51-52	uses
	Federal—
FAIRBANK, H. S, article on "Highways and	aid to roads, appropriations
highway transportation" (with others). 97-184	Intermediate Credit banks
Farm—	establishment and operations 233-238
animals, and their products, statistics_ 837-1004,	loans direct and rediscounts 234
1041-1043, 1052-1053	loans direct, graph 236
capital, relation to farm credit 187-188	Land Banks, relation to intermediate credit banks. 233
Conference of 1922, work -23-24 23, 24, 25 credit insurance and taxation, article by	redit banks
Nils A. Olsen, C. A. Brannen, G.	chickens, requirements and cost 395-396
F. Cadisch, and R. W. Newton. 185-284	egg production, cost 396-405
See also Credit, farm.	fattening for chickens, cost and require-
credits, aid of Government 23-24, 25	ments 405-407
equipment, sales, by articles	
insurance. See Insurance, farm.	laying hons, requirements and cost 397-403
	market news. 40-41
lands, value, per cent of farm property, by States 186	mill, exports, 1922-1324
D3 D4444	Fertilizers—
Loan-	consumption
Act, conditions demanding	hay -
Act, provisions, etc	cost, etc 869
associations, organization, and func-	growing use 305–307
tions	imports
loans—	poultry manure, value, etc. 421
short-term, length of 233	prices 1169
See also Loans, farm.	sales in cotton States
management, merger in Economics	
Bureau22	. OARTOATOR TILL

Page :	Page
Fiber plants, investigations 74	Forests—Continued.
Fibers, vogetable, imports, 1922-1924	fire weather, duration in different re-
Figs, imports, 1901–1924, etc	fires, 1916-1923
Films, use in foreign service 49	influence of weather
Fir, Douglas, exports, 1922-1924	National—
Fire weather, duration in different regions. 549-557	grazing, permits
Fires, forest-	permits, residence grazing, etc 1011-1012
number—	roads, building, etc
and causes 553-557	roads for, need of 103-104
and losses 1009-1010	timber sales 1013
relation of weather	planting 1008 public—
Fish scrap, production 1167	expansion under new law 63-64
Flax—acreage by countries	ownership and use 63-65
and flaxseed, statistics	world areas, by countries1007
growing, influence of weather	Fowls, parasites of 422-123
imports, 1901–1924	FRANKENFIELD, H C', article on "Weather
production by countries	and agriculture" (with others) 457-558
Flaxseed-	Freezing, eggs for market, practices. 429
acreage-	Freights-
etc., by States640	and freight rates, statistics
exports, etc	carload weights
imports, 1901–1924	rapid, haul by motor truck 184
marketings by farmers	rates—
price at main markets	ocean, statistics
production, etc. 644	rall, butter1159
products, exports, 1922-1924	rail, irdex numbers 1162-1163
trade international 645	rail, tonnage statistics 1153-1157
yield, 1909-1924	road, modern advances 160-161
See also Linseed.	See also Transportation
FLETCHER, A. B , article on "Highways and	Frost—
highway transportation" (with others) 97-184	effect on corn plants and maturity 507, 510 hazards, influence on crop distribu-
Flocks, chickens, classification 394	tion
FLOHR, LEWIS B, committee on statistics,	killing dates, with growing season, by
work 550	10Wns
Floods— effect on agriculture539-543	Frost-free seasons, map 491
warnings, economic value 540-542	Frosts, killing, dates for last and first 86-489
Flour—	Fruits
prices for, 1909 to 1924 587-590	and vegetables, statistics 0.4-759, 1043, 1110
wheat-	nuction markets
exports, 1901-1924 1075	exports, 1922-1924
imports, 1901-1924 1062, 1076	imports— by kinds, 1922-1924
Food-	inspection for black fly 1204-1206
consumption per capita	inspection service
future supply for world 477-479	marketing by farmers
law, enforcement statistics	nursery stock, exports and imports 1047
Foot-and-mouth disease, 192416-17	1006, 1099
Forage, coarse, supplement to hay crop 299	prices on farm 1173
Foreign—	production in—
exchange, New York 1183	California
service, Agriculture Department 46-49	statistics664~739, 1043~1044, 1055, 1061~1062,
Porest products—	1066, 1070, 1082, 1083, 1093, 1099, \$110,
exports, 1922-19241647-1049	1127-1128, 1145, 1173, 1204-1205
imports, 1922-1994	stocks, imports, origin1096
statistics 1018-1040	unloads at main markets
value of exports and imports	See also under specific names.
Progress, discussion	Funds, road, raising and use 142–160
statistics 1005-1040	Futures, trading—study—59-61
Porests	volume of, publication
appropriations 1007	Game, growing for market, outlook 419-420
2006-1006	

Gardine- Page	Page
road-cost variation	
taxation growth	,,
taxes for roads by States	Gums, Imports, 1922–19241067
Geese-	Hair-
decrease in numbers, 1880-1920 383	exports, 1922-19241043
numbers—	imports, 1922–1924
and value on farms, 1920	Hams—
by countries991-992	exports, by destinations, 1919-1924 925
production, status of industry	prices
Ginning, cotton, dates for 749	1913-1924 918
Glucose, exports 1901-1924 1047, 1074	ın Liverpool
Glue and glue-stock imports, 1922-1924 1061	Harvest, wheat, dates, weather, etc 515-516
Goats, numbers by countries	Harvesting, hay, labor requirements 368, 371-373
GOLDBECK, A. T., article on "Highways and	Hatcheries, chick, industry, and require-
	ments
highway transportation" (with others) 97-184	Hauling-
Gooseberry, destruction in rust control 66	motor and horse, remarks160-184
Gore, Howard M	truck, origin and destination
foreword 111	IIawaii—
letter to President1	agricultural products-
Grades—	from United States, 1922-1924 1052-1054
hay requirements, etc 41, 357-365	shipments to United States 1009
market, fixing	farm products, value of—
wheat, discussion	
Grading-	•
eggs for market, methods 439-442	shipments to United States 1072
road, remarks	Нау-
Grains—	acreage—
bread, statistics 560-600, 1041, 1062, 1172	distribution by regions 300-302
cleaning machine, note 39	farm, determining factors 293-295
cutting for hay, time	advantages over other roughage 307
exports, by kinds 1044	alfalfa—
futures Act, work 59-61	prices at main markets 785, 788
grading, aid to farmers 37–38	prices on farm
:	yield, etc , by States 773
green, hay value and use 315-316	and straw, prices
1mports, by kmds, 1922–1924	article by C. V. Piper, R. A. Oakley,
market news	H. N Vinail, A. J. Pieters, W. J.
other than bread, statistics	Morse, W. J. Spillman, O. C. Stine,
1044, 1032, 1172	J. S. Cotton, G. A. Colhar, M. R.
prices on farm	Cooper, E C. Parker, E W. Shcets,
products, imports, 1922-1924	and A. T. Semple285-376
See also under specific names.	baling practices 351-358
Grapefruit-	clover—
prices at auction	
receipts from Porto Rico	and timothy (mixed), acreage, etc.
shipments, by States	by States
Grapes-	•
exports, 1922-19241043	prices at main markets
imports, 1922-1924	yield, etc., by States
production, by States 679	color requirements
shipments, by States 679	composition, by kinds 328
Grass seed, imports, 1922-1924	cest of production, items 365-376
Grasses-	crop, distribution
composition at different stages of growth. 329	crops, substitute, nature and value 323-324
cutting for hay, time 330-331	curing artificially
introduction73	differences from other roughage 286-287
tame, hay value and use 310-315	dusty, dampening for feeding
Gravel—	exports, 1922-1924
	feeding value 305, 324-326
	grading and inspection 41
reads, construction and features 120-121	grains cut green, acreage, etc., by States. 777
Grazing lands, western, forage and capacity 528-530	hauling and stacking
GREGO, W. R., article on "Weather and agri-	kinds, value, and production 307-326
culture" (with others) 457-558	legumes, acreage, etc., by States 778
Greated water, road, remedy for	loose, price on farm 784
Guano, fertilizer, imports	market receipts in 1913-14, and 1923-24. 254
Gainess—	marketing, practices, and requirements. 350-365
numbers and value on farms, 1920 393	measuring in stack, rules
production, status of industry 418-419	millet, Sudan grass, and other, acreage,
See also Poultry	etc., by States

Hay—Continued. Page	Highways— Page
movement, distribution, and changes 353-356	American, mileage and classification 102-104
plants—	and highway transportation, article by
choosing considerations 287-289	T. Warren Allen, A. B. Fletcher, A. T.
cutting time	Goldbeck, E. W. James, J. Gordon
prairie, price-	McKay, H. R. Trumbower, and H. S.
at main markets	Fairbank 97-184
on farm	Federal— aid, discussion by Secretary 55-57
presses, early use 297	aid system 108
prices—	Federal-aid-
and grades, situation 356-357	by types 1187
farm and market 784-789, 1174	statistics
on farm	mileage, by States 104
production	transportation on 97-184
and shipments, 1911-1923 356	See also Roads.
by States, 1839-1919 300-303	Hogs-
climatic and soil requirements 290-293	changes on farm
development 295-303, 347-349	cholera, protection.
factors governing 289–293	condemnation under inspection, 1907-
place in agriculture 286-287, 342-350	1924
receipts at main markets	hauling costs
statistics	losses, yearly, 1888–1924897
stocks on farm	numbers—
sweating, danger, etc	and value on farms, by States 898
tame-	by countries 986-990
acreage, etc	etc., on farms897
prices on farm	pig surveys
yields, by States	prices-
timothy-	1913-1924
acreage, etc., by States	farm and market 911-916
price on farm 785	on farm
prices at main markets	production, by countries 791
wild-	ratio with corn
acreage, etc. 769	receipts and shipments 902-903
yield by States 772	situation by months, 1924
yield, factors affecting, etc. 304-307, 772, 780	slaughter by States, etc. 917, 910-920, 969, 971-972
Haymaking —	statistics
historical notes 285-286 processes and practices 320-339	surveys
Haystack, measuring 339-342	of pigs, by States 900-901
Heading, barrel production 1021-1023	semiannual 27-28
Hemp, 1mports, 1901-1924	transportation, study 174-177
Henhouse, artificial light, management and	truck-hauled, numbers at Indianapolis. 175-176
value	weights at main markets 909-910
HENRY, A. J, article on "Weather and ag-	Home Economics Bureau, work
riculture" (with others) 457-558	Hoops, production 1022, 1023
Hens-	Hops-
Egg production, average 402-403	acreage, value and yield 790, 791
laying feed requirements and cost 397-403	consumption, etc
laying flocks, culling importance	exports—
Herd's grass, name for timothy 296	1901-1924
Hides—	imports, 1901–1924
exports, 1922-1924	prices, wholesale 780 statistics 790-790
imports, 1901–1924 977, 978, 1058–1059, 1077	trade international 792
prices at main markets 979	Horses-
statistics 976-979, 1041, 1058-1059, 1069,	statistics 979-98
1071-1072, 1077, 1089-1092, 1154-1157	exports, prices, etc
stocks, 1921-1924	losses 98
	number on farms and in cities
Highway—	numbers—
improvement, effect on transportation	by countries
costs	and value, 1910-1925
## TAKE TALED	: VVV: V.J. DVDVDD

	•	
Horses—Continued.	Page	Imports—Continued. Page
prices		vegetables, 1922-1924
on farm		wheat-
on farm, by States receipts at markets		1922-1924
transportation by		flour, 1922–1924
Horsetail, hay value and use		woods, by kinds1067-1068
Hunters, licenses by States		Incubators, invention 384
		Indiana, taxes, analysis of farm tax dollar,
Ice cream, production, 1919–1923 Illinois, test of concrete road		graph
Impact tests, road experiments		Index numbers—
Imports-		farm prices 1176-1179
agricultural products-		freight rates, rail
1922-1924	. 10581068	of crops
countries of origin		Indianapolis, hauling of hogs
selected, 1901-1924	_ 1075-1077	Insects—
animals	1059	control
1922-1924 and animal products		poisoning by airplane, outlook 557-558
butter, 1922-1924		Inspection—
cattle, 1922-1924		hay, Federal service 364-365
cheese, 1922-1924		market, progress in 34–37
coconuts, products, etc		plant, work against insects
coffee, 1922-1924		Insurance— companies, life, farm-mortgage loans 195,
cotton, 1922–1924		196–197
dairy products, 1922-1924	1058	farm—
eggs— 1922–1924	1058	discussion 239-256
by countries of origin		kinds and facilities 239
farm and forest products, value		fire, provision for farmer 239-242
fibers, vegetable		hail, risks by States, graph 250
flaxsoed, 1922-1924		life, farm advantage255-255 livestock, remarks244-345
forest products, 1922-1924		Intangible property, avoidance of taxation
fruit and rose stocks, bulbs, and tree		Interest—
origin		payments by owner-operator farms, 1923. 188
fruits, by kinds		rate, maximum for cattle companies 237
garden seed, 1922-1924grains and grain products		rates—
hides and skins		intermediate credit banks
livestock, 1922-1924		on farm loans, factors influencing,
manila, 1922-1924		etc
meats and meat products	1059	Iowa-
milk, 1922-1924		life insurance companies, loans for agri- culture
nursery stock, 1922-1924		tests of rolling resistance
nuts, 1922-1924		Irrigation—
oilseeds, 1922-1924		acreage, by
olive oil, 1922-1924		crops
peanuts, 1922-1924		States 1104, 1105 areas, by States 1104
pulp wood, 1922-1924		crop production 1106-1107
rice, 1922-1924		fruits, by States 1108
rubber, 1922-1924		statistics
sausage casings, 1922-1924		water supply, Weather Burcau service. 542-548
seeds, 1922-1924		Istle, imports, 1922–1924
silk, 1922-1924sisal, 1922-1924		JACKSON, D, article on "The Poultry Indus-
spices, by kinds		try" (with others) 377-456
sugar, molasses, etc	1064	JAMES, E. W, article on "Highways and highway transportation" (with others) 97-184
tanning material, 1922-1924	1067	Japanese beetle, control work
tea, 1922-1924	1064 106F	Johnson grass, hay value and use
tobacco, 1922-1924 vanilla beans	1064-1005	JULL, M. A , article on "The Poultry Indus-
varnishes, etc., 1922-1924		try'' (with others)
wegetable-		Jute, imports, 1901–1924
fibers, 1922-1924	1069	Kafir—
oils	1063	prices— at main market————————————————————————————————————
products, 1922-1924	1061-1067	on farm
wax, 1922-1924	1000	Att Water constitution and and

Eafr-Continued. Page	Lettuce— Page
receipts at main market	acreage, etc., by States
statistics	shipments 700
Kainit, fertilizer, imports. 1168	yield and price
Karmont wheat, tests 76	Licenses, hunters, by States
Kerosene, use against rust 67 Kherkof wheat, note 76	Licortee— imports, 1922-1924
Kincer, J. B., article on "Weather and agri-	root, imports, 1901–1924
culture" (with others)	Life insurance companies, farm-mortgage
Kipskins, imports, 1922-1924 1659	loans 195, 196-197
Kopak, imports, 1922-1924 1086	Lightning, cause of forest fires, number and
Kota wheat, rust resistance	regions
Kubanka wheat, remarks 76	Lime—
	and peat, fertilizer1166
Labor— cost in distribution of farm products 45	farm, production, etc
east in distribution of farm products 45	Linseed-
supply and demand 1121	meal, prices at—
wages 1116-1120	11 markets
hay production—	oil—
requirements 350	imports, 1922-1924
requirements and cost 366-376	meal, prices at New York 648
Laborers, farm, numbers by States, 1920. 1122-1123	prices at New York
Lambs	trade international
numbers, etc., by States	products, exports, 1922-1924 1045
prices on—	Livestock—
farm	condemnation under inspection, 1907-
farm, by States	1924
slaughter, etc	exports, 1922-1924
See also Mutton; Sheep.	farm values, by States 902
Land— rental for hay growing 369-370	foot and mouth disease
tax, advantages	imports, 1922–1924
Lands-	insurance, discussion
plow, value by States 1115	loan companies, use of intermediate
study in Department 26	credit banks 235, 237
LANGWORTHY, C. F., article on "The Poultry	See also Cattle companies.
Industry" (with others) 377-456	market conditions 9-10
Lard-	marketing by farmers 1146
consumption, 1907-1924	markets, new data27
exports, 1901-1924	numbers—
by months, 1910–1925 923	by countries
by destinations, 1910-1924 926	relation to population, 1880-1920 387
prices— 1913-1924918	prices on farm
by months, 1905–1923 926	protection from wolves
in Liverpool 929	situation
production, 1907–1924 966	slaughter, statistics 968-970
statistics 918,	statistics
921, 928, 926, 929, 966, 967, 1042, 1074	867-868, 968-970, 986-990, 1146, 1173
stocks in storage921	See also specific names.
Lath-	Living, cost of, prices and wages statistics 1182
imports, 1922-1924	Llamas and alpacas, numbers 989
production, by States 1016	Loans— farm—
Laws-	by intermediate credit banks, totals,
highway, for State aid, dates 98	etc
regulatory, statistics 1204-1206	costs and terms 208-214
LEE, A. R., article on "The Poultry In-	liberal terms and helpfulness 238
dustry" (with others) 877-458	purposes 215-218
Legislation-	relation to farm value
road, remarks	remarks 25
suggestions	State funds and oredit agencies 207-208
Lemons-	terms by credit institutions 215-216
imperts, 1901–1924 1981, 1877	Federal—
prices at auction 675	farm system, business, etc
Shipmonts, by States	land banks, amounts and require- ments 200-207
Entrodesa. cutties for has	

Leans-Continued Page	Markets-Continued. Page
personal, to farmer, security by banks 223	inspection progress 84-37
short term—	livestock, new data 27
failure in stringency, note 233	merger in Economics Bureau 22
to farmers, sources228-232	news service 33-34, 39-41
See also Credit.	poultry—
Logs-	distribution
exports, 1922-19241048	products, preferences
imports, 1922–1924 1607	radio reports
Lumber—	Marl, production, etc
exports, 1901–19241078	Maryland, bus lines, map
factory, by industries and States 1017, 1018	McATEE, W. L., article on "The Poultry In-
imports—	dustry" (with others)
1901-1924	McKay, J. Gordon, article on "Highways
and exports 1021	and highway transportation" (with
States 1017	others)97-184
prices 1019	Meadow fescue, hay value
production-	Meal—
by species of wood 1015	cottonseed prices 767-768
	linseed oil prices, New York
by States	linseed. See Linseed.
	Meat-
statistics 1014-1020	and meat products under inspection,
Macadem—	1907-1924 963
bituminous, road use 123-126	consumption, 1907–1924 967
surface-treated, use 123	production, 1907-1924 966
water-bound, use in roads 121-123	products
Macaroni, imports, 1901-1924	imports, 1922–1924
Machinery, haying-	statistics
development 298	situation
use and cost 369, 370-371, 372-376	Meats—
Mahogany, imports, 1922-1924 1067	exports, 1922-1924
Mail carriers, aid with crop data	imports, 1922-1924 1059
Manila, imports, 1901-1924	international trade
Manure, poultry, composition, value, and	poultry, uses and value 380-382
USes	prices at main markets 974-975
Map, roads, publication	stocks in storage 974
Maple sugar and sirup See Sugar, maple.	statistics 963,
Market-	966-967, 970-975, 1041-1042, 1059-1060
foreign, discussion 14-16	supply in East 970-972
news service	See also Bacon; Beef; Hams; Mutton;
Marketing-	Pork
associations, statistics 1144-1152	Melilotus, hay value and use
auction, for fruit and vegetables	MENDUM, S. W, article on "The Poultry
ocoperative	Industry" (with others) 877-456
poultry and eggs 444-448	Merchants, credit to farmers, interest rates,
study	etc
See also Cooperative marketing.	Meteorology, statistics
grain, study under Futures Act 59-61	Milk-
hay, practices and requirements 350-365	condensed-
poultry—	exports1041
handling cost 452	trade international 876
products, methods, etc 423-434	distance of hauling 172
problems, study 36	exports, 1929-1924
relation of weather	freight charges, motor and rail
wheat, at 11 points 571-572	hauli ng
Markets-	at terminal, cost
dressed poultry, holdings 438	Baltimore chart 175
egg receipts-	by trucks171
monthly fluctuations 403-404	on highways 171-174
storage	imports, 1922-1924
foreign— service of Agriculture Department 46-49	prices—
study 24	farm
grades fixing	retail 877-878
pes.—	wholesale
development 290	production, etc
receipts, decline, etc	statistics
" - manufacto in 1019-1014 and 1002-1094 254	truck houling, regularity

Page	Nuts Page
Milks, canned, production, 1919-1923 872, 874-875	exports, 1922-1924
Millets, hay value and use 313-314	imports, 1922-1924 1065
Moisture, relation to—	production in California 677
farming types468-471	See also Almonds; Filberts; Walnuts.
vegetation	Oak, exports, 1922-1924 1047 OAKLEY, R. A., article on "Hay" (with
Molasses, imports, 1901-1924	others)285-876
others) 285-376	Oats—
Mortgages, farm, increase, magnitude and	oats—
results	and value, by States
Mosaic disease, immunity, note	and yield, by countries
Moth-	exports, etc
browntail, control	classification in cars 62
gipsy, control work	corn and wheat, costs of production,
Motor—	comparison1140
hauling, effect on dairying 174	cost of production by States 1137-1139
traffic—	growing, influence of weather 517-518
increase data	imports, 1901-1924 1078
variations 163-166	marketings by farmers 622
trucks—	prices-
advantages in freight hauling	at main markets 628-624
freighting fields 181–184	on farm, 1909-24
savings by use of	production— by countries621-622
tonnage	of world 622
trips, length	receipts, etc., 11 markets
usefulness	statistics
See also Trucks.	- stocks on farm, etc 622
vehicles—	supply visible, 1909–1924 62
fees, etc., by States	trade international, 1922-1924 626
statistics 160-161	yield—
tax totals, increase	by States, 1909-1924
See also Automobiles; Vehicles.	reduction causes
Mountain States, road revenues	Ocean, freight rates 116
Mowers, early use 298	Oil
Mules— exports, 1922-1924	cake
numbers—	and its meal, trade international 830
and prices 979-984	corn and cotton, exports 1901–1924 1074
by countries	coconut, imports 1922-1924 1003 cottonseed. See Cottonseed
1910-1925	linseed. See Linseed oil.
See also Horses.	oleo, exports
Munns, E. N., article on "Weather and ag-	olive, imports
riculture" (with others) 457-558	peanut. See Peanut oil.
Mutton-	Oils
exports 1910-1925	animal, exports 1042
international trade 952	distilled, imports
statistics	vegetable—
storage, frozen, 1915-1924 950	exports, 1901-1924 1045, 1075
Natal grass, hay value	exports and imports
National Pike, construction and neglect 100 Naval stores, exports, 1922–1924 1047	imports
Negroes, farmers, use of merchant credits 229	Oilseeds
Neilson hay-drying method	imports, 1922–1924
New-	products
England, road revenues	exports, 1922-1924 104
Jersey, law for State aid in road building,	imports, 1922-1924 106
first and use as model 97	Oleo oil exports
NEWTON, R. W., article on "Farm credit,	Oleomargarine—
farm insurance and farm taxation" (with	materials
others) 185-284	production
Nodak wheat, remarks 76	production and consumption 802-89
North Central States—	Olive oil—
East, road revenues 148-149	imports, 1901–1924
West, road revenues 149-151	trade international 67
Nursery stock, imports, 1922-1924	Olives, imports, 1922-1924 196

Page ,	Pears—Continued. Page
Olsen, Nils A., article on "Farm credit,	shipments, by States
farm insurance, and farm taxation" (with	statistics 683, 684, 1043-1044
others) 185-284	Peas
Onions	acreage, etc., by States 708, 704
acreage, etc	canned, production705
imports, 1901–1924 1065, 1077	field, hay value and use
prices, farm and market 702, 703	green, yield and prices
shipments 701	Pennsylvania—
yield and prices 701	motor traffic, charts 164, 165, 170, 172
Opium, crude, imports, 1901–1924	railroad, motor truck line, charts 182, 183
Oranges—	Pepper, imports, 1922-1924
exports, 1922–1924 1043	Phosphate rock, production and prices 1164,
imports, 1901–1924 1077 prices at auction 675–676	PIETERS, A. J., article on "Hay" (with
production, etc. 674	others) 285–376
shipments, by States	Pig, surveys
statistics	Pigeons—
Orchard grass, hay value and use	decrease in numbers, 1910–1920
Ostriches, number and value on farms, 1920. 393	number and value on farms, 1920 393
Pacific States, road revenues 152-153	production, status of industry
Packers and Stockyards Act, work 57-59	Pika, habits of storing hay 285
Packing, poultry for market, practices 434	Pine—
Packing-house products, exports, 1901-1924. 1074	hlister rust, control 65
Palm oil, imports, 1922-1924 1063	Southern yellow, exports 1049
Paper-	Pineapples—
consumption per capita, 1809-1923 1031	exports, 1922-1924 1043-1044
imports1029	1mports, 1922–1924
raw materials used 1031	receipts from Hawaii
Para grass, hay value	Pink bollworm, control
Parasite, Japanese beetle, note	PIPER, C V, article on "Hay" (with
Parasites, fowls, prevalence and causes 422-423	others) 285-376
PARKER, E ('., article on "Hay" (with	Pittsburg test road, discussion 129–132
others) 285-376	Plant life, studies
Passenger cars See Autos	Planting—
Pastures, condition, 1909-1924 790 .	corn, dates, considerations, etc
Pavements	intentions, study 27
bituminous, tests	spring, dates for truck crops
tests of motor truck impact	Plants—
Peaches	disease study 65-68
exports, 1922–1924	new, introduction
prices, farm and market 682	rest periods, influence of temperature 483-484
production	Plow lands, value by States
1899-1924 679	Poles—
by States 680	industrial line, numbers by kinds 1025
shipments, by States 680-681	telegraph and telephone, imports 1067
statistics 679, 680-681, 682, 1043	Poplar, exports, 1922-1924
Peanut oil—	Population, comparison with poultry num-
imports, 1922-1924	bers, 1880-1920
prices 797	Pork-
trade international 797	and its products, trade international 922
use of peanuts, by months 796	and pork products, statistics 920-929
Peanuts-	careass prices, 1910-1924 927
acreage, by States, etc	exports, 1901-1924
hay value and use 323	by months, 1910–1925
imports, 1922–1924	prices, 1913–1924
oil production796	situation by months, 1924
at shipping points	statistics 918, 920-924, 1042, 1074
on farm 794, 1174	stocks in storage 920
statistics 793-797, 1062, 1174	See also Hogs.
trade, international 796	Porto Rico
Pagra	agricultural products—
exports, 1922-1924	from United States 1922-1924 1055-1057
prices on farm 684	shipments to United States 1059-1070 farm products, value of—
production	receipts from United States 1071
1909-1924 683 by States 1915-1924 683	shipments to United States 1071
by States, 1915-1924 683	DESTRUCTION AND ASSESSMENT TO TAKE THE TAKE

Page	Paultry-Continued. Page
Potash, imports	trade, international 893
Petatots	value on farms by States, 1920
acreage—	See also Chickens; Ducks; Geese;
and yield, by constries709-710	Guineas; Turkeys.
exports, etc	Prairie hay, value and use 309-310
value, etc., by States	Precipitation— smnual, world map
cost of production, 1928	sinual, world map
crop of 1924, remarks 3	
imports, 1901-19241076	otc 479-482 statistics, 1913-1924 1218-1229
prices— at main markets726-721	Predatory animals, control 79
on farm	Prices—
production, by countries 711-712	apple, farm and market 669-673
shipments, by States _ 712,713-716,1076,1141,1142	asparagus 687
statistics	barley, on farm, 1909–1924
sweet. See Sweet potatoes.	beans-
trade international	dry741
yield—	snap688, 669
by States 707, 708	broomcorn, on farm
reduction causes 709	buckwheat, farm and market661
Poultry—	cabbage 692, 693
associations, early organization 384	cantaloupes 694
breeds and varieties, numbers	cattle, farm and market 850, 851-864
commercial farms, investment cost and	cauliflower 695
profits, items	celery 696
diseases and sanitation	cheese, 1910-1924 891
dressed	citrus at auction
and canned experts 1042	coffee, wholesale832
cold-storage holdings 433, 436, 438	corn—
edible percentages	at main markets 612-615
grading for market 442-443	on farm, 1909–1924
handling and marketing 432-438	sweet
market receipts monthly	wheat, cotton, and stock7-10
wholesale prices at New York 448	cotton, farm and market 755-768
exhibits, influence on industry 384-385	cottonseed, on farm
exports, 1922-1924	cowpeas
fattening stations, feed, labor, etc 406-407	cucumbers 698
handling from farm to consumer 431-434	dressed poultry at New York 448
industry—	eggs— farm and market
article by M. A. Jull, A. R. Lee, H.	wholesale at New York 427, 429
Bunyea, R. R. Siecum, D. Jack- sen, S. W. Mendum, C. F. Lang-	farm-
worthy, and W. L. McAtee 377-456	advances in 19244, 5, 6
by-products, nature, and value 420-421	and market
development, history	prewar and post-war
outlook454-455	statistics
value and place in agriculture 268-389	637, 641-847, 648, 661, 662-663, 669-673, 675-676,
marketing-	687, 688, 689, 692, 693, 694, 695, 697, 608, 699,
associations, practices 447-448	741, 744, 745, 755-763, 765, 784-789, 850, 851-
handling cost 452	864, 874-883, 885-887, 891, 911-916, 918, 926,
meats of, uses and value 390-382	929, 983-985, 1001-1093, 1079, 1172-1182.
numbers, comparison with population,	feed, study of 40-41
1880-1920 387	flaxseed, farm and market 645-647
prices, wholesale for live and dressed 443	grain, fluctuations in relation to volume
production—	of trading 60-61
by kinds, 1999 393	hay—
distribution, 1880-1920 269-393	farm and market
products-	fluctuations 256-357
market distribution 484	hides at main market
masket preferences 442	hogs-
marketing, methods, etc 423-484	1913-1924 918
See also Eugs.	farm and market
publications, list 450	horses, farm and market
receipts at main markets 993-995	kafir, farm and market
statistics 991-897, 1041, 1042	lard, 1905-1928
storage, 1916-1924. 995	lettuce

Prices—Continued.	Page	l · Pa
linseed-		Quarantines, insect, notes
meal, at New York		Radios, farmers, increase and use
oil, at New York		Railroads, influence of weather
oil meal, at New York		Rainfall, relation to crop growth 501-
livestock, in 1924		See also Precipitation.
maple products on farm		Baisins, imports, 1991–1994
market, by articles 112		Real estate, taxation, advantages
milk 8		Redtop, hay value and use
oats-		Referestation, dependence on weather 545-
at main markets	28-629	Refrigeration, use in marketing 531-
on farm, 1909-1924	627	Reindeer, numbers by countries 986,
onions—		Rhodes grass, hay value
by States	. 701	Rice
farm and market	02, 703	acreage—
peaches, farm and market 6		and value, by States
peanuts, farm and market		and yield, by countries 650-
pears, on farm		by-products, exports, 1901-1924 10
peas, by States 7		exports, 1901-1924
phosphate rock		growing, influence of weather 519-
pork products9		imports, 1991-1924 1962, 10
potatoes, farm and market	17-721	prices—
poultry—	00=	at principal markets
on farm		on farm, 1909-1924
products, factors influencing 4		production—
wholesale by months		by countries652~
pyrites		of world
rosin		recenpts at main market
rubber, at New York		statistics
rye, farm and market		stocks at main market, 1905-1924 654-
seeds of forage plants		trade, international
sheep, farm and market 9		yield—
silk, wholesale		by States, 1909–1924
soybeans	741	reduction causes
spinach, 1918-1924	. 722	Ridit wheat, note
spread of, investigation	44-45	River stages, Weather Bureau Service, dis-
statistics 58		tricts and stations
strawberries		Roads—
sugar8		bituminous, types and uses 123-1
sweet potatoes, farm and market 7		bituminous-concrete, building and use. 124-1 bonds, proper use
tea wholesale		brick, building and use128-1
to farmers, by articles 112 tobacco, farm and market 827,8		budget for State1
tomatoes, farm and market 729, 7		building methods and standards 115-1
turpentine103		classer in accord with use
vegetable seeds		concrete, building and use 126-1
wages and cost of living, index numbers		control, authorities 105-1
watermelons		discussion 97-
wheat-		county and local, control, etc 104, 1
fluctuations	61	costs by types 113-1
on farm, etc 5		earth, fuel cost
wood pulp		economic status
wool, farm and market9		expenditures—
Protein content, relation to wheat marketing.		per capita
Prunes-		rate 1
exports, 1901-1924 1043-104	4, 1075	expense, distribution
imports, 1901-1924		experiments and tests 129-i
Publications—		Federal—
issue, fiscal year, 1924	. 96	aid acts, passage and provisions 100-i
poultry, list	456	aid, control 165-1
Puln wood—		aid, cost appertienment
consumption. 102	6-1027	aid, discussion 100-1
imports 1021, 102	9, 1067	early construction
Pyrethrum, imports, 1922-1924	1066	funds, 1917-1929
Excites, production, etc	14, 1166	office, establishment in Agriculture
Omerantine want success	66	Department

Reads—Continued. Page	Rubber Page
financing—	imports, 1922-1924 1067
jurisdiction problem	international trade
methods of 142-143 of and maintenance construction 142-160	investigations 74
of, principles	Rushes, hay value and use
freight by trucks, usefulness sphere 178-184	Rust, blister control 65-60
funds for, sources, etc	Rusts
grading and draining 115-117	plant, control
improvement—	resistance by wheat
erroneous ideas	Rye-
limit reckoning 111	acreage and value by States
status in 1924 108-109	and yield by countries 594
by geographic sections	exports, etc
changes since 1921 154-156	classification by cars
kinds, etc., statistics	exports, 1922-1924 1044
maintenance—	growing, influence of weather
agreement 106	international trade
problems 99-100 mileage, State and local, graph 279	prices—
money, adjustment to other needs 157	at main markets
paved—	on farm 594
fuel cost for motors	production—
saving of transportation cost 141-142	by countries
permanency delusion 112-113	of world596
and expenditures, comparison 44-146	statistics 592-600, 1044, 1084, 1100, 1133
figures for 1924 156	yield, by States
rolling resistance, variation 139-140	Salt, rock, use in rust control
rural—	Sand-clay roads, advantages and construc-
expenditures by States	tion
mileage totals, by kinds 1188-1189	Sausage casings—
shoulder construction	exports 1042, 1043
soils underlying tests 137-138	imports, 1922–1924
State-	Schools—
aid, first law 97	financing, jurisdiction problem 277-281
aid in building 97-100 and local revenues, etc 143-144	taxes on rural real estate, by jurisdictions. 270
control, discussion 98-100, 107-108	Season, growing, lengths of
systems104	Seed— alfalfa—
statistics 1184-1198	prices on farm
surface discussion	prices to farmer 820
surfaces, width and types	spot prices 819
tax revenues, sources, graph	alsike, spot price Si
taxes on gasoline, by States	clover
traffic density 161-160	acreage, otc
transportation, discussion	prices on farm 817 prices to farmer 826
type and mileage in 1922 109	receipts and shipments at main mar-
types and costs 113-115	ket 818
use essentials for farmer	timothy and alfalfa, statistics 814-821
water-bound— repair122-123	forage plant, imports
wear by horses and autos	hay plants, requirements
See also Highways	timothy—
Rock salt, use in rust control 67	prices on farm
Rolling resistance, on roads, tests 139-141	prices to farmer
Rose stocks, imports, origin 1099	receipts and shipments at main mar-
Rosin-	ket
exports, 1622–1924	disinfection, note
imports, etc	experts, 1922-1924
production 1032	field; prices to growers
stocks 1032	foreign, reports on
trade international 1034	imports, 1922–1924 106
Roughage, hay, advantages 307	prices on farm

Seeds-Continued.	Skins-Continued. Page
tree, imports, origin 1099	statistics976-979,
statistics 735-738, 814-821, 1045, 1064, 1099, 1172	1041, 1058, 1059, 1069, 1071, 1077, 1089, 1092
vegetable— acreage, etc	stocks, 1921–1924
imports	Slaughter, inspection for 971-972
prices	SLOCUM, R. R., article on "The poultry in-
statistics 735-738	dustry" (with others) 377-456
SEMPLE, A. T, article on "Hay" (with	Slopes, road, grades of
others) 285-376	SMITH, B. B, article on "Weather and agri-
Senna, imports, 1922–1924 1066 Sheep	culture" (with others) 457-558
condemnation under inspection, causes,	Snowfall. See Precipitation. Sodium arsenate, use against rust, danger 67
1907-1924	Soils—
exports, 1922-1924	subgrade of roads, improvement
feeding-	tests of road support 137-138
for market	Solar radiation, by months 495-497
shipment by months 940	Sorghums—
live, exports and imports	acreage, and value 662 growing, influence of weather 519
market in 1924, remarks 10	Sorgo-
numbers-	hay value and use 316-317
and value on farms, by States 931-932	sirup, acreage, etc
by countries	South Central States, East, road revenues. 151-152
prices	South, merchant credit, use by farmers 228-231
at main markets	Soybean oil, imports, 1922–1924 1063
exports and imports 941 farm and market 942-949, 1175	Soybeans— acreage, etc
on farm, by States	cutting for hay, time 330
receipts and shipments, 1900-1924 933-939	hay value and use 322
situation by months, 1924 951	interplanting with corn, practices 322
slaughter—	prices on farm 741
etc	Spices, imports by kinds, 1922-1924 1064
local 930-937	SPILLMAN, W. J, article on "Hay" (with
under inspection, 1910–1924 949–950 statistics	others) 285-376 Spinach, yield and prices 722
965, 970–972, 986–990, 1041, 1964, 1175	Stacking, hay, practices 335-336
stocker and feeder, shipments 937-938	Standards, egg, proposals for
Sheepskins, imports, 1922–1924	Starch, exports, 1922-1924 1047
SHEETS, E. W., article on "Hay" (with	Statistics-
others) 285-376	agricultural 559-1230
Shellac, imports, 1922-1924 1067	See also names of crops, etc Staves, production
Shingles 1067	Stearine, exports, 1922–1924 1042
1067 production by States	Steers, prices wholesale 863-864
Shipments—	Stem rust, control 66-68
fruits and vegetable, increase	STINE, O C., article on "Hay" (with others) 285-376
rejections problem	Stockyards-
Shoulders, exports, by destinations, 1910-	and Packers Act, work 57-59 rates and commissions, notes 58
1924	Stomach worms, control
Silk	Storage, cold-
imports, 1901-1924	butter, 1915-1924884
unmanufactured, imports, 1922–1924 1060	cheese, 1915-1924890
Shrup—	lard stocks, 1915-1924
cane-	ments, for 1916–1924
improvement71	holdings 434, 436, 995
production 811	products, holdings, and manage-
exports, 1922–1924	ment
maple. See Sugar, maple and sirup	relation to marketing 386, 533-534
	statistics884, 890, 921, 974
ownbe, unbrosomens	Straw and hay, prices
Size!	acreage and value, by States
production of, remarks	prices 685, 686
Chrise	shipments
exports 978, 1041	statistics 685-686
977, 978, 1058–1059, 1077	yield, etc., by States

Page	Paint
Subdrainage, need and method in road build-	Temperatures, statistics, 1913-1924 1206-1217
ing	Tenants, form, bank loans for 220
Subgrades, road experiments 127-138	Thunderstorms, types, relation to forest
Sudan grass, bay value and use: 313	fires 555-557
Sugar-	Tieks, eradication on cattle 897
beet, production— 1866-1924 3, 801	Ties, railroad, exports, 1922-1924
by countries 806	Timber
by States 799	lands, public, management 63-65
come—	National forests, sales, etc
production 800-802	countries
production by countries 806-807	Timothy—
exports—	cutting for hay, time 331, 361
1901-1924	hay, plant, value and use
1922-192*	See also Hay, timothy.
granulated, average prices at New York. 810-811	importance and history 296
imports, 1901–1924 1064, 1076	seed. See Seed timothy.
maltose, making from corn 72	Tire chains, test of wear on concrete
maple, and sirup—	Tobacco-
marketing 42-43	acreage—
production and farm price	and value, by States
statistics810-811, 813-814 prices810-811	and yield, by countries 825
production—	and yield, by types 822-823
1866-1924	exports, etc , 1909-1924 821
of world \$08	crop of 1924, remarks by Secretary 3
raw, prices at New York 810	exports—
receipts from Porto Rico	1901-1924 87, 821, 1075 by types 1046
statistics	
811, 813-814, 1046, 1064, 1070, 1075, 1076	imports— 1901-19241076
supply from Cuba 803	by types, 1922–1924
trade international 809	leaf, freight rates, rail1160-1162
Sunshine —	prices—
distribution 492-493	at main markets 829-830
effects on plants 497-498	on farm 827
solar radiation received by months 495-497	production, by countries 826-827
Sweet potatoes—	receipts from Porto Rico
acreage, etc	statistics
prices, farm and market 725-728 shipments, carlot, by States 724	1046, 1060-1062, 1064-1065, 1075
statistics	trade international
Swine. See Hogs.	yield—
Mallow amounts 1000 1004 1049	by States and countries 822, 824, 825
Tailow, exports, 1922-1924	reduction causes
material, imports, 1922–1924 1067	Tomatoes-
materials, consumption by kinds 1036	acreage, etc
products, exports, 1922-1924	canned, production, 1915-1924 732
Tax, property, discussion282-284	imports, 1922-1924 1065 shipments, car lots, by States 731
Taxation, land, advantages 284	shipments, car lots, by States
Taxes—	yield and prices 729, 730, 731
ferm—	"Tornado," use of term 459
increase	Trade-
remedies for defects, suggestions 283-284	Boards of, relation to Futures Act 59
relation to interest rates on farm leans. 213-214	foreign, agricultural products, 1901-1924 1098
sources for highways, graph 280	international, statistics 580, 598,
State systems, discussions 261-284	610, 626, 638, 645, 656, 717, 755, 796, 809, 828, 881,
Tea, imperia, 1901–1934	833, 836, 866, 876, 885, 891, 922, 955, 973, 978, 996,
prices wholesale	1001, 1030, 1034, 1089
statistics 835-884, 1064, 1076	Traffic— motor-truck, origin and destination 170-177
trade international	relation to roads type
Tedding, hay, practices	road, variations 168-166
average, January and July, world charts. 469.	roads, density study 161-166
average, January and July, world charts. 489,	truck, study on roads
relation to-	Transportation—
crep growth 500	cost—
vegetatiotz: 471-477, 469-490	of "gae", data
from material of translations 471,477	mainting tournaids 186-169

Transportation—Continued. Page	Page
costs, saving by paved reads	VINALL H. N., acticle on "Hay" (with .
farm products, refrigeration and heat 581-533	others) 285-376
fields of motor trucks: 181-184	Vitamins, egg content
highway—	Wages-
article by T. Warren Allen, A. B.	farm—
Fletcher, A. T. Goldbeck, E. W.	by States
James, J. Gordon McKay, H. R.	with board 1117-1119
Trumbower, and H. S. Fairbank. 97-184 sphere of usefulness	without board 1118, 1120
influence of weather	prices and cost of living
road, modern	Wagons, milk delivery, remarks 171
Tree seeds, imports, origin 1099	WALLACE, HENRY C.—
Truck crops, acreage, etc , by States	Report as Secretary1-97
Trucks—	Secretary, frontispiece.
livestock, hauling distance 176	Walnuts, imports, 1901-1924 1002, 1077
milk, chart for Baltimore 171	War Finance Corporation—
motor, sizes 172	aid to farmers 31-32
See also Motor trucks.	provision for emergency credit 281–232
TRUMBOWER, H. R., article on "Highways	Warehouse receipts, use as security, crops accepted 235
and highway transportation" (with oth-	accepted
ers)97-184	Washington, blister rust outbreak
Tuberculin, tests of cattle 895, 896	
Turkeys—	Watermelons— acreage, value, etc., by States732
decrease in numbers, 1890-1920	shipments, car lot by States 733
number and value on farms, 1920 393	statistics 732–733
numbers, by countries 991-992	yield and prices 733
prices on farm	Waterways, inland, relation of Weather
production, industry, status, and trend. 415-416	Bureau 543
See also Poultry	Wax, vegetable, imports, 1922-1924
Turpentine	Weather—
exports, 1922-1924 1047	control by cyclones and anticyclones 461-465
imports, etc	factors influencing 458-463
prices	influence on—
production	farm work and crop yields 498-525
stocks 1032	transportation 530-539
trade international	precipitation, by towns
Vanilla beans, imports, 1922-1924	radio reports
Varnishes, imports, 1922-1924 1067	relation to—
Vegetable	agriculture, article by A. J. Henry,
imports, inspection for black fly 1204-1205	J. B. Kincer, H. C. Frankenfield,
oils, exports and imports 835	W. R. Gregg, B. B. Smith and
products, imports, 1922-1924 1061-1067	E. N. Munns 457-558
seed. See Seeds, vegetable.	aviation 557-558
Vegetables-	forests
acreage increase 9	livestock industry 525-530
auction markets35	marketing 530-539
crop of 1924 4	Service, periodicals, nature
exports, 1922-1924 1046	statistics
imports, 1922-1924	temperatures, by towns 1206-1217
inspection service	use of term
marketing by farmers	Weeds, seeds, injury to wheat
products, exports, 1922-1924	Weevil—
statistics	alfalfa, economic importance
1048-1047, 1065, 1145, 1204-1205	Weights, bushel averages
unloads at main markets	Wheat
See also under specific names.	abandoned acreage 565
	- · · ·
Vegetation, natural, world map	acreage— and value, by States
veincies, motor, registration, etc., by States 1200-	and yield, by countries 566-567
See also Automobiles; Motor vehicles;	exports, etc., 1909-1924
Wagons.	Belt, temperature distribution 484-485
Velvet beans, acreage, etc. 744	breeding tests
Veneers-	Canadian exports
by kinds of wood, statistics1025	classes by States, 1922-1924
exports, 1922–1924	elassification by cars
Vetebes her walne and use 292	cleaning value of \$9.90

heat—Continued. Pr	nge	Winds— Page
corn and cats, costs of production, com-		destruction of timber 547-549
parisons 1	140	types and causes
cost of production, by States, etc 1183-1	135	Wood
crop of 1924, remarks	2-3	distillation, by States
dockage in Minnesota	577	exports by kinds, 1922-1924 1047-1048
	561	
exports—	•	imports by kinds 1067-1068
1901-1924 1044, 1	075	oil, Chinese, imports 1063
with flour, 1899-1923 577,	578	preservative treatment, by methods. 1037-1038
freight rates, rail, 1924	158	preservatives, consumption 1038
grading, discussion	3-39	production and consumption, by coun-
growing		tries 1020
climatic requirements 511-	-512	. pulp→
influence of weather 510-	-517	exports 1922-1924 1049
harvest dates, weather, etc 515-	-516	imports, 1899-1924 1029, 1068
imports, 1901-1924	076	prices 1030
	6-8	broduction. 1028
inspection for export	579	trade international 1030
	565	***************************************
price fluctuations, relation to Futures Act. 60	-61	1000-ben 110mm 1 0110 minoritation 1111 minoritation 1111
prices-		statistics
at Liverpool	584	1028, 1029, 1030, 1036-1038, 1049, 1068, 1070
at main markets 582-	-586	Wool
by classes	-584	consumption by classes 959
on farm, 1909-1924	581	imports—
production—		1901-1924
and value, 1909-1924	560	by kinds 1060
and yield by countries 67-	-568	international trade 955
of world, 1890-1924.		market in 1924, remarks.
receipts, etc., 1909-1924	571	
statistics	592,	prices—
1044, 1062, 1075, 1076, 1133-1135, 1140, 1	1158	at main market 958-959
stocks on farm, etc	570	farm and market 957-959, 1175
supply-		in England, 1909–1924 959
and distribution by items 569-	-570	production—
visible, 1889-1924	574	by countries 953
surplus, 1924-1925	573	by States
trade international	580	raw, production, etc. 1910-1924 955
winter-killing, causes	512	statistics 953-960, 1060, 1075, 1176
yield-		Worms, stomach, etc., control
by States, 1909-1924 563,	564	TO ULINO, OVVINOCIO, OVO., CONSTOLLARIA CONTRACTOR OC
reduction causes	563	

ADDITIONAL COPIES

. ADDITIONAL CUFIES
OF THIS FUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.

AT \$1.50 PER COPY